



Index

- Aboriginal and Torres Strait Islander Health and Welfare Information Unit, 333
- Aboriginal Australians, *see* Indigenous Australians
- Aboriginal Community Controlled Health Services, 269–70
- abortion, 162, 181, 276
- abuse, *see* violence
- accident (emergency) departments, 92, 277, 296
- accidents, *see* injuries and poisonings; road traffic accidents
- accredited hospitals, 325–6
- ACIR, 35–6, 158–9
- Active Australia, 155
- acupuncturists, consultations with, 291, 292
- acute bronchitis/bronchiolitis, 213, 295
- acute care hospitals, 266–7, 268, 270–3
- expenditure on, 244
 - length of stay, 317
 - performance indicators, 321–7
 - psychiatric wards, 283
 - see also* public hospitals
- acute encephalitis, 160
- acute otitis media/myringitis, 213, 295
- acute respiratory infections, *see* respiratory diseases/infections
- administration, 403–6
- health insurance funds costs, 252, 253
 - undergraduate course commencements, 263, 264
- admissions, *see* hospitalisation
- adolescents
- mental problems and disorders, 76
 - pregnancy terminations, 181
 - smokers, 150–1
 - see also* age; young people
- adverse events, 250, 326–7
- aerobic capacity, 18
- aerobics, 155
- affective disorders, 78, 82, 84, 249, 250, 276
- age, 4, 142, 179–203, 365, 428
- acute respiratory infections (ARI), 111, 112
 - allied health service patients, 292
 - asthma, 90, 91, 92, 214
 - attitudes and beliefs, 143
 - blood cholesterol, 170, 392
 - blood pressure, 167, 392
 - body weight, 164–5, 392
 - cancer, 66: survival following, 67
 - cardiovascular diseases, 58, 392
 - contraception use, 163
 - dental (oral) health, 227, 285, 287, 290
 - diabetes, 86, 215, 392
 - epilepsy risk factors, 104
 - family planning clients, 269
 - general practitioner patients, 293
 - health system costs, 251
 - hepatitis B, 114
 - hepatitis C, 115

hospital use, 393–6
 Indigenous Australians, 214–15, 217
 Medicare services, 412–14
 medication use, 301
 mental problems and disorders, 76, 77, 84
 mothers, 28, 179, 366, 369
 musculoskeletal disorders, 100, 101, 102, 103
 physical activity, 154–5, 392
 private health insurance coverage, 257
 self-assessed health, 14–15
 sun protection measures, 156, 157
 tetanus, 120
 waist-to-hip ratio (WHR), 166
see also children; life expectancy; older people; young people

age, at death, 39–40, 373–8
 asthma, 93
 cancer, 66, 67–8
 cardiovascular diseases, 61–2
 Indigenous Australians, 208–9, 210
 socioeconomic status, 221
 suicide, 79–80
 tuberculosis, 119

aged care assessment teams, 279–80
 aged care residents, oral health of, 23–6
 aged care services, 239, 278–82, 403–6
 aged people, *see* older people
 ageing, 316
 AIDS, *see* HIV/AIDS
 aids and appliances, 253, 293, 403–6
 alcohol consumption, 146–8, 355
 attitudes to, 144
 Indigenous Australians, 217
 rural and remote Australians, 224
 alcohol dependence and abuse, 46, 47, 52, 55, 78, 194
 young people, 189, 190
 allergies, 36–7, 90, 301
 allied health services, 263, 264, 277, 291–2, 296
 alternative medicines, 304–5
 Alzheimer's disease, 103–4, 194, 199
 see also dementia
 ambulance services, 8, 253, 403–6
 amlodipine, 303
 amoxicillin, 303, 304
 amphetamines, 143, 144, 152, 153
 AN-DRGs, 274, 276, 277
 anaemia, 46
 anaesthetics, 299, 300, 410
 mortality related to, 326–7
 analgesic nephropathy, 106
 analgesics/pain killers, 144, 152, 153, 301, 302, 303
 ancillary benefits tables, 255–6
 anencephalus, 183–4
 angina pectoris, 46, 47, 202
 angioplasty, 59, 60, 334
 antibiotics, 123, 303
 anxiety disorders, 46, 47, 82, 84, 197, 199
 general practitioner consultations, 295
 health system costs, 249, 250
 arbovirus infection, 384
 arthritis, 37–8, 45, 98, 100–3, 201
 see also musculoskeletal disorders; osteoarthritis

- asbestos, 354
- assisted conception, 27, 180–1
- asthma, 36–7, 45, 46, 47, 90–4, 359
 - burden of disease, 54, 93–4, 199
 - drugs, 91, 92, 94, 301, 303
 - general practitioner consultations, 213, 295
 - health outcomes indicator framework, 334
 - health system costs, 94, 250
 - hospitalisation, 92, 187–8, 276
 - Indigenous Australians, 213, 214
 - medications, 92, 94, 301:
 - can trigger, 91
 - overseas-born Australians, 207
 - rural and remote Australians, 226
- atenolol, 304
- atmosphere, 136–7
- atresia, 184
- attention-deficit disorder, 46
- attitudes and beliefs, 143–4
- audiologists/audiometrists,
 - consultations with, 291, 292
- Australian Burden of Disease and Injury Study, 48–55
- Australian Bureau of Statistics, 6, 332, 334, 335, 336
 - constant price estimates, 236
 - health services expenditure to GDP ratio, 232
- Australian Capital Territory, *see* States and Territories
- Australian Childhood Immunisation Register (ACIR), 35–6, 158–9
- Australian Council for Safety and Quality in Health Care, 327
- Australian Council on Healthcare Standards, 325
- Australian Health Care Agreements, 337
- Australian Health Ministers' Benchmarking Working Group, 319, 321
- Australian Health Ministers' Conference, 313
- Australian Hearing Services, 293
- Australian Incident Monitoring Scheme, 327
- Australian Institute of Health and Welfare, 6, 86, 328, 332, 335
 - Health Ethics Committee, 334
- Australian National Diagnosis Related Groups (AN-DRGs), 274, 276, 277
- Australian Patient Safety Foundation, 327
- Australian Standard Vaccination Schedule, 158
- auto-immunity, 37–8
- autosomal deletion, 141

- babies, *see* births
- back complaints/problems, 46, 47, 98, 99, 100
 - depression and, 84
 - general practitioner consultations, 294, 295
 - health system costs, 99, 250
- barbiturates, 144, 152, 153
- Barmah Forest virus, 118, 384
- bed accreditation, 325–6
- bed availability, 228, 266–7, 268, 284
- beer consumption, 148
- behaviour (lifestyle), 3, 144–64, 169, 350–1

beliefs and attitudes, 143–4

benign prostatic hypertrophy, 46, 47

betamethasone topical, 304

Bettering the Evaluation And Care of Health (BEACH), 293, 335

biomedical risk factors, 164–70

bipolar affective disorder, 46

birth defects, 39, 53, 122, 138–40, 183–4, 397–8

birthplace, 86, 135, 204–7, 265

births, 27–9, 179–84, 366–70, 342–4, 410

- family planning organisations, 268–9
- hospital separations, 276
- Indigenous children, 209–10, 212
- Medicare benefits paid, 299, 300
- pregnancy complications, 397–8

birthweight, 182, 209–10, 368

bladder cancer, 65, 66, 67, 386–8

blindness, and diabetes and, 87, 88

blood-borne diseases, 112–15, 384

- see also* HIV/AIDS

blood cholesterol, 169–70, 250, 392, 417

blood diseases, 277, 379–80, 397–8

blood lead levels, 137–8

blood pressure, 167–9, 294, 392, 417

blood vessel diseases, 44

body weight, 164–7, 189, 216–17, 392, 417

brain cancer, 66, 67

breast cancer, 65, 67, 68–9, 386–9

- burden of disease, 54, 196, 197, 199
- health system costs, 250
- overseas-born Australians, 207
- physical activity and, 154
- screening, 328–9, 335

breast cancer: mortality, 40, 42, 43, 65, 67, 68–9, 329, 354–5, 386

burden of premature (YLL), 51

- overseas-born Australians, 205, 206

breastfeeding, 188

BreastScreen Australia, 328–9, 335

bronchitis/bronchiolitis, 213, 295

- see also* chronic obstructive pulmonary disease

bronchopneumonia, 160

brucellosis, 384

bubonic plague, 346

budesonide, 303

burden of disease, 38–55, 192–9

- acute respiratory infections (ARI), 112
- alcohol consumption, 146
- asthma, 54, 93–4, 199
- chronic obstructive pulmonary disease, 97, 194, 199
- communicable diseases, 122, 193
- diabetes, 53, 54, 89, 194
- illicit drug use, 151
- mental illness, 82, 193
- musculoskeletal disorders, 52, 53, 98, 101, 193, 195–9
- nervous system disorders, 103, 193, 195–8
- socioeconomic status, 221–3
- tobacco smoking, 148
- unsafe sex, 162

burns/scalds, 46, 401–2

bypass operations, 59, 60, 350

- campylobacteriosis, 115–16, 384
- cancer, 47, 63–71, 140–1, 386–9
 - burden of disease, 53, 193–9
 - health system costs, 250
 - hospital separations, 276, 397–8:
 - procedures reported, 277
 - overseas-born Australians, 207
 - ozone depletion and, 137
 - palliative care, 327
 - physical activity and, 154
 - status of indicators, 418
 - see also* breast cancer; colorectal cancer; lung cancer; prostate cancer
- cancer mortality, 40, 52, 63, 64, 65, 67–8, 344, 352–5, 379–83, 386
 - associated with ischaemic heart disease, 44
 - burden of disease, 54, 195, 197, 199
 - burden of premature mortality (YLL), 51
 - health system costs, 250
 - caused by smoking, 149
 - Indigenous Australians, 211
 - melanoma, 70–1, 386
 - older people, 201, 202, 203
 - overseas-born Australians, 205, 206
 - record linkage, 334
 - rural and remote Australians, 226
- cannabis/marijuana use, 151–2, 153
 - attitudes to, 143, 144
 - dependence/abuse, 46
 - young people, 190
- carbon dioxide, 136
- cardiac check-ups, 57
- cardiac dysrhythmias, 57, 202, 250
- cardiorespiratory fitness, 18–19
- cardiovascular (circulatory) diseases, 45, 55–63, 303
 - burden of disease, 52, 53, 193–9
 - health system costs, 248, 250
 - hospitalisation, 57–60, 225, 276, 397–402
 - Indigenous Australians, 56–7, 58, 211, 334–5, 351
 - overseas-born Australians, 207
 - predictors, 154, 166, 168, 392
 - rural and remote Australian, 225
 - status of indicators, 415–16
 - see also* coronary heart disease; stroke
- cardiovascular diseases: mortality, 60–3, 201, 202, 203, 344, 347–51, 379–382
 - caused by smoking, 149
 - Indigenous Australians, 211
 - overseas-born Australians, 205–6
 - rural and remote Australian, 225
- caries, *see* oral health
- casearean sections, 183
- casemix, 274, 276, 277, 335, 321–2
- cataracts, 46, 87, 201, 202
- causes of death, 39–44, 342–59, 379–82
 - AIDS, 114, 205
 - alcohol, 146
 - anaesthesia, 326–7
 - asthma, 90, 93, 359
 - auto-immune diseases and conditions, 37
 - burden of premature mortality (YLL), 51–2
 - children, 39–40, 185–7, 189, 209–10, 226, 342–3, 347, 355

chronic obstructive pulmonary disease, 40, 41, 42, 43–4, 95, 96, 359, 383
 diabetes, 37, 40, 44, 89, 205, 225
 digestive system diseases, 205, 211, 379–80
 diphtheria, 120
 drug dependence and, 190
 drugs, 51, 52, 73–4, 81, 152, 191
 Haemophilus influenzae type b (Hib), 120
 hepatitis B, 114, 115
 Indigenous Australians, 209, 211, 218
 infectious and parasitic diseases, 379–82, 345–7
 injecting drug users, 152
 injuries, 72–4, 75, 79–82, 379–82, 190, 205, 211, 226, 344, 355–7
 kidney diseases, 89, 107, 108
 liver, cirrhosis of, 108–9
 malaria, 118
 measles, 121, 160
 mental problems and disorders, 79–82, 211
 mothers, 181, 343–4
 mumps, 121
 musculoskeletal disorders, 98, 379–80
 nervous system disorders, 103, 379–80
 older people, 201–3
 overseas-born Australians, 205–6
 pertussis, 120
 respiratory diseases, 39, 111, 205, 206, 211, 344, 358–9
 rubella, 122
 rural and remote Australia, 225–6
 subacute sclerosing panencephalitis (SSPE), 121
 tetanus, 120
 tuberculosis, 119
 vaccine-preventable diseases, 120–2, 160, 211
 violence, 205, 218, 357
 young people, 190
see also cancer mortality;
 cardiovascular diseases; road traffic fatalities; suicide
 cefaclor monohydrate, 304
 central nervous system drugs, 303
 cephalexin, 304
 cereal consumption, 191
 cerebrovascular disease, *see* stroke
 cervical cancer, 66, 67, 162, 386–8
 overseas-born Australians, 205, 206, 207
 CFCs, 136–7
 chancroid, 384
 check-ups
 general practitioner consultations, 28, 294, 295
 allied health consultations, 292
 dental consultations, 290
 chemists, *see* pharmacists
 chemotherapy, 276
 children, 185–9, 337
 blood lead levels, 137–8
 dental (oral) health, 19, 20–2, 390–1
 diabetes, 86
 diet, 145
 epilepsy risk factors, 104
 fitness, 18

- haemolytic uraemic syndrome (HUS), 116
- hearing impairment, 293
- hospital separations, 270
- Indigenous, 57, 226, 347
- injury prevention, 75
- mental problems and disorders, 76
- mortality, 39–40, 185–7, 189, 209–10, 226, 342–3, 347, 355
- rural and remote Australians, 226
- vaccination, 33, 36, 143, 158–61
see also age; births
- chiroprodists/podiatrists, 265, 291, 292
- chiropractors and osteopaths, 265, 291, 292
- chlamydia, 29–30, 190, 384
- chlorpheniramine/phenylephid, 304
- cholera, 384
- cholesterol, 169–70, 250, 392, 417
- chromosomal abnormalities, 138–40, 141
- chronic back pain, 46, 47, 99, 100
- chronic obstructive pulmonary disease (COPD), 46, 95–7
 - burden of disease, 51, 52, 54, 194, 199
 - health system costs, 250
 - mortality, 40, 41, 42, 43–4, 359, 383:
 - burden of premature (YLL), 51, 52
- chronic respiratory diseases, 52, 53, 193–9
- cigarette smoking, *see* tobacco smoking
- circulatory diseases, *see* cardiovascular diseases
- cirrhosis of liver, 108–9
- cleft lip/palate, 184
- climate, 136
- clothing (sun protection measure), 156, 157
- clotrimazole, 304
- co-morbidity, 44, 86–9, 78, 84, 92
- cocaine, 143, 144, 152, 153
- colon cancer, 154
- colonoscopy, 276
- colorectal cancer, 40, 41, 42, 43, 65, 66, 67, 383, 386–9
 - burden of disease, 54, 195, 197, 199
 - burden of premature mortality (YLL), 51
 - health system costs, 250
- Commonwealth Department of Health and Aged Care, 328, 335, 336
- Commonwealth Department of Veterans' Affairs, 240
- Commonwealth Government expenditure, 7, 8, 233–40
 - Indigenous health services, 241–2, 269–70
 - pharmaceuticals, 305–6
 - private health insurance, 251
 - research and development, 310
- Commonwealth Government receipts, 244–5
- communicable (infectious/parasitic) diseases, 109–23, 344, 345–7, 379–82, 384–5, 397–8, 401–2
 - burden of disease, 53, 193
 - Indigenous Australians, 211
 - international comparisons, 185
 - overseas-born Australians, 205, 207
 - procedures reported, 277
 - sexually transmitted, 29–31, 116–17, 162, 190, 384

vaccination status, 157–61

community aged care packages, 281

community-based health care organisations, 7–8

community health services, 267–70, 280–1, 316–17

 mental health, 282–3, 285, 316–17

community palliative care, 328

complementary medicines, 304–5

computers and computing, 336

conception (assisted), 27, 180–1

condoms, 28, 31, 163

congenital anomalies/malformations, 39, 53, 122, 138–40, 183–4, 379–80, 397–8

constant price estimates, 236, 241, 407

consultations with health professionals, 45, 285–300, 410–14

contact dermatitis, 295

contagious diseases, *see* communicable diseases

contraception, 28, 31, 162–4, 269

coordinated care, 317

coronary angiograms, 59, 60

coronary angioplasty, 59, 60, 334

coronary artery bypass grafting, 59, 60, 350

coronary heart disease, 56, 57–63, 347–51

 pravastatin, 170

 rural and remote Australia, 225

coronary stenting, 59, 60

cost of diseases, *see* health system costs

cost per casemix-adjusted separation, 321–2

coughs and colds, 294, 301

country of birth, 86, 135, 204–7, 265

CT brain scans, 59, 60

cultural health determinants, 135

DALYs, *see* disability-adjusted life years

day hospital facilities, 274

de-institutionalisation, 316–17

deafness (hearing loss), 46, 47, 52, 54, 194, 293

death, *see* causes of death; mortality

definitions

 disability, 49

 elective surgery waiting times, 323

 genetic terms, 139

 health, 2–3

 high blood pressure, 169

delivery monitoring, 321–9, 338–9

delivery method (births), 183, 276

dementia, 52, 78, 103, 194, 199, 201

 health system costs, 249, 250

 mortality, 40, 103–4: burden of premature (YLL), 51

dengue fever, 118, 384

dental (oral) health, 19–26, 45, 46, 47, 338

 burden of disease, 53, 198

 expenditure on, 239, 240, 248, 403–6: private health insurance funds, 253

 hospital separations, 276

 rural and remote Australians, 227, 285–7

 use of dental services, 285–90

dental workforce, 259, 260, 262, 263, 264, 265

Department of Health and Aged Care, 328, 335, 336

- Department of Veterans' Affairs, 240
- depression, 46, 47, 78, 83–4
 - burden of disease, 54, 55, 82, 193, 194, 197, 199
 - diabetes and, 88
 - general practitioner consultations, 295
 - status of indicators, 424–5
 - young people, 192
 - see also* suicide
- dermatitis, 295
- designer drug use, attitudes to, 144
- determinants of health, 2–4, 133–78, 338
 - children, 188–9
 - young people, 191
- diabetes, 37–8, 46, 84–9, 336, 392
 - burden of disease, 52, 53, 54, 55, 89, 194–9
 - general practitioner consultations, 213, 295
 - health outcomes indicator framework, 334
 - health system costs, 89, 250
 - hospital separations, 37, 276
 - Indigenous Australians, 213, 215
 - mortality, 37, 40, 44, 89, 205, 225; burden of premature (YLL), 51
 - overseas-born Australians, 205, 206, 207
 - rural and remote Australia, 225–6
 - status of indicators, 419–21
- diabetic nephropathy, 106, 108
- diagnosis related groups (casemix), 274, 276, 277, 335
- diagnostic imaging, 265, 296, 298, 299, 300, 411
- dialysis, 106–7, 108, 202, 212–13, 276
- diaphragmatic hernia, 184
- diarrhoeal diseases/infections, 47, 48, 342, 347
- diastolic blood pressure, 168
- diazepam, 304
- diclofenac sodium systemic, 304
- diet and nutrition, 63, 68, 142, 144–6
 - consultations with dietitians/nutritionists, 291, 292
 - eating disorders, 82, 84, 249
 - Indigenous Australians, 216–17
 - undergraduate course commencements, 263, 264
 - young people, 191
- digestive system diseases, 45, 276, 379–80, 397–402
 - burden of disease, 53, 193, 195–8
 - health system costs, 248
 - Indigenous Australians, 211
 - overseas-born Australians, 205, 206, 207
- diphtheria, 120, 159, 347
- disability, 48–55
 - asthma, 93
 - chronic obstructive pulmonary disease, 95
 - community care, 316–17
 - musculoskeletal disorders, 98
 - older people, 200–1
 - psychiatric, 78
 - socioeconomic status, 222
 - young people, 189

disability-adjusted life years (DALYs), 48–55, 192–9
 mental illness, 82
 respiratory diseases, 97
 socioeconomic status, 222–3
 unsafe sex, 162

disability burden (YLDs), 52–4, 193, 195, 196
 diabetes, 53, 54, 89
 respiratory diseases, 97
 socioeconomic status, 222–3
 unsafe sex, 162

disadvantage, *see* Indigenous Australians; socioeconomic status

disease risk factors, *see* risk factors

diseases, 2–4, 19–26, 29–123
 classification, 274–7
 cost of, 248–51
 ear diseases/disorders, 46, 47, 52, 54, 194, 293
 eye diseases/disorders, 45, 46, 87, 88, 201, 202
 genito-urinary diseases, 53, 195–9, 211, 277, 379–80
 Indigenous Australians, 210–15
 rural and remote Australians, 225–7
 see also cancer; cardiovascular diseases; causes of death; communicable diseases; digestive system diseases; disability; hospitalisation; injuries and poisonings; mental health/disorders; respiratory diseases/infections

dislocations, strains and sprains, 74, 295

diverticulitis, 47

doctors, *see* medical practitioners

donovanosis, 384

Down syndrome, 141

doxycycline HCl, 304

drinking water, fluoride in, 20, 22

drowning, 75, 187, 355

drug deaths, 51, 52, 73–4, 81, 152, 191

drugs and drug use, 146–54, 301–6, 401–2
 asthma and, 91, 92, 94, 301, 303
 attitudes to, 143, 144
 cardiovascular disease, 57, 170
 dependence/drug use disorders, 78
 general practitioner prescribed/ advised/ supplied, 296
 Indigenous Australians, 217
 rural and remote Australians, 224
 see also pharmaceutical services

ear diseases/disorders, 46, 47, 52, 54, 194, 293, 399–402

eating disorders, 82, 84, 249

economic health determinants, 135

ecstasy, use of, 144, 152, 153

edentulism, 19–20, 23, 25, 46, 227

education and training, 215
 health and medical, 263–5
 see also socioeconomic status

Edward's syndrome, 141

elective surgery waiting times, 322–4

electronic health records, 336

emergency departments, 92, 277, 296

emotional stress, 36
 see also depression

emphysema, *see* chronic obstructive pulmonary disease

employment, 191, 215
 see also health workforce;
 socioeconomic status
 enalapril, 303
 encephalitis, 118, 160
 encephalocele, 183–4
 end-stage renal disease, 88, 105–9, 212
 endocrine disorders, 196, 211, 379–80,
 397–402
 energy intake, 145–6, 417
 environmental determinants of health,
 133–8
 epilepsy, 103, 104
 erythromycin, 304
 evening primrose oil, 305
 evidence base to support priority
 setting, 313–16
 exercise, *see* physical activity
 expenditure, *see* health expenditure;
 health system costs
 extrinsic aleolitis, *see* chronic obstructive
 pulmonary disease
 eye diseases/disorders, 45, 46, 87, 88,
 201, 202, 399–402

 falls, 47, 74, 75, 187, 250
 family planning, 28, 162–4, 268–9
 far-sightedness, 45
 fat intakes, 145–6, 169, 417
 fatalities, *see* mortality
 felodipine, 303
 females, *see* women
 fertility, *see* births
 finance, *see* health expenditure; health
 system costs

 firearms, suicide by, 81
 fires/burns/scalds, 46, 401–2
 fitness, 17–19
 flexibility and muscle strength, 18–19
 fluoridated drinking water, 20, 22
 foetal deaths (stillbirths), 27, 182, 209
 folic acid, 183–4
 food, *see* diet and nutrition
 forceps delivery, 183
 fractures, 74
 fruit and vegetable consumption, 145,
 191
 frusemide, 303, 304
 full-time employment, 258, 259
 funding, *see* health expenditure; health
 system costs

 gall bladder and bile duct disease, 47
 gamete intra-fallopian transfer (GIFT),
 181
 gas emissions, 136
 gastrointestinal infections, 115–16, 384
 general practitioners (GPs), 7, 158, 316
 general practitioners, consultations
 with, 293–6, 299, 300, 410
 blood pressure, 168
 cardiovascular diseases, 57
 depression, 84
 diabetes and complications, 88, 213,
 295
 drugs prescribed/supplied during,
 303–4
 Indigenous Australians, 213–14
 mental problems and disorders, 76–7
 musculoskeletal disorders, 98, 100

- generalised anxiety disorder, 46, 199
- genetic diseases, 39, 53, 122, 138–40, 183–4, 379–80, 397–8
- genitals, 28–9, 183, 295, 399–402
- genito-urinary diseases, 53, 195–9, 211, 277, 379–80, 399–402
- gestational diabetes, 85, 86
- GIFT, 181
- Gini coefficient, 220, 221, 222
- glaucoma, 87
- Global Burden of Disease Study, 48
- global warming, 136
- glomerulonephritis, 105, 106
- golf, 155
- gonococcal infection, 30, 117, 190, 384
- gout, 102–3
- government concession cardholders
 - Australian Hearing Service clients, 293
 - dental (oral) health, 24, 285, 288, 289
 - general practitioner consultations, 294
- government expenditure, 7, 233–40, 241–4, 305, 309–10
 - see also* Commonwealth Government expenditure
- greenhouse gases, 136
- gross domestic product (GDP), 2
 - health services expenditure ratio, 232, 233, 234, 238, 245–7, 408
- gum-related diseases, 22
- HACC program, 279, 280–1
- haemodialysis, 106–7, 108, 202, 212–13, 276
- haemolytic uraemic syndrome (HUS), 116
- Haemophilus influenzae type b (Hib), 120, 159, 384
- haemorrhoids, 57
- hallucinogens, 144, 152, 153
- hanging, suicide by, 81
- hats, 156, 157
- hay fever, 36, 45
- headaches, 45
- health administration, 403–6
 - undergraduate course commencements, 263, 264
- health counselling undergraduate course commencements, 263, 264
- health determinants, *see* determinants of health
- health expenditure, 7, 232–53, 403–8
 - aged care, 239, 280, 281, 282, 403–6
 - ageing and, 316
 - Indigenous Australians, services for, 218, 219
 - medications/pharmaceuticals, 305–6
 - mental health services, 282–3, 284
 - private health insurance funds, 251–2
 - research and development, 309–10, 403–6
 - rural zone, 228
 - see also* health system costs
- health information, *see* statistical developments, gaps and deficiencies
- Health Information Agreement, 6–7
- health insurance, 8, 251–7
 - see also* Medicare
- Health Insurance Commission, 7, 297, 332

- health outcomes indicator framework, 320, 334
- health planning issues, 313–17
- health promotion and prevention, 306–9
- health research, 94, 309–10, 314, 403–6
- health resources, 232–312, 338
- health risk factors, *see* risk factors
- health services supply and use, 266–300, 393–402, 410–14
 - Indigenous Australians, 218
 - see also* general practitioners, consultations with; hospitalisation
- health status, 10–132, 337–8
- health system, 7–8
- health system costs, 248–51
 - asthma, 94, 250
 - diabetes, 89, 250
 - mental disorders, 83, 248, 249, 250
 - musculoskeletal disorders, 99, 248, 250
- health workforce, 258–65, 316, 409
 - Indigenous, 264–5, 270
 - psychiatric hospitals, 283, 284
 - public hospital labour costs, 322
- healthcare cards, *see* government concession cardholders
- hearing loss, 46, 47, 52, 54, 194, 293
- hearing services, 293
- heart attack risk, 84
- heart diseases
 - diabetes and, 87
 - older people, 201
 - rural and remote Australians, 225
 - rheumatic, 37–8, 56–7, 58, 61, 334–5, 351
 - see also* coronary heart disease; ischaemic heart disease
- heart failure, 57, 58, 60, 61
 - diabetes and, 88
 - health system costs, 250
 - ischaemic heart disease and, 44
 - older people, 202
- hepatitis A, 384
- hepatitis B, 114, 115, 162, 384
- hepatitis C, 114–15, 162, 384
- hepatitis D, 115
- hepatitis, nec, 384
- herbal medications, 91, 304, 305
- herbalists, consultations with, 291, 292
- herd immunity, 33–6
- heroin, 51, 52, 143, 144, 152, 153
- Hib, 120, 159, 384
- high blood cholesterol, 169–70, 250, 392, 417
- high blood pressure, 167–9, 294, 417
- higher education, 263–5, 310
- hip, congenital dislocation of, 184
- histamines, 36
- HIV/AIDS, 112–14, 162, 164, 347, 385
 - burden of disease, 52, 194
 - injecting drug users, 153–4
 - overseas-born Australians, 205
 - young people, 31, 189
- Home and Community Care program, 279, 280–1
- home nursing services, 253
- home tenure, 216
- homicide, 205, 357
- homosexual men, 154, 164, 385

hormones, 303

hospitalisation, 270–8, 393–402

- acute respiratory infections (ARI), 111
- auto-immune diseases and conditions, 37
- alcohol caused, 146
- asthma, 92, 94, 187–8
- cardiovascular disease, 57–60, 225, 276
- children, 187–8, 226
- chronic obstructive pulmonary disease, 95, 96
- dengue fever, 118
- diabetes, 37, 88–9, 225–6
- dialysis procedures, 107
- haemolytic uraemic syndrome (HUS), 116
- Haemophilus influenzae* type b (Hib), 120
- hepatitis B, 114
- hepatitis C, 115
- HIV/AIDS, 113–14
- illicit drug users, 152
- Indigenous Australians, 210–13, 217, 218, 333
- infectious and parasitic diseases, 110
- injuries, 74, 75, 187, 218, 226, 227
- liver, cirrhosis of, 108
- malaria, 118
- measles, 121
- meningitis, 110
- mental problems and disorders, 77–8, 285, 286
- multiple sclerosis, 105
- mumps, 121
- musculoskeletal disorders, 98, 99, 100, 101, 102, 103
- nervous system disorders, 103, 105
- older people, 201, 202
- overseas-born Australians, 206–7
- palliative care, 327
- pertussis, 119
- pneumonia and influenza, 110
- reproduction and reproductive organs, 28–9
- rubella, 122
- rural and remote Australian, 225–6, 227, 228
- smoking as cause, 149
- subacute sclerosing panencephalitis (SSPE), 121
- suicide and self-harm attempts, 81, 192
- tetanus, 120
- tuberculosis, 118
- vaccine-preventable diseases, 119–22, 185
- young people, 192

hospitals, 7, 8, 270–8, 335

- bed availability, 228, 266–7, 268, 284
- expenditure on, 237, 249, 250, 403–6:
 - private health insurance funds, 252, 253
- general practitioner referrals to, 296
- performance indicators, 321–7
 - see also* public hospitals

hostels, 281, 282

housing, 216

Human Genome Project, 140

HUS, 116

- hydatid infection, 384
- hydrocephalus, 184
- hydrotherapists, *see* physiotherapists
- hypnotherapists, consultations with, 291, 292
- hypertension/hypertensive disease, 45, 57, 58, 61
 - cause of renal failure, 106
 - diabetes and, 87, 88, 89
 - depression and, 84
 - general practitioner consultations, 213, 294, 295
 - health system costs, 250
 - ischaemic heart disease and, 44
 - Indigenous Australians, 213
- hypospadias, 184

- illicit drugs, *see* drugs
- illness, *see* diseases
- imaging, 265, 296, 298, 299, 300, 411
- immigrants, 86, 118, 204–7, 265, 287–90, 294, 341
- immunisation, *see* vaccination
- Immunise Australia program, 158
- immunodeficiency, 38
- immunological health, 31–8
- in-vitro fertilisation (IVF), 181
- inactivity, 154–5, 205–6, 417
- income
 - Commonwealth Government receipts, 244–5
 - Indigenous Australians, 215–16
 - private health insurance funds, 253, 255, 256
 - see also* socioeconomic status
- incontinence, 46
- Index of Relative Socioeconomic Disadvantage, 220, 221, 224
- Indigenous Australians, 7, 207–19, 224, 333, 335
 - birthweight, 182, 209–10
 - cardiovascular diseases, 56–7, 58, 211, 334–5, 351
 - dental (oral) health, 22, 290
 - general practitioner patients, 294
 - health education and training, 264–5
 - health performance indicators, 318
 - health services, 241–2, 269–70
 - kidney disease, 108, 212
 - life expectancy, 12, 208
- Indigenous Australians: mortality, 208–9, 211, 340–1
 - children, 209–10, 226, 347
 - kidney disease, 108
 - metropolitan/rural, 225
 - rheumatic heart disease, 61
 - young people, 192
- industrial lead, 137–8
- infants, 401–2
 - mortality, 39, 182, 189, 185–6, 342–3, 379–80: Indigenous, 209–10, 347
 - epilepsy risk factors, 104
 - immunisation, 159
- infectious agents, 63
- infectious diseases, *see* communicable diseases
- influenza, 347
 - vaccine, 303, 304
- information technology, 336
- inhalants, 144, 152, 153

- injected drugs, 152, 153–4
- injuries and poisonings, 47, 71–5, 176, 344, 355–7, 379–82, 397–8, 401–2
 - burden of disease, 53, 193–8
 - children, 75, 187, 355
 - health outcomes indicator framework, 334
 - health system costs, 248
 - Indigenous Australians, 211, 212, 227
 - overseas-born Australians, 205, 207
 - rural and remote Australians, 226, 227
 - status of indicators, 422–3
 - young people, 189, 190, 192, 227
 - see also* suicide
- institutional care, 238, 316–17
 - aged people, 239, 281–2: oral health of residents, 23–6
 - see also* hospitals
- intentional injuries, 74, 193, 197
 - see also* suicide
- international comparisons, 428
 - alcohol consumption, 148
 - asthma mortality, among young people, 90
 - cancer incidence, 389
 - children’s health, 185
 - death rates, 375–8: cardiovascular diseases, 62–3
 - fertility and pregnancy, 367, 370
 - health expenditure, 245–8, 408
 - health workforce, 259–60, 262
 - hospital length of stay, 270
 - Indigenous peoples’ mortality patterns, 340–1
 - life expectancy, 12, 13, 372
 - melanoma, 70
- International Diabetes Institute, 336
- interpersonal violence, *see* violence
- intracranial injuries, 74
- intra-uterine devices (IUDs), 28, 29, 163
- ipratropium bromide, 303
- iron-deficiency anaemia, 46
- ischaemic heart disease, 54, 194, 197, 199, 202
 - diabetes and, 88, 89
 - health system costs, 250
 - overseas-born Australians, 205, 207
- ischaemic heart disease: mortality, 40, 41–2, 89, 205, 383
 - additional causes of death associated with, 44
 - burden of premature mortality (YLL), 51
- IUDs, 28, 29, 163
- IVF, 181
- Japanese encephalitis, 118
- juvenile chronic arthritis, 102
- kidney diseases, 105–9
 - cancer, 65, 66, 67, 386–8
 - diabetes and, 87, 88, 89
 - dialysis, 106–7, 108, 202, 212–13, 276
 - haemolytic uraemic syndrome (HUS), 116
 - Indigenous Australians, 108, 212–13
- Klinefelter’s syndrome, 141
- knee procedures, 276
- knowledge, about sexual health, 31

- labour force, *see* health workforce
- language spoken at home, use of dental services and, 287–8, 289–90
- larynx, cancer of, 66, 67
- lead, health effects of, 137–8
- legionellosis, 384
- length of hospital stay, 270, 272, 273, 276, 317, 397–402
- acute respiratory infections (ARI), 111
 - cardiovascular diseases, 58–9
 - chronic obstructive pulmonary disease, 95
 - diabetes, 89
 - liver, cirrhosis of, 108
 - reproductive organs, 28–9
 - injuries, 74
 - musculoskeletal disorders, 98
 - palliative care, 327
- leprosy, 384
- leptospirosis
- leukaemia, 66, 67
- levonorgestrel/ethinyloestradiol, 304
- life expectancy, 11–12, 13, 200, 208, 342, 371–2
- disability-free, 48
 - see also* disability-adjusted life years
- lifestyle, 3, 144–64, 169, 350–1
- lip cancer, 65, 386
- lipid disorder, 57, 88, 295
- listeriosis, 384
- liver diseases, 108–9
- living conditions, 216
- see also* socioeconomic status
- local government, 8, 233–40, 241–2
- longevity, *see* life expectancy
- lower respiratory tract infections, 47, 110–12
- LSD, 144
- lung cancer, 65, 66, 67, 69–70, 386–9
- burden of disease, 54, 194, 195, 197, 199
 - health system costs, 250
 - overseas-born Australians, 206, 207
- lung cancer mortality, 40, 41, 42–3, 65, 67, 69–70, 352–4, 383, 386
- burden of premature (YLL), 51, 52
 - overseas-born Australians, 205, 206
- lung function, 18–19
- lymphatic system, operations on, 399–400
- lymphatic tissue, cancer of, 40
- malaria, 118, 384
- males, *see* sex of population groups
- male homosexuals, 164, 154, 385
- marijuana, *see* cannabis
- maternal mortality, 181, 343–4
- MCS (mental health component summary) scores, 12–17
- meal services, for older people, 280, 281
- measles, 33, 121, 159, 160–1, 185, 347, 384
- Measles Control Campaign (MCC), 161
- Medibank, 233–4, 240
- medical imaging, 265, 296, 298, 299, 300, 411
- medical practitioners, 7, 8, 259, 260–2
- in Aboriginal health services, 270
 - consultations with, 293–6, 298–300
 - overseas trained, 265

- undergraduate course
commencements, 263, 264
see also general practitioners
- medical radiography, 263, 264
- medical science, 263, 264
- medical services, expenditure on, 239, 240, 249, 403–6
 - private health insurance funds, 253
- medical technology, 263, 264, 336
- medical treatment, adverse effects of, 250, 326–7
- Medicare, 7, 8, 296–300, 410–14
 - Australian Health Care Agreements 1998, 337
 - distribution of general practice providers, 261, 262
 - expenditure and, 235, 237, 238–9, 240, 242
- Medicare levy, 244–5
- medications, *see* drugs; pharmaceutical services
- medicine (field of study), 263, 264
- melanoma, 65, 67, 70–1, 206, 386–9
- men, *see* sex of population groups
- men who have sex with men, 164, 154, 385
- meningitis, 110, 120, 384
- menopausal complaints, 28, 84
- menstrual problems, 47
- mental health/disorders, 46, 47, 76–84, 335, 337–8, 379–80
 - burden of disease, 52, 53, 55, 192–9
 - health system costs, 83, 248, 249, 250
 - Indigenous Australians, 211
 - mental component summary (MCS) scores, 12–17
 - older people, 201
 - overseas-born Australians, 207
 - psychiatric hospitals, 240, 267, 268, 283–5, 317
 - psychiatric patients, 77–8, 82, 285, 286, 277, 397–8, 401–2
 - rural and remote Australians, 226
 - status of indicators, 424–5
 - young people, 76, 77, 189
- mental health services, 240, 267, 282–5, 316–7
- mental retardation, 249
- metabolic and endocrine disorders, 196, 379–80
- methadone, 144, 153
- methods and conventions, 428–9
- migrants, 86, 118, 204–7, 265, 287–90, 294, 341
- mineral supplements, 304, 305
- monitoring service delivery, 321–9, 338–9
- morbidity, *see* diseases
- mortality, 39–44, 135, 340–64, 368–83
 - children, 39–40, 185–7, 209–10, 226, 342–3, 347, 355
 - Indigenous Australians, 192, 208–10, 225, 226, 227, 347
 - infants, 39, 182, 189, 185–6, 209–10, 342–3, 347, 379–80
 - maternal, 181
 - overseas-born Australians, 204–6, 341
 - palliative care, 327–8
 - rural and remote Australians, 225–7
 - socioeconomic status, 221–2
 - young people, 189, 190, 191, 192, 226

- see also* causes of death; life expectancy
- mortality (premature), burden of (YLLs), 50, 51–4, 193, 195, 196
- diabetes, 53, 54, 89
 - respiratory diseases, 97
 - socioeconomic status, 221, 222, 223
 - unsafe sex, 162
- mothers, 28, 179, 181, 343–4, 366, 369
- motor vehicle accidents, *see* road traffic accidents
- motor vehicle exhaust gas suicides, 81
- multiple births, 180–1
- multiple sclerosis (MS), 37–8, 103, 105
- mumps, 121, 159, 384
- muscle strength and flexibility, 18–19
- musculoskeletal disorders, 97–103, 379–80, 397–8, 401–2
- burden of disease, 52, 53, 98, 101, 193, 195–9
 - congenital malformations, 183
 - health system costs, 99, 248, 250
 - older people, 100, 101, 102, 201
 - see also* arthritis
- myringitis/otitis media, 213, 295
- National Cancer Statistics Clearing House, 64, 334
- National Community Based Health Services Codeset, 335
- National Death Index, 334
- National Diabetes Register, 87
- National Elective Surgery Waiting Times Data Collection, 322–4
- National Health and Medical Research Council, 314
- National Health Information Agreement, 6–7
- National Health Information Development Plan, 332–6
- National Health Information Management Advisory Council, 336
- National Health Information Management Group (NHIMG), 320, 332, 334
- National Health Information Model, 333–4
- National Health Priority Areas (NHPAs), 55–94, 276, 319, 334
- status of indicators, 415–25
 - see also* asthma; cancer; cardiovascular diseases; diabetes; injuries and poisonings; mental health
- National Heart Foundation, 334, 336
- National Minimum Data Sets, 327–8, 335
- National Program for the Early Detection of Breast Cancer (BreastScreen Australia), 328–9, 335
- National Public Health Partnership, 319, 337
- National Tobacco Campaign, 309
- natural medications, 304
- naturopaths, consultations with, 291, 292
- neck problems, 250
- neonatal conditions, 53
- neonates, *see* infants
- neoplasm, *see* cancer
- nephritis, 44
- nephropathy, 106, 108
- nervous system disorders, 52, 53, 103–5, 193, 195–8, 379–80, 397–402
- drugs, 303

Indigenous Australians, 211
see also dementia

neural tube defects, 183–4

neurotic disorders, 78

New South Wales, *see* States and Territories

NHPAs, *see* National Health Priority Areas

non-admitted patients, 92, 277, 296

non-Hodgkin's lymphoma, 65, 66, 67, 386–8

non-prescribed medicines, 303–5

Northern Territory, *see* States and Territories

notifiable diseases, *see* cancer; communicable diseases

nurses and nursing, 259, 262–3, 264, 265, 316
consultations, 291, 292

nursing homes, 94, 239, 281, 282, 403–6
oral health of residents, 23–6

nutrition, *see* diet and nutrition

obesity, 164–7, 189, 216–17, 417

obstetrics, *see* births

occupation, *see* health workforce; socioeconomic status

occupational asthma, 91

occupational fatalities, 357

occupational therapists/therapy, 263, 264, 265, 291, 291

oesophagus, 67, 184, 202, 295

Office for Aboriginal and Torres Strait Islander Health, 269

older people, 200–3
aged care services, 239, 278–82, 403–6

epilepsy risk factors, 104

private health insurance, 254

online information, 336–7

open wounds, 74

operations, 299, 300, 399–400, 411
elective surgery waiting times, 322–4

oral surgery, 22
waiting times for elective surgery, 322–4
see also procedures

opiate-related deaths, 51, 52, 73–4, 81, 191

optometrists, opticians and optometry, 263, 264, 265
consultations with, 291, 292, 411
Medicare benefits paid, 299, 300

oral contraceptive pill, 28, 31, 163

oral health, *see* dental health

ornithosis, 384

osteoarthritis, 46, 98, 100–1
burden of disease, 52, 54, 101, 199
diabetes and, 88
general practitioner consultations, 295
health system costs, 99, 250

osteopaths and chiropractors, 265, 291, 292

osteoporosis, 46, 99, 100, 101

otitis media, 47, 160, 213, 295

outcomes indicator framework, 320, 334

overseas-born Australians, 86, 118, 204–7, 265, 287–90, 294, 341

overseas-trained health professionals, 265

overweight, 164–7, 189, 216–17, 392, 417

ozone layer, 136–7

- pain killers/relievers (analgesics), 144, 152, 153, 301, 302, 303
- palliative care, 327–8
- pancreas, cancer of, 66, 67, 386–8
- Pap smears, 28, 295
- paracetamol, 302–3, 304
- paranoid states, 78
- parasitic diseases, *see* communicable diseases
- Parkinson's disease, 103, 104–5, 199
- part-time employment, 258, 259
- Patau's syndrome, 141
- pathology, 57, 296, 298, 299, 300, 410
- patient-days, 74, 270, 271, 272, 276, 285, 286, 395–402
- PCS (physical component summary) scores, 12–17
- pedestrian deaths, 187
- pensioners, *see* government concession cardholders
- peptic ulcer disease, 46, 47, 303
- per person expenditure, 228, 240–4, 246–8
- performance indicators, 317–29, 337, 338–9
- perinatal mortality, 182, 210, 212, 369–70, 379–80, 397–8
- periodontal disease, 46, 47
- peripheral vascular disease, 57, 58, 60, 61, 88, 250
- personality disorders, 78, 82, 249
- pertussis, 119–20, 159, 185, 347, 384
- Pharmaceutical Benefits Advisory Committee, 315
- Pharmaceutical Benefits Scheme, 242, 301–2, 305–6, 315, 403–6
- pharmaceutical services, expenditure on, 239, 240, 249, 250, 305–6, 403–6
- private health insurance funds, 253
see also drugs
- pharmacists (chemists), 259, 260
- consultations with, 291, 291
- undergraduate course commencements, 263, 264
- overseas-trained, 265
- physical activity/inactivity, 19, 154–5, 205–6
- overseas-born Australians, 205–6
- rural and remote Australians, 224
- status of indicators, 417
- young people, 191
- physical component summary (PCS) scores, 12–17
- physical environmental health determinants, 135–8
- physical fitness, 17–19
- physical stress, 36
- physicians, *see* medical practitioners
- physiotherapists/hydrotherapists, 263, 264, 265
- consultations with, 291, 292
- plague, 346
- planning issues, 313–17
- pneumonia, 40, 44, 110, 111, 202, 359
- podiatrists/chiropractors, 263, 264, 265
- consultations with, 291, 292
- poisoning, 74, 75
- poliomyelitis, 120, 159, 347
- population ageing, 316

- population groups, 179–231, 338, 365, 428
 - overseas-born Australians, 204–7, 265, 287–90, 294, 341
 - private health insurance coverage, 252–5, 256–7
 - see also* age; Indigenous Australians; sex of population groups; socioeconomic status
- pravastatin, 170
- pregnancy, *see* births
- prescribed medicines, 294, 296, 301–3
- prevention and promotion, 306–9
- priority setting, 313–16
- private acute care hospitals, 266, 268, 283
- private health insurance, 8, 251–7
- private health research and development, 309–10
- private hospitals, 8, 270–3, 286, 394, 396, 398, 400, 402
 - Australian Council on Healthcare Standards (ACHS) accreditation, 327
 - dialysis procedures, 107
 - expenditure on, 239, 240, 403–6:
 - private health insurance funds, 252, 253
 - freestanding day facilities, 274
 - non-admitted patients, 277
- private patients, 8, 273, 297
- private psychiatric hospitals, 283, 284
- procedures, 271, 274, 275–7
 - cardiovascular, 59–60, 334–5, 349–50
 - dialysis, 106–7, 108, 202, 212–13, 276
 - older people, 201, 202
- promotion and prevention, 306–9
- prostate cancer, 40, 41, 43, 64–5, 66, 386–9
 - burden of disease, 195
 - burden of premature mortality (YLL), 51
 - health system costs, 250
 - overseas-born Australians, 205, 206, 207
 - survival rate, 67
- prostatic hypertrophy, 46, 47
- PSA tests, 64–5
- psychiatric hospitals, 240, 267, 268, 283–5, 317, 403–6
- psychiatric patients, 77–8, 82, 285, 286, 277
- psychological development, disorders of, 249
- psychological drugs, 303
- psychologists, consultations with, 291, 291
- psychotic disorders, 78, 84, 249
- public attitudes, 143–4
- public health, 6–8, 319, 337
 - interventions, 306–9
- public (acute care) hospitals, 7, 8, 228, 233, 266–7, 268
 - dialysis procedures, 107
 - expenditure on, 239, 240, 244, 403–6:
 - private health insurance funds, 253
 - length of stay, 317, 397, 399, 401
 - non-admitted patients, 277
 - palliative care, 327
 - patient days, 395, 397, 399, 401
 - performance indicators, 321–7
 - psychiatric wards, 283

- separations, 270–3, 393, 397, 399, 401:
 - mental health disorder, 286
- public psychiatric hospitals, 240, 267, 268, 270–3, 283, 284, 286, 403–6
- pulmonary diseases, *see* chronic obstructive pulmonary disease

- Q disease, 384
- qualifications, 215
 - health and medical, 263–5
 - see also* socioeconomic status
- quality of health services, 324–7
- quarantine, 346
- Queensland, *see* States and Territories

- radiation, 63, 71, 136–7
- radiography, 263, 264
- rainfall, 136
- ranitidine, 303, 304
- rashes, 294
- record linkage, 334
- recreational activity, participation in, 155, 191
- recurrent expenditure, 238, 239–40, 241, 403–6
- referrals, by general practitioners, 296
- regulatory framework, 8
- rehabilitation undergraduate course commencements, 263, 264
- remote Australia, *see* rural and remote Australians
- renal agenesis and dysgenesis, 184
- renal dialysis, 106–7, 108, 202, 212–13, 276
- renal diseases, *see* kidney diseases
- repatriation hospitals, 240, 403–6
- Repatriation Pharmaceutical Benefits Scheme, 302
- reproduction, *see* births; genitals
- research and development, 94, 309–10, 314, 403–6
- residential aged care, 239, 281–2, 403–6
 - oral health of residents, 23–6
- resources, 232–312, 338
- respiratory diseases/infections, 45, 47, 110–12, 379–82, 397–402
 - burden of disease, 52, 53, 97, 193–9
 - drugs, 303
 - general practitioner consultations, 213, 294, 295
 - health system costs, 248
 - Indigenous Australians, 211, 212, 213
 - mortality, 39, 111, 205, 206, 211, 344, 358–9
 - older people, 201, 202, 203
 - overseas-born Australians, 205, 206, 207
 - procedures reported, 277
 - see also* chronic obstructive pulmonary disease
- respite aged care, 280, 282
- rheumatic fever/heart disease, 37–8, 56–7, 58, 61, 334–5, 351
- rheumatoid arthritis, 37–8, 99, 101–2
- risk factors, 133–78, 336, 338
 - asthma, 90–2
 - cancers, 63, 68, 69–70, 71
 - cardiovascular diseases, 392
 - children, 188
 - diabetes, 85, 86–7

epilepsy, 104
 Indigenous Australians, 215–18
 rural and remote Australians, 224
 road traffic accidents, 47, 52, 54, 193, 194
 health system costs, 250
 young people, 189
 road traffic fatalities, 72, 73, 356
 burden of premature mortality (YLL), 51
 children, 187
 overseas-born Australians, 205
 rural and remote Australians, 226
 young people, 189
 Ross River virus, 117, 384
 roxithromycin, 304
 rubella, 121–2, 159, 384
 rural and remote Australians, 223–8, 285–7, 337
 health workers, 260–2, 263

 safer sex practices, 31
 salbutamol, 303, 304
 salmonellosis, 384
 salt consumption, 146
 same-day patients, 272–4, 276, 286, 317, 397–402
 saturated fat intake, 145–6, 169, 417
 scalds/burns, 46, 401–2
 schizophrenia, 78, 82, 84, 249, 250
 School Dental Services, 262
 science undergraduate course
 commencements, 263, 264
 self-reported health, 12–17
 young people, 189, 191

 separation anxiety disorder, 47
 service delivery monitoring, 321–9, 338–9
 sex of population groups, 4, 192–9, 365, 393–6
 acute respiratory infections (ARI), 111–12
 aged care assessments, 280
 aged 80 and over, 316
 alcohol consumption, 147, 148
 allied health service use, 291
 asthma, 90
 attitudes and beliefs, 143–4
 auto-immune diseases and conditions, 37–8
 birth ratios, 367
 blood cholesterol, 170, 392
 blood pressure, 168, 392
 body weight, 164–7, 392
 burden of disease, 52
 cancer, 63–71, 386–9
 cardiovascular diseases, 56, 57–9, 350, 392
 chronic obstructive pulmonary disease, 95–7
 dengue fever, 118
 diabetes, 87, 88, 392
 disability, 48, 78
 family planning clients, 269
 general practitioner patients, 293
 health system costs, 251
 health workforce, 258, 259, 260, 263
 hepatitis B, 114
 hepatitis C, 115
 HIV/AIDS, 112, 114, 153–4, 385

illicit drug use, 152, 153–4
 Indigenous Australians, 208, 215, 216–17, 218
 injuries, 75
 kidney diseases, 105, 107
 life expectancy, 11, 12, 13, 20, 208, 342, 371–2
 malaria, 118
 medical practitioner consultations, 300
 Medicare services, 412–14
 medication use, 301, 304–5
 mental problems and disorders, 76, 78, 82, 84
 morbidity, 45–7, 52
 multiple sclerosis, 105
 musculoskeletal disorders, 98, 100, 101, 102, 103
 older people, 200–3: oral health, 25
 palliative care, 327
 Parkinson's disease, 105
 physical activity, 154–5, 392
 rubella, 121, 122
 rural and remote Australians, 224, 227
 saturated fat intakes, 145
 self-assessed health status, 14–17
 socioeconomic status, 222–3
 sexual health, 28–9
 sexually transmitted diseases, 29–30
 subacute sclerosing panencephalitis, 121
 tetanus, 120
 tobacco smoking, 148–51, 392
 tuberculosis, 118
 young people, 192
 sex of population groups, and mortality, 39–44, 51, 52, 54, 340, 341, 371–83
 auto-immune diseases and conditions, 37
 cancer, 63–71, 352–5, 386
 cardiovascular diseases, 60–3, 211
 children, 75, 185, 186, 187, 210
 chronic obstructive pulmonary disease, 95, 96
 coronary heart disease, 350–1
 dementia, 104
 diabetes, 89
 Indigenous Australians, 208–9, 210, 211, 218, 225, 227
 infectious and parasitic diseases, 346
 injuries, 72–4, 75, 226, 227, 379–82
 kidney disease, 107, 108
 liver, cirrhosis of, 108–9
 mental problems and disorders, 79–82, 211
 musculoskeletal disorders, 98
 overseas-born Australians, 205–6
 respiratory diseases, 111, 358
 road traffic accidents, 189, 226
 rural and remote Australians, 225, 226
 socioeconomic status, 221–2
 suicide, 79–82, 191, 226, 357
 young people, 190, 191, 192
 sex chromosome anomalies, 141
 sexual deviations and disorders, 78
 sexual health/practice, 26–31, 162–4, 268–9
 see also births

- sexually transmitted diseases, 29–31, 116–17, 162, 190, 384
 - see also* HIV/AIDS
- SF-12 questionnaire, 14
- shigellosis, 384
- shooting, suicide by, 81
- sickness, *see* diseases
- SIDS, 185, 186
- sight, *see* eye diseases/disorders
- simvastatin, 303, 304
- sinusitis, 295
- skin cancers, 47, 137, 155–7, 250
 - melanoma, 65, 67, 70–1, 206
 - older people, 202
 - overseas-born Australians, 205, 206, 207
- skin diseases/disorders, 379–80, 397–8
- skin ointments and creams, 303
- skin procedures, 276
- sleep disturbance, 84, 295
- slipped disc, 46, 47, 99, 100
- smoking, *see* tobacco smoking
- social health determinants, 135
- social phobia, 46
- social workers/welfare officers, consultations with, 291, 291
- socioeconomic status, 5, 135, 142, 218–23
 - children, 188, 189
 - coronary heart disease mortality rates, 350
 - Indigenous Australians, 215–16
 - life expectancy, 11
 - oral health, 22, 24
 - self-reported health status, 16–17
 - suicide, 357
 - young people, 191, 192
 - see also* government concession cardholders
- South Australia, *see* States and Territories
- specialist medical attendances, 298, 299, 300, 410
 - referrals, 296
- speech therapists/pathologists, 263, 264, 291, 292
- spina bifida, 183–4
- sports, participation in, 155, 191
- sports injuries, 47
- sprains, strains and dislocations, 74, 295
- SSPE, 121, 160
- States and Territories, 8
 - acute care hospital beds, 268
 - AIDS cases, 385
 - asthma prevalence, 90
 - births, 183, 212, 366, 368, 369
 - cancer incidence, 388
 - child dental health, 20, 22, 391
 - children immunised, 159
 - cost per casemix-adjusted separation, 321–2
 - death rates, 374
 - elective surgery waiting times, 324
 - health expenditure, 7, 233–40, 241–4, 310
 - health workforce, 260, 262
 - hospital costs, 322
 - hospital use, 277, 278, 279, 393–6
 - Indigenous Australians, 22, 108, 212, 218

kidney failure deaths, 108
 life expectancy, 12, 371
 multiple sclerosis, 105
 perinatal deaths, 212, 369
 private health insurance coverage, 257
 private medical service use, 300
 statistical developments, gaps and deficiencies, 6–7, 313–39
 cancer surveillance and monitoring, 64
 constant price estimates, 236
 diabetes, 86
 health services expenditure to GDP ratio, 232
 HIV/AIDS hospital separations, 113
 hospital use, 271–2
 immunisation levels, 35–6
 Indigenous Australians, 207–8, 333
 National Diabetes Register, 87
 SF-12 questionnaire, 14
 State and Territory expenditure sources, 243
 sun protection estimates, 157
 statistical methods and conventions, 428–30
 STDs, 29–31, 116–17, 162, 190, 384
 see also HIV/AIDS
 stenosis, 184
 stenting, 59, 60
 sterilisation, 28, 163
 steroids, 144, 152, 153
 stillbirths (foetal deaths), 27, 182, 209
 stomach cancer, 52, 65, 66, 386–9
 strains, sprains and dislocations, 74, 295
 stratospheric ozone, 136–7
 stress, 36, 249
 stroke (cerebrovascular disease), 47, 56, 57–8
 burden of disease, 54, 194, 197, 199
 CT brain scans, 59, 60
 diabetes and, 88, 89
 health system costs, 250
 overseas-born Australians, 207
 rural and remote Australians, 225
 stroke: mortality, 40, 41, 42, 44, 60–3, 89, 351, 383
 burden of premature (YLL), 51
 overseas-born Australians, 205
 rural and remote Australians, 225
 subacute sclerosing panencephalitis (SSPE), 121, 160
 substance abuse, 82, 84, 192–3
 health system costs, 249, 250
 Indigenous Australians, 217
 young people, 190
 sudden infant death syndrome (SIDS), 185, 186
 suicide, 40, 72, 73–4, 79–82, 357
 burden of disease, 54, 193, 194
 burden of premature mortality (YLL), 51
 overseas-born Australians, 205, 206
 rural and remote Australians, 226
 schizophrenia sufferers, 84
 young people, 190, 191, 192, 226
 see also depression
 sun exposure, 155–7
 sunglasses, 156, 157
 sunscreen, 156–7
 supply of health services, 266–300

surgery, *see* operations
 survival, following cancer, 67, 68
 swimming, 155
 syphilis, 30, 190, 384
 systemic lupus erythmatosus, 37
 systolic blood pressure, 168

 Tasmania, *see* States and Territories
 tax expenditures, 233, 251, 237
 technology undergraduate course
 commencements, 263, 264
 teenagers, *see* adolescents; young people
 teeth, *see* dental health
 temazepam, 304
 temperatures (climate), 136
 tennis, 155
 tenure of housing, 216
 termination of pregnancy, 162, 181, 276
 tertiary education entrants to workforce,
 263–5
 test results, consultations about, 294
 testis, cancer of, 66, 387–8
 tetanus, 120, 159, 347, 384
 throat complaints, 294
 thyroxine, 303
 tobacco smoking, 43, 63, 69, 148–51,
 352–4
 asthma and, 91
 attitudes to, 143, 144
 Indigenous Australians, 217
 public health interventions, 307–9
 status of indicators, 417
 young people, 190
 see also chronic obstructive pulmonary
 disease; lung cancer
 Torres Strait Islanders, *see* Indigenous
 Australians
 toxic effects, 74
 tracheo-oesophageal fistula, 184
 traffic accidents, *see* road traffic
 accidents
 tranquillisers, 152, 153
 transplants, 106–7, 108
 transposition of great vessels, 184
 Trisomy, 141
 tubal ligation, 29
 tuberculosis, 118–19, 206, 207, 384
 Turner's syndrome, 141
 twins, 180–1
 Type 1 diabetes, 37–8, 85, 86
 Type 2 diabetes, 46, 85, 86, 87, 392
 typhoid, 384

 ultraviolet (UV) radiation, 136–7
 umbrellas, 157
 undergraduate course commencements,
 263–5
 underweight, 164, 189
 unemployment, 191, 215
 see also socioeconomic status
 unintentional injuries, 74, 193, 196, 197,
 198, 355–6
 see also road traffic accidents
 university course entrants, 263–5
 unknown primary cancers, 65, 66, 67,
 386
 unsafe sex, 162, 164

- upper respiratory tract infections, 47, 110–12, 213, 294, 295
- urinary incontinence, 46
- urinary tract infection, 295
- use of health services, 266–300
- uterus, cancer of, 65, 66, 67, 386–8

- vaccination (immunisation), 33–6, 119–22, 185, 347, 157–61
 - attitudes to, 143
 - influenza vaccine, 303
 - general practitioner consultations, 294, 295
- vacuum extraction deliveries, 183
- vaginal breech deliveries, 183
- varicose veins, 57
- vasectomies, 29
- vector-borne diseases, 117–18, 384
- vegetable consumption, 145
- ventricular septal defect, 184
- Veterans Affairs cardholders, *see* government concession cardholders
- Victoria, *see* States and Territories
- violence, 47, 74, 217–18
 - alcohol caused, 147
 - deaths from, 205, 218, 357
- vision, *see* eye diseases/disorders
- vitamin and mineral supplements, 304, 305

- waist-to-hip ratio (WHR), 166–7
- waiting times for elective surgery, 322–4
- walking, 155, 224
- water fluoridation, 20, 22
- weather, 136

- weight, 164–7, 189, 216–17, 392, 417
- welfare officers/social workers, consultations with, 291, 291
- wellbeing, 2–4, 12–17
- Western Australia, *see* States and Territories
- whooping cough (pertussis), 119–20, 159, 185, 347, 384
- wine consumption, 148
- women, 196–9
 - contraception used by, 163
 - mothers, 28, 179, 181, 343–4, 366, 369
 - see also* sex of population groups
- work-related fatalities, 357
- workforce, *see* health workforce
- World Health Organization, 2–3, 49, 314, 336–7
- wounds, 74

- yersiniosis, 384
- YLDs, *see* disability burden
- YLLs, *see* mortality (premature), burden of
- young people, 189–92, 337
 - asthma, 90
 - epilepsy risk factors, 104
 - Indigenous, 192, 227
 - mortality, 40, 189–90, 191, 192, 226–7, 355
 - oral health, 22–3
 - rural and remote Australians, 226–7
 - sexual practices and knowledge, 31, 190
 - smoking, 150–1
 - suicide, 79–80

