



Index

- abdominal aortic aneurysm, 463
- abdominal fat, 129
- abdominal pain, 300
- Aboriginal Australians, *see* Indigenous Australians
- Aboriginal Medical Services, 320
- abortions, 22, 23, 178, 284
- ABS, *see* Australian Bureau of Statistics
- abuse, *see* violence
- academic qualifications, *see* qualifications
- accessibility, *see* health system accessibility
- accident (emergency) departments, 285–6, 290–2, 344
- accidents, *see* injuries; transport accidents
- ACE inhibitors, 61, 62
- ACIR, 157, 330
- acquired brain injury, 29–31, 369, 370
- acquired immune deficiency syndrome, *see* HIV/AIDS
- Active Australia Survey, 145
- acupuncture, 324
- acute bronchitis, *see* bronchitis and emphysema
- acute care hospitals, *see* public hospitals
- acute myocardial infarction, *see* heart disease
- acute respiratory infections, *see* respiratory diseases
- acute rheumatic fever/heart disease, 60, 61
- ADHD, 182, 221
- administration, *see* health administration
- administrative procedures, 300
- admissions, *see* hospitalisations
- Admitted Patient Care National Minimum Data Set, 341, 344–5
- Admitted Patient Mental Health Care National Minimum Data Set, 341
- adolescents, *see* young people
- Adult Dental Programs Survey, 349
- adverse events, 292–3, 337
 - see also* complications
- advice and education, 303, 319
- aerobics, 364
- affective (mood) disorders, 33, 71, 72, 73, 74
 - community health service patients, 308
 - psychiatric patients, 311
- age, 401
 - alcohol and other drug treatment service clients, 318
 - alcohol consumption, 152
 - asthma, 76–9, 478–9
 - body weight, 129–30, 142, 182, 202, 429
 - cancer, first diagnosis of, 67
 - cardiovascular diseases, 57, 58, 61, 62
 - chronic obstructive pulmonary disease, 80, 81
 - comorbidities, 35
 - complementary and alternative health service use, 324
 - diabetes, 83, 84, 199–200, 429
 - disability, people with, 221
 - ear diseases/disorders, 27
 - educational attainment, 162
 - eye diseases/disorders, 26
 - family planning clients, 322
 - genetic diseases/disorders, 138
 - glucose tolerance, 137
 - GP consultations, 78, 299
 - health expenditure on diseases, 255–7, 375
 - health insurance coverage, 252
 - health workforce, 259–61, 265, 267–8, 270
 - high blood cholesterol, 134, 135, 429
 - high blood pressure, 133, 429
 - hospital use, 199, 430–3
 - Indigenous Australians, 196, 199–200, 202, 347
 - injury-related hospital separations, 41–2
 - kidney disease, 92–3, 95
 - at marriage, 20
 - Medicare use, 377, 459–61
 - mental health, 71, 72, 307
 - musculoskeletal conditions, 88, 89, 90–1
 - oral health, 18–20, 98–102, 427–8
 - pain, prevalence of, 36
 - physical activity, 146–8, 429
 - respiratory infections hospitalisations, 105
 - self-reported health status, 15
 - sexual practices, 20, 23, 160
 - Sydney medically supervised injecting centre users, 331
 - tobacco smoking, 148–51, 429
 - vaccine preventable diseases, 111, 113, 114
 - veteran health care cardholders, 213–14
 - see also* children; older Australians; young people
- age at death, 43–4, 46–7, 48–9, 409–14
- asthma, 78, 79
- cancers, 46, 47, 68, 357–9

- cardiovascular diseases, 46, 58–60, 357–9
- communicable diseases, 105
- diabetes, 200, 201
- Indigenous Australians, 39, 40, 196, 197, 200, 201
- injuries, 36, 46, 47
- nervous system disorders, 97
- older Australians, 357–9
- respiratory diseases, 46, 105, 106, 107, 357–8
- suicide, 37–8, 189, 190, 201, 473
 - see also* life expectancy
- age of children
 - body weight, 129–30
 - diet and nutrition, 142–3: breastfeeding, 141–2
 - oral health, 98–102, 303–4, 427–8
 - pertussis (whooping cough), 111
 - vaccination, 159, 182
- age of mothers, 20–1, 175, 402
 - Indigenous, 179, 196
 - perinatal deaths and, 180, 405
- age-related macular degeneration (AMD), 25
- age standardisation, 43
- aged Australians, *see* older Australians
- aged care, 377–8, 380
 - see also* residential aged care
- Aged Care Assessment Teams, 377, 380
- ageing, 259
- aggressive behaviour, *see* violence
- AHCAs, 244, 245–8, 334, 342, 343
- AHIC, 334
- AHMAC, 6, 333, 334, 343, 350
- AHMC, 6, 334, 337, 345
- AHMS, 339
- AIDS, *see* HIV/AIDS
- aids and appliances, 234, 253, 446–8, 446–7, 452
- AIHW, *see* Australian Institute of Health and Welfare
- air pollution, 164–5
- alcohol and other drug treatment services, 317–19, 345
- Alcohol and Other Drug Treatment Services National Minimum Data Set, 345
- alcohol consumption and abuse, 125, 140, 152–4, 348
 - as cancer risk factor, 68–9
 - condom use and, 160–1
 - Indigenous Australians, 203, 347
 - mental problems and disorders, 72, 73, 74
 - older Australians, 372
 - prisoners, 218, 219
 - socioeconomically disadvantaged people, 207
 - treatment, 318–19
 - veterans, 215, 216
 - young people, 187, 188, 338
- allergies, 33, 187, 215
- allied health services, 285, 303
 - expenditure on, 234, 235, 254
 - workforce, 258–62, 264, 267–72, 455–6
 - see also* dental practitioners
- alternative medicine, *see* complementary medicine
- Alzheimer's disease, 96–8
 - see also* dementia
- ambulance services, 264, 323, 442–4, 446–7, 452
- American Academy of Pediatrics, 142
- amlodipine besylate, 315, 440
- amoxicillin, 316
- amphetamines, 155, 188, 318–19
- amputations, 86, 463
- anaemias, 33, 34
- anaesthetics, 296, 297, 457
- anal intercourse, 25
- analgesics/pain killers, 155, 188, 317
 - prescribed, 303, 315, 316
- angina, 33, 34, 57, 86, 282, 462
 - drugs prescribed, 315
 - overseas-born people, 194
 - diet and, 140
- angiograms, 63
- angioplasties, 63, 212
- angiotensin-converting enzyme (ACE) inhibitors, 61, 62
- antibiotics, 302, 316
- antidepressants, 307
- anti-inflammatory drugs, 315, 316, 317
- antipsychotics, 307, 316
- antiplatelet drugs (aspirin), 61, 62, 315, 440
- anti-retroviral treatment, 108
- antiviral treatment, 108
- anxiety disorders, 33, 71, 72, 75, 390
 - GP consultations, 301, 395
 - performance indicators, 473
 - prisoners, 219
 - veterans, 215, 312
- appendectomy, 212, 283
- arbovirus infection, 421
- AR-DRGs, *see* Australian Refined Diagnosis Related Groups
- aromatherapy oils, 317
- ART, 177–8
- arteries, arterioles and capillaries, diseases of, 45
- artery bypass grafting, 63, 212, 283
- arthritis, *see* musculoskeletal conditions
- aspirin, 61, 62, 315, 440

- assault, *see* violence
- assisted reproductive technology, 177–8
- associated causes of death, 44, 47–8, 397–8
- adverse events, 292
 - cancers, 68, 165, 397–8
 - diabetes, 87, 397–8, 467
 - heart failure, 60
 - kidney failure, 95
- asthma, 33, 76–9, 181–2, 221, 348, 388–400
- burden of disease, 78, 388
 - genetic factors, 139
 - GP consultations, 78, 198, 301, 394
 - hospitalisations, 74, 77, 282, 473:
 - overseas-born people, 194
 - Indigenous Australians, 198
 - mental health problems and disorders
 - associated with, 72, 74
 - performance indicators, 462–480
 - socioeconomically disadvantaged people, 207
 - young people, 187
- astigmatism, 26, 33
- atherosclerosis, 57, 135
- atorvastatin, 313, 315, 316, 440
- attempted suicide, 218, 219
- attention-deficit hyperactivity disorder, 182, 221
- audiologists and speech pathologists, 271, 272, 455
- Australian Bureau of Statistics (ABS), 4, 336, 338, 339, 342, 347
- age standardisation, 43
- Australian Capital Territory, *see* States and territories
- Australian Childhood Immunisation Register (ACIR), 157, 330
- Australian Council for Safety and Quality in Health Care, 337
- Australian Family of Health Classifications, 341
- Australian Government expenditure, *see* Commonwealth Government expenditure
- Australian Health Care Agreements, 244, 245–8, 334, 342, 343
- Australian Health Information Council, 334
- Australian Health Measurement Survey, 339
- Australian Health Ministers' Advisory Council (AHMAC), 6, 333, 334, 343, 345, 350
- Australian Health Ministers' Conference (AHMC), 6, 334, 337
- Australian Health Workforce Officials' Committee, 340
- Australian Hearing, 321–2
- Australian Hospital Statistics*, 343
- Australian Institute of Health and Welfare (AIHW), 4, 338, 339, 342, 343, 348–9
- age standardisation, 43
 - Knowledgebase, 340
 - National Cancer Statistics Clearinghouse House, 64
- Australian Refined Diagnosis Related Groups (AR-DRGs), 279, 281, 283–5
- cost weight of separations, 284, 288–9
- Australian Sports Commission, 348
- Australian Standard Vaccination Schedule, 110
- autism, 221
- average per capita health expenditure, 231–2
- average cost weight of separations, 284, 288–9
- babies, *see* births and pregnancy
- back complaints/problems, 33, 88, 221, 300, 301
- veterans, war widows and war widowers, 214, 215
 - young people, 187
- background health determinants, 123, 124
- bacterial vaginosis, 24
- barbiturates, 155
- Barmah Forest virus, 110, 425
- BEACH survey, 300, 348
- bed numbers, 287–8, 289, 311, 312
- public residential mental health care, 309
- behavioural disorders, 308, 311
- see also* violence and aggression
- behaviours, *see* health behaviours
- bicyclists, 39, 364
- biomedical risk factors, 123, 124, 125–36
- data about, 338–9, 350
 - see also* body weight; high blood cholesterol; high blood pressure
- bipolar affective disorder, 73
- birth defects, *see* congenital diseases
- birthplace, 85, 191–4
- births and pregnancy, 20–3, 174–80, 282, 284, 402–6, 434–9
- alcohol consumption and, 154
 - diet and nutrition, 140–2, 144
 - expenditure on maternal conditions, 254, 257
 - family planning organisations, 322
 - gestational diabetes, 82, 83
 - Indigenous, 178–9, 196, 202
 - Medicare benefits paid for, 22, 178, 457
 - Medicare items processed, 297
 - overseas-born women, 194
 - rubella infection in, 113
 - young women, 175, 179, 189
 - see also* perinatal conditions

- birthweight, 176–7, 202, 404
 bisexual women, 161
 bladder cancer, 65, 67, 423–6
 blindness, *see* eye diseases
 blood cholesterol, *see* high blood cholesterol
 blood diseases, 415–6, 438–434–9
 blood glucose, 137–8
 see also diabetes
 blood pressure, *see* high blood pressure
 bloodborne diseases, 24, 104, 107–9, 420
 see also gastrointestinal infections; hepatitis;
 HIV/AIDS; STIs
 body mass index (BMI), 126, 127, 128–9
 body weight, 16–17, 125–32, 338–9, 429
 at birth, 176–7, 202, 404
 children, 129–30, 142, 182
 diet and, 140, 142
 Indigenous Australians, 130, 202
 older Australians, 371, 372
 overseas-born people, 191–3
 performance indicators, 464, 467
 prisoners, 218
 socioeconomically disadvantaged people,
 207
 urban dwellers, 128, 129, 166
 young people, 129–30, 188, 338
 bones, *see* musculoskeletal conditions
 botulism, 420
 bovine spongiform encephalopathy, 113–14
 bowel cancer, *see* colorectal cancer
 bowls, 364
 boys, *see* age; children; sex of population
 brain cancer, 51
 brain damage and head injuries, 29–31, 369, 370
 breast cancer, 65–7, 423–5
 burden of disease, 70, 71
 diet and, 140
 overseas-born women, 194
 performance indicators, 469
 screening, 207, 239, 326–7, 452, 464
 breast cancer as cause of death, 45, 52, 67, 68,
 392, 423
 overseas-born women, 192, 192
 performance indicators, 464
 breast diseases, 23, 436–7
 breastfeeding, 141–2, 144, 154
 BreastScreen Australia, 326–7
 bronchitis and emphysema, 33, 215, 216, 417–8
 GP consultations, 301: Indigenous, 198
 mental health problems and disorders
 associated with, 72
 see also chronic obstructive pulmonary
 disease
 bronchodilators, 302, 313, 315, 316
 brucellosis, 421
 BSE, 113–14
 built environments, 166
 bulk-billing, 250, 298–9
 burden of disease, 56–7, 253, 343
 asthma, 78, 389
 alcohol harm, 125, 152
 cancers, 70–1, 143, 388
 cardiovascular disease, 64, 388
 chronic obstructive pulmonary disease, 82
 diabetes, 87, 388
 fruit and vegetables, inadequate
 consumption of, 125, 143
 high blood cholesterol, 125, 134
 high blood pressure, 125, 132–3
 illicit drug use, 125, 154
 injuries, 389
 mental health problems/disorders, 75, 187,
 388
 musculoskeletal conditions, 92, 388
 nervous system disorders, 97
 overweight, 125–6
 physical inactivity, 125, 144
 socioeconomically disadvantaged people,
 207
 tobacco smoking, 125, 148
 unsafe sex, 161
 young people, 187
 see also disability; mortality
 burns/scalds/fires, 37, 392, 438–9, 471–2
 bypass operations, 63, 212, 283
 CABG, 63
 CACPs, 377–8, 380
 caesarean section deliveries, 177, 178–9, 212
 calcium, 140
 calculus of kidney & ureter, 193, 194
 campylobacteriosis, 109, 420
 cancer registries, 64
 cancers (neoplasms), 33, 34, 64–71, 388–404,
 423–6
 diet and, 140, 143
 expenditure on, 239, 254–7, 328, 379, 395
 genetic factors, 138, 139
 older Australians, 365–7, 374, 379
 performance indicators, 469–70
 survival following diagnosis, 342, 464, 466
 veterans, 216
 see also breast cancer; cervical cancer;
 chemotherapy; colorectal cancer; lung
 cancer; prostate cancer

- cancers as cause of death, 45–53, 67–9, 392, 397–8, 419, 423–7
 - air pollution associated with, 165
 - children, 185
 - data linkages, 342
 - Indigenous Australians, 196, 197
 - international comparisons, 55
 - kidney failure associated with, 95
 - Korean veterans, 217
 - older Australians, 357–9
 - overseas-born people, 192, 193
 - performance indicators, 465–6
 - rural and remote Australians, 208, 210, 211
 - young people, 189
 - see also* breast cancer as cause of death; lung cancer as cause of death; prostate cancer as cause of death
- cancers hospitalisations, 281, 391, 396, 434–5, 438–9
 - with mental health comorbidity, 74
 - older Australians, 374–6
 - overseas-born people, 193, 194
 - procedures, 283, 284
- candida, 24
- cannabis/marijuana, 72, 155, 188, 318–19
- capital cities, 143, 165
- capital expenditure, 240, 253, 442–3
- caps and diaphragms, 21
- Cardiovascular Disease (Clinical) Data Set Specifications, 346–7
- cardiovascular (circulatory) diseases, 57–64, 221, 346–7, 348, 388–400
 - body weight and, 131
 - burden of disease, 64, 389
 - comorbidities, 60, 72, 85–7, 396–7, 423, 469, 470
 - diabetes and, 86
 - drugs prescribed, 61, 313, 315, 316
 - expenditure on, 254–7, 378–9, 393
 - GP consultations, 61, 86, 316, 373
 - Indigenous Australians, 60
 - medications, 61, 62, 316
 - older Australians, 365–7, 373, 374, 379
 - overseas-born people, 194
 - performance indicators, 343, 462–4, 468, 469
 - physical activity, benefits of, 145
 - risk factors, 57, 131, 132, 398, 464
 - rural and remote Australians, 212
 - socioeconomically disadvantaged people, 207
 - veterans, war widows and war widowers, 215, 216
 - see also* heart disease; high blood cholesterol; high blood pressure; stroke
- cardiovascular diseases as cause of death, 44–53, 58–60, 392, 392–5, 415–9
 - air pollution associated with, 165
 - diabetes associated with, 60
 - Indigenous Australians, 196, 197, 210
 - international comparisons, 55, 56
 - Korean veterans, 217
 - older Australians, 357–9
 - overseas-born people, 192
 - performance indicators, 462–3, 470
 - rural and remote Australians, 210, 211
- cardiovascular diseases hospitalisations, 61, 62, 281, 282, 391, 434–9
 - birthplace, 194
 - older Australians, 374, 375, 376
 - performance indicators, 462, 463, 469
 - procedures, 63–4, 212, 283, 466–7
- carers, 214, 215, 363
- caries, *see* oral health
- carotid endarterectomies, 63
- carpal and tarsal tunnel, release of, 283
- carpet bowls, 364
- casemix cost per separation, 288–9
- casual sex, 24–5
- casualty (emergency) departments, 285–6, 290–2, 344
- cataracts, 25, 26, 33, 86, 221
 - older Australians, 375, 376, 381
 - overseas-born people, 193, 194
 - veterans, 216
- CATI, 338, 348
- causes of death, 43, 44–56, 415–9
 - adverse events, 292
 - AIDS, 108
 - air pollution, 165
 - alcohol consumption, 152
 - asthma, 78, 79, 392, 394–8
 - cancers, *see* cancers as cause of death
 - cardiovascular diseases, *see* cardiovascular diseases as cause of death
 - children, 139, 179, 183–6
 - communicable diseases, 49–50, 104–5, 110–14, 192, 197, 415–6
 - congenital (chromosomal) anomalies, 139, 179
 - COPD, *see* chronic obstructive pulmonary disease as cause of death
 - cystic fibrosis, 139
 - diabetes, *see* diabetes as cause of death
 - digestive system diseases, 46, 192, 197, 217, 415–6
 - drugs, 37, 154, 190
 - hepatitis C, 108

- Indigenous Australians, 95, 196–7, 199, 200, 201
- influenza and pneumonia, 105–6, 107
- injuries, *see* injuries as cause of death
- kidney failure, 95–6, 199
- mental health, *see* mental health problems/
disorders as cause of death
- mothers, 180
- musculoskeletal conditions, 88, 92, 392,
397–8, 415–6
- nervous system disorders, *see* nervous
system diseases as cause of death
- older Australians, 357–9
- overseas-born people, 191–3
- prisoners, 219
- respiratory diseases, *see* respiratory diseases
as cause of death
- rural and remote Australians, 210–11
- socioeconomically disadvantaged people, 207
- tobacco smoking, 148
- tuberculosis, 110
- vaccine-preventable diseases, 112–14
- veterans and veterans' children, 217
- young people, 189–90
see also associated causes of death
- celecoxib, 315, 316, 440
- central nervous system, *see* nervous system
diseases
- Centre for Developmental Disability Studies, 222
- Centre for General Practice Integration Studies,
346
- cephalexin, 316
- cerebrovascular disease, *see* stroke
- cervical cancer, 66, 67, 424–5,
as cause of death, 68, 192, 193, 208
Indigenous women, 208
overseas-born women, 192, 193, 194
performance indicators, 465
screening, 239, 326, 328, 448, 465
see also Pap smears
- check-ups, 300, 301
dental consultations, 304–6
- chemists, *see* pharmacists
- chemotherapy, 279, 283, 284, 436–7
older Australians, 374, 376
overseas-born people, 194
veterans, 285
- Child Care Benefit, 330
- Child Dental Health Survey, 349
- childlessness, 21
- children, 181–6
asthma, 76–8, 181–2, 221
body weight, 129–30, 142, 182
cancer incidence, 67
data set, audit of, 341
diabetes, 83, 181
diet and nutrition, 141–3
hearing services, public, 322
hospitalisations, 183, 279
Indigenous, 179
injuries, 36, 183, 471, 472
mental disorders, 182, 221, 308, 311
oral health, 98–102, 303–4, 305, 348, 427–8
performance indicators, 343
physical activity, 147–8
tobacco smoke, home exposure to, 150–1
vaccination/immunisation of, 108, 110–14,
156–9, 182, 328–30
of Vietnam veterans, 217
see also age; births and pregnancy; young
people
- children, death of, 46, 139, 179–80, 183–6, 404–6,
415–9
expenditure on, 254
Indigenous, 179, 185
performance indicators, 471, 472
- chiropractors/osteopaths, 264, 272, 324, 455
- chlamydia, 24, 109, 161, 420
- cholera, 420
- cholesterol, *see* high blood cholesterol
- chromosomal abnormalities, *see* congenital
diseases
- chronic obstructive pulmonary disease (COPD),
16, 79–82, 282
- chronic obstructive pulmonary disease as cause
of death, 45, 51–3, 81, 419
associated causes, 60, 68
rural and remote Australians, 210
- chronic sinusitis, 33
- chronic viral hepatitis, *see* hepatitis B; hepatitis C
- cigarettes, *see* tobacco smoking
- circulatory diseases, *see* cardiovascular diseases
- cirrhosis of liver, 56, 108, 140
- cities and towns, 164–5, 166
- city and town populations, 209
body weight trends of, 128, 129, 166
diet and nutrition, 143
Indigenous, 203–4
see also rural and remote Australians
- CJD, 113–14
- Classification and Terminology Working Group,
335
- classifications and standards, 2, 28–9, 281, 335,
340–1
body weight, 127
see also Australian Refined Diagnosis Related
Groups

- cleft lip/palate, 217
- client identification, 346
- climate change, 166, 167
- clinical psychologists, 455
- clinical treatments by GPs, 303
- clinicians, *see* medical practitioners
- closed treatment episodes, 317–19
- cocaine, 155, 331
- codeine with paracetamol, 316
- colon cancer, 140
- colonoscopies, 279, 283, 284
- colorectal (bowel) cancer, 65–7, 140, 282, 397, 423–6
 - burden of disease, 70, 71
 - overseas-born people, 194
 - risk factors, 397
 - performance indicators, 465
 - screening for, 325
- colorectal cancer as cause of death, 45, 52–3, 392, 419, 423
 - overseas-born people, 192
 - performance indicators, 465
 - rural and remote Australians, 210
- comorbidities, 34–5, 79, 396–7
 - chronic obstructive pulmonary disease, 80
 - diabetes, 60, 72, 85–7, 396–7
 - mental health problems and disorders, 72, 74, 397–8
 - see also* associated causes of death
- Commonwealth Government expenditure, 236, 242–4, 245–50, 442–3, 448
 - cancer screening, 239, 328, 448
 - capital, 240, 442–3
 - Department of Veterans' Affairs, 234–5, 238
 - hospitals, 243, 245–9, 442–3
 - Indigenous health services, 233–4, 320, 445
 - medical services, 236, 249–50
 - mental health services, 307
 - National Diabetes Services Scheme, 321
 - pharmaceuticals, 237, 243, 316, 442–3
 - public health activities, 239, 243
- Commonwealth Government receipts, 244, 441
- Commonwealth-State Disability Agreement, 308–9
- communicable (infectious/parasitic) diseases, 103–15, 156–9, 338, 420–2, 434–5, 438–9
 - cause of death, 49–50, 104–5, 110–14, 192, 197, 415–9
 - children, reason for hospitalisation of, 183
 - expenditure on, 239, 254, 448
 - prisoners, 218
 - see also* bloodborne diseases; respiratory infections
- Community Aged Care Packages, 377–8, 380
- community health services, 264, 323
 - childhood immunisation episodes, 329
 - mental health, 307–9, 344–5
 - pharmacists, 267, 268, 313
- community nursing, Department of Veterans' Affairs expenditure on, 234
- complementary and alternative medicine, 312, 317, 324
 - workforce, 258–60, 455, 456
- complications, 293
 - relating to diabetes, 85–6
 - relating to kidney failure, 95
 - relating to medical and surgical care, 37, 42, 293
 - relating to pregnancy/labour/delivery, 23, 85
- computer-assisted telephone interviews, 338, 348
- computer games, 148
- computers and computing (information and communication technology), 338, 348
 - health records, 335, 340, 350–1
 - older Australians use, 364
- conceptual frameworks, 2–3, 122–4
- concession card holders
 - GP patients, 300
 - hearing services, 321–2
 - oral health, 304–6, 383
 - Pharmaceutical Benefits Scheme (PBS), 238, 313, 314
 - Repatriation Health Cards, 213–14, 215–17, 235, 299, 313
- condoms, 21, 24–5, 160
- conduct disorders, 182
- congenital diseases, 139, 179, 183, 185, 221, 419–20, 438–9
 - expenditure on, 254
 - major underlying cause of death, 46
- congenital rubella infection, 113
- connective tissue diseases, 216
- constant price estimates, 231
- constipation, 140
- consultations, 296–9, 324
 - Royal Flying Doctor Service, 323, 329
- contact dermatitis, 301
- contagious diseases, *see* communicable diseases
- contamination and pollution, 164–6
- continence, 215
- contraception, 21–2, 23, 24–5, 160–1, 322
- COPD, *see* chronic obstructive pulmonary disease
- coronary angiograms, 63
- coronary angioplasties, 63, 212
- coronary artery bypass grafting, 63, 212, 283

- coronary heart disease, *see* heart disease
- coronary stents, 63
- cost of food, 142
- cost per casemix-adjusted separation, 288–9
- cost weight of separations, 284, 288–9
- costs, *see* health expenditure
- coughs, 300
- counselling, 303, 312, 319
- country of birth, 85, 191–4
- Creutzfeldt-Jakob disease, 113–14
- cryptosporidiosis, 104, 424
- cultural venues and events, older Australians
 - attendance at, 363
- current price estimates, 231
- custody, deaths in, 219
- CV-Data Working Group, 346
- cyclists, 39, 364
- cystic fibrosis, 139

- DALY, *see* burden of disease
- data, *see* statistical developments
- dancing, 364
- day hospital facilities, private, 278, 286–8
- deafness, *see* ear diseases/disorders
- death, *see* causes of death; mortality
- decayed teeth, *see* oral health
- definitions
 - functioning and disability, 28–9
 - health, 2
 - health funding and expenditure, 228
 - high blood pressure, 132
 - hospital patients, 276–7
- degree holders, *see* qualifications
- delivery method (births), 177, 178–9, 194, 212, 284
- dementia, 73, 96–8, 221
 - cause of death, 45, 46, 75
 - expenditure on, 255, 379
 - older Australians, 365–7, 374–6, 379, 380–1:
 - oral health, 383
- dengue fever, 110, 421
- dental health, *see* oral health
- dental hygienists, 269
- dental practitioners, 259–62, 264, 268–9, 273–4
 - migrants and emigrants, 272
 - hours worked, 268, 454
 - Indigenous, 456
 - students, 271
- Dental Statistics and Research Unit, 348
- dental therapists and prosthetists, 268–9
- Department of Health and Ageing, 238, 314, 339, 342, 343, 344, 348
 - HealthConnect Program Office, 350, 351
- Department of Health and Family Services, 349
- Department of Veterans' Affairs (DVA), 6, 213, 299
 - expenditure by, 234–5, 238
 - see also* veterans
- depression/depressive disorders, 221, 396
 - children, 182
 - GP patients, 300, 301, 373, 374, 394
 - hospitalisations, 73, 74, 282, 375, 376
 - income support payments, recipients of, 75
 - Indigenous Australians, 198
 - older Australians, 373, 374, 375, 376
 - overseas-born people, 193, 194, 375
 - performance indicators, 477
 - prisoners, 219
 - psychiatric patient prescriptions, 307
 - risk factors, 398
 - veterans, war widows and war widowers, 215, 312
 - see also* suicide
- dermatitis and eczema, 33, 301
- designer drugs, 155, 188
- determinants of health, 2–3, 122–73
 - see also* risk factors
- detoxification, 319
- developmental disabilities, people with, 222
- diabetes, 33, 82–7, 346, 348, 388–400, 429
 - blood glucose data samples, 338–9, 350
 - body weight and, 131
 - burden of disease, 87, 388
 - children, 83, 181
 - expenditure on, 254–6, 321, 379, 395
 - genetic factors, 137, 138, 139
 - GP consultations, 86, 198, 301, 374, 394
 - impaired glucose tolerance (IGT)/impaired fasting glucose (IFG), 137–8
 - Indigenous Australians, 84, 137, 198, 199–200, 469
 - older Australians, 365–7, 373, 374, 375, 376, 379
 - overseas-born people, 85, 192, 193, 194, 467, 469
 - performance indicators, 467–70
 - self-reported health status, 16, 84–5, 86
 - socioeconomically disadvantaged people, 207
- diabetes as cause of death, 45, 87, 392, 397, 417–8
 - heart failure as associated cause, 60
 - Indigenous Australians, 200, 201
 - kidney failure associated with, 95
 - overseas-born people, 192, 193
 - performance indicators, 469–70
 - rural and remote Australians, 210

- Diabetes Australia, 321
- Diabetes (Clinical) Data Set Specifications, 346
- diabetes hospitalisations, 87, 282, 391, 391
 - Indigenous patients, 200
 - with mental health comorbidity, 74
 - older patients, 375, 376
 - overseas-born patients, 194
 - performance indicators, 469
- diabetic nephropathy (diabetic kidney disease), 86, 87, 94, 469
- diabetic retinopathy, 25, 382
- diagnoses, *see* diseases
- diagnostic imaging, *see* medical imaging
- dialysis, 93, 94, 279, 283, 284
 - Indigenous Australians, 198, 199
 - older Australians, 374, 375, 376
 - overseas-born people, 194
 - veterans, 285
- diaphragms and caps, 21
- diarrhoea, 300
- diastolic blood pressure, 132, 464
- diet and nutrition, 140–4, 348, 349
- eating disorders, 73
 - food contamination, 165–6
 - food standards and hygiene, expenditure on, 239, 448
 - foodborne diseases, 104, 109, 166, 420
 - Indigenous Australians, 144, 203
 - students, 271
 - see also* body weight
- digestive system diseases, 281, 283, 279, 434–9
 - cause of death, 46, 192, 197, 217, 415–9
 - children, reason for hospitalisation of, 183
 - expenditure on, 254
 - gastroscopies, 284
 - Indigenous Australians, 197
 - older Australians, 373, 374, 376
 - overseas-born people, 192
 - veterans, war widows and war widowers, 216, 217
- diltiazem hydrochloride, 313, 315, 440
- diphtheria, 112, 156–8, 420
- disability, 27–31, 220–2, 347
 - adverse events associated with, 292
 - asthma, 392
 - cancers, 392
 - cardiovascular diseases, 58, 59, 389
 - diabetes, 389
 - healthy-adjusted life expectancy (HALE), 13, 14
 - injuries, 392
 - mental problems and disorders, 29–31, 33, 75, 369, 370, 392
 - musculoskeletal conditions, 90, 91, 392
 - older Australians, 365–70, 377–8: *see also* residential aged care
 - self-reported health status, 16
 - vision impairment and blindness, 26
 - young people, 187
 - see also* long-term conditions
- disability-adjusted life year, *see* burden of disease
- disability support pensioners, 75
- disability support services, community mental health services provided by, 308–9
- disadvantage, *see* Indigenous Australians; socioeconomic characteristics
- diseases, 2–4, 31–121, 277
 - expenditure on, 253–7, 378–9
 - Indigenous Australians, 198–201
 - veterans and war widows, 216
 - see also* cancers; cardiovascular diseases; causes of death; communicable diseases; digestive system diseases; disability; ear diseases; eye diseases; hospitalisations; injuries; long-term conditions; mental health; oral health; respiratory diseases; risk factors
- disposable income, 163–4
- distances covered by ambulance services, 323
- doctors, *see* medical practitioners
- donovanosis, 420
- Down syndrome, 139, 179
- drinking water, 165–6, 205
- drowning, 36, 37, 42, 185, 392, 472
- drug deaths, 37, 154, 190
- drug dependence/drug use disorders, 438–9
- drug overdoses, 331
- drug scripts and treatments (prescriptions), 313–16, 440
 - adverse events, 293
 - cardiovascular diseases, 61, 313, 315, 316
 - GP consultations, 300, 302–3, 316–17, 373
 - mental problems and disorders, 74, 307, 316
- drug treatment services, 317–19, 345
- drugs and drug use, 73, 154–6, 317–19, 348
 - community mental health service patients, 308
 - Indigenous Australians, 203–4
 - prevention programs, expenditure on, 239, 448
 - prisoners, 218, 219
 - psychiatric patients, 311
 - Vietnam veterans, 215
 - young people, 188, 190
 - see also* alcohol consumption; injecting drugs and drug users; tobacco smoking; pharmaceuticals

- duodenal/stomach/gastrointestinal ulcers, 33, 72
- duodenitis and gastritis, 193, 194
- duplication of data collection, 342
- DVA, *see* Department of Veterans' Affairs
- dwelling, Indigenous, 204
- ear diseases/disorders, 26–7, 33, 34, 221, 434–9
 - GP consultations, 300, 301
 - hearing services, public, 321–2
 - older Australians, 365–7, 379
 - socioeconomically disadvantaged people, 207
 - veterans, war widows and war widowers, 214, 215, 216
- East Timor, 112
- Eat Well Australia, 144
- eating disorders, 73
- ecology, 166–7
- economic health determinants, *see* socioeconomic characteristics
- ecstasy, use of, 155, 188
- eczema and dermatitis, 33, 301
- edentulism, 102, 382
- education, 162
 - family planning, 322
 - general advice/information provided, 303, 319
 - health and medical, 261, 271
 - see also* qualifications
- elective surgery waiting times, 290, 291
- electronic games, 148
- electronic health records, 335, 340, 350–1
- emergency contraception, 21, 22
- emergency departments, 285–6, 290–2, 344
- emotional disorders, 308
 - see also* affective disorders; depression
- emphysema, *see* bronchitis and emphysema; chronic obstructive pulmonary disease
- employment of older Australians, 360–1
 - see also* health workforce
- end-stage renal disease, 86, 92–6, 199, 469
 - see also* dialysis
- endocrine, nutritional and metabolic disorders, 301, 434–9
 - cause of death, 46, 47–8, 415–6:
 - Indigenous Australians, 192, 193
 - expenditure on, 254
 - older Australians, 373
 - see also* diabetes
- endoscopies, 283, 284
- energy intake, 142–3, 464
- EnHealth Council, 343
- environmental health/factors, 123–4, 204–6
 - asthma, 76
 - chronic obstructive pulmonary disease (COPD), 79
 - communicable diseases, 338
 - diabetes, 82, 85
 - disability and, 28, 29
 - expenditure, 239, 448
 - genetic factors and, 138, 139
 - performance indicators, 343
- epilepsy, 96–8, 185, 221
- equity and access, *see* health system accessibility
- erectile dysfunction/impotence, 23, 86, 215
- ethnicity, *see* Indigenous Australians; migrants
- excess health inflation, 230, 241–2, 451
- exercise, *see* physical activity
- expenditure, *see* health expenditure
- Extended Aged Care at Home program, 380
- external causes, *see* injuries
- eye diseases/disorders, 25–6, 33, 221, 434–9
 - diabetes-related complications, 86, 469
 - lens insertion/extraction, 212, 283, 284, 285
 - older Australians, 365–7, 376, 379, 381–2
 - overseas-born people, 193, 194
 - trachoma, 166
 - veterans, war widows and war widowers, 214, 215, 216, 285
 - young people, 187
 - see also* optometry
- falls, 36
 - deaths, 39, 40, 389, 471
 - hospitalisations, 42, 374, 376, 471
- family planning, 21–2, 23, 322
- fasting hypertriglyceridaemia, 468
- fat intake, 140, 143, 464
- fatalities, *see* mortality
- females, *see* births and pregnancy; breast cancer; sex of population
- fertility rates, 174–5, 402–3
- fertility treatments, 177–8
- fevers, 300
- fibre intake, 140
- finance, *see* health expenditure
- fires/burns/scalds, 37, 392, 438–9, 471–2
- fishing, 364
- flies, 166
- flooding, 206
- fluoridation of water, 165
- fluticasone, 316
- Flying Doctor Service, 323, 329
- foetal alcohol syndrome, 140
- foetal deaths (stillbirths), 139, 179–8

- folate intake, 140–1
- food, *see* diet and nutrition
- food security, 142
- foot problems, 86, 214, 215, 469
 - podiatrists, 269–70, 271, 272
- forceps delivery, 177
- fractures, 88, 282
- fruit intake, 125, 143, 203, 207
- frusemide, 315, 440
- functioning, *see* disability
- funding, *see* health expenditure

- gamete intra-fallopian transfer, 177–8
- gastritis and duodenitis, 193 194
- gastrointestinal cancers, 45, 65–7, 140
 - see also* stomach cancers
- gastrointestinal/duodenal/stomach ulcers, 33, 72
- gastrointestinal infections, 104, 109, 166, 420
- gastrosopies, 284
- gay men, 25, 108, 161, 422
- gay women, 161
- GDP ratios, 230–1, 240–1, 242, 448–9
- general background health determinants, 123, 124
- General Practice Immunisation Incentives Scheme, 330
- general practitioners (GPs), 264, 265, 272, 273–4, 348
 - hours worked, 265, 454
 - Indigenous, 456
 - prescriptions, 300–3, 316
 - professional indemnity insurance costs, 237
- general practitioners, consultations with, 297, 299–303, 316–17, 348, 457
 - asthma, 78, 198, 301, 394, 475
 - cardiovascular (circulatory) diseases, 61, 86, 316, 373: *see also* high blood pressure GP consultations
 - dementia, 380
 - diabetes and complications, 86, 198, 301, 373, 394
 - female genital check-ups and Pap smears, 22, 301, 328
 - high blood cholesterol (lipid disorders), 61, 86, 134, 301, 373
 - high blood pressure, 61, 86, 133, 198, 300, 373
 - Indigenous Australians, 198
 - mental problems, *see* mental health
 - problems/disorders, GP consultations for
 - musculoskeletal conditions, 88, 89, 90, 316, 373, 395
 - older Australians, 372–4, 380
 - respiratory infections, 105, 198, 300, 301, 316, 373
 - sexual health problems, 22, 24
 - socioeconomically disadvantaged people, 207
 - vaccination/ immunisation, 300, 316, 317, 329, 330, 373
- General Social Survey, 347
- generic drugs, 313, 314, 316
- genetic factors, 138–9, 179
 - blood cholesterol, 134
 - chronic obstructive pulmonary disease, 79
 - diabetes, 137, 138, 139
 - glucose tolerance, 137
 - see also* congenital diseases
- genital herpes, 24
- genital warts, 24, 161
- genitals, 22, 23, 301
 - cancers, 65–7, 423–5
- genitourinary diseases, 46, 415–6, 434–5
 - expenditure on, 254
 - Indigenous Australians, 197
 - see also* prostate cancer
- geographic locations, *see* cities and towns; rural and remote Australians; States and territories
- gestational diabetes, 82, 83, 85
- GIFT, 177–8
- ginseng, 317
- girls, *see* age; children; sex of population
- glaucoma, 25, 26, 86, 221, 381
- global warming, 166, 167
- glomerulonephritis, 93–4
- glucose tolerance, 137–8
 - see also* diabetes
- golf, 364
- gonococcal infections, 24, 109, 161, 420
- gout, 89
- governance arrangements for national health information, 334–5
- government concession card holders, *see* concession card holders
- government expenditure, *see* Commonwealth Government expenditure; State and territory expenditure
- government pensions and allowances, recipients of, 75
- gross domestic product (GDP) ratios, 230–1, 240–1, 242, 448–9
- group psychotherapy services, 307

- HACC, 377–8
- haemodialysis, *see* dialysis
- haemolytic uraemic syndrome, 420
- Haemophilus influenzae* type b (Hib), 104, 113, 156–8, 420

- haemorrhoids, 33
- HALE, 13, 14
- hallucinogens, 155
- hanging, suicide by, 219
- hay fever and allergic rhinitis, 33, 187, 215
- HDL cholesterol, 135
- HDSC, 335, 340, 346
- head cancer, 217
- head injuries and brain damage, 29–31, 369, 370
- headaches, 300
- health administration, 442–4, 446–7, 452
 - health insurance funds costs, 252
- health administrators, 262, 265, 454, 456
- health behaviours, 123, 124, 140–61, 464
 - expenditure on, 239
 - see also* alcohol consumption; diet and nutrition; drugs and drug taking; physical activity; tobacco smoking
- Health Care Agreements, 244, 245–8, 334, 342, 343
- Health Care Cards, *see* concession card holders
- Health Care Client Data Set Specification, 346
- health classifications, *see* classifications
- health counselling, 303, 312
- health data, *see* statistical information
- Health Data Standards Committee, 335, 340, 346
- health determinants, *see* determinants of health; risk factors
- health expenditure, 228, 229–57, 343, 441–52
 - cancer screening, 239, 328
 - complementary and alternative medicines, 317, 324
 - on diseases, 253–7, 378–9, 395
 - immunisation, 239, 230, 452
 - needle and syringe programs, 330
 - private medical practices, 294
 - psychiatric hospitals, 311, 312
 - research and development, 239, 254, 256, 442–4, 446–8
 - residential aged care, 234, 243, 442–4, 446–7, 452
 - see also* Commonwealth Government expenditure; private sector expenditure; recurrent expenditure; State and territory and local government expenditure
- health funding sources, 228, 242–57, 442–3, 452
- health indicators, *see* performance indicators
- health inflation, 230, 241–2, 450
- health information, *see* statistical developments
- health insurance, 207, 244, 250–3
 - 30% rebate on, 247, 250, 251
- Health Insurance Commission, 157, 295, 313
 - see also* Medicare
- health insurance funds, 250–2, 442–3, 451
- health insurance funds, expenditure by, 236, 242, 252, 451, 452
 - benefit-paid pharmaceuticals, 238
 - medical services, 249, 250, 452
- health promotion and prevention, 239, 448
 - see also* health screening; vaccination
- health research and development, *see* research and development
- health resources, 228–75, 430–56
- health risk factors, *see* risk factors
- health screening, 207, 220, 326–8, 465
 - expenditure on, 239, 448
 - see also* Pap smears
- health services provision and use, 276, 395, 457–61
 - socioeconomically disadvantaged people, 207
 - veterans, war widows and widowers, 216
 - see also* general practitioners; hospitalisations; specialist medical practitioners
- health status, 10–121
 - children, 181–2
 - Indigenous Australians, 196–201
 - veterans, 215–16
 - young people, 187
 - see also* diseases; mortality; self-reported health status
- health system, 5–8
- health system accessibility, 338–9
 - to people with disability, 220–2
 - waiting times, 290, 291–2
- health system expenditure, 253–7, 378–9, 395
- health workforce, 257–74, 340, 453–6
 - Indigenous, 261, 320, 456
 - Indigenous health services, 320
 - mental health services, 307–8, 311, 312
 - private medical practices, 294
- healthcare cards, *see* concession card holders
- HealthConnect, 350–1
- HealthConnect Program Office, 350, 351
- healthy-adjusted life expectancy (HALE), 13, 14
- hearing, *see* ear diseases
- heart disease/attack, 57–9, 140, 396
 - diabetes and, 86, 87
 - GP consultations, 394
 - hospitalisations, 61, 62, 74, 282, 469
 - overseas-born people, 194
 - performance indicators, 462, 469
 - physical activity, benefits of, 145
 - rheumatic, 60, 61
 - risk factors, 401
 - older Australians, 373, 374
 - veterans, war widows and widowers, 215, 216

- heart disease/attack, as cause of death, 45, 47–8, 51–3, 58–9, 419
 - cancers as associated cause, 68
 - diabetes associated with, 87
 - heart failure associated with, 60
 - kidney failure associated with, 95
 - overseas-born people, 192, 470
 - performance indicators, 462
 - rural and remote Australians, 210
 - socioeconomically disadvantaged people, 207
- heart failure, 59–60, 61, 282, 369, 402
 - kidney failure associated with, 95
- height, self-reported, 338–9
- hepatitis, 23, 420
- hepatitis A, 24, 104
- hepatitis B, 24, 104, 108, 156–8, 218, 219, 420
- hepatitis C, 24, 104, 108, 420
 - injecting drug users, 155–6
 - prisoners, 218, 219
- herbal and natural medicines, 312, 317, 455
- hernias, 33, 34, 194, 283
- herpes, 24, 218
- heroin, 155, 318–19, 331
- heterosexual people
 - condom usage, 24–5, 160–1
 - HIV infections, 108, 422
- Hib disease, 104, 113, 156–8, 420
- high blood cholesterol (lipid disorders), 33, 34, 134–6, 429
 - body weight and, 131
 - burden of disease, 125, 134
 - data samples, 338–9, 350
 - diabetes and, 86
 - drug treatment, 61, 62, 313, 315, 316
 - GP consultations, 61, 86, 134, 301, 373, 374
 - performance indicators, 464, 468
- high blood pressure (hypertension), 33, 125, 132–4, 221, 429
 - body weight and, 131
 - diabetes and, 86, 94
 - drugs prescribed, 313, 315, 316
 - Indigenous Australians, 133, 198
 - older Australians, 373, 374
 - performance indicators, 464, 468
 - veterans, war widows and widowers, 214, 215
- high blood pressure (hypertension) GP consultations, 300, 301, 394
 - diabetes patients, 86
 - Indigenous patients, 198
 - older patients, 373, 374
- higher education, 261, 271
 - see also* qualifications
- hip replacements, 283
- HIV/AIDS, 107–8, 161, 426
 - injecting drug users, 155–6, 422
 - prisoners, 219
- Home and Community Care, 377–8
- home care, 234
- home exposure to tobacco smoke, 150–1
- homicide, 471
- homosexual men, 25, 108, 161, 422
- homosexual women, 161
- hospital/clinic pharmacists, 268
- hospitalisations, 276–85, 342, 330–40
 - adverse events, 292–3
 - air pollution associated with, 165
 - asthma, 74, 77, 194, 282, 391, 474
 - births, *see* births and pregnancy
 - cancers, *see* cancers hospitalisations
 - cardiovascular disease, *see* cardiovascular diseases hospitalisations
 - children, 183
 - chronic obstructive pulmonary disease, 81, 282
 - data set, audit of, 341
 - diabetes, *see* diabetes hospitalisations
 - digestive system diseases, 281, 283, 374, 376, 434–9
 - Indigenous Australians, 198, 199, 200, 201
 - injuries, *see* injuries hospitalisations
 - kidney disease, 94–5, 194, 283: *see also* dialysis
 - mental health, *see* mental health problems/disorders hospitalisations
 - musculoskeletal conditions, *see* musculoskeletal conditions hospitalisations
 - older Australians, 374–6, 381–2
 - overseas-born people, 193–4
 - respiratory diseases, 105, 282, 374, 376, 434–9
 - rural and remote Australians, 212, 280
 - sexual health problems, 22–3
 - tuberculosis, 110, 193, 194
 - vaccine preventable diseases, 112–14
 - young people, 188–9
- hospitals, 276–93, 343
 - workforce, 236, 263–4
 - see also* public hospitals; private hospitals
- hospitals, expenditure on, 235–6, 243, 248–9, 442–4, 446–7
 - Department of Veterans' Affairs, 234
 - diseases and injuries, 254, 255, 256
 - health insurance funding, 452
 - pharmaceuticals used, 237, 238
- hours worked by health workforce, 261–2, 265, 267, 268, 270, 454–5
- household income, 18–19, 162–3, 304–5
 - see also* socioeconomic characteristics
- household smoking status, 150–1

- housing, 204–6, 360
- human immunodeficiency virus, *see* HIV/AIDS
- hydrochlorothiazide, 315, 440
- hyperactivity (ADHD), 182, 221
- hypertension, *see* high blood pressure
- hypertriglyceridaemia, 468
- hypoglycaemic episodes, 86
- hysterectomies/tubal ligations, 21, 22, 160, 283

- ibuprofen, 317
- ICD, 43, 281
- ICF, 2, 28–9, 341
- ICSI, 177–8
- ICT, *see* computers and computing
- identification of health care clients, 346
- IFG/IFT, 137–8
- illicit drugs, *see* drugs
- illness, *see* diseases
- imaging, *see* medical imaging
- immigrants, *see* migrants
- immunisation, *see* vaccination
- Immunise Australia campaign, 156–7
- impacted teeth, 188
- impaired fasting glucose, 137–8
- impaired glucose tolerance, 137–8
- impotence/erectile dysfunction, 23, 86, 215
- imprisonment, 218–19
- in-vitro fertilisation, 177–8
- inactivity, *see* physical activity
- income, 161, 162–4
 - Commonwealth Government receipts, 244, 441
 - oral health and, 18–19, 304–5
 - private health insurance funds, 251, 451
 - private medical practices, 294
 - see also* socioeconomic characteristics
- income support payments, recipients of, 75
 - see also* concession card holders; veterans
- incontinence, 215
- Indigenous Australians, 181, 186, 195–206, 209, 319–20
 - acute rheumatic fever/heart disease, 60
 - births and pregnancy, 178–9, 196, 202
 - body weight, 130, 178, 202
 - cardiovascular diseases, 60
 - diabetes, 84, 137, 198, 199–200, 469
 - diet and nutrition, 144, 203
 - expenditure on, 233–4, 320, 445
 - genetic factors, 137
 - in health workforce, 261, 320, 456
 - hearing services, public, 322
 - high blood pressure, 133
 - HIV/AIDS, 108
 - illicit drug users, 108
 - information developments relating to, 133, 195, 200, 336, 347
 - kidney disease, 144, 198, 199
 - life expectancy, 12, 13, 196
 - physical activity, 148
 - pneumococcal disease vaccine, 107
 - prisoners, 218, 219
 - sexually transmitted infections (STIs), 161
 - vaccination/immunisation, 114, 329
- Indigenous Australians deaths, 196–7, 210–11
 - children, 179, 185
 - diabetes, 200
 - injuries, 39, 40, 196, 197
 - kidney failure, 95, 199
 - suicide, 201, 211
- Indigenous General Social Survey, 347
- Indigenous health (field of study), 261
- individual make-up, 123, 124
- induced abortions, 22
- infants, *see* children
- infectious diseases, *see* communicable diseases
- infertility treatments, 177–8
- inflation, 230, 241–2, 450
- influenza and pneumonia, 45, 51–3, 105–7, 282, 420
 - associated with kidney failure, 95
 - overseas-born people, 194
 - vaccination, 159, 316, 317
- Influenza Vaccine Program for Older Australians, 106
- information, *see* statistical developments
- information and communications technology, *see* computers and computing
- Information and Communications Technology Committee, 335
- Information and Communications Technology Standards Committee, 335
- inguinal hernias, 194, 283
- inhalants, 155, 204
- injectable contraception, 21
- injecting drugs and drug users, 155–6, 161, 422
 - needle and syringe programs, 330–1
 - prisoners, 219
 - young people, 188
- injuries (external causes), 36–42, 388–400
 - acquired brain, 29–31, 369, 370
 - children, 36
 - expenditure on, 254–7, 395
 - mental health problems and disorders
 - associated with, 72
 - performance indicators, 471–2
 - see also* falls; transport accidents

- injuries as cause of death, 36–40, 49–50, 56, 392, 397–400, 415–8
 - children, 185, 186
 - Indigenous Australians, 39, 40, 196, 197
 - by lifestage, 46
 - overseas-born people, 192
 - performance indicators, 471–2
 - rural and remote Australians, 210–11
 - socioeconomically disadvantaged people, 207
 - young people, 189, 190
 - see also* suicide
- injuries hospitalisations, 41–2, 74, 390–1, 434–5, 438–9
 - children, 183
 - Indigenous Australians, 198
 - older Australians, 374, 376
 - performance indicators, 471–2
 - young people, 189
- insomnia/sleep disturbance, 193, 194, 215, 301, 373
- institutional care, *see* hospitals; residential aged care
- insurance, 237, 345
 - see also* health insurance
- integration of services, 336–7
- intellectual disability, 29–31, 220–2, 369, 370
 - see also* mental health
- intentional injuries, *see* violence and aggression; self-harm
- intercourse, sexual, 20, 21, 23, 24–5
- internal medicine (specialty), 294
- International Classification of Diseases (ICD), 43, 281
- International Classification of Functioning, Disability and Health (ICF), 2, 28–9, 341
- international comparisons
 - alcohol consumption, 152–3
 - asthma death rates, 78
 - births and pregnancy, 175, 185, 407, 410
 - body weight, 132
 - cancer incidence, 69–70, 430
 - death rates, 53–6, 410–4, 417–8: children, 185, 406
 - health expenditure, 240–2, 448–50
 - health workforce, 273–4
 - HIV testing, 161
 - hospital stay, average length of, 279
 - life expectancy, 13, 14, 56, 355, 408
 - older populations, 355, 369
- International Diabetes Institute, 350
- Internet, older Australians use of, 364
- interpersonal violence, *see* violence
- intra-cytoplasmic sperm injection, 177–8
- intrauterine devices, 21
- intrauterine hypoxia, 179
- invasive meningococcal disease, 113–14
- invasive pneumococcal disease (IPD), 107, 114, 420
- in-vitro fertilisation, 177–8
- involuntary hospitalisation, 309
- irbesartan, 315, 440
- ischaemic heart disease, *see* heart disease
- IVF, 177–8
- keratosis, 216
- Kessler Psychological Distress Scale, *see* psychological distress
- kidney and ureter, calculus of, 193, 194
- kidney diseases, 92–6, 283, 438–9, 469
 - cancer, 65–7, 423–5
 - diabetes and, 86, 87, 94, 95
 - Indigenous Australians, 144, 198, 199
 - see also* dialysis
- kidney failure, 45, 95
 - diabetic nephropathy as cause of, 86, 87
 - heart failure as associated cause of death, 60
 - Indigenous Australians, 95, 199
- kidney transplants, 93, 94
- King's Cross medically supervised injecting centre, 331
- knee complaints, 300
- knee procedures, 212, 284
- Korean veterans, 217
- kunjin virus infection, 421
- labour force, *see* health workforce
- land transport accidents, *see* transport accidents
- language spoken at home, 148
- larynx cancer, 217
- lawn bowls, 364
- LDL cholesterol, 135
- lead, in air, 165
- leg problems, 214–15
- legionellosis, 421
- leisure activities, 147–8
- length of hospital stay, 278, 279, 434–9
 - asthma, 74
 - cardiovascular diseases, 61, 74, 434–9
 - chronic obstructive pulmonary disease, 81
 - diabetes, 74, 87
 - kidney failure, 95
 - long stay patients, 342
 - mental health problems and disorders, 74, 434–5, 438–9
 - musculoskeletal conditions, 89, 90, 434–9

- older Australians, 374, 375
 - see also* overnight patients; same-day patients
- lens insertion/extraction, 212, 283, 284
- leprosy, 421
- leptospirosis, 421
- lesbian women, 161
- leukaemia, 45, 51
- lice, pubic, 24
- life expectancy, 11–13, 14, 407–8
 - Indigenous Australians, 12, 13
 - older Australians, 355–7
 - socioeconomically disadvantaged people, 13, 207
- lifestyle, *see* health behaviours
- ‘lifetime’ health cover, 251
- linkage of data, 342
- lipid disorders, *see* high blood cholesterol
- listeriosis, 420
- liver diseases, 45, 56, 108, 140
- living arrangements, older Australians, 360
- living conditions, Indigenous, 203
- local government, 329
 - see also* State and territory and local government expenditure
- Local Medical Officers and Specialists, 234
- long-sightedness, 26, 33
- long-term conditions, 16, 32–6, 396–7
 - body weight and, 131
 - mental health, 33, 71, 72, 397
 - older Australians, 365–7, 381
 - socioeconomically disadvantaged people, 206, 207
 - veterans, war widows and widowers, 214–15, 216
 - young people, 187
- longevity, *see* life expectancy
- lower limbs, 86, 214, 215
 - see also* foot problems
- lung cancer, 65–7, 401, 423–6
 - burden of disease, 70–1
 - Korean veterans, 217
 - overseas-born people, 194
 - performance indicators, 466
- lung cancer as cause of death, 45, 46, 51–2, 67, 392, 419, 423
 - air pollution associated with, 165
 - overseas-born people, 192, 193
 - performance indicators, 466
 - rural and remote Australians, 210
 - socioeconomically disadvantaged people, 207
- lymphomas, 70, 45, 392
 - non-Hodgkin’s (NHL), 51, 65–7, 423–5
- macular degeneration, 25
- malaria, 110, 421
- male homosexuals, 25, 108, 161, 422
- males, 23, 86, 215
 - see also* prostate cancer; sex of population
- manic episodes, 73
- marijuana (cannabis), 72, 155, 188, 318–19
- marriage, 20
- maternity, *see* births and pregnancy
- Maternity Immunisation Allowance, 330
- measles, 104, 112–13, 156–8, 420
- medical imaging, 297, 303, 436–7, 457
 - workers, 259–62, 272, 294, 455–6
- medical indemnity, 237, 345
- Medical Indemnity Data Working Group, 345
- Medical Indemnity Forum, 345
- medical practitioners, 258–66, 293–303
 - bulk-billing rates, 250, 298–9
 - Department of Veterans’ Affairs’ health expenditure, 234
 - on fee-for-service basis, 236
 - hours worked, 262, 265, 454
 - Indigenous, 460
 - migrants and emigrants, 272, 273
 - Royal Flying Doctor Service, 323, 329
 - students, 261, 271
 - see also* general practitioners; medial services; specialist medical practitioners
- medical radiography students, 261, 271
- medical services, expenditure on, 235, 236–7, 243, 244, 249–50, 442–4, 446–7
 - Department of Veterans’ Affairs, 234
 - diseases and injuries, 254, 256, 257
 - health insurance funding, 452
- medically supervised injecting centre, King’s Cross, 331
- Medicare, 245–7, 249, 295–6, 457–61
 - acupuncture, 324
 - cervical screening funding, 328
 - Indigenous Australians, expenditure on, 233, 234
 - older Australians, 377
 - ophthalmology surgery, benefits paid for, 25
 - private medical services funded by, 294–9:
 - psychiatrists, 307
 - public patients, 279
 - sexual health, benefits paid for, 22
- Medicare agreements, 246–8
- Medicare levy, 244, 441
- medications, 312–17
 - see also* drug scripts and treatment; pharmaceuticals

- melanoma, 51, 70, 65–7, 423–6
 - overseas-born people, 192, 193
 - performance indicators, 465–6
 - veterans, 217
- memory loss, mild, 215
- men, *see* males; sex of population
- meningitis, 97
- meningococcal infection/disease, 104, 113–14, 421
- menopausal problems, 22, 301
- menstrual problems, 22
- mental health problems/disorders, 29–31, 33, 71–6, 220–2, 307–12, 350, 388–400
 - burden of disease, 75, 187, 389
 - children, 182
 - data sets, 341, 344–5
 - expenditure on, 254–6, 379, 395
 - Indigenous Australians, 200–1
 - medications, 74, 307, 316
 - older Australians, 365–7, 369, 370, 373, 374, 379
 - performance indicators, 473
 - prisoners, 218, 219
 - veterans, war widows and widowers, 215, 216
 - young people, 73, 187
 - see also* dementia; depression
- mental health problems/disorders as cause of
 - death, 46, 75, 76, 392, 394–6, 415–6
 - Indigenous Australians, 197, 201
- mental health problems/disorders GP
 - consultations, 74, 300, 301, 394
 - Indigenous patients, 198
 - medications prescribed, 316
 - older patients, 373, 374
- mental health problems/disorders
 - hospitalisations, 73–4, 282, 284, 309–12, 391, 434–5, 438–9
 - Indigenous Australians, 198, 201
 - older Australians, 375
 - overseas-born people, 193, 194
 - performance indicators, 473
 - see also* suicide
- mental health services, 307–12
 - see also* public psychiatric hospitals
- mental retardation, 73, 308, 311
- metabolic disorders, *see* endocrine disorders
- methadone, 155
- migraine, 33, 34, 72, 221
- migrants and overseas-born people, 186, 190–4
 - diabetes, 85, 192, 193, 194, 467, 469
 - family planning organisation clients, 322
 - GP patients, 300, 301
 - health professionals, 272–3
 - pharmaceutical benefits, eligibility for, 314
 - physical activity, 148
 - tuberculosis, 110, 194
- mineral supplements, 312, 317
- minimum data sets, 340, 341, 344–7
- misadventures, 293
- MND, 97, 98
- mobility, foot/leg problems affecting, 214, 215
- monogenic disorders, 138–9
- mood disorders, *see* affective disorders
- morbidity, *see* disability; diseases
- mortality, 43–56, 404–19
 - children, *see* children, death of
 - eye disorders and, 25
 - Indigenous Australians, *see* Indigenous Australians deaths
 - maternal, 180
 - older Australians, 357–9
 - overseas-born people, 191–3
 - people with disability, 220
 - rural and remote people, 209–11
 - socioeconomically disadvantaged people, 207
 - veterans, 216–17
 - Vietnam veterans' children, 217
 - young people, 189–90
 - see also* causes of death; life expectancy
- mosquito-borne diseases, 109–10, 166, 421
- mothers, *see* births and pregnancy
- motor neurone disease, 97, 98
- motor vehicle accidents, *see* transport accidents
- motorcyclists, 39
- multiple births, 176, 177
- multiple sclerosis, 97, 98
- mumps, 113, 156–8, 421
- Murray Valley encephalitis, 421
- muscular dystrophy, 97, 98
- musculoskeletal conditions, 16, 33, 87–92, 221, 282, 388–400
 - cause of death, 88, 92, 392, 397–400, 415–9
 - drug prescriptions, 316
 - expenditure on, 254–7, 379, 395
 - mental health problems and disorders
 - associated with, 72, 74
 - older Australians, 365–7, 373, 374, 375, 376, 379
 - performance indicators, 343
 - socioeconomically disadvantaged people, 207
 - treatments, 283, 284
 - veterans, war widows and war widowers, 214, 215, 216

- musculoskeletal conditions hospitalisations,
 - 88–9, 90, 91, 282, 391, 434–9
 - with mental health problems as comorbidity, 74
 - older Australians, 374–6
 - procedures, 283, 284
- myocardial infarction, *see* heart disease
- nasal congestion/sneezing, 300
- National Aboriginal and Torres Strait Islander Nutrition Working Party, 144
- National Advisory Group for Aboriginal and Torres Strait Islander Health Information and Data, 336
- National Cancer Statistics Clearing House, 64
- National CATI Health Survey Technical Reference Group, 348
- National Census of Population and Housing, 342, 347
- National Centre for Classification in Health, 281
- National Centre in HIV Epidemiology and Clinical Research, 103
- National Cervical Screening Program, 239, 326, 328
- National Dental Telephone Interview Survey, 349
- National Diabetes Data Working Group, 346
- National Diabetes Register, 83
- National Diabetes Services Scheme, 321
- National Electronic Health Record Taskforce, 350
- National Environment Protection Measures, 164
- National Health and Medical Research Council, 110
 - alcohol guidelines, 153
 - dietary guidelines, 140, 143
- National Health Data Committee, 335
- National Health Data Dictionary*, 4, 335, 340–1
- National Health Information Agreement, 4, 333, 340, 342
- National Health Information Group (NHIG), 334–5
- National Health Information Management Group, 333, 335, 336, 337, 342
- National Health Performance Committee, 340, 343
- National Health Performance Framework, 288–93, 340, 343
 - see also* performance indicators
- National Health Priorities Action Council, 338
- National Health Priority Areas (NHPAs), 388–477
 - expenditure on, 255
 - hospital separations, 282
 - performance indicators, 343, 462–75
 - see also* asthma; cancers; cardiovascular diseases; diabetes; injuries; mental health; musculoskeletal conditions
- National Health Survey, 347
- National Heart Foundation of Australia, 346
- National Hospital Morbidity Database, 277
- National Immunisation Committee, 110
- National Injury Prevention Advisory Council, 36
- National Injury Prevention Plan, 36
- National Mental Health Strategy, 344
- National Minimum Data Set for Residential Mental Health Care, 344
- national minimum data sets, 340, 341, 344–7
- National Notifiable Diseases Surveillance System, 103
- National Perinatal Statistics National Minimum Data Set, 341
- National Physical Activity Guidelines for Australians, 144
- National Public Health Expenditure Project, 239
- National Public Health Information Plan, 338
- National Public Health Information Working Group, 338
- National Public Health Nutrition Strategy 2000 to 2010, 144
- National Public Health Partnership, 6, 239, 338, 343, 348
- National Research Priority, 5
- National SIDS Council of Australia, 183
- National Survey of Adult Oral Health, 349
- natural medicines, 312, 317, 324
- NCSCCH, 64
- neck cancer, 217
- neck problems, 187
- needles and syringes, 321, 330–1
 - see also* injecting drugs and drug users
- neonatal deaths, *see* children, death of
- neoplasms, *see* cancers
- nerve damage, 86, 165
- nervous system diseases/disorders, 96–8, 434–9
 - drug prescriptions, 316
 - expenditure on, 254, 255, 257
 - see also* dementia
- nervous system diseases as cause of death, 46, 97–8, 415–6
 - children, 185
 - Indigenous Australians, 197
 - young people, 189

neural tube defects (spina bifida), 140, 217
 neurotic and stress-related disorders, 73, 221, 308, 311
 post-traumatic stress disorder, 216, 312
 New South Wales, *see* States and territories
 New South Wales Department of Health, 222
 New South Wales Diabetes Outcomes Workshop, 346
 NHIG, 334–5
 NHMRC, *see* National Health and Medical Research Council
 NHPAs, *see* National Health Priority Areas
 NHPC, 340, 343
 non-admitted patients, 277, 285–6, 290–2, 344
 non-Hodgkin's lymphoma (NHL), 51, 65–7, 423–5
 non-melanoma skin cancers, *see* skin cancers
 non-specific urethritis, 24
 Northern Territory, *see* States and territories
 notifiable diseases, *see* cancers; communicable diseases
 nuclear medicine and radiotherapy, 297
 nurses, 258–63, 266–7, 273–4, 340
 community, DVA health expenditure on, 234
 hours worked, 262, 267, 454
 Indigenous, 261, 456
 migrants and emigrants, 272
 students, 261, 271
 nursing homes, *see* residential aged care
 nutrition, *see* diet and nutrition

 obesity, *see* body weight
 obstetrics, *see* births and pregnancy
 occupational therapists, 270, 271, 272, 455
 occupations, 161
 see also health workforce; socioeconomic characteristics
 OECD, 341
 OECD countries, *see* international comparisons
 oedema, 33, 34
 oesophagus cancer, 217
 oesophagus disease, 301, 373
 Office for Aboriginal and Torres Strait Islander Health, 320
 Office of Hearing Services, 321
 olanzapine, 316
 older Australians, 354–87
 disability groups, 29–31, 368–9
 falls, 36, 39, 40, 471
 influenza and pneumonia, 105, 107, 159
 mental health indicators, 473
 tetanus vaccination, 112
 tobacco smoking, 151, 371–2
 see also residential aged care
 omeprazole, 313, 315, 316, 440
 online information, 335, 340, 350–1
 older Australians use, 364
 operations, 283–4, 303
 elective surgery waiting times, 290, 291
 Medicare items processed, 297
 ophthalmological, 25
 sterilisation, 21, 160
 see also procedures
 opiates, 155
 optometry, optometrists and opticians, 264, 271, 272, 459, 303
 Medicare items processed, 297
 see also eye diseases
 oral contraceptives, 21, 160
 oral (dental) health, 17–20, 98–102, 140, 303–6, 348–9, 427–8
 fluoridated drinking water, 165
 hospitalisations, 188, 284, 436–7
 Indigenous Australians, 144
 older Australians, 282–3
 see also dental practitioners
 oral (dental) health, expenditure on, 235, 243, 254, 256, 442–4, 446–7
 by Department of Veterans' Affairs, 234
 health benefits paid, 252
 health insurance funding, 452
 organic mental disorders, 73, 308, 311
 see also dementia
 Organisation for Economic Cooperation and Development, 341
 Organisation for Economic Cooperation and Development countries, *see* international comparisons
 ornithosis, 421
 osteoarthritis, 16, 88–9, 216, 390
 GP consultations, 86, 301, 373, 374, 394
 osteopaths/chiropractors, 264, 272, 324
 osteoporosis, 33, 34, 88, 140, 390, 396
 risk factors, 399
 ovarian cancer, 45, 66, 67, 70, 71, 423
 over-the-counter medicines, 302, 317
 overconsumption of food, 142–3
 overcrowded living conditions, 204
 overnight patients
 mental health, 309, 310, 311
 older Australians, 375
 rural and remote Australians, 212
 see also length of hospital stay
 overseas-born people, *see* migrants

- overseas-trained medical practitioners, 272–3
- overweight, *see* body weight
- OzFoodNet, 109
- pain, 35–6
 - abdominal, 300
 - dental consultations, 303–6
 - during intercourse, 23
 - see also* analgesics; back complaints/problems
- pancreas, 438–9
 - cancer, 45, 65–7, 423–5
- panendoscopies, 283
- Pap smears, 22, 23, 24, 301, 328
 - overseas-born people, 194
 - socioeconomically disadvantaged people, 207
- paracetamol, 316, 317
- parasitic diseases, *see* communicable diseases
- Parkinson's disease, 97, 221
- part-time health workforce employment, 262
- passive smoking, 79, 150–1
- pathology, 296, 297, 300, 303, 357
- pathology laboratories/services, 237, 264, 294
- patient-days, 276, 279, 432–9
 - AR-DRGs, 284
 - asthma, 474
 - definition, 277
 - mental health, 309, 310
 - older Australians, 374, 375
 - procedures, 282
- patients, *see* hospitalisations
- pedal cyclists, 39, 364
- pedestrian deaths, 39, 185
- peer groups of public hospitals, 286, 287, 289–92
- pelvic diseases, 23, 24
- pensioners, *see* concession card holders
- per capita (person) health expenditure, 231–2, 241
 - on diseases, 255–7, 378–9
 - Indigenous Australians, 233
 - Medicare benefits paid, 377
 - public psychiatric hospitals, 311
- performance indicators/measurement, 340, 342–3, 462–75
 - health insurance funds, 251–2
 - hospitals, 288–93, 343
 - private medical practices, 294
- perinatal conditions, 183, 341, 434–5, 438–9
- perinatal mortality, 46, 139, 179–80, 183, 404–6, 415–6
- peripheral neuropathy, 86
- peripheral vascular disease, 61, 86, 463
- personal determinants of health, 28
 - see also* age; Indigenous Australians; migrants; sex of population
- personality disorders, 73, 308, 311
- pertussis (whooping cough), 104, 111–12, 156–8, 421
- petrol sniffing, 204
- Pharmaceutical Benefits Advisory Committee, 314
- Pharmaceutical Benefits Pricing Authority, 314
- Pharmaceutical Benefits Scheme (PBS), 237–8, 313, 314–15, 440, 442–4, 446–7
 - highest cost drugs, 316
 - Indigenous Australians, expenditure for, 233, 234
 - psychiatric patients prescriptions, 307, 316
- pharmaceutical poisoning deaths, 37
- pharmaceuticals, expenditure on, 235, 237–8, 243, 244, 442–4, 446–7
 - Department of Veterans' Affairs, 234
 - diseases and injuries, 254, 255, 256
 - health insurance funding, 452
- pharmacists (chemists), 259–62, 267–8, 271, 272, 313
 - hours worked, 454
 - Indigenous, 261, 456
 - see also* drug scripts
- physical activity/inactivity, 125, 144–8, 338, 348, 429
 - older Australians, 364, 371, 372
 - overseas-born people, 192
 - performance indicators, 464, 467
 - socioeconomically disadvantaged people, 148, 207
 - veterans, war widows and war widowers, 216
 - young people, 187–8
- physical disability, *see* disability
- physical measurements, data about, 238–9
- physicians, *see* medical practitioners
- physiotherapists, 261, 264, 270, 271, 272, 455
 - GP referrals to, 303
- pill (oral contraceptive), 21, 160
- plant foods, 125, 140, 143, 203, 206
- pneumonia, *see* influenza and pneumonia
- pneumococcal disease, 107, 114, 420
- podiatrists, 269–70, 271, 272
- poisonings, 37, 42, 190, 393, 472
 - see also* injuries
- polio, 112, 156–8, 317
- pollution and contamination, 164–6
- polycystic kidney disease, 94
- polygenic diseases, 139

- population, 401
 - age standardisation, 43
 - born overseas, 180
 - children, 181
 - geographic distribution, 209
 - health insurance coverage, 252–3
 - older Australians, 355–6
 - urban, body weight trends of, 128, 129
 - veterans, 213, 214, 235
 - young people, 186
 - see also* age; health workforce; prevalence/incidence; sex of population
- population ageing, 259
- post-coital contraception, 21
- postgraduate qualifications, *see* qualifications
- post-school qualifications, *see* qualifications
- post-traumatic stress disorder, 216, 312
- potassium clavulanate, 316
- pregnancy, *see* births and pregnancy
- presbyopia, 26, 33
- prescriptions, *see* drug scripts and treatments
- prevalence/incidence, 32–6
 - alcohol consumption, 152
 - asthma, 76–7, 389, 474
 - body weight, 128–9
 - cancers, 64–6, 69–70, 389, 465, 466
 - cardiovascular diseases, 57–60, 390, 462
 - chronic obstructive pulmonary disease, 80
 - communicable diseases, 104, 107–15
 - dementia, 380–1
 - diabetes, 83–5, 390, 467, 468
 - end-stage renal disease (ESRD), 92–3
 - genetic diseases and disorders, 138–9
 - glucose tolerance, 137–8
 - high blood cholesterol, 134–6
 - high blood pressure, 133
 - illicit drug use, 155
 - injuries, 389
 - mental health problems/disorders, 33, 71–2, 390, 473
 - musculoskeletal conditions, 89–90, 390
 - nervous system disorders, 96
 - oral health, 17–20
 - physical activity, 145–8
 - tobacco smoking, 148–50
 - see also* burden of disease; disability; hospitalisations; long-term conditions; mortality
- prevention and promotion, 239, 448
 - see also* health screening; vaccination
- prices, 230, 241–2, 450
- principal-referral hospitals, 290–2
- prisoners, 218–19
- private free-standing day hospital facilities, 278, 286–8
- private health insurance, *see* health insurance
- Private Health Insurance Incentives Scheme, 247
- private hospitals, 276–88, 431, 433, 435, 437, 449
 - childhood immunisation episodes, 329
 - expenditure on, 235, 236, 243, 442–4, 446–7:
 - health insurance funds, 252, 452
 - older patients, 374–6
 - patients' usual area of residence, 212, 280
 - pharmaceuticals, benefit-paid, 237, 238
 - psychiatric, 312
 - specialised psychiatric units, 309–11
- private (non-government) sector, expenditure
 - by, 236, 242–3, 245, 246, 442–4
 - benefit-paid pharmaceuticals, 238
 - capital, 239
 - hospitals, 243, 248, 249
 - Indigenous programs, 233, 234, 445
 - medical services, 243, 249, 250
 - see also* health insurance funds, expenditure by
- procedures, 277, 282–3, 436–7
 - cardiovascular, 63–4, 212, 283, 436–7
 - GP consultations, 303
 - older Australians
 - rural and remote Australians, 212
 - transplants, 93, 94, 284
 - see also* dialysis; operations; treatment
- professional indemnity insurance, 237, 345
- progesterone implants, 21
- promotion and prevention, 239, 448
 - see also* health screening; vaccination
- prostate cancer, 65–7, 70, 423–6
 - diet and, 140
 - overseas-born males, 194
 - performance indicators, 465
 - Vietnam veterans, 217
- prostate cancer, as cause of death, 45, 51, 52, 67, 392, 423
 - overseas-born males, 192, 193
 - performance indicators, 465
 - rural and remote males, 210
- psoriasis, 33
- psychiatric disability, 29–31, 369, 370
 - see also* mental health
- psychiatric hospitals, 311–12
 - see also* public psychiatric hospitals
- psychiatrists, 307
- psychoactive substances, 73, 75, 155, 201, 308, 311, 331
 - principal drugs of concern, 318–19
 - see also* alcohol consumption

- psychological development, disorders of, 73, 308, 311
- psychological distress, 71–2, 73, 74
- psychological drugs, 316
- psychological health determinants, 124
- psychological stress, 132
- psychotic disorders, *see* schizophrenia and psychotic disorders
- pubic lice, 24
- public community mental health services, 307–8
- public health, 325–31
 - expenditure on, 239, 243, 448
- public health cards, *see* concession card holders
- Public Health Outcomes Funding Agreements, 244
- public hearing services, 321–2
- public hospital pharmaceuticals, 237, 238
- public (non-psychiatric/acute) hospitals, 276–92, 430, 432, 434, 436, 438
 - childhood immunisation episodes, 329
 - expenditure on, 235–6, 243, 244, 245, 442–4, 446–7
 - health insurance funding, 452
 - older patients, 374–6
 - patients' usual area of residence, 212, 280
 - specialised psychiatric units, 309–11
- public (Medicare) patients, 279
- public psychiatric hospitals, 276, 278, 286–8, 309–10, 311
 - expenditure on, 235, 236, 442–4, 446–7
 - same-day separations, 280
 - workforce, 264
- public residential mental health care, 309
- puerperium, complications relating to, 23
- pulmonary diseases, *see* chronic obstructive pulmonary disease
- Q fever, 421
- qualifications (educational attainment), 162, 163
 - condom use, 160
 - food security, 142
 - health workforce students obtaining, 271
 - physical activity, 148
 - sexually transmitted infections (STIs), knowledge of, 161
- quality of health services, 337
 - see also* adverse events
- quarantinable diseases, 420
- Queensland, *see* States and territories
- radiography students, 261, 271
- radiotherapy and nuclear medicine, 297
- ramipril, 315, 316, 440
- rashes, 300
- record linkages, 342
- recurrent expenditure, 235–9, 243, 244, 444, 446–7
 - community mental health services, 307
 - cost per casemix-adjusted separation, calculation of, 289
 - on Indigenous Australians, 233
 - public psychiatric hospitals, 311
- referrals, 86, 303
- refractive error, 25, 26
- rehabilitation, 319, 375, 376
- rehabilitation appliances, 234, 442–4, 446–7, 452
- rehabilitation students, 261, 271
- remoteness, *see* rural and remote Australians
- renal diseases, *see* kidney diseases
- renal replacement therapy, 93, 94
 - see also* dialysis
- repairs to Indigenous dwellings, 204
- Repatriation Health Card holders, 213–14, 215–17, 235, 299, 313
- Repatriation Pharmaceutical Benefits Scheme (RPBS), 313
- reproduction, *see* births and pregnancy
- reproductive organs, 22, 23
 - see also* genitals
- research and development, 5
 - expenditure on, 239, 254, 256, 442–4, 446–8
 - workforce, 265
- residence in Australia, length of, 190
- residential aged care, 264, 342, 360, 377–8
 - dementia sufferers, 380, 383
 - oral health of residents, 383
- residential aged care, expenditure on, 235, 243, 244, 442–4, 446–7
 - Department of Veterans' Affairs, 234
 - health system costs, 254, 255, 256
- residential mental health care, 309–12, 344
 - see also* public psychiatric hospitals
- respiratory diseases/infections, 33, 105–7, 282, 434–9
 - children, reason for hospitalisation of, 183
 - drug prescriptions, 316
 - expenditure on, 254–6, 379
 - GP patients, 105, 198, 300, 301, 316, 373
 - Indigenous Australians, 198
 - medications prescribed, 302
 - older Australians, 105, 106, 107, 365–7, 373, 374, 376, 379
 - veterans and war widows, 216
 - see also* asthma; chronic obstructive pulmonary disease; influenza and pneumonia

- respiratory diseases/infections as cause of
 - death, 46–53, 105–6, 107, 415–9
 - air pollution associated with, 165
 - Indigenous Australians, 196, 197
 - Korean veterans, 217
 - older Australians, 357–8
 - overseas-born people, 192
 - rural and remote Australians, 210, 211
 - socioeconomically disadvantaged people, 207
- retail pharmacists, 262, 454
- retinopathy, diabetic, 25, 382
- rheumatic fever/heart disease, 60, 61
- rheumatism, 33
- rheumatoid arthritis, 89, 282, 390, 397
- risk factors, 122–73, 348, 398–9
 - asthma, 76, 398
 - cancers, 68–9, 398
 - cardiovascular diseases, 57, 131, 132, 398, 464
 - children, 129–30, 182
 - chronic obstructive pulmonary disease, 79
 - communicable diseases, 338
 - diabetes, 82, 85, 131, 398
 - Indigenous Australians, 131, 133, 202–4
 - kidney disease, 93–4
 - older Australians, 371–2
 - overseas-born people, 191–3
 - performance indicators, 464
 - prisoners, 218, 219
 - socioeconomically disadvantaged people, 206, 207
 - young people, 187–8
 - see also* biomedical risk factors;
 - environmental health; genetic factors;
 - health behaviours; socioeconomic characteristics
- road distances covered by ambulance services, 323
- road traffic accidents, *see* transport accidents
- rofecoxib, 315, 316, 440
- Ross River virus, 109, 110, 421
- roxithromycin, 316
- Royal Flying Doctor Service, 323, 329
- RPBS, 313
- rubella, 23, 104, 113, 156–8, 421
- rural and remote Australians, 208–12, 323
 - accident and emergency non-admitted patients, 285–6
 - breast cancer screening, 326, 327
 - children, 186
 - diet and nutrition, 142
 - health indicators, 462, 463, 473
 - health workforce, 262–4, 265–7, 307
 - hospital patients, 212, 280
 - young people, 186
 - see also* city and town populations
- rural and remote Indigenous Australians, 196, 209
 - causes of death, 210–11
 - cervical cancer, 208
 - diabetes, 84
 - diet and nutrition, 203
 - housing and living conditions, 204–6
- safe period contraception method, 21
- safety, 124, 337
 - see also* adverse events
- St John's Ambulance Service, 323
- salbutamol, 313, 315, 316, 440
- salmeterol and fluticasone, 316
- salmonellosis, 104, 109, 420
- same-day patients, 278, 280, 434–9
 - AR-DRGs, 279, 284
 - with mental problems, 307, 309, 310–11, 434–5, 438–9
 - older Australians, 375
 - rural and remote Australians, 212
- saturated fat intake, 140, 143, 464
- scalds/burns/fires, 37, 392, 438–9, 471–2
- schizophrenia and psychotic disorders, 72, 73, 74, 221
 - community mental health service patients, 308
 - drugs prescribed, 307, 316
 - overseas-born people, 193, 194
 - psychiatric patients, 307, 311
- school dental services, 98–100, 303–4
- school retention rates, 162
- schoolchildren, *see* children
- season for asthma hospitalisations, 77
- sedatives, 316
- self-harm, 42, 218, 219, 473
 - see also* suicide
- self-reported health status, 13–19, 338–9
 - asthma, 76–7
 - body weight, 16–17, 126–8, 129, 202, 338–9
 - chronic obstructive pulmonary disease (COPD), 16, 80
 - diabetes, 16, 84–5, 86, 199–200, 471
 - ear diseases/disorders, 26–7
 - eye diseases/disorders, 26
 - high blood pressure, 133
 - Indigenous Australians, 199–200, 202
 - musculoskeletal conditions, 16, 88, 89, 90
 - nervous system diseases, 96
 - older Australians, 359

- people with disability, 220
- physical activity, participation in, 145–7
- veterans, war widows and widowers, 214–16
- young people, 187
- sensory disability, *see* ear diseases; eye diseases; speech/sensory disability
- separations, *see* hospitalisations
- septicaemia, 45, 51–3, 95
- sertraline, 315, 440
- sewage disposal, 205–6
- sex of population, 401, 430–3
 - alcohol and other drug treatment service clients, 318
 - alcohol consumption, 152, 188, 203, 218, 219, 372
 - asthma, 77, 79, 181, 194, 390, 474–5
 - birth ratios, 403
 - birthweight, 176
 - body weight, *see* sex of population and body weight
 - cancers, *see* sex of population with cancers
 - cardiovascular diseases, *see* sex of population with cardiovascular diseases
 - children, 181–6
 - chronic obstructive pulmonary disease, 80–1
 - complementary and alternative medicine, 317, 324
 - connective tissue diseases, 216
 - diabetes, *see* sex of population with diabetes
 - diet and nutrition, 142–3
 - digestive system diseases, 216
 - ear diseases/disorders, 27, 33, 34, 366–7, 379
 - education, 162
 - eye diseases/disorders, 26, 33, 366–7, 379, 381–2
 - family planning clients, 322
 - food and nutrition, 142
 - glucose tolerance, 137–8
 - health expenditure on diseases, 255–7, 379
 - health workforce, 259–61, 262, 265, 267–8, 270–1
 - hepatitis, 218
 - high blood cholesterol, 33, 34, 125, 134–6, 429:
 - body weight and, 131; performance indicators, 464, 468
 - high blood pressure, 33, 125, 133, 134, 429:
 - body weight and, 131; performance indicators, 464, 468
 - HIV/AIDS, 422
 - illicit drug use, 154, 156
 - Indigenous Australians, 198, 199, 202, 203, 219, 320
 - injuries, *see* sex of population with injuries
 - kidney disease, 92–3, 95, 96, 194, 199
 - life expectancy, 11–13, 14, 196, 355–7, 407–8
 - long-term conditions, 33–4, 35, 366–7
 - medical practitioner consultations, 297–8, 299
 - Medicare use, 377, 459–61
 - mental health, *see* sex of population with mental problems
 - mortality, *see* sex of population and mortality
 - motor neurone disease, 97
 - mumps, 113
 - musculoskeletal conditions, *see* sex of population with musculoskeletal conditions
 - nervous system diseases, 256–7
 - older Australians, 355–68, 371–2, 374–7, 379, 381–2
 - pain, prevalence of, 36
 - physical activity, 146–8, 187–8, 364, 371, 372, 429, 467
 - prisoners, 218–19
 - respiratory infections, *see* sex of population with respiratory infections
 - self-reported health status, 15, 16, 359
 - sexual health/practices, 20–5, 160–1
 - tobacco smokers, 68, 148–50, 371–2, 429, 464:
 - prisoners, 218, 219
 - tuberculosis, 110, 194
 - veterans, war widows and war widowers, 214–17
 - young people, 187–90
- sex of population and body weight, 125, 126–31, 429
 - Indigenous Australians, 202
 - older Australians, 371, 372
 - performance indicators, 464, 467
 - prisoners, 218
 - young people, 188
- sex of population and mortality, 43–56, 407–17, 419
 - AIDS, 108
 - asthma, 79, 475
 - cancers, *see* sex of population with cancers as cause of death
 - cardiovascular diseases, *see* sex of population with cardiovascular diseases as cause of death
 - children, 180, 183–6, 406
 - chronic obstructive pulmonary disease, 81
 - diabetes, 87, 192, 201, 469
 - drug poisoning, 190
 - hepatitis C, 108

- sex of population and mortality (*continued*)
 - Indigenous Australians, 197, 201
 - injuries, *see* sex of population with injuries as cause of death
 - kidney failure, 95, 96
 - meningococcal infections, 114
 - motor neurone disease, 97
 - older Australians, 357–9
 - overseas-born people, 191–3
 - respiratory diseases, 192, 197, 207, 415–6, 419
 - rural and remote Australians, 210, 211
 - socioeconomically disadvantaged people, 207
 - suicide, 37–8, 189, 190, 192, 201
 - Sydney medically supervised injecting centre users, 331
 - transport accidents, 38–9, 185
 - tuberculosis, 110
 - veterans and war widows and widowers, 216–17
 - young people, 189–90
- sex of population with cancers, 33, 34, 65–71, 390, 423–5
 - expenditure on, 256–7, 379
 - older Australians, 366–7, 374, 376, 379
 - overseas-born people, 194
 - performance indicators, 465–6
 - veterans, 216
- sex of population with cancers as cause of death, 45–53, 67–8, 392, 415–6, 419
 - Indigenous Australians, 197
 - overseas-born people, 192, 193
 - performance indicator, 465, 466
 - socioeconomically disadvantaged people, 207
- sex of population with cardiovascular (circulatory) diseases, 33, 34, 57–63, 390, 415–6, 419
 - body weight and, 131
 - expenditure on, 256–7, 379
 - older Australians, 366–7, 376, 379
 - overseas-born people, 194
 - performance indicators, 462–3, 464, 468
 - veterans, 216
- sex of population with cardiovascular diseases as cause of death, 44–53, 59–60, 392
 - Indigenous Australians, 197
 - overseas-born people, 192
 - performance indicators, 462, 469
 - socioeconomically disadvantaged people, 207
- sex of population with diabetes, 33, 84, 86, 87, 131, 390, 429
 - older Australians, 366–7, 376, 379
 - overseas-born people, 194
 - performance indicators, 467–70
- sex of population with injuries, 390
 - expenditure 256, 257
 - hospitalisations, 41–2, 374, 376
 - Indigenous Australians, 198
 - performance indicators, 471–2
- sex of population with injuries as cause of death, 36–40, 392, 415–6
 - children, 185, 186
 - Indigenous Australians, 197
 - older Australians, 39, 40
 - overseas-born people, 192
 - performance indicators, 471, 472
 - socioeconomically disadvantaged people, 207
- sex of population with mental problems/ disorders, 33, 71–2, 390, 415–6
 - children, 182
 - community mental health care services, 308
 - Indigenous Australians, 201
 - older Australians, 366–7, 376, 379, 380
 - overseas-born people, 194
 - performance indicators, 477
 - psychiatric patients, 307
 - veterans and war widows, 216
 - young people, 187
- sex of population with musculoskeletal conditions, 33, 88–91, 390, 415–6
 - expenditure on, 256–7, 379
 - older Australians, 376, 366–7, 379
 - socioeconomically disadvantaged people, 207
 - veterans and war widows, 216
- sex of population with respiratory infections/ diseases, 33, 105, 106
 - expenditure on, 256–7, 379
 - Indigenous Australians, 197
 - older Australians, 366–7, 376, 379
 - overseas-born people, 197
 - socioeconomically disadvantage people, 207
 - veterans, 216
- sex workers, 161
- sexual abuse, 218, 219
- sexual health/practice, 20–5, 125, 160–1, 322
 - see also* births and pregnancy
- Sexual Health and Family Planning Australia, 23
- sexually transmitted infections (STIs), 24–5, 109, 161, 420
 - see also* HIV/AIDS
- shigellosis, 420

- SHine, 23
- short-sightedness, 26, 33, 187
- sickness, *see* diseases
- sickness allowances, recipients of, 75
- SIDS, 46, 183, 184
- sight, *see* eye diseases
- SIGNAL, 143–4
- significant caries index (SiC), 100, 101
- SIMC, 334–5
- simvastatin, 313, 315, 316, 440
- sinusitis, 33, 152
- size of public hospitals, 287, 289, 290, 291–2
- skin cancers, 66, 70, 193, 194, 216, 466
see also melanoma
- skin diseases/disorders, 33, 415–6, 434–9
 expenditure on, 254
 GP consultations, 300, 301, 373
 veterans, war widows and war widowers, 215, 216
- skin procedures, 284
- sleep disturbance/insomnia, 193, 194, 215, 301, 373
- sleeping pills/tranquillisers, 155
- SLTEC, VTEC, 420
- smallpox, 156
- smoking, *see* tobacco smoking
- sneezing/nasal congestion, 300
- socioeconomic characteristics, 123, 124, 161–4, 206–7
 body weight, 130
 breast cancer screening, 326, 327
 children, 157–8, 186
 life expectancy, 13, 207
 physical activity, 148, 207
 see also concession card holders:
 qualifications
- solar keratosis, 216
- South Australia, *see* States and territories
- specialised psychiatric units, 309–11
- specialist medical practitioners, 273–4, 294
 attendances, 297, 457
 employed, 265
 hours worked, 262, 454
 Indigenous, 456
 migrants and emigrants, 272, 273
 professional indemnity insurance costs, 237
 psychiatrists, 307
 referrals to, 86, 303
 in rural and remote areas, 264, 265, 266
- specialist women's and children's hospitals, 290, 291
- specific purpose payments, 244
- speech/sensory disability, 29–31, 183, 221, 271, 368–70
 see also ear diseases; eye diseases
- speech pathologists, 271, 272, 455
- spermidical foams/jellies, 21
- spina bifida, 140, 217
- spinal cord injury, 476
- spontaneous vaginal deliveries, 177, 194, 284
- sport activity, older Australians participation in, 364
 see also physical activity
- sprains and strains, 301
 see also musculoskeletal diseases
- St John's Ambulance Service, 323
- standard drinks, 153
- standards, *see* classifications and standards
- Standards Australia, 340, 346
- State and territory and local government
 expenditure, 242–3, 244–5, 246, 442–3
 capital, 239, 442–3
 hospitals, 243, 248, 249, 442–3
 Indigenous programs, 233
- State and territory expenditure, 232, 448
 agreements with Commonwealth, 244, 245–6
 cervical screening, 328
 Indigenous services, 320, 445
 public health activities, 239
- State and territory hospitals, 287, 288, 430–3
 accident and emergency non-admitted patients, 286
 cost per casemix-adjusted separation, 289
 elective surgery waiting times, 290, 291
 mental health patients, 309, 310
- States and territories, 8
 AIDS cases, 422
 ambulance services, 323
 births and pregnancy, 177, 179, 402, 404
 cancer incidence, 425
 cancer registries, 64
 childhood vaccination, 157–8, 329
 death rates, 414, 420: perinatal, 179, 404–5
 fluoridated drinking water, 165
 health workforce, 265–70
 HealthConnect, 351
 HIV, new prisoners diagnosed with, 219
 Indigenous Australians, 195, 196, 198
 invasive pneumococcal disease, 114
 life expectancy, 13, 407
 Medicare use, 460
 oral health of children, 303–4, 305, 428
 pregnancy termination, 22, 178
 prisoners, 218–19
 vectorborne diseases, 109–10

- statistical developments, gaps and deficiencies, 4–5, 333–53, 462–75
 - age standardisation, 43
 - cancer surveillance and monitoring, 64
 - diabetes, 83
 - high blood pressure, 133
 - hospital use, 277, 285
 - Indigenous Australians, 133, 195, 200, 336, 347
 - kidney failure, 95
 - physical activity, 145
 - pregnancy terminations, 22
 - rural and remote Australians, 208–9
- Statistical Information Management Committee, 334–5, 341
- Steering Committee for the Review of Commonwealth/State Service Provision, 343
- stents, coronary, 63
- sterilisation and sterility, 21, 160
- steroids, 155
- stillbirths (foetal deaths), 139, 179–8
- STIs, 24–5, 109, 161, 420
 - see also* HIV/AIDS
- stomach cancer, 45, 65, 67, 140, 423–6
- stomach/duodenal/gastrointestinal ulcers, 33, 72
- strains and sprains, 301
 - see also* musculoskeletal diseases
- Strategic Inter-Governmental Nutrition Alliance, 143–4
- stress, 132
 - see also* neurotic and stress-related disorders
- stroke (cerebrovascular disease), 57, 59, 63, 140, 396
 - diabetes and, 86, 87
 - hospitalisations, 61, 62, 74
 - older Australians, 365–7, 376
 - performance indicators, 462–3, 469
 - risk factors, 398
- stroke as cause of death, 45, 47–8, 51–3, 59, 392, 419
 - cancers as associated cause, 68
 - diabetes associated with, 87
 - kidney failure associated with, 95
 - overseas-born people, 192, 470
 - performance indicators, 462–3, 470
 - socioeconomically disadvantaged people, 207
- students, *see* children; education; young people
- substance use and abuse, 71, 72, 73, 75, 76
 - Indigenous Australians, 201, 203–4, 347
 - see also* alcohol consumption; drugs and drug use; tobacco smoking
- sudden infant death syndrome, 46, 183, 184
- suffocation, 185
- sugar, 140
- suicide, 37–8, 392
 - Indigenous Australians, 201, 211
 - Korean veterans, 217
 - overseas-born people, 192
 - performance indicators, 473
 - prisoners, 218, 219
 - risk factors, 398
 - rural and remote Australians, 210, 211
 - Vietnam veterans' children, 217
 - young people, 189, 190, 473
 - see also* depression
- sun protection, 182, 188
- surgeons, 294
- surgery, *see* operations
- Survey of Disability, Ageing and Carers, 347
- survival following diagnosis
 - cancer, 342, 465, 466
 - HIV/AIDS, 108
 - motor neurone disease, 97
- swimming, 364
- Sydney medically supervised injecting centre, 331
- syphilis, 24, 109
- syringes and needles, 321, 330–1
 - see also* injecting drugs and drug users
- System of Health Accounts, 341
- systolic blood pressure, 132, 464
- tachycardia, 33
- Tasmania, *see* States and territories
- taxation revenue and expenditure, 244, 441
- TB, 104, 110, 194, 421
- technology, 177–8
 - see also* computers and computing
- teenagers, *see* young people
- teeth, *see* oral health
- telehealth consultations, 323
- television and videos, watching of, 148
- temazepam, 316
- tennis, 364
- termination of pregnancy, 22, 23, 178, 284
- testis, cancer of, 66, 424–5
- tetanus, 112, 156–8, 421
- Therapeutic Goods Administration, 314
- therapy aides, 455
- thrush, 24
- throat complaints, 300
- thyroxine sodium, 315, 440

- time
- aerial ambulance flying hours, 323
 - asthma hospitalisations, months for, 77
 - Australian residence, length of, 190
 - breastfeeding, duration of, 142
 - gestation, disorders associated with length of, 179
 - GP consultations, length of, 373
 - hours worked by health workforce, 261–2, 265, 267, 268, 270, 454–5
 - physical activity per week, 144
 - waiting for surgery/occasion of service, 290–2
 - see also* length of hospital stay; survival after diagnosis
- tinnitus, 216
- tiredness/weakness, 300
- tobacco smoking, 16–17, 148–51, 348, 371–2
- cancer risk factor, 68
 - chronic obstructive pulmonary disease risk factor, 79
 - Indigenous Australians, 203, 347
 - Korean veterans, 217
 - performance indicators, 464
 - prisoners, 218, 219
 - socioeconomically disadvantaged people, 207
 - vaccinations recommended, 114
 - young people, 149–50, 188, 338
 - see also* lung cancer
- tooth decay, *see* oral health
- Torres Strait Islanders, *see* Indigenous Australians
- trachoma, 166
- tranquillisers/sleeping pills, 155
- transport accident deaths, 37, 38–9, 45, 392
- children, 185
 - overseas-born people, 192
 - performance indicators, 475
 - rural and remote Australians, 210–11
 - young people, 189, 190
- transport accidents, 42, 187, 471
- transmissible spongiform encephalopathies (TSEs), 114–15
- transplants, 93, 94, 284
- treatment
- cardiovascular diseases, 61
 - expenditure by mode of, 255, 256
 - hepatitis C, 108
 - HIV, 108
 - travel for, DVA expenditure on, 234
 - see also* drug scripts and treatment; procedures
- triage categories, 290–2, 323, 344
- trichomoniasis, 24
- triglyceride (TG), 135
- triplets, 176
- trisomy 21 (Down syndrome), 139, 179
- tubal ligations/hysterectomies, 21, 22, 160, 283
- tuberculosis, 104, 110, 194, 421
- twins, 176
- Type 1 diabetes, 82, 83, 84, 398
- in children, 83, 181
 - genetic factors, 139
 - performance indicators, 467, 468
- Type 2 diabetes, 82, 83, 84, 85
- children, 181
 - diet and, 140
 - impaired glucose tolerance (IGT) and, 137
 - Indigenous Australians, 199–200
 - risk factors, 398
 - performance indicators, 467, 468
- typhoid, 420
- ulcers, 33, 72, 282
- on feet, 86, 469
 - prescribed drugs, 313, 315, 316
- underlying causes of death, *see* causes of death
- undernutrition, 142
- underweight, 125, 127, 128
- university courses, 261, 271
- see also* qualifications
- University of Adelaide, 348
- University of New South Wales, 346
- University of Queensland, 343
- University of Sydney, 348
- unplanned pregnancies, 21–2
- upper respiratory tract infections, 105, 198, 300, 301
- urban population, body weight trends of, 128, 129
- ureter and kidney, calculus of, 193, 194
- urology, 282–3, 301, 373, 436–7
- uterus
- cancer, 66, 67, 423–5
 - dilation and curettage, 283
- vaccination (immunisation), 108, 110–14, 156–9, 182, 328–30
- expenditure on, 239, 330, 448
 - GP consultations, 300, 316, 317, 329, 330, 373
 - influenza, 159, 316, 317
 - Royal Flying Doctor Service consultations, 323, 329
- vaccine-preventable diseases, 104, 110–14, 420–1
- vacuum extraction deliveries, 177

- vaginal breech deliveries, 177
- vaginal dryness, 23
- vaginosis, bacterial, 24
- variant CJD (vCJD), 113–14
- varicose veins, 33, 34, 215
- vasectomies, 21, 22, 160
- vectorborne diseases, 109–10, 166, 421
- vegetable intake, 125, 140, 143, 203, 206
- veterans and war widows/widowers, 213–17, 299, 312
 - AR-DRGs, 285
 - expenditure on, 234–5
 - pharmaceutical prescriptions, 313
 - see also* Department of Veterans' Affairs
- Veterans' Home Care, 234
- Veterans Line calls, 312
- Victoria, *see* States and territories
- videos and television, watching of, 148
- Vietnam veterans, 215, 217, 312
- Vietnam Veterans Counselling Service (VVCS), 312
- violence and aggression
 - deaths from, 37, 39, 192, 471
 - hospitalisation from, 42
 - sexual abuse before 16 years of age, 218, 219
 - see also* self-harm; suicide
- vision, *see* eye diseases
- vitamin and mineral supplements, 312, 317
- volunteers aged 65 years and over, 361–3

- waist circumference, 126, 127, 129
- waiting times, 290–2
- walking, 145, 364
 - pedestrian deaths, 39, 185
- war widows/widowers, *see* veterans
- warts, 24, 161

- waste disposal, 205–6
- water, 165–6, 205–6
- weakness/tiredness, 300
- weather, 166, 167
- weight, *see* body weight
- wellbeing, 2–4, 13–17, 359–64
- Western Australia, *see* States and territories
- Western Australian Department of Health, 342
- whooping cough, *see* pertussis
- withdrawal (contraceptive method), 21
- withdrawal management (detoxification), 319
- women, *see* births and pregnancy; breast cancer; sex of population
- women who have sex with women, 161
- women's and children's hospitals, 290, 291
- workforce, *see* health workforce
- working hours of health workforce, 261–2, 265, 267, 268, 270, 454–5
- World Health Organization (WHO), 2, 28–9, 112, 338–9, 350
 - definitions, 2, 132
- World War veterans, 213

- Year 12 retention rate, 162
- young people, 186–90
 - alcohol consumption, 187, 188, 338
 - body weight, 129–30, 188, 338
 - Indigenous, 179
 - mental problems and disorders, 73, 187, 473
 - performance indicators, 343, 474
 - pregnancies, 175, 179, 189
 - sexual activity, 20, 22
 - tobacco smoking, 149–50, 188, 338, 464
 - see also* children
- zoonotic diseases, 166, 421