

Reference list

1. Commonwealth Department of Health and Aged Care (DHAC) 2001. Medicare Benefits Schedule Book. Canberra: DHAC.
2. Commonwealth Department of Health and Aged Care (DHAC) 2000. General practice in Australia: 2000. Canberra: DHAC.
3. Australian Institute of Health and Welfare 2004. Australia's health 2004: the ninth biennial health report of the Australian Institute of Health and Welfare. AIHW Cat. No. AUS 44. Canberra: AIHW.
4. Health Insurance Commission (HIC). 2004. Medicare Benefits Schedule (MBS) statistics reports. Viewed 28-7-2004, http://www.hic.gov.au/providers/health_statistics/statistical_reporting/medicare.htm.
5. Australian Bureau of Statistics 2002. National Health Survey: summary of results, Australia, 2001. Canberra: Australian Bureau of Statistics.
6. Australian Bureau of Statistics 2004. 2001 Census of population and housing. Viewed 28-7-2004, <http://www.abs.gov.au/Websitedbs/D3310114.NSF/0/0FE8206BF6B0D763CA2567F4002146FC?Open>.
7. Britt H, Sayer GP, Miller GC, Charles J, Scahill S, Horn F et al. 1999. BEACH Bettering the Evaluation and Care of Health: a study of general practice activity, six-month interim report. AIHW Cat. No. GEP 1. Canberra: Australian Institute of Health and Welfare, General Practice Series No. 1.
8. Britt H, Miller GC, Charles J, Knox S, Sayer GP, Valenti L et al. 2000. General practice activity in Australia 1999–2000. AIHW Cat. No. GEP 5. Canberra: Australian Institute of Health and Welfare, General Practice Series No. 5.
9. Britt H, Miller GC, Knox S, Charles J, Valenti L, Henderson J et al. 2001. General practice activity in Australia 2000–2001. AIHW Cat. No. GEP 8. Canberra: Australian Institute of Health and Welfare, General Practice Series No. 8.
10. Cole TJ, Bellizzi MC, Flegal KM, Dietz WH 2000. Establishing a standard definition for child overweight and obesity worldwide: international survey. *BMJ* 320(7244):1240–1243.
11. Saunders JB, Aasland OG, Babor TF, de la Fuente JR, Grant M 1993. Development of the Alcohol Use Disorders Identification Test (AUDIT): WHO Collaborative Project on Early Detection of Persons with Harmful Alcohol Consumption – II. *Addiction* 88(6):791–804.

12. Centre for Drug and Alcohol Studies. 1993. The alcohol use disorders identification test. Sydney: Royal Prince Alfred Hospital and the University of Sydney.
13. SAS Proprietary Software Release 8.2. Cary: SAS Institute Inc, 2001.
14. Sayer GP 1999. Estimating and generalising with clustered sampling in general practice. *Aust Fam Physician* 28(Suppl1):S32-S34.
15. Britt H, Miller GC, Knox S, Charles J, Valenti L, Henderson J et al. 2003. General practice activity in Australia 2002-03. AIHW Cat. No. GEP 14. Canberra: Australian Institute of Health and Welfare, General Practice Series No. 14.
16. Britt H 1997. A new coding tool for computerised clinical systems in primary care – ICPC plus [see comments]. *Aust Fam Physician* 26(Suppl 2):S79-S82.
17. Classification Committee of the World Organization of Family Doctors (WICC) 1998. ICPC-2: International Classification of Primary Care. 2nd ed. Oxford: Oxford University Press.
18. World Health Organization Collaborating Centre for Drug Statistics Methodology (WHO) 1997. Anatomical Therapeutic Chemical (ATC) classification index with defined daily doses (DDDs). January; 1998 ed. Oslo: WHO.
19. Driver B, Britt H, O'Toole B, Harris M, Bridges-Webb C, Neary S 1991. How representative are patients in general practice morbidity surveys? *Fam Pract* 8:261-268.
20. Britt H, Harris M, Driver B, Bridges-Webb C, O'Toole B, Neary S 1992. Reasons for encounter and diagnosed health problems: convergence between doctors and patients. *Fam Pract* 9:191-194.
21. Britt H 1998. Reliability of central coding of patient reasons for encounter in general practice, using the International Classification of Primary Care. *Informatics* (May):3-7.
22. Bridges-Webb C, Britt H, Miles DA, Neary S, Charles J, Traynor V 1992. Morbidity and treatment in general practice in Australia 1990-1991. *Med J Aust* 157(19 Oct Spec Sup):S1-S56.
23. Britt H 1997. A measure of the validity of the ICPC in the classification of reasons for encounter. *Informatics* (November):8-12.
24. Britt H, Meza RA, Del Mar C 1996. Methodology of morbidity and treatment data collection in general practice in Australia: a comparison of two methods. *Fam Pract* 13(5):462-467.
25. Gehlbach SH 1979. Comparing methods of data collection in an academic ambulatory practice. *J Med Educ* 54:730-732.

26. Britt H, Angelis M, Harris E 1998. The reliability and validity of doctor-recorded morbidity data in active data collection systems. *Scand J Prim Health Care* 16:50–55.
27. Australian Institute of Health and Welfare (AIHW) 2004. Australian hospital statistics 2002–03. AIHW Cat. No. HSE 32. Canberra: AIHW, Health Services Series No. 22.
28. Dunn C, Sadkowsky K, Jelfs P 2002. Trends in deaths: Australian data, 1987–1998 with updates to 2000. AIHW Cat. No. PHE 40. Canberra: AIHW, Mortality Surveillance Series no. 3.
29. Charles J, Valenti L, Britt H 2003. GP visits by health care card holders. A secondary analysis of data from Bettering the Evaluation and Care of Health (BEACH), a national study of general practice activity in Australia. *Aust Fam Physician* 32(1–2):85–8, 94.
30. Australian Bureau of Statistics 2003. 2001 Census basic community profile and snapshot. Viewed 28-7-2004, <http://www.abs.gov.au/Ausstats/abs@census.nsf/4079a1bbd2a04b80ca256b9d00208f92/7dd97c937216e32fca256bbe008371f0!OpenDocument#Indigenous>.
31. Lewis GA, Pegram RW 2002. Residential aged care and general practice: workforce demographic trends, 1984–2000. *Med J Aust* 177(2):84–86.
32. Beyondblue 2004. Beyondblue: the national depression initiative. Viewed 28-7-2004, www.beyondblue.org.au/index.aspx?link_id=2.
33. Australian Institute of Health and Welfare 2004. Heart, stroke and vascular diseases: Australian facts 2004. AIHW Cat. No. CVD 27. Canberra: Australian Institute of Health and Welfare and National Heart Foundation of Australia.
34. Western Australian Department of Health 2004. A healthy future for Western Australians – report of the Health Reform Committee.
35. Regional Development Council of Western Australia 2003. Western Australia: a statistical snapshot of the regions. Viewed 28-7-2004, <http://www.regional.wa.gov.au/snapshot/index.asp>.
36. Pflaum M 2001. The Australian medical workforce. Canberra: Department of Health and Aged Care, Occasional Papers: New series No. 12.
37. University of Western Australia 2004. Western Australian Centre for Rural and Remote Medicine. Viewed 15-6-2004, <http://www.wacrrm.uwa.edu.au/workforce/>.
38. Australian Medical Association of Western Australia 2004. Mediventure program. Viewed 15-6-2004, <http://restrain.amawa.com.au/index.asp>.
39. Australian Bureau of Statistics 2004. Australian social trends 2004. Canberra: Australian Bureau of Statistics.

40. Department of Environmental Protection 2004. Air quality in Western Australia. Viewed 15-6-2004, http://aqmpweb.environ.wa.gov.au/air_quality/?AltContent=AQMP_why.
41. Heinrich J 2003. Nonallergic respiratory morbidity improved along with a decline of traditional air pollution levels: a review. *Eur Respir J Suppl* 40:64s-69s.
42. Australian Institute of Health and Welfare 2002. Australia's health 2002: the eighth biennial health report of the Australian Institute of Health and Welfare. Canberra: AIHW.
43. World Health Organization 2002. The tobacco atlas. Geneva: World Health Organization.
44. Department of Human Services 2004. Immunisation resource kit. Adelaide: South Australian Department of Human Services.
45. Gill T, Appleton S, Dal Grande E, Taylor A, Carter P, Wilson D 2004. A weighty issue: the status of overweight and obesity in South Australian adults from 1991 to 2001. Adelaide: South Australian Department of Human Services.
46. Usherwood T 2004. Professor of general practice, University of Sydney. Henderson J, editor.
47. Australian Bureau of Statistics 2001. Census of population and housing: Socio-Economic Indexes for Areas (SEIFA), Australia. Canberra: Australian Bureau of Statistics.
48. Knox SA, Britt H 2002. A comparison of general practice encounters with patients from English-speaking and non-English-speaking backgrounds. *Med J Aust* 177(2):98-101.
49. O'Halloran J, Britt H, Valenti L, Harrison C, Pan Y 2003. Older patients attending general practice in Australia 2000-02. AIHW Cat. No. GEP 12. Canberra: Australian Institute of Health and Welfare, General Practice Series No. 12.
50. Australian Public Service Commission. 2004. Circular No. 2004/2: Citizenship provisions relating to employment in the Australian Public Service. Canberra: Australian Government.
51. Australian Bureau of Statistics and Australian Institute of Health and Welfare 2001. The Health and Welfare of Australia's Aboriginal and Torres Strait Islander Peoples 2001. AIHW Cat. No. IHW-6. Canberra: Australian Bureau of Statistics..
52. Australian Divisions of General Practice 2000. General practice and primary health care: Northern Territory. Viewed 21-7-2004, <http://www.gpdnt.asn.au/>.
53. South Australian Department of Health 2004. Health Omnibus Survey. Viewed 29-7-2004, <http://www.dh.sa.gov.au/pehs/PROS/HOS.html>.

54. NSW Health 2004. New South Wales Adult Health Survey. Viewed 29-7-2004, <http://www.health.nsw.gov.au/public-health/survey/hsurvey.html>.
55. Meza RA, Angelis M, Britt H, Miles DA, Seneta E, Bridges-Webb C 1995. Development of sample size models for national general practice surveys. *Aust J Pub Health* 19(1):34-40.
56. Britt H, Miller GC, McGeechan K, Sayer GP 1999. Pathology ordering by general practitioners in Australia 1998. AIHW Cat. No. GEP 4. Canberra: Department of Health and Aged Care. Viewed 30-10-2000, <http://www.health.gov.au:80/haf/docs/pathorder.htm>.
57. Britt H, Knox S, Miller GC 2003. Changes in pathology ordering by general practitioners in Australia 1998-2001. AIHW Cat. No. GEP 13. Canberra: Australian Institute of Health and Welfare, General Practice Series No. 13.
58. Britt H, Miller GC, Knox S 2001. Imaging orders by general practitioners in Australia 1999-00. AIHW Cat. No. GEP 7. Canberra: Australian Institute of Health and Welfare, General Practice Series No 7.

Glossary

A1 Medicare items: Medicare item numbers 1, 2, 3, 4, 13, 19, 20, 23, 24, 25, 33, 35, 36, 37, 38, 40, 43, 44, 47, 48, 50, 51, 601, 602.

A2 Medicare items: Medicare item numbers 52, 53, 54, 57, 58, 59, 60, 65, 81, 83, 84, 86, 87, 89, 90, 91, 92, 93, 95, 96, 97, 98, 697, 698.

Aboriginal: The patient identifies himself or herself as an Aboriginal person.

Activity level: The number of general practice A1 Medicare items claimed during the previous 3 months by a participating GP.

Allied and other health professionals: Those who provide clinical and other specialised services in the management of patients, including physiotherapists, occupational therapists, dietitians, dentists and pharmacists.

Chapters (ICPC-2): The main divisions within ICPC-2. There are 17 chapters primarily representing the body systems.

Complaint: A symptom or disorder expressed by the patient when seeking care.

Component (ICPC-2): In ICPC-2 there are seven components which act as a second axis across all chapters.

Consultation: See *Encounter*

Diagnosis/problem: A statement of the provider's understanding of a health problem presented by a patient, family or community. GPs are instructed to record at the most specific level possible from the information available at the time. It may be limited to the level of symptoms.

- *New problem:* The first presentation of a problem, including the first presentation of a recurrence of a previously resolved problem but excluding the presentation of a problem first assessed by another provider.
- *Old problem:* A previously assessed problem that requires ongoing care. Includes follow-up for a problem or an initial presentation of a problem previously assessed by another provider.
- *Work-related problem:* Irrespective of the source of payment for the encounter, it is likely in the GP's view that the problem has resulted from work-related activity or workplace exposures or that a pre-existing condition has been significantly exacerbated by work activity or workplace exposure.

Encounter (enc): Any professional interchange between a patient and a GP.

- *Indirect:* Encounter where there is no face-to-face meeting between the patient and the GP but a service is provided (e.g. prescription, referral).
- *Direct:* Encounter where there is a face-to-face meeting of the patient and the GP.

Direct encounters can be further divided into:

Medicare-claimable

- *A1 items of service:* See *A1 Medicare items*
 - *Surgery consultations:* Encounters identified by any one of MBS item numbers 3, 23, 36, 44.
 - *Home visits:* Encounters identified by any one of MBS item numbers 4, 24, 37, 47.

- *Hospital encounters*: Encounters identified by any one of MBS item numbers 19, 33, 40, 50.
- *Residential aged care facility visits*: Encounters identified by any one of MBS item numbers 20, 35, 43, 51.
- *Other institutional visits*: Encounters identified by any one of MBS item numbers 13, 25, 38, 40.
- *Other MBS encounters*: Encounters identified by an MBS item number that does not identify place of encounter (see *A1 Medicare items*).
- *Workers compensation*: Encounters paid by workers compensation insurance.
- *Other paid*: Encounters paid from another source (e.g. state).

General practitioner (GP): A medical practitioner who provides primary comprehensive and continuing care to patients and their families within the community (Royal Australian College of General Practitioners).

Groupers: Multiple ICPC-2 or ICPC-2 PLUS codes which are grouped together for purposes of analysis.

Medication: Medication that is prescribed, advised for over-the-counter purchase or provided by the GP at the encounter.

Medication rates: The rate of use of all medications including medications that were prescribed, GP-supplied and advised for purchase over-the-counter (OTC).

Medication status:

- *New*: The medication prescribed/advised/provided at the encounter is being used for the management of the problem for the first time.
- *Continuation*: The medication prescribed/advised/provided at the encounter is a continuation or repeat of previous therapy for this problem.
- *Old*: See *Continuation*

Morbidity: Any departure, subjective or objective, from a state of physiological wellbeing. In this sense, sickness, illness and morbid conditions are synonymous.

Patient status: The status of the patient to the practice.

- *New patient*: The patient has not been seen before in the practice.
- *Old patient*: The patient has attended the practice before.

Prescribed rates: The rate of use of prescribed medications (i.e. does not include medications that were GP-supplied or advised for purchase over-the-counter).

Problem managed: See *Diagnosis/problem*

Provider: A person to whom a patient has access when contacting the health care system.

Reasons for encounter (RFEs): The subjective reasons given by the patient for seeing or contacting the general practitioner. These can be expressed in terms of symptoms, diagnoses or the need for a service.

Recognised GP: A medical practitioner who is:

- vocationally recognised under Section 3F of the Health Insurance Act, *or*
- a holder of the Fellowship of the Royal Australian College of General Practitioners who participates in, and meets the requirements for, quality assurance and continuing medical education as defined in the RACGP Quality Assurance and Continuing Medical Education Program, *or*

- undertaking an approved placement in general practice as part of a training program for general practice leading to the award of the Fellowship of the Royal Australian College of General Practitioners or undertaking an approved placement in general practice as part of some other training program recognised by the RACGP as being of equivalent standard. (Medicare Benefits Schedule book, 1 November 1998).

Referral: The process by which the responsibility for part or all of the care of a patient is temporarily transferred to another health care provider. Only new referrals to specialists and allied health professionals, and for hospital and residential aged care facility admissions arising at a recorded encounter are included. Continuation referrals are not included. Multiple referrals can be recorded at any one encounter.

Rubric: The title of an individual code in ICPC-2.

Torres Strait Islander: The patient identifies himself or herself as a Torres Strait Islander person.

Abbreviations

ABS	Australian Bureau of Statistics
ACT	Australian Capital Territory
AIHW	Australian Institute of Health and Welfare
ATC	Anatomical Therapeutic Chemical (classification)
AUDIT	Alcohol Use Disorders Identification Test
BEACH	Bettering the Evaluation And Care of Health
BMI	Body mass index
BP	Blood pressure
C&S	Culture and sensitivity
CAPS	Coding Atlas for Pharmaceutical Substances
CI	Confidence interval (in this report 95% CI is used)
CNS	Central Nervous System
CT	Computerised tomography
CVS	Cardiovascular System
DoHA	Australian Department of Health and Ageing
ECG	Electrocardiogram
Enc	Encounter
ENT	Ear, nose and throat
ESR	Erythrocyte sedimentation rate
EUC	Electrolytes, urea and creatinine
FBC	Full blood count
FMRC	Family Medicine Research Centre, University of Sydney
FRACGP	Fellow of the Royal Australian College of General Practitioners
FWE	Full-time workload equivalent
GP	General practitioner
GPSCU	General Practice Statistics and Classification Unit, University of Sydney, a collaborating unit of the Australian Institute of Health and Welfare
HbA1c	Haemoglobin, type A1c
HIC	Health Insurance Commission
HIV	Human immunodeficiency virus
ICPC	International Classification of Primary Care
ICPC-2	International Classification of Primary Care (Version 2)
ICPC-2 PLUS	An extended vocabulary of terms classified according to ICPC-2
MBS	Medicare Benefits Schedule
MC&S	Microscopy, culture and sensitivity

MRI	Magnetic resonance imaging
NEC	Not elsewhere classified
NESB	The patient reports coming from a non-English-speaking background, i.e. a language other than English is spoken at home.
NOS	Not otherwise specified
NSAID	Non-steroidal anti-inflammatory drugs
NSW	New South Wales
NT	Northern Territory
OMP	Other medical practitioner
OTCs	Medications advised for over-the-counter purchase
PBS	Pharmaceutical Benefits Scheme
QA	Quality assurance (in this case the Quality Assurance Program of the Royal Australian College of General Practitioners)
Qld	Queensland
RACGP	Royal Australian College of General Practitioners
RAST	Radioallergosorbent Test
RFE(s)	Reason for encounter(s) (see Glossary)
RICE	Rest, ice, compression and elevation
RRMA	Rural, Remote and Metropolitan Area classification
SA	South Australia
SAND	Supplementary Analysis of Nominated Data
SAS	Statistical Analysis System
SRS	Simple random sample
Tas	Tasmania
URTI	Upper respiratory tract infection
Vic	Victoria
WA	Western Australia
WHO	World Health Organization
Wonca	World Organization of Family Doctors
—	Not applicable
..	Not available