

Reference list

1. National key centre for the social applications of geographical information systems (GISCA) 2000. ARIA vs RRMA: a comparison of the ARIA and RRMA methodologies for measuring remoteness in Australia. Viewed 25-5-2005, http://www.gisca.adelaide.edu.au/web_aria/Rural_Health/aria_rrma/ARIA_RRMA.html
2. Britt H, Miller GC, Valenti L 2001. 'It's different in the bush': a comparison of general practice activity in metropolitan and rural areas of Australia 1998–2000. AIHW Cat. No. GEP 6. Canberra: Australian Institute of Health and Welfare (General Practice Series No. 6).
3. Wakerman J 2004. Defining remote health. *Australian Journal of Rural Health* 12(5):210–4.
4. Strasser R 1995. Rural general practice: is it a distinct discipline? [see comments]. *Australian Family Physician* 24(5):870–6.
5. Smith J, Hays R 2004. Is rural medicine a separate discipline? *Australian Journal of Rural Health* 12:67–72.
6. Australian Institute of Health and Welfare (AIHW) 2004. Rural, regional and remote health: a guide to remoteness classifications. AIHW Cat. No. PHE 53. Canberra: AIHW.
7. Limprecht E 2005. City fringe practices lose out under RRMA system. *Australian Doctor* May 27.
8. Australian Government Department of Health and Ageing (DoHA) 2005. Review of the Rural, Remote, and Metropolitan Areas (RRMA) classification: discussion paper (without prejudice). Canberra: Australian Government Department of Health and Ageing, viewed 28-6-2005, [http://www.health.gov.au/internet/wcms/Publishing.nsf/Content/pcd-pub-rrmareview.htm/\\$FILE/rrmareview0305.pdf](http://www.health.gov.au/internet/wcms/Publishing.nsf/Content/pcd-pub-rrmareview.htm/$FILE/rrmareview0305.pdf)
9. Australian Bureau of Statistics (ABS) 2004. Australian Standard Geographical Classification (ASGC). Canberra: ABS.
10. Commonwealth Department of Health and Aged Care (DHAC) 2001. Medicare Benefits Schedule Book. Canberra: DHAC.
11. Australian Government Department of Health and Ageing (DoHA) 2005. General practice in Australia: 2004. Canberra: DOHA.
12. Australian Bureau of Statistics (ABS) 2001. ABS views on remoteness. Canberra: ABS.
13. Australian Bureau of Statistics (ABS) 2003. ASGC Remoteness Classification: purpose and use. Canberra: ABS (Census Paper 03/01).

14. National key centre for the social applications of geographical information systems (GISCA) 2005. ARIA+ Version 2 – national data product. Viewed 25-5-2005, http://www.gisca.adelaide.edu.au/products_services/ariav2.html
15. Britt H, Sayer GP, Miller GC, Charles J, Scahill S, Horn F et al. 1999. BEACH Bettering the Evaluation and Care of Health: a study of general practice activity, six-month interim report. AIHW Cat. No. GEP 1. Canberra: Australian Institute of Health and Welfare (General Practice Series No. 1).
16. Britt H, Miller GC, Charles J, Knox S, Sayer GP, Valenti L et al. 2000. General practice activity in Australia 1999–2000. AIHW Cat. No. GEP 5. Canberra: Australian Institute of Health and Welfare (General Practice Series No. 5).
17. Britt H, Miller GC, Knox S, Charles J, Valenti L, Henderson J et al. 2001. General practice activity in Australia 2000–2001. AIHW Cat. No. GEP 8. Canberra: Australian Institute of Health and Welfare (General Practice Series No. 8).
18. SAS Proprietary Software Release 8.2 2001. Cary: SAS Institute Inc.
19. Sayer GP 1999. Estimating and generalising with clustered sampling in general practice. *Australian Family Physician* 28(Suppl1):S32–S34.
20. Britt H 1997. A new coding tool for computerised clinical systems in primary care-ICPC plus [see comments]. *Australian Family Physician* 26(Suppl 2):S79–S82.
21. Classification Committee of the World Organization of Family Doctors (WICC) 1998. ICPC-2: International Classification of Primary Care. 2nd ed. Oxford: Oxford University Press.
22. McWhinney IR 1986. Are we on the brink of a major transformation of clinical method? *Canadian Medical Association Journal* 135:873–8.
23. Australian Institute of Health and Welfare (AIHW) 2004. Australia's health 2004: the ninth biennial health report of the Australian Institute of Health and Welfare. AIHW Cat. No. AUS 44. Canberra: AIHW.
24. Britt H, Miller GC, Knox S, Charles J, Valenti L, Pan Y et al. 2004. General practice activity in Australia 2003–04. AIHW Cat. No. GEP 16. Canberra: Australian Institute of Health and Welfare (General Practice Series No. 16).
25. Australian Institute of Health and Welfare (AIHW) 2001. Residential aged care in Australia 1999–00: a statistical overview. AIHW Cat. No. AGE 19. Canberra: AIHW.
26. Britt H, Miller G, Sayer GP, Sedgwick D 1999. Comparison of practice patterns using Health Insurance Commission data for GPs who have completed the RACGP Training Program and those who have not. Melbourne: The Royal Australian College of General Practitioners.

27. Australian Institute of Health and Welfare (AIHW) 1998. Health in rural and remote Australia. AIHW Cat. No. PHE 6. Canberra: AIHW.
28. Wiegiers TA 2003. General practitioners and their role in maternity care. *Health Policy* 66(1):51-59.
29. Gruen RL, Knox S, Britt H 2002. Where there is no surgeon: the effect of specialist proximity on general practitioners' referral rates. *Medical Journal of Australia* 177(2):111-115.
30. Australian Bureau of Statistics (ABS) 2002. National health survey: summary of results, Australia, 2001. Canberra: ABS.
31. Health Insurance Commission (HIC) 2005. Australian Childhood Immunisation Register statistics. Viewed 28-6-2005, http://www.hic.gov.au/providers/health_statistics/statistical_reporting/acir.htm
32. Humphreys J, Jones J, Jones M, Hugo G, Bamford E, Taylor D 2001. A critical review of rural and medical workforce retention in Australia. *Australian Health Review* 24(4): 91-102.

Glossary

A1 Medicare items: Medicare item numbers 1, 2, 3, 4, 13, 19, 20, 23, 24, 25, 33, 35, 36, 37, 38, 40, 43, 44, 47, 48, 50, 51, 601, 602, 720, 722, 724, 726, 728, 730, 734, 738, 740, 742, 744, 746, 749, 757, 759, 762, 765, 768, 771, 773, 775, 778, 779, 801, 803, 805, 807, 809, 811, 813, 815.

Aboriginal: The patient identifies himself or herself as an Aboriginal person.

Activity level: The number of general practice A1 Medicare items claimed during the previous 3 months by a participating GP.

Allied and other health professionals: Those who provide clinical and other specialised services in the management of patients, including physiotherapists, occupational therapists, dietitians, dentists and pharmacists.

Chapters (ICPC-2): The main divisions within ICPC-2. There are 17 chapters primarily representing the body systems.

Complaint: A symptom or disorder expressed by the patient when seeking care.

Component (ICPC-2): In ICPC-2 there are seven components which act as a second axis across all chapters.

Consultation: See *Encounter*.

Diagnosis/problem: A statement of the provider's understanding of a health problem presented by a patient, family or community. GPs are instructed to record at the most specific level possible from the information available at the time. It may be limited to the level of symptoms.

- *New problem:* The first presentation of a problem, including the first presentation of a recurrence of a previously resolved problem but excluding the presentation of a problem first assessed by another provider.
- *Old problem:* A previously assessed problem that requires ongoing care. Includes follow-up for a problem or an initial presentation of a problem previously assessed by another provider.

Encounter (enc): Any professional interchange between a patient and a GP.

- *Indirect:* Encounter where there is no face-to-face meeting between the patient and the GP but a service is provided (e.g. prescription, referral).
- *Direct:* Encounter where there is a face-to-face meeting of the patient and the GP.

Direct encounters can be further divided into:

Medicare-claimable

- *A1 items of service:* See *A1 Medicare items*
 - *Surgery consultations:* Encounters identified by any one of MBS item numbers 3, 23, 36, 44.
 - *Home visits:* Encounters identified by any one of MBS item numbers 4, 24, 37, 47.
 - *Hospital encounters:* Encounters identified by any one of MBS item numbers 19, 33, 40, 50.
 - *Residential aged care facility:* Encounters identified by any one of MBS item numbers 20, 35, 43, 51.

- *Other institutional visits*: Encounters identified by any one of MBS item numbers 13, 25, 38, 40.
- *Other MBS encounters*: Encounters identified by an MBS item number that does not identify place of encounter (see *A1 Medicare items*).
- *Workers compensation*: Encounters paid by workers compensation insurance.
- *Other paid*: Encounters paid from another source (e.g. state).

General practitioner (GP): A medical practitioner who provides primary comprehensive and continuing care to patients and their families within the community (Royal Australian College of General Practitioners).

Medication: Medication that is prescribed, advised for over-the-counter purchase or provided by the GP at the encounter.

Medication rates: The rate of use of all medications including medications that were prescribed, supplied by the GP and advised for over-the-counter purchase.

Medication status:

- *New*: The medication prescribed/advised/provided at the encounter is being used for the management of the problem for the first time.
- *Continuation*: The medication prescribed/advised/provided at the encounter is a continuation or repeat of previous therapy for this problem.
- *Old*: see *Continuation*.

Metropolitan zone: see *Zones*.

Morbidity: Any departure, subjective or objective, from a state of physiological wellbeing. In this sense, sickness, illness and morbid conditions are synonymous.

Patient status: The status of the patient to the practice.

- *New patient*: The patient has not been seen before in the practice.
- *Old patient*: The patient has attended the practice before.

Prescribed rates: The rate of use of prescribed medications (i.e. does not include medications that were GP-supplied or advised for over-the-counter purchase).

Problem managed: See *Diagnosis/problem*.

Provider: A person to whom a patient has access when contacting the health care system.

Reasons for encounter (RFEs): The subjective reasons given by the patient for seeing or contacting the general practitioner. These can be expressed in terms of symptoms, diagnoses or the need for a service.

Recognised GP: A medical practitioner who is:

- vocationally recognised under Section 3F of the Health Insurance Act, *or*
- a holder of the Fellowship of the Royal Australian College of General Practitioners who participates in, and meets the requirements for, quality assurance and continuing medical education as defined in the RACGP Quality Assurance and Continuing Medical Education Program, *or*

- undertaking an approved placement in general practice as part of a training program for general practice leading to the award of the Fellowship of the Royal Australian College of General Practitioners or undertaking an approved placement in general practice as part of some other training program recognised by the RACGP as being of equivalent standard.¹⁰

Referral: The process by which the responsibility for part or all of the care of a patient is temporarily transferred to another health care provider. Only new referrals to specialists and allied health professionals, and for hospital and residential aged care facility admissions arising at a recorded encounter, are included. Continuation referrals are not included. Multiple referrals can be recorded at any one encounter.

Remote zone: see *Zones*.

Rubric: The title of an individual code in ICPC-2.

Rural zone: see *Zones*.

Torres Strait Islander: The patient identifies himself or herself as a Torres Strait Islander person.

Zones:

- *Metropolitan zone:* refers to the 2 metropolitan categories of the RRMA classification: Capital Cities and Other Metropolitan Centres.
- *Remote zone:* refers to the 2 remote categories of the RRMA classification: Remote Centres and Other Remote Areas.
- *Rural zone:* refers to the 3 rural categories of the RRMA classification: Large Rural Centres, Small Rural Centres and Other Rural Areas.

Abbreviations

AGPSCC	Australian General Practice Statistics and Classification Centre, University of Sydney, a collaborating centre of the Australian Institute of Health and Welfare
AIHW	Australian Institute of Health and Welfare
ASGC	Australian Standard Geographical Classification
BEACH	Bettering the Evaluation and Care of Health
CAPS	Coding Atlas for Pharmaceutical Substances
EUC	Electrolytes, urea and creatinine
FWE	Full-time workload equivalent
GP	General practitioner
HbA1c	Haemoglobin, type A1c
HIC	Health Insurance Commission
ICPC	International Classification of Primary Care
ICPC-2	International Classification of Primary Care (Version 2)
ICPC-2 PLUS	An extended vocabulary of terms classified according to ICPC-2
MBS	Medicare Benefits Schedule
MC&S	Microscopy, culture and sensitivity
NHPA	National Health Priority Area
NHS	National Health Survey
NEC	Not elsewhere classified
NESB	Non-English-speaking background (i.e. a language other than English is spoken at home)
NOS	Not otherwise specified
OMP	Other medical practitioner
OTCs	Over-the-counter (i.e. medications advised for over-the-counter purchase)
QA	Quality assurance (in this case the Quality Assurance Program of the Royal Australian College of General Practitioners)
RACGP	Royal Australian College of General Practitioners
RFE(s)	Reason(s) for encounter (see Glossary)
RRMA	Rural, Remote and Metropolitan Areas (classification)
SAS	Statistical Analysis System
SLA	Statistical local area
SRS	Simple random sample
URTI	Upper respiratory tract infection