

# Reference list

1. Australian Institute of Health and Welfare 2004. Australia's Health 2004: the ninth biennial health report of the Australian Institute of Health and Welfare. AIHW Cat. No. AUS 44 Canberra: AIHW.
2. Australian Institute of Health and Welfare 2005. Medical labour force 2003. AIHW Cat. No. HWL 32. Canberra: AIHW.
3. Australian Government Department of Health and Ageing 2005. General practice in Australia: 2004. Canberra: DoHA.
4. Health Insurance Commission (HIC). 2005. Medicare Benefits Schedule (MBS) statistics reports. Viewed 20 October 2005, [http://www.medicareaustralia.gov.au/providers/health\\_statistics/statistical\\_reporting/medicare.htm](http://www.medicareaustralia.gov.au/providers/health_statistics/statistical_reporting/medicare.htm)
5. Commonwealth Department of Health and Aged Care (DHAC) 2000. General practice in Australia: 2000. Canberra: DHAC.
6. Commonwealth Department of Health and Aged Care (DHAC) 2001. Medicare Benefits Schedule book. Canberra: DHAC.
7. Australian Government Department of Health and Ageing. 2004. Health fact sheet 2—Continuing to provide a high quality health system. Viewed 20 October 2005, <http://www.health.gov.au/internet/wcms/publishing.nsf/Content/health-budget2004-hbudget-hfact2.htm>
8. Commonwealth Department of Health and Ageing (DoHA) 2003. Medicare Benefits Schedule book, explanatory notes. Canberra: DoHA, 30.
9. Britt H, Knox S, Miller GC 2003. Changes in pathology ordering by general practitioners in Australia 1998–2001. AIHW Cat. No. GEP 13. Canberra: Australian Institute of Health and Welfare, General Practice Series No. 13.
10. Britt H, Miller GC, Knox S, Charles J, Valenti L, Bayram C et al. 2004. General practice activity in the states and territories of Australia 1998–2003. AIHW Cat. No. GEP 15. Canberra: Australian Institute of Health and Welfare, General Practice Series No. 15.
11. Knox S, Britt H, Pan Y, Miller GC, Bayram C, Valenti L et al. 2005. Locality matters: the influence of geography on general practice activity in Australia 1998–2004. AIHW Cat. No. GEP 17. Canberra: AIHW, General Practice Series No. 17.
12. Meza RA, Angelis M, Britt H, Miles DA, Seneta E, Bridges-Webb C 1995. Development of sample size models for national general practice surveys. Aust J Pub Health 19(1):34–40.

13. Robertson J, Fryer JL, O'Connell DL, Smith AJ, Henry DA 2002. Limitations of Health Insurance Commission (HIC) data for deriving prescribing indicators. *Med J Aust* 176(9):149-424.
14. Wilkinson D, McElroy H, Beilby J, Mott K, Price K, Morey S et al. 2002. Characteristics of general practitioners that provided health assessments, care plans or case conferences, as part of the enhanced primary care program. *Aust Health Rev* 25(6): 137-44.
15. Britt, H., Miller, G. C., McGeechan, K., and Sayer, G. P. 1999. Pathology ordering by general practitioners in Australia 1998. AIHW Cat. No. GEP 4. Canberra: Department of Health and Aged Care. Viewed 30 October 2000, <http://www.health.gov.au:80/haf/docs/pathorder.htm>
16. Britt H, Miller GC, Knox S 2001. Imaging orders by general practitioners in Australia 1999-00. AIHW Cat. No. GEP 7. Canberra: Australian Institute of Health and Welfare, General Practice Series No 7.
17. Donner A, Birkett N, Buck C 1981. Randomization by cluster. Sample size requirements and analysis. *Am J Epidemiol* 114(6):906-14.
18. Kerry SM, Bland JM 1998. Sample size in cluster randomisation. *BMJ* 316(7130):549.
19. Slymen DJ, Hovell MF 1997. Cluster versus individual randomization in adolescent tobacco and alcohol studies: illustrations for design decisions. *Int J Epidemiol* 26(4):765-71.
20. Cosby RH, Howard M, Kaczorowski J, Willan AR, Sellors JW 2003. Randomizing patients by family practice: sample size estimation, intracluster correlation and data analysis. *Fam Pract* 20(1):77-82.
21. SAS Proprietary Software Release 8.2. Cary: SAS Institute Inc, 2001.
22. Charles J, Britt H, Valenti L 2004. The evolution of the general practice workforce in Australia, 1991-2003. *Med J Aust* 181(2):85-90.
23. Rossouw JE, Anderson GL, Prentice RL, LaCroix AZ, Kooperberg C, Stefanick ML et al. 2002. Risks and benefits of estrogen plus progestin in healthy postmenopausal women: principal results from the Women's Health Initiative randomized controlled trial. *JAMA* 288(3):321-33.
24. Joint advisory group (JAG) on general practice and population health. 2001. Smoking, nutrition, alcohol, physical activity (SNAP) framework for general practice. Canberra: Department of Health and Aged care. Viewed 20 October 2005, [http://www.health.gov.au/internet/wcms/publishing.nsf/Content/health-pubhlth-about-gp-snap-cnt.htm/\\$FILE/snap.pdf](http://www.health.gov.au/internet/wcms/publishing.nsf/Content/health-pubhlth-about-gp-snap-cnt.htm/$FILE/snap.pdf)

25. Britt H, Miller GC, Knox S, Charles J, Valenti L, Henderson J et al. 2003. General practice activity in Australia 2002–03. AIHW Cat. No. GEP 14. Canberra: Australian Institute of Health and Welfare, General Practice Series No. 14.
26. Charles J, Pan Y, Britt H 2004. Trends in childhood illness and treatment in Australian general practice, 1971–2001. *Med J Aust* 180(5):216–19.
27. Henderson J, Knox S, Pan Y, Britt H 2004. Changes in asthma management in Australian general practice. *Primary Care Respiratory Journal* 13(3):138–43.
28. Britt H, Miller GC, Knox S, Charles J, Valenti L, Pan Y et al. 2004. General practice activity in Australia 2003–04. AIHW Cat. No. GEP 16 Canberra: Australian Institute of Health and Welfare, General Practice Series No. 16.
29. Australian Government Department of Health and Ageing 2004. Medicare Benefits Schedule book. Canberra: AGDHA.
30. National health priority action council. 2003. National Health Priority Areas. Viewed 30 September 2004, <http://www.nhpac.gov.au/nhpas.htm>
31. World Health Organization Collaborating Centre for Drug Statistics Methodology (WHO) 1997. Anatomical therapeutic chemical (ATC) classification index with defined daily doses (DDDs). January 1998 edn. Oslo: WHO.
32. MIMS Australia. MIMS bi-monthly. 2001. Caswell A (ed). Sydney: MediMedia Australia, No. 37(7).
33. AIHW Australian centre for asthma monitoring 2005. Asthma in Australia 2005. AIHW Cat. No. ACM 6. Canberra: AIHW.
34. McWhinney IR 1986. Are we on the brink of a major transformation of clinical method? *Can Med Assoc J* 135:873–8.
35. O'Halloran J, Miller GC, Britt H 2004. Defining chronic conditions for primary care with ICPC-2. *Fam Pract* 21(4):381–6.
36. Health Insurance Commission (HIC). 2000. 1999/2000 Annual report financial year statistics. Canberra, HIC.
37. Mathers C, Vos T, Stevenson C 1999. The burden of disease and injury in Australia. AIHW Cat. No. PHE 17. Canberra: AIHW.
38. Dunstan D, Zimmet P, Welborn T, Sicree R, Armstrong T, Atkins R et al. 2001. Diabetes and associated disorders in Australia 2000: The accelerating epidemic. Melbourne: International Diabetes Institute.
39. Britt H, Miller GC, Knox S, Charles J, Valenti L, Henderson J et al. 2002. General practice activity in Australia 2001–02. AIHW Cat. No. GEP 10. Canberra: Australian Institute of Health and Welfare, General Practice Series No. 10.

40. Australian Bureau of Statistics 2002. National health survey: summary of results, Australia, 2001. Canberra: Australian Bureau of Statistics.
41. Ridolfo B, Stevenson C 2001. The quantification of drug-caused mortality and morbidity in Australia, 1998. AIHW Cat. No. PHE 29. Canberra: AIHW, Drug Statistics Series.
42. Australian Institute of Health and Welfare (AIHW) 2002. 2001 National drug strategy household survey: first results. AIHW Cat. No. PHE 35. Canberra: AIHW, Drug Statistics Series.
43. National Health and Medical Research Council (NHMRC) 2001. Australian alcohol guidelines: health risks and benefits. Canberra: NHMRC.
44. SAS Proprietary Software Release 6.12. Cary: SAS Institute Inc, 1996.
45. Donner A, Klar N 2004. Pitfalls of and controversies in cluster randomization trials. *Am J Public Health* 94(3):416-22.
46. Kish L 1965. Survey sampling. New York: John Wiley & Sons.
47. Britt H 1997. A new coding tool for computerised clinical systems in primary care-ICPC plus [see comments]. *Aust Fam Physician* 26(Suppl 2):S79-S82.
48. Classification Committee of the World Organization of Family Doctors (WICC) 1998. ICPC-2: International Classification of Primary Care. 2nd edn. Oxford: Oxford University Press.
49. World Health Organization (WHO). 2004. Family of international classifications. Viewed 20 October 2005, <http://www.who.int/classifications/en/WHOFICFamily.pdf>
50. Classifications and terminologies working group. 2002. Australian family of health and related classifications matrix. Viewed 20 October 2005, <http://www.aihw.gov.au/committees/simc/nhimg/matrix/index.cfm>
51. Cole TJ, Bellizzi MC, Flegal KM, Dietz WH 2000. Establishing a standard definition for child overweight and obesity worldwide: international survey. *BMJ* 320(7244):1240-3.
52. Saunders JB, Aasland OG, Babor TF, de la Fuente JR, Grant M 1993. Development of the Alcohol Use Disorders Identification Test (AUDIT): WHO Collaborative Project on Early Detection of Persons with Harmful Alcohol Consumption – II. *Addiction* 88(6):791-804.
53. Centre for Drug and Alcohol Studies. 1993. The alcohol use disorders identification test. Sydney: Royal Prince Alfred Hospital and the University of Sydney.
54. Driver B, Britt H, O'Toole B, Harris M, Bridges-Webb C, Neary S 1991. How representative are patients in general practice morbidity surveys? *Fam Pract* 8:261-8.

55. Britt H, Harris M, Driver B, Bridges-Webb C, O'Toole B, Neary S 1992. Reasons for encounter and diagnosed health problems: convergence between doctors and patients. *Fam Pract* 9:191-4.
56. Britt H 1998. Reliability of central coding of patient reasons for encounter in general practice, using the International Classification of Primary Care. *Informatics*(May):3-7.
57. Bridges-Webb C, Britt H, Miles DA, Neary S, Charles J, Traynor V 1992. Morbidity and treatment in general practice in Australia 1990-1991. *Med J Aust* 157(19 Oct Spec Sup):S1-S56.
58. Britt H 1997. A measure of the validity of the ICPC in the classification of reasons for encounter. *Informatics* (November):8-12.
59. Britt H, Meza RA, Del Mar C 1996. Methodology of morbidity and treatment data collection in general practice in Australia: a comparison of two methods. *Fam Pract* 13(5):462-7.
60. Gehlbach SH 1979. Comparing methods of data collection in an academic ambulatory practice. *J Med Educ* 54:730-2.
61. Britt H, Angelis M, Harris E 1998. The reliability and validity of doctor-recorded morbidity data in active data collection systems. *Scand J Prim Health Care* 16:50-5.
62. Australian Government Department of Health and Ageing. 2004. MedicarePlus: Drawing on qualified health professionals from overseas. Viewed 13 October 2004, <http://www7.health.gov.au/medicareplus/about/factsheets/pdf/fact09.pdf>
63. Crombie DL 1990. The problem of variability in general practitioner activities. *Yearbook of research and development*. London: Her Majesty's Stationary Office: 21-4.

# Glossary

*A1 Medicare items:* Medicare item numbers 1, 2, 3, 4, 13, 19, 20, 23, 24, 25, 33, 35, 36, 37, 38, 40, 43, 44, 47, 48, 50, 51, 601, 602, 720, 722, 724, 726, 728, 730, 734, 738, 740, 742, 744, 746, 749, 757, 759, 762, 765, 768, 771, 773, 775, 778, 779, 801, 803, 805, 807, 809, 811, 813, 815.

*Aboriginal:* The patient identifies himself or herself as an Aboriginal person.

*Activity level:* The number of general practice A1 Medicare items claimed during the previous 3 months by a participating GP.

*Allied and other health professionals:* Those who provide clinical and other specialised services in the management of patients, including physiotherapists, occupational therapists, dietitians, dentists and pharmacists.

*Chapters (ICPC-2):* The main divisions within ICPC-2. There are 17 chapters primarily representing the body systems.

*Complaint:* A symptom or disorder expressed by the patient when seeking care.

*Component (ICPC-2):* In ICPC-2 there are seven components which act as a second axis across all chapters.

*Consultation:* See *Encounter*.

*Coxibs:* A non-steroidal anti-inflammatory drug classified within the Anatomical Therapeutic Chemical classification as subgroup M01A H.

*Diagnosis/problem:* A statement of the provider's understanding of a health problem presented by a patient, family or community. GPs are instructed to record at the most specific level possible from the information available at the time. It may be limited to the level of symptoms.

- *New problem:* The first presentation of a problem, including the first presentation of a recurrence of a previously resolved problem but excluding the presentation of a problem first assessed by another provider.
- *Old problem:* A previously assessed problem that requires ongoing care. Includes follow-up for a problem or an initial presentation of a problem previously assessed by another provider.

*Encounter (enc):* Any professional interchange between a patient and a GP.

- *Indirect:* Encounter where there is no face-to-face meeting between the patient and the GP but a service is provided (e.g. prescription, referral).
- *Direct:* Encounter where there is a face-to-face meeting of the patient and the GP.

Direct encounters can be further divided into:

*Medicare-claimable*

- *A1 items of service:* See *A1 Medicare items*
  - *Surgery consultations:* Encounters identified by any one of MBS item numbers 3, 23, 36, 44.
  - *Home visits:* Encounters identified by any one of MBS item numbers 4, 24, 37, 47.
  - *Hospital encounters:* Encounters identified by any one of MBS item numbers 19, 33, 40, 50.

- *Residential aged care facility*: Encounters identified by any one of MBS item numbers 20, 35, 43, 51.
- *Other institutional visits*: Encounters identified by any one of MBS item numbers 13, 25, 38, 40.
- *Other MBS encounters*: Encounters identified by an MBS item number that does not identify place of encounter (see *A1 Medicare items*).
- *Workers compensation*: Encounters paid by workers compensation insurance.
- *Other paid*: Encounters paid from another source (e.g. state).

*General practitioner (GP)*: A medical practitioner who provides primary comprehensive and continuing care to patients and their families within the community (Royal Australian College of General Practitioners).

*Medication*: Medication that is prescribed, provided by the GP at the encounter or advised for over-the-counter purchase.

*Medication rates*: The rate of use of all medications including medications that were prescribed, supplied by the GP and advised for over-the-counter purchase.

*Medication status*:

- *New*: The medication prescribed/provided at the encounter/advised is being used for the management of the problem for the first time.
- *Continuation*: The medication prescribed/provided at the encounter/advised is a continuation or repeat of previous therapy for this problem.
- *Old*: see *Continuation*.

*Morbidity*: Any departure, subjective or objective, from a state of physiological wellbeing. In this sense, sickness, illness and morbid conditions are synonymous.

*Patient status*: The status of the patient to the practice.

- *New patient*: The patient has not been seen before in the practice.
- *Old patient*: The patient has attended the practice before.

*Prescribed rates*: The rate of use of prescribed medications (i.e. does not include medications that were GP-supplied or advised for over-the-counter purchase).

*Problem managed*: See *Diagnosis/problem*.

*Provider*: A person to whom a patient has access when contacting the health care system.

*Reasons for encounter (RFEs)*: The subjective reasons given by the patient for seeing or contacting the general practitioner. These can be expressed in terms of symptoms, diagnoses or the need for a service.

*Recognised GP*: A medical practitioner who is:

- vocationally recognised under Section 3F of the Health Insurance Act, *or*
- a holder of the Fellowship of the Royal Australian College of General Practitioners who participates in, and meets the requirements for, quality assurance and continuing medical education as defined in the RACGP Quality Assurance and Continuing Medical Education Program, *or*

- undertaking an approved placement in general practice as part of a training program for general practice leading to the award of the Fellowship of the Royal Australian College of General Practitioners or undertaking an approved placement in general practice as part of some other training program recognised by the RACGP as being of equivalent standard.<sup>6</sup>

*Referral:* The process by which the responsibility for part or all of the care of a patient is temporarily transferred to another health care provider. Only new referrals to specialists and allied health professionals and for hospital and residential aged care facility admissions arising at a recorded encounter are included. Continuation referrals are not included. Multiple referrals can be recorded at any one encounter.

*Rubric:* The title of an individual code in ICPC-2.

*Torres Strait Islander:* The patient identifies himself or herself as a Torres Strait Islander person.

*Tricyclics:* non-selective monoamine reuptake inhibitor medications for depression.

*Statins:* HMG CoA reductase inhibitors used to lower cholesterol.

# Abbreviations

ACE	Angiotensin converting enzyme
AGDHA	Australian Government Department of Health and Ageing
AGPSCC	Australian General Practice Statistics and Classification Centre, University of Sydney, a collaborating unit of the Australian Institute of Health and Welfare
AIHW	Australian Institute of Health and Welfare
ATC	Anatomical Therapeutic Chemical (classification)
AUDIT	Alcohol Use Disorders Identification Test
BEACH	Bettering the Evaluation And Care of Health
BMI	Body mass index
CAPS	Coding Atlas for Pharmaceutical Substances
CI	Confidence interval (in this report 95% CI is used)
CT	Computerised tomography
DVA	Australian Department of Veterans' Affairs
EHRs	Electronic health records
Enc	Encounter
ESR	Erythrocyte sedimentation rate
EUC	Electrolytes, urea and creatinine
FRACGP	Fellow of the Royal Australian College of General Practitioners
GORD	Gastro-oesophageal reflux disorder
GP	General practitioner
GPSCU	General Practice Statistics and Classification Unit (now the Australian General Practice Statistics and Classification Centre, AGPSCC)
HbA1c	Haemoglobin, type A1c
HIC	Health Insurance Commission
HIV	Human immunodeficiency virus
HMG-CoA	3-hydroxy-3-methylglutaryl coenzyme A
ICPC	International Classification of Primary Care
ICPC-2	International Classification of Primary Care (Version 2)
ICPC-2 PLUS	A terminology classified according to ICPC-2
LCL	Lower confidence limit
MAOI	Monoamine oxidase inhibitor
MBS	Medicare Benefits Schedule
MC&S	Microscopy, culture and sensitivity
N/A	Not applicable

NAv	Not available
NEC	Not elsewhere classified
NESB	Non-English-speaking background (i.e. a language other than English is spoken at home)
NOS	Not otherwise specified
N/S	Not specified
NSAID	Non-steroidal anti-inflammatory drug
OTCs	Over-the-counter (i.e. medications advised for over-the-counter purchase)
PBS	Pharmaceutical Benefits Scheme
PDD	Prescribed daily dose
PIP	Practice incentive payment
QA	Quality assurance (in this case the Quality Assurance Program of the Royal Australian College of General Practitioners)
RACGP	Royal Australian College of General Practitioners
RFE(s)	Reason(s) for encounter (see Glossary)
RRMA	Rural, Remote and Metropolitan Areas (classification)
SAND	Supplementary Analysis of Nominated Data
SAS	Statistical Analysis System
SLA	Statistical local area
SNRI	Serotonin-noradrenaline reuptake inhibitors
SRS	Simple random sample
SSRI	Selective serotonin reuptake inhibitors
UCL	Upper confidence limit
URTI	Upper respiratory tract infection
WHO	World Health Organization
Wonca	World Organization of Family Doctors