

Reference list

1. Sayer GP, Britt H, Horn F, Bhasale A, McGeechan K, Charles J et al. 2000. Measures of health and health care delivery in general practice in Australia. AIHW Cat. No. GEP 3. Canberra: Australian Institute of Health and Welfare.
2. Medicare Australia 2007. Medicare Benefits Schedule (MBS) statistics reports. Viewed 7 May 2007, <www.medicareaustralia.gov.au/providers/health_statistics/statistical_reporting/medicare.htm>.
3. Commonwealth Department of Health and Aged Care and Australian Institute of Health and Welfare 1999. National Health Priority Areas Report: diabetes mellitus 1998. AIHW Cat. No. PHE 10. Canberra: DHAC & AIHW.
4. Australian Bureau of Statistics 2006. National Health Survey: Users' guide – electronic publication 2004–05. Edition 4364.0.55.001. Canberra: ABS, Viewed 7 May 2007, <www.abs.gov.au/AUSSTATS/abs@.nsf/DetailsPage/4363.0.55.0012004-05?OpenDocument>.
5. Britt H, Harris M, Driver B, Bridges-Webb C, O'Toole B, Neary S 1992. Reasons for encounter and diagnosed health problems: convergence between doctors and patients. *Fam Pract* 9:191–194.
6. Driver B, Britt H, O'Toole B, Harris M, Bridges-Webb C, Neary S 1991. How representative are patients in general practice morbidity surveys? *Fam Pract* 8:261–268.
7. Sayer GP 2004. The development of Australian general practice data collections for epidemiological surveillance. PhD, University of Sydney.
8. Britt H, Miller GC, Charles J, Pan Y, Valenti L, Bayram C et al. 2007. General practice activity in Australia 2005–06. AIHW Cat. No. GEP 19. Canberra: Australian Institute of Health and Welfare.
9. Britt H 1998. Reliability of central coding of patient reasons for encounter in general practice, using the International Classification of Primary Care. *Informatics*(May):3–7.
10. Bridges-Webb C, Britt H, Miles DA, Neary S, Charles J, Traynor V 1992. Morbidity and treatment in general practice in Australia 1990–1991. *Med J Aust* 157(19 Oct Spec Sup):S1–S56.
11. Britt H 1997. A measure of the validity of the ICPC in the classification of reasons for encounter. *Informatics* November:8–12.
12. Britt H, Meza RA, Del Mar C 1996. Methodology of morbidity and treatment data collection in general practice in Australia: a comparison of two methods. *Fam Pract* 13(5):462–467.

13. Britt H, Angelis M, Harris E 1998. The reliability and validity of doctor-recorded morbidity data in active data collection systems. *Scand J Prim Health Care* 16:50–55.
14. Britt H, Miller G, Bayram C 2007. The quality of data on general practice – a discussion of BEACH reliability and validity. *Aust Fam Physician* 36(1–2):36–40.
15. SAS Proprietary Software Release 6.12. Cary: SAS Institute Inc, 1996.
16. SAS Proprietary Software Release 9.1. Cary: SAS Institute Inc, 2003.
17. Donner A, Klar N 2004. Pitfalls of and controversies in cluster randomization trials. *Am J Public Health* 94(3):416–422.
18. Kish L 1965. *Survey Sampling*. New York: John Wiley & Sons.
19. Classification Committee of the World Organization of Family Doctors (WICC) 1998. *ICPC-2: International Classification of Primary Care*. 2 ed. Oxford: Oxford University Press.
20. World Health Organisation Collaborating Centre for Drug Statistics Methodology (WHO) 1997. *Anatomical Therapeutic Chemical (ATC) classification index with Defined Daily Doses (DDDs)*. January;1998 ed. Oslo: WHO.
21. Bayram C, Britt H, Kelly Z, Valenti L 2003. Male consultations in general practice in Australia 1999–00. *AIHW Cat. No. GEP 11*. Canberra: Australian Institute of Health and Welfare.
22. Henderson J, Knox S, Pan Y, Britt H 2004. Changes in asthma management in Australian general practice. *Primary Care Respiratory Journal* 13(3):138–143.
23. Miller GC, Britth HC, Valenti L 2006. Adverse drug events in general practice patients in Australia. *Med J Aust* 184(7):321–324.
24. Britt H, Miller G, Knox S, Charles J, Pan Y, Henderson J et al. 2005. *General Practice Activity in Australia 2004–05*. *AIHW Cat. No. GEP 18*. Canberra: Australian Institute of Health and Welfare.
25. Britt H, Miller GC, Knox S, Charles J, Valenti L, Pan Y et al. 2004. *General Practice Activity in Australia 2003–04*. *AIHW Cat. No. GEP 16*. Canberra: Australian Institute of Health and Welfare.
26. Britt H, Miller GC, Knox S, Charles J, Valenti L, Henderson J et al. 2003. *General practice activity in Australia 2002–03*. *AIHW Cat. No. GEP 14*. Canberra: Australian Institute of Health and Welfare.
27. Britt H, Miller GC, Knox S, Charles J, Valenti L, Henderson J et al. 2002. *General practice activity in Australia 2001–02*. *AIHW Cat. No. GEP 10*. Canberra: Australian Institute of Health and Welfare.

28. Britt H, Miller GC, Knox S, Charles J, Valenti L, Henderson J et al. 2001. General practice activity in Australia 2000-01. AIHW Cat. No. GEP 8. Canberra: Australian Institute of Health and Welfare.
29. World Health Organization 2006. Global database on body mass index. Viewed 9 August 2006, <www.who.int/bmi/index.jsp?introPage=intro_3.html>.
30. Dunstan D, Zimmet P, Welborn T, Sicree R, Armstrong T, Atkins R et al. 2001. Diabetes and associated disorders in Australia 2000: The accelerating epidemic. Melbourne: International Diabetes Institute.
31. Australian Bureau of Statistics 2002. National Health Survey: Summary of Results, Australia, 2001. Canberra: Australian Bureau of Statistics.
32. Cole TJ, Bellizzi MC, Flegal KM, Dietz WH 2000. Establishing a standard definition for child overweight and obesity worldwide: international survey. *BMJ* 320(7244):1240-1243.
33. Saunders JB, Aasland OG, Babor TF, de la Fuente JR, Grant M 1993. Development of the Alcohol Use Disorders Identification Test (AUDIT): WHO Collaborative Project on Early Detection of Persons with Harmful Alcohol Consumption – II. *Addiction* 88(6):791-804.
34. Centre for Drug and Alcohol Studies 1993. The alcohol use disorders identification test. Sydney, Royal Prince Alfred Hospital and the University of Sydney.
35. Commonwealth Department of Health and Aged Care (DHAC) 2001. Medicare Benefits Schedule Book. Canberra: DHAC.

Glossary

A1 Medicare items: Medicare item numbers 1, 2, 3, 4, 13, 19, 20, 23, 24, 25, 33, 35, 36, 37, 38, 40, 43, 44, 47, 48, 50, 51, 601, 602.

Aboriginal: The patient identifies himself or herself as an Aboriginal person.

Activity level: The number of general practice A1 Medicare items claimed during the previous 3 months by a participating GP.

Allied and other health professionals: Those who provide clinical and other specialised services in the management of patients, including physiotherapists, occupational therapists, dietitians, dentists and pharmacists.

Complaint: A symptom or disorder expressed by the patient when seeking care.

Consultation: See Encounter.

Diagnosis/problem: A statement of the provider's understanding of a health problem presented by a patient, family or community. GPs are instructed to record at the most specific level possible from the information available at the time. It may be limited to the level of symptoms.

- **New problem:** The first presentation of a problem, including the first presentation of a recurrence of a previously resolved problem but excluding the presentation of a problem first assessed by another provider.
- **Old problem:** A previously assessed problem that requires ongoing care. Includes follow-up for a problem or an initial presentation of a problem previously assessed by another provider.

Encounter (enc): Any professional interchange between a patient and a GP.

- **Indirect:** Encounter where there is no face-to-face meeting between the patient and the GP but a service is provided (e.g. prescription, referral).
- **Direct:** Encounter where there is a face-to-face meeting of the patient and the GP.

Direct encounters can be further divided into:

- **Medicare-claimable:** Including Surgery consultations, Home visits, Hospital encounters, Residential aged care facility, Health assessments, Chronic disease management items, Case conferences, Incentive payments, Other MBS encounters.
- **Workers compensation:** Encounters paid by workers compensation insurance.
- **Other paid:** Encounters paid from another source (e.g. state).

General practitioner (GP): A medical practitioner who provides primary comprehensive and continuing care to patients and their families within the community (Royal Australian College of General Practitioners).

Medication: Medication that is prescribed, provided by the GP at the encounter or advised for over-the-counter purchase.

Medication rates: The rate of use of all medications including medications that were prescribed, supplied by the GP and advised for over-the-counter purchase.

Medication status:

- *New:* The medication prescribed/provided at the encounter/advised is being used for the management of the problem for the first time.
- *Continuation:* The medication prescribed/provided at the encounter/advised is a continuation or repeat of previous therapy for this problem.
- *Old:* See *Continuation*.

Morbidity: Any departure, subjective or objective, from a state of physiological wellbeing. In this sense, sickness, illness and morbid conditions are synonymous.

Prescribed rates: The rate of use of prescribed medications (i.e. does not include medications that were GP-supplied or advised for over-the-counter purchase).

Problem managed: See *Diagnosis/problem*.

Provider: A person to whom a patient has access when contacting the health care system.

Reasons for encounter (RFEs): The subjective reasons given by the patient for seeing or contacting the general practitioner. These can be expressed in terms of symptoms, diagnoses or the need for a service.

Recognised GP: A medical practitioner who is:

- vocationally recognised under Section 3F of the Health Insurance Act, *or*
- a holder of the Fellowship of the Royal Australian College of General Practitioners who participates in, and meets the requirements for, quality assurance and continuing medical education as defined in the RACGP Quality Assurance and Continuing Medical Education Program, *or*
- undertaking an approved placement in general practice as part of a training program for general practice leading to the award of the Fellowship of the Royal Australian College of General Practitioners or undertaking an approved placement in general practice as part of some other training program recognised by the RACGP as being of equivalent standard.³⁵

Referral: The process by which the responsibility for part or all of the care of a patient is temporarily transferred to another health care provider. Only new referrals to specialists and allied health professionals and for hospital and residential aged care facility admissions arising at a recorded encounter are included. Continuation referrals are not included. Multiple referrals can be recorded at any one encounter.

Torres Strait Islander: The patient identifies himself or herself as a Torres Strait Islander person.

Abbreviations

AGPSCC	Australian General Practice Statistics and Classification Centre, University of Sydney, a collaborating unit of the Australian Institute of Health and Welfare
AIHW	Australian Institute of Health and Welfare
ATC	Anatomical Therapeutic Chemical (classification)
AUDIT	Alcohol Use Disorders Identification Test
BEACH	Bettering the Evaluation And Care of Health
BMI	Body mass index
CAPS	Coding Atlas for Pharmaceutical Substances
CHD	Coronary heart disease
CI	Confidence interval (in this report 95% CI is used)
DoHA	Australian Government Department of Health and Ageing
Enc	Encounter
GI	Gastrointestinal
GORD	Gastro-oesophageal reflux disorder
GP	General practitioner
GPSCU	General Practice Statistics and Classification Unit (now the Australian General Practice Statistics and Classification Centre, AGPSCC)
HbA1c	Haemoglobin, type A1c
ICPC-2	International Classification of Primary Care (Version 2)
ICPC-2 PLUS	A terminology classified according to ICPC-2
IHD	Ischaemic heart disease
MBS	Medicare Benefits Schedule
NESB	Non-English-speaking background (i.e. a language other than English is spoken at home)
NOS	Not otherwise specified
NSAID	Non-steroidal anti-inflammatory drug
OTC	Over-the-counter (i.e. medications advised for over-the-counter purchase)
PBS	Pharmaceutical Benefits Scheme
QA	Quality assurance (in this case the Quality Assurance Program of the Royal Australian College of General Practitioners)
RACGP	Royal Australian College of General Practitioners
SAND	Supplementary Analysis of Nominated Data
SAS	Statistical Analysis System
WHO	World Health Organization
Wonca	World Organization of Family Doctors

Subject bibliography

ABSENTEEISM

- 9 Influenza and absenteeism..... 45

ACID SUPPRESSANT

- 29 Non-steroidal anti-inflammatory drugs (NSAIDS) and acid suppressant use..... 92
78 NSAID & acid suppressant use in general practice patients..... 198

ADVERSE PHARMACOLOGICAL EVENTS

- 56 Prevalence, cause and severity of adverse pharmacological events 150

AFTER-HOURS MEDICAL SERVICES

- 10 Length of consultation; after-hours arrangements; co-morbidity 47
32 Patient use of after-hours medical services..... 98

ALCOHOL

- Section 4.4 Alcohol consumption 22

See also: Alcohol use in: Measures of health and health care delivery in general practice in Australia (pg 20).

ALLERGIC RHINITIS

- 1 Allergic rhinitis 28

ALZHEIMER'S

- 28 Prevalence of Alzheimer's disease and dementia..... 89
102 Alzheimer's disease or dementia in patients attending general practice 252

ANGINA

- 98 Management of hypertension and angina in general practice patients..... 243

ANTI-PSYCHOTIC

- 66 Anti-psychotic medication use by general practice patients..... 171

ANXIETY

- 2 Anxiety/stress, consultation time, level of education..... 30
47 Management of depression and anxiety 130

ARTHRITIS

- 88 Arthritis rates and NSAID use in general practice patients 221

ASTHMA

- 3 Asthma 32
22 Asthma – prevalence, severity and management 75
39 Severity of asthma, medications and management 113
48 Asthma prevalence and management 132

63	Asthma – prevalence, management and medication side-effects.....	164
70	Inhaled corticosteroid use for asthma management.....	181
96	Inhaled corticosteroid use for asthma management.....	238
104	Asthma management and medication use among patients attending general practice	256

BILLING

16	Effect of day and time of GP visit on billing method	61
41	Time of visit and billing status	118

BODY MASS INDEX (BMI)

55	Patient weight, perception of weight and weight loss	147
68	Patient weight, perception of weight and weight loss in adults.....	175
69	Patient weight, methods and medications tried for weight loss in adults	178
71	Patient BMI, morbidity and medication use in adults	184
	Section 4.1 Body mass index of adults.....	20
	Section 4.2 Body mass index of children.....	21

See also: Body mass in: Measures of health and health care delivery in general practice in Australia (pg 11).

CARDIOVASCULAR

4	Cardiovascular disease	35
26	Prevalence of diagnosed hypertension and difficulties in treatment.....	84
30	Lipid lowering medications and coronary heart disease.....	94
31	Prevalence and severity of chronic heart failure	96
33	Prevalence and management of cardiovascular risk factors	100
38	Prevalence of chronic heart failure, management and control	111
46	Coronary heart disease, risk factors and lipid lowering medication	128
54	Secondary prevention of heart attack or stroke	145
57	Prevalence and management of chronic heart failure in general practice patients	152
59	Hypertension management and control in general practice patients	156
75	Prevalence, management and investigations for chronic heart failure.....	192
76	Patients with risk factors for metabolic syndrome	194
77	Heart failure – underlying causes and medication management.....	196
79	Hypertension and dyslipidaemia – comorbidity and management in general practice patients	200
86	Diabetes Types 1 and 2 and coronary heart disease	217
87	Management of cardiovascular or diabetes related conditions	219
90	Prevalence, management and investigations for chronic heart failure in general practice patients	225
92	Prevalence of metabolic syndrome	229

97	Statin medication use among high CHD risk patients attending general practice	241
98	Management of hypertension and angina in general practice patients.....	243
103	Cardiovascular risk in patients attending general practice	254

See also: Hypertension in: Measures of health and health care delivery in general practice in Australia (pg 55).

CHOLESTEROL

20	Screening and management of blood cholesterol	70
----	---	----

See also: Cholesterol in: Measures of health and health care delivery in general practice in Australia (pg 31).

CHRONIC HEART FAILURE

31	Prevalence and severity of chronic heart failure	96
38	Prevalence of chronic heart failure, management and control	111
57	Prevalence and management of chronic heart failure in general practice patients	152
75	Prevalence, management and investigations for chronic heart failure.....	192
77	Heart failure – underlying causes and medication management.....	196
90	Prevalence, management and investigations for chronic heart failure in general practice patients	225

CHRONIC ILLNESS

61	Prevalence of chronic illnesses identified as National Health Priority Areas among general practice patients.....	160
89	Estimates of the prevalence of chronic illnesses identified as Health Priority Areas among patients attending general practice.....	223

CHRONIC PAIN

42	Prevalence and management of chronic pain.....	120
82	Prevalence and management of chronic pain.....	207

CIRCULATORY

4	Cardiovascular disease	35
26	Prevalence of diagnosed hypertension and difficulties in treatment.....	84
30	Lipid lowering medications and coronary heart disease.....	94
31	Prevalence and severity of chronic heart failure	96
33	Prevalence and management of cardiovascular risk factors	100
38	Prevalence of chronic heart failure, management and control	111
46	Coronary heart disease, risk factors and lipid lowering medication	128
54	Secondary prevention of heart attack or stroke	145
57	Prevalence and management of chronic heart failure in general practice patients	152
59	Hypertension management and control in general practice patients	156
75	Prevalence, management and investigations for chronic heart failure.....	192
76	Patients with risk factors for metabolic syndrome	194
77	Heart failure – underlying causes and medication management.....	196

79	Hypertension and dyslipidaemia – comorbidity and management in general practice patients	200
86	Diabetes Types 1 and 2 and coronary heart disease	217
87	Management of cardiovascular or diabetes related conditions	219
90	Prevalence, management and investigations for chronic heart failure in general practice patients	225
92	Prevalence of metabolic syndrome	229

See also: Hypertension in: Measures of health and health care delivery in general practice in Australia (pg 55).

CO-MEDICATIONS

14	Co-medications	57
----	----------------------	----

CO-MORBIDITY

10	Length of consultation; after-hours arrangements; co-morbidity	47
37	Prevalence of common morbidities in patients encountered in general practice.....	109
61	Prevalence of chronic illnesses identified as National Health Priority Areas among general practice patients.....	160
89	Estimates of the prevalence of chronic illnesses identified as Health Priority Areas among patients attending general practice.....	223

See also: Co-morbidity in: Measures of health and health care delivery in general practice in Australia (pg 61).

COMPLIMENTARY THERAPIES

36	Patient use of complimentary therapies.....	107
----	---	-----

CONTRACEPTIVE

72	Contraceptive use among female general practice patients aged 16–44 years	186
----	---	-----

CORONARY HEART DISEASE

30	Lipid lowering medications and coronary heart disease.....	94
46	Coronary heart disease, risk factors and lipid lowering medication	128
86	Diabetes Types 1 and 2 and coronary heart disease	217
97	Statin medication use among high CHD risk patients attending general practice	241
98	Management of hypertension and angina in general practice patients.....	243

CORTICOSTEROID

70	Inhaled corticosteroid use for asthma management.....	181
96	Inhaled corticosteroid use for asthma management.....	238

CULTURAL BACKGROUND

52	Language and cultural background of patients	140
65	Language and cultural background of general practice patients	169
95	Cultural background of patients attending general practice	236

DEMENTIA

28	Prevalence of Alzheimer's disease and dementia.....	89
102	Alzheimer's disease or dementia in patients attending general practice	252

DEPRESSION

5	Depression	37
23	Depression	78
47	Management of depression and anxiety	130

See also: Depression in: Measures of health and health care delivery in general practice in Australia (pg 44).

DIABETES

21	Diabetes – prevalence, management and screening	72
25	Prevalence of diabetes, medications and control	82
40	Type 2 diabetes mellitus, prevalence and management	116
45	Diabetes mellitus prevalence, management and risk factors	126
86	Diabetes Types 1 and 2 and coronary heart disease	217
87	Management of cardiovascular or diabetes related conditions	219
94	Type 2 diabetes – investigations and related conditions	234

DIGESTIVE

18	Drugs for the treatment of peptic ulcer and reflux.....	65
24	Gastro-oesophageal reflux disease (GORD) in general practice patients.....	80
29	Non-steroidal anti-inflammatory drugs (NSAIDs) and acid suppressant use.....	92
34	Gastro-oesophageal reflux disease (GORD)	102
51	Use of proton pump inhibitors for gastrointestinal problems	138
60	Prevalence of GORD and associated proton pump inhibitor use.....	158
62	Use of proton pump inhibitors by general practice patients.....	162
78	NSAID & acid suppressant use in general practice patients.....	198
91	Prevalence and management of gastrointestinal symptoms.....	227

Also see, in: Measures of health and health care delivery in general practice in Australia: Hepatitis (pg 68) and Prevalence of upper gastro-intestinal conditions and NSAID use (pg 26).

DRUG UTILIZATION

101	Types of medicine use and patient use of medicines list.....	250
-----	--	-----

EDUCATION

2	Anxiety/stress, consultation time, level of education.....	30
---	--	----

EMPLOYMENT

6	Employment status and workers' compensation claims	39
11	Patient employment status and occupation.....	50
80	Employment status and workers compensation claims in general practice patients ..	202

See also: Employment and occupation in: Measures of health and health care delivery in general practice in Australia (pg 73).

ENDOCRINE, METABOLIC AND NUTRITIONAL

15	Lipid lowering medication.....	59
20	Screening and management of blood cholesterol	70
21	Diabetes – prevalence, management and screening.....	72
25	Prevalence of diabetes, medications and control	82
30	Lipid lowering medications and coronary heart disease.....	94
40	Type 2 diabetes mellitus, prevalence and management	116
45	Diabetes mellitus prevalence, management and risk factors	126
46	Coronary heart disease, risk factors and lipid lowering medication	128
50	Risk factors of patients on lipid lowering medications [interim report] .. See Abstract 67	
55	Patient weight, perception of weight and weight loss	147
58	Lipid lowering medications: patient eligibility under PBS	154
64	Current use of statins by general practice patients.....	167
67	Risk factors of patients on lipid lowering medications	173
68	Patient weight, perception of weight and weight loss in adults.....	175
69	Patient weight, methods and medications tried for weight loss in adults	178
71	Patient BMI, morbidity and medication use in adults	184
76	Patients with risk factors for metabolic syndrome	194
86	Diabetes Types 1 and 2 and coronary heart disease.....	217
87	Management of cardiovascular or diabetes related conditions	219
92	Prevalence of metabolic syndrome	229
94	Type 2 diabetes – investigations and related conditions	234
99	Lipid management in patients with high risk conditions.....	245
	Section 4.1 Body mass index of adults.....	20
	Section 4.2 Body mass index of children.....	21

Also see, in: Measures of health and health care delivery in general practice in Australia: Body mass (pg 11) and Cholesterol (pg 31).

ETHNIC

52	Language and cultural background of patients	140
65	Language and cultural background of general practice patients	169
92	Prevalence of metabolic syndrome	229
95	Cultural background of patients attending general practice	236

FEMALE GENITAL

8	Hormone replacement therapy (HRT).....	43
84	Menopausal status, symptoms and treatment of women aged 18 and over.....	212

See also: Vaccination and mammography in: Measures of health and health care delivery in general practice in Australia (pg 35).

GABAPENTIN

81	Prevalence and indications for gabapentin use by patients attending general practice	205
----	--	-----

GASTROESOPHAGEAL REFLUX

18	Drugs for the treatment of peptic ulcer and reflux	65
24	Gastro-oesophageal reflux disease (GORD) in general practice patients.....	80
34	Gastro-oesophageal reflux disease (GORD)	102
60	Prevalence of GORD and associated proton pump inhibitor use.....	158
100	Gastrointestinal symptoms in patients attending general practice	247

GASTROINTESTINAL

18	Drugs for the treatment of peptic ulcer and reflux	65
24	Gastro-oesophageal reflux disease (GORD) in general practice patients.....	80
29	Non-steroidal anti-inflammatory drugs (NSAIDS) and acid suppressant use.....	92
34	Gastro-oesophageal reflux disease (GORD)	102
51	Use of proton pump inhibitors for gastrointestinal problems	138
60	Prevalence of GORD and associated proton pump inhibitor use.....	158
62	Use of proton pump inhibitors by general practice patients.....	162
78	NSAID & acid suppressant use in general practice patients.....	198
91	Prevalence and management of gastrointestinal symptoms.....	227
100	Gastrointestinal symptoms in patients attending general practice	247

Also see, in: Measures of health and health care delivery in general practice in Australia: Hepatitis (pg 68) and Prevalence of upper gastro-intestinal conditions and NSAID use (pg 26).

GENERAL AND UNSPECIFIED

6	Employment status and workers' compensation claims	39
7	Health services utilisation, lifestyle status and chronicity.....	41
10	Length of consultation; after-hours arrangements; co-morbidity	47
11	Patient employment status and occupation.....	50
12	Smoking and passive smoking in general practice patients.....	52
14	Co-medications	57
16	Effect of day and time of GP visit on billing method	61
17	Private prescription products	63
32	Patient use of after-hours medical services.....	98
35	Smoking status of adults and their attempts to quit.....	104
36	Patient use of complimentary therapies.....	107
37	Prevalence of common morbidities in patients encountered in general practice.....	109
41	Time of visit and billing status	118
42	Prevalence and management of chronic pain.....	120
43	Initiation and purpose of pathology orders.....	122

44	Severity of illness	124
52	Language and cultural background of patients	140
53	Smoking status of adults and their attempts to quit.....	142
56	Prevalence, cause and severity of adverse pharmacological events	150
61	Prevalence of chronic illnesses identified as National Health Priority Areas among general practice patients.....	160
65	Language and cultural background of general practice patients	169
73	Warfarin use in patients with qualifying morbidity.....	188
74	Smoking and passive smoking in the home	190
80	Employment status and workers compensation claims in general practice patients ..	202
82	Prevalence and management of chronic pain.....	207
89	Estimates of the prevalence of chronic illnesses identified as Health Priority Areas among patients attending general practice.....	223
95	Cultural background of patients attending general practice	236
101	Types of medicine use and patient use of medicines list.....	250
Section 4.3 Smoking		21
Section 4.4 Alcohol consumption		22
Section 4.5 Length of consultation		23

Also see, in: Measures of health and health care delivery in general practice in Australia: Alcohol use (pg 20); Co-morbidity (pg 61); Consultation time and GP satisfaction (pg 51); Employment and occupation (pg 73); Health care utilisation (pg 40); Physical activity (pg 23); Severity of illness (pg 58); Smoking (pg 15); The effect of the introduction of therapeutic group premiums on patient care (pg 47); Vaccination and mammography (pg 35) and Wellbeing (pg 7).

GORD

18	Drugs for the treatment of peptic ulcer and reflux.....	65
24	Gastro-oesophageal reflux disease (GORD) in general practice patients.....	80
34	Gastro-oesophageal reflux disease (GORD)	102
60	Prevalence of GORD and associated proton pump inhibitor use.....	158
100	Gastrointestinal symptoms in patients attending general practice	247

GP SATISFACTION

See also: Consultation time and GP satisfaction in: Measures of health and health care delivery in general practice in Australia (pg 51).

HEALTH PRIORITY AREAS

2	Anxiety/stress, consultation time, level of education.....	30
3	Asthma	32
4	Cardiovascular disease	35
5	Depression	37
12	Smoking and passive smoking in general practice patients.....	52
13	Perceived stress.....	54

15	Lipid lowering medication.....	59
19	Osteoporosis	67
20	Screening and management of blood cholesterol	70
21	Diabetes – prevalence, management and screening	72
22	Asthma – prevalence, severity and management	75
23	Depression	78
25	Prevalence of diabetes, medications and control	82
26	Prevalence of diagnosed hypertension and difficulties in treatment.....	84
29	Non-steroidal anti-inflammatory drugs (NSAIDS) and acid suppressant use.....	92
30	Lipid lowering medications and coronary heart disease.....	94
31	Prevalence and severity of chronic heart failure	96
33	Prevalence and management of cardiovascular risk factors	100
35	Smoking status of adults and their attempts to quit.....	104
38	Prevalence of chronic heart failure, management and control	111
39	Severity of asthma, medications and management	113
40	Type 2 diabetes mellitus, prevalence and management	116
45	Diabetes mellitus prevalence, management and risk factors	126
46	Coronary heart disease, risk factors and lipid lowering medication	128
47	Management of depression and anxiety	130
48	Asthma prevalence and management	132
49	Health status and management of patients on non-steroidal anti-inflammatory drugs.....	135
50	Risk factors of patients on lipid lowering medications [interim report] .. See Abstract 67	
53	Smoking status of adults and their attempts to quit.....	142
54	Secondary prevention of heart attack or stroke	145
55	Patient weight, perception of weight and weight loss	147
57	Prevalence and management of chronic heart failure in general practice patients	152
58	Lipid lowering medications: patient eligibility under PBS	154
59	Hypertension management and control in general practice patients	156
61	Prevalence of chronic illnesses identified as National Health Priority Areas among general practice patients.....	160
63	Asthma – prevalence, management and medication side-effects.....	164
66	Anti-psychotic medication use by general practice patients.....	171
67	Risk factors of patients on lipid lowering medications	173
68	Patient weight, perception of weight and weight loss in adults.....	175
69	Patient weight, methods and medications tried for weight loss in adults	178
70	Inhaled corticosteroid use for asthma management.....	181
71	Patient BMI, morbidity and medication use in adults	184
74	Smoking and passive smoking in the home	190

75	Prevalence, management and investigations for chronic heart failure.....	192
76	Patients with risk factors for metabolic syndrome	194
77	Heart failure – underlying causes and medication management.....	196
78	NSAID & acid suppressant use in general practice patients.....	198
79	Hypertension and dyslipidaemia – comorbidity and management in general practice patients	200
85	Management of osteoporotic fractures in general practice patients	215
86	Diabetes Types 1 and 2 and coronary heart disease	217
87	Management of cardiovascular or diabetes related conditions	219
88	Arthritis rates and NSAID use in general practice patients	221
89	Estimates of the prevalence of chronic illnesses identified as Health Priority Areas among patients attending general practice.....	223
90	Prevalence, management and investigations for chronic heart failure in general practice patients	225
92	Prevalence of metabolic syndrome	229
94	Type 2 diabetes – investigations and related conditions	234
96	Inhaled corticosteroid use for asthma management.....	238
97	Statin medication use among high CHD risk patients attending general practice	241
98	Management of hypertension and angina in general practice patients.....	243
99	Lipid management in patients with high risk conditions.....	245
103	Cardiovascular risk in patients attending general practice	254
104	Asthma management and medication use among patients attending general practice	256
	Section 4.1 Body mass index of adults.....	20
	Section 4.2 Body mass index of children.....	21
	Section 4.3 Smoking	21
	Section 4.4 Alcohol consumption	22

Also see, in: Measures of health and health care delivery in general practice in Australia: Alcohol use (pg 20); Body mass (pg 11); Cholesterol (pg 31); Depression (pg 44); Hypertension (pg 55); Musculoskeletal conditions and NSAID use (pg 64); Physical activity (pg 23); Prevalence of upper gastro-intestinal conditions and NSAID use (pg 26) and Smoking (pg 15).

HEART ATTACK

54	Secondary prevention of heart attack or stroke	145
----	--	-----

HEART FAILURE

31	Prevalence and severity of chronic heart failure	96
38	Prevalence of chronic heart failure, management and control	111
57	Prevalence and management of chronic heart failure in general practice patients	152
75	Prevalence, management and investigations for chronic heart failure.....	192
77	Heart failure – underlying causes and medication management.....	196

90	Prevalence, management and investigations for chronic heart failure in general practice patients	225
----	--	-----

HEPATITIS

See also: Hepatitis in: Measures of health and health care delivery in general practice in Australia (pg 68).

HORMONE REPLACEMENT THERAPY

8	Hormone replacement therapy (HRT).....	43
---	--	----

HYPERTENSION

26	Prevalence of diagnosed hypertension and difficulties in treatment.....	84
59	Hypertension management and control in general practice patients	156
79	Hypertension and dyslipidaemia – comorbidity and management in general practice patients	200
98	Management of hypertension and angina in general practice patients.....	243

See also: Hypertension in: Measures of health and health care delivery in general practice in Australia (pg 55).

INFECTIONS

9	Influenza and absenteeism.....	45
18	Drugs for the treatment of peptic ulcer and reflux.....	65
27	Prevalence and management of influenza	86

See also: Hepatitis in: Measures of health and health care delivery in general practice in Australia (pg 68).

INFLUENZA

9	Influenza and absenteeism.....	45
27	Prevalence and management of influenza	86

LANGUAGE

52	Language and cultural background of patients	140
65	Language and cultural background of general practice patients	169
95	Cultural background of patients attending general practice	236

LENGTH OF CONSULTATION

2	Anxiety/stress, consultation time, level of education.....	30
10	Length of consultation; after-hours arrangements; co-morbidity	47
	Section 4.5 Length of consultation	23

See also: Consultation time and GP satisfaction in: Measures of health and health care delivery in general practice in Australia (pg 51).

LIFESTYLE

7	Health services utilisation, lifestyle status and chronicity.....	41
---	---	----

LIPID

15	Lipid lowering medication.....	59
----	--------------------------------	----

30	Lipid lowering medications and coronary heart disease.....	94
46	Coronary heart disease, risk factors and lipid lowering medication	128
50	Risk factors of patients on lipid lowering medications [interim report] .. See Abstract 67	
58	Lipid lowering medications: patient eligibility under PBS	154
64	Current use of statins by general practice patients.....	167
67	Risk factors of patients on lipid lowering medications.....	173
79	Hypertension and dyslipidaemia – comorbidity and management in general practice patients	200
99	Lipid management in patients with high risk conditions.....	245

MALE GENITAL

93	Sexual dysfunction – premature ejaculation.....	231
----	---	-----

MAMMOGRAPHY

See also: Vaccination and mammography in: Measures of health and health care delivery in general practice in Australia (pg 35).

MANAGEMENT

20	Screening and management of blood cholesterol	70
21	Diabetes – prevalence, management and screening.....	72
22	Asthma – prevalence, severity and management	75
27	Prevalence and management of influenza	86
33	Prevalence and management of cardiovascular risk factors	100
38	Prevalence of chronic heart failure, management and control	111
39	Severity of asthma, medications and management	113
40	Type 2 diabetes mellitus, prevalence and management	116
42	Prevalence and management of chronic pain.....	120
45	Diabetes mellitus prevalence, management and risk factors	126
47	Management of depression and anxiety	130
48	Asthma prevalence and management	132
49	Health status and management of patients on non-steroidal anti-inflammatory drugs.....	135
57	Prevalence and management of chronic heart failure in general practice patients	152
59	Hypertension management and control in general practice patients	156
63	Asthma – prevalence, management and medication side-effects.....	164
70	Inhaled corticosteroid use for asthma management.....	181
75	Prevalence, management and investigations for chronic heart failure.....	192
77	Heart failure – underlying causes and medication management.....	196
79	Hypertension and dyslipidaemia – comorbidity and management in general practice patients	200
82	Prevalence and management of chronic pain.....	207
83	Prevalence and management of migraine.....	210

85	Management of osteoporotic fractures in general practice patients	215
87	Management of cardiovascular or diabetes related conditions	219
90	Prevalence, management and investigations for chronic heart failure in general practice patients	225
91	Prevalence and management of gastrointestinal symptoms.....	227
96	Inhaled corticosteroid use for asthma management.....	238
97	Statin medication use among high CHD risk patients attending general practice	241
98	Management of hypertension and angina in general practice patients.....	243
99	Lipid management in patients with high risk conditions.....	245
100	Gastrointestinal symptoms in patients attending general practice	247
104	Asthma management and medication use among patients attending general practice	256

MEDICINES

8	Hormone replacement therapy (HRT).....	43
14	Co-medications	57
15	Lipid lowering medication.....	59
17	Private prescription products	63
18	Drugs for the treatment of peptic ulcer and reflux.....	65
29	Non-steroidal anti-inflammatory drugs (NSAIDS) and acid suppressant use.....	92
30	Lipid lowering medications and coronary heart disease.....	94
46	Coronary heart disease, risk factors and lipid lowering medication	128
49	Health status and management of patients on non-steroidal anti-inflammatory drugs.....	135
50	Risk factors of patients on lipid lowering medications [interim report] .. See Abstract 67	
51	Use of proton pump inhibitors for gastrointestinal problems	138
56	Prevalence, cause and severity of adverse pharmacological events	150
58	Lipid lowering medications: patient eligibility under PBS	154
60	Prevalence of GORD and associated proton pump inhibitor use.....	158
62	Use of proton pump inhibitors by general practice patients.....	162
63	Asthma – prevalence, management and medication side-effects.....	164
64	Current use of statins by general practice patients.....	167
66	Anti-psychotic medication use by general practice patients.....	171
67	Risk factors of patients on lipid lowering medications	173
70	Inhaled corticosteroid use for asthma management.....	181
72	Contraceptive use among female general practice patients aged 16–44 years	186
73	Warfarin use in patients with qualifying morbidity.....	188
77	Heart failure – underlying causes and medication management.....	196
78	NSAID & acid suppressant use in general practice patients.....	198

81	Prevalence and indications for gabapentin use by patients attending general practice	205
88	Arthritis rates and NSAID use in general practice patients	221
96	Inhaled corticosteroid use for asthma management.....	238
97	Statin medication use among high CHD risk patients attending general practice	241
99	Lipid management in patients with high risk conditions.....	245
101	Types of medicine use and patient use of medicines list.....	250
104	Asthma management and medication use among patients attending general practice	256

Also see, in: Measures of health and health care delivery in general practice in Australia: Musculoskeletal conditions and NSAID use (pg 64); Prevalence of upper gastro-intestinal conditions and NSAID use (pg 26); The effect of the introduction of therapeutic group premiums on patient care (pg 47) and Vaccination and mammography (pg 35).

MENOPAUSAL

8	Hormone replacement therapy (HRT).....	43
84	Menopausal status, symptoms and treatment of women aged 18 and over.....	212

METABOLIC SYNDROME

76	Patients with risk factors for metabolic syndrome	194
92	Prevalence of metabolic syndrome	229

MIGRAINE

83	Prevalence and management of migraine.....	210
----	--	-----

MORBIDITY

37	Prevalence of common morbidities in patients encountered in general practice.....	109
71	Patient BMI, morbidity and medication use in adults	184
73	Warfarin use in patients with qualifying morbidity.....	188

MUSCULOSKELETAL

19	Osteoporosis	67
29	Non-steroidal anti-inflammatory drugs (NSAIDs) and acid suppressant use.....	92
49	Health status and management of patients on non-steroidal anti-inflammatory drugs.....	135
78	NSAID & acid suppressant use in general practice patients.....	198
85	Management of osteoporotic fractures in general practice patients	215
88	Arthritis rates and NSAID use in general practice patients	221

Also see, in: Measures of health and health care delivery in general practice in Australia: Musculoskeletal conditions and NSAID use (pg 64) and Prevalence of upper gastro-intestinal conditions and NSAID use (pg 26).

NEUROLOGICAL

28	Prevalence of Alzheimer's disease and dementia.....	89
54	Secondary prevention of heart attack or stroke	145

81	Prevalence and indications for gabapentin use by patients attending general practice	205
83	Prevalence and management of migraine.....	210
102	Alzheimer’s disease or dementia in patients attending general practice	252
NON-STEROIDAL ANTI-INFLAMMATORY DRUGS (NSAIDs)		
29	Non-steroidal anti-inflammatory drugs (NSAIDs) and acid suppressant use	92
49	Health status and management of patients on non-steroidal anti-inflammatory drugs.....	135
78	NSAID & acid suppressant use in general practice patients.....	198
88	Arthritis rates and NSAID use in general practice patients	221
<i>Also see, in: Measures of health and health care delivery in general practice in Australia: Musculoskeletal conditions and NSAID use (pg 64) and Prevalence of upper gastro-intestinal conditions and NSAID use (pg 26).</i>		
OCCUPATION		
11	Patient employment status and occupation.....	50
<i>See also: Employment and occupation in: Measures of health and health care delivery in general practice in Australia (pg 73).</i>		
OSTEOPOROSIS		
19	Osteoporosis	67
85	Management of osteoporotic fractures in general practice patients	215
PATHOLOGY		
43	Initiation and purpose of pathology orders.....	122
PEPTIC ULCER		
18	Drugs for the treatment of peptic ulcer and reflux.....	65
PHYSICAL ACTIVITY		
<i>See also: Physical activity in: Measures of health and health care delivery in general practice in Australia (pg 23).</i>		
PREGNANCY, CHILD-BEARING, FAMILY PLANNING		
72	Contraceptive use among female general practice patients aged 16–44 years	186
PREMATURE EJACULATION		
93	Sexual dysfunction – premature ejaculation.....	231
PRESCRIPTION		
17	Private prescription products	63
PREVALENCE		
21	Diabetes – prevalence, management and screening.....	72
22	Asthma – prevalence, severity and management	75
25	Prevalence of diabetes, medications and control	82
26	Prevalence of diagnosed hypertension and difficulties in treatment.....	84

27	Prevalence and management of influenza	86
28	Prevalence of Alzheimer’s disease and dementia.....	89
31	Prevalence and severity of chronic heart failure	96
33	Prevalence and management of cardiovascular risk factors	100
37	Prevalence of common morbidities in patients encountered in general practice.....	109
38	Prevalence of chronic heart failure, management and control	111
40	Type 2 diabetes mellitus, prevalence and management	116
42	Prevalence and management of chronic pain.....	120
45	Diabetes mellitus prevalence, management and risk factors	126
48	Asthma prevalence and management	132
56	Prevalence, cause and severity of adverse pharmacological events	150
57	Prevalence and management of chronic heart failure in general practice patients	152
60	Prevalence of GORD and associated proton pump inhibitor use.....	158
61	Prevalence of chronic illnesses identified as National Health Priority Areas among general practice patients.....	160
63	Asthma – prevalence, management and medication side-effects.....	164
75	Prevalence, management and investigations for chronic heart failure.....	192
81	Prevalence and indications for gabapentin use by patients attending general practice	205
82	Prevalence and management of chronic pain.....	207
83	Prevalence and management of migraine.....	210
89	Estimates of the prevalence of chronic illnesses identified as Health Priority Areas among patients attending general practice.....	223
90	Prevalence, management and investigations for chronic heart failure in general practice patients	225
91	Prevalence and management of gastrointestinal symptoms.....	227
96	Inhaled corticosteroid use for asthma management.....	238
97	Statin medication use among high CHD risk patients attending general practice	241
98	Management of hypertension and angina in general practice patients.....	243
99	Lipid management in patients with high risk conditions.....	245
100	Gastrointestinal symptoms in patients attending general practice	247
102	Alzheimer’s disease or dementia in patients attending general practice	252
104	Asthma management and medication use among patients attending general practice	256

See also: Prevalence of upper gastro-intestinal conditions and NSAID use in: Measures of health and health care delivery in general practice in Australia (pg 26).

PROTON PUMP INHIBITORS

51	Use of proton pump inhibitors for gastrointestinal problems	138
60	Prevalence of GORD and associated proton pump inhibitor use.....	158
62	Use of proton pump inhibitors by general practice patients.....	162

PSYCHOLOGICAL

2	Anxiety/stress, consultation time, level of education.....	30
5	Depression	37
13	Perceived stress.....	54
23	Depression	78
47	Management of depression and anxiety	130
66	Anti-psychotic medication use by general practice patients.....	171

See also: Depression in: Measures of health and health care delivery in general practice in Australia (pg 44).

REFLUX

18	Drugs for the treatment of peptic ulcer and reflux.....	65
24	Gastro-oesophageal reflux disease (GORD) in general practice patients.....	80
34	Gastro-oesophageal reflux disease (GORD)	102
60	Prevalence of GORD and associated proton pump inhibitor use.....	158

RESPIRATORY

1	Allergic rhinitis	28
3	Asthma	32
9	Influenza and absenteeism.....	45
22	Asthma – prevalence, severity and management	75
27	Prevalence and management of influenza	86
39	Severity of asthma, medications and management	113
48	Asthma prevalence and management	132
63	Asthma – prevalence, management and medication side-effects.....	164
70	Inhaled corticosteroid use for asthma management.....	181
96	Inhaled corticosteroid use for asthma management.....	238
104	Asthma management and medication use among patients attending general practice	256

RISK FACTORS

12	Smoking and passive smoking in general practice patients.....	52
15	Lipid lowering medication.....	59
20	Screening and management of blood cholesterol	70
26	Prevalence of diagnosed hypertension and difficulties in treatment.....	84
30	Lipid lowering medications and coronary heart disease.....	94
33	Prevalence and management of cardiovascular risk factors	100
35	Smoking status of adults and their attempts to quit.....	104
45	Diabetes mellitus prevalence, management and risk factors	126
46	Coronary heart disease, risk factors and lipid lowering medication	128
50	Risk factors of patients on lipid lowering medications [interim report] .. See Abstract 67	

53	Smoking status of adults and their attempts to quit.....	142
55	Patient weight, perception of weight and weight loss	147
58	Lipid lowering medications: patient eligibility under PBS	154
59	Hypertension management and control in general practice patients	156
67	Risk factors of patients on lipid lowering medications	173
68	Patient weight, perception of weight and weight loss in adults.....	175
69	Patient weight, methods and medications tried for weight loss in adults	178
71	Patient BMI, morbidity and medication use in adults	184
74	Smoking and passive smoking in the home	190
76	Patients with risk factors for metabolic syndrome	194
79	Hypertension and dyslipidaemia – comorbidity and management in general practice patients	200
97	Statin medication use among high CHD risk patients attending general practice	241
99	Lipid management in patients with high risk conditions.....	245
103	Cardiovascular risk in patients attending general practice	254
	Section 4.1 Body mass index of adults.....	20
	Section 4.2 Body mass index of children.....	21
	Section 4.3 Smoking	21
	Section 4.4 Alcohol consumption	22

Also see, in: Measures of health and health care delivery in general practice in Australia: Alcohol use (pg 20); Body mass (pg 11); Cholesterol (pg 31); Hypertension (pg 55); Physical activity (pg 23) and Smoking (pg 15).

SEVERITY

22	Asthma – prevalence, severity and management	75
31	Prevalence and severity of chronic heart failure	96
39	Severity of asthma, medications and management	113
44	Severity of illness	124
56	Prevalence, cause and severity of adverse pharmacological events	150

See also: Severity of illness in: Measures of health and health care delivery in general practice in Australia (pg 58).

SEXUAL DYSFUNCTION

93	Sexual dysfunction – premature ejaculation.....	231
----	---	-----

SMOKING

12	Smoking and passive smoking in general practice patients.....	52
35	Smoking status of adults and their attempts to quit.....	104
53	Smoking status of adults and their attempts to quit.....	142
74	Smoking and passive smoking in the home	190
	Section 4.3 Smoking	21

See also: Smoking in: Measures of health and health care delivery in general practice in Australia (pg 15).

STATINS

64	Current use of statins by general practice patients.....	167
97	Statin medication use among high CHD risk patients attending general practice	241

STRESS

2	Anxiety/stress, consultation time, level of education.....	30
13	Perceived stress.....	54

STROKE

54	Secondary prevention of heart attack or stroke	145
----	--	-----

THERAPEUTIC GROUP PREMIUMS

See also: The effect of the introduction of therapeutic group premiums on patient care in: Measures of health and health care delivery in general practice in Australia (pg 47).

TIME

16	Effect of day and time of GP visit on billing method	61
41	Time of visit and billing status	118

See also: Consultation time and GP satisfaction in: Measures of health and health care delivery in general practice in Australia (pg 51).

TYPE 2 DIABETES

40	Type 2 diabetes mellitus, prevalence and management	116
86	Diabetes Types 1 and 2 and coronary heart disease	217
94	Type 2 diabetes – investigations and related conditions	234

UTILISATION

7	Health services utilisation, lifestyle status and chronicity.....	41
---	---	----

See also: Health care utilisation in: Measures of health and health care delivery in general practice in Australia (pg 40).

VACCINATION

See also: Vaccination and mammography in: Measures of health and health care delivery in general practice in Australia (pg 35).

WARFARIN

73	Warfarin use in patients with qualifying morbidity.....	188
----	---	-----

WEIGHT

55	Patient weight, perception of weight and weight loss	147
68	Patient weight, perception of weight and weight loss in adults.....	175
69	Patient weight, methods and medications tried for weight loss in adults	178
71	Patient BMI, morbidity and medication use in adults	184
	Section 4.1 Body mass index of adults.....	20
	Section 4.2 Body mass index of children.....	21

WELLBEING

See also: *Wellbeing in: Measures of health and health care delivery in general practice in Australia* (pg 7).

WORKERS COMPENSATION

6	Employment status and workers' compensation claims	39
80	Employment status and workers compensation claims in general practice patients ..	202

SAND abstracts from the first year of BEACH (1998–99) have been published in *Measures of health and health care delivery in general practice in Australia* available from www.fmrc.org.au/publications/Books3.htm. Topics investigated included:

- Wellbeing
- Body mass
- Smoking
- Alcohol use
- Physical activity
- Prevalence of upper gastro-intestinal conditions and NSAID use
- Cholesterol
- Vaccination and mammography
- Health care utilisation
- Depression
- The effect of the introduction of the therapeutic group premiums on patient care
- Consultation time and GP satisfaction
- Hypertension
- Severity of illness
- Co-morbidity
- Musculoskeletal conditions and NSAID use
- Hepatitis
- Employment and occupation.

Other SAND abstracts from BEACH 2006–07 will be published in *General practice activity in Australia 2006–07* in December 2007. The topics under investigation include:

- Severity of illness using the DUSOI scale
- Weight loss
- Diabetes
- Adverse pharmacological events
- Type 2 diabetes
- Secondary prevention of heart attack and stroke
- Erectile dysfunction.

