

References

1. Britt H, Miller G, Charles J, Henderson J, Bayram C, Pan Y et al. 2009. General practice activity in Australia 2008-09. General practice series no. 25. Cat. no. GEP 25. Canberra: Australian Institute of Health and Welfare.
2. Australian Bureau of Statistics 2008. Australian demographic statistics, Dec 2007. Cat. no. 3101.0. Canberra: ABS. Viewed 4 September 2008, <www.abs.gov.au/AUSSTATS/abs@.nsf/allprimarymainfeatures/04846512597875E2CA2574CD001239FE?opendocument>.
3. Australian Bureau of Statistics 2008. Australian social trends 2008. Cat. no. 4102.0. Canberra: ABS.
4. Australian Institute of Health and Welfare 2005. National Health Priority Areas. Canberra: AIHW. Viewed 4 September 2008, <www.aihw.gov.au/nhpa/index.cfm>.
5. Britt H & Miller GC (eds) 2009. General practice in Australia, health priorities and policies 1998-2008. General practice series no. 24. Cat. no. GEP 24. Canberra: Australian Institute of Health and Welfare.
6. Australian Bureau of Statistics 2009. Australian demographic statistics, Dec 2008. Cat. no. 3101.0. Canberra: ABS. Viewed 24 August 2009, <www.abs.gov.au/AUSSTATS/abs@.nsf/productsbyCatalogue/6949409DC8B8FB92CA256BC60001B3D1?OpenDocument>.
7. Australian Institute of Health and Welfare 2008. Medical labour force 2006. National health labour force series no. 41. Cat. no. HWL 42. Canberra: AIHW.
8. Knox SA, Harrison CM, Britt HC, Henderson JV 2008. Estimating prevalence of common chronic morbidities in Australia. *Med J Aust* 189(2):66-70.
9. Australian Government Department of Health and Ageing 2009. Medicare statistics, March quarter 2009, Group B tables. Canberra: DoHA. Viewed 24 August 2009, <www.health.gov.au/internet/main/publishing.nsf/Content/medstat-mar09-tables-b>.
10. Britt H, Miller GC, Charles J, Henderson J, Bayram C, Harrison C et al. 2008. General practice activity in Australia 2007-08. General practice series no. 22. Cat. no. GEP 22. Canberra: Australian Institute of Health and Welfare.
11. Sayer GP, Britt H, Horn F, Bhasale A, McGeechan K, Charles J et al. 2000. Measures of health and health care delivery in general practice in Australia. General practice series no. 3. Cat. no. GEP3. Canberra: Australian Institute of Health and Welfare.
12. Britt H, Miller GC, Henderson J, Bayram C 2007. Patient-based substudies from BEACH: abstracts and research tools 1999-2006. General practice series no. 20. Cat. no. GEP 20. Canberra: Australian Institute of Health and Welfare.
13. Britt H, Miller GC, Charles J, Bayram C, Pan Y, Henderson J et al. 2008. General practice activity in Australia 2006-07. General practice series no. 21. Cat. no. GEP 21. Canberra: Australian Institute of Health and Welfare.
14. World Health Organization 2009. Body mass index (BMI). Geneva: WHO. Viewed 25 June 2009, <www.euro.who.int/nutrition/20030507_1>.
15. Australian Bureau of Statistics 1998. National Nutrition Survey: nutrient intakes and physical measurements, Australia 1995. Cat. no. 4805.0. Canberra: ABS.

16. Cole TJ, Bellizzi MC, Flegal KM, Dietz WH 2000. Establishing a standard definition for child overweight and obesity worldwide: international survey. *BMJ* 320(7244): 1240-1243.
17. Cole TJ, Flegal KM, Nicholls D, Jackson AA 2007. Body mass index cut offs to define thinness in children and adolescents: international survey. *BMJ* 335(7612):194.
18. Ogden CL, Kuczmarski RJ, Flegal KM, Mei Z, Guo S, Wei R et al. 2002. Centers for Disease Control and Prevention 2000 growth charts for the United States: improvements to the 1977 National Center for Health Statistics version 54. *Pediatrics* 109(1):45-60.
19. Saunders JB, Aasland OG, Babor TF, de la Fuente JR, Grant M 1993. Development of the Alcohol Use Disorders Identification Test (AUDIT): WHO Collaborative Project on Early Detection of Persons with Harmful Alcohol Consumption-II. *Addiction* 88(6):791-804.
20. Centre for Drug and Alcohol Studies 1993. The alcohol use disorders identification test. Sydney: Royal Prince Alfred Hospital and the University of Sydney.
21. SAS proprietary software release 9.1. Cary: SAS Institute Inc. 2003.
22. SAS proprietary software release 6.12. Cary: SAS Institute Inc. 1990.
23. Australian Government Department of Health and Ageing 2004. Medicare Benefits Schedule Book. Canberra: DoHA.
24. Classification Committee of the World Organization of Family Doctors 1998. ICPC-2: International Classification of Primary Care. 2nd edn. Oxford: Oxford University Press.
25. World Health Organization 2004. Family of international classifications. Geneva: WHO. Viewed 4 September 2008, <www.who.int/classifications/en/WHOFICfamily.pdf>.
26. Australian Institute of Health and Welfare 2005. Australian family of health and related classifications matrix. Canberra: AIHW. Viewed 14 August 2008, <www.aihw.gov.au/datadevelopment/matrix/index.cfm>.
27. Britt H 1997. A new coding tool for computerised clinical systems in primary care-ICPC PLUS. *Aust Fam Physician* 26(Suppl 2):S79-S82.
28. Bridges-Webb C, Britt H, Miles DA, Neary S, Charles J, Traynor V 1992. Morbidity and treatment in general practice in Australia 1990-1991. *Med J Aust* 157(19 Oct Spec Sup):S1-S56.
29. O'Halloran J, Miller GC, Britt H 2004. Defining chronic conditions for primary care with ICPC-2. *Fam Pract* 21(4):381-6.
30. World Health Organization Collaborating Centre for Drug Statistics Methodology 1997. Anatomical Therapeutic Chemical (ATC) classification index with Defined Daily Doses (DDDs). January 1998 edn. Oslo: WHO.
31. Britt H, Miller G, Bayram C 2007. The quality of data on general practice - a discussion of BEACH reliability and validity. *Aust Fam Physician* 36(1-2):36-40.
32. Driver B, Britt H, O'Toole B, Harris M, Bridges-Webb C, Neary S 1991. How representative are patients in general practice morbidity surveys? *Fam Pract* 8(3):261-8.
33. Britt H, Harris M, Driver B, Bridges-Webb C, O'Toole B, Neary S 1992. Reasons for encounter and diagnosed health problems: convergence between doctors and patients. *Fam Pract* 9(2):191-4.

34. Britt H 1998. Reliability of central coding of patient reasons for encounter in general practice, using the International Classification of Primary Care. *Journ Informatics in Prim Care* May:3-7.
35. Britt H 1997. A measure of the validity of the ICPC in the classification of reasons for encounter. *Journ Informatics in Prim Care* Nov:8-12.
36. Bentsen BG 1976. The accuracy of recording patient problems in family practice. *J Med Educ* 51(4):311-6.
37. Barsky AJ, III 1981. Hidden reasons some patients visit doctors. *Ann Intern Med* 94 (4 pt 1):492-8.
38. Morrell DC, Gage HG, Robinson NA 1971. Symptoms in general practice. *J R Coll Gen Pract* 21(102):32-43.
39. Anderson JE 1980. Reliability of morbidity data in family practice. *J Fam Pract* 10(4):677-83.
40. Marsland DW, Wood M, Mayo F 1980. *Content of family practice*. New York: Appleton-Century-Crofts.
41. Bensing J 1983 The use of the RFE classification system in observation studies – some preliminary results. Presented at the The Tenth WONCA Conference on Family Medicine; 1983.
42. Howie JG 1972. Diagnosis—the Achilles heel? *J R Coll Gen Pract* 22(118):310-5.
43. Alderson M 1988. *Morbidity and health statistics*. 1st edn. Southampton: Stickton Press.
44. Crombie DL 1990. The problem of variability in general practitioner activities. In: *Yearbook of research and development*. London: Her Majesty's Stationary Office, 21-24.
45. Britt H, Bhasale A, Miles DA, Meza A, Sayer GP, Angelis M 1996. The sex of the general practitioner: a comparison of characteristics, patients, and medical conditions managed. *Med Care* 34(5):403-15.
46. Knottnerus JA 1991. Medical decision making by general practitioners and specialists. *Fam Pract* 8(4):305-7.
47. Britt H, Meza RA, Del Mar C 1996. Methodology of morbidity and treatment data collection in general practice in Australia: a comparison of two methods. *Fam Pract* 13(5):462-7.
48. Gehlbach SH 1979. Comparing methods of data collection in an academic ambulatory practice. *J Med Educ* 54(9):730-2.
49. Britt H, Angelis M, Harris E 1998. The reliability and validity of doctor-recorded morbidity data in active data collection systems. *Scand J Prim Health Care* 16(1):50-5.
50. Britt H, Miller GC, Charles J, Henderson J, Bayram C, Harrison C et al. 2008. *General practice activity in Australia 1998-99 to 2007-08: 10 year data tables*. General practice series no. 23. Cat. no. GEP 23. Canberra: Australian Institute of Health and Welfare.
51. Charles J, Britt H, Valenti L 2004. The evolution of the general practice workforce in Australia, 1991-2003. *Med J Aust* 181(2):85-90.
52. Britt H & Harrison C 2009. GP clinical activity. In: Britt H, Miller GC (eds). *General practice in Australia, health priorities and policies 1998 to 2008*. General practice series no. 24. Cat. no. GEP 24. Canberra: Australian Institute of Health and Welfare, 38-56.
53. McWhinney IR 1986. Are we on the brink of a major transformation of clinical method? *CMAJ* 135(8):873-8.

54. Britt H, Miller GC, McGeechan K, Sayer GP 1999. Pathology ordering by general practitioners in Australia 1998. Cat. no. GEP 4. General practice series no. 4. Canberra: Department of Health and Aged Care. Viewed 4 September 2008, <pandora.nla.gov.au/pan/31109/20021113-0000/www.health.gov.au/haf/docs/pathorder.htm>.
55. Britt H, Miller GC, Knox S 2001. Imaging orders by general practitioners in Australia 1999–00. General Practice Series No 7. Cat. no. GEP 7. Canberra: Australian Institute of Health and Welfare.
56. Britt H, Knox S, Miller GC 2003. Changes in pathology ordering by general practitioners in Australia 1998–2001. General practice series no. 13. Cat. no. GEP 13. Canberra: Australian Institute of Health and Welfare.
57. Bayram C & Valenti L 2009. GP pathology ordering. In: Britt H, Miller GC (eds). General practice in Australia, health priorities and policies 1998 to 2008. General practice series no. 24. Cat. no. GEP 24. Canberra: Australian Institute of Health and Welfare, 57–86.
58. Australian Government Department of Health and Ageing 2007. Medicare Benefits Schedule Book. Canberra: DoHA.
59. Medicare Australia 2009. Health statistics, Medicare Benefits Schedule. Canberra: Medicare Australia. Viewed 24 August 2009, <www.medicareaustralia.gov.au/statistics/mbs_item.shtml>.
60. Valenti L 2009. Overweight and obesity. In: Britt H, Miller GC (eds). General practice in Australia, health priorities and policies 1998 to 2008. General practice series no. 24. Cat. no. GEP 24. Canberra: Australian Institute of Health and Welfare, 105–120.
61. Cretikos MA, Valenti L, Britt HC, Baur LA 2008. General practice management of overweight and obesity in children and adolescents in Australia. *Med Care* 46(11):1163–9.
62. Proude EM, Britt H, Valenti L, Conigrave KM 2006. The relationship between self-reported alcohol intake and the morbidities managed by GPs in Australia. *BMC Fam Pract* 7:17.

Glossary

A1 Medicare items: Medicare item numbers 1, 2, 3, 4, 13, 19, 20, 23, 24, 25, 33, 35, 36, 37, 38, 40, 43, 44, 47, 48, 50, 51, 601, 602.

Aboriginal: The patient identifies himself or herself as an Aboriginal person.

Activity level: The number of general practice A1 Medicare items claimed during the previous 3 months by a participating GP.

Allied and other health professionals: Those who provide clinical and other specialised services in the management of patients, including physiotherapists, occupational therapists, dietitians, dentists and pharmacists.

Chapters (ICPC-2): The main divisions within ICPC-2. There are 17 chapters primarily representing the body systems.

Chronic problem: see *Diagnosis/problem, Chronic problem*.

Commonwealth concession card: An entitlement card provided by the Australian Government that entitles the holder to reduced cost medicines under the Pharmaceutical Benefits Scheme and a limited number of other concessions from state and local government authorities.

Complaint: A symptom or disorder expressed by the patient when seeking care.

Component (ICPC-2): In ICPC-2 there are seven components which act as a second axis across all chapters.

Consultation: See *Encounter*.

Diagnosis/problem: A statement of the provider's understanding of a health problem presented by a patient, family or community. GPs are instructed to record at the most specific level possible from the information available at the time. It may be limited to the level of symptoms.

- *New problem:* The first presentation of a problem, including the first presentation of a recurrence of a previously resolved problem, but excluding the presentation of a problem first assessed by another provider.
- *Old problem:* A previously assessed problem that requires ongoing care, including follow-up for a problem or an initial presentation of a problem previously assessed by another provider.
- *Chronic problem:* A medical condition characterised by a combination of the following characteristics: duration that has lasted or is expected to last 6 months or more, a pattern of recurrence or deterioration, a poor prognosis, and consequences or sequelae that impact on an individual's quality of life. (Source: O'Halloran J, Miller GC, Britt H 2004. Defining chronic conditions for primary care with ICPC-2. *Fam Pract* 21(4):381-6).
- *Work-related problem:* Irrespective of the source of payment for the encounter, it is likely in the GP's view that the problem has resulted from work-related activity or workplace exposures or that a pre-existing condition has been significantly exacerbated by work activity or workplace exposure.

Encounter (enc): Any professional interchange between a patient and a GP.

- *Indirect:* Encounter where there is no face-to-face meeting between the patient and the GP but a service is provided (for example prescription, referral).

- *Direct*: Encounter where there is a face-to-face meeting of the patient and the GP.

Direct encounters can be further divided into:

- Medicare-claimable
 - *Surgery consultations*: Encounters identified by any one of MBS item numbers 3, 23, 36, 44, 52, 53, 54, 57, 5000, 5020, 5040, 5060, 5200, 5203, 5207, 5208.
 - *Home visits*: Encounters identified by any one of MBS item numbers 4, 24, 37, 47, 58, 59, 60, 65, 5003, 5023, 5043, 5063, 5220, 5223, 5227, 5228.
 - *Hospital encounters*: Encounters identified by any one of MBS item numbers 19, 33, 40, 50, 87, 89, 90, 91.
 - *Residential aged care facility*: Encounters identified by any one of MBS item numbers 20, 35, 43, 51, 92, 93, 95, 96, 5010, 5028, 5049, 5067, 5260, 5263, 5265, 5267.
 - *Health assessments*: Encounters identified by any one of MBS item numbers 700, 702, 704, 706, 708, 710, 712.
 - *Chronic disease management items*: Encounters identified by any one of MBS item numbers 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731.
 - *Case conferences*: Encounters identified by any one of MBS item numbers 734, 736, 738, 740, 742, 744, 746, 749, 757, 759, 762, 765, 768, 771, 773, 775, 778, 779.
 - *Incentive payments*: Encounters identified by any one of MBS item numbers 2497, 2501, 2503, 2504, 2506, 2507, 2509, 2517, 2518, 2521, 2522, 2525, 2526, 2546, 2547, 2552, 2553, 2558, 2559, 2574, 2575, 2577, 2578, 2598, 2600, 2603, 2606, 2610, 2613, 2616, 2620, 2622, 2624, 2631, 2633, 2635, 2664, 2666, 2668, 2673, 2675, 2677, 2704, 2705, 2707, 2708.
 - *Other MBS encounters*: Encounters identified by an MBS item number that does not identify place of encounter (see *A1 Medicare items*).
- *Workers compensation*: Encounters paid by workers compensation insurance.
- *Other paid*: Encounters paid from another source (for example state).

General practitioner (GP): A medical practitioner who provides primary comprehensive and continuing care to patients and their families within the community (Royal Australian College of General Practitioners).

GP Consultation Service Items: Includes GP services provided under the MBS Professional services category including MBS items classed as A1, A2, A5, A6, A7, A14, A17, A18, A19, A20, A22 and selected items provided by GPs classified in A11, A15 and A27.

Medication: Medication that is prescribed, provided by the GP at the encounter or advised for over-the-counter purchase.

Medication rates: The rate of use of all medications, including medications that were prescribed, supplied by the GP and advised for over-the-counter purchase.

Medication status:

- *New*: The medication prescribed/provided at the encounter/advised is being used for the management of the problem for the first time.
- *Continuation*: The medication prescribed/provided at the encounter/advised is a continuation or repeat of previous therapy for this problem.
- *Old*: See *Continuation*.

Morbidity: Any departure, subjective or objective, from a state of physiological wellbeing. In this sense, sickness, illness and morbid conditions are synonymous.

Patient status: The status of the patient to the practice.

- *New patient:* The patient has not been seen before in the practice.
- *Old patient:* The patient has attended the practice before.

Practice nurse involvement: Encounters at which a practice nurse MBS item number and/or a treatment (either clinical or procedural) was recorded as done by the practice nurse.

Prescribed rates: The rate of use of prescribed medications (that is, does not include medications that were GP-supplied or advised for over-the-counter purchase).

Problem managed: See *Diagnosis/problem*.

Provider: A person to whom a patient has access when contacting the health care system.

Reasons for encounter (RFEs): The subjective reasons given by the patient for seeing or contacting the general practitioner. These can be expressed in terms of symptoms, diagnoses or the need for a service.

Recognised GP: A medical practitioner who is:

- vocationally recognised under Section 3F of the Health Insurance Act, *or*
- a holder of the Fellowship of the Royal Australian College of General Practitioners who participates in, and meets the requirements for, quality assurance and continuing medical education as defined in the Royal Australian College of General Practitioners (RACGP) Quality Assurance and Continuing Medical Education Program, *or*
- undertaking an approved placement in general practice as part of a training program for general practice leading to the award of the Fellowship of the Royal Australian College of General Practitioners, or undertaking an approved placement in general practice as part of some other training program recognised by the RACGP as being of equivalent standard. (*Source:* Commonwealth Department of Health and Aged Care 2001. Medicare benefits schedule book. Canberra: DHAC).

Referral: The process by which the responsibility for part or all of the care of a patient is temporarily transferred to another health care provider. Only new referrals to specialists and allied health professionals, and for hospital and residential aged care facility admissions arising at a recorded encounter are included. Continuation referrals are not included. Multiple referrals can be recorded at any one encounter.

Repatriation health card: An entitlement card provided by the Department of Veterans' Affairs that entitles the holder to access a range of Repatriation health care benefits, including access to prescription and other medications under the Pharmaceutical Benefits Scheme.

Rubric: The title of an individual code in ICPC-2.

Significant: This term is used to refer to a statistically significant results. Statistical significance is measured at the 95% confidence level in this report.

Torres Strait Islander: The patient identifies himself or herself as a Torres Strait Islander person.

Work-related problem: See *Diagnosis/problem*.