

Table 3.20a: Same day mental health-related separations with specialised psychiatric care for female patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 1999–00

Principal diagnosis	Under 15						65 and over	Total
	years	15–24	25–34	35–44	45–54	55–64		
F00–F03 Dementia	0	0	0	0	1	0	14	15
F04–F09 Other organic mental disorders	1	45	2	18	7	2	10	85
F10 Mental and behavioural disorders due to use of alcohol	1	78	95	312	620	151	176	1,433
F11–F19 Mental and behavioural disorders due to other psychoactive substances use	2	256	138	86	104	11	0	597
F20 Schizophrenia	18	449	453	797	426	277	243	2,663
F20–F29 Other schizophrenic, schizotypal and delusional disorders	65	413	406	275	428	300	114	2,001
F30 Manic episode	0	2	14	9	1	0	0	26
F31 Bipolar affective disorders	53	489	576	408	794	212	376	2,908
F32–F33 Depressive disorders	286	2,471	2,239	3,743	3,716	2,111	2,045	16,611
F34–F39 Other mood (affective) disorders	36	92	295	412	449	206	24	1,514
F40–F48 Neurotic, stress-related and somatoform disorders	291	963	1,475	1,614	1,576	540	406	6,865
F50 Eating disorders	183	2,139	767	141	256	0	4	3,490
F51–F59 Other behavioural syndromes associated with physiological disturbances, physical factors	1	14	248	115	1	0	0	379
F60–F69 Disorders of adult personality and behaviour	2	342	464	597	412	76	14	1,907
F70–F79 Mental retardation	0	0	1	0	2	0	0	3
F80–F89 Disorders of psychological development	62	2	0	0	0	0	0	64
F90–F98 Disorders onset usually occurring in childhood or adolescence	346	60	1	2	0	0	0	409
F99 Mental disorder not otherwise specified	0	1	1	0	2	0	0	4
G30 Alzheimer's disease ^(a)	0	0	0	0	0	1	1	2
O99.3 Mental disorders & diseases of the nervous system complicating pregnancy, childbirth and the puerperium	0	1	12	0	0	0	0	13
R44 Other symptoms and signs involving general sensations and perceptions	0	40	1	0	0	0	0	41
R45 Symptoms and signs involving emotional state ^(a)	0	2	0	1	1	0	1	5
Z00.4 General psychiatric examination not elsewhere classified	0	14	12	6	4	1	0	37
Z03.2 Observation for suspected mental and behavioural disorder	1	2	3	0	0	0	0	6
Z50.2 Alcohol rehabilitation	0	0	3	0	0	0	0	3
Z50.3 Drug rehabilitation	0	0	1	0	0	0	0	1
Z63.8 Other specified problems related to primary support group	0	0	35	47	0	0	0	82
Z65.8 Other specified problems related to psychosocial circumstances	77	0	0	0	0	0	0	77
Z71.4 Counselling and surveillance for alcohol use disorder	0	6	0	32	0	11	0	49
Other factors influencing health status and contact with health services ^(b)	1	1	0	1	0	0	0	3
Other ^(c)	14	76	88	77	76	22	9	362
Not reported	0	1	6	1	1	0	1	10
Total	1,440	7,959	7,336	8,694	8,877	3,921	3,438	41,665

(a) Not all codes in this group are included. See Appendix 2 for the list of included codes.

(b) Includes Z04.6, Z09.3, Z54.3, Z63.1, Z73.4.

(c) All other diagnoses.

Table 3.20b: Same day mental health-related separations without specialised psychiatric care for female patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 1999–00

Principal diagnosis		Under 15						65 and over	Total ^(a)
		years	15–24	25–34	35–44	45–54	55–64		
F00–F03	Dementia	0	0	0	1	1	11	82	95
F04–F09	Other organic mental disorders	6	28	27	24	16	4	57	162
F10	Mental and behavioural disorders due to use of alcohol	81	440	235	423	415	232	164	1,990
F11–F19	Mental and behavioural disorders due to other psychoactive substances use	14	258	204	96	80	29	6	687
F20	Schizophrenia	1	46	79	53	49	27	34	289
F20–F29	Other schizophrenic, schizotypal and delusional disorders	3	66	177	131	93	46	72	588
F30	Manic episode	0	4	12	9	8	3	3	39
F31	Bipolar affective disorders	1	25	88	103	101	70	59	447
F32–F33	Depressive disorders	9	217	645	894	952	462	653	3,832
F34–F39	Other mood (affective) disorders	0	17	15	11	69	32	4	148
F40–F48	Neurotic, stress-related and somatoform disorders	46	352	588	445	428	273	296	2,428
F50	Eating disorders	9	92	40	31	10	0	2	184
F51–F59	Other behavioural syndromes associated with physiological disturbances, physical factors	53	40	335	223	1	1	0	653
F60–F69	Disorders of adult personality and behaviour	2	64	79	64	11	2	1	223
F70–F79	Mental retardation	12	6	23	8	0	0	1	50
F80–F89	Disorders of psychological development	114	2	1	0	0	4	1	122
F90–F98	Disorders onset usually occurring in childhood or adolescence	57	10	8	3	3	0	1	82
F99	Mental disorder not otherwise specified	1	9	4	1	1	2	1	19
G30	Alzheimer's disease ^(b)	0	0	0	0	0	2	14	16
G47	Sleep disorders ^(b)	1,268	4	21	9	2	6	6	1,316
O99.3	Mental disorders & diseases of the nervous system complicating pregnancy, childbirth and the puerperium	0	98	199	29	1	0	0	327
R44	Other symptoms and signs involving general sensations and perceptions	2	5	6	5	2	3	3	26
R45	Symptoms and signs involving emotional state ^(b)	22	7	7	7	3	2	3	51
R68.1	Nonspecific symptoms peculiar to infancy	135	0	1	1	0	0	0	137
Z00.4	General psychiatric examination not elsewhere classified	0	7	13	5	5	1	0	31
Z03.2	Observation for suspected mental and behavioural disorder	3	0	5	1	2	0	0	11
Z50.3	Drug rehabilitation	0	0	0	0	1	0	0	1
Z63.8	Other specified problems related to primary support group	6	2	16	2	1	0	0	27
Z65.8	Other specified problems related to psychosocial circumstances	0	1	0	4	0	0	0	5
Z71.4	Counselling and surveillance for alcohol use disorder	0	0	0	0	0	1	0	1
	Other factors influencing health status and contact with health services ^(c)	0	1	0	1	0	0	0	2
Total^(a)		1,845	1,801	2,828	2,584	2,255	1,213	1,463	13,989

(a) Includes separations for which sex and/or age were not reported.

(b) Not all codes in this group are included. See Appendix 2 for the list of included codes.

(c) Includes Z04.6, Z09.3, Z54.3, Z63.1, Z73.4.

Table 3.21a: Overnight mental health-related separations with specialised psychiatric care for male patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 1999–00

Principal diagnosis		Under 15	15–24	25–34	35–44	45–54	55–64	65 and	Total ^(a)
		years						over	
F00–F03	Dementia	0	1	1	5	14	51	606	678
F04–F09	Other organic mental disorders	0	71	163	108	75	87	196	700
F10	Mental and behavioural disorders due to use of alcohol	3	195	505	715	784	340	235	2,777
F11–F19	Mental and behavioural disorders due to other psychoactive substances use	10	1,752	1,611	584	114	22	11	4,104
F20	Schizophrenia	27	3,373	4,657	2,797	1,382	436	326	12,999
F20–F29	Other schizophrenic, schizotypal and delusional disorders	29	1,340	1,515	950	493	185	200	4,712
F30	Manic episode	2	93	111	73	43	28	46	396
F31	Bipolar affective disorders	2	592	1,070	981	592	440	366	4,043
F32–F33	Depressive disorders	56	822	1,307	1,471	1,470	794	1,280	7,200
F34–F39	Other mood (affective) disorders	6	100	190	157	103	33	24	613
F40–F48	Neurotic, stress-related and somatoform disorders	153	1,058	1,573	1,288	1,427	421	252	6,172
F50	Eating disorders	7	27	8	1	1	0	0	44
F51–F59	Other behavioural syndromes associated with physiological disturbances, physical factors	0	7	10	4	6	9	1	37
F60–F69	Disorders of adult personality and behaviour	11	403	656	374	168	34	36	1,682
F70–F79	Mental retardation	5	27	39	13	16	5	5	110
F80–F89	Disorders of psychological development	32	60	16	5	4	1	1	119
F90–F98	Disorders onset usually occurring in childhood or adolescence	394	135	27	11	6	4	9	586
F99	Mental disorder not otherwise specified	1	7	14	4	4	4	21	55
G30	Alzheimer's disease ^(b)	0	0	0	0	13	23	216	252
G47	Sleep disorders ^(b)	0	2	4	10	18	15	9	58
R44	Other symptoms and signs involving general sensations and perceptions	0	6	5	4	1	0	0	16
R45	Symptoms and signs involving emotional state ^(d)	0	7	1	5	2	0	1	16
Z00.4	General psychiatric examination not elsewhere classified	4	19	22	5	7	0	1	58
Z03.2	Observation for suspected mental and behavioural disorder	3	9	14	6	1	1	1	35
Z50.2	Alcohol rehabilitation	0	2	10	15	4	0	1	32
Z50.3	Drug rehabilitation	0	10	25	14	1	0	0	50
Z63.8	Other specified problems related to primary support group	11	1	13	13	13	0	0	51
Z65.8	Other specified problems related to psychosocial circumstances	38	0	0	0	1	0	0	39
Z71.4	Counselling and surveillance for alcohol use disorder	0	0	2	1	0	0	0	3
	Other factors influencing health status and contact with health services ^(c)	10	9	3	2	0	0	0	24
	Other ^(d)	72	301	432	331	223	134	259	1,752
	Not reported	0	85	81	73	33	28	78	378
	Total^(a)	876	10,514	14,085	10,020	7,019	3,095	4,181	49,791

(a) Includes separations for which sex and/or age were not reported.

(b) Not all codes in this group are included. See Appendix 2 for the list of included codes.

(c) Includes Z04.6, Z09.3, Z54.3, Z63.1, Z73.4.

(d) All other diagnoses.

Table 3.21b: Overnight mental health-related separations without specialised psychiatric care for male patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 1999-00

Principal diagnosis	Under 15	15-24	25-34	35-44	45-54	55-64	65 and over	Total ^(a)
	years							
F00-F03 Dementia	0	1	0	9	14	71	2,181	2,276
F04-F09 Other organic mental disorders	19	47	44	67	64	95	1,129	1,465
F10 Mental and behavioural disorders due to use of alcohol	92	507	1,218	2,223	1,961	1,114	825	7,940
F11-F19 Mental and behavioural disorders due to other psychoactive substances use	36	1,483	1,506	763	194	38	49	4,069
F20 Schizophrenia	2	242	406	272	138	51	55	1,166
F20-F29 Other schizophrenic, schizotypal and delusional disorders	16	140	216	138	88	52	124	774
F30 Manic episode	0	13	15	13	13	7	19	80
F31 Bipolar affective disorders	2	36	101	104	72	31	60	406
F32-F33 Depressive disorders	37	279	545	650	568	348	865	3,292
F34-F39 Other mood (affective) disorders	0	12	14	18	16	10	6	76
F40-F48 Neurotic, stress-related and somatoform disorders	94	259	710	617	926	407	732	3,745
F50 Eating disorders	15	33	21	3	2	2	14	90
F51-F59 Other behavioural syndromes associated with physiological disturbances, physical factors	918	11	6	9	20	24	26	1,014
F60-F69 Disorders of adult personality and behaviour	24	55	113	80	44	16	28	360
F70-F79 Mental retardation	7	2	10	10	7	3	7	46
F80-F89 Disorders of psychological development	153	3	4	3	1	3	6	173
F90-F98 Disorders onset usually occurring in childhood or adolescence	288	35	9	6	5	6	31	380
F99 Mental disorder not otherwise specified	1	3	5	3	4	0	4	20
G30 Alzheimer's disease ^(b)	0	0	0	0	8	18	588	614
G47 Sleep disorders ^(b)	2,177	27	109	130	224	193	195	3,055
R44 Other symptoms and signs involving general sensations and perceptions	2	7	8	10	14	8	43	92
R45 Symptoms and signs involving emotional state ^(b)	44	19	8	13	4	10	27	125
R48 Dyslexia and other symbolic dysfunctions not elsewhere classified	0	0	0	0	1	0	3	4
R68.1 Nonspecific symptoms peculiar to infancy	945	0	0	0	0	0	0	945
Z00.4 General psychiatric examination not elsewhere classified	0	4	8	3	2	0	1	18
Z03.2 Observation for suspected mental and behavioural disorder	15	3	4	1	0	0	7	30
Z50.2 Alcohol rehabilitation	0	1	21	15	27	7	4	75
Z50.3 Drug rehabilitation	0	12	16	18	4	2	0	52
Z63.8 Other specified problems related to primary support group	20	0	1	2	0	1	2	26
Z65.8 Other specified problems related to psychosocial circumstances	0	0	0	1	1	1	2	5
Z71.4 Counselling and surveillance for alcohol use disorder	0	1	0	0	0	0	0	1
Other factors influencing health status and contact with health services ^(c)	4	2	0	0	1	0	2	9
Total^(a)	4,911	3,237	5,118	5,181	4,423	2,518	7,035	32,423

(a) Includes separations for which sex and/or age were not reported.

(b) Not all codes in this group are included. See Appendix 2 for the list of included codes.

(c) Includes Z04.6, Z09.3, Z54.3, Z63.1, Z73.4.

Table 3.22a: Overnight mental health-related separations with specialised psychiatric care for female patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 1999–00

Principal diagnosis	Under 15	15–24	25–34	35–44	45–54	55–64	65 and over	Total ^(a)
	years							
F00–F03 Dementia	0	2	3	2	7	37	679	730
F04–F09 Other organic mental disorders	4	25	57	63	63	58	227	497
F10 Mental and behavioural disorders due to use of alcohol	2	85	207	386	342	162	80	1,264
F11–F19 Mental and behavioural disorders due to other psychoactive substances use	14	832	651	311	67	27	23	1,925
F20 Schizophrenia	19	992	1,418	1,501	1,064	641	544	6,179
F20–F29 Other schizophrenic, schizotypal and delusional disorders	20	747	1,209	1,139	771	338	440	4,664
F30 Manic episode	2	88	101	89	63	27	49	419
F31 Bipolar affective disorders	12	533	1,216	1,264	1,134	623	665	5,447
F32–F33 Depressive disorders	103	1,340	2,100	2,734	2,340	1,104	2,672	12,393
F34–F39 Other mood (affective) disorders	27	238	229	238	186	63	45	1,026
F40–F48 Neurotic, stress-related and somatoform disorders	265	1,422	1,884	1,693	986	350	426	7,026
F50 Eating disorders	79	559	202	71	22	3	1	937
F51–F59 Other behavioural syndromes associated with physiological disturbances, physical factors	2	59	246	92	3	1	2	405
F60–F69 Disorders of adult personality and behaviour	28	1,059	1,182	842	311	35	42	3,499
F70–F79 Mental retardation	2	14	29	18	18	1	1	83
F80–F89 Disorders of psychological development	2	13	7	2	2	1	0	27
F90–F98 Disorders onset usually occurring in childhood or adolescence	102	76	14	8	12	0	6	218
F99 Mental disorder not otherwise specified	1	13	8	6	5	3	15	51
G30 Alzheimer's disease ^(b)	0	0	0	0	1	21	267	289
G47 Sleep disorders ^(b)	0	0	2	4	5	6	2	19
O99.3 Mental disorders & diseases of the nervous system complicating pregnancy, childbirth and	0	23	62	12	0	0	0	97
R44 Other symptoms and signs involving general sensations and perceptions	0	2	5	3	4	0	2	16
R45 Symptoms and signs involving emotional state ^(b)	0	2	2	2	0	0	3	9
Z00.4 General psychiatric examination not elsewhere classified	2	7	4	1	1	3	3	22
Z03.2 Observation for suspected mental and behavioural disorder	2	5	3	3	1	0	1	15
Z50.2 Alcohol rehabilitation	0	1	2	4	1	0	0	8
Z50.3 Drug rehabilitation	0	10	6	4	3	0	0	23
Z63.8 Other specified problems related to primary support group	12	3	37	24	10	1	0	87
Z65.8 Other specified problems related to psychosocial circumstances	43	3	0	0	0	0	0	46
Z71.4 Counselling and surveillance for alcohol use disorder	0	0	0	0	2	0	0	2
Other factors influencing health status and contact with health services ^(c)	2	3	1	0	1	0	0	7
Other ^(d)	72	333	394	388	243	86	269	1,785
Not reported	1	34	79	60	38	21	90	323
Total^(a)	818	8,523	11,360	10,964	7,706	3,612	6,554	49,538

(a) Includes separations for which sex and/or age were not reported.

(b) Not all codes in this group are included. See Appendix 2 for the list of included codes.

(c) Includes Z04.6, Z09.3, Z54.3, Z63.1, Z73.4.

(d) All other diagnoses.

Table 3.22b: Overnight mental health-related separations without specialised psychiatric care for female patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 1999-00

Principal diagnosis		Under 15	15-24	25-34	35-44	45-54	55-64	65 and	Total ^(a)
		years						over	
F00-F03	Dementia	0	0	0	1	12	45	2,801	2,859
F04-F09	Other organic mental disorders	16	29	28	41	60	85	1,569	1,828
F10	Mental and behavioural disorders due to use of alcohol	109	373	550	920	608	282	291	3,133
F11-F19	Mental and behavioural disorders due to other psychoactive substances use	27	982	887	462	133	48	100	2,639
F20	Schizophrenia	6	84	162	184	130	92	136	794
F20-F29	Other schizophrenic, schizotypal and delusional disorders	16	108	169	162	123	81	263	922
F30	Manic episode	0	12	24	14	28	24	21	123
F31	Bipolar affective disorders	3	63	115	163	139	96	163	742
F32-F33	Depressive disorders	62	604	1,160	1,232	930	536	1,678	6,203
F34-F39	Other mood (affective) disorders	1	14	34	42	55	16	32	194
F40-F48	Neurotic, stress-related and somatoform disorders	153	686	1,544	1,237	833	569	1,664	6,686
F50	Eating disorders	231	348	81	37	17	8	18	740
F51-F59	Other behavioural syndromes associated with physiological disturbances, physical factors	753	126	660	183	8	5	12	1,747
F60-F69	Disorders of adult personality and behaviour	25	136	157	96	53	17	20	504
F70-F79	Mental retardation	6	12	19	6	3	8	1	55
F80-F89	Disorders of psychological development	61	4	4	2	3	0	5	79
F90-F98	Disorders onset usually occurring in childhood or adolescence	158	29	7	10	7	3	16	230
F99	Mental disorder not otherwise specified	3	4	4	2	3	1	7	24
G30	Alzheimer's disease ^(b)	0	0	0	2	3	37	858	900
G47	Sleep disorders ^(b)	1,597	80	272	136	114	66	84	2,349
O99.3	Mental disorders & diseases of the nervous system complicating pregnancy, childbirth and the puerperium	0	557	928	236	0	0	0	1,721
R44	Other symptoms and signs involving general sensations and perceptions	4	7	8	7	2	4	51	83
R45	Symptoms and signs involving emotional state ^(b)	45	4	7	5	2	8	16	87
R48	Dyslexia and other symbolic dysfunctions not elsewhere classified	0	0	0	0	0	0	6	6
R68.1	Nonspecific symptoms peculiar to infancy	726	1	2	0	0	0	0	729
Z00.4	General psychiatric examination not elsewhere classified	1	2	8	0	4	1	1	17
Z03.2	Observation for suspected mental and behavioural disorder	7	1	2	0	1	0	1	12
Z50.2	Alcohol rehabilitation	0	3	7	5	4	1	1	21
Z50.3	Drug rehabilitation	0	7	8	6	1	3	0	25
Z63.8	Other specified problems related to primary support group	14	6	4	0	5	1	7	37
Z65.8	Other specified problems related to psychosocial circumstances	1	1	2	1	0	0	2	7
	Other factors influencing health status and contact with health services ^(c)	6	5	3	1	2	1	3	21
Total^(a)		4,031	4,288	6,856	5,193	3,283	2,038	9,827	35,517

(a) Includes separations for which sex and/or age were not reported.

(b) Not all codes in this group are included. See Appendix 2 for the list of included codes.

(c) Includes Z04.6, Z09.3, Z54.3, Z63.1, Z73.4.

Table 3.23a: Patient days for overnight mental health-related separations with specialised psychiatric care for male patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 1999-00

Principal diagnosis	Under 15						65 and over	Total ^(a)
	years	15-24	25-34	35-44	45-54	55-64		
F00-F03 Dementia	0	16	622	104	1,767	11,746	43,073	57,328
F04-F09 Other organic mental disorders	0	9,733	4,216	8,517	8,676	8,684	14,475	54,301
F10 Mental and behavioural disorders due to use of alcohol	3	1,043	3,079	10,120	13,946	47,295	39,684	115,170
F11-F19 Mental and behavioural disorders due to other psychoactive substances use	76	13,463	11,045	4,271	1,000	337	874	31,066
F20 Schizophrenia	285	134,363	161,638	131,333	73,292	33,006	39,573	573,490
F20-F29 Other schizophrenic, schizotypal and delusional disorders	551	22,149	25,079	17,690	17,543	5,782	8,207	97,001
F30 Manic episode	98	1,319	1,277	734	761	570	1,575	6,430
F31 Bipolar affective disorders	45	10,131	17,714	16,192	15,473	9,171	17,583	86,309
F32-F33 Depressive disorders	684	8,611	15,904	18,495	23,278	15,336	37,618	119,926
F34-F39 Other mood (affective) disorders	83	954	1,415	1,055	1,077	378	319	5,281
F40-F48 Neurotic, stress-related and somatoform disorders	1,558	5,978	10,150	9,514	19,937	5,563	4,752	57,452
F50 Eating disorders	209	608	171	16	44	0	0	1,048
F51-F59 Other behavioural syndromes associated with physiological disturbances, physical factors	0	24	43	50	48	45	19	229
F60-F69 Disorders of adult personality and behaviour	92	2,966	4,974	3,297	1,628	404	1,218	14,579
F70-F79 Mental retardation	28	941	16,512	16,385	14,855	7,737	2,628	59,086
F80-F89 Disorders of psychological development	569	776	120	29	43	511	3	2,051
F90-F98 Disorders onset usually occurring in childhood or adolescence	4,523	887	710	108	45	24	277	6,574
F99 Mental disorder not otherwise specified	15	35	175	73	53	48	509	908
G30 Alzheimer's disease ^(b)	0	0	0	0	108	3,611	20,617	24,336
G47 Sleep disorders ^(b)	0	43	9	10	19	25	18	124
R44 Other symptoms and signs involving general sensations and perceptions	0	17	383	9	3	0	0	412
R45 Symptoms and signs involving emotional state ^(b)	0	29	3	32	7	0	2	73
Z00.4 General psychiatric examination not elsewhere classified	15	423	158	70	69	0	1	736
Z03.2 Observation for suspected mental and behavioural disorder	10	74	100	23	2	1	3	213
Z50.2 Alcohol rehabilitation	0	14	135	914	76	0	6	1,145
Z50.3 Drug rehabilitation	0	242	296	269	27	0	0	834
Z63.8 Other specified problems related to primary support group	99	1	52	73	48	0	0	273
Z65.8 Other specified problems related to psychosocial circumstances	146	0	0	0	3	0	0	149
Z71.4 Counselling and surveillance for alcohol use disorder	0	0	25	3	0	0	0	28
Other factors influencing health status and contact with health services ^(c)	91	81	9	8	0	0	0	189
Other ^(d)	861	4,676	7,494	7,050	4,858	2,949	10,557	38,445
Not reported	0	1,061	929	1,446	452	2,304	5,468	11,660
Total^(a)	10,041	220,658	284,437	247,890	199,138	155,527	249,059	1,366,846

(a) Includes separations for which sex and/or age were not reported.

(b) Not all codes in this group are included. See Appendix 2 for the list of included codes.

(c) Includes Z04.6, Z09.3, Z54.3, Z63.1, Z73.4.

(d) All other diagnoses.

Table 3.23b: Patient days for mental health-related overnight separations without specialised psychiatric care for male patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 1999-00

Principal diagnosis	Under 15	15-24	25-34	35-44	45-54	55-64	65 and	Total ^(a)
	years						over	
F00-F03 Dementia	0	14	0	103	151	2,563	64,421	67,252
F04-F09 Other organic mental disorders	57	218	838	409	1,497	1,158	17,636	21,813
F10 Mental and behavioural disorders due to use of alcohol	98	1,341	4,453	9,563	9,892	7,149	11,766	44,262
F11-F19 Mental and behavioural disorders due to other psychoactive substances use	116	5,928	5,924	3,726	1,164	204	375	17,437
F20 Schizophrenia	20	1,923	2,949	1,786	1,063	743	3,054	11,538
F20-F29 Other schizophrenic schizotypal delusional disorders	62	714	882	879	587	430	2,170	5,724
F30 Manic episode	0	82	96	37	48	46	119	428
F31 Bipolar affective disorders	23	255	714	722	719	821	834	4,088
F32-F33 Depressive disorders	175	1,207	2,239	4,191	4,249	2,793	13,059	27,913
F34-F39 Other mood (affective) disorders	0	95	82	121	261	71	46	676
F40-F48 Neurotic, stress-related and somatoform disorders	352	787	2,344	2,766	11,922	3,944	6,533	28,648
F50 Eating disorders	276	380	132	11	6	4	134	943
F51-F59 Other behavioural syndromes associated with physiological disturbances, physical factors	4,449	31	25	17	61	58	91	4,732
F60-F69 Disorders of adult personality and behaviour	95	151	488	428	333	121	530	2,146
F70-F79 Mental retardation	42	3	39	40	36	40	2,093	2,293
F80-F89 Disorders of psychological development	2,019	20	15	96	8	22	84	2,264
F90-F98 Disorders onset usually occurring in childhood or adolescence	1,110	204	19	106	13	35	487	1,974
F99 Mental disorder not otherwise specified	1	5	6	3	40	0	23	78
G30 Alzheimer's disease ^(b)	0	0	0	0	75	534	18,369	18,978
G47 Sleep disorders ^(b)	7,518	65	141	132	253	210	315	8,634
R44 Other symptoms and signs involving general sensations and perceptions	4	16	11	20	49	42	356	498
R45 Symptoms and signs involving emotional state ^(c)	126	37	10	52	7	29	153	414
R48 Dyslexia and other symbolic dysfunctions not elsewhere classified	0	0	0	0	5	0	35	40
R68.1 Nonspecific symptoms peculiar to infancy	3,850	0	0	0	0	0	0	3,850
Z00.4 General psychiatric examination not elsewhere classified	0	4	18	3	2	0	1	28
Z03.2 Observation for suspected mental and behavioural disorder	37	6	4	1	0	0	13	61
Z50.2 Alcohol rehabilitation	0	6	102	83	172	37	19	419
Z50.3 Drug rehabilitation	0	47	123	62	6	11	0	249
Z63.8 Other specified problems related to primary support group	58	0	4	13	0	5	9	89
Z65.8 Other specified problems related to psychosocial circumstances	0	0	0	1	10	2	4	17
Z71.4 Counselling and surveillance for alcohol use disorder	0	2	0	0	0	0	0	2
Other factors influencing health status and contact with health services ^(c)	13	2	0	0	1	0	15	31
Total^(a)	20,501	13,543	21,658	25,371	32,630	21,072	142,744	277,519

(a) Includes separations for which sex and/or age were not reported.

(b) Not all codes in this group are included. See Appendix 2 for the list of included codes.

(c) Includes Z04.6, Z09.3, Z54.3, Z63.1, Z73.4.

Table 3.24a: Patient days for overnight mental health-related separations with specialised psychiatric care for female patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 1999-00

Principal diagnosis	Under 15	15-24	25-34	35-44	45-54	55-64	65 and	Total ^(a)
	years						over	
F00-F03 Dementia	0	35	82	155	1,346	2,970	44,124	48,712
F04-F09 Other organic mental disorders	37	483	629	20,356	780	5,714	8,469	36,468
F10 Mental and behavioural disorders due to use of alcohol	5	576	1,592	3,896	4,876	2,459	4,753	18,157
F11-F19 Mental and behavioural disorders due to other psychoactive substances use	94	6,782	5,465	2,995	720	303	414	16,773
F20 Schizophrenia	274	30,063	58,123	43,866	68,427	23,489	42,007	266,249
F20-F29 Other schizophrenic, schizotypal and delusional disorders	267	11,511	18,878	27,322	22,222	7,408	16,538	104,146
F30 Manic episode	59	1,307	1,334	1,319	820	454	1,245	6,538
F31 Bipolar affective disorders	207	11,131	19,074	20,022	21,482	15,451	27,753	115,120
F32-F33 Depressive disorders	1,226	16,362	27,623	38,921	38,542	21,055	69,457	213,186
F34-F39 Other mood (affective) disorders	290	2,008	2,201	2,739	2,143	822	933	11,136
F40-F48 Neurotic, stress-related and somatoform disorders	2,597	11,568	15,301	15,330	11,289	4,352	7,933	68,370
F50 Eating disorders	1,973	17,131	5,122	2,147	876	113	9	27,371
F51-F59 Other behavioural syndromes associated with physiological disturbances, physical factors	12	769	3,768	1,526	36	12	28	6,151
F60-F69 Disorders of adult personality and behaviour	151	11,958	10,510	6,766	2,757	556	7,421	40,119
F70-F79 Mental retardation	25	97	1,972	2,066	6,436	4	1,468	12,068
F80-F89 Disorders of psychological development	136	70	39	588	83	19	0	935
F90-F98 Disorders onset usually occurring in childhood or adolescence	1,216	704	51	66	307	0	126	2,470
F99 Mental disorder not otherwise specified	33	40	165	115	61	21	322	757
G30 Alzheimer's disease ^(b)	0	0	0	0	70	2,577	12,411	15,058
G47 Sleep disorders ^(b)	0	0	17	10	5	6	2	40
O99.3 Mental disorders & diseases of the nervous system complicating pregnancy, childbirth and the puerperium	0	267	830	138	0	0	0	1,235
R44 Other symptoms and signs involving general sensations and perceptions	0	2	17	53	29	0	38	139
R45 Symptoms and signs involving emotional state ^(d)	0	10	2	12	0	0	107	131
Z00.4 General psychiatric examination not elsewhere classified	38	13	40	37	3	65	35	937
Z03.2 Observation for suspected mental and behavioural disorder	2	7	15	20	5	0	4	53
Z50.2 Alcohol rehabilitation	0	23	33	95	6	0	0	157
Z50.3 Drug rehabilitation	0	151	57	107	73	0	0	388
Z63.8 Other specified problems related to primary support group	59	14	146	129	36	6	0	390
Z65.8 Other specified problems related to psychosocial circumstances	168	12	0	0	0	0	0	180
Z71.4 Counselling and surveillance for alcohol use disorder	0	0	0	0	95	0	0	95
Other factors influencing health status and contact with health services ^(c)	50	51	4	0	1	0	0	106
Other ^(d)	787	2,805	6,117	4,728	4,827	6,661	7,870	33,795
Missing	1	392	722	1,912	869	449	3,835	8,180
Total^(a)	9,707	126,342	179,929	197,436	189,222	94,966	257,302	1,055,610

(a) Includes separations for which sex and/or age were not reported

(b) Not all codes in this group are included. See Appendix 2 for the list of included codes.

(c) Includes Z04.6, Z09.3, Z54.3, Z63.1, Z73.4.

(d) All other diagnoses.

Table 3.24b: Patient days for mental health-related overnight separations without specialised psychiatric care for female patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 1999-00

Principal diagnosis		Under 15	15-24	25-34	35-44	45-54	55-64	65 and	Total ^(a)
		years						over	
F00-F03	Dementia	0	0	0	7	309	935	107,678	108,929
F04-F09	Other organic mental disorders	56	84	67	255	300	787	23,290	24,839
F10	Mental and behavioural disorders due to use of alcohol	130	1,008	2,436	5,043	3,960	2,443	2,325	17,345
F11-F19	Mental and behavioural disorders due to other psychoactive substances use	98	3,993	4,099	2,857	925	384	962	13,318
F20	Schizophrenia	48	677	1,278	1,281	1,647	768	4,940	10,639
F20-F29	Other schizophrenic, schizotypal and delusional disorders	77	558	1,241	1,175	1,116	789	3,665	8,621
F30	Manic episode	0	86	106	106	147	183	206	834
F31	Bipolar affective disorders	10	478	798	1,151	1,342	1,206	3,053	8,038
F32-F33	Depressive disorders	370	2,970	7,001	9,184	7,910	5,308	28,105	60,849
F34-F39	Other mood (affective) disorders	2	108	301	277	673	236	432	2,029
F40-F48	Neurotic, stress-related and somatoform disorders	660	2,343	5,732	5,702	4,906	3,127	12,580	35,050
F50	Eating disorders	6,016	6,847	738	565	285	156	246	14,853
F51-F59	Other behavioural syndromes associated with physiological disturbances, physical factors	3,486	679	3,479	937	40	22	83	8,726
F60-F69	Disorders of adult personality and behaviour	128	587	607	533	274	148	200	2,477
F70-F79	Mental retardation	27	58	72	19	1,623	105	21	1,925
F80-F89	Disorders of psychological development	1,219	21	52	290	20	0	48	1,650
F90-F98	Disorders onset usually occurring in childhood or adolescence	552	184	46	53	41	9	251	1,136
F99	Mental disorder not otherwise specified	7	8	8	3	12	42	31	111
G30	Alzheimer's disease ^(b)	0	0	0	59	19	3,118	37,537	40,733
G47	Sleep disorders ^(b)	5,488	187	791	331	128	87	145	7,157
O99.3	Mental disorders & diseases of the nervous system complicating pregnancy, childbirth and the puerperium	0	2,175	3,750	986	0	0	0	6,911
R44	Other symptoms and signs involving general sensations and perceptions	6	10	17	14	5	33	541	626
R45	Symptoms and signs involving emotional state ^(b)	115	6	13	12	2	30	120	298
R48	Dyslexia and other symbolic dysfunctions not elsewhere classified	0	0	0	0	0	0	75	75
R68.1	Nonspecific symptoms peculiar to infancy	3,047	11	9	0	0	0	0	3,067
Z00.4	General psychiatric examination not elsewhere classified	6	4	50	0	13	1	9	83
Z03.2	Observation for suspected mental and behavioural disorder	16	1	2	0	1	0	6	26
Z50.2	Alcohol rehabilitation	0	15	23	23	26	3	7	97
Z50.3	Drug rehabilitation	0	24	37	52	4	17	0	134
Z63.8	Other specified problems related to primary support group	40	12	5	0	10	1	57	125
Z65.8	Other specified problems related to psychosocial circumstances	1	2	2	1	0	0	37	43
	Other factors influencing health status and contact with health services ^(c)	42	11	43	7	2	1	68	174
Total^(a)		21,647	23,147	32,803	30,923	25,740	19,939	226,718	380,918

(a) Includes separations for which sex and/or age were not reported.

(b) Not all codes in this group are included. See Appendix 2 for the list of included codes.

(c) Includes Z04.6, Z09.3, Z54.3, Z63.1, Z73.4.

Table 3.25: Psychiatric care days for overnight mental health-related separations with specialised psychiatric care for male patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 1999-00

Principal diagnosis	Under 15	15-24	25-34	35-44	45-54	55-64	65 and over	Total ^(a)
	years							
F00-F03 Dementia	0	16	622	104	1,736	11,734	42,738	56,950
F04-F09 Other organic mental disorders	0	9,732	4,210	8,448	8,662	8,646	13,948	53,646
F10 Mental and behavioural disorders due to use of alcohol	3	1,036	2,993	10,028	13,838	47,272	39,562	114,732
F11-F19 Mental and behavioural disorders due to other psychoactive substances use	76	13,374	10,918	4,257	990	335	874	30,824
F20 Schizophrenia	285	120,683	158,169	130,835	71,527	29,075	37,975	548,645
F20-F29 Other schizophrenic, schizotypal and delusional disorders	541	22,051	25,008	17,606	17,484	5,718	7,991	96,399
F30 Manic episode	98	1,316	1,274	721	756	569	1,572	6,306
F31 Bipolar affective disorders	45	10,040	17,612	16,146	15,360	9,094	17,514	85,811
F32-F33 Depressive disorders	682	8,536	15,787	18,352	22,953	15,084	36,809	118,203
F34-F39 Other mood (affective) disorders	83	943	1,386	1,048	1,068	373	315	5,216
F40-F48 Neurotic, stress-related and somatoform disorders	1,493	5,948	10,073	9,429	19,741	5,478	4,684	56,846
F50 Eating disorders	209	537	171	16	44	0	0	977
F51-F59 Other behavioural syndromes associated with physiological disturbances, physical factors	0	24	43	50	48	45	7	217
F60-F69 Disorders of adult personality and behaviour	92	2,948	4,913	3,265	1,604	369	1,196	14,387
F70-F79 Mental retardation	28	940	16,502	16,385	14,854	7,737	2,628	59,074
F80-F89 Disorders of psychological development	554	776	119	29	43	511	3	2,035
F90-F98 Disorders onset usually occurring in childhood or adolescence	4,518	883	710	108	45	24	277	6,565
F99 Mental disorder not otherwise specified	15	31	175	73	53	48	509	904
G30 Alzheimer's disease ^(b)	0	0	0	0	89	3,510	19,310	22,909
G47 Sleep disorders ^(b)	0	43	9	10	19	25	18	124
R44 Other symptoms and signs involving general sensations and perceptions	0	17	383	9	3	0	0	412
R45 Symptoms and signs involving emotional state ^(b)	0	29	3	32	7	0	2	73
Z00.4 General psychiatric examination not elsewhere classified	15	423	158	70	69	0	1	736
Z03.2 Observation for suspected mental and behavioural disorder	10	74	99	23	2	1	3	212
Z50.2 Alcohol rehabilitation	0	14	135	877	76	0	6	1,108
Z50.3 Drug rehabilitation	0	242	296	265	26	0	0	829
Z63.8 Other specified problems related to primary support group	99	1	52	73	48	0	0	273
Z65.8 Other specified problems related to psychosocial circumstances	146	0	0	0	3	0	0	149
Z71.4 Counselling and surveillance for alcohol use disorder	0	0	25	3	0	0	0	28
Other factors influencing health status and contact with health services ^(c)	91	81	9	8	0	0	0	189
Other ^(d)	835	4,436	7,190	6,770	4,413	2,705	7,660	34,009
Not reported	0	1,061	929	1,446	452	2,304	5,468	11,660
Total^(a)	9,918	206,235	279,973	246,486	196,013	150,657	241,070	1,330,448

(a) Includes separations for which sex and/or age were not reported.

(b) Not all codes in this group are included. See Appendix 2 for the list of included codes.

(c) Includes Z04.6, Z09.3, Z54.3, Z63.1, Z73.4.

(d) All other diagnoses.

Table 3.26: Psychiatric care days for overnight mental health-related separations with specialised psychiatric care for female patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 1999–00

Principal diagnosis		Under 15	15–24	25–34	35–44	45–54	55–64	65 and over	Total ^(a)
		years							
F00–F03	Dementia	0	35	82	155	1,346	2,717	43,903	48,238
F04–F09	Other organic mental disorders	37	476	629	20,339	763	5,713	8,119	36,076
F10	Mental and behavioural disorders due to use of alcohol	5	572	1,560	3,829	4,854	2,448	4,751	18,019
F11–F19	Mental and behavioural disorders due to other psychoactive substances use	94	6,569	5,412	2,972	718	290	413	16,468
F20	Schizophrenia	274	28,794	57,993	43,773	68,143	23,409	41,885	264,271
F20–F29	Other schizophrenic, schizotypal and delusional disorders	267	11,456	18,820	21,272	22,115	7,388	16,477	97,795
F30	Manic episode	59	1,278	1,318	1,313	812	452	1,240	6,472
F31	Bipolar affective disorders	207	11,061	19,020	19,905	21,381	15,311	27,207	114,092
F32–F33	Depressive disorders	1,169	16,238	27,298	38,595	38,240	20,785	68,236	210,561
F34–F39	Other mood (affective) disorders	288	1,987	2,164	2,722	2,134	822	931	11,048
F40–F48	Neurotic, stress-related and somatoform disorders	2,534	11,040	15,050	15,200	11,132	4,337	7,870	67,163
F50	Eating disorders	1,973	16,678	5,090	2,133	874	103	9	26,860
F51–F59	Other behavioural syndromes associated with physiological disturbances, physical	12	761	3,764	1,525	36	12	28	6,138
F60–F69	Disorders of adult personality and behaviour	150	11,853	10,427	6,702	2,749	548	7,419	39,848
F70–F79	Mental retardation	25	97	1,970	2,060	6,433	4	1,468	12,057
F80–F89	Disorders of psychological development	136	68	39	588	83	19	0	933
F90–F98	Disorders onset usually occurring in childhood or adolescence	1,193	701	51	64	307	0	123	2,439
F99	Mental disorder not otherwise specified	33	40	165	115	61	21	322	757
G30	Alzheimer's disease ^(c)	0	0	0	0	70	2,577	12,344	14,991
G47	Sleep disorders ^(c)	0	0	17	10	5	6	2	40
O99.3	Mental disorders & diseases of the nervous system complicating pregnancy, childbirth and the puerperium	0	251	816	115	0	0	0	1,182
R44	Other symptoms and signs involving general sensations and perceptions	0	2	17	53	29	0	38	139
R45	Symptoms and signs involving emotional state ^(c)	0	10	2	12	0	0	107	131
Z00.4	General psychiatric examination not elsewhere classified	38	13	40	37	3	65	35	937
Z03.2	Observation for suspected mental and behavioural disorder	2	7	15	20	5	0	4	53
Z50.2	Alcohol rehabilitation	0	23	33	94	6	0	0	156
Z50.3	Drug rehabilitation	0	151	56	106	72	0	0	385
Z63.8	Other specified problems related to primary support group	59	14	146	129	36	5	0	389
Z65.8	Other specified problems related to psychosocial circumstances	168	10	0	0	0	0	0	178
Z71.4	Counselling and surveillance for alcohol use disorder	0	0	0	0	95	0	0	95
	Other factors influencing health status and contact with health services ^(c)	50	51	4	0	1	0	0	106
	Other ^(d)	776	2,592	5,670	4,397	4,496	6,602	7,077	31,610
	Not reported	1	392	722	1,912	869	449	3,835	8,180
	Total^(a)	9,550	123,220	178,390	190,147	187,868	94,083	253,843	1,037,807

(a) Includes separations for which sex and/or age were not reported.

(b) Not all codes in this group are included. See Appendix 2 for the list of included codes.

(c) Includes Z04.6, Z09.3, Z54.3, Z63.1, Z73.4.

(d) All other diagnoses.

Table 3.27: Mental health-related separations reported for Aboriginal and Torres Strait Islander patients, by principal diagnosis in ICD-10-AM groupings, Australia, 1999–00

Principal diagnosis	Separations with specialised psychiatric care					Other mental health-related separations				
	Same day	Overnight	Total	Patient days	Psychiatric	Same day	Overnight	Total	Patient days	
					care days					
F00–F03 Dementia	0	6	6	324	324	1	49	50	2,214	
F04–F09 Other organic mental disorders	4	50	50	8,214	8,208	13	44	57	282	
F10 Mental and behavioural disorders due to use of alcohol	36	207	207	2,960	2,955	457	1,459	1,916	4,406	
F11–F19 Mental & behav disorders due to other psychoactive subst use	19	343	343	3,036	2,984	58	342	400	1,171	
F20 Schizophrenia	30	714	714	30,700	30,643	68	242	310	1,088	
F20–F29 Other schizophrenic, schizotypal and delusional disorders	16	375	375	5,768	5,726	72	151	223	661	
F30 Manic episode	0	32	32	460	459	1	13	14	77	
F31 Bipolar affective disorders	4	219	219	3,756	3,711	18	36	54	230	
F32–F33 Depressive disorders	65	331	331	3,864	3,805	104	452	556	1,887	
F34–F39 Other mood (affective) disorders	1	39	39	270	259	2	6	8	24	
F40–F48 Neurotic, stress-related and somatoform disorders	68	399	399	2,219	2,201	98	400	498	1,271	
F50 Eating disorders	7	5	5	222	210	0	7	7	68	
F51–F59 Other behav syndromes associated w phys dist & phys factors	0	10	10	81	81	4	26	30	112	
F60–F69 Disorders of adult personality and behaviour	13	151	151	1,995	1,994	19	28	47	126	
F70–F79 Mental retardation	0	10	10	122	122	1	3	4	7	
F80–F89 Disorders of psychological development	0	2	2	21	21	10	9	19	243	
F90–F98 Disorders onset usually occurring in childhood or adolescence	209	28	28	425	423	7	25	32	132	
F99 Mental disorder not otherwise specified	3	0	0	3	3	5	4	9	14	
G30 Alzheimer's disease ^(a)	0	1	1	15	15	0	6	6	133	
G47 Sleep disorders ^(a)	0	0	0	0	0	3	21	24	68	
O99.3 Mental disorders & dis of the nerv sys complic preg, child & puerp	0	5	5	23	23	22	132	154	540	
R44 Other symptoms and signs involving general sensations and perceptions	0	4	4	7	7	1	8	9	13	
R45 Symptoms and signs involving emotional state ^(a)	1	1	1	2	2	3	12	15	34	
R68.1 Nonspecific symptoms peculiar to infancy	0	0	0	0	0	3	26	29	88	
Z00.4 General psychiatric examination not elsewhere classified	1	1	1	3	3	2	0	2	2	
Z03.2 Observation for suspected mental and behavioural disorder	2	5	5	81	81	1	3	4	4	
Z50.2 Alcohol rehabilitation	0	1	1	559	559	1	33	34	137	
Z50.3 Drug rehabilitation	0	0	0	0	0	2	6	8	15	
Z63.8 Other specified problems related to primary support group	1	9	9	37	37	8	17	25	41	
Z65.8 Other specified problems related to psychosocial circumstances	9	3	3	21	21	0	2	2	2	
Other factors influencing health status and contact with health services ^(c)	1	1	1	7	7	0	2	2	2	
Other ^(c)	12	113	113	2,099	1,932	
Not reported	1	139	140	9,237	9,237	0	0	0	0	
Total	503	3,204	3,205	76,531	76,053	984	3,564	4,548	15,092	

(a) Not all codes in this group are included. See Appendix 2 for the list of included codes.

(b) Includes Z04.6, Z09.3, Z54.3, Z63.1, Z73.4.

(c) All other diagnoses.

.. Not applicable.

Note: Abbreviations; behav—behavioural, subst—substances, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium.

Table 3.28: Separations with specialised psychiatric care by mental health legal status and principal diagnosis in ICD-10-AM groupings, public acute hospitals, Australia, 1999–00

Principal diagnosis	Involuntary		Voluntary		Not reported		Total	
	Same day	Overnight	Same day	Overnight	Same day	Overnight	Same day	Overnight
F00–F03 Dementia	6	214	110	480	20	114	136	808
F04–F09 Other organic mental disorders	10	240	130	356	6	122	146	718
F10 Mental and behavioural disorders due to use of alcohol	116	398	404	762	144	336	664	1,496
F11–F19 Mental and behavioural disorders due to other psychoactive substances use	82	1,195	238	1,180	32	676	352	3,051
F20 Schizophrenia	377	6,362	1,361	5,260	148	2,755	1,886	14,377
F20–F29 Other schizophrenic, schizotypal and delusional disorders	146	2,725	802	2,624	277	1,441	1,225	6,790
F30 Manic episode	12	218	10	206	5	163	27	587
F31 Bipolar affective disorders	173	2,498	1,255	2,657	142	1,249	1,570	6,404
F32–F33 Depressive disorders	326	2,012	5,221	6,723	1,157	1,989	6,704	10,724
F34–F39 Other mood (affective) disorders	19	181	610	713	51	190	680	1,084
F40–F48 Neurotic, stress-related and somatoform disorders	273	1,398	3,520	5,347	598	1,148	4,391	7,893
F50 Eating disorders	16	94	1,035	381	110	82	1,161	557
F51–F59 Other behavioural syndromes associated with physiological disturbances, physical factors	3	52	68	173	16	31	87	256
F60–F69 Disorders of adult personality and behaviour	94	871	1,279	2,225	102	553	1,475	3,649
F70–F79 Mental retardation	4	32	15	59	6	28	25	119
F80–F89 Disorders of psychological development	1	25	7	67	64	14	72	106
F90–F98 Disorders onset usually occurring in childhood or adolescence	12	83	1,851	503	933	96	2,796	682
F99 Mental disorder not otherwise specified	1	31	2	24	2	9	5	64
G30 Alzheimer's disease ^(a)	0	126	15	220	2	45	17	391
G47 Sleep disorders ^(a)	0	1	2	5	0	0	2	6
O99.3 Mental disorders & diseases of the nervous system complicating pregnancy, childbirth and the puerperium	2	33	2	33	0	22	4	88
R44 Other symptoms and signs involving general sensations and perceptions	2	5	6	22	0	3	8	30
R45 Symptoms and signs involving emotional state ^(a)	5	7	5	9	1	5	11	21
Z00.4 General psychiatric examination not elsewhere classified	7	11	80	21	4	13	91	45
Z03.2 Observation for suspected mental and behavioural disorder	6	12	6	14	6	19	18	45
Z50.3 Drug rehabilitation	0	0	0	0	0	1	0	1
Z63.8 Other specified problems related to primary support group	0	1	114	125	2	11	116	137
Z65.8 Other specified problems related to psychosocial circumstances	0	0	163	78	1	7	164	85
Other factors influencing health status and contact with health services ^(b)	1	4	6	17	1	1	8	22
Other ^(c)	72	655	283	1,472	97	767	452	2,894
Not reported	13	269	10	236	0	0	23	505
Total	1,779	19,753	18,610	31,992	3,927	11,890	24,316	63,635

(a) Not all codes in this group are included. See Appendix 2 for the list of included codes.

(b) Includes Z04.6, Z09.3, Z54.3, Z63.1, Z73.4.

(c) All other diagnoses.

Table 3.29: Separations with specialised psychiatric care by mental health legal status and principal diagnosis in ICD-10-AM groupings, private hospitals, Australia, 1999–00

Principal diagnosis	Involuntary		Voluntary		Not reported		Total	
	Same day	Overnight	Same day	Overnight	Same day	Overnight	Same day	Overnight
F00–F03 Dementia	0	3	8	72	3	63	11	138
F04–F09 Other organic mental disorders	0	7	26	133	13	80	39	220
F10 Mental and behavioural disorders due to use of alcohol	483	207	1,072	727	1,358	858	2,913	1,792
F11–F19 Mental and behavioural disorders due to other psychoactive substances use	195	181	248	476	553	772	996	1,429
F20 Schizophrenia	43	64	1,126	501	1,675	399	2,844	964
F20–F29 Other schizophrenic, schizotypal and delusional disorders	43	99	542	432	1,040	399	1,625	930
F30 Manic episode	0	8	13	38	2	35	15	81
F31 Bipolar affective disorders	131	116	630	803	1,249	678	2,010	1,597
F32–F33 Depressive disorders	948	429	7,326	3,811	9,799	3,097	18,073	7,337
F34–F39 Other mood (affective) disorders	68	22	832	202	346	154	1,246	378
F40–F48 Neurotic, stress-related and somatoform disorders	268	135	5,702	2,215	4,619	1,298	10,589	3,648
F50 Eating disorders	119	76	1,674	226	984	113	2,777	415
F51–F59 Other behavioural syndromes associated with physiological disturbances, physical factors	1	0	271	52	53	111	325	163
F60–F69 Disorders of adult personality and behaviour	1	11	642	262	642	215	1,285	488
F70–F79 Mental retardation	0	0	0	0	0	2	0	2
F80–F89 Disorders of psychological development	0	0	0	9	44	4	44	13
F90–F98 Disorders onset usually occurring in childhood or adolescence	0	2	53	16	256	8	309	26
F99 Mental disorder not otherwise specified	4	4	0	0	0	0	4	4
G30 Alzheimer's disease ^(a)	0	0	0	47	2	24	2	71
G47 Sleep disorders ^(a)	0	0	0	4	0	67	0	71
O99.3 Mental disorders & diseases of the nervous system complicating pregnancy, childbirth and the puerperium	0	0	9	2	0	6	9	8
R44 Other symptoms and signs involving general sensations and perceptions	0	0	0	2	0	0	0	2
R45 Symptoms and signs involving emotional state ^(a)	0	0	11	2	0	1	11	3
Z00.4 General psychiatric examination not elsewhere classified	0	0	0	0	0	1	0	1
Z03.2 Observation for suspected mental and behavioural disorder	0	0	0	1	0	0	0	1
Z50.2 Alcohol rehabilitation	0	0	22	5	0	0	22	5
Z63.8 Other specified problems related to primary support group	0	0	2	0	0	0	2	0
Z71.4 Counselling and surveillance for alcohol use disorder	0	0	92	4	0	0	92	4
Other factors influencing health status and contact with health services ^(b)	0	0	17	1	0	0	17	1
Other ^(c)	0	8	78	177	184	146	262	331
Not reported	0	0	0	0	2	3	2	3
Total	2,304	1,372	20,396	10,220	22,824	8,534	45,524	20,126

(a) Not all codes in this group are included. See Appendix 2 for the list of included codes.

(b) Includes Z04.6, Z09.3, Z54.3, Z63.1, Z73.4.

(c) All other diagnoses.

Table 3.30: Separations with specialised psychiatric care by mental health legal status and principal diagnosis in ICD-10-AM groupings, public psychiatric hospitals, Australia, 1999-00

Principal diagnosis	Involuntary		Voluntary		Not reported		Total	
	Same day	Overnight	Same day	Overnight	Same day	Overnight	Same day	Overnight
F00-F03 Dementia	1	180	2	276	0	6	3	462
F04-F09 Other organic mental disorders	6	169	4	87	42	3	52	259
F10 Mental and behavioural disorders due to use of alcohol	36	382	24	354	2	17	62	753
F11-F19 Mental and behavioural disorders due to other psychoactive substances use	34	879	59	644	8	26	101	1,549
F20 Schizophrenia	22	2,443	24	1,324	233	70	279	3,837
F20-F29 Other schizophrenic, schizotypal and delusional disorders	17	1,049	8	566	210	41	235	1,656
F30 Manic episode	0	103	11	42	0	2	11	147
F31 Bipolar affective disorders	17	983	25	488	176	18	218	1,489
F32-F33 Depressive disorders	30	731	100	740	615	61	745	1,532
F34-F39 Other mood (affective) disorders	6	84	6	83	20	10	32	177
F40-F48 Neurotic, stress-related and somatoform disorders	69	873	46	626	152	158	267	1,657
F50 Eating disorders	0	2	0	7	0	0	0	9
F51-F59 Other behavioural syndromes associated with physiological disturbances, physical factors	0	15	0	7	0	1	0	23
F60-F69 Disorders of adult personality and behaviour	39	681	9	354	0	9	48	1,044
F70-F79 Mental retardation	1	46	1	26	0	0	2	72
F80-F89 Disorders of psychological development	0	15	0	10	0	2	0	27
F90-F98 Disorders onset usually occurring in childhood or adolescence	8	38	2	49	216	9	226	96
F99 Mental disorder not otherwise specified	0	11	0	27	0	0	0	38
G30 Alzheimer's disease ^(a)	0	36	0	41	0	2	0	79
O99.3 Mental disorders & diseases of the nervous system complicating pregnancy, childbirth and the puerperium	0	0	0	1	0	0	0	1
R44 Other symptoms and signs involving general sensations and perceptions	0	0	1	0	37	0	38	0
R45 Symptoms and signs involving emotional state ^(a)	0	0	0	1	0	0	0	1
Z00.4 General psychiatric examination not elsewhere classified	0	34	0	0	0	0	0	34
Z03.2 Observation for suspected mental and behavioural disorder	0	3	0	1	0	0	0	4
Z50.2 Alcohol rehabilitation	0	16	0	17	0	2	0	35
Z50.3 Drug rehabilitation	0	25	5	45	0	2	5	72
Z63.8 Other specified problems related to primary support group	1	1	0	0	0	0	1	1
Z71.4 Counselling and surveillance for alcohol use disorder	0	0	0	1	0	0	0	1
Other factors influencing health status and contact with health services ^(b)	0	8	0	0	0	0	0	8
Other ^(c)	15	168	3	136	36	8	54	312
Not reported	0	83	0	110	0	0	0	193
Total	302	9,058	330	6,063	1,747	447	2,379	15,568

(a) Not all codes in this group are included. See Appendix 2 for the list of included codes.

(b) Includes Z04.6, Z09.3, Z54.3, Z63.1, Z73.4.

(c) All other diagnoses.

Table 3.31: Separations, patient days and psychiatric care days for separations with a principal diagnosis of a mental or behavioural disorder due to psychoactive substances use and an additional diagnosis of another mental health-related condition, Australia, 1999–00

Additional diagnosis	Separations with specialised psychiatric care					Average length of stay (overnight)	Average psychiatric care days per separation (overnight)
	Same day	Overnight	Total	Patient days	Psychiatric care days		
F00–F03 Dementia	1	9	10	676	676	75.0	75.0
F04–F09 Other organic mental disorders	5	57	62	9,445	9,382	165.6	164.5
F20 Schizophrenia	26	236	262	2,741	2,734	11.5	11.5
F20–F29 Other schizophrenic, schizotypal and delusional disorders	60	138	198	1,511	1,508	10.5	10.5
F30 Manic episode	1	25	26	301	300	12.0	12.0
F31 Bipolar affective disorders	19	117	136	1,243	1,233	10.5	10.4
F32–F33 Depressive disorders	400	635	1,035	8,275	8,221	12.4	12.3
F34–F39 Other mood (affective) disorders	66	109	175	1,240	1,232	10.8	10.7
F40–F48 Neurotic, stress-related and somatoform disorders	413	569	982	22,586	22,562	39.0	38.9
F50 Eating disorders	47	29	76	551	397	17.4	12.1
F51–F59 Other behavioural syndromes associated with physiological disturbances, physical factors	41	67	108	504	502	6.9	6.9
F60–F69 Disorders of adult personality and behaviour	114	568	682	11,406	11,364	19.9	19.8
F70–F79 Mental retardation	3	13	16	106	106	7.9	7.9
F80–F89 Disorders of psychological development	0	11	11	102	101	9.3	9.2
F90–F98 Disorders onset usually occurring in childhood or adolescence	5	78	83	1,231	1,231	15.7	15.7
G47 Sleep disorders ^(a)	1	10	11	72	67	7.1	6.6
O99.3 Mental disorders & diseases of the nervous system complicating pregnancy, childbirth and the puerperium	0	1	1	8	8	8.0	8.0
R44 Other symptoms and signs involving general sensations and perceptions	2	23	25	149	149	6.4	6.4
R45 Symptoms and signs involving emotional state ^(a)	5	10	15	69	69	6.4	6.4
R48 Dyslexia and other symbolic dysfunctions not elsewhere classified	0	1	1	7	7	7.0	7.0
Z00.4 General psychiatric examination not elsewhere classified	1	2	3	3	3	1.0	1.0
Z03.2 Observation for suspected mental and behavioural disorder	2	1	3	4	4	2.0	2.0
Z50.2 Alcohol rehabilitation	0	8	8	94	94	11.8	11.8
Z50.3 Drug rehabilitation	0	3	3	29	29	9.7	9.7
Z71.4 Counselling and surveillance for alcohol use disorder	53	17	70	264	263	12.4	12.4
Other factors influencing health status and contact with health services ^(b)	16	11	27	154	154	12.5	12.5
Total	1,281	2,748	4,029	62,771	62,396	22.4	22.2

(a) Not all codes in this group are included. See Appendix 2 for the list of included codes.

(b) Includes Z04.6, Z09.3, Z54.3, Z63.1, Z73.4.

Table 3.32: Separations, patient days and psychiatric care days for separations with a mental health-related principal diagnosis (excluding disorders due to psychoactive substances use) and an additional diagnosis of a mental or behavioural disorder due to psychoactive substance use, Australia, 1999–00

Additional diagnosis	Separations with specialised psychiatric care					Average length of stay (overnight)	Average psychiatric care days per separation (overnight)
	Same day	Overnight	Total	Patient days	Psychiatric care days		
F00–F03 Dementia	0	43	43	1,651	1,643	38.4	38.2
F04–F09 Other organic mental disorders	10	186	196	8,460	8,417	45.4	45.2
F20 Schizophrenia	243	4,343	4,586	101,389	100,879	23.3	23.2
F20–F29 Other schizophrenic, schizotypal and delusional disorders	182	1,914	2,096	29,881	29,769	15.5	15.5
F30 Manic episode	8	193	201	2,563	2,539	13.2	13.1
F31 Bipolar affective disorders	120	1,809	1,929	35,241	35,015	19.4	19.3
F32–F33 Depressive disorders	840	2,297	3,137	30,293	29,771	12.8	12.6
F34–F39 Other mood (affective) disorders	161	327	488	2,732	2,701	7.9	7.8
F40–F48 Neurotic, stress-related and somatoform disorders	1,305	2,210	3,515	17,580	17,067	7.4	7.1
F50 Eating disorders	0	38	38	823	820	21.7	21.6
F51–F59 Other behavioural syndromes associated with physiological disturbances, physical factors	2	26	28	168	167	6.4	6.3
F60–F69 Disorders of adult personality and behaviour	155	1,127	1,282	8,353	8,258	7.3	7.2
F70–F79 Mental retardation	0	2	2	8	8	4.0	4.0
F80–F89 Disorders of psychological development	2	2	4	20	20	9.0	9.0
F90–F98 Disorders onset usually occurring in childhood or adolescence	18	94	112	525	522	5.4	5.4
F99 Mental disorder not otherwise specified	1	6	7	14	14	2.2	2.2
G47 Sleep disorders ^(a)	1	0	1	1	1
O99.3 Mental disorders & diseases of the nervous system complicating pregnancy, childbirth and the puerperium	0	10	10	91	84	9.1	8.4
R44 Other symptoms and signs involving general sensations and perceptions	37	5	42	49	49	2.4	2.4
R45 Symptoms and signs involving emotional state ^(a)	3	3	6	11	11	2.7	2.7
Z00.4 General psychiatric examination not elsewhere classified	5	7	12	20	20	2.1	2.1
Z03.2 Observation for suspected mental and behavioural disorder	4	7	11	27	27	3.3	3.3
Z50.2 Symptoms and signs involving emotional state ^(a)	0	34	34	702	664	20.6	19.5
Z50.3 Drug rehabilitation	5	69	74	1,021	1,014	14.7	14.6
Z71.4 Counselling and surveillance for alcohol use disorder	23	1	24	24	24	1.0	1.0
Other factors influencing health status and contact with health services ^(b)	2	1	3	3	3	1.0	1.0
Other ^(c)	0	2	2	50	36	25.0	18.0
Total	3,127	14,756	17,883	241,700	239,543	16.2	16.0

(a) Not all codes in this group are included. See Appendix 2 for the list of included codes.

(b) Includes Z04.6, Z09.3, Z54.3, Z63.1, Z73.4.

(c) All other diagnoses.

Table 3.33: Separations, patient days and psychiatric care days for mental health-related separations with intentional self-harm reported as an external cause of injury or poisoning, by principal diagnosis in ICD-10-AM groupings, Australia, 1999–00

Principal diagnosis	Separations with specialised psychiatric care					Other mental health-related separations			
	Same day	Overnight	Total	Patient days	Psychiatric care days	Same day	Overnight	Total	Patient days
F00–F03 Dementia	0	2	2	1,052	1,045	0	0	0	0
F04–F09 Other organic mental disorders	3	16	19	267	248	0	10	10	28
F10 Mental and behavioural disorders due to use of alcohol	25	86	111	626	593	41	72	113	315
F11–F19 Mental and behavioural disorders due to other psychoactive substances	3	87	90	740	730	15	47	62	258
F20 Schizophrenia	9	240	249	19,668	17,918	8	19	27	170
F20–F29 Other schizophrenic, schizotypal and delusional disorders	9	134	143	2,219	2,153	10	25	35	159
F30 Manic episode	0	3	3	53	51	1	4	5	6
F31 Bipolar affective disorders	2	108	110	2,375	2,268	5	18	23	201
F32–F33 Depressive disorders	61	811	872	13,255	12,477	76	319	395	1,856
F34–F39 Other mood (affective) disorders	10	88	98	986	960	5	9	14	43
F40–F48 Neurotic, stress-related and somatoform disorders	97	773	870	7,079	6,721	80	170	250	679
F50 Eating disorders	1	19	20	478	477	0	4	4	176
F51–F59 Other behavioural syndromes associated with physiological disturbances, physical factors	1	4	5	72	69	1	7	8	28
F60–F69 Disorders of adult personality and behaviour	85	457	542	3,505	3,429	24	59	83	401
F70–F79 Mental retardation	0	7	7	14,436	14,432	0	0	0	0
F80–F89 Disorders of psychological development	0	2	2	19	19	0	1	1	5
F90–F98 Disorders onset usually occurring in childhood or adolescence	3	17	20	99	97	3	7	10	35
F99 Mental disorder not otherwise specified	0	4	4	14	10	11	1	12	12
G30 Alzheimer's disease ^(a)	0	0	0	0	0	0	2	2	35
G47 Sleep disorders ^(a)	0	0	0	0	0	1	0	1	1
O99.3 Mental disorders & diseases of the nervous system complicating pregnancy, childbirth and the puerperium	0	4	4	13	12	3	4	7	15
R44 Other symptoms and signs involving general sensations and perceptions	0	0	0	0	0	1	1	2	3
R45 Symptoms and signs involving emotional state ^(a)	0	0	0	0	0	2	2	4	4
Z00.4 General psychiatric examination not elsewhere classified	1	0	1	1	1	2	0	2	2
Z03.2 Observation for suspected mental and behavioural disorder	0	2	2	2	2	1	1	2	2
Z50.3 Drug rehabilitation	0	0	0	0	0	0	1	1	23
Z63.8 Other specified problems related to primary support group	0	1	1	6	5	0	1	1	1
Other factors influencing health status and contact with health services ^(b)	0	0	0	0	0	1	1	2	4
Other ^(c)	134	1,489	1,623	12,765	11,290
Total	444	4,354	4,798	79,730	75,007	291	785	1,076	4,462

(a) Not all codes in this group are included. See Appendix 2 for the list of included codes.

(b) Includes Z04.6, Z09.3, Z54.3, Z63.1, Z73.4.

(c) All other diagnoses.

.. Not applicable.

Table 3.34a: Mental health-related separations^(a) with specialised psychiatric care for the 30 most frequently reported AR-DRGs, Australia, 1999–00

AR-DRG Description	Separations				Patient days		Psychiatric care days	
	Same day	Overnight	Total	Per 1,000 population ^(b)	Patient days	per 1,000 population ^(b)	Psychiatric care days	per 1,000 population ^(b)
U60Z Mental Health Treatment, Same day, W/O ECT	54,335	0	54,335	2.87	54,335	2.87	54,335	2.87
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	0	20,208	20,208	1.07	318,173	16.80	315,875	16.68
U67Z Personality Disorders and Acute Reactions	0	15,511	15,511	0.82	126,697	6.69	125,011	6.60
U61A Schizophrenia Disorders W Mental Health Legal Status	0	12,204	12,204	0.64	370,263	19.55	354,963	18.74
U61B Schizophrenia Disorders W/O Mental Health Legal Status	0	10,875	10,875	0.57	247,689	13.08	244,528	12.91
U64Z Other Affective and Somatoform Disorders	0	5,997	5,997	0.32	67,450	3.56	66,614	3.52
U40Z Mental Health Treatment, Same day, W ECT	4,036	0	4,036	0.21	4,036	0.21	4,036	0.21
U63A Major Affective Disorders W Cat or Sev CC or (Age>69 W/O Cat or Sev CC)	0	3,904	3,904	0.21	109,613	5.79	107,110	5.66
V61B Drug Intoxication and Withdrawal WO CC	220	2,349	2,569	0.14	17,939	0.95	17,812	0.94
V60Z Alcohol Intoxication and Withdrawal	857	1,607	2,464	0.13	20,133	1.06	19,871	1.05
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	275	2,090	2,365	0.12	156,387	8.26	155,648	8.22
U62A Paranoia & Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	0	2,344	2,344	0.12	37,864	2.00	37,629	1.99
V62B Alcohol Use Disorder and Dependence, Same day	1,798	0	1,798	0.09	1,798	0.09	1,798	0.09
V64Z Other Drug Use Disorder and Dependence	551	1,233	1,784	0.09	10,782	0.57	10,602	0.56
U62B Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal	0	1,752	1,752	0.09	19,542	1.03	19,337	1.02
U65Z Anxiety Disorders	0	1,746	1,746	0.09	22,834	1.21	22,402	1.18
V62A Alcohol Use Disorder and Dependence	0	1,725	1,725	0.09	18,833	0.99	18,612	0.98
V63Z Opioid Use Disorder and Dependence	200	1,335	1,535	0.08	6,563	0.35	6,525	0.34
Z64B Other Factors Influencing Health Status Age<80	645	675	1,320	0.07	7,485	0.40	7,458	0.39
U66Z Eating and Obsessive-Compulsive Disorders	0	1,262	1,262	0.07	32,393	1.71	31,722	1.68
X62B Poisoning/Toxic Effects of Drugs & Other Substances Age<60 W/O CC	88	713	801	0.04	3,644	0.19	3,354	0.18
O61Z Postpartum and Post Abortion W/O O.R. Procedure	363	413	776	0.04	6,847	0.36	6,826	0.36
B64Z Delirium	129	628	757	0.04	12,266	0.65	11,728	0.62
X62A Poisoning/Toxic Effects of Drugs & Other Substances Age>59 or W CC	30	697	727	0.04	7,247	0.38	6,535	0.35
V61A Drug Intoxication and Withdrawal W CC	32	687	719	0.04	6,716	0.35	6,672	0.35
960Z Ungroupable	25	686	711	0.04	19,183	1.01	19,183	1.01
U68Z Childhood Mental Disorders	0	328	328	0.02	4,227	0.22	4,203	0.22
B81B Other Disorders of the Nervous System W/O Catastrophic or Severe CC	36	185	221	0.01	23,581	1.25	23,571	1.24
X60C Injuries Age < 65	46	141	187	<0.01	809	0.04	751	0.04
B67B Degenerative Nervous System Disorders W/O Catastrophic or Severe CC	14	95	109	<0.01	2,511	0.13	2,477	0.13
All other AR-DRGS	245	1,203	1,448	0.08	23,430	1.24	20,130	1.06
Total	63,925	92,593	156,518	8.27	1,761,270	93.01	1,727,318	91.21

(a) Separations with acute and non-specified episode type only.

(b) Rates are crude rates based on the Estimated Resident Population of 30 June 1999.

Note: Abbreviations: W—with, W/O—without, CC—complications and comorbidities, ECT—Electroconvulsive therapy, Cat/Sev—catastrophic or severe, O.R.—operating room.

Table 3.34b: Mental health-related separations^(a) without specialised psychiatric care for the 30 most frequently reported AR-DRGs, Australia, 1999–00

AR-DRG	Description	Separations			Patient days per 1,000		
		Same day	Overnight	Total	Per 1,000 population ^(b)	Patient days population ^(b)	
U60Z	Mental Health Treatment, Same day, W/O ECT	15,164	0	15,164	0.80	15,164	0.80
U65Z	Anxiety Disorders	0	11,670	11,670	0.62	45,071	2.38
V60Z	Alcohol Intoxication and Withdrawal	3,222	5,835	9,057	0.48	21,969	1.16
U64Z	Other Affective and Somatoform Disorders	0	6,731	6,731	0.36	43,761	2.31
B63Z	Dementia and Other Chronic Disturbances of Cerebral Function	287	5,486	5,773	0.30	89,667	4.73
U67Z	Personality Disorders and Acute Reactions	0	5,259	5,259	0.28	31,559	1.67
V62A	Alcohol Use Disorder and Dependence	0	4,825	4,825	0.25	30,938	1.63
U63B	Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	0	4,486	4,486	0.24	37,989	2.01
V63Z	Opioid Use Disorder and Dependence	529	3,380	3,909	0.21	13,655	0.72
B64Z	Delirium	246	2,597	2,843	0.15	30,868	1.63
U40Z	Mental Health Treatment, Same day, W ECT	2,496	0	2,496	0.13	2,496	0.13
U61B	Schizophrenia Disorders W/O Mental Health Legal Status	0	2,214	2,214	0.12	17,758	0.94
U68Z	Childhood Mental Disorders	0	1,893	1,893	0.10	8,478	0.45
V64Z	Other Drug Use Disorder and Dependence	453	1,310	1,763	0.09	8,399	0.44
V62B	Alcohol Use Disorder and Dependence, Same day	1,742	0	1,742	0.09	1,742	0.09
V61B	Drug Intoxication and Withdrawal WO CC	455	1,021	1,476	0.08	3,637	0.19
O61Z	Postpartum and Post Abortion W/O O.R. Procedure	538	808	1,346	0.07	4,864	0.26
U63A	Major Affective Disorders W Cat or Sev CC or (Age>69 W/O Cat or Sev CC)	0	1,309	1,309	0.07	18,993	1.00
O65A	Other Antenatal Admission W Severe Complicating Diagnosis	298	808	1,106	0.06	3,023	0.16
U62B	Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	0	1,030	1,030	0.05	5,434	0.29
U66Z	Eating and Obsessive-Compulsive Disorders	0	965	965	0.05	16,869	0.89
V61A	Drug Intoxication and Withdrawal W CC	86	353	439	0.02	1,896	0.10
O60B	Vaginal Delivery W Severe Complicating Diagnosis	11	426	437	0.02	1,490	0.08
O60A	Vaginal Delivery W Multiple Complicating Diagnoses, At Least One Severe	10	315	325	0.02	1,729	0.09
P67D	Neonate, AdmWt > 2499 g W/O Significant O.R. Procedure W/O Problem	71	166	237	0.01	712	0.04
Z64B	Other Factors Influencing Health Status Age<80	112	118	230	0.01	520	0.03
B81B	Other Disorders of the Nervous System W/O Catastrophic or Severe CC	87	102	189	<0.01	660	0.03
Z60B	Rehabilitation W/O Catastrophic or Severe CC	0	145	145	<0.01	735	0.04
U62A	Paranoia & Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	0	132	132	<0.01	1,636	0.09
U61A	Schizophrenia Disorders W Mental Health Legal Status	0	128	128	<0.01	2,363	0.12
All other AR-DRGS		196	637	833	0.04	6,189	0.33
Total		26,003	64,149	90,152	4.76	470,264	24.83

(a) Separations with acute and non-specified episode type only.

(b) Rates are crude rates based on the Estimated Resident Population of 30 June 1999.

Note: Abbreviations: W—with, W/O—without, CC—complications and comorbidities, ECT—Electroconvulsive therapy, Cat/Sev—catastrophic or severe, O.R.—operating room.

Table 3.35a: Separations, patient days and psychiatric care days for mental health-related separations^(a) with specialised psychiatric care for the 30 most frequently reported AR-DRGs, public acute hospitals, Australia, 1999–00

AR-DRG Description	Separations				Total patient days	Patient days per 1,000 population ^(b)	Total psychiatric care days	Psychiatric care days per 1,000 population ^(b)
	Same day	Overnight	Total	Per 1,000 population ^(b)				
U60Z Mental Health Treatment, Same day, W/O ECT	16,962	0	16,962	0.90	16,962	0.90	16,962	0.90
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	0	12,273	12,273	0.65	174,249	9.20	172,813	9.13
U67Z Personality Disorders and Acute Reactions	0	10,634	10,634	0.56	66,448	3.51	65,472	3.46
U61A Schizophrenia Disorders W Mental Health Legal Status	0	9,376	9,376	0.50	192,007	10.14	191,196	10.10
U61B Schizophrenia Disorders W/O Mental Health Legal Status	0	8,280	8,280	0.44	128,930	6.81	127,968	6.76
U64Z Other Affective and Somatoform Disorders	0	4,356	4,356	0.23	42,005	2.22	41,387	2.19
U40Z Mental Health Treatment, Same day, W ECT	3,065	0	3,065	0.16	3,065	0.16	3,065	0.16
U63A Major Affective Disorders W Cat or Sev CC or (Age>69 W/O Cat or Sev CC)	0	2,262	2,262	0.12	58,009	3.06	56,001	2.96
V61B Drug Intoxication and Withdrawal WO CC	139	1,750	1,889	0.10	12,273	0.65	12,153	0.64
U62A Paranoia & Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	0	1,778	1,778	0.09	24,071	1.27	23,841	1.26
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	207	1,384	1,591	0.08	45,027	2.38	44,429	2.35
U62B Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	0	1,433	1,433	0.08	14,617	0.77	14,455	0.76
V60Z Alcohol Intoxication and Withdrawal	332	960	1,292	0.07	6,802	0.36	6,582	0.35
Z64B Other Factors Influencing Health Status Age<80	501	524	1,025	0.05	4,716	0.25	4,689	0.25
U65Z Anxiety Disorders	0	806	806	0.04	7,884	0.42	7,679	0.41
U66Z Eating and Obsessive-Compulsive Disorders	0	781	781	0.04	17,505	0.92	16,999	0.90
X62B Poisoning/Toxic Effects of Drugs & Other Substances Age<60 W/O CC	88	693	781	0.04	3,572	0.19	3,286	0.17
V64Z Other Drug Use Disorder and Dependence	134	607	741	0.04	3,399	0.18	3,320	0.18
X62A Poisoning/Toxic Effects of Drugs & Other Substances Age>59 or W CC	29	658	687	0.04	6,566	0.35	5,924	0.31
960Z Ungroupable	23	505	528	0.03	8,373	0.44	8,373	0.44
V61A Drug Intoxication and Withdrawal W CC	24	500	524	0.03	4,807	0.25	4,765	0.25
B64Z Delirium	92	408	500	0.03	7,403	0.39	6,886	0.36
V62A Alcohol Use Disorder and Dependence	0	496	496	0.03	3,441	0.18	3,269	0.17
V62B Alcohol Use Disorder and Dependence, Same day	332	0	332	0.02	332	0.02	332	0.02
O61Z Postpartum and Post Abortion W/O O.R. Procedure	58	264	322	0.02	3,739	0.20	3,720	0.20
U68Z Childhood Mental Disorders	0	275	275	0.01	2,801	0.15	2,794	0.15
V63Z Opioid Use Disorder and Dependence	59	198	257	0.01	1,153	0.06	1,126	0.06
X60C Injuries Age < 65	46	140	186	<0.01	797	0.04	750	0.04
B81B Other Disorders of the Nervous System W/O Catastrophic or Severe CC	31	139	170	<0.01	1,387	0.07	1,379	0.07
B67B Degenerative Nervous System Disorders W/O Catastrophic or Severe CC	13	75	88	<0.01	1,706	0.09	1,672	0.09
All other AR-DRGS	91	888	979	0.05	17,917	0.95	15,158	0.80
Total	22,226	62,443	84,669	4.47	881,963	46.57	868,445	45.86

(a) Separations with acute and non-specified episode type only.

(b) Rates are crude rates based on the Estimated Resident Population as at 30 June 1999.

Note: Abbreviations: W—with, W/O—without, CC—complications and comorbidities, ECT—Electroconvulsive therapy, Cat/Sev—catastrophic or severe, O.R.—operating room.

Table 3.35b: Separations, patient days and psychiatric care days for mental health-related separations^(a) without specialised psychiatric care for the 30 most frequently reported AR-DRGs, public acute hospitals, Australia, 1999–00

AR-DRG	Description	Separations			Patient days per		
		Same day	Overnight	Total	Per 1,000 population ^(b)	Patient days per 1,000 population ^(b)	
U60Z	Mental Health Treatment, Same day, W/O ECT	9,251	0	9,251	0.49	9,251	0.49
V60Z	Alcohol Intoxication and Withdrawal	3,128	5,523	8,651	0.46	19,581	1.03
U65Z	Anxiety Disorders	0	8,625	8,625	0.46	31,688	1.67
U64Z	Other Affective and Somatoform Disorders	0	5,297	5,297	0.28	28,764	1.52
B63Z	Dementia and Other Chronic Disturbances of Cerebral Function	243	4,118	4,361	0.23	64,030	3.38
U67Z	Personality Disorders and Acute Reactions	0	4,034	4,034	0.21	13,923	0.74
V62A	Alcohol Use Disorder and Dependence	0	3,804	3,804	0.20	18,484	0.98
U63B	Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	0	3,310	3,310	0.17	20,581	1.09
V63Z	Opioid Use Disorder and Dependence	386	2,595	2,981	0.16	10,107	0.53
U40Z	Mental Health Treatment, Same day, W ECT	2,390	0	2,390	0.13	2,390	0.13
B64Z	Delirium	169	2,114	2,283	0.12	24,675	1.30
U61B	Schizophrenia Disorders W/O Mental Health Legal Status	0	1,978	1,978	0.10	13,655	0.72
U68Z	Childhood Mental Disorders	0	1,659	1,659	0.09	7,040	0.37
V64Z	Other Drug Use Disorder and Dependence	330	1,136	1,466	0.08	5,922	0.31
V61B	Drug Intoxication and Withdrawal WO CC	454	967	1,421	0.08	3,229	0.17
O65A	Other Antenatal Admission W Severe Complicating Diagnosis	273	718	991	0.05	2,709	0.14
U62B	Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	0	940	940	0.05	4,418	0.23
U63A	Major Affective Disorders W Cat or Sev CC or (Age>69 W/O Cat or Sev CC)	0	856	856	0.05	10,947	0.58
U66Z	Eating and Obsessive-Compulsive Disorders	0	818	818	0.04	14,552	0.77
O61Z	Postpartum and Post Abortion W/O O.R. Procedure	78	613	691	0.04	2,773	0.15
V61A	Drug Intoxication and Withdrawal W CC	84	324	408	0.02	1,696	0.09
O60B	Vaginal Delivery W Severe Complicating Diagnosis	11	375	386	0.02	1,229	0.06
O60A	Vaginal Delivery W Multiple Complicating Diagnoses, At Least One Severe	10	307	317	0.02	1,689	0.09
V62B	Alcohol Use Disorder and Dependence, Same day	296	0	296	0.02	296	0.02
Z64B	Other Factors Influencing Health Status Age<80	97	113	210	0.01	448	0.02
B81B	Other Disorders of the Nervous System W/O Catastrophic or Severe CC	84	99	183	<0.01	629	0.03
P67D	Neonate, AdmWt > 2499 g W/O Significant O.R. Procedure W/O Problem	55	128	183	<0.01	553	0.03
Z60B	Rehabilitation W/O Catastrophic or Severe CC	0	141	141	<0.01	713	0.04
U61A	Schizophrenia Disorders W Mental Health Legal Status	0	128	128	<0.01	2,363	0.12
U62A	Paranoia & Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	0	116	116	<0.01	1,386	0.07
All other AR-DRGS		177	488	665	0.04	4,270	0.23
Total		17,516	51,324	68,840	3.64	323,991	17.11

(a) Separations with acute and non-specified episode type only.

(b) Rates are crude rates based on the Estimated Resident Populations as at 30 June 1999.

Note: Abbreviations: W—with, W/O—without, CC—complications and comorbidities, ECT—Electroconvulsive therapy, Cat/Sev—catastrophic or severe, O.R.—operating room.

Table 3.36a: Separations, patient days and psychiatric care days for mental health-related separations^(a) with specialised psychiatric care for the 30 most frequently reported AR-DRGs, private hospitals, Australia, 1999-00

AR-DRG Description	Separations				Patient days		Psychiatric care days per	
	Same day	Overnight	Total	Per 1,000 population ^(b)	Patient days	per 1,000 population ^(b)	Psychiatric care days	1,000 population ^(b)
U60Z Mental Health Treatment, Same day, W/O ECT	35,406	0	35,406	1.87	35,406	1.87	35,406	1.87
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	0	5,587	5,587	0.30	96,948	5.12	96,286	5.08
U67Z Personality Disorders and Acute Reactions	0	2,385	2,385	0.13	35,999	1.90	35,689	1.88
V62B Alcohol Use Disorder and Dependence, Same day	1,454	0	1,454	0.08	1,454	0.08	1,454	0.08
U63A Major Affective Disorders W Cat or Sev CC or (Age>69 W/O Cat or Sev CC)	0	1,285	1,285	0.07	29,067	1.53	28,913	1.53
U61B Schizophrenia Disorders W/O Mental Health Legal Status	0	1,284	1,284	0.07	23,627	1.25	23,402	1.24
U64Z Other Affective and Somatoform Disorders	0	1,192	1,192	0.06	19,266	1.02	19,073	1.01
U40Z Mental Health Treatment, Same day, W ECT	934	0	934	0.05	934	0.05	934	0.05
V62A Alcohol Use Disorder and Dependence	0	924	924	0.05	12,727	0.67	12,696	0.67
U65Z Anxiety Disorders	0	839	839	0.04	13,555	0.72	13,396	0.71
V60Z Alcohol Intoxication and Withdrawal	475	293	768	0.04	4,092	0.22	4,082	0.22
V64Z Other Drug Use Disorder and Dependence	400	288	688	0.04	4,546	0.24	4,451	0.24
V63Z Opioid Use Disorder and Dependence	88	599	687	0.04	3,433	0.18	3,427	0.18
U66Z Eating and Obsessive-Compulsive Disorders	0	448	448	0.02	14,298	0.76	14,153	0.75
O61Z Postpartum and Post Abortion W/O O.R. Procedure	305	134	439	0.02	2,848	0.15	2,846	0.15
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	20	230	250	0.01	4,785	0.25	4,744	0.25
U62B Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	0	211	211	0.01	3,380	0.18	3,372	0.18
V61B Drug Intoxication and Withdrawal WO CC	56	108	164	<0.01	1,492	0.08	1,485	0.08
B64Z Delirium	32	128	160	<0.01	2,132	0.11	2,111	0.11
Z64B Other Factors Influencing Health Status Age<80	125	12	137	<0.01	317	0.02	317	0.02
E63Z Sleep Apnoea	0	59	59	<0.01	59	<0.01	59	<0.01
U61A Schizophrenia Disorders W Mental Health Legal Status	0	48	48	<0.01	1,193	0.06	1,193	0.06
K62C Miscellaneous Metabolic Disorders W/O Catastrophic or Severe CC Age < 75	35	8	43	<0.01	134	<0.01	134	<0.01
V61A Drug Intoxication and Withdrawal W CC	5	32	37	<0.01	446	0.02	446	0.02
X62A Poisoning/Toxic Effects of Drugs & Other Substances Age>59 or W CC	0	33	33	<0.01	652	0.03	582	0.03
U62A Paranoia & Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	0	30	30	<0.01	593	0.03	593	0.03
Z61Z Signs and Symptoms	12	16	28	<0.01	203	0.01	203	0.01
Z62Z Follow Up After Completed Treatment W/O Endoscopy	21	2	23	<0.01	23	<0.01	23	<0.01
Z60C Rehabilitation, Same day	22	0	22	<0.01	22	<0.01	22	<0.01
U68Z Childhood Mental Disorders	0	21	21	<0.01	402	0.02	401	0.02
All other AR-DRGS	34	204	238	0.01	2,939	0.16	2,382	0.13
Total	39,424	16,400	55,824	2.95	316,972	16.74	314,275	16.60

(a) Separations with acute and non-specified episode type only.

(b) Rates are crude rates based on the Estimated Resident Population as at 30 June 1999.

Note: Abbreviations: W—with, W/O—without, CC—complications and comorbidities, ECT—Electroconvulsive therapy, Cat/Sev—catastrophic or severe, O.R.—operating room.

Table 3.36b: Separations, patient days and psychiatric care days for mental health-related separations^(a) without specialised psychiatric care for the 30 most frequently reported AR-DRGs, private hospitals, Australia, 1999-00

AR-DRG	Description	Separations			Per 1,000		Patient days per 1,000 population ^(b)
		Same day	Overnight	Total	population ^(b)	Patient days	
U60Z	Mental Health Treatment, Same day, W/O ECT	5,913	0	5,913	0.31	5,913	0.31
U65Z	Anxiety Disorders	0	3,045	3,045	0.16	13,383	0.71
V62B	Alcohol Use Disorder and Dependence, Same day	1,446	0	1,446	0.08	1,446	0.08
U64Z	Other Affective and Somatoform Disorders	0	1,434	1,434	0.08	14,997	0.79
B63Z	Dementia and Other Chronic Disturbances of Cerebral Function	44	1,368	1,412	0.07	25,637	1.35
U67Z	Personality Disorders and Acute Reactions	0	1,225	1,225	0.06	17,636	0.93
U63B	Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	0	1,176	1,176	0.06	17,408	0.92
V62A	Alcohol Use Disorder and Dependence	0	1,020	1,020	0.05	12,449	0.66
V63Z	Opioid Use Disorder and Dependence	143	783	926	0.05	3,541	0.19
O61Z	Postpartum and Post Abortion W/O O.R. Procedure	460	195	655	0.03	2,091	0.11
B64Z	Delirium	77	483	560	0.03	6,193	0.33
U63A	Major Affective Disorders W Cat or Sev CC or (Age>69 W/O Cat or Sev CC)	0	453	453	0.02	8,046	0.42
V60Z	Alcohol Intoxication and Withdrawal	94	312	406	0.02	2,388	0.13
V64Z	Other Drug Use Disorder and Dependence	123	174	297	0.02	2,477	0.13
U61B	Schizophrenia Disorders W/O Mental Health Legal Status	0	236	236	0.01	4,103	0.22
U68Z	Childhood Mental Disorders	0	234	234	0.01	1,438	0.08
U66Z	Eating and Obsessive-Compulsive Disorders	0	147	147	<0.01	2,317	0.12
O65A	Other Antenatal Admission W Severe Complicating Diagnosis	25	90	115	<0.01	314	0.02
U40Z	Mental Health Treatment, Same day, W ECT	106	0	106	<0.01	106	<0.01
U62B	Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	0	90	90	<0.01	1,016	0.05
V61B	Drug Intoxication and Withdrawal WO CC	1	54	55	<0.01	408	0.02
O60B	Vaginal Delivery W Severe Complicating Diagnosis	0	51	51	<0.01	261	0.01
P67D	Neonate, AdmWt > 2499 g W/O Significant O.R. Procedure W/O Problem	16	29	45	<0.01	129	<0.01
V61A	Drug Intoxication and Withdrawal W CC	2	29	31	<0.01	200	0.01
Z64B	Other Factors Influencing Health Status Age<80	15	5	20	<0.01	72	<0.01
901Z	Extensive O.R. Procedure Unrelated to Principal Diagnosis	1	17	18	<0.01	397	0.02
B60B	Non Acute Paraplegia/Quadriplegia W or W/O O.R. Procedures W/O Catastr CC	0	17	17	<0.01	107	<0.01
U62A	Paranoia & Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	0	16	16	<0.01	250	0.01
O01B	Caesarean Delivery W Severe Complicating Diagnosis	0	15	15	<0.01	113	<0.01
B76B	Seizure Age>2 or W/O Catastrophic or Severe CC	1	13	14	<0.01	74	<0.01
All other AR-DRGS		20	99	119	<0.01	1,294	0.07
Total		8,487	12,810	21,297	1.12	146,204	7.72

(a) Separations with acute and non-specified episode type only.

(b) Rates are crude rates based on the Estimated Resident Population as at 30 June 1999.

Note: Abbreviations: W—with, W/O—without, CC—complications and comorbidities, ECT—Electroconvulsive therapy, Cat/Sev—catastrophic or severe, O.R.—operating room.

Table 3.37: Separations, patient days and psychiatric care days for mental health-related separations^(a) with specialised psychiatric care for the 30 most frequently reported AR-DRGs, public psychiatric hospitals, Australia, 1999–00

AR-DRG Description	Separations				Patient days			Psychiatric
	Same day	Overnight	Total	Per 1,000 population ^(b)	Patient days	per 1,000 population ^(b)	Psychiatric care days	per 1,000 population ^(b)
U61A Schizophrenia Disorders W Mental Health Legal Status	0	2,780	2,780	0.15	177,063	9.35	162,574	8.58
U67Z Personality Disorders and Acute Reactions	0	2,492	2,492	0.13	24,250	1.28	23,850	1.26
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	0	2,348	2,348	0.12	46,976	2.48	46,776	2.47
U60Z Mental Health Treatment, Same day, W/O ECT	1,967	0	1,967	0.10	1,967	0.10	1,967	0.10
U61B Schizophrenia Disorders W/O Mental Health Legal Status	0	1,311	1,311	0.07	95,132	5.02	93,158	4.92
V63Z Opioid Use Disorder and Dependence	53	538	591	0.03	1,977	0.10	1,972	0.10
U62A Paranoia & Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	0	536	536	0.03	13,200	0.70	13,195	0.70
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	48	476	524	0.03	106,575	5.63	106,475	5.62
V61B Drug Intoxication and Withdrawal WO CC	25	491	516	0.03	4,174	0.22	4,174	0.22
U64Z Other Affective and Somatoform Disorders	0	449	449	0.02	6,179	0.33	6,154	0.32
V60Z Alcohol Intoxication and Withdrawal	50	354	404	0.02	9,239	0.49	9,207	0.49
U63A Major Affective Disorders W Cat or Sev CC or (Age>69 W/O Cat or Sev CC)	0	357	357	0.02	22,537	1.19	22,196	1.17
V64Z Other Drug Use Disorder and Dependence	17	338	355	0.02	2,837	0.15	2,831	0.15
V62A Alcohol Use Disorder and Dependence	0	305	305	0.02	2,665	0.14	2,647	0.14
960Z Ungroupable	0	177	177	<0.01	10,793	0.57	10,793	0.57
V61A Drug Intoxication and Withdrawal W CC	3	155	158	<0.01	1,463	0.08	1,461	0.08
Z64B Other Factors Influencing Health Status Age<80	19	139	158	<0.01	2,452	0.13	2,452	0.13
U62B Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	0	108	108	<0.01	1,545	0.08	1,510	0.08
U65Z Anxiety Disorders	0	101	101	<0.01	1,395	0.07	1,327	0.07
B64Z Delirium	5	92	97	<0.01	2,731	0.14	2,731	0.14
B81B Other Disorders of the Nervous System W/O Catastrophic or Severe CC	2	35	37	<0.01	22,109	1.17	22,108	1.17
U40Z Mental Health Treatment, Same day, W ECT	37	0	37	<0.01	37	<0.01	37	<0.01
U66Z Eating and Obsessive-Compulsive Disorders	0	33	33	<0.01	590	0.03	570	0.03
U68Z Childhood Mental Disorders	0	32	32	<0.01	1,024	0.05	1,008	0.05
T60B Septicaemia W/O Catastrophic or Severe CC	30	0	30	<0.01	30	<0.01	30	<0.01
O61Z Postpartum and Post Abortion W/O O.R. Procedure	0	15	15	<0.01	260	0.01	260	0.01
961Z Unacceptable Principal Diagnosis	4	10	14	<0.01	51	<0.01	51	<0.01
B60B Non Acute Paraplegia/Quadriplegia W or W/O O.R. Procedures W/O Catastr	1	11	12	<0.01	1,070	0.06	1,070	0.06
V62B Alcohol Use Disorder and Dependence, Same day	12	0	12	<0.01	12	<0.01	12	<0.01
B67B Degenerative Nervous System Disorders W/O Catastrophic or Severe CC	0	10	10	<0.01	482	0.03	482	0.03
All other AR-DRGS	2	57	59	<0.01	1,520	0.08	1,520	0.08
Total	2,275	13,750	16,025	0.85	562,335	29.69	544,598	28.76

(a) Separations with acute and non-specified episode type only.

(b) Rates are crude rates based on the Estimated Resident Population as at 30 June 1999.

Note: Abbreviations: Cat/Sev—catastrophic or severe, CC—complications and comorbidities, ECT—Electroconvulsive therapy, MHLS—Mental health legal status, O.R.—operating room, W—with, W/O—without.

Table 3.38: Overnight mental health-related separations^(a) for the 15 most frequently reported AR-DRGs, public acute hospitals, States and Territories, ^(b) 1999–00

AR-DRG	Description	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
With specialised psychiatric care										
U63B	Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	2,790	3,108	2,961	1,205	1,075	393	582	159	12,273
U67Z	Personality Disorders and Acute Reactions	1,956	2,626	2,561	1,573	1,069	354	358	137	10,634
U61A	Schizophrenia Disorders W Mental Health Legal Status	2,251	3,424	2,735	371	377	53	165	0	9,376
U61B	Schizophrenia Disorders W/O Mental Health Legal Status	2,151	2,428	1,701	519	613	407	287	174	8,280
U64Z	Other Affective and Somatoform Disorders	1,042	1,122	1,165	396	239	175	191	26	4,356
U63A	Major Affective Disorders W Cat or Sev CC or (Age>69 W/O Cat or Sev CC)	507	662	493	250	165	132	44	9	2,262
V61B	Drug Intoxication and Withdrawal WO CC	496	366	507	172	98	22	47	42	1,750
U62A	Paranoia & Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	503	515	443	143	82	20	68	4	1,778
B63Z	Dementia and Other Chronic Disturbances of Cerebral Function	148	602	178	353	84	13	6	0	1,384
U62B	Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal	351	352	251	143	129	51	86	70	1,433
V60Z	Alcohol Intoxication and Withdrawal	274	193	263	133	31	24	25	17	960
Z64B	Other Factors Influencing Health Status Age<80	257	87	118	15	15	7	21	4	524
U65Z	Anxiety Disorders	152	152	258	122	63	33	24	2	806
U66Z	Eating and Obsessive-Compulsive Disorders	143	162	279	30	126	9	25	7	781
X62B	Poisoning/Toxic Effects of Drugs & Other Substances Age<60 W/O CC	226	58	254	38	26	26	56	9	693
Without specialised psychiatric care										
U65Z	Anxiety Disorders	2,781	3,367	1,256	423	699	69	12	18	8,625
V60Z	Alcohol Intoxication and Withdrawal	2,228	1,005	923	691	494	58	35	89	5,523
U64Z	Other Affective and Somatoform Disorders	1,761	1,183	681	728	805	103	27	9	5,297
B63Z	Dementia and Other Chronic Disturbances of Cerebral Function	1,574	839	579	449	524	89	46	18	4,118
U67Z	Personality Disorders and Acute Reactions	956	1,429	528	441	382	217	63	18	4,034
V62A	Alcohol Use Disorder and Dependence	1,502	524	1,340	246	159	27	2	4	3,804
U63B	Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	993	654	343	573	570	91	73	13	3,310
V63Z	Opioid Use Disorder and Dependence	1,459	240	526	309	52	7	1	1	2,595
B64Z	Delirium	780	812	179	104	165	58	8	8	2,114
U61B	Schizophrenia Disorders W/O Mental Health Legal Status	746	266	278	229	247	153	45	14	1,978
U68Z	Childhood Mental Disorders	1,088	243	100	70	128	14	4	12	1,659
V64Z	Other Drug Use Disorder and Dependence	442	155	288	146	85	11	5	4	1,136
V61B	Drug Intoxication and Withdrawal WO CC	442	139	130	133	85	15	10	13	967
U62B	Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal	319	183	128	154	104	22	20	10	940
U63A	Major Affective Disorders W Cat or Sev CC or (Age>69 W/O Cat or Sev CC)	286	212	96	77	139	31	14	1	856

(a) Separations with acute and non-specified episode type only.

(b) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals. Please refer to Box 3.2 for information.

Note: Abbreviations: W—with, W/O—without, CC—complications and comorbidities, ECT—Electroconvulsive therapy, Cat/Sev—catastrophic or severe, O.R.—operating room.

Table 3.39: Overnight mental health-related separations^(a) for the 15 most frequently reported AR-DRGs, private hospitals, States and Territories,^(b) 1999–00

AR-DRG Description	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
With specialised psychiatric care									
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	819	1,974	1,213	919	447	16	199	n.a.	5,587
U67Z Personality Disorders and Acute Reactions	495	527	589	448	130	40	156	n.a.	2,385
U63A Major Affective Disorders W Cat or Sev CC or (Age>69 W/O Cat or Sev CC)	234	491	328	90	101	5	36	n.a.	1,285
U61B Schizophrenia Disorders W/O Mental Health Legal Status	295	426	310	107	124	8	14	n.a.	1,284
U64Z Other Affective and Somatoform Disorders	127	456	238	169	72	16	114	n.a.	1,192
V62A Alcohol Use Disorder and Dependence	288	318	104	84	109	11	10	n.a.	924
U65Z Anxiety Disorders	157	205	292	100	35	8	42	n.a.	839
V63Z Opioid Use Disorder and Dependence	74	457	18	34	13	1	2	n.a.	599
U66Z Eating and Obsessive-Compulsive Disorders	104	143	115	62	12	4	8	n.a.	448
V60Z Alcohol Intoxication and Withdrawal	136	62	37	35	11	4	8	n.a.	293
V64Z Other Drug Use Disorder and Dependence	109	62	49	28	40	0	0	n.a.	288
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	20	92	32	34	45	1	6	n.a.	230
U62B Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	34	68	38	29	27	1	14	n.a.	211
O61Z Postpartum and Post Abortion W/O O.R. Procedure	67	41	20	4	2	0	0	n.a.	134
B64Z Delirium	13	46	20	37	8	0	4	n.a.	128
Without specialised psychiatric care									
U65Z Anxiety Disorders	588	1,405	420	318	193	115	6	n.a.	3,045
U64Z Other Affective and Somatoform Disorders	233	316	408	225	160	81	11	n.a.	1,434
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	237	334	423	128	196	29	21	n.a.	1,368
U67Z Personality Disorders and Acute Reactions	571	84	325	84	33	126	2	n.a.	1,225
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	358	107	371	91	63	186	0	n.a.	1,176
V62A Alcohol Use Disorder and Dependence	147	412	386	18	13	44	0	n.a.	1,020
V63Z Opioid Use Disorder and Dependence	302	381	35	28	35	2	0	n.a.	783
B64Z Delirium	81	233	67	25	63	9	5	n.a.	483
U63A Major Affective Disorders W Cat or Sev CC or (Age>69 W/O Cat or Sev CC)	116	58	172	25	44	38	0	n.a.	453
V60Z Alcohol Intoxication and Withdrawal	68	43	77	61	28	27	8	n.a.	312
U61B Schizophrenia Disorders W/O Mental Health Legal Status	112	36	54	14	1	19	0	n.a.	236
U68Z Childhood Mental Disorders	57	119	29	23	4	2	0	n.a.	234
O61Z Postpartum and Post Abortion W/O O.R. Procedure	26	68	26	55	9	10	1	n.a.	195
V64Z Other Drug Use Disorder and Dependence	36	73	44	12	4	5	0	n.a.	174
U66Z Eating and Obsessive-Compulsive Disorders	20	35	58	7	17	9	1	n.a.	147

(a) Separations with acute and non-specified episode type only.

(b) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals. Please refer to Box 3.2 for information.

n.a. Not available.

Note: Abbreviations: W—with, W/O—without, CC—complications and comorbidities, ECT—Electroconvulsive therapy, Cat/Sev—catastrophic or severe, O.R.—operating room.

Table 3.40: Overnight mental health-related separations^(a) with specialised psychiatric care for the 15 most frequently reported AR-DRGs, public psychiatric hospitals, States and Territories,^(b) 1999–00

AR-DRG	Description	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
U61A	Schizophrenia Disorders W Mental Health Legal Status	1,146	189	166	590	655	34	2,780
U67Z	Personality Disorders and Acute Reactions	1,150	38	130	510	612	52	2,492
U63B	Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	1,108	20	148	398	611	63	2,348
U61B	Schizophrenia Disorders W/O Mental Health Legal Status	682	0	94	188	218	129	1,311
V63Z	Opioid Use Disorder and Dependence	498	14	0	20	6	0	538
U62A	Paranoia & Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	248	16	18	110	143	1	536
V61B	Drug Intoxication and Withdrawal WO CC	246	7	19	105	110	4	491
B63Z	Dementia and Other Chronic Disturbances of Cerebral Function	180	1	49	88	157	1	476
U64Z	Other Affective and Somatoform Disorders	252	23	40	63	61	10	449
U63A	Major Affective Disorders W Cat or Sev CC or (Age>69 W/O Cat or Sev CC)	173	0	26	21	134	3	357
V60Z	Alcohol Intoxication and Withdrawal	227	1	6	77	42	1	354
V64Z	Other Drug Use Disorder and Dependence	132	12	6	162	22	4	338
V62A	Alcohol Use Disorder and Dependence	242	4	10	31	16	2	305
960Z	Ungroupable	0	71	0	0	0	106	177
V61A	Drug Intoxication and Withdrawal W CC	80	0	8	11	50	6	155

(a) Separations with acute and non-specified episode type only.

(b) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals. Please refer to Box 3.2 for information.

.. Not applicable.

Note: Abbreviations: W—with, W/O—without, CC—complications and comorbidities, ECT—Electroconvulsive therapy, Cat/Sev—catastrophic or severe, O.R.—operating room.

Table 3.41: Overnight mental health-related separations^(a) with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by sex and age group, Australia, 1999–00

AR-DRG Description	Under 15	15–24	25–34	35–44	45–54	55–64	65 or older	Total
	years							
Males								
U61A Schizophrenia Disorders W Mental Health Legal Status	4	2,182	2,962	1,688	855	250	135	8,076
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	43	1,180	1,961	1,947	1,587	958	335	8,011
U67Z Personality Disorders and Acute Reactions	299	1,363	1,978	1,452	1,297	345	191	6,925
U61B Schizophrenia Disorders W/O Mental Health Legal Status	25	1,537	2,270	1,499	745	234	159	6,469
U64Z Other Affective and Somatoform Disorders	23	382	627	574	454	184	245	2,489
V61B Drug Intoxication and Withdrawal WO CC	7	789	654	193	29	7	2	1,681
V60Z Alcohol Intoxication and Withdrawal	3	141	271	311	244	102	83	1,155
U63A Major Affective Disorders W Cat or Sev CC or (Age>69 W/O Cat or Sev CC)	0	25	57	109	83	100	941	1,315
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	0	43	83	75	64	106	713	1,084
U62A Paranoia & Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	11	437	397	203	100	49	76	1,273
V64Z Other Drug Use Disorder and Dependence	1	345	339	116	41	8	2	852
V62A Alcohol Use Disorder and Dependence	0	47	199	309	390	159	63	1,167
V63Z Opioid Use Disorder and Dependence	2	323	365	169	23	0	0	882
U62B Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	15	334	261	153	71	34	54	922
Z64B Other Factors Influencing Health Status Age<80	76	69	106	51	31	7	17	357
Females								
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	72	1,460	2,731	3,271	2,794	1,342	521	12,191
U67Z Personality Disorders and Acute Reactions	282	2,250	2,621	2,085	957	213	176	8,584
U61B Schizophrenia Disorders W/O Mental Health Legal Status	22	608	1,062	1,058	824	422	372	4,368
U61A Schizophrenia Disorders W Mental Health Legal Status	2	639	1,027	1,035	694	382	279	4,058
U64Z Other Affective and Somatoform Disorders	69	600	737	805	600	240	456	3,507
U63A Major Affective Disorders W Cat or Sev CC or (Age>69 W/O Cat or Sev CC)	1	58	110	98	132	90	2,094	2,583
U65Z Anxiety Disorders	57	158	271	273	219	101	145	1,224
U62A Paranoia & Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	5	221	262	249	142	63	125	1,067
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	1	10	26	33	29	69	804	972
U66Z Eating and Obsessive-Compulsive Disorders	82	537	234	109	36	13	8	1,019
U62B Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	8	210	207	169	92	64	80	830
V60Z Alcohol Intoxication and Withdrawal	2	47	98	143	84	44	29	447
O61Z Postpartum and Post Abortion W/O O.R. Procedure	0	62	259	92	0	0	0	413
V61B Drug Intoxication and Withdrawal WO CC	9	292	253	93	12	5	4	668
Z64B Other Factors Influencing Health Status Age<80	68	54	80	53	32	13	18	318

(a) Separations with acute and non-specified episode type only.

Note: Abbreviations: W—with, W/O—without, CC—complications and comorbidities, ECT—Electroconvulsive therapy, Cat/Sev—catastrophic or severe, O.R.—operating room.

Table 3.42: Overnight mental health-related separations^(a) without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by sex and age group, Australia, 1999–00

AR-DRG Description	Under 15							Total
	years	15–24	25–34	35–44	45–54	55–64	65 or older	
Males								
U65Z Anxiety Disorders	3,114	137	277	323	438	348	632	5,269
V60Z Alcohol Intoxication and Withdrawal	89	390	654	1,096	932	527	481	4,169
V62A Alcohol Use Disorder and Dependence	2	104	535	1,048	970	536	267	3,462
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	1	14	16	21	53	109	2,259	2,473
U67Z Personality Disorders and Acute Reactions	252	233	590	437	623	228	207	2,570
V63Z Opioid Use Disorder and Dependence	0	713	897	466	95	11	7	2,189
U64Z Other Affective and Somatoform Disorders	25	195	411	439	380	231	561	2,242
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	19	161	328	392	336	181	80	1,497
U61B Schizophrenia Disorders W/O Mental Health Legal Status	3	260	437	286	149	55	55	1,245
B64Z Delirium	7	19	19	41	37	65	914	1,102
U68Z Childhood Mental Disorders	1,085	5	6	2	3	4	11	1,116
V64Z Other Drug Use Disorder and Dependence	23	256	252	123	42	14	12	722
V61B Drug Intoxication and Withdrawal WO CC	6	237	197	80	22	6	8	556
U62B Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	15	94	142	83	64	29	64	491
U63A Major Affective Disorders W Cat or Sev CC or (Age>69 W/O Cat or Sev CC)	1	2	4	17	8	22	387	441
Females								
U65Z Anxiety Disorders	2,398	370	972	668	485	366	1,141	6,400
U64Z Other Affective and Somatoform Disorders	51	436	878	867	680	367	1,210	4,489
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	1	6	4	9	22	68	2,895	3,005
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	29	340	674	780	629	374	163	2,989
V60Z Alcohol Intoxication and Withdrawal	108	308	290	420	253	115	172	1,666
U67Z Personality Disorders and Acute Reactions	195	459	897	580	272	122	164	2,689
B64Z Delirium	7	16	16	30	43	68	1,315	1,495
V63Z Opioid Use Disorder and Dependence	1	467	439	221	45	5	13	1,191
V62A Alcohol Use Disorder and Dependence	1	54	243	468	334	158	105	1,363
O61Z Postpartum and Post Abortion W/O O.R. Procedure	0	137	546	125	0	0	0	808
O65A Other Antenatal Admission W Severe Complicating Diagnosis	0	266	431	111	0	0	0	808
U61B Schizophrenia Disorders W/O Mental Health Legal Status	8	109	199	231	174	119	129	969
U63A Major Affective Disorders W Cat or Sev CC or (Age>69 W/O Cat or Sev CC)	0	4	15	20	28	35	766	868
U66Z Eating and Obsessive-Compulsive Disorders	271	347	92	64	20	10	23	827
V64Z Other Drug Use Disorder and Dependence	14	169	193	119	44	18	31	588

(a) Separations with acute and non-specified episode type only.

Note: Abbreviations: W—with, W/O—without, CC—complications and comorbidities, ECT—Electroconvulsive therapy, Cat/Sev—catastrophic or severe, O.R.—operating room.

Table 3.43a: Average length of stay (days) of overnight mental health-related separations^(a) with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by sex, Australia, 1999–00

AR-DRG Description	Under 15							Total
	years	15–24	25–34	35–44	45–54	55–64	65 or older	
Male								
U61A Schizophrenia Disorders W Mental Health Legal Status	n.p.	22.4	20.5	21.0	23.7	22.5	26.3	21.6
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	14.3	13.6	14.5	15.0	16.6	19.6	22.1	14.9
U67Z Personality Disorders and Acute Reactions	7.7	6.9	7.3	7.4	9.0	10.6	16.3	8.0
U61B Schizophrenia Disorders W/O Mental Health Legal Status	14.8	16.9	14.1	16.3	16.7	17.6	29.4	15.2
U64Z Other Affective and Somatoform Disorders	10.1	8.3	9.3	10.8	12.1	14.6	22.4	9.9
V61B Drug Intoxication and Withdrawal WO CC	n.p.	8.4	7.7	7.5	6.5	n.p.	n.p.	7.3
V60Z Alcohol Intoxication and Withdrawal	n.p.	3.4	3.7	7.3	9.6	13.6	24.3	7.4
U63A Major Affective Disorders W Cat or Sev CC or (Age>69 W/O Cat or Sev CC)	n.p.	18.3	18.6	21.0	25.7	30.4	25.6	25.4
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	n.p.	27.5	13.9	11.4	24.0	37.0	40.6	34.5
U62A Paranoia & Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	13.0	14.9	12.0	11.2	13.9	13.2	28.0	13.5
V64Z Other Drug Use Disorder and Dependence	n.p.	5.8	8.5	11.7	9.6	n.p.	n.p.	8.1
V62A Alcohol Use Disorder and Dependence	n.p.	9.6	10.3	10.6	14.5	14.8	16.4	10.2
V63Z Opioid Use Disorder and Dependence	n.p.	5.1	6.5	8.1	11.0	n.p.	n.p.	4.1
U62B Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	16.9	10.5	9.7	9.1	11.8	13.6	23.6	10.6
Z64B Other Factors Influencing Health Status Age<80	6.2	7.6	11.1	6.5	13.6	n.p.	37.4	9.9
Male overnight acute separations, All AR-DRGs	11.2	12.8	12.3	12.8	15.5	17.8	27.1	14.4
Females								
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	14.3	13.6	14.5	15.0	16.6	19.6	22.1	15.9
U67Z Personality Disorders and Acute Reactions	7.7	6.9	7.3	7.4	9.0	10.6	16.3	7.7
U61B Schizophrenia Disorders W/O Mental Health Legal Status	14.8	16.9	14.1	16.3	16.7	17.6	29.4	17.1
U61A Schizophrenia Disorders W Mental Health Legal Status	n.p.	21.8	19.1	22.2	22.2	26.2	32.5	22.5
U64Z Other Affective and Somatoform Disorders	10.1	8.3	9.3	10.8	12.1	14.6	22.4	12.1
U63A Major Affective Disorders W Cat or Sev CC or (Age>69 W/O Cat or Sev CC)	n.p.	18.3	18.6	21.0	25.7	30.4	25.6	25.1
U65Z Anxiety Disorders	14.6	9.3	11.7	14.1	15.1	13.0	18.8	13.6
U62A Paranoia & Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	n.p.	14.9	12.0	11.2	13.9	13.2	28.0	14.6
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	n.p.	27.5	13.9	11.4	24.0	37.0	40.6	38.0
U66Z Eating and Obsessive-Compulsive Disorders	26.3	29.7	22.7	27.3	34.3	29.1	n.p.	27.6
U62B Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	n.p.	10.5	9.7	9.1	11.8	13.6	23.6	11.7
V60Z Alcohol Intoxication and Withdrawal	n.p.	3.4	3.7	7.3	9.6	13.6	24.3	8.2
O61Z Postpartum and Post Abortion W/O O.R. Procedure	n.p.	12.7	16.1	16.5	n.p.	n.p.	n.p.	15.7
V61B Drug Intoxication and Withdrawal WO CC	n.p.	8.4	7.7	7.5	6.5	n.p.	n.p.	8.1
Z64B Other Factors Influencing Health Status Age<80	6.2	7.6	11.1	6.5	13.6	10.8	37.4	10.4
Female overnight acute separations, All AR-DRGs	11.6	12.3	12.1	13.4	15.7	19.0	27.4	15.3

(a) Separations for which the type of episode of care was acute, or was not reported and the length of stay was less than 366 days.

n.p. Not published: based on less than 10 separations.

Note: Abbreviations: W—with, W/O—without, CC—complications and comorbidities, ECT—Electroconvulsive therapy, Cat/Sev—catastrophic or severe, O.R.—operating room.

Table 3.43b: Average length of stay (days) of overnight mental health-related separations^(a) without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by sex, Australia, 1999–00

AR-DRG Description	Under 15								Total
	years	15–24	25–34	35–44	45–54	55–64	65 or older		
Males									
V60Z Alcohol Intoxication and Withdrawal	1.1	1.7	2.3	2.8	3.5	4.1	5.8	3.2	
U65Z Anxiety Disorders	3.9	2.6	2.0	2.2	2.0	2.7	4.4	3.5	
V62A Alcohol Use Disorder and Dependence	n.p.	5.6	4.6	5.1	6.1	7.5	8.9	6.0	
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	n.p.	5.5	8.1	8.5	7.1	12.6	15.3	14.9	
U67Z Personality Disorders and Acute Reactions	3.6	2.9	3.3	5.1	15.3	11.9	9.0	7.7	
V63Z Opioid Use Disorder and Dependence	n.p.	3.4	3.5	4.2	5.0	5.1	n.p.	3.7	
U64Z Other Affective and Somatoform Disorders	3.7	3.4	3.5	4.7	5.0	6.5	10.0	5.9	
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	5.8	6.1	5.9	7.5	9.4	9.9	13.7	8.0	
U61B Schizophrenia Disorders W/O Mental Health Legal Status	n.p.	7.4	6.2	5.9	7.8	12.6	12.1	7.1	
B64Z Delirium	n.p.	1.9	4.0	4.6	11.5	8.4	12.8	11.8	
U68Z Childhood Mental Disorders	4.2	n.p.	n.p.	n.p.	n.p.	n.p.	12.3	4.4	
V64Z Other Drug Use Disorder and Dependence	1.3	5.1	5.5	6.6	9.5	6.4	5.0	5.7	
V61B Drug Intoxication and Withdrawal WO CC	n.p.	2.8	3.1	2.8	2.6	n.p.	n.p.	3.0	
U62B Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	3.3	3.1	2.7	3.4	4.8	5.6	8.4	4.1	
U63A Major Affective Disorders W Cat or Sev CC or (Age>69 W/O Cat or Sev CC)	n.p.	n.p.	n.p.	9.9	n.p.	11.0	13.7	13.2	
Male overnight acute separations, All AR-DRGs	3.9	4.0	4.0	4.6	6.7	6.9	11.8	6.2	
Females									
U65Z Anxiety Disorders	3.8	3.1	3.4	3.7	3.6	4.1	5.9	4.1	
U64Z Other Affective and Somatoform Disorders	5.0	3.9	4.5	4.8	6.9	7.3	10.8	6.8	
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	n.p.	n.p.	n.p.	n.p.	9.4	11.8	15.1	15.0	
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	6.0	6.3	7.3	9.0	9.7	10.3	10.8	8.7	
V60Z Alcohol Intoxication and Withdrawal	1.2	1.2	2.2	2.9	3.1	7.8	6.7	3.1	
U67Z Personality Disorders and Acute Reactions	3.6	3.4	3.5	4.7	6.2	5.4	7.5	4.3	
B64Z Delirium	n.p.	3.4	2.6	5.4	5.1	8.2	12.6	11.8	
V63Z Opioid Use Disorder and Dependence	n.p.	3.9	3.6	5.3	6.2	n.p.	11.3	4.2	
V62A Alcohol Use Disorder and Dependence	n.p.	8.1	5.8	7.1	8.4	8.6	7.9	7.5	
O61Z Postpartum and Post Abortion W/O O.R. Procedure	n.p.	5.1	5.5	5.2	n.p.	n.p.	n.p.	5.4	
O65A Other Antenatal Admission W Severe Complicating Diagnosis	n.p.	3.4	3.3	3.7	n.p.	n.p.	n.p.	3.4	
U61B Schizophrenia Disorders W/O Mental Health Legal Status	n.p.	7.2	8.4	7.6	10.3	9.5	13.3	9.2	
U63A Major Affective Disorders W Cat or Sev CC or (Age>69 W/O Cat or Sev CC)	n.p.	n.p.	12.4	15.2	9.7	20.0	15.2	15.2	
U66Z Eating and Obsessive-Compulsive Disorders	22.7	19.7	8.8	12.7	16.7	22.7	16.8	18.8	
V64Z Other Drug Use Disorder and Dependence	2.3	4.5	6.7	7.6	8.7	8.2	10.7	6.6	
Female overnight acute separations, All AR-DRGs	3.9	4.0	4.0	4.6	6.7	6.9	11.8	7.3	

(a) Separations for which the type of episode of care was acute, or was not reported and the length of stay was less than 366 days.

n.p. Not published: based on less than 10 separations.

Note: Abbreviations: W—with, W/O—without, CC—complications and comorbidities, ECT—Electroconvulsive therapy, Cat/Sev—catastrophic or severe, O.R.—operating room.

Table 3.44a: Median length of stay (days) of overnight mental health-related separations^(a) with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by sex, Australia, 1999–00

AR-DRG Description	Under 15	15–24	25–34	35–44	45–54	55–64	65 or older	Total
	years							
Males								
U61A Schizophrenia Disorders W Mental Health Legal Status	n.p.	14	12	13	14	15	19	13
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	7	9	9	10	12	13	12	10
U67Z Personality Disorders and Acute Reactions	4	3	3	4	9	8	11	4
U61B Schizophrenia Disorders W/O Mental Health Legal Status	6	9	8	9	9	10	19	9
U64Z Other Affective and Somatoform Disorders	11	5	5	5	6	8	14	6
V61B Drug Intoxication and Withdrawal WO CC	n.p.	5	4	4	2	n.p.	n.p.	4
V60Z Alcohol Intoxication and Withdrawal	n.p.	2	2	2	4	4	15	3
U63A Major Affective Disorders W Cat or Sev CC or (Age>69 W/O Cat or Sev CC)	n.p.	18	10	14	16	18	19	18
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	n.p.	4	6	11	10	21	26	20
U62A Paranoia & Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	5	9	8	7	9	14	14	9
V64Z Other Drug Use Disorder and Dependence	n.p.	4	4	6	7	n.p.	n.p.	4
V62A Alcohol Use Disorder and Dependence	n.p.	5	5	6	7	8	12	7
V63Z Opioid Use Disorder and Dependence	n.p.	2	2	2	4	n.p.	n.p.	2
U62B Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	17	6	6	6	8	8	13	6
Z64B Other Factors Influencing Health Status Age<80	4	6	4	4	4	n.p.	14	4
All AR-DRGs	5	7	7	7	9	11	18	8
Females								
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	9	9	10	10	12	15	18	11
U67Z Personality Disorders and Acute Reactions	4	3	4	4	5	6	9	4
U61B Schizophrenia Disorders W/O Mental Health Legal Status	7	9	8	9	11	13	22	11
U61A Schizophrenia Disorders W Mental Health Legal Status	n.p.	14	12	15	16	19	24	15
U64Z Other Affective and Somatoform Disorders	7	4	6	6	7	9	16	7
U63A Major Affective Disorders W Cat or Sev CC or (Age>69 W/O Cat or Sev CC)	n.p.	10	14	16	22	23	20	20
U65Z Anxiety Disorders	6	5	6	8	8	9	14	8
U62A Paranoia & Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	n.p.	9	8	7	10	8	21	9
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	n.p.	9	10	9	9	18	27	25
U66Z Eating and Obsessive-Compulsive Disorders	17	17	13	12	20	19	n.p.	16
U62B Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	n.p.	7	6	7	9	12	15	8
V60Z Alcohol Intoxication and Withdrawal	n.p.	1	2	2	6	8	19	3
O61Z Postpartum and Post Abortion W/O O.R. Procedure	n.p.	10	11	14	n.p.	n.p.	n.p.	11
V61B Drug Intoxication and Withdrawal WO CC	n.p.	5	4	5	6	n.p.	n.p.	5
Z64B Other Factors Influencing Health Status Age<80	4	3	4	4	4	6	24	4
All AR-DRGs	5	6	7	8	10	13	20	8

(a) Separations for which the type of episode of care was acute, or was not reported.

n.p. Not published: based on less than 10 separations.

Note: Abbreviations: W—with, W/O—without, CC—complications and comorbidities, ECT—Electroconvulsive therapy, Cat/Sev—catastrophic or severe, O.R.—operating room.

Table 3.44b: Median length of stay (days) of overnight mental health-related separations^(a) without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by sex, Australia, 1999–00

AR-DRG Description	Under 15	15–24	25–34	35–44	45–54	55–64	65 or older	Total
	years							
Males								
V60Z Alcohol Intoxication and Withdrawal	1	1	1	1	2	2	3	1
U65Z Anxiety Disorders	4	1	1	1	1	1	2	3
V62A Alcohol Use Disorder and Dependence	n.p.	4	4	4	4	5	6	4
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	n.p.	3	2	5	5	8	10	10
U67Z Personality Disorders and Acute Reactions	3	2	2	2	11	7	5	3
V63Z Opioid Use Disorder and Dependence	n.p.	2	2	3	4	3	n.p.	2
U64Z Other Affective and Somatoform Disorders	3	2	2	3	3	5	7	3
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	4	4	3	4	5	6	11	4
U61B Schizophrenia Disorders W/O Mental Health Legal Status	n.p.	3	3	3	3	6	7	3
B64Z Delirium	n.p.	1	2	5	3	6	9	8
U68Z Childhood Mental Disorders	4	n.p.	n.p.	n.p.	n.p.	n.p.	10	4
V64Z Other Drug Use Disorder and Dependence	1	4	3	4	6	7	5	4
V61B Drug Intoxication and Withdrawal WO CC	n.p.	1	2	1	1	n.p.	n.p.	1
U62B Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	2	2	1	1	2	3	6	2
U63A Major Affective Disorders W Cat or Sev CC or (Age>69 W/O Cat or Sev CC)	n.p.	n.p.	n.p.	4	n.p.	9	10	9
All AR-DRGs	4	2	2	3	3	4	7	4
Females								
U65Z Anxiety Disorders	4	2	4	3	1	2	3	4
U64Z Other Affective and Somatoform Disorders	3	3	3	4	5	5	8	4
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	n.p.	n.p.	n.p.	n.p.	5	9	11	11
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	4	4	4	5	6	6	7	5
V60Z Alcohol Intoxication and Withdrawal	1	1	1	1	1	3	4	1
U67Z Personality Disorders and Acute Reactions	2	2	3	3	3	3	4	3
B64Z Delirium	n.p.	1	2	3	3	6	9	8
V63Z Opioid Use Disorder and Dependence	n.p.	2	2	4	5	n.p.	6	3
V62A Alcohol Use Disorder and Dependence	n.p.	4	4	5	6	6	5	5
O61Z Postpartum and Post Abortion W/O O.R. Procedure	n.p.	4	4	4	n.p.	n.p.	n.p.	4
O65A Other Antenatal Admission W Severe Complicating Diagnosis	n.p.	2	2	3	n.p.	n.p.	n.p.	2
U61B Schizophrenia Disorders W/O Mental Health Legal Status	n.p.	3	4	4	6	7	7	5
U63A Major Affective Disorders W Cat or Sev CC or (Age>69 W/O Cat or Sev CC)	n.p.	n.p.	6	7	7	18	10	10
U66Z Eating and Obsessive-Compulsive Disorders	16	12	4	7	12	16	10	12
V64Z Other Drug Use Disorder and Dependence	1	3	4	5	7	6	9	4
All AR-DRGs	4	3	3	4	4	5	8	4

(a) Separations for which the type of episode of care was acute, or was not reported.

n.p. Not published: based on less than 10 separations.

Note: Abbreviations: W—with, W/O—without, CC—complications and comorbidities, ECT—Electroconvulsive therapy, Cat/Sev—catastrophic or severe, O.R.—operating room.

Table 3.45a: Average length of stay (days) of overnight mental health-related separations^(a) with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, States and Territories,^(b) 1999–00

AR-DRG	Description	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
Public acute										
U63B	Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	15.6	14.1	12.3	15.4	15.6	10.4	14.0	10.4	14.1
U67Z	Personality Disorders and Acute Reactions	5.8	7.1	5.3	7.1	7.1	4.1	5.7	4.3	6.2
U61A	Schizophrenia Disorders W Mental Health Legal Status	20.5	20.2	18.0	25.3	20.0	14.0	19.2	n.p.	19.8
U61B	Schizophrenia Disorders W/O Mental Health Legal Status	17.9	15.8	11.1	15.7	15.6	11.1	14.1	13.8	15.0
U64Z	Other Affective and Somatoform Disorders	9.6	11.7	7.5	9.8	9.5	8.4	9.6	6.4	9.5
U63A	Major Affective Disorders W Cat or Sev CC or (Age>69 W/O Cat or Sev CC)	27.0	24.7	25.9	28.9	30.7	9.4	28.0	n.p.	25.5
V61B	Drug Intoxication and Withdrawal WO CC	7.6	7.8	6.2	6.0	6.3	4.3	7.1	6.2	6.9
U62A	Paranoia & Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	12.2	14.9	12.2	17.8	11.8	10.8	16.2	n.p.	13.5
B63Z	Dementia and Other Chronic Disturbances of Cerebral Function	19.3	30.6	17.2	46.9	37.0	25.0	n.p.	n.p.	32.1
U62B	Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	10.8	11.7	7.3	12.5	10.6	7.5	8.8	8.4	10.2
V60Z	Alcohol Intoxication and Withdrawal	4.6	10.1	3.8	8.6	9.2	4.1	11.9	4.5	6.4
Z64B	Other Factors Influencing Health Status Age<80	4.0	12.6	4.9	6.1	52.8	n.p.	12.1	n.p.	8.0
U65Z	Anxiety Disorders	6.9	11.8	7.2	13.4	12.2	7.8	6.7	n.p.	9.3
U66Z	Eating and Obsessive-Compulsive Disorders	29.0	28.3	13.9	18.7	25.0	n.p.	37.2	n.p.	22.4
X62B	Poisoning/Toxic Effects of Drugs & Other Substances Age<60 W/O CC	5.5	5.1	5.1	4.7	5.7	4.5	3.2	n.p.	5.0
All AR-DRGs		13.9	15.2	11.3	15.1	14.2	9.0	12.3	9.0	13.5
Private										
U63B	Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	21.2	17.0	17.4	14.4	18.1	n.p.	n.p.	n.a.	17.4
U67Z	Personality Disorders and Acute Reactions	17.2	12.7	16.4	14.6	14.3	n.p.	n.p.	n.a.	15.1
U63A	Major Affective Disorders W Cat or Sev CC or (Age>69 W/O Cat or Sev CC)	26.8	18.6	22.9	25.6	27.9	n.p.	n.p.	n.a.	22.6
U61B	Schizophrenia Disorders W/O Mental Health Legal Status	18.3	17.6	20.4	15.4	12.4	n.p.	n.p.	n.a.	17.7
U64Z	Other Affective and Somatoform Disorders	19.8	15.2	17.1	15.1	15.9	n.p.	n.p.	n.a.	16.2
V62A	Alcohol Use Disorder and Dependence	14.6	14.0	12.2	12.7	13.4	n.p.	n.p.	n.a.	13.8
U65Z	Anxiety Disorders	17.6	14.8	16.9	15.8	14.1	n.p.	n.p.	n.a.	16.2
V60Z	Alcohol Intoxication and Withdrawal	12.7	10.1	15.6	10.8	17.3	n.p.	n.p.	n.a.	12.3
V64Z	Other Drug Use Disorder and Dependence	17.8	15.6	10.9	10.9	10.0	n.p.	n.p.	n.a.	14.4
U63Z	Opioid Use Disorder and Dependence	12.6	3.6	10.3	12.8	9.8	n.p.	n.p.	n.a.	5.6
U66Z	Eating and Obsessive-Compulsive Disorders	33.9	36.0	29.6	29.0	20.8	n.p.	n.p.	n.a.	31.9
O61Z	Postpartum and Post Abortion W/O O.R. Procedure	19.2	18.5	20.9	n.p.	n.p.	n.p.	n.p.	n.a.	19.0
B63Z	Dementia and Other Chronic Disturbances of Cerebral Function	17.6	24.3	18.4	15.7	20.4	n.p.	n.p.	n.a.	20.7
U62B	Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	13.5	17.8	19.4	12.1	14.3	n.p.	n.p.	n.a.	16.0
V61B	Drug Intoxication and Withdrawal WO CC	n.p.	18.6	25.2	11.0	8.9	n.p.	n.p.	n.a.	13.3
All AR-DRGs		19.1	15.6	18.2	15.3	16.8	n.p.	n.p.	n.a.	16.9

(continued)

Table 3.45a (continued): Average length of stay (days) of overnight mental health-related separations^(a) with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, States and Territories,^(b) 1999-00

AR-DRG	Description	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
Public psychiatric										
U61A	Schizophrenia Disorders W Mental Health Legal Status	29.1	29.9	45.3	39.9	15.9	24.6	29.1
U67Z	Personality Disorders and Acute Reactions	6.7	15.8	9.0	10.2	5.9	18.8	7.7
U63B	Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	16.7	15.0	25.7	26.2	15.5	15.3	18.5
U61B	Schizophrenia Disorders W/O Mental Health Legal Status	22.1	n.p.	28.1	19.1	18.3	11.6	20.4
V63Z	Opioid Use Disorder and Dependence	3.2	10.1	n.p.	7.9	n.p.	n.p.	3.6
U62A	Paranoia & Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	13.9	15.4	18.8	20.2	12.7	n.p.	15.3
B63Z	Dementia and Other Chronic Disturbances of Cerebral Function	60.1	n.p.	77.7	70.2	39.1	n.p.	56.7
V61B	Drug Intoxication and Withdrawal WO CC	8.9	n.p.	10.1	10.0	5.8	n.p.	8.5
U64Z	Other Affective and Somatoform Disorders	11.1	20.5	23.7	20.4	8.0	19.0	13.8
V60Z	Alcohol Intoxication and Withdrawal	5.7	n.p.	n.p.	10.6	4.6	n.p.	7.0
U63A	Major Affective Disorders W Cat or Sev CC or (Age>69 W/O Cat or Sev CC)	31.6	n.p.	47.0	48.3	29.3	n.p.	33.1
V64Z	Other Drug Use Disorder and Dependence	5.9	12.5	n.p.	10.5	2.8	n.p.	8.3
V62A	Alcohol Use Disorder and Dependence	7.0	n.p.	40.3	11.5	7.3	n.p.	8.7
960Z	Ungroupable	n.p.	13.4	n.p.	n.p.	n.p.	44.3	31.6
V61A	Drug Intoxication and Withdrawal W CC	9.2	n.p.	n.p.	9.2	7.8	n.p.	9.4
All AR-DRGs		16.4	21.4	30.1	24.1	14.6	23.1	18.6

(a) Separations for which the type of episode of care was acute, or was not reported and the length of stay was less than 366 days.

(b) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals. Please refer to Box 3.2 for information.

Note: Abbreviations: W—with, W/O—without, CC—complications and comorbidities, ECT—Electroconvulsive therapy, Cat/Sev—catastrophic or severe, O.R.—operating room.

.. Not applicable.

n.p. Not published: based on less than 10 separations. Data for private hospitals in the Australian Capital Territory and Tasmania are also not published for confidentiality reasons.

Table 3.45b: Average length of stay (days) of overnight mental health-related separations^(a) without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, States and Territories,^(b) 1999–00

AR-DRG	Description	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
Public acute										
V60Z	Alcohol Intoxication and Withdrawal	3.1	2.7	2.7	3.1	3.3	4.6	3.9	2.6	3.0
U65Z	Anxiety Disorders	4.4	3.2	3.3	3.9	3.3	7.4	2.5	2.8	3.7
U64Z	Other Affective and Somatoform Disorders	5.5	4.8	4.7	5.7	6.1	6.2	14.0	n.p.	5.4
B63Z	Dementia and Other Chronic Disturbances of Cerebral Function	14.0	14.7	14.7	15.8	15.4	21.1	13.6	18.3	14.8
U67Z	Personality Disorders and Acute Reactions	4.4	2.9	3.1	3.1	3.6	3.6	6.8	1.4	3.5
V62A	Alcohol Use Disorder and Dependence	4.9	5.2	4.6	5.2	4.8	4.9	n.p.	n.p.	4.9
U63B	Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	7.2	4.5	4.9	5.4	6.4	11.9	13.6	2.3	6.2
V63Z	Opioid Use Disorder and Dependence	3.2	4.4	4.3	4.5	5.3	n.p.	n.p.	n.p.	3.7
B64Z	Delirium	12.0	11.3	10.1	12.2	12.1	12.5	n.p.	n.p.	11.6
U61B	Schizophrenia Disorders W/O Mental Health Legal Status	7.8	5.2	4.1	4.6	5.9	11.6	22.6	2.9	6.9
U68Z	Childhood Mental Disorders	4.9	2.4	3.6	3.7	3.0	2.1	n.p.	5.9	4.2
V64Z	Other Drug Use Disorder and Dependence	4.9	5.0	5.5	4.3	4.6	4.1	n.p.	n.p.	4.9
V61B	Drug Intoxication and Withdrawal WO CC	3.0	2.5	2.3	2.9	3.5	3.3	4.5	2.5	2.9
O65A	Other Antenatal Admission W Severe Complicating Diagnosis	3.6	3.4	3.6	2.4	2.9	n.p.	n.p.	2.5	3.4
U62B	Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	5.2	4.3	2.9	4.1	4.8	8.1	14.5	1.6	4.7
All AR-DRGs		6.2	5.3	5.1	6.0	6.4	8.9	12.2	4.0	5.9
Private										
U65Z	Anxiety Disorders	5.5	4.0	5.5	5.1	3.3	n.p.	n.p.	n.a.	5.4
U64Z	Other Affective and Somatoform Disorders	14.5	10.5	10.6	7.8	7.8	n.p.	n.p.	n.a.	11.5
B63Z	Dementia and Other Chronic Disturbances of Cerebral Function	18.8	14.0	16.6	14.1	11.1	n.p.	n.p.	n.a.	15.4
U67Z	Personality Disorders and Acute Reactions	18.0	9.6	13.3	5.1	6.2	n.p.	n.p.	n.a.	14.4
U63B	Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	20.9	13.2	13.0	7.5	8.3	n.p.	n.p.	n.a.	14.8
V62A	Alcohol Use Disorder and Dependence	14.6	14.4	9.3	13.0	6.7	n.p.	n.p.	n.a.	12.2
V63Z	Opioid Use Disorder and Dependence	2.6	5.3	9.6	5.1	3.3	n.p.	n.p.	n.a.	4.3
O61Z	Postpartum and Post Abortion W/O O.R. Procedure	7.7	10.1	10.7	5.4	n.p.	n.p.	n.p.	n.a.	8.4
B64Z	Delirium	14.3	12.3	14.3	10.6	10.1	n.p.	n.p.	n.a.	12.7
U63A	Major Affective Disorders W Cat or Sev CC or (Age>69 W/O Cat or Sev CC)	18.9	15.2	18.6	17.0	11.1	n.p.	n.p.	n.a.	17.8
V60Z	Alcohol Intoxication and Withdrawal	9.9	8.9	7.0	5.2	4.6	n.p.	n.p.	n.a.	7.4
V64Z	Other Drug Use Disorder and Dependence	17.5	16.3	7.9	6.3	n.p.	n.p.	n.p.	n.a.	13.5
U61B	Schizophrenia Disorders W/O Mental Health Legal Status	21.1	15.5	15.3	7.9	n.p.	n.p.	n.p.	n.a.	17.4
U68Z	Childhood Mental Disorders	12.1	4.3	3.4	2.3	n.p.	n.p.	n.p.	n.a.	6.1
U66Z	Eating and Obsessive-Compulsive Disorders	16.9	13.7	12.3	n.p.	36.7	n.p.	n.p.	n.a.	15.8
All AR-DRGs		13.8	8.5	11.5	7.5	8.1	n.p.	n.p.	n.a.	11.5

(a) Separations for which the type of episode of care was acute, or was not reported and the length of stay was less than 366 days.

(b) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals. Please refer to Box 3.2 for information.

Note: Abbreviations: W—with, W/O—without, CC—complications and comorbidities, ECT—Electroconvulsive therapy, Cat/Sev—catastrophic or severe, O.R.—operating room.

n.a. Not available.

n.p. Not published: based on less than 10 separations. Data for private hospitals in the Australian Capital Territory and Tasmania are also not published for confidentiality reasons.

Table 3.46a: Median length of stay (days) of overnight mental health-related separations^(a) with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, States and Territories,^(b) 1999-00

AR-DRG	Description	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
Public acute										
U63B	Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	11	9	8	11	12	7	10	8	10
U67Z	Personality Disorders and Acute Reactions	3	3	3	4	4	2	3	3	3
U61A	Schizophrenia Disorders W Mental Health Legal Status	14	12	12	17	16	10	14	n.p.	13
U61B	Schizophrenia Disorders W/O Mental Health Legal Status	11	10	6	11	10	6	11	8	9
U64Z	Other Affective and Somatoform Disorders	6	6	5	6	6	5	6	4	5
U63A	Major Affective Disorders W Cat or Sev CC or (Age>69 W/O Cat or Sev CC)	21	20	18	24	23	3	19	n.p.	19
V61B	Drug Intoxication and Withdrawal WO CC	4	5	4	4	5	4	3	5	4
U62A	Paranoia & Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	8	9	7	12	10	8	14	n.p.	9
B63Z	Dementia and Other Chronic Disturbances of Cerebral Function	13	22	9	30	24	10	n.p.	n.p.	21
U62B	Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	6	7	5	8	9	6	5	6	6
V60Z	Alcohol Intoxication and Withdrawal	2	4	2	2	6	2	1	4	2
Z64B	Other Factors Influencing Health Status Age<80	4	10	2	3	64	n.p.	5	n.p.	4
U65Z	Anxiety Disorders	5	7	4	8	10	5	4	n.p.	6
U66Z	Eating and Obsessive-Compulsive Disorders	13	14	5	12	14	n.p.	19	n.p.	11
X62B	Poisoning/Toxic Effects of Drugs & Other Substances Age<60 W/O CC	3	2	3	3	3	1	2	n.p.	3
All AR-DRGs		7	8	6	8	9	5	7	6	7
Private										
U63B	Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	17	13	12	11	14	n.p.	n.p.	n.a.	13
U67Z	Personality Disorders and Acute Reactions	12	9	11	8	10	n.p.	n.p.	n.a.	10
U63A	Major Affective Disorders W Cat or Sev CC or (Age>69 W/O Cat or Sev CC)	23	14	16	19	27	n.p.	n.p.	n.a.	18
U61B	Schizophrenia Disorders W/O Mental Health Legal Status	14	13	12	10	9	n.p.	n.p.	n.a.	13
U64Z	Other Affective and Somatoform Disorders	14	12	11	11	11	n.p.	n.p.	n.a.	12
V62A	Alcohol Use Disorder and Dependence	12	10	7	11	12	n.p.	n.p.	n.a.	11
U65Z	Anxiety Disorders	12	11	7	10	14	n.p.	n.p.	n.a.	10
V60Z	Alcohol Intoxication and Withdrawal	9	8	11	8	10	n.p.	n.p.	n.a.	9
V64Z	Other Drug Use Disorder and Dependence	14	10	10	5	4	n.p.	n.p.	n.a.	10
V63Z	Opioid Use Disorder and Dependence	6	2	8	8	10	n.p.	n.p.	n.a.	2
U66Z	Eating and Obsessive-Compulsive Disorders	32	29	20	24	18	n.p.	n.p.	n.a.	25
O61Z	Postpartum and Post Abortion W/O O.R. Procedure	16	15	21	n.p.	n.p.	n.p.	n.p.	n.a.	17
B63Z	Dementia and Other Chronic Disturbances of Cerebral Function	11	20	15	14	20	n.p.	n.p.	n.a.	17
U62B	Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	8	12	11	8	10	n.p.	n.p.	n.a.	11
V61B	Drug Intoxication and Withdrawal WO CC	n.p.	12	17	7	7	n.p.	n.p.	n.a.	8
All AR-DRGs		15	11	11	10	13	n.p.	n.p.	n.a.	12

(continued)

Table 3.46a (continued): Median length of stay (days) of overnight mental health-related separations^(a) with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, States and Territories,^(b) 1999–00

AR-DRG	Description	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
Public psychiatric										
U61A	Schizophrenia Disorders W Mental Health Legal Status	17	15	27	27	11	17	18
U67Z	Personality Disorders and Acute Reactions	3	13	5	7	3	5	4
U63B	Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	13	14	18	19	12	7	13
U61B	Schizophrenia Disorders W/O Mental Health Legal Status	12	n.p.	14	11	10	4	10
V63Z	Opioid Use Disorder and Dependence	2	7	n.p.	4	n.p.	n.p.	2
U62A	Paranoia & Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	8	14	11	13	7	n.p.	9
B63Z	Dementia and Other Chronic Disturbances of Cerebral Function	36	n.p.	56	40	27	n.p.	33
V61B	Drug Intoxication and Withdrawal WO CC	5	n.p.	8	6	3	n.p.	4
U64Z	Other Affective and Somatoform Disorders	6	13	9	13	3	13	7
V60Z	Alcohol Intoxication and Withdrawal	2	n.p.	n.p.	3	2	n.p.	2
U63A	Major Affective Disorders W Cat or Sev CC or (Age>69 W/O Cat or Sev CC)	20	n.p.	39	42	20	n.p.	21
V64Z	Other Drug Use Disorder and Dependence	4	9	n.p.	6	2	n.p.	5
V62A	Alcohol Use Disorder and Dependence	5	n.p.	17	7	5	n.p.	5
960Z	Ungroupable	n.p.	8	n.p.	n.p.	n.p.	17	14
V61A	Drug Intoxication and Withdrawal W CC	7	n.p.	n.p.	7	4	n.p.	7
All AR-DRGs		7	12	15	12	7	8	8

(a) Separations for which the type of episode of care was acute, or was not reported.

(b) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals. Please refer to Box 3.2 for information.

Note: Abbreviations: W—with, W/O—without, CC—complications and comorbidities, ECT—Electroconvulsive therapy, Cat/Sev—catastrophic or severe, O.R.—operating room.

.. Not applicable.

n.a. Not available.

n.p. Not published: based on less than 10 separations. Data for private hospitals in the Australian Capital Territory and Tasmania are also not published for confidentiality reasons.

Table 3.46b: Median length of stay (days) of overnight mental health-related separations^(a) without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, States and Territories,^(b) 1999–00

AR-DRG	Description	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
Public acute										
V60Z	Alcohol Intoxication and Withdrawal	2	4	2	2	6	2	1	4	1
U65Z	Anxiety Disorders	5	7	4	8	10	5	4	3	3
U64Z	Other Affective and Somatoform Disorders	6	6	5	6	6	5	6	n.p.	4
B63Z	Dementia and Other Chronic Disturbances of Cerebral Function	13	22	9	30	24	10	21	0	10
U67Z	Personality Disorders and Acute Reactions	3	3	3	4	4	2	3	3	2
V62A	Alcohol Use Disorder and Dependence	3	6	3	5	10	1	n.p.	n.p.	4
U63B	Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	11	9	8	11	12	7	10	8	4
V63Z	Opioid Use Disorder and Dependence	4	3	3	2	4	n.p.	n.p.	n.p.	3
B64Z	Delirium	10	12	8	10	16	14	n.p.	n.p.	8
U61B	Schizophrenia Disorders W/O Mental Health Legal Status	11	10	6	11	10	6	11	8	3
U68Z	Childhood Mental Disorders	4	9	5	10	7	6	n.p.	1	4
V64Z	Other Drug Use Disorder and Dependence	3	3	3	3	3	3	n.p.	n.p.	3
V61B	Drug Intoxication and Withdrawal WO CC	4	5	4	4	5	4	3	5	2
O65A	Other Antenatal Admission W Severe Complicating Diagnosis	6	7	6	5	2	n.p.	n.p.	0	3
U62B	Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	6	7	5	8	9	6	5	6	2
All AR-DRGs		4	3	3	3	3	4	6	2	4
Private										
U65Z	Anxiety Disorders	12	11	7	10	14	n.p.	n.p.	n.a.	5
U64Z	Other Affective and Somatoform Disorders	14	12	11	11	11	n.p.	n.p.	n.a.	8
B63Z	Dementia and Other Chronic Disturbances of Cerebral Function	11	20	15	14	20	n.p.	n.p.	n.a.	11
U67Z	Personality Disorders and Acute Reactions	12	9	11	8	10	n.p.	n.p.	n.a.	10
U63B	Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	17	13	12	11	14	n.p.	n.p.	n.a.	10
V62A	Alcohol Use Disorder and Dependence	12	10	7	11	12	n.p.	n.p.	n.a.	9
V63Z	Opioid Use Disorder and Dependence	6	2	8	8	10	n.p.	n.p.	n.a.	1
O61Z	Postpartum and Post Abortion W/O O.R. Procedure	16	15	21	7	n.p.	n.p.	n.p.	n.a.	6
B64Z	Delirium	10	16	11	7	15	n.p.	n.p.	n.a.	9
U63A	Major Affective Disorders W Cat or Sev CC or (Age>69 W/O Cat or Sev CC)	23	14	16	19	27	n.p.	n.p.	n.a.	13
V60Z	Alcohol Intoxication and Withdrawal	9	8	11	8	10	n.p.	n.p.	n.a.	5
V64Z	Other Drug Use Disorder and Dependence	14	10	10	5	n.p.	n.p.	n.p.	n.a.	9
U61B	Schizophrenia Disorders W/O Mental Health Legal Status	14	13	12	10	n.p.	n.p.	n.p.	n.a.	13
U68Z	Childhood Mental Disorders	14	24	11	18	n.p.	n.p.	n.p.	n.a.	4
U66Z	Eating and Obsessive-Compulsive Disorders	32	29	20	n.p.	18	n.p.	n.p.	n.a.	10
All AR-DRGs		10	5	7	4	5	n.p.	n.p.	n.a.	7

(a) Separations for which the type of episode of care was acute, or was not reported and the length of stay was less than 366 days.

(b) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals. Please refer to Box 3.2 for information.

Note: Abbreviations: W—with, W/O—without, CC—complications and comorbidities, ECT—Electroconvulsive therapy, Cat/Sev—catastrophic or severe, O.R.—operating room.

.. Not applicable.

n.a. Not available.

n.p. Not published: based on less than 10 separations. Data for private hospitals in the Australian Capital Territory and Tasmania are also not published for confidentiality reasons.

Table 3.47a: The 30 most frequently reported procedures for mental health-related separations with specialised psychiatric care, Australia, 1999–00

Procedure	Separations for which the procedure was reported			Psychiatric care	
	Same day	Overnight	Total	Patient days	days
95550–01 Allied health intervention, social work	185	13,057	13,242	574,190	546,232
93342–00 Group psychotherapy, 2 to 9 patients	8,954	2,497	11,451	67,624	67,285
95550–02 Allied health intervention, occupational therapy	201	8,605	8,806	474,124	457,240
93340–00 Electroconvulsive therapy, 8 or less treatments	4,578	4,118	8,696	115,435	110,397
56001–00 Computerised tomography of brain	10	3,471	3,481	103,317	94,678
96003–00 Specialist psychological therapy	2,930	211	3,141	8,064	7,969
96002–00 Psychological group therapy	2,741	269	3,010	8,612	8,560
95550–10 Allied health intervention, psychology	244	2,649	2,893	166,835	160,059
95550–00 Allied health intervention, dietetics	60	2,535	2,595	187,306	173,895
95550–03 Allied health intervention, physiotherapy	2	2,046	2,048	188,418	180,673
92006–00 Drug detoxification	34	1,259	1,293	7,917	7,689
93340–01 Electroconvulsive therapy, > 8 treatments	76	1,204	1,280	113,993	111,809
92003–00 Alcohol detoxification	43	1,142	1,185	13,325	13,025
96001–00 Psychological skills training	663	139	802	3,674	3,610
96004–00 Psychological counselling	338	322	660	9,354	8,051
56007–00 Computerised tomography of brain with intravenous contrast medium	3	652	655	21,524	19,587
95550–09 Allied health intervention, pharmacy	89	509	598	23,840	22,932
92004–00 Alcohol rehabilitation and detoxification	57	514	571	9,011	8,896
92002–00 Alcohol rehabilitation	275	118	393	3,571	3,505
95550–04 Allied health intervention, podiatry	0	368	368	151,559	150,970
95451–00 Medication order review by pharmacist	3	332	335	6,832	6,549
95550–11 Allied health intervention, other	112	212	324	100,479	100,149
92205–00 Other therapeutic nonoperative procedures	120	193	313	7,686	7,686
95550–05 Allied health intervention, speech pathology	0	302	302	33,214	31,753
30026–00 Repair of wound of skin and subcutaneous tissue of other site, superficial	32	269	301	14,052	13,254
93300–00 Psychiatric consultation, 15 minutes or less duration	15	285	300	3,723	3,704
11000–00 Electroencephalography	0	269	269	5,771	5,672
90901–00 Magnetic resonance imaging of brain	0	264	264	8,515	7,673
30473–01 Panendoscopy with biopsy	1	143	144	4,917	4,303
92009–00 Combined alcohol and drug detoxification	1	137	138	1,647	1,578
All other procedures	162	3,132	3,294	224,512	204,482
No procedure or not reported	51,658	65,127	116,785	1,263,071	1,236,576
Total^(a)	72,219	99,329	171,548	2,494,675	2,440,474

(a) These totals are not necessarily equivalent to the sum of the rows because multiple procedures can be reported for each separation.

Table 3.47b: The 30 most frequently reported procedures for mental health-related separations without specialised psychiatric care, Australia, 1999–00

Procedure	Separations for which the procedure was reported			Patient days
	Same day	Overnight	Total	
95550–01 Allied health intervention, social work	346	6,974	7,320	108,019
95550–03 Allied health intervention, physiotherapy	29	5,239	5,268	111,006
93342–00 Group psychotherapy, 2 to 9 patients	3,938	1,153	5,091	30,741
92006–00 Drug detoxification	333	3,818	4,151	15,069
56001–00 Computerised tomography of brain	315	3,273	3,588	45,532
95550–02 Allied health intervention, occupational therapy	47	3,305	3,352	73,354
92003–00 Alcohol detoxification	52	3,033	3,085	16,565
93340–00 Electroconvulsive therapy, 8 or less treatments	2,484	443	2,927	7,939
95550–00 Allied health intervention, dietetics	25	2,537	2,562	53,356
92002–00 Alcohol rehabilitation	1,036	327	1,363	4,595
95550–10 Allied health intervention, psychology	76	1,072	1,148	13,481
95550–05 Allied health intervention, speech pathology	4	1,085	1,089	33,613
56007–00 Computerised tomography of brain with intravenous contrast medium	120	863	983	11,451
95550–09 Allied health intervention, pharmacy	17	890	907	7,605
93170–00 Family group therapy, 2 patients	688	191	879	1,749
12203–00 Investigation of sleep apnoea	36	786	822	905
95550–11 Allied health intervention, other	20	676	696	11,639
95004–00 Nutritional counselling	458	220	678	2,057
93302–00 Psychiatric consultation, > 15 and 30 minutes or less duration	142	515	657	9,542
90901–00 Magnetic resonance imaging of brain	228	362	590	5,074
92004–00 Alcohol rehabilitation and detoxification	20	567	587	7,544
95055–00 Case management/discharge planning, social work	21	505	526	5,177
92009–00 Combined alcohol and drug detoxification	11	460	471	2,905
92007–00 Drug rehabilitation and detoxification	38	411	449	4,655
95050–00 Psychosocial assessment, social work	65	338	403	3,944
96002–00 Psychological group therapy	383	3	386	402
92005–00 Drug rehabilitation	106	243	349	2,050
30473–01 Panendoscopy with biopsy	75	253	328	3,911
96003–00 Specialist psychological therapy	17	278	295	7,448
96004–00 Psychological counselling	8	237	245	4,393
All other procedures	1,792	7,289	9,081	139,277
No procedure or not reported	16,044	39,513	55,557	343,442
Total^(a)	27,174	67,940	95,114	685,611

(a) These totals are not necessarily equivalent to the sum of the rows because multiple procedures can be reported for each separation.

Table 3.48a: The 15 most frequently reported procedures for same day mental health-related separations with specialised psychiatric care, States and Territories, ^(a) 1999–00

Procedure	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
93342–00 Group psychotherapy, 2 to 9 patients	4,657	0	1	4,296	0	0	0	0	8,954
93340–00 Electroconvulsive therapy, 8 or less treatments	1,125	650	2,085	131	166	371	50	0	4,578
96003–00 Specialist psychological therapy	2,103	0	826	1	0	0	0	0	2,930
96002–00 Psychological group therapy	764	0	1,977	0	0	0	0	0	2,741
96001–00 Psychological skills training	658	0	5	0	0	0	0	0	663
96004–00 Psychological counselling	338	0	0	0	0	0	0	0	338
92002–00 Alcohol rehabilitation	83	0	192	0	0	0	0	0	275
95550–10 Allied health intervention, psychology	66	8	27	0	142	0	1	0	244
95550–02 Allied health intervention, occupational therapy	170	5	26	0	0	0	0	0	201
95550–01 Allied health intervention, social work	29	70	45	13	27	0	1	0	185
92205–00 Other therapeutic nonoperative procedures	0	0	0	0	120	0	0	0	120
95550–11 Allied health intervention, other	112	0	0	0	0	0	0	0	112
95550–09 Allied health intervention, pharmacy	85	3	0	0	1	0	0	0	89
93340–01 Electroconvulsive therapy, > 8 treatments	20	7	39	0	5	5	0	0	76
95550–00 Allied health intervention, dietetics	6	53	1	0	0	0	0	0	60

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals. Please refer to Box 3.2 for information.

Table 3.48b: The 15 most frequently reported procedures for same day mental health-related separations without specialised psychiatric care, States and Territories, ^(a) 1999–00

Procedure	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
93342–00 Group psychotherapy, 2 to 9 patients	1,838	881	1,219	0	0	0	0	0	3,938
93340–00 Electroconvulsive therapy, 8 or less treatments	332	1,738	27	22	81	250	34	0	2,484
92002–00 Alcohol rehabilitation	0	335	700	1	0	0	0	0	1,036
93170–00 Family group therapy, 2 patients	0	0	3	685	0	0	0	0	688
95004–00 Nutritional counselling	0	0	0	458	0	0	0	0	458
96002–00 Psychological group therapy	0	0	383	0	0	0	0	0	383
95550–01 Allied health intervention, social work	151	49	71	54	16	2	3	0	346
92006–00 Drug detoxification	267	11	35	8	12	0	0	0	333
56001–00 Computerised tomography of brain	92	113	59	12	25	3	2	9	315
90901–00 Magnetic resonance imaging of brain	85	52	42	0	29	13	6	1	228
93302–00 Psychiatric consultation, > 15 and 30 minutes or less duration	0	0	136	6	0	0	0	0	142
56007–00 Computerised tomography of brain with intravenous contrast medium	35	39	19	12	9	4	0	2	120
92502–01 Inhalational anaesthesia	67	26	1	1	14	7	0	1	117
92502–02 Intravenous and inhalational anaesthesia	3	26	45	0	30	1	3	0	108
92005–00 Drug rehabilitation	1	1	100	4	0	0	0	0	106

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals. Please refer to Box 3.2 for information.

Table 3.49a: The 15 most frequently reported procedures for overnight mental health-related separations with specialised psychiatric care, States and Territories, ^(a) 1999-00

Procedure	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
95550-01 Allied health intervention, social work	4,322	2,994	1,491	1,486	2,468	49	426	6	13,242
93342-00 Group psychotherapy, 2 to 9 patients	6,699	59	219	4,472	1	1	0	0	11,451
95550-02 Allied health intervention, occupational therapy	2,903	2,758	828	1,508	533	4	271	1	8,806
93340-00 Electroconvulsive therapy, 8 or less treatments	1,930	2,005	3,253	402	399	571	132	4	8,696
56001-00 Computerised tomography of brain	891	395	785	627	534	70	134	45	3,481
96003-00 Specialist psychological therapy	2,268	0	872	1	0	0	0	0	3,141
96002-00 Psychological group therapy	1,011	0	1,999	0	0	0	0	0	3,010
95550-10 Allied health intervention, psychology	1,043	562	598	268	187	0	235	0	2,893
95550-00 Allied health intervention, dietetics	655	419	560	307	255	2	377	20	2,595
95550-03 Allied health intervention, physiotherapy	444	427	411	373	298	4	89	2	2,048
92006-00 Drug detoxification	657	471	62	21	73	1	8	0	1,293
93340-01 Electroconvulsive therapy, > 8 treatments	384	267	363	67	163	13	22	1	1,280
92003-00 Alcohol detoxification	583	176	178	59	178	2	8	1	1,185
96001-00 Psychological skills training	791	0	11	0	0	0	0	0	802
96004-00 Psychological counselling	648	0	9	3	0	0	0	0	660

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals. Please refer to Box 3.2 for information.

Table 3.49b: The 15 most frequently reported procedures for overnight mental health-related separations without specialised psychiatric care, States and Territories, ^(a) 1999-00

Procedure	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
95550-01 Allied health intervention, social work	2,358	1,964	988	776	714	53	98	23	6,974
95550-03 Allied health intervention, physiotherapy	1,621	1,863	731	470	402	75	57	20	5,239
92006-00 Drug detoxification	2,003	607	773	329	99	6	1	0	3,818
95550-02 Allied health intervention, occupational therapy	1,069	1,207	543	298	98	31	46	13	3,305
56001-00 Computerised tomography of brain	1,036	924	454	275	425	84	64	11	3,273
92003-00 Alcohol detoxification	1,062	416	1,112	245	166	30	1	1	3,033
95550-00 Allied health intervention, dietetics	763	1,064	313	171	113	30	73	10	2,537
93342-00 Group psychotherapy, 2 to 9 patients	703	8	439	2	1	0	0	0	1,153
95550-05 Allied health intervention, speech pathology	335	416	192	66	44	13	12	7	1,085
95550-10 Allied health intervention, psychology	440	274	171	90	57	17	18	5	1,072
95550-09 Allied health intervention, pharmacy	591	179	16	11	76	13	4	0	890
56007-00 Computerised tomography of brain with intravenous contrast medium	280	220	229	58	39	14	15	8	863
12203-00 Investigation of sleep apnoea	330	180	128	4	84	57	3	0	786
95550-11 Allied health intervention, other	463	107	30	51	25	0	0	0	676
92004-00 Alcohol rehabilitation and detoxification	106	190	260	2	5	4	0	0	567

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals. Please refer to Box 3.2 for information.

Table 3.50: Mental health-related separations with specialised psychiatric care by previous specialised treatment status and hospital type, Australia, 1999-00

	Public acute		Private		Public psychiatric		All hospitals		Total
	Same day	Overnight	Same day	Overnight	Same day	Overnight	Same day	Overnight	
Patient has no previous admissions or service contacts for the specialised treatment now being provided	2,071	11,296	388	2,939	354	3,497	2,813	17,732	20,545
Patient has previous hospital admission but no service contacts for the specialised treatment now being provided	7,743	10,518	11,439	3,430	1,722	4,716	20,904	18,664	39,568
Patient has previous service contact but no hospital admission for the specialised treatment now being provided	933	2,870	264	563	4	258	1,201	3,691	4,892
Patient has both previous hospital admissions and service contacts for the specialised treatment now being provided	2,702	7,455	8,689	2,301	31	2,334	11,422	12,090	23,512
Not reported	10,867	31,496	24,744	10,893	268	4,763	35,879	47,152	83,031
Total	24,316	63,635	45,524	20,126	2,379	15,568	72,219	99,329	171,548

Table 3.51: Mental health-related separations with specialised psychiatric care by source of referral to public psychiatric hospital, States and Territories, ^(a) 1999–00

Source of referral	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Total
Private psychiatric practice ^(b)	695	0	26	21	2,591	1	3,334
Other private medical practice	699	8	41	0	41	35	824
Other public psychiatric hospital	0	54	49	90	0	38	231
Other health care establishment ^(c)	3,454	30	672	1,489	237	21	5,903
Other private hospital	0	0	15	106	7	1	129
Law enforcement agency	967	94	115	257	0	0	1,433
Other agency	704	11	73	30	292	161	1,271
Outpatient department	109	0	138	0	40	124	411
Other	2,356	323	274	612	384	1	3,950
Not reported	234	0	0	87	0	140	461
Total	9,218	520	1,403	2,692	3,592	522	17,947

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals. Please refer to Box 3.2 for information.

(b) South Australian data for private psychiatric practice includes referrals from private medical practices, including general practitioners.

(c) Includes emergency departments, community health services, other hospitals, nursing homes and crisis team services.

.. Not applicable.

Table 3.52: Mental health-related separations by mode of admission and hospital type, States and Territories,^(a) 1999–00

Mode of admission	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
Public acute									
With specialised psychiatric care									
Admitted patient transferred from another hospital	2,071	1,090	991	473	1,077	225	45	14	5,986
Statistical admission—episode type change	129	1,218	69	7	8	86	0	7	1,524
Other	21,621	17,174	19,596	10,318	5,288	2,057	892	736	77,682
Not reported	1,315	0	0	0	114	0	1,330	0	2,759
<i>Total</i>	<i>25,136</i>	<i>19,482</i>	<i>20,656</i>	<i>10,798</i>	<i>6,487</i>	<i>2,368</i>	<i>2,267</i>	<i>757</i>	<i>87,951</i>
Without specialised psychiatric care									
Admitted patient transferred from another hospital	1,158	448	159	146	83	63	16	2	2,075
Statistical admission—episode type change	374	546	244	24	14	13	0	1	1,216
Other	24,142	19,406	10,285	6,333	6,105	1,418	510	347	68,546
Not reported	43	0	0	7	0	0	1	0	51
<i>Total</i>	<i>25,717</i>	<i>20,400</i>	<i>10,688</i>	<i>6,510</i>	<i>6,202</i>	<i>1,494</i>	<i>527</i>	<i>350</i>	<i>71,888</i>
Private									
With specialised psychiatric care									
Admitted patient transferred from another hospital	249	258	127	128	249	3	22	n.a.	1,036
Statistical admission—episode type change	100	6	63	53	0	0	0	n.a.	222
Other	15,532	23,103	13,118	8,403	1,996	714	306	n.a.	63,172
Not reported	893	0	0	0	0	0	327	n.a.	1,220
<i>Total</i>	<i>16,774</i>	<i>23,367</i>	<i>13,308</i>	<i>8,584</i>	<i>2,245</i>	<i>717</i>	<i>655</i>	<i>n.a.</i>	<i>65,650</i>
Without specialised psychiatric care									
Admitted patient transferred from another hospital	102	139	151	87	26	4	2	n.a.	511
Statistical admission—episode type change	27	7	16	0	11	1	0	n.a.	62
Other	4,996	6,099	6,324	902	2,098	2,036	58	n.a.	22,513
Not reported	135	0	0	2	0	0	0	n.a.	137
<i>Total</i>	<i>5,260</i>	<i>6,245</i>	<i>6,491</i>	<i>991</i>	<i>2,135</i>	<i>2,041</i>	<i>60</i>	<i>n.a.</i>	<i>23,223</i>

(continued)

Table 3.52 (continued): Mental health-related separations by mode of admission and hospital type, States and Territories,^(a) 1999–00

Mode of admission	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
Public psychiatric									
With specialised psychiatric care									
Admitted patient transferred from another hospital	2,234	0	631	1,685	244	0	0	0	4,794
Statistical admission—episode type change	74	0	24	0	0	0	0	0	98
Other	6,676	0	748	1,007	3,348	0	0	0	11,779
Not reported	234	520	0	0	0	522	0	0	1,276
Total	9,218	520	1,403	2,692	3,592	522	0	0	17,947
All hospitals									
With specialised psychiatric care									
Admitted patient transferred from another hospital	4,554	1,348	1,749	2,286	1,570	228	67	14	11,816
Statistical admission—episode type change	303	1,224	156	60	8	86	0	7	1,844
Other	43,829	40,277	33,462	19,728	10,632	2,771	1,198	736	152,633
Not reported	2,442	520	0	0	114	522	1,657	0	5,255
Total	51,128	43,369	35,367	22,074	12,324	3,607	2,922	757	171,548
Without specialised psychiatric care ^(b)									
Admitted patient transferred from another hospital	1,261	587	310	233	109	67	18	2	2,587
Statistical admission—episode type change	401	553	260	24	25	14	0	1	1,278
Other	29,140	25,505	16,609	7,235	8,203	3,454	568	347	91,061
Not reported	178	0	0	9	0	0	1	0	188
Total	30,980	26,645	17,179	7,501	8,337	3,535	587	n.a.	95,114

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals. Please refer to Box 3.2 for information.

(b) Includes 3 separations without specialised psychiatric care from NSW public psychiatric hospitals.

**Table 3.53a: Mental health-related separations with specialised psychiatric care by mode of separation and hospital type, States and Territories, (a)
1999–00**

Mode of separation	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Total
Public acute									
Discharge/transfer to an(other) acute hospital	686	1,343	318	147	212	31	69	9	2,815
Discharge/transfer to a nursing home	136	490	177	170	99	61	24	1	1,158
Discharge/transfer to an(other) psychiatric hospital	466	0	115	230	204	0	32	0	1,047
Discharge/transfer to other health care accommodation	97	101	309	80	270	194	30	34	1,115
Statistical discharge type change	115	753	76	6	13	354	0	0	1,317
Left against medical advice/discharge at own risk	357	329	481	156	122	32	21	20	1,518
Statistical discharge from leave	514	0	226	738	74	0	5	0	1,557
Died	21	22	20	19	10	1	1	1	95
Other (includes discharge to usual residence/own accommodation/welfare institution)	22,744	16,444	18,934	9,252	5,434	1,695	2,085	685	77,273
Not reported	0	0	0	0	49	0	0	7	56
<i>Total</i>	<i>25,136</i>	<i>19,482</i>	<i>20,656</i>	<i>10,798</i>	<i>6,487</i>	<i>2,368</i>	<i>2,267</i>	<i>757</i>	<i>87,951</i>
Private									
Discharge/transfer to an(other) acute hospital	149	175	66	55	75	715	30	n.a.	1,265
Discharge/transfer to a nursing home	9	19	6	0	0	0	0	n.a.	34
Discharge/transfer to an(other) psychiatric hospital	49	0	3	22	0	0	0	n.a.	74
Discharge/transfer to other health care accommodation	2	0	5	0	1	0	4	n.a.	12
Statistical discharge type change	82	3	55	14	0	0	0	n.a.	154
Left against medical advice/discharge at own risk	224	31	5	28	1	0	2	n.a.	291
Statistical discharge from leave	52	0	1	8	0	0	0	n.a.	61
Died	1	6	7	3	22	0	0	n.a.	39
Other (includes discharge to usual residence/own accommodation/welfare institution)	16,206	23,133	13,160	8,454	36	2	619	n.a.	61,610
Not reported	0	0	0	0	2,110	0	0	n.a.	2,110
<i>Total</i>	<i>16,774</i>	<i>23,367</i>	<i>13,308</i>	<i>8,584</i>	<i>2,245</i>	<i>717</i>	<i>655</i>	<i>n.a.</i>	<i>65,650</i>

(continued)

Table 3.53a (continued): Mental health-related separations with specialised psychiatric care by mode of separation and hospital type, States and Territories, ^(a) 1999–00

Mode of separation	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Total
Public psychiatric									
Discharge/transfer to an(other) acute hospital	502	0	171	32	961	18	1,684
Discharge/transfer to a nursing home	54	0	79	78	268	26	505
Discharge/transfer to an(other) psychiatric hospital	120	140	31	113	0	0	404
Discharge/transfer to other health care accommodation	93	0	27	1	2	7	130
Statistical discharge type change	59	67	16	0	98	21	261
Left against medical advice/discharge at own risk	463	0	24	9	49	9	554
Statistical discharge from leave	936	8	43	821	64	0	1,872
Died	38	0	23	9	27	1	98
Other (includes discharge to usual residence/own accommodation/welfare institution)	6,953	305	989	1,629	2,098	440	12,414
Not reported	0	0	0	0	25	0	25
<i>Total</i>	<i>9,218</i>	<i>520</i>	<i>1,403</i>	<i>2,692</i>	<i>3,592</i>	<i>522</i>	<i>..</i>	<i>..</i>	<i>17,947</i>
All hospitals									
Discharge/transfer to an(other) acute hospital	1,337	1,518	555	234	1,248	764	99	9	5,764
Discharge/transfer to a nursing home	199	509	262	248	367	87	24	1	1,697
Discharge/transfer to an(other) psychiatric hospital	635	140	149	365	204	0	32	0	1,525
Discharge/transfer to other health care accommodation	192	101	341	81	273	201	34	34	1,257
Statistical discharge type change	256	823	147	20	111	375	0	0	1,732
Left against medical advice/discharge at own risk	1,044	360	510	193	172	41	23	20	2,363
Statistical discharge from leave	1,502	8	270	1,567	138	0	5	0	3,490
Died	60	28	50	31	59	2	1	1	232
Other (includes discharge to usual residence/own accommodation/welfare institution)	45,903	39,882	33,083	19,335	7,568	2,137	2,704	685	151,297
Not reported	0	0	0	0	2,184	0	0	7	2,191
Total	51,128	43,369	35,367	22,074	12,324	3,607	2,922	757	171,548

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals. Please refer to Box 3.2 for information.

.. Not applicable.

n.a. Not available.

Table 3.53b: Mental health-related separations without specialised psychiatric care by mode of separation and hospital type, States and Territories, ^(a) 1999–00

Mode of separation	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Total
Public acute									
Discharge/transfer to an(other) acute hospital	1,489	1,219	826	184	262	40	19	39	4,078
Discharge/transfer to a nursing home	913	723	310	116	333	41	27	2	2,465
Discharge/transfer to an(other) psychiatric hospital	850	0	126	302	378	0	6	7	1,669
Discharge/transfer to other health care accommodation	163	43	219	85	209	49	9	14	791
Statistical discharge type change	588	761	426	45	52	181	0	0	2,053
Left against medical advice/discharge at own risk	1,916	357	854	411	311	30	3	36	3,918
Statistical discharge from leave	126	0	16	9	5	0	3	0	159
Died	140	142	70	30	42	8	0	0	432
Other (includes discharge to usual residence/own accommodation/welfare institution)	19,532	17,155	7,841	5,020	4,905	1,145	460	248	56,306
Not reported	0	0	0	0	13	0	0	4	17
Total	25,717	20,400	10,688	6,202	6,510	1,494	527	350	71,888
Private									
Discharge/transfer to an(other) acute hospital	86	169	160	32	16	34	0	n.a.	497
Discharge/transfer to a nursing home	84	94	123	18	106	0	3	n.a.	428
Discharge/transfer to an(other) psychiatric hospital	27	0	4	20	27	0	0	n.a.	78
Discharge/transfer to other health care accommodation	15	1	19	12	61	62	1	n.a.	171
Statistical discharge type change	33	15	86	47	1	1	0	n.a.	183
Left against medical advice/discharge at own risk	76	20	23	11	4	3	0	n.a.	137
Statistical discharge from leave	3	0	0	5	0	0	0	n.a.	8
Died	12	43	47	21	6	1	0	n.a.	130
Other (includes discharge to usual residence/own accommodation/welfare institution)	4,924	5,903	6,029	1,969	769	1,940	56	n.a.	21,590
Not reported	0	0	0	0	1	0	0	n.a.	1
Total	5,260	6,245	6,491	2,135	991	2,041	60	n.a.	23,223
All hospitals^(b)									
Discharge/transfer to an(other) acute hospital	1,575	1,388	986	216	278	74	19	39	4,575
Discharge/transfer to a nursing home	997	817	433	134	439	41	30	2	2,893
Discharge/transfer to an(other) psychiatric hospital	877	0	130	322	405	0	6	7	1,747
Discharge/transfer to other health care accommodation	178	44	238	97	270	111	10	14	962
Statistical discharge type change	621	776	512	92	53	182	0	0	2,236
Left against medical advice/discharge at own risk	1,992	377	877	422	315	33	3	36	4,055
Statistical discharge from leave	129	0	16	14	5	0	3	0	167
Died	152	185	117	51	48	9	0	0	562
Other (includes discharge to usual residence/own accommodation/welfare institution)	24,459	23,058	13,870	6,989	5,674	3,085	516	248	77,899
Not reported	0	0	0	0	14	0	0	4	18
Total	30,980	26,645	17,179	8,337	7,501	3,535	587	350	95,114

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals. Please refer to Box 3.2 for information.

(b) Includes 3 separations without specialised psychiatric care from NSW public psychiatric hospitals.

.. Not applicable.

n.a. Not available.

Table 3.54a: Mental health-related separations with specialised psychiatric care by type of episode of care and hospital type, States and Territories, ^(a) 1999–00

Type of episode of care	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Total
Public acute									
Acute care	22,178	19,482	20,471	10,699	6,468	2,368	2,258	730	84,654
Rehabilitation care	65	0	8	4	0	0	0	1	78
Palliative care	2	0	1	1	0	0	0	0	4
Non-acute care	817	0	145	94	19	0	7	10	1,092
Other care	2,074	0	31	0	0	0	2	0	2,107
Not reported	0	0	0	0	0	0	0	16	16
<i>Total</i>	<i>25,136</i>	<i>19,482</i>	<i>20,656</i>	<i>10,798</i>	<i>6,487</i>	<i>2,368</i>	<i>2,267</i>	<i>757</i>	<i>87,951</i>
Private									
Acute care	9,542	23,367	11,747	8,584	1,220	717	647	n.a.	55,824
Rehabilitation care	556	0	105	0	0	0	0	n.a.	661
Non-acute care	1	0	5	0	1,025	0	8	n.a.	1,039
Other care	6,675	0	1,451	0	0	0	0	n.a.	8,126
<i>Total</i>	<i>16,774</i>	<i>23,367</i>	<i>13,308</i>	<i>8,584</i>	<i>2,245</i>	<i>717</i>	<i>655</i>	<i>n.a.</i>	<i>65,650</i>
Public psychiatric									
Acute care	8,707	452	763	2,598	3,056	448	16,024
Rehabilitation care	255	0	107	3	326	1	692
Non-acute care	244	68	522	91	210	72	1,207
Other care	12	0	11	0	0	0	23
Not reported	0	0	0	0	0	1	1
<i>Total</i>	<i>9,218</i>	<i>520</i>	<i>1,403</i>	<i>2,692</i>	<i>3,592</i>	<i>522</i>	<i>..</i>	<i>..</i>	<i>17,947</i>
All hospitals									
Acute care	40,427	43,301	32,981	21,881	10,744	3,533	2,905	730	156,502
Rehabilitation care	876	0	220	7	326	1	0	1	1,431
Palliative care	2	0	1	1	0	0	0	0	4
Non-acute care	7,736	68	2,118	185	229	72	7	10	3,338
Other care	2,087	0	47	0	1,025	0	10	0	10,256
Not reported	0	0	0	0	0	1	0	16	17
Total	51,128	43,369	35,367	22,074	12,324	3,607	2,922	757	171,548

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals. Please refer to Box 3.2 for information.

.. Not applicable.

n.a. Not available.

Table 3.54b: Mental health-related separations without specialised psychiatric care by type of episode of care and hospital type, States and Territories,^(a) 1999–00

Type of episode	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Total
Public acute									
Acute care	24,153	19,543	10,188	6,152	6,487	1,446	523	347	68,839
Rehabilitation care	241	3	25	6	2	1	0	0	278
Palliative care	33	26	16	6	2	1	1	0	85
Non-acute care	797	822	424	37	9	40	3	2	2,134
Other care	474	0	32	0	10	5	0	0	521
Not reported	19	6	3	1	0	1	0	1	31
<i>Total</i>	<i>25,717</i>	<i>20,400</i>	<i>10,688</i>	<i>6,202</i>	<i>6,510</i>	<i>1,494</i>	<i>527</i>	<i>350</i>	<i>71,888</i>
Private									
Acute care	5,171	6,164	4,826	2,104	989	919	60	n.a.	20,233
Rehabilitation care	48	68	1,600	13	1	0	0	n.a.	1,730
Palliative care	2	1	6	17	0	0	0	n.a.	26
Non-acute care	16	12	54	1	1	58	0	n.a.	142
Other care	22	0	5	0	0	0	0	n.a.	27
Not reported	1	0	0	0	0	1,064	0	n.a.	1,065
<i>Total</i>	<i>5,260</i>	<i>6,245</i>	<i>6,491</i>	<i>2,135</i>	<i>991</i>	<i>2,041</i>	<i>60</i>	<i>n.a.</i>	<i>23,223</i>
All hospitals									
Acute care	29,327	25,707	15,014	8,256	7,476	2,365	583	347	89,075
Rehabilitation care	289	71	1,625	19	3	1	0	0	2,008
Palliative care	35	27	22	23	2	1	1	0	111
Non-acute care	813	834	478	38	10	98	3	2	2,276
Other care	496	0	37	0	10	5	0	0	548
Not reported	20	6	3	1	0	1,065	0	1	1,096
Total	30,980	26,645	17,179	8,337	7,501	3,535	587	350	95,114

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals. Please refer to Box 3.2 for information.

. . . Not applicable.

n.a. Not available.

Table 3.55a: Patient days for mental health-related separations with specialised psychiatric care by type of episode of care and hospital type, States and Territories,^(a) 1999–00

Type of episode of care	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Total
Public acute									
Acute care	211,233	279,158	180,487	94,943	65,776	17,406	26,447	6,379	881,829
Rehabilitation care	6,033	0	510	214	0	0	0	24	6,781
Palliative care	15	0	38	42	0	0	0	0	95
Non-acute care	44,259	0	6,448	4,074	3,002	0	402	348	58,533
Other care	3,612	0	626	0	0	0	6	0	4,244
Not reported	0	0	0	0	0	0	0	166	166
Total	265,152	279,158	188,109	99,273	68,778	17,406	26,855	6,917	951,648
Private									
Acute care	64,962	103,605	73,041	42,360	20,314	2,393	10,297	n.a.	316,972
Rehabilitation care	3,029	0	1,934	0	0	0	0	n.a.	4,963
Non-acute care	6	0	473	0	17,712	0	82	n.a.	18,273
Other care	44,277	0	2,304	0	0	0	0	n.a.	
Total	112,274	103,605	77,752	42,360	38,026	2,393	10,379	n.a.	340,208
Public psychiatric									
Acute care	343,815	10,695	64,425	76,886	51,782	14,731	562,334
Rehabilitation care	73,411	0	11,178	56	28,318	208	113,171
Non-acute care	38,903	19,530	304,488	6,427	58,660	367	428,375
Other care	7,175	0	45,182	0	0	0	52,357
Not reported	0	0	0	0	0	1	1
Total	463,304	30,225	425,273	83,369	138,760	15,307	1,156,238
All hospitals									
Acute care	620,010	393,458	317,953	214,189	137,872	34,530	36,744	6,379	1,761,135
Rehabilitation care	82,473	0	13,622	270	28,318	208	0	24	124,915
Palliative care	15	0	38	42	0	0	0	0	95
Non-acute care	83,168	19,530	311,409	10,501	79,374	367	484	348	505,181
Other care	55,064	0	48,112	0	0	0	6	0	103,182
Not reported	0	0	0	0	0	1	0	166	167
Total	840,730	412,988	691,134	225,002	245,564	35,106	37,234	6,917	2,494,675

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals. Please refer to Box 3.2 for information.

.. Not applicable.

n.a. Not available.

Table 3.55b: Patient days for mental health-related separations without specialised psychiatric care by type of episode of care and hospital type, States and Territories,^(a) 1999–00

Type of episode	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Total
Public acute									
Acute care	126,218	72,897	42,959	32,317	33,872	9,541	5,041	1,145	323,990
Rehabilitation care	1,354	27	391	102	17	13	0	0	1,904
Palliative care	446	344	231	383	22	2	2	0	1,430
Non-acute care	65,804	40,497	50,709	1,030	649	635	190	60	159,574
Other care	5,811	0	154	0	45	47	0	0	6,057
Not reported	72	19	11	2	0	1	0	1	106
Total	199,705	113,784	94,455	33,834	34,605	10,239	5,233	1,206	493,061
Private									
Acute care	41,718	34,975	41,788	9,884	7,428	4,649	797	n.a.	141,239
Rehabilitation care	542	190	10,826	126	2	0	0	n.a.	11,686
Palliative care	57	4	87	285	0	0	0	n.a.	433
Non-acute care	728	3,395	26,535	12	2,718	582	0	n.a.	33,970
Other care	163	0	79	0	0	0	0	n.a.	242
Not reported	3	0	0	0	0	4,965	0	n.a.	4,968
Total	43,211	38,564	79,315	10,307	10,148	10,196	797	n.a.	192,538
All hospitals									
Acute care	167,948	107,872	84,747	42,201	41,300	14,190	5,838	1,145	465,241
Rehabilitation care	1,896	217	11,217	228	19	13	0	0	13,590
Palliative care	503	348	318	668	22	2	2	0	1,863
Non-acute care	66,532	43,892	77,244	1,042	3,367	1,217	190	60	193,544
Other care	5,974	0	233	0	45	47	0	0	6,299
Not reported	75	19	11	2	0	4,966	0	1	5,074
Total	242,928	152,348	173,770	44,141	44,753	20,435	6,030	1,206	685,611

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals. Please refer to Box 3.2 for information.

.. Not applicable.

n.a. Not available.

Table 3.56: Psychiatric care days for mental health-related separations with specialised psychiatric care by type of episode of care and hospital type, States and Territories,^(a) 1999–00

Type of episode of care	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Total
Public acute									
Acute care	203,805	279,158	177,386	92,199	65,776	17,406	26,394	6,192	868,316
Rehabilitation care	6,022	0	409	189	0	0	0	7	6,627
Palliative care	7	0	38	42	0	0	0	0	87
Non-acute care	43,892	0	5,853	4,046	3,002	0	402	325	57,520
Other care	3,584	0	614	0	0	0	6	0	4,204
Not reported	0	0	0	0	0	0	0	161	161
Total	257,310	279,158	184,300	96,476	68,778	17,406	26,802	6,685	936,915
Private									
Acute care	63,835	103,605	72,395	42,020	20,314	2,393	9,713	n.a.	314,275
Rehabilitation care	2,807	0	1,934	0	0	0	0	n.a.	4,741
Non-acute care	6	0	473	0	17,712	0	76	n.a.	18,267
Other care	44,200	0	2,244	0	0	0	0	n.a.	46,444
Total	110,848	103,605	77,046	42,020	38,026	2,393	9,789	n.a.	383,727
Public psychiatric									
Acute care	326,078	10,695	64,425	76,886	51,782	14,731	544,597
Rehabilitation care	63,791	0	11,178	56	28,318	208	103,551
Non-acute care	34,141	19,530	304,488	6,427	58,660	367	423,613
Other care	2,888	0	45,182	0	0	0	48,070
Not reported	0	0	0	0	0	1	1
Total	426,898	30,225	425,273	83,369	138,760	15,307	1,119,832
All hospitals									
Acute care	593,718	393,458	314,206	211,105	137,872	34,530	36,107	6,192	1,727,188
Rehabilitation care	72,620	0	13,521	245	28,318	208	0	7	114,919
Palliative care	7	0	38	42	0	0	0	0	87
Non-acute care	122,233	19,530	312,585	10,473	61,662	367	402	325	481,133
Other care	6,478	0	46,269	0	17,712	0	82	0	70,541
Not reported	0	0	0	0	0	1	0	161	383,889
Total	795,056	412,988	686,619	221,865	245,564	35,106	36,591	6,685	2,440,474

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals. Please refer to Box 3.2 for information.

.. Not applicable.

n.a. Not available.

Table 3.57: Commonwealth/State Disability Agreement-funded residential disability support services^(a) received by clients with a psychiatric primary disability on a snapshot day, by age and sex, Australia, 2000

Sex	Under 15	15–24	25–34	35–44	45–54	55–64	65 and over	Total
Male	0	26	41	41	21	16	7	152
Female	0	11	22	21	21	4	11	91
Total	0	37	63	62	42	20	18	243

(a) Includes institutions/large residential, hostels and group homes.

Source: CSDA MDS collection.

Table 3.58: Commonwealth/State Disability Agreement-funded residential disability support services^(a) received by clients with a psychiatric primary disability on a snapshot day, States and Territories, 2000

	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Total
Services ^(a)	61	39	55	49	2	32	5	0	243

(a) Includes institutions/large residential, hostels and group homes.

Source: CSDA MDS collection.

Table 3.59: Commonwealth/State Disability Agreement-funded residential disability support services received by clients with a psychiatric primary disability on a snapshot day by country of birth, Australia, 2000

	Australia	Other English-speaking countries ^(a)	Non-English-speaking countries	Not known/ not stated	Total
Services ^(b)	208	6	9	20	243

(a) Other English-speaking countries include United Kingdom, Ireland, New Zealand, United States of America and Canada.

(b) Includes institutions/large residential, hostels and group homes.

Source: CSDA MDS collection.

Table 3.60: Commonwealth/State Disability Agreement-funded residential disability support services received by clients with a psychiatric primary disability on a snapshot day by Indigenous status, Australia, 2000

	Indigenous	Non-Indigenous	Not stated	Total
Services ^(a)	4	230	9	243

(a) Includes institutions/large residential, hostels and group homes.

Source: CSDA MDS collection.