

Mental health services in Australia 2000–01

The Australian Institute of Health and Welfare is Australia's national health and welfare statistics and information agency. The Institute's mission is to improve the health and wellbeing of Australians by informing community discussion and decision making through national leadership in developing and providing health and welfare statistics and information.

MENTAL HEALTH SERVICES

Number 4

Mental health services in Australia 2000–01

Australian Institute of Health and Welfare
Canberra

AIHW cat. no. HSE 24

© Australian Institute of Health and Welfare 2003

This work is copyright. Apart from any use as permitted under the *Copyright Act 1968*, no part may be reproduced without prior written permission from the Australian Institute of Health and Welfare. Requests and enquiries concerning reproduction and rights should be directed to the Head, Media and Publishing, Australian Institute of Health and Welfare, GPO Box 570, Canberra ACT 2601.

This publication is part of the Australian Institute of Health and Welfare's Mental Health Series. A complete list of the Institute's publications is available from the Media and Publishing Unit, Australian Institute of Health and Welfare, GPO Box 570, Canberra ACT 2601, or via the Institute's web site (www.aihw.gov.au).

ISSN 1443-6795

ISBN 1 74024 249 1

Suggested citation

Australian Institute of Health and Welfare (AIHW) 2003. Mental health services in Australia 2000–01. Canberra: AIHW (Mental Health Series no. 4).

Australian Institute of Health and Welfare

Board Chair
Dr Sandra Hacker

Director
Dr Richard Madden

Any enquiries about or comments on this publication should be directed to:

David Braddock
Australian Institute of Health and Welfare
GPO Box 570
Canberra ACT 2601

Phone: (02) 6244 1136

Published by Australian Institute of Health and Welfare

Printed by Pirion

Contents

- List of tables..... vii
- List of figures..... xvii
- Acknowledgments.....xix
- Abbreviations xx
- 1 Introduction 1**
 - Report structure..... 1
 - Background..... 2
- 2 Overview..... 8**
- 3 Ambulatory mental health care..... 23**
 - Overview 23
 - Mental health care in general practice 28
 - Private psychiatrist services 45
 - Hospital-based mental health care for non-admitted patients 50
 - Commonwealth/State Disability Agreement-funded mental health-related non-residential care provided by disability support services 50
- 4 Community residential and admitted patient mental health care..... 53**
 - Definition of mental health-related separations 53
 - National overview 54
 - Admitted patient mental health care..... 57
 - Patient demographics..... 75
 - Principal diagnoses..... 82
 - Australian Refined Diagnosis Related Groups..... 120
 - Procedures..... 137
 - Source of referral to public psychiatric hospitals 137
 - Mode of admission..... 137
 - Mode of separation 138
 - Care type 138
 - Residential care provided by public community mental health establishments 156

Commonwealth/State Disability Agreement-funded mental health-related residential care provided by disability support services	157
5 Specialised mental health care resources	160
Specialised mental health care labour force	160
Expenditure on mental health-related medications	168
Public community mental health establishments	168
Psychiatric and acute care hospitals	176
Appendix 1: Data sources	189
Appendix 2: Community mental health care service contacts	202
Appendix 3: Codes used to define mental health-related care and medications	207
Appendix 4: State and Territory admitted patient data	214
Appendix 5: Population estimates	236
Appendix 6: Establishments contributing to this report	239
Appendix 7: National Survey of Mental Health Services	240
Glossary	242
References	250

List of tables

1 Introduction

Table 1.1:	Prevalence of mental disorders in adulthood, Australia, 1997.....	4
Table 1.2a:	Estimated monthly treated prevalence of psychotic disorders in public and private treatment services, Australia, 1999 (rate per 1,000 population).....	4
Table 1.2b:	Estimated yearly treated prevalence of psychotic disorders in public and private treatment services, Australia, 1999 (rate per 1,000 population).....	5
Table 1.3:	Prevalence of mental disorders in children and adolescents, Australia, 1998 ...	5
Table 1.4:	Estimated proportion of adults with very high (30–50) psychological distress scores on the Kessler 10 Scale, Australia, 1997 and 2001	6
Table 1.5:	Medications used by adults for mental wellbeing in the 2 weeks prior to interview, Australia, 2001	7

3 Ambulatory mental health care

Overview of ambulatory mental health care

Table 3.1:	Summary of ambulatory mental health care provided by general practitioners, private psychiatrists and hospital-based services, States and Territories, 2000–01	25
------------	--	----

Mental health care in general practice

Table 3.2:	Summary of ambulatory mental health care provided by general practitioners and private psychiatrists, Australia, 1997–98 to 2001–02.....	27
Table 3.3:	Most frequently reported mental health-related patient reasons for encounter, by patient sex, BEACH, 2001–02	32
Table 3.4:	Most frequently reported mental health problems managed, by patient sex, BEACH, 2001–02	33
Table 3.5:	Referrals for mental health-related problems, BEACH, 2001–02	36
Table 3.6:	The most frequently referred mental health-related problems, by patient sex, BEACH, 2001–02.....	37
Table 3.7:	Mental health-related problems most frequently referred by general practitioners to psychiatrists, by patient sex, BEACH, 2001–02.....	38
Table 3.8:	Clinical treatments provided by general practitioners for mental health-related problems, BEACH, 2001–02.....	39
Table 3.9:	Mental health-related problems most frequently managed by general practitioners using clinical treatments, by patient sex, BEACH, 2001–02.....	40

Table 3.10:	Medications most commonly prescribed, supplied or recommended by general practitioners for mental health-related problems, by drug group and generic drug name, by patient sex, BEACH, 2001-02	41
Table 3.11:	Number of medications provided for mental health-related problems most frequently managed by medication, by patient sex, BEACH, 2001-02	43
Table 3.12:	Pharmaceutical Benefits Scheme-funded mental health-related prescriptions by general practitioners by Anatomical Therapeutic Chemical group, States and Territories, 2001-02	44

Private psychiatrist services

Table 3.13:	Private psychiatrist services funded through Medicare by schedule item, States and Territories, 2000-01	46
Table 3.14:	Private psychiatrist services funded through Medicare by schedule item, by patient sex and age group, Australia, 2000-01	47
Table 3.15:	Pharmaceutical Benefit Scheme-funded prescriptions by private psychiatrists, by Anatomical Therapeutic Chemical group, States and Territories, 2000-01	49

4 Community residential and admitted patient mental health care

Overview of community residential and admitted patient mental health care

Table 4.1:	Mental health-related separations and patient days, by principal diagnosis category and hospital type, Australia, 1998-99 to 2000-01	61
Table 4.2:	Summary of separations for mental health-related residential and admitted patient care, States and Territories, 2000-01	64
Table 4.3:	Summary of patient days for mental health-related admitted patient care, States and Territories, 2000-01	68
Table 4.4:	Separations with specialised psychiatric care, by mental health legal status and hospital type, States and Territories, 2000-01	73

Patient demographics

Table 4.5:	Mental health-related separations, by sex and age group, Australia, 2000-01	77
Table 4.6:	Separations with specialised psychiatric care, by mental health legal status, sex and age group, Australia, 2000-01	78
Table 4.7a:	Separations with specialised psychiatric care, by rural, remote and metropolitan region of usual residence of the patient, by hospital type and State or Territory of usual residence, 2000-01	79
Table 4.7b:	Mental health-related separations without specialised psychiatric care, by rural, remote and metropolitan region of usual residence of the patient, by hospital type and State or Territory of usual residence, 2000-01	80
Table 4.8:	Mental health-related separations by Indigenous status and rural, remote and metropolitan region of usual residence, Australia, 2000-01	81

Principal diagnosis

National overview

Table 4.9:	Separations, patient days and psychiatric care days for mental health-related separations by principal diagnosis in ICD-10-AM chapter groupings, Australia, 2000-01	91
Table 4.10a:	Separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, Australia, 2000-01	92
Table 4.10b:	Mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, Australia, 2000-01	93
Table 4.11a:	Separations, patient days and psychiatric care days for separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings and hospital type, Australia 2000-01	94
Table 4.11b:	Separations, patient days and psychiatric care days for mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings and hospital type, Australia, 2000-01	96

Sex and age group

Table 4.12a:	Same day separations with specialised psychiatric care for male patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2000-01.....	97
Table 4.12b:	Same day mental health-related separations without specialised psychiatric care for male patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2000-01	98
Table 4.13a:	Same day separations with specialised psychiatric care for female patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2000-01.....	99
Table 4.13b:	Same day mental health-related separations without specialised psychiatric care for female patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2000-01.....	100
Table 4.14a:	Overnight separations with specialised psychiatric care for male patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2000-01.....	101
Table 4.14b:	Overnight mental health-related separations without specialised psychiatric care for male patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2000-01	102
Table 4.15a:	Overnight separations with specialised psychiatric care for female patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2000-01.....	103
Table 4.15b:	Overnight mental health-related separations without specialised psychiatric care for female patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2000-01	104

Aboriginal and Torres Strait Islander patients

Table 4.16:	Mental health-related separations reported for Aboriginal and Torres Strait Islander patients, by principal diagnosis in ICD-10-AM groupings, Australia, 2000-01	105
-------------	--	-----

Mental health legal status

Table 4.17:	Separations with specialised psychiatric care by mental health legal status and principal diagnosis in ICD-10-AM groupings, and hospital type, Australia, 2000-01	106
-------------	---	-----

Additional diagnosis

Table 4.18:	Separations, patient days and psychiatric care days for separations with specialised psychiatric care or any mental health-related diagnosis, Australia, 2000-01	107
Table 4.19:	Separations, patient days and psychiatric care days for separations with a mental health-related additional diagnosis, by principal diagnosis in ICD-10-AM chapter groupings, Australia, 2000-01.....	108
Table 4.20a:	Separations, patient days and psychiatric care days for separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings and presence of an additional mental health-related condition, Australia, 2000-01	109
Table 4.20b:	Separations, patient days and psychiatric care days for mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings and presence of an additional mental health-related condition, Australia, 2000-01.....	110
Table 4.21:	Separations, patient days and psychiatric care days for separations with a principal diagnosis of a mental or behavioural disorder due to psychoactive substances use and an additional diagnosis of another mental health-related condition, Australia, 2000-01	111
Table 4.22:	Separations, patient days and psychiatric care days for separations with a mental health-related principal diagnosis (excluding mental and behavioural disorder due to psychoactive substance use) and an additional diagnosis of a mental or behavioural disorder due to psychoactive substance use, Australia, 2000-01	112
Table 4.23:	Separations, patient days and psychiatric care days for separations with a principal diagnosis of schizophrenia, schizotypal and delusional disorders and an additional diagnosis of another mental health-related condition, Australia, 2000-01	113
Table 4.24:	Separations, patient days and psychiatric care days for separations with a mental health-related principal diagnosis (excluding schizophrenia, schizotypal and delusional disorders) and an additional diagnosis of schizophrenia, schizotypal and delusional disorders, Australia, 2000-01	114
Table 4.25:	Separations, patient days and psychiatric care days for separations with a principal diagnosis of mood (affective) disorders and an additional diagnosis of another mental health-related condition, Australia, 2000-01.....	115

Table 4.26:	Separations, patient days and psychiatric care days for separations with a mental health-related principal diagnosis (excluding mood (affective) disorders) and an additional diagnosis of mood (affective) disorders, Australia, 2000-01	116
Table 4.27:	Separations, patient days and psychiatric care days for separations with a principal diagnosis of neurotic, stress-related and somatoform disorders and an additional diagnosis of another mental health-related condition, Australia, 2000-01	117
Table 4.28:	Separations, patient days and psychiatric care days for separations with a mental health-related principal diagnosis (excluding neurotic, stress-related and somatoform disorders) and an additional diagnosis of neurotic, stress-related and somatoform disorders, Australia, 2000-01	118

Self-harm

Table 4.29:	Separations, patient days and psychiatric care days for mental health-related separations with intentional self-harm reported as an external cause of injury or poisoning, by principal diagnosis in ICD-10-AM groupings, Australia, 2000-01	119
-------------	--	-----

Australian Refined Diagnosis Related Groups

National overview

Table 4.30a:	The 30 most frequently reported AR-DRGs for separations with specialised psychiatric care, Australia, 2000-01.....	124
Table 4.30b:	The 30 most frequently reported AR-DRGs for mental health-related separations without specialised psychiatric care, Australia, 2000-01	125
Table 4.31a:	Separations, patient days and psychiatric care days for separations with specialised psychiatric care for the 30 most frequently reported AR-DRGs, public acute hospitals, Australia, 2000-01.....	126
Table 4.31b:	Separations, patient days and psychiatric care days for mental health-related separations without specialised psychiatric care for the 30 most frequently reported AR-DRGs, public acute hospitals, Australia, 2000-01....	127
Table 4.32a:	Separations, patient days and psychiatric care days for separations with specialised psychiatric care for the 30 most frequently reported AR-DRGs, private hospitals, Australia, 2000-01.....	128
Table 4.32b:	Separations, patient days and psychiatric care days for mental health-related separations without specialised psychiatric care for the 30 most frequently reported AR-DRGs, private hospitals, Australia, 2000-01.....	129
Table 4.33:	Separations, patient days and psychiatric care days for separations with specialised psychiatric care for the 30 most frequently reported AR-DRGs, public psychiatric hospitals, Australia, 2000-01	130

Sex and age group

Table 4.34a:	Overnight separations with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by sex and age group, Australia, 2000-01	131
--------------	--	-----

Table 4.34b:	Overnight mental health-related separations without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by sex and age group, Australia, 2000-01	132
--------------	--	-----

Length of stay

Table 4.35a:	Average length of stay (days) for overnight separations with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by sex, Australia, 2000-01	133
Table 4.35b:	Average length of stay (days) for overnight mental health-related separations without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by sex, Australia, 2000-01	134
Table 4.36a:	Median length of stay (days) for overnight separations with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by sex, Australia, 2000-01	135
Table 4.36b:	Median length of stay (days) for overnight mental health-related separations without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by sex, Australia, 2000-01	136

Procedures

Table 4.37a:	The 30 most frequently reported procedures for separations with specialised psychiatric care, by hospital type, Australia, 2000-01	139
Table 4.37b:	The 30 most frequently reported procedures for mental health-related separations without specialised psychiatric care, by hospital type, Australia, 2000-01	143

Mode of admission and separation

Table 4.38:	Separations with specialised psychiatric care by source of referral to public psychiatric hospital, States and Territories, 2000-01	146
Table 4.39a:	Separations with specialised psychiatric care by mode of admission and hospital type, States and Territories, 2000-01	147
Table 4.39b:	Mental health-related separations without specialised psychiatric care by mode of admission and hospital type, States and Territories, 2000-01	148
Table 4.40a:	Separations with specialised psychiatric care by mode of separation and hospital type, States and Territories, 2000-01	149
Table 4.40b:	Mental health-related separations without specialised psychiatric care by mode of separation and hospital type, States and Territories, 2000-01	151

Care type

Table 4.41a:	Separations with specialised psychiatric care by care type and hospital type, States and Territories, 2000-01	152
Table 4.41b:	Mental health-related separations without specialised psychiatric care by care type and hospital type, States and Territories, 2000-01	153
Table 4.42a:	Patient days for separations with specialised psychiatric care by care type and hospital type, States and Territories, 2000-01	154

Table 4.42b:	Patient days for mental health-related separations without specialised psychiatric care by care type and hospital type, States and Territories, 2000–01.....	155
Table 4.43:	Psychiatric care days for separations with specialised psychiatric care by care type and hospital type, States and Territories, 2000–01	156

5 Specialised mental health care labour force establishments

Psychiatric labour force and expenditure

Table 5.1:	Psychiatrists and psychiatrists-in-training, and per 100,000 population, States and Territories, 1999	161
Table 5.2:	Psychiatrists and psychiatrists-in-training, and per 100,000 population, Australia, 1995 to 1999.....	162
Table 5.3:	Psychiatrists and psychiatrists per 100,000 population by metropolitan, rural and remote region of main place of work, Australia, 1995 to 1999	162
Table 5.4:	Medicare-funded full-time-equivalent private psychiatrists, and per 100,000 population, by metropolitan, rural and remote region, States and Territories, 2000–01	164
Table 5.5:	Medicare expenditure (\$'000) on services provided by private psychiatrists by schedule item, States and Territories, 2000–01	165
Table 5.6:	Medicare expenditure (\$'000) on services provided by private psychiatrists (current prices), 1990–91 to 2000–01	166
Table 5.7:	Mental health nurses, and per 100,000 population, States and Territories, 1993 to 1999	167
Table 5.8:	Pharmaceutical Benefits Scheme expenditure (\$'000) on pharmaceuticals prescribed by private psychiatrists by pharmaceutical group, States and Territories, 2000–01	169
Table 5.9:	Pharmaceutical Benefits Scheme expenditure (\$'000) on pharmaceuticals prescribed by general practitioners by mental health-related pharmaceutical group, States and Territories, 2000–01	170

Public community mental health establishments

Table 5.10:	Summary of public and private psychiatric hospitals and public community mental health establishments, Australia, 1997–98 to 2000–01	171
Table 5.11:	Public community mental health establishments, establishments with residential care services, available beds and available beds per 100,000 population, States and Territories, 2000–01.....	172
Table 5.12:	Full-time-equivalent staff, public community mental health establishments, States and Territories, 2000–01	174
Table 5.13:	Salaries and wages expenditure (\$'000), public community mental health establishments, States and Territories, 2000–01	175
Table 5.14:	Non-salary and total recurrent expenditure (\$'000), public community mental health establishments, States and Territories, 2000–01.....	176

Psychiatric and acute care hospitals

Table 5.15:	Public psychiatric hospitals, available beds and available beds per 1,000 population by metropolitan, rural and remote region, States and Territories, 2000–01	179
Table 5.16:	Full-time-equivalent staff, public psychiatric hospitals, States, 2000–01	180
Table 5.17:	Salaries and wages expenditure (\$'000), public psychiatric hospitals, States, 2000–01.....	181
Table 5.18:	Non-salary expenditure and total recurrent expenditure (\$'000), public psychiatric hospitals, States, 2000–01	182
Table 5.19:	Revenue (\$'000), public psychiatric hospitals, States, 2000–01	184
Table 5.20:	Public acute care hospitals with psychiatric units or wards, by metropolitan, rural and remote region, States and Territories, 2000–01	184
Table 5.21:	Private psychiatric hospitals, available beds and available beds per 1,000 population, States and Territories, 2000–01.....	185
Table 5.22:	Full-time-equivalent staff, private psychiatric hospitals, States and Territories, 2000–01	185
Table 5.23:	Salaries and wages expenditure (\$'000), private psychiatric hospitals, States and Territories, 2000–01	186
Table 5.24:	Non-salary expenditure (\$'000), private psychiatric hospitals and total recurrent expenditure, States and Territories, 2000–01	187
Table 5.25:	Revenue (\$'000), private psychiatric hospitals, States and Territories, 2000–01.....	188

Appendix 1: Data sources

Table A1.1:	Data elements that constitute the NMDS for Admitted Patient Mental Health Care for 2000–01	198
Table A1.2:	Reporting of data elements that constitute the NMDS for Admitted Patient Mental Health Care for 2000–01.....	199
Table A1.3:	Data elements that constitute the NMDS for Community Mental Health Establishments for 2000–01.....	201
Table A1.4:	Data elements that constitute the NMDS for Community Mental Health Care for 2000–01	201

Appendix 2: Community Mental Health Care service contacts

Table A2.1:	Public community mental health service contacts and service contacts per 1,000 population, by sex and age group, Australia, 2000–01	206
-------------	---	-----

Appendix 3: Codes used to define mental health-related care and medications

Table A3.1:	ICD-10-AM diagnosis codes used to define mental health-related hospital separations	209
Table A3.2:	ICPC-2 codes used to define mental health-related reasons for encounter and problems managed by general practitioners for BEACH data.....	212

Table A3.3:	Anatomical Therapeutic Chemical codes used to define mental health-related medication prescribed by general practitioners in PBS data.....	213
-------------	--	-----

Appendix 4: State and Territory admitted patient data

Table A4.1a:	Same day separations with specialised psychiatric care by principal diagnosis in ICD-10-AM groupings, States and Territories, 2000-01.....	215
Table A4.1b:	Same day mental health-related separations without specialised psychiatric care by principal diagnosis in ICD-10-AM groupings, States and Territories, 2000-01.....	216
Table A4.2a:	Overnight separations with specialised psychiatric care by principal diagnosis in ICD-10-AM groupings, States and Territories, 2000-01.....	217
Table A4.2b:	Overnight mental health-related separations without specialised psychiatric care by principal diagnosis in ICD-10-AM groupings, States and Territories, 2000-01.....	218
Table A4.3a:	Patient days for overnight separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, States and Territories, 2000-01.....	219
Table A4.3b:	Patient days for mental health-related overnight separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, States and Territories, 2000-01.....	220
Table A4.4:	Psychiatric care days for overnight separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, States and Territories, 2000-01.....	221
Table A4.5a:	Overnight separations with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, States and Territories, 2000-01.....	222
Table A4.5b:	Overnight mental health-related separations without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, States and Territories, 2000-01.....	224
Table A4.6a:	Average length of stay (days) for overnight separations with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, States and Territories, 2000-01.....	226
Table A4.6b:	Average length of stay (days) for overnight mental health-related separations without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, States and Territories, 2000-01.....	228
Table A4.7a:	Median length of stay (days) for overnight separations with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, States and Territories, 2000-01.....	230
Table A4.7b:	Median length of stay (days) of overnight mental health-related separations without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, States and Territories, 2000-01.....	232
Table A4.8a:	The 15 most frequently reported procedures for same day separations with specialised psychiatric care, States and Territories, 2000-01.....	234

Table A4.8b: The 15 most frequently reported procedures for same day mental health-related separations without specialised psychiatric care, States and Territories, 2000-01	234
Table A4.9a: The 15 most frequently reported procedures for overnight separations with specialised psychiatric care, States and Territories, 2000-01	235
Table A4.9b: The 15 most frequently reported procedures for overnight mental health-related separations without specialised psychiatric care, States and Territories, 2000-01	235

Appendix 5: Population estimates

Table A5.1: Estimated resident population by age group and metropolitan, rural and remote area, States and Territories, 30 June 2000	236
Table A5.2: Projected Aboriginal and Torres Strait Islander population by age group, States and Territories, 30 June 2000	238

Appendix 6: Establishments contributing to this report

(Tables available on the Internet at www.aihw.gov.au)

Table A6.1: Public psychiatric hospitals reporting to NPHED for 2000-01	
Table A6.2: Public community mental health establishments reporting to NCMHED for 2000-01	
Table A6.3: Public hospitals reporting separations with psychiatric care days to NHMD for 2000-01	
Table A6.4: Public community mental health establishments reporting service contracts to NCMHCD for 2000-01	

List of figures

2 Overview

Figure 2.1:	Proportion of problems managed by general practitioners that were mental health-related, by sex and age group, 2001–02	9
Figure 2.2:	Medicare-funded attendances with a private psychiatrist per 1,000 population by age group and sex, Australia, 2000–01	10
Figure 2.3:	Overnight separations with a mental health-related principal diagnosis per 1,000 population by hospital sector, Australia, 1993–94 to 2000–01	11
Figure 2.4:	Patient days for overnight separations with a mental health-related principal diagnosis per 1,000 population by hospital sector, Australia, 1993–94 to 2000–01	12
Figure 2.5:	Average and median length of stay for selected overnight separations with a mental health-related principal diagnosis by sector, Australia, 1993–94 to 2000–01.....	13
Figure 2.6:	Mental health-related overnight separations with and without specialised psychiatric care by principal diagnosis group, public hospitals, Australia, 2000–01.....	14
Figure 2.7:	Mental health-related overnight separations with and without specialised psychiatric care by principal diagnosis group, private hospitals, Australia, 2000–01.....	15
Figure 2.8:	Overnight separations with a mental health-related principal diagnosis (excluding F10–F19) and an additional diagnosis of a mental or behavioural disorder due to psychoactive substance use, by principal diagnosis group, Australia, 2000–01	16
Figure 2.9:	Overnight hospital separations with and without specialised psychiatric care per 100,000 population by Indigenous status, Australia, 2000–01	17
Figure 2.10:	Overnight separations with specialised psychiatric care per 1,000 population, by statistical division of usual residence, Australia, 2000–01.....	19
Figure 2.11:	Mental health-related overnight separations without specialised psychiatric care per 1,000 population, by statistical division of usual residence, Australia, 2000–01	19
Figure 2.12:	Proportion of Commonwealth/State Disability Agreement-funded disability support services received by people with a psychiatric disability as their primary disability or other disability, Australia, 1997 to 2001	20
Figure 2.13:	Mental health nurses per 100,000 population by metropolitan, rural and remote areas, Australia, 1993 to 1999	21
Figure 2.14:	Psychiatrists per 100,000 population by metropolitan, rural and remote areas, Australia, 1995 to 1999.....	22

3 Ambulatory mental health care

Figure 3.1: Data reported for encounters at which depression was managed, BEACH, 2001-02..... 30

Figure 3.2: Encounters with one or more mental health-related reasons for encounter by sex and age group of patient, BEACH, 2001-02..... 31

Figure 3.3: Data reported for CSDA-funded ambulatory disability support services for persons with a psychiatric disability, 2001 snapshot day 52

4 Community residential and admitted patient mental health care

Figure 4.1: Data reported for separations with a principal diagnosis of Depressive episode (F32-F33), all hospitals, Australia, 2000-01 90

Figure 4.2: Data reported for CSDA-funded residential disability support services for persons with a psychiatric disability, 2000-01 snapshot day 159

Acknowledgments

This report would not have been possible without the valued cooperation and effort of the data providers in the health authorities of the States and Territories. The Australian Institute of Health and Welfare (AIHW) would like to express its appreciation for their timely supply of the data and their assistance with data validation. The AIHW also wishes to thank the members of the Australian Health Ministers' Advisory Council National Mental Health Working Group Information Strategy Committee and its National Minimum Data Set Subcommittee who assisted in the planning of this report and provided advice on its content. The AIHW would also like to acknowledge the funding, assistance and data provided by the Commonwealth Department of Health and Ageing for this project.

Within the AIHW, the report was prepared by David Braddock, Maryellen Moore, Jenny Kok and Jenny Hargreaves, with assistance from Katrina Burgess, Davis Lemke, Ruth Penn, Alannah Smith and Ian Titulaer. Comments were provided by Phil Andersen, Helena Britt, and Ros Madden. Amanda Nobbs coordinated the publication process.

Abbreviations

ABS	Australian Bureau of Statistics
AHMAC	Australian Health Ministers' Advisory Council
AIHW	Australian Institute of Health and Welfare
ALOS	Average length of stay
AR-DRG	Australian Refined Diagnosis Related Group
ATC	Anatomical Therapeutic Chemical classification
BEACH	Bettering the Evaluation and Care of Health
CADE	Confused and disturbed elderly
CSDA	Commonwealth/State Disability Agreement
CSDA MDS	Commonwealth/State Disability Agreement Minimum Data Set
DHA	Department of Health and Ageing
FTE	Full-time-equivalent
HIC	Health Insurance Commission
ICD-10-AM	International Statistical Classification of Diseases and Related Health Problems, 10th Revision, Australian Modification
ICPC-2	International Classification of Primary Care, 2nd edition
LCL	Lower confidence limit
NCMHED	National Community Mental Health Establishments Database
NCMHCD	National Community Mental Health Care Database
NHDD	National Health Data Dictionary
NHMD	National Hospital Morbidity Database
NMDS	National Minimum Data Set
NMHWG	National Mental Health Working Group
NPHEd	National Public Hospital Establishments Database
NSMHS	National Survey of Mental Health Services
PBS	Pharmaceutical Benefits Scheme
PHEC	Private Health Establishments Collection
RANZCP	Royal Australian and New Zealand College of Psychiatrists
RFE	Reason for encounter
UCL	Upper confidence limit
WHO	World Health Organization