

**Table I1: Separations with specialised psychiatric care by marital status <sup>(a)</sup> and sex, States and Territories, <sup>(b)</sup> 2000-01**

<b>Marital status</b>	<b>NSW<sup>(c)</sup></b>	<b>Vic</b>	<b>Qld</b>	<b>WA</b>	<b>SA</b>	<b>Tas<sup>(c)</sup></b>	<b>ACT</b>	<b>NT</b>	<b>Total</b>
<b>Males</b>									
Never married	13,998	9,410	9,292	6,321	3,058	827	434	375	43,715
Widowed	1,188	388	206	100	127	13	15	3	2,040
Divorced	1,463	933	1,077	399	391	69	39	19	4,390
Separated	929	741	863	557	648	77	41	26	3,882
Married (including de facto)	8,006	4,805	6,319	2,750	891	306	190	75	23,342
Not stated/inadequately described	3,042	1,063	864	116	500	802	80	23	6,490
<b>Total males</b>	<b>28,626</b>	<b>17,340</b>	<b>18,621</b>	<b>10,243</b>	<b>5,615</b>	<b>2,094</b>	<b>799</b>	<b>521</b>	<b>83,859</b>
<b>Females</b>									
Never married	10,624	11,307	7,670	5,452	2,149	490	439	150	38,281
Widowed	1,597	1,709	1,214	482	502	76	46	5	5,631
Divorced	1,705	1,619	1,857	996	562	163	66	14	6,982
Separated	1,245	1,174	916	692	1,151	127	47	37	5,389
Married (including de facto)	7,229	10,447	7,735	4,633	1,391	383	287	82	32,187
Not stated/inadequately described	2,243	1,452	695	103	376	1,155	114	19	6,157
<b>Total females</b>	<b>24,643</b>	<b>27,708</b>	<b>20,087</b>	<b>12,358</b>	<b>6,131</b>	<b>2,394</b>	<b>999</b>	<b>307</b>	<b>94,627</b>
<b>Persons<sup>(d)</sup></b>									
Never married	24,622	20,717	16,962	11,773	5,207	1,317	873	526	81,997
Widowed	2,785	2,097	1,420	582	629	89	61	8	7,671
Divorced	3,168	2,552	2,934	1,395	953	232	105	33	11,372
Separated	2,174	1,915	1,779	1,249	1,799	204	88	63	9,271
Married (including de facto)	15,235	15,252	14,054	7,383	2,282	689	477	157	55,529
Not stated/inadequately described	5,285	2,515	1,559	219	876	1,957	194	42	12,647
<b>Total persons</b>	<b>53,269</b>	<b>45,048</b>	<b>38,708</b>	<b>22,601</b>	<b>11,746</b>	<b>4,488</b>	<b>1,798</b>	<b>829</b>	<b>178,487</b>

(a) Marital status was collected for separations with specialised psychiatric care only.

(b) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishment categorised as hospitals. Please refer to Box 3.2 for information.

(c) Data were not available for private hospitals for New South Wales and Tasmania.

(d) Includes separations for which sex was not reported.

**Table I2: Mental health-related separations by country of birth, Australia, 2000–01**

Country of birth	Separations			Patient days	Psychiatric care days	Average length of stay (overnight)	Psychiatric care days per overnight separation
	Same day	Overnight	Total				
<b>With specialised psychiatric care</b>							
Australia	8,074	15,458	23,532	384,123	380,411	24.3	24.1
<i>Per 1,000 population</i> <sup>(a)</sup>	4.7	5.4	10.2	118.5	117.2	..	..
Other English-speaking countries	5,844	7,291	13,135	137,762	135,847	18.1	17.8
<i>Per 1,000 population</i> <sup>(a)</sup>	2.8	3.7	6.5	64.7	63.8	..	..
Non-English-speaking countries	65,553	76,267	141,820	1,629,556	1,611,784	20.5	20.3
<i>Per 1,000 population</i> <sup>(a)</sup>	2.5	4.9	7.4	117.2	116.1	..	..
<i>Total</i>	<i>79,471</i>	<i>99,016</i>	<i>178,487</i>	<i>2,151,441</i>	<i>2,128,042</i>	<i>20.9</i>	<i>20.7</i>
<b>Without specialised psychiatric care</b>							
Australia	4,016	6,605	10,621	68,429	..	9.8	..
<i>Per 1,000 population</i> <sup>(a)</sup>	1.6	3.9	5.5	36.9	..	..	..
Other English-speaking countries	1,990	4,822	6,812	54,391	..	10.9	..
<i>Per 1,000 population</i> <sup>(a)</sup>	1.1	2.4	3.5	23.6	..	..	..
Non-English-speaking countries	23,117	55,836	78,953	507,001	..	8.7	..
<i>Per 1,000 population</i> <sup>(a)</sup>	1.4	2.3	3.7	22.1	..	..	..
<i>Total</i>	<i>29,123</i>	<i>67,263</i>	<i>96,386</i>	<i>629,821</i>	<i>..</i>	<i>8.9</i>	<i>..</i>

(a) Rates are indirectly age-standardised based on the estimated resident population for 30 June 2000.

.. Not applicable.

**Table I3a: Patient days for overnight mental health-related separations with specialised psychiatric care for male patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2000–01**

Principal diagnosis		Under 15	15–24	25–34	35–44	45–54	55–64	65 and	Total <sup>(a)</sup>
		years						over	
F00-F03	Dementia	0	32	8	22	1,050	1,227	35,940	38,279
F04-F09	Other organic mental disorders	0	926	2,411	6,885	2,825	1,532	4,222	18,801
F10	Mental and behavioural disorders due to use of alcohol	1	1,199	2,789	6,426	17,064	12,179	12,649	52,307
F11-F19	Mental and behav disorders due to other psychoactive substances use	83	13,613	10,758	4,281	1,192	242	237	30,406
F20	Schizophrenia	137	85,519	174,999	85,005	68,694	13,091	18,131	445,576
F21, F24, F28-F29	Schizotypal and other delusional disorders	132	5,794	4,439	1,944	3,949	178	799	17,235
F22	Persistent delusional disorders	0	1,100	2,069	1,742	2,058	668	2,421	10,058
F23	Acute and transient psychotic disorders	179	4,564	3,189	1,669	794	381	486	11,262
F25	Schizoaffective disorders	8	8,688	15,482	10,815	7,539	2,403	3,763	48,698
F30	Manic episode	0	1,542	1,572	910	836	316	1,705	6,881
F31	Bipolar affective disorders	117	10,217	15,878	15,403	12,830	7,570	10,203	72,218
F32	Depressive episode	716	7,223	11,746	14,444	17,282	11,293	21,646	84,350
F33	Recurrent depressive disorders	8	1,619	2,877	4,432	7,063	4,734	9,373	30,106
F34	Persistent mood (affective) disorders	65	832	1,133	1,381	986	313	514	5,224
F38, F39	Other and unspecified mood (affective) disorders	1	128	121	59	240	18	0	567
F40	Phobic anxiety disorders	0	154	76	99	76	42	190	637
F41	Other anxiety disorders	373	792	1,506	1,233	1,337	1,069	1,246	7,556
F42	Obsessive-compulsive disorders	264	533	632	455	275	306	0	2,465
F43	Reaction to severe stress and adjustment disorders	711	4,637	7,905	7,923	14,482	6,886	3,158	45,702
F44	Dissociative (conversion) disorders	57	125	60	124	80	35	155	636
F45, F48	Somatoform and other neurotic disorders	32	76	63	116	274	22	226	809
F50	Eating disorders	279	721	525	58	12	0	8	1,603
F51-F59	Other behav syndromes associated w phys dist & phys factors	0	8	90	14	68	24	46	250
F60	Specific personality disorders	35	1,952	4,716	2,847	908	410	529	11,397
F60-F69	Disorders of adult personality and behaviour	27	262	626	324	241	149	183	1,812
F70-F79	Mental retardation	28	2,819	587	2,048	1,183	214	883	7,762
F80-F89	Disorders of psychological development	510	1,184	131	218	234	10	13	2,300
F90	Hyperkinetic disorders	1,203	334	72	7	0	0	0	1,616
F91	Conduct disorders	2,520	537	87	19	15	113	134	3,425
F92-F98	Other & unspec disorders w onset childhood adolescence	1,045	144	30	51	77	0	0	1,347
F99	Mental disorder not otherwise specified	0	21	19	28	20	1	227	316
G30	Alzheimers disease	0	0	0	0	200	1,172	14,784	16,156
G47	Sleep disorders	0	103	1	0	2	2	1	109
R44	Other symptoms & signs involving general sensations and perceptions	12	22	8	3	7	0	8	60
R45	Symptoms & signs involving emotional state	0	26	19	36	0	8	38	127
	Other factors related to mental and behavioural disorders <sup>(b)</sup>	825	127	187	319	115	48	15	1,636
	Other factors related to substance use <sup>(c)</sup>	0	0	2	0	7	0	0	9
	Other <sup>(d)</sup>	250	6,180	16,276	14,831	9,725	10,603	27,456	85,321
	Not reported	1	2,688	3,426	18,361	3,367	14,977	3,715	46,535
	<b>Total<sup>(a)</sup></b>	<b>9,619</b>	<b>166,441</b>	<b>286,515</b>	<b>204,532</b>	<b>177,107</b>	<b>92,236</b>	<b>175,104</b>	<b>1,111,554</b>

(a) Includes separations for which sex and/or age were not reported.

(b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

(c) Includes Z50.2, Z50.3, Z71.4, Z71.5.

(d) All other codes not included in the mental health principal diagnosis as listed in Appendix 3.

Note: Abbreviations; behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium.

**Table I3b: Patient days for mental health-related overnight separations without specialised psychiatric care for male patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2000–01**

Principal diagnosis	Under 15	15–24	25–34	35–44	45–54	55–64	65 and over	Total <sup>(a)</sup>
	years							
F00-F03 Dementia	3	0	17	78	235	5,429	63,174	68,936
F04-F09 Other organic mental disorders	60	117	144	316	418	827	14,388	16,270
F10 Mental and behavioural disorders due to use of alcohol	101	1,274	5,028	10,396	10,981	6,456	7,827	42,063
F11-F19 Mental and behav disorders due to other psychoactive substances use	65	5,759	8,006	4,604	1,226	302	391	20,353
F20 Schizophrenia	2	1,359	1,986	1,194	510	448	785	6,284
F21, F24, F28-F29 Schizotypal and other delusional disorders	23	169	123	82	49	71	325	842
F22 Persistent delusional disorders	1	52	61	61	40	87	657	959
F23 Acute and transient psychotic disorders	20	187	182	245	86	15	336	1,071
F25 Schizoaffective disorders	0	106	424	338	98	31	386	1,383
F30 Manic episode	16	49	25	35	46	61	213	445
F31 Bipolar affective disorders	21	326	396	627	879	712	1,329	4,290
F32 Depressive episode	202	1,032	1,900	3,035	2,688	1,949	9,971	20,777
F33 Recurrent depressive disorders	19	276	292	1,067	1,320	1,883	2,137	6,994
F34 Persistent mood (affective) disorders	23	74	124	110	89	35	175	630
F38, F39 Other and unspecified mood (affective) disorders	3	15	15	4	17	17	52	123
F40 Phobic anxiety disorders	12	2	3	8	15	15	7	62
F41 Other anxiety disorders	56	246	657	819	905	959	2,858	6,500
F42 Obsessive-compulsive disorders	4	2	51	5	48	4	232	346
F43 Reaction to severe stress and adjustment disorders	79	521	1,420	1,680	6,898	3,266	1,220	15,084
F44 Dissociative (conversion) disorders	159	235	101	160	163	131	853	1,802
F45,F48 Somatoform and other neurotic disorders	114	155	62	89	41	70	186	717
F50 Eating disorders	85	342	42	21	17	31	23	561
F51-F59 Other behav syndromes associated w phys dist & phys factors	4,200	14	29	54	29	81	117	4,524
F60 Specific personality disorders	5	150	207	257	117	45	79	860
F60-F69 Disorders of adult personality and behaviour	25	22	201	228	81	101	352	1,010
F70-F79 Mental retardation	21	27	22	58	51	47	5	231
F80-F89 Disorders of psychological development	623	48	0	1	27	5	8	712
F90 Hyperkinetic disorders	131	19	0	0	11	0	0	161
F91 Conduct disorders	485	44	22	59	46	38	136	830
F92-F98 Other & unspec disorders w onset childhood adolescence	690	60	1	3	4	61	0	819
F99 Mental disorder not otherwise specified	0	67	29	14	2	2	3	117
G30 Alzheimers disease	0	0	0	0	100	701	15,433	16,234
G47 Sleep disorders	7,877	22	60	104	115	120	192	8,490
R44 Other symptoms & signs involving general sensations and perceptions	9	10	32	15	36	46	502	650
R45 Symptoms & signs involving emotional state	67	31	22	54	16	1	218	409
R48 Dyslexia and other symbolic dysfunctions, not elsewhere classified	0	0	0	0	42	0	105	147
Other factors related to mental and behavioural disorders <sup>(b)</sup>	119	97	238	155	11	4	93	717
Other factors related to substance use <sup>(c)</sup>	0	41	98	118	69	32	146	504
<b>Total<sup>(a)</sup></b>	<b>15,320</b>	<b>12,950</b>	<b>22,020</b>	<b>26,094</b>	<b>27,526</b>	<b>24,083</b>	<b>124,914</b>	<b>252,907</b>

(a) Includes separations for which sex and/or age were not reported.

(b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

(c) Includes Z50.2, Z50.3, Z71.4, Z71.5.

Note: Abbreviations; behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium.

**Table I4a: Patient days for overnight mental health-related separations with specialised psychiatric care for female patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2000–01**

Principal diagnosis	Under 15	15–24	25–34	35–44	45–54	55–64	65 and	Total <sup>(a)</sup>
	years						over	
F00-F03 Dementia	0	0	74	325	6,196	7,123	27,188	40,906
F04-F09 Other organic mental disorders	23	430	853	4,695	3,493	1,127	5,524	16,145
F10 Mental and behavioural disorders due to use of alcohol	1	881	2,658	4,111	4,438	9,396	1,807	23,292
F11-F19 Mental and behav disorders due to other psychoactive substances use	42	6,713	5,710	3,547	990	395	338	17,735
F20 Schizophrenia	128	22,136	43,179	42,537	26,950	23,212	26,468	184,610
F21, F24, F28-F29 Schizotypal and other delusional disorders	146	3,559	2,792	1,501	1,109	202	1,092	10,401
F22 Persistent delusional disorders	0	416	1,304	1,674	1,628	1,229	3,856	10,107
F23 Acute and transient psychotic disorders	184	2,507	3,204	1,984	1,091	498	1,032	10,500
F25 Schizoaffective disorders	150	5,700	13,091	18,184	10,333	6,912	9,027	63,397
F30 Manic episode	30	1,042	1,084	1,017	1,106	543	1,572	6,394
F31 Bipolar affective disorders	58	8,994	18,899	21,351	19,721	20,494	27,636	117,153
F32 Depressive episode	1,408	14,691	22,672	26,282	23,769	14,389	45,587	148,798
F33 Recurrent depressive disorders	108	4,012	8,049	14,850	16,989	8,920	26,311	79,239
F34 Persistent mood (affective) disorders	116	2,123	2,285	1,877	2,296	563	810	10,070
F38, F39 Other and unspecified mood (affective) disorders	3	107	109	148	186	209	290	1,052
F40 Phobic anxiety disorders	50	431	269	380	245	75	259	1,709
F41 Other anxiety disorders	435	1,322	1,991	2,627	3,048	2,367	4,698	16,488
F42 Obsessive-compulsive disorders	151	703	806	748	773	288	456	3,925
F43 Reaction to severe stress and adjustment disorders	1,082	9,067	10,578	10,074	5,622	2,069	2,592	41,084
F44 Dissociative (conversion) disorders	156	821	1,670	1,807	1,758	309	80	6,601
F45, F48 Somatoform and other neurotic disorders	222	103	136	340	257	166	461	1,685
F50 Eating disorders	1,835	16,516	6,408	2,174	752	118	187	27,990
F51-F59 Other behav syndromes associated w phys dist & phys factors	20	547	4,105	1,575	57	23	0	6,327
F60 Specific personality disorders	339	7,305	8,447	7,356	2,699	628	1,295	28,069
F60-F69 Disorders of adult personality and behaviour	0	375	295	502	237	93	21	1,523
F70-F79 Mental retardation	74	172	703	258	1,009	1,021	129	3,366
F80-F89 Disorders of psychological development	136	222	359	45	7	8	0	777
F90 Hyperkinetic disorders	88	129	0	0	0	15	0	232
F91 Conduct disorders	562	578	43	72	166	0	49	1,470
F92-F98 Other & unspec disorders w onset childhood adolescence	473	327	21	5	0	0	0	826
F99 Mental disorder not otherwise specified	2	211	69	9	92	15	153	551
G30 Alzheimers disease	0	0	0	0	224	1,132	15,431	16,787
G47 Sleep disorders	5	0	23	25	1	0	0	54
O99.3 Mental disorders & dis of the nerv sys complic preg, child & puerp	0	208	742	353	17	0	0	1,320
R44 Other symptoms & signs involving general sensations and perceptions	0	42	10	3	0	0	55	110
R45 Symptoms & signs involving emotional state	0	20	15	1	7	0	0	43
Other factors related to mental and behavioural disorders <sup>(b)</sup>	642	124	459	454	116	13	5	1,813
Other factors related to substance use <sup>(c)</sup>	0	0	0	0	0	11	0	11
Other <sup>(d)</sup>	328	3,920	6,099	10,970	10,122	5,047	14,892	51,378
Not reported	4	488	1,017	635	460	456	3,410	6,470
<b>Total<sup>(a)</sup></b>	<b>9,001</b>	<b>116,942</b>	<b>170,228</b>	<b>184,496</b>	<b>147,964</b>	<b>109,066</b>	<b>222,711</b>	<b>960,408</b>

(a) Includes separations for which sex and/or age were not reported.

(b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

(c) Includes Z50.2, Z50.3, Z71.4, Z71.5.

(d) All other codes not included in the mental health principal diagnosis as listed in Appendix 3.

Note: Abbreviations; behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium.

**Table I4b: Patient days for mental health-related overnight separations without specialised psychiatric care for female patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2000–01**

Principal diagnosis	Under 15						65 and over	Total <sup>(a)</sup>
	years	15–24	25–34	35–44	45–54	55–64		
F00-F03 Dementia	0	6	12	11	335	3,298	84,149	87,811
F04-F09 Other organic mental disorders	40	43	126	211	627	988	25,585	27,620
F10 Mental and behavioural disorders due to use of alcohol	113	856	2,360	4,826	4,425	2,519	2,516	17,615
F11-F19 Mental and behav disorders due to other psychoactive substances use	63	3,161	4,202	3,114	1,013	526	883	12,962
F20 Schizophrenia	14	480	1,058	1,010	1,002	548	3,975	8,087
F21, F24, F28-F29 Schizotypal and other delusional disorders	83	151	151	112	78	148	520	1,243
F22 Persistent delusional disorders	7	37	52	33	93	115	1,814	2,151
F23 Acute and transient psychotic disorders	20	170	405	200	190	182	672	1,839
F25 Schizoaffective disorders	0	192	292	587	534	665	475	2,745
F30 Manic episode	0	8	61	120	80	111	326	706
F31 Bipolar affective disorders	56	275	796	1,071	1,064	871	3,148	7,281
F32 Depressive episode	441	2,602	4,681	6,531	4,910	2,952	17,957	40,074
F33 Recurrent depressive disorders	58	480	1,787	2,856	3,027	1,393	4,124	13,725
F34 Persistent mood (affective) disorders	0	212	320	309	328	216	212	1,597
F38, F39 Other and unspecified mood (affective) disorders	3	8	32	40	40	18	139	280
F40 Phobic anxiety disorders	48	4	58	31	80	11	149	381
F41 Other anxiety disorders	90	869	2,565	2,463	2,408	1,791	9,875	20,061
F42 Obsessive-compulsive disorders	15	32	17	36	18	38	42	198
F43 Reaction to severe stress and adjustment disorders	146	1,024	2,525	2,089	1,676	535	960	8,955
F44 Dissociative (conversion) disorders	366	459	499	448	427	302	844	3,345
F45,F48 Somatoform and other neurotic disorders	130	434	234	267	304	231	622	2,222
F50 Eating disorders	4,306	8,170	1,020	586	319	42	363	14,806
F51-F59 Other behav syndromes associated w phys dist & phys factors	2,996	659	2,520	733	23	1	102	7,034
F60 Specific personality disorders	32	425	501	546	415	133	1,545	3,597
F60-F69 Disorders of adult personality and behaviour	26	48	140	146	142	123	119	744
F70-F79 Mental retardation	29	18	98	93	19	102	519	878
F80-F89 Disorders of psychological development	123	11	2	35	30	3	73	277
F90 Hyperkinetic disorders	11	0	2	4	0	0	0	17
F91 Conduct disorders	307	23	12	6	46	1	230	625
F92-F98 Other & unspec disorders w onset childhood adolescence	504	8	4	1	0	0	0	517
F99 Mental disorder not otherwise specified	1	5	2	8	8	22	31	77
G30 Alzheimers disease	0	0	0	30	183	1,065	38,434	39,712
G47 Sleep disorders	5,659	123	1,028	466	116	63	169	7,624
O99.3 Mental disorders & dis of the nerv sys complic preg, child & puerp	6	2,479	3,825	1,151	2	0	0	7,463
R44 Other symptoms & signs involving general sensations and perceptions	24	9	34	28	17	11	623	746
R45 Symptoms & signs involving emotional state	40	14	25	8	16	45	158	306
R48 Dyslexia and other symbolic dysfunctions, not elsewhere classified	0	0	0	0	0	0	38	38
Other factors related to mental and behavioural disorders <sup>(b)</sup>	112	400	348	89	5	2	51	1,007
Other factors related to substance use <sup>(c)</sup>	0	50	21	51	51	0	1,249	1,422
<b>Total<sup>(a)</sup></b>	<b>15,869</b>	<b>23,945</b>	<b>31,815</b>	<b>30,346</b>	<b>24,051</b>	<b>19,071</b>	<b>202,691</b>	<b>347,788</b>

(a) Includes separations for which sex and/or age were not reported.

(b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

(c) Includes Z50.2, Z50.3, Z71.4, Z71.5.

Note: Abbreviations; behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium.

**Table I5: Psychiatric care days for overnight mental health-related separations with specialised psychiatric care for male patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2000-01**

Principal diagnosis	Under 15						65 and over	Total <sup>(a)</sup>
	years	15-24	25-34	35-44	45-54	55-64		
F00-F03 Dementia	0	32	8	22	1,050	1,213	35,699	38,024
F04-F09 Other organic mental disorders	0	915	2,382	6,871	2,798	1,369	4,145	18,480
F10 Mental and behavioural disorders due to use of alcohol	1	1,196	2,765	6,340	16,972	12,112	12,585	51,971
F11-F19 Mental and behav disorders due to other psychoactive substances use	82	13,505	10,661	4,238	1,184	240	237	30,147
F20 Schizophrenia	137	85,261	173,519	84,334	68,532	12,951	17,961	442,695
F21, F24, Schizotypal and other delusional disorders	132	5,758	4,397	1,914	3,931	178	791	17,101
F28-F29								
F22 Persistent delusional disorders	0	1,098	2,064	1,727	2,042	663	2,377	9,971
F23 Acute and transient psychotic disorders	179	4,520	3,173	1,662	791	376	486	11,187
F25 Schizoaffective disorders	8	8,368	15,415	10,725	7,536	2,337	3,012	47,401
F30 Manic episode	0	1,540	1,571	887	831	316	1,693	6,838
F31 Bipolar affective disorders	117	10,174	15,815	15,238	12,632	7,528	10,129	71,633
F32 Depressive episode	714	7,173	11,612	14,336	17,030	11,120	21,021	83,006
F33 Recurrent depressive disorders	8	1,615	2,795	4,409	6,961	4,714	9,142	29,644
F34 Persistent mood (affective) disorders	65	831	1,121	1,374	982	313	471	5,157
F38, F39 Other and unspecified mood (affective) disorders	1	120	119	59	238	18	0	555
F40 Phobic anxiety disorders	0	148	76	99	76	42	169	610
F41 Other anxiety disorders	373	788	1,503	1,225	1,337	1,066	1,216	7,508
F42 Obsessive-compulsive disorders	263	532	632	455	270	306	0	2,458
F43 Reaction to severe stress and adjustment disorders	701	4,604	7,862	7,818	14,441	6,849	3,049	45,324
F44 Dissociative (conversion) disorders	57	119	58	124	72	35	155	620
F45,F48 Somatoform and other neurotic disorders	32	76	63	113	273	22	43	622
F50 Eating disorders	252	721	506	58	12	0	8	1,557
F51-F59 Other behav syndromes associated w phys dist & phys factors	0	8	90	14	68	23	46	249
F60 Specific personality disorders	35	1,934	4,651	2,834	893	400	525	11,272
F60-F69 Disorders of adult personality and behaviour	27	257	614	321	240	145	183	1,787
F70-F79 Mental retardation	28	2,819	583	2,033	1,183	214	883	7,743
F80-F89 Disorders of psychological development	510	1,184	131	218	234	10	13	2,300
F90 Hyperkinetic disorders	1,199	334	72	7	0	0	0	1,612
F91 Conduct disorders	2,481	525	84	19	15	113	134	3,371
F92-F98 Other & unspec disorders w onset childhood adolescence	1,045	144	30	51	77	0	0	1,347
F99 Mental disorder not otherwise specified	0	21	19	28	20	1	227	316
G30 Alzheimers disease	0	0	0	0	200	787	14,742	15,729
G47 Sleep disorders	0	103	1	0	2	2	1	109
R44 Other symptoms & signs involving general sensations and perceptions	12	22	8	3	7	0	8	60
R45 Symptoms & signs involving emotional state	0	26	19	36	0	8	34	123
Other factors related to mental and behavioural disorders <sup>(b)</sup>	825	126	187	319	115	48	15	1,635
Other factors related to substance use <sup>(c)</sup>	0	0	2	0	7	0	0	9
Other <sup>(d)</sup>	250	6,007	15,836	14,526	9,401	10,398	26,620	83,038
Not reported	1	2,683	3,419	18,357	3,366	14,976	3,712	46,514
<b>Total<sup>(a)</sup></b>	<b>9,535</b>	<b>165,287</b>	<b>283,863</b>	<b>202,794</b>	<b>175,819</b>	<b>90,893</b>	<b>171,532</b>	<b>1,099,723</b>

(a) Includes separations for which sex and/or age were not reported.

(b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

(c) Includes Z50.2, Z50.3, Z71.4, Z71.5.

(d) All other codes not included in the mental health principal diagnosis as listed in Appendix 3.

Note: Abbreviations; behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium.

**Table I6: Psychiatric care days for overnight mental health-related separations with specialised psychiatric care for female patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2000–01**

Principal diagnosis	Under 15						65 and over	Total <sup>(a)</sup>
	years	15–24	25–34	35–44	45–54	55–64		
F00-F03 Dementia	0	0	74	325	6,196	7,122	26,942	40,659
F04-F09 Other organic mental disorders	23	429	842	4,686	3,487	1,065	5,319	15,851
F10 Mental and behavioural disorders due to use of alcohol	1	877	2,650	4,064	4,417	9,374	1,805	23,188
F11-F19 Mental and behav disorders due to other psychoactive substances use	42	6,663	5,668	3,530	978	391	335	17,607
F20 Schizophrenia	128	22,101	43,074	42,385	26,708	23,182	26,192	183,770
F21, F24, F28-F29 Schizotypal and other delusional disorders	146	3,549	2,782	1,494	1,107	201	1,076	10,355
F22 Persistent delusional disorders	0	413	1,303	1,666	1,621	1,226	3,832	10,061
F23 Acute and transient psychotic disorders	180	2,501	3,155	1,966	1,086	496	1,024	10,408
F25 Schizoaffective disorders	150	5,684	13,073	18,123	10,304	6,871	8,971	63,176
F30 Manic episode	30	1,041	1,079	1,009	1,092	543	1,540	6,334
F31 Bipolar affective disorders	58	8,919	18,737	21,201	19,592	20,418	27,370	116,295
F32 Depressive episode	1,393	14,565	22,294	26,127	23,604	14,203	44,756	146,942
F33 Recurrent depressive disorders	108	3,998	7,988	14,682	16,906	8,802	25,991	78,475
F34 Persistent mood (affective) disorders	116	2,095	2,257	1,870	2,291	561	809	9,999
F38, F39 Other and unspecified mood (affective) disorders	3	89	109	148	186	209	258	1,002
F40 Phobic anxiety disorders	50	429	250	380	243	75	259	1,686
F41 Other anxiety disorders	435	1,310	1,983	2,609	3,002	2,363	4,625	16,327
F42 Obsessive-compulsive disorders	151	673	753	748	772	288	456	3,841
F43 Reaction to severe stress and adjustment disorders	1,082	9,007	10,426	10,012	5,550	2,040	2,574	40,691
F44 Dissociative (conversion) disorders	156	808	1,662	1,788	1,749	309	80	6,552
F45, F48 Somatoform and other neurotic disorders	222	102	136	338	217	165	413	1,593
F50 Eating disorders	1,826	16,349	6,253	2,158	752	113	187	27,638
F51-F59 Other behav syndromes associated w phys dist & phys factors	9	539	4,092	1,562	57	23	0	6,282
F60 Specific personality disorders	339	7,211	8,351	7,278	2,687	593	1,295	27,754
F60-F69 Disorders of adult personality and behaviour	0	375	274	499	236	93	21	1,498
F70-F79 Mental retardation	74	172	703	258	1,006	1,019	129	3,361
F80-F89 Disorders of psychological development	136	196	358	45	7	8	0	750
F90 Hyperkinetic disorders	88	129	0	0	0	15	0	232
F91 Conduct disorders	560	578	43	72	166	0	49	1,468
F92-F98 Other & unspec disorders w onset childhood adolescence	473	321	21	5	0	0	0	820
F99 Mental disorder not otherwise specified	2	211	69	9	92	15	153	551
G30 Alzheimers disease	0	0	0	0	224	1,118	14,976	16,318
G47 Sleep disorders	5	0	23	25	1	0	0	54
O99.3 Mental disorders & dis of the nerv sys complic preg, child & puerp	0	196	725	343	17	0	0	1,281
R44 Other symptoms & signs involving general sensations and perceptions	0	42	9	3	0	0	55	109
R45 Symptoms & signs involving emotional state	0	20	15	1	7	0	0	43
Other factors related to mental and behavioural disorders <sup>(b)</sup>	642	123	459	454	116	13	5	1,812
Other factors related to substance use <sup>(c)</sup>	0	0	0	0	0	11	0	11
Other <sup>(d)</sup>	320	3,689	5,810	10,331	9,720	4,854	12,860	47,584
Not reported	4	488	1,010	635	460	455	3,410	6,462
<b>Total<sup>(a)</sup></b>	<b>8,952</b>	<b>115,892</b>	<b>168,510</b>	<b>182,829</b>	<b>146,656</b>	<b>108,234</b>	<b>217,767</b>	<b>948,840</b>

(a) Includes separations for which sex and/or age were not reported.

(b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

(c) Includes Z50.2, Z50.3, Z71.4, Z71.5.

(d) All other codes not included in the mental health principal diagnosis as listed in Appendix 3.

Note: Abbreviations; behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium.

**Table I7: Mental health-related separations with specialised psychiatric care by previous specialised treatment status and hospital type, Australia, 2000–01**

	Public acute		Private		Public psychiatric		All hospitals		Total
	Same day	Overnight	Same day	Overnight	Same day	Overnight	Same day	Overnight	
Patient has no previous admissions or service contacts for the specialised treatment now being provided	1,630	10,880	913	3,957	210	2,042	2,753	16,879	19,632
Patient has previous hospital admission but no service contacts for the specialised treatment now being provided	1,812	9,346	20,292	5,005	1,228	2,937	23,332	17,288	40,620
Patient has previous service contact but no hospital admission for the specialised treatment now being provided	1,008	3,442	224	798	6	221	1,238	4,461	5,699
Patient has both previous hospital admissions and service contacts for the specialised treatment now being provided	6,210	12,399	12,145	4,102	46	2,288	18,401	18,789	37,190
Not reported	9,892	26,261	22,229	8,599	1,626	6,739	33,747	41,599	75,346
<b>Total</b>	<b>20,552</b>	<b>62,328</b>	<b>55,803</b>	<b>22,461</b>	<b>3,116</b>	<b>14,227</b>	<b>79,471</b>	<b>99,016</b>	<b>178,487</b>