

Appendix 3: Detailed tables

Client registrations

Table A3.1: Estimated number of client registrations by age group and sex, Australia^(a), 2001–02

Age group (years)	Males		Females		Not stated		Persons	
	No.	%	No.	%	No.	%	No.	%
10–19	8,807	8.8	4,511	4.5	5	—	13,323	13.4
20–29	23,512	23.6	11,164	11.2	48	—	34,724	34.9
30–39	17,353	17.4	9,002	9.0	29	—	26,384	26.5
40–49	9,412	9.5	5,930	6.0	14	—	15,356	15.4
50–59	3,778	3.8	2,485	2.5	7	—	6,270	6.3
60+	1,361	1.4	801	0.8	4	—	2,166	2.2
Not stated	673	0.7	627	0.6	14	—	1,314	1.3
Total	64,896	65.2	34,520	34.7	121	0.1	99,537	100.0

(a) Client registrations refers to the estimated number of clients who registered or re-registered for alcohol and other drug treatment services.

Table A3.2: Estimated number of client registrations by client type and sex, Australia^(a), 2001–02

Client type	Males		Females		Not stated		Persons	
	No.	%	No.	%	No.	%	No.	%
Own drug use ^(b)	61,604	61.9	29,172	29.3	102	0.1	90,878	91.3
Other's drug use	2,334	2.3	4,639	4.7	15	—	6,988	7.0
Not stated	958	1.0	709	0.7	4	—	1,671	1.7
Total	64,896	65.2	34,520	34.7	121	0.1	99,537	100.0

(a) Client registrations refers to the estimated number of clients who registered or re-registered for alcohol and other drug treatment services.

(b) Own drug use also includes clients who were seeking treatment for both their own and other's drug use (that is, 0.4% of total closed treatment episodes).

Table A3.3: Estimated number of client registrations by age group and Indigenous status, Australia^(a), 2001–02

Age group (years)	Indigenous		Non-Indigenous		Not stated		Total	
	No.	%	No.	%	No.	%	No.	%
10–19	1,594	1.6	10,777	10.8	952	1.0	13,323	13.4
20–29	2,805	2.8	29,269	29.4	2,650	2.7	34,724	34.9
30–39	2,344	2.4	21,909	22.0	2,131	2.1	26,384	26.5
40–49	920	0.9	13,167	13.2	1,269	1.3	15,356	15.4
50–59	251	0.3	5,529	5.6	490	0.5	6,270	6.3
60+	52	0.1	1,936	1.9	178	0.2	2,166	2.2
Not stated	231	0.2	917	0.9	166	0.2	1,314	1.3
Total	8,197	8.2	83,504	83.9	7,836	7.9	99,537	100.0

(a) Client registrations refers to the estimated number of clients who registered or re-registered for alcohol and other drug treatment services.

Client tables

Table A3.4: Closed treatment episodes by client data items by jurisdiction, Australia, 2001–02

	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Other ^(a)	Australia
Client type										
Own drug use ^(b)	38,111	40,458	4,023	12,925	6,607	1,972	2,799	2,007	2,344	111,246
Other's drug use	1,237	2,963	118	1,929	465	43	24	398	461	7,638
Not stated	—	1,403	10	378	92	—	1	—	101	1,985
English Proficiency Groups										
Australia	34,191	37,497	3,741	12,540	5,828	1,907	2,715	2,169	2,552	103,140
English Proficiency Group 1	2,449	1,903	290	1,826	666	77	10	120	171	7,512
English Proficiency Group 2	870	1,219	79	365	167	14	26	43	60	2,843
English Proficiency Group 3	904	1,264	33	283	149	14	45	19	34	2,745
English Proficiency Group 4	337	987	8	36	52	—	19	3	5	1,447
Inadequately described/ invalid	119	344	—	3	15	3	2	—	—	486
Not elsewhere classified	37	368	—	—	—	—	—	—	—	405
Not stated/missing	441	1,242	—	179	287	—	7	51	84	2,291
Age group (years)										
10–19	3,212	6,609	1,309	2,650	688	292	330	163	563	15,816
20–29	12,952	16,088	1,629	5,325	2,063	657	942	614	1,107	41,377
30–39	11,461	11,510	762	3,528	2,111	504	849	780	552	32,057
40–49	7,216	6,231	376	2,264	1,502	303	447	591	311	19,241
50–59	3,121	2,350	68	1,193	564	170	140	199	182	7,987
60+	1,353	665	7	267	215	88	50	57	37	2,739
Not stated	33	1,371	—	5	21	1	66	1	154	1,652
Indigenous status										
Indigenous	2,764	2,281	372	2,211	423	148	164	918	334	9,615
Not Indigenous	34,049	38,950	3,754	12,013	5,464	1,473	2,650	1,390	2,328	102,071
Not stated	2,535	3,593	25	1,008	1,277	394	10	97	244	9,183
Sex										
Male	26,573	27,745	3,179	9,718	4,666	1,320	1,870	1,584	1,668	78,323
Female	12,755	17,000	972	5,496	2,498	694	948	821	1,231	42,415
Not stated	20	79	—	18	—	1	6	—	7	131
Source of referral										
Self	13,888	15,531	—	4,866	2,533	1,068	2,276	1,111	1,309	42,582
Family member/ friend	2,538	2,254	—	1,579	819	122	104	255	343	8,014
GP/medical specialist	4,850	2,310	—	892	615	181	36	98	105	9,087

(continued)

Table A3.4 (continued): Closed treatment episodes by client data items by jurisdiction, Australia, 2001–02

	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Other ^(a)	Australia
Psychiatric and other hospitals	2,166	581	—	408	700	—	12	103	69	4,039
Community mental health services ^(c)	678	1,034	—	170	9	97	33	70	64	2,155
Alcohol and other drug treatment services ^(c)	6,708	6,822	—	791	435	34	97	192	365	15,444
Other community/health care services ^(d)	2,148	1,950	—	900	244	191	94	163	164	5,854
Community-based corrections	2,475	6,237	—	2,469	11	53	69	221	65	11,600
Police and court diversions	2,224	755	4,151	1,388	307	63	77	68	97	9,130
Other	1,042	7,121	—	971	1,396	105	4	58	325	11,022
Not stated	631	229	—	798	95	101	22	66	—	1,942
Total	39,348	44,824	4,151	15,232	7,164	2,015	2,824	2,405	2,906	120,869

(a) Other NGOTGP services not currently reported through a state or territory collection.

(b) Own drug use also includes clients who were seeking treatment for both their own and other's drug use (that is, 0.4% of total closed treatment episodes).

(c) Includes residential and non-residential services.

(d) Comprises other residential community care unit; non-residential medical and/or allied health care agency; other non-residential community health care agency/outpatient clinic; and other community service agency.

Table A3.5: Closed treatment episodes by country of birth, Australia, 2001–02

Country of birth	Australia (number)	Australia (per cent)
Australia	103,140	85.33
England	3,230	2.67
New Zealand	2,192	1.81
Viet Nam	1,115	0.92
Scotland	679	0.56
Ireland	425	0.35
Germany	372	0.31
Italy	290	0.24
United States of America	275	0.23
Poland	263	0.22
Other countries	5,706	4.72
Inadequately described/invalid	486	0.40
Not elsewhere classified	405	0.34
Not stated or missing	2,291	1.90
Total	120,869	100.00

Table A3.6: Closed treatment episodes by preferred language, Australia, 2001–02

Preferred language	Australia (number)	Australia (per cent)
English	113,638	94.02
Vietnamese	656	0.54
Australian Indigenous languages	227	0.19
Spanish	89	0.07
Italian	84	0.07
Polish	79	0.07
Arabic	77	0.06
Croatian	70	0.06
Greek	51	0.04
Turkish	43	0.04
German	39	0.03
Cantonese	36	0.03
French	33	0.03
Netherlandic	30	0.02
Lao	28	0.02
Serbian	28	0.02
Thai	10	0.01
All other languages	1,090	0.90
Not stated	4,561	3.77
Total	120,869	100.00

Substance users tables

Table A3.7: Closed treatment episodes by drug-related data items by jurisdiction, Australia, 2001–02^(a)

	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Other ^(b)	Australia
Injecting drug use										
Current injector	12,274	8,921	291	4,851	1,225	361	1,095	427	779	30,224
Injected 3–12 months ago	2,272	6,627	159	769	372	102	173	64	276	10,814
Injected 12+ months ago	2,992	4,428	457	560	876	117	122	136	109	9,797
Never injected	15,367	15,905	3,084	5,131	2,362	761	1,360	1,026	428	45,424
Not stated	5,206	5,980	42	1,992	1,864	631	50	354	853	16,972
Method of use										
Ingests	19,067	18,167	52	5,175	3,495	842	1,231	1,377	563	49,969
Smokes	6,119	9,524	3,907	2,962	818	775	376	243	519	25,243
Injects	11,381	11,987	—	4,419	1,480	311	1,119	316	998	32,011
Sniffs (powder)	604	404	—	119	47	3	71	5	27	1,280
Inhales (vapour)	37	371	—	106	15	1	—	20	43	593
Other	152	307	5	44	19	6	1	2	10	546
Not stated	751	1,101	69	478	825	34	2	44	285	3,589

(continued)

Table A3.7 (continued): Closed treatment episodes by drug-related data items by jurisdiction, Australia, 2001-02^(a)

	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Other ^(b)	Australia
Principal drug of concern										
Analgesics										
Heroin	7,140	10,271	—	1,188	703	19	233	43	430	20,027
Methadone	1,286	810	—	120	260	4	23	13	54	2,570
Balance of analgesics ^(c)	607	1,077	—	272	427	153	741	175	66	3,518
<i>Total analgesics</i>	<i>9,033</i>	<i>12,158</i>	<i>—</i>	<i>1,580</i>	<i>1,390</i>	<i>176</i>	<i>997</i>	<i>231</i>	<i>550</i>	<i>25,377</i>
Sedatives and hypnotics										
Alcohol	16,291	14,770	—	4,464	2,809	762	1,164	1,291	335	41,886
Benzodiazepines	1,030	1,221	—	198	126	27	60	23	60	2,745
Balance of sedatives and hypnotics ^(c)	13	93	—	10	7	2	—	3	10	138
<i>Total sedatives and hypnotics</i>	<i>17,334</i>	<i>16,084</i>	<i>—</i>	<i>4,672</i>	<i>2,942</i>	<i>791</i>	<i>1,224</i>	<i>1,317</i>	<i>405</i>	<i>44,769</i>
Stimulants and hallucinogens										
Amphetamines	4,067	2,575	—	3,456	935	181	243	172	582	12,211
Cannabinoids	5,438	9,168	4,033	2,896	779	490	315	220	487	23,826
Ecstasy	17	176	—	27	7	n.p.	6	n.p.	15	253
Cocaine	674	73	—	13	24	—	5	—	15	804
Nicotine	729	307	—	88	101	301	4	35	37	1,602
Balance of stimulants and hallucinogens ^(c)	140	118	—	23	17	n.p.	—	n.p.	26	328
<i>Total stimulants and hallucinogens</i>	<i>11,065</i>	<i>12,417</i>	<i>4,033</i>	<i>6,503</i>	<i>1,863</i>	<i>978</i>	<i>573</i>	<i>430</i>	<i>1,162</i>	<i>39,024</i>
Balance of drugs of concern ^(c)	676	1,202	—	352	135	7	6	29	91	2,498
Not stated/missing	3	—	—	196	369	20	—	—	237	825
Total	38,111	41,861	4,033	13,303	6,699	1,972	2,800	2,007	2,445	113,231

(a) Excludes treatment episodes for clients seeking treatment for the drug use of others.

(b) Other NGOTGP services not currently reported through a state or territory collection.

(c) Includes balance of Principal drugs of concern coded according to Australian Standard Classification of Drugs of Concern. See Appendix 5.

Table A3.8: Closed treatment episodes by other drug of concern by jurisdiction, Australia, 2001–02^(a)

	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Other ^(b)	Australia
Other drug of concern										
Analgesics										
Heroin	869	2,025	58	1,594	210	16	108	822	154	5,856
Methadone	539	411	39	235	79	21	15	212	75	1,626
Balance of analgesics ^(c)	336	617	26	394	281	61	91	1,155	109	3,070
<i>Total analgesics</i>	<i>1,744</i>	<i>3,053</i>	<i>123</i>	<i>2,223</i>	<i>570</i>	<i>98</i>	<i>214</i>	<i>2,189</i>	<i>338</i>	<i>10,468</i>
Sedatives and hypnotics										
Alcohol	2,241	4,863	1,042	4,346	611	108	333	275	506	14,325
Benzodiazepines	1,640	3,792	48	2,865	501	61	358	537	294	10,096
Balance of sedatives and hypnotics ^(c)	23	386	—	264	5	1	2	168	24	873
<i>Total sedatives and hypnotics</i>	<i>3,904</i>	<i>9,041</i>	<i>1,090</i>	<i>7,475</i>	<i>1,117</i>	<i>170</i>	<i>693</i>	<i>980</i>	<i>824</i>	<i>25,294</i>
Stimulants and hallucinogens										
Amphetamines	2,327	4,367	290	2,482	568	123	370	502	368	11,397
Cannabinoids	5,816	8,781	—	4,989	1,343	248	691	1,308	728	23,904
Ecstasy	99	1,039	76	1,532	19	13	57	400	181	3,416
Cocaine	1,271	369	4	1,264	74	5	133	282	97	3,499
Nicotine	4,001	4,084	1,294	4,874	1,359	115	464	1,073	369	17,633
Balance of stimulants and hallucinogens ^(c)	678	444	37	2,997	117	17	17	1,037	136	5,480
<i>Total stimulants and hallucinogens</i>	<i>14,192</i>	<i>19,084</i>	<i>1,701</i>	<i>18,138</i>	<i>3,480</i>	<i>521</i>	<i>1,732</i>	<i>4,602</i>	<i>1,879</i>	<i>65,329</i>
Balance of drugs of concern ^(c)	50	629	15	1,072	189	9	107	512	91	2,674
Not stated/missing	3	—	164	3	14	—	—	—	236	420
No other drug of concern	21,158	22,873	1,871	3,987	3,483	1,459	1,235	313	525	56,904
Total	41,051	54,680	4,964	32,898	8,853	2,257	3,981	8,596	3,893	161,173

(a) Excludes treatment episodes for clients seeking treatment for the drug use of others.

(b) Other NGOTGP services not currently reported through a state or territory collection.

(c) Includes balance of Principal drugs of concern coded according to Australian Standard Classification of Drugs of Concern. See Appendix 5.

Table A3.9: Closed treatment episodes by principal drug of concern, sex and age group, Australia, 2001–02^(a)

Principal drug	Age group (years)						Total ^(b)
	10–19	20–29	30–39	40–49	50–59	60+	
Males	(per cent)						
Alcohol	16.4	23.5	43.1	64.0	81.9	85.5	38.8
Amphetamines	10.4	15.2	10.6	3.9	1.1	0.4	10.4
Benzodiazepines	1.0	1.7	2.2	1.9	1.6	2.2	1.8
Cannabis	51.3	26.9	16.5	8.8	4.6	1.3	22.6
Cocaine	0.3	1.0	1.0	0.4	0.3	0.1	0.7
Ecstasy	0.3	0.4	0.1	—	—	—	0.2
Heroin	11.1	24.3	17.4	10.9	2.4	0.3	16.8
Methadone	0.5	1.7	2.7	2.4	0.4	0.2	1.8
Nicotine	1.4	0.3	0.7	1.2	2.9	6.6	1.0
Other ^(c)	6.3	4.4	5.1	5.8	4.4	3.1	5.0
<i>Total males^(d) (per cent)</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>
<i>Total males^(d) (number)</i>	<i>9,977</i>	<i>27,154</i>	<i>20,536</i>	<i>11,408</i>	<i>4,424</i>	<i>1,632</i>	<i>75,837</i>
Females							
Alcohol	13.6	17.3	39.7	59.3	70.5	66.3	33.3
Amphetamines	14.2	17.2	10.5	3.1	0.7	0.6	11.5
Benzodiazepines	1.6	3.0	4.4	4.6	6.3	9.2	3.7
Cannabis	34.3	21.6	14.2	8.2	3.3	0.6	17.9
Cocaine	0.7	1.0	0.6	0.1	—	—	0.6
Ecstasy	0.6	0.3	0.1	0.1	—	—	0.2
Heroin	20.4	28.3	16.8	10.1	3.1	0.6	19.4
Methadone	0.9	3.8	4.4	3.2	0.7	1.2	3.2
Nicotine	2.3	0.8	1.6	3.0	8.0	13.4	2.2
Other ^(c)	10.0	5.8	6.9	7.7	6.7	7.8	7.1
<i>Total females^(d) (per cent)</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>
<i>Total females^(d) (number)</i>	<i>5,159</i>	<i>13,034</i>	<i>10,212</i>	<i>5,829</i>	<i>1,867</i>	<i>655</i>	<i>37,278</i>

(continued)

Table A3.9 (continued): Closed treatment episodes by principal drug of concern, sex and age group, Australia, 2001–02^(a)

Principal drug	Age group (years)						Total ^(b)
	10–19	20–29	30–39	40–49	50–59	60+	
Persons							
Alcohol	15.4	21.5	42.0	62.4	78.5	80.0	37.0
Amphetamines	11.7	15.9	10.6	3.6	1.0	0.5	10.8
Benzodiazepines	1.2	2.1	2.9	2.8	3.0	4.2	2.4
Cannabis	45.5	25.1	15.7	8.6	4.2	1.1	21.0
Cocaine	0.5	1.0	0.8	0.3	0.2	—	0.7
Ecstasy	0.4	0.3	0.1	—	—	—	0.2
Heroin	14.3	25.6	17.2	10.6	2.6	0.4	17.7
Methadone	0.7	2.4	3.2	2.6	0.5	0.5	2.3
Nicotine	1.7	0.5	1.0	1.8	4.4	8.6	1.4
Other ^(c)	7.6	4.8	5.7	6.4	5.1	4.4	5.7
Total^{(d) (e)} (per cent)	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Total^{(d) (e)} (number)	15,142	40,237	30,780	17,250	6,294	2,288	113,231

(a) Excludes treatment episodes for clients seeking treatment for the drug use of others.

(b) Includes not stated for Age.

(c) Includes balance of Principal drugs of concern coded according to Australian Standard Classification of Drugs of Concern. See Appendix 5.

(d) Includes not stated for Principal drug of concern.

(e) Includes not stated for Sex.

Table A3.10: Closed treatment episodes by source of referral and principal drug of concern, Australia, 2001–02^(a)

Source of referral	Principal drug of concern									Total ^(b)
	Alcohol	Amphetamines	Benzodiazepines	Cannabis	Cocaine	Ecstasy	Heroin	Methadone	Nicotine	
	(per cent)									
Self	37.2	36.1	38.7	26.5	38.3	28.9	36.6	38.7	34.1	35.0
Family member/friend	4.7	8.8	3.8	6.9	7.0	13.4	4.5	3.2	4.9	5.8
GP/medical specialist	9.8	5.2	14.2	4.1	6.6	2.0	5.6	17.9	19.4	7.8
Hospitals	5.5	3.2	4.9	1.5	2.6	1.6	1.5	4.7	6.2	3.5
Community mental health services ^(c)	2.1	1.6	2.8	2.5	0.7	2.4	0.8	1.6	2.1	1.8
Alcohol/other drug treatment services ^(c)	14.2	13.3	18.3	10.1	18.2	10.3	16.0	15.3	3.6	13.1
Other community/health care services ^(d)	4.6	5.9	3.8	5.1	4.4	4.0	3.4	4.5	13.4	4.7
Community-based corrections	9.3	11.0	5.0	9.3	8.2	9.5	13.6	3.9	1.4	9.6
Police/court diversions	2.3	6.6	2.0	23.6	7.6	7.5	5.5	2.1	1.0	7.9
Other	9.1	6.8	5.4	9.4	4.9	19.8	11.4	6.1	12.9	9.2
Total^(e) (per cent)	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Total^(e) (number)	41,886	12,211	2,745	23,826	804	253	20,027	2,570	1,602	113,231

(a) Excludes treatment episodes for clients seeking treatment for the drug use of others.

(b) Includes not stated for Principal drug of concern and balance of Principal drugs of concern coded according to Australian Standard Classification of Drugs of Concern. See Appendix 5.

(c) Includes residential and non-residential services.

(d) Comprises other residential community care unit; non-residential medical and/or allied health care agency; other non-residential community health care agency/outpatient clinic; and other community service agency.

(e) Includes not stated for Source of referral.

Table A3.11: Closed treatment episodes by reason for cessation and principal drug of concern, Australia, 2001–02^{(a)(b)}

Reason for cessation	Alcohol	Amphetamines	Benzodiazepines	Cannabis	Cocaine	Ecstasy	Heroin	Methadone	Nicotine	Other drug ^(c)	Total ^(d)
	(per cent)										
Treatment completed	59.3	43.3	55.3	49.4	46.2	65.0	52.2	53.6	57.0	51.5	53.2
Change in main treatment type	0.9	3.2	1.6	0.9	—	1.6	1.4	0.7	0.3	1.3	1.3
Change in delivery setting	0.4	1.9	0.8	0.4	—	—	0.3	0.3	0.1	0.7	0.5
Change in principal drug of concern	0.1	0.1	0.1	—	—	0.4	0.1	0.3	—	0.1	0.1
Transferred to another service provider	7.4	8.1	10.1	5.0	11.0	4.1	8.7	13.0	2.6	5.5	7.2
Ceased to participate against advice	4.7	5.4	4.7	3.1	9.1	—	7.5	4.9	2.9	5.3	5.0
Ceased to participate without notice	15.5	21.7	13.6	12.8	15.8	16.7	15.1	13.6	16.5	19.5	15.7
Ceased to participate involuntary (non-compliance)	1.9	4.0	2.5	1.8	6.3	1.2	3.6	2.9	12.3	1.8	2.6
Ceased to participate at expiation	0.5	0.5	0.4	18.6	0.4	—	0.6	0.3	0.1	0.5	4.4
Ceased to participate by mutual agreement	2.3	2.8	3.4	2.5	0.8	4.9	1.9	1.7	2.1	3.1	2.4
Drug court and/or sanctioned by court diversion service	0.2	0.5	0.2	0.2	0.6	0.4	0.4	0.1	1.7	0.3	0.3
Imprisoned, other than drug court sanctioned	0.6	1.1	0.8	0.4	0.9	0.8	1.6	0.8	0.1	0.6	0.8
Died	0.2	0.2	0.5	0.1	0.3	—	0.2	0.3	0.2	0.2	0.2
Other	3.8	4.1	4.4	3.1	5.9	3.3	4.3	5.0	2.7	6.1	4.0
Not stated	2.2	3.2	1.7	1.7	2.8	1.6	2.0	2.3	1.5	3.6	2.3
Total (per cent)	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Total (number)	39,077	11,276	2,619	23,047	780	246	19,324	2,310	1,501	5,896	106,532

(a) Excludes South Australia.

(b) Excludes treatment episodes for clients seeking treatment for the drug use of others.

(c) Includes balance of Principal drugs of concern coded according to Australian Standard Classification of Drugs of Concern. See Appendix 5.

(d) Includes not stated for Principal drugs of concern.

Table A3.12: Closed treatment episodes by treatment episodes per month by selected principal drug of concern, Australia, 2001–02^(a)

Month	Alcohol	Heroin	Cannabis	Amphetamines	Total ^(b)
July	2,984	1,811	1,611	875	8,327
August	3,153	1,700	1,905	923	8,815
September	3,448	1,653	2,091	921	9,367
October	3,306	1,533	1,922	994	8,857
November	3,375	1,458	2,003	1,019	9,091
December	3,248	1,577	1,934	979	8,939
January	3,089	1,468	1,732	895	8,198
February	3,141	1,509	1,836	919	8,560
March	3,587	1,774	1,873	936	9,408
April	3,113	1,562	1,851	886	8,428
May	3,398	1,678	2,130	948	9,401
June	3,235	1,601	2,159	981	9,141
Total 2001–02	39,077	19,324	23,047	11,276	106,532

(a) Excludes treatment episodes for clients seeking treatment for the drug use of others.

(b) Includes balance of Principal drugs of concern coded according to Australian Standard Classification of Drugs of Concern. See Appendix 5.

Treatment episode tables

Table A3.13: Closed treatment episodes by treatment data items by jurisdiction, Australia, 2001–02^(a)

	NSW	Vic	Qld	WA	Tas	ACT	NT	Other ^(b)	Australia
Main treatment type									
Withdrawal management (detoxification)	8,246	9,805	—	1,796	380	953	524	40	21,744
Counselling	10,663	21,140	—	9,345	1,156	418	686	776	44,184
Rehabilitation	3,515	1,271	—	1,295	55	268	356	435	7,195
Pharmacotherapy ^(c)	—	849	—	218	26	255	7	4	1,359
Support and case management only	765	4,924	—	52	79	699	53	379	6,951
Information and education only	5,117	33	4,151	1,009	3	102	165	617	11,197
Assessment only	9,054	5,893	—	984	204	129	282	101	16,647
Other	1,988	909	—	533	112	—	332	554	4,428
Average number of service contacts	2.6	—	1.0	2.7	2.8	1.2	3.7	3.4	2.6
Cessation reason									
Treatment completed	19,604	31,647	—	6,132	670	731	1,196	963	60,943
Change in main treatment type	—	586	—	734	36	—	58	24	1,438
Change in delivery setting	—	—	—	444	—	—	28	125	597
Change in principal drug of concern	—	78	—	9	3	—	2	5	97
Transferred to another service provider	5,457	1,736	—	336	28	46	66	360	8,029

(continued)

Table A3.13 (continued): Closed treatment episodes by treatment data items by jurisdiction, Australia, 2001–02^(a)

	NSW	Vic	Qld	WA	Tas	ACT	NT	Other ^(b)	Australia
Ceased to participate against advice	3,017	1,255	—	485	131	251	150	89	5,378
Ceased to participate without notice	6,322	5,078	—	4,142	86	1,332	215	636	17,811
Ceased to participate involuntary (non-compliance)	1,454	435	—	224	455	50	61	140	2,819
Ceased to participate at expiation	176	274	4,151	157	25	5	17	49	4,854
Ceased to participate by mutual agreement	—	1,617	—	1,026	48	54	159	157	3,061
Drug court and/or sanctioned by court diversion service	132	16	—	22	136	—	2	11	319
Imprisoned, other than drug court sanctioned	213	371	—	163	8	3	66	13	837
Died	73	47	—	23	6	—	11	31	191
Other	1,932	1,565	—	618	97	129	227	73	4,641
Not stated	968	119	—	717	286	223	147	230	2,690
Treatment delivery setting									
Non-residential treatment facility	25,053	31,623	3,712	11,166	1,082	1,641	837	799	75,913
Residential treatment facility	11,760	7,214	—	2,918	465	1,183	955	489	24,984
Home	748	1,783	2	107	13	—	63	201	2,917
Outreach setting	434	4,204	26	997	448	—	149	635	6,893
Other	1,353	—	411	44	7	—	401	782	2,998
Total	39,348	44,824	4,151	15,232	2,015	2,824	2,405	2,906	113,705

(a) Excludes South Australia.

(b) Other NGOTGP services not currently reported through a state or territory collection.

(c) Agencies whose sole activity is to prescribe and/or dose for methadone or other opioid maintenance pharmacotherapies are currently excluded from the AODTS–NMDS.

Table A3.14: Closed treatment episodes by other treatment type by jurisdiction, Australia, 2001–02^(a)

	NSW	Qld ^(b)	WA	Tas	ACT	NT	Other ^(c)	Australia
Other treatment type								
Withdrawal management (detoxification)	331	—	101	22	21	35	43	553
Counselling	6,661	—	317	92	—	224	412	7,706
Rehabilitation	855	—	51	13	—	58	76	1,053
Pharmacotherapy ^(d)	737	—	80	119	9	19	31	995
Other	2,309	—	79	61	202	27	1	2,679
Total all other treatment types	10,893	—	628	307	232	363	563	12,986

(a) Excludes Victoria and South Australia.

(b) Queensland supplied police diversion data only which included only main treatment.

(c) Other NGOTGP services not currently reported through a state or territory collection.

(d) Agencies whose sole activity is to prescribe and/or dose for methadone or other opioid maintenance pharmacotherapies are currently excluded from the AODTS–NMDS.

Table A3.15: Closed treatment episodes by principal drug of concern and main treatment type, Australia, 2001–02^{(a)(b)}

Principal drug	Withdrawal management (detoxification)	Counselling	Rehabilitation	Pharmacotherapy ^(c)	Support and case management only	Information and education only	Assessment only	Other	Total (per cent)	Total (number)
(per cent)										
Alcohol	24.7	39.7	6.3	0.6	3.6	6.7	14.5	3.9	100.0	39,077
Amphetamines	16.0	40.4	12.9	0.2	4.5	4.9	17.6	3.5	100.0	11,276
Benzodiazepines	36.1	31.3	3.2	1.0	5.7	3.6	15.2	4.0	100.0	2,619
Cannabis	14.8	35.5	4.2	0.1	8.1	23.5	11.8	2.1	100.0	23,047
Cocaine	15.0	22.6	12.1	—	2.1	19.2	26.3	2.8	100.0	780
Ecstasy	8.1	54.1	2.8	1.2	15.0	4.1	11.4	3.3	100.0	246
Heroin	20.1	30.9	8.5	3.9	9.0	4.4	20.0	3.2	100.0	19,324
Methadone	24.0	33.8	3.1	2.5	6.5	8.2	11.3	10.7	100.0	2,310
Nicotine	3.3	56.8	2.0	0.2	4.1	23.4	5.8	4.5	100.0	1,501
Other drugs ^(d)	22.2	34.5	3.9	3.4	12.1	4.9	10.7	8.3	100.0	5,896
Not stated/missing	3.7	25.4	5.5	0.9	9.2	8.1	5.3	41.9	100.0	456
Total (number)	20.4	36.7	6.6	1.3	6.3	9.9	14.9	3.9	100.0	106,532

(a) Excludes treatment episodes for clients seeking treatment for the drug use of others.

(b) Excludes South Australia.

(c) Agencies whose sole activity is to prescribe and/or dose for methadone or other maintenance pharmacotherapies are currently excluded from the AODTS–NMDS.

(d) Includes balance of Principal drugs of concern coded according to Australian Standard Classification of Drugs of Concern. See Appendix 5.

Table A3.16: Closed treatment episodes by main treatment type, sex and age group, Australia, 2001–02^(a)

	10–19	20–29	30–39	40–49	50–59	60+	Not stated	Total
	(per cent)							
Males								
Withdrawal management (detoxification)	9.6	17.0	22.1	27.0	27.4	27.0	11.1	19.7
Counselling	31.4	35.7	36.9	36.0	38.8	33.8	67.6	36.0
Rehabilitation	6.0	7.1	6.8	6.0	4.9	4.1	0.8	6.4
Pharmacotherapy ^(b)	0.3	0.9	1.4	1.5	0.8	0.2	0.2	1.0
Support and case management only	16.2	5.8	2.9	2.6	1.8	2.0	13.0	5.7
Information and education only	16.7	10.6	9.5	9.5	10.9	17.8	4.3	11.1
Assessment only	17.1	19.7	17.3	13.6	11.2	10.5	1.4	16.9
Other	2.8	3.1	3.1	3.8	4.3	4.6	1.4	3.2
<i>Total males (per cent)</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>
<i>Total males (number)</i>	<i>9,802</i>	<i>26,319</i>	<i>19,600</i>	<i>10,911</i>	<i>4,570</i>	<i>1,626</i>	<i>829</i>	<i>73,657</i>
Females								
Withdrawal management (detoxification)	13.7	18.8	20.6	19.8	14.8	13.9	9.4	18.2
Counselling	33.5	40.6	45.0	48.4	58.5	52.8	61.2	44.1
Rehabilitation	5.6	7.4	6.4	5.0	4.3	3.6	3.3	6.1
Pharmacotherapy ^(b)	0.5	1.9	2.1	1.6	0.7	0.6	0.5	1.5
Support and case management only	21.8	7.0	3.0	2.6	2.3	1.5	14.0	6.9
Information and education only	9.3	7.2	7.3	7.4	8.3	11.7	3.2	7.6
Assessment only	11.0	12.3	10.7	9.1	6.3	9.1	1.3	10.5
Other	4.5	4.7	4.9	6.2	4.9	6.9	7.2	5.1
<i>Total females (per cent)</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>
<i>Total females (number)</i>	<i>5,320</i>	<i>12,944</i>	<i>10,313</i>	<i>6,812</i>	<i>2,846</i>	<i>894</i>	<i>788</i>	<i>39,917</i>
Persons^(c)								
Withdrawal management (detoxification)	11.0	17.6	21.6	24.2	22.5	22.3	10.3	19.1
Counselling	32.2	37.3	39.7	40.8	46.3	40.6	64.6	38.9
Rehabilitation	5.8	7.2	6.7	5.6	4.6	3.9	2.0	6.3
Pharmacotherapy ^(b)	0.4	1.2	1.6	1.5	0.8	0.3	0.4	1.2
Support and case management only	18.2	6.2	3.0	2.6	2.0	1.8	13.4	6.1
Information and education only	14.1	9.5	8.7	8.7	9.9	15.6	3.7	9.8
Assessment only	15.0	17.3	15.1	11.9	9.3	10.0	1.3	14.6
Other	3.4	3.6	3.7	4.7	4.5	5.4	4.2	3.9
Total (per cent)	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Total (number)	15,128	39,314	29,946	17,739	7,423	2,524	1,631	113,705

(a) Excludes South Australia.

(b) Agencies whose sole activity is to prescribe and/or dose for methadone or other opioid maintenance pharmacotherapies are currently excluded from the AODTS–NMDS.

(c) Includes not stated for Sex.

Table A3.17: Closed treatment episodes by main treatment type and reason for cessation, Australia, 2001–02^(a)

Main treatment type	Change in				Ceased to participate						Drug court and/or sanctioned by court diversion service	Imprisoned, other than drug court sanctioned	Died	Other	Total ^(b)	
	Treatment completed	Main treatment type	Delivery setting	Principal drug of concern	Transferred to another service provider	Against advice	Without notice	Involuntary (non-compliance)	At expiation	By mutual agreement						
(per cent)																
Withdrawal management (detoxification)	21.9	11.2	5.7	14.4	16.0	47.4	13.0	22.3	1.8	16.0	19.4	5.0	7.3	10.5	19.1	
Counselling	37.6	45.5	49.6	47.4	27.8	12.9	59.7	23.8	6.1	57.6	40.4	55.7	60.2	41.1	38.9	
Rehabilitation	4.4	8.2	14.1	4.1	5.8	19.1	5.2	37.4	1.3	11.7	4.7	4.2	3.7	5.1	6.3	
Pharmacotherapy ^(c)	1.0	6.1	0.5	5.2	0.6	0.7	1.8	0.4	0.2	0.4	—	4.1	3.1	3.1	1.2	
Support and case management only	7.2	3.4	13.9	10.3	4.6	2.9	5.6	2.8	0.4	7.5	21.0	11.8	4.2	7.0	6.1	
Information and education only	6.3	1.2	5.4	3.1	6.9	12.8	5.5	8.9	89.0	2.5	3.8	7.4	6.8	4.4	9.8	
Assessment only	18.2	20.9	10.2	3.1	31.8	3.2	5.6	3.0	0.7	2.4	9.7	8.8	5.2	18.5	14.6	
Other	3.4	3.5	0.7	12.4	6.4	0.9	3.6	1.6	0.6	1.9	0.9	3.0	9.4	10.3	3.9	
Total (per cent)	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
Total (number)	60,943	1,438	597	97	8,029	5,378	17,811	2,819	4,854	3,061	319	837	191	4,641	113,705	

(a) Excludes South Australia.

(b) Includes not stated for Reason for cessation.

(c) Agencies whose sole activity is to prescribe and/or dose for methadone or other opioid maintenance pharmacotherapies are currently excluded from the AODTS–NMDS.

Table A3.18: Closed treatment episodes by selected main treatment type, selected principal drug and selected reason for cessation, Australia, 2001–02^{(a)(b)}

	Treatment completed	Transferred to another service provider	Ceased to participate without notice	Ceased to participate at expiation	Other ^(c)	Total ^(d) (per cent)	Total ^(d) (number)	
Withdrawal management (detoxification)								
	(per cent)							
Alcohol	67.9	6.2	8.8	0.3	15.7	100.0	9,642	
Heroin	47.0	6.5	12.7	0.5	32.3	100.0	3,879	
Cannabis	66.1	4.9	8.6	0.5	19.3	100.0	3,401	
Amphetamines	59.7	5.3	11.6	0.5	21.9	100.0	1,807	
Other drugs ^(e)	55.3	5.7	15.9	0.4	21.9	100.0	2,994	
<i>Total^(f)</i>	<i>61.5</i>	<i>5.9</i>	<i>10.7</i>	<i>0.4</i>	<i>20.6</i>	<i>100.0</i>	<i>21,740</i>	
Counselling								
Alcohol	53.3	5.6	23.8	0.7	13.6	100.0	15,525	
Heroin	50.3	5.9	25.6	1.0	14.3	100.0	5,973	
Cannabis	54.5	4.5	23.8	0.7	13.5	100.0	8,182	
Amphetamines	37.0	4.7	34.9	0.6	17.9	100.0	4,553	
Other drugs ^(e)	51.3	5.4	20.1	0.4	19.8	100.0	4,792	
<i>Total^(f)</i>	<i>50.9</i>	<i>5.3</i>	<i>25.0</i>	<i>0.7</i>	<i>15.0</i>	<i>100.0</i>	<i>39,141</i>	
Information and education only								
Alcohol	61.0	9.2	9.6	0.2	18.3	100.0	2,620	
Heroin	34.9	6.7	17.6	0.2	37.9	100.0	849	
Cannabis	16.2	1.3	2.8	77.3	2.0	100.0	5,416	
Amphetamines	40.3	9.6	20.8	—	25.6	100.0	554	
Other drugs ^(e)	55.4	9.3	16.2	0.3	16.5	100.0	1,084	
<i>Total^(f)</i>	<i>34.1</i>	<i>4.9</i>	<i>8.2</i>	<i>39.8</i>	<i>11.7</i>	<i>100.0</i>	<i>10,560</i>	
Other								
Alcohol	59.9	10.5	11.2	0.5	15.6	100.0	11,290	
Heroin	57.6	11.9	8.6	0.3	19.7	100.0	8,623	
Cannabis	62.6	9.3	9.2	0.5	16.5	100.0	6,048	
Amphetamines	43.4	12.7	12.3	0.4	28.8	100.0	4,362	
Other drugs ^(e)	53.2	11.0	13.7	0.4	17.9	100.0	4,482	
<i>Total^(f)</i>	<i>56.5</i>	<i>10.9</i>	<i>10.7</i>	<i>0.4</i>	<i>18.9</i>	<i>100.0</i>	<i>35,091</i>	

(continued)

Table A3.18 (continued): Closed treatment episodes by selected main treatment type, selected principal drug and selected reason for cessation, Australia, 2001–02^{(a)(b)}

	Treatment completed	Transferred to another service provider	Ceased to participate without notice	Ceased to participate at expiation	Other ^(c)	Total (per cent)	Total (number)
All treatment^(g)	(per cent)						
Alcohol	59.3	7.4	15.5	0.5	15.0	100.0	39,077
Heroin	52.2	8.7	15.1	0.6	21.4	100.0	19,324
Cannabis	49.4	5.0	12.8	18.6	12.4	100.0	23,047
Amphetamines	43.3	8.1	21.7	0.5	23.1	100.0	11,276
Other drugs ^(e)	53.2	7.7	16.7	0.4	19.4	100.0	13,352
Total^(f)	53.2	7.2	15.7	4.4	17.1	100.0	106,532

(a) Excludes treatment episodes for clients seeking treatment for the drug use of others.

(b) Excludes South Australia.

(c) Includes change in Main treatment type; Change in delivery setting; Change in the principal drug of concern; all other Ceased to participate categories; Drug court and/or sanctioned by court diversion service; Imprisoned other than drug court sanctioned; and Died.

(d) Includes not stated for Reason for cessation.

(e) Includes balance of Principal drugs of concern coded according to Australian Standard Classification of Drugs of Concern. See Appendix 5.

(f) Includes not stated for Principal drugs of concern.

(g) Includes Rehabilitation; Pharmacotherapy; Support and case management only; Assessment only; and Other.

Table A3.19: Closed treatment episodes by treatment episodes per month by main treatment type, Australia, 2001–02^(a)

Month	Withdrawal management (detoxification)	Counselling	Rehabilitation	Pharmacotherapy ^(b)	Support and case management only	Information and education only	Assessment only	Other	Total
July	1,810	3,223	576	75	529	817	1,509	421	8,960
August	1,832	3,573	617	90	538	914	1,485	373	9,422
September	1,841	4,141	625	137	651	844	1,302	441	9,982
October	1,850	3,655	618	115	554	942	1,449	319	9,502
November	1,772	3,623	568	95	585	1,118	1,596	273	9,630
December	1,686	3,960	604	143	609	926	1,191	385	9,504
January	1,673	3,074	510	86	501	1,002	1,545	300	8,691
February	1,713	3,437	505	108	564	982	1,422	334	9,065
March	1,924	4,013	616	106	588	946	1,362	505	10,060
April	1,857	3,353	645	116	512	975	1,270	277	9,005
May	1,901	3,800	692	139	618	1,040	1,414	364	9,968
June	1,885	4,332	619	149	702	691	1,102	436	9,916
Total 2001–02	21,744	44,184	7,195	1,359	6,951	11,197	16,647	4,428	113,705

(a) Excludes South Australia.

(b) Agencies whose sole activity is to prescribe and/or dose for methadone or other opioid maintenance pharmacotherapies are currently excluded from the AODTS–NMDS.