

MENTAL HEALTH SERVICES

Number 5

Mental health services in Australia 2001–02

Australian Institute of Health and Welfare
Canberra

AIHW cat. no. HSE 31

© Australian Institute of Health and Welfare 2004

This work is copyright. Apart from any use as permitted under the *Copyright Act 1968*, no part may be reproduced without prior written permission from the Australian Institute of Health and Welfare. Requests and enquiries concerning reproduction and rights should be directed to the Head, Media and Publishing, Australian Institute of Health and Welfare, GPO Box 570, Canberra ACT 2601.

This publication is part of the Australian Institute of Health and Welfare's Mental Health Series. A complete list of the Institute's publications is available from the Publications Unit, Australian Institute of Health and Welfare, GPO Box 570, Canberra ACT 2601, or via the Institute's web site (<www.aihw.gov.au>).

ISSN 1443-6795

ISBN 1 74024 378 1

Suggested citation

Australian Institute of Health and Welfare (AIHW) 2004. Mental health services in Australia 2001–02. Canberra: AIHW (Mental Health Series no. 5).

Australian Institute of Health and Welfare

Board Chair
Dr Sandra Hacker

Director
Dr Richard Madden

Any enquiries about or comments on this publication should be directed to:

Gail Weaving
Australian Institute of Health and Welfare
GPO Box 570
Canberra ACT 2601

Phone: (02) 6244 1050

Published by Australian Institute of Health and Welfare

Printed by Pirion

Contents

List of tables	vi
List of figures	xviii
List of boxes	xxi
Acknowledgments.....	xxii
Abbreviations.....	xxiii
1 Introduction	1
Report structure	1
Background.....	2
2 Overview	9
Changes in mental health care over time	9
Patient demographics.....	12
Mental health problems and disorders.....	15
Medication	17
Labour force.....	18
3 Ambulatory mental health care.....	20
Overview.....	20
Mental health care in general practice	24
Private psychiatrist services	43
Hospital outpatient services and community mental health care services	48
Commonwealth/State Disability Agreement-funded mental health-related non-residential care provided by disability support services	57
Ambulatory-equivalent mental health-related separations.....	58
4 Residential and admitted patient mental health care	71
Definition of mental health-related separations.....	72
National overview	72
Admitted patient mental health care	75
Residential care provided by public residential mental health care establishments	78

	Commonwealth/State Disability Agreement-funded mental health-related residential care provided by disability support services	78
5	Specialised admitted patient mental health care.....	94
	Overview.....	94
	Patient demographics.....	95
	Principal diagnoses.....	104
	Australian Refined Diagnosis Related Groups.....	122
	Procedures	123
	Mode of admission	132
	Mode of separation.....	132
	Care type.....	132
6	Non-specialised admitted patient mental health care	139
	Overview.....	139
	Patient demographics.....	141
	Principal diagnoses.....	146
	Australian Refined Diagnosis Related Groups.....	161
	Procedures	161
	Mode of admission	162
	Mode of separation.....	162
	Care type.....	162
7	Specialised mental health care resources.....	173
	Specialised mental health care labour forces	173
	Expenditure on mental health-related medications.....	184
	Public community mental health establishments	184
	Psychiatric and acute care hospitals.....	193
8	Mental health care for depression.....	206
	Prevalence.....	207
	Mental health care	210
	Health service expenditure for depression.....	213
	Appendix 1: Data sources.....	220
	Appendix 2: Codes used to define mental health-related care and medications	231

Appendix 3: Separations that could be considered equivalent to ambulatory mental health care233

Appendix 4: State and territory ambulatory mental health care and admitted patient data241

Appendix 5: National Survey of Mental Health Services.....269

Glossary:271

References:280

List of tables

1 Introduction

Table 1.1:	Estimated proportion of adults with very high (30–50) psychological distress scores on the Kessler Psychological Distress Scale-10, Australia, 1997 and 2001 (per cent).....	5
Table 1.2:	Estimated number of adults using medications for mental wellbeing in the 2 weeks prior to interview, Australia, 2001.....	6
Table 1.3:	Consultations with health professionals in the two weeks prior to interview: persons reporting mental and behavioural problems by problem, Australia, 2001 (per cent).....	7
Table 1.4:	Health system costs of mental disorders and Alzheimer's disease and other dementias in Australia, 1993–94 and 2000–01 (\$millions)	8

3 Ambulatory mental health care

Overview of ambulatory mental health care

Table 3.1:	Summary of ambulatory mental health care provided by general practitioners, private psychiatrists, hospitals and community-based services, states and territories, 2001–02	22
Table 3.2:	Summary of available data for ambulatory mental health care provided by general practitioners and private psychiatrists, states and territories, 2002–03	23
Table 3.3:	Summary of ambulatory mental health care provided by general practitioners and private psychiatrists and ambulatory-equivalent mental health-related admitted patient care in hospitals, Australia, 1997–98 to 2002–03	24
Table 3.4:	Most frequently reported mental health-related patient reasons for encounter, by patient sex, BEACH, 2002–03	29
Table 3.5:	Most frequently reported mental health problems managed, by patient sex, BEACH, 2002–03	30
Table 3.6:	Referrals for mental health-related problems, BEACH, 2002–03.....	33
Table 3.7:	The most frequently referred mental health-related problems, by patient sex, BEACH, 2002–03	34
Table 3.8:	Mental health-related problems most frequently referred by general practitioners to psychiatrists, by patient sex, BEACH, 2002–03.....	35
Table 3.9:	Clinical treatments provided by general practitioners for mental health-related problems, BEACH, 2002–03	36
Table 3.10:	Mental health-related problems most frequently managed by general practitioners using clinical treatments, by patient sex, BEACH, 2002–03	37

Table 3.11:	Medications most commonly prescribed, supplied or recommended by general practitioners for mental health-related problems, by drug group and generic drug name, by patient sex, BEACH, 2002–03.....	38
Table 3.12:	Number of medications provided for mental health-related problems most frequently managed by medication, by patient sex, BEACH, 2002–03.....	40
Table 3.13:	Pharmaceutical Benefits Scheme-subsidised mental health-related prescriptions by non-psychiatrists, by Anatomical Therapeutic Chemical group, states and territories, 2002–03	42

Private psychiatrist services

Table 3.14:	Private psychiatrist services subsidised through Medicare by schedule item, states and territories, 2002–03	44
Table 3.15:	Private psychiatrist services subsidised through Medicare by schedule item, by patient sex and age group, Australia, 2002–03.....	45
Table 3.16:	Pharmaceutical Benefit Scheme-subsidised prescriptions by private psychiatrists, by Anatomical Therapeutic Chemical group, states and territories, 2002–03.....	47
Table 3.17:	Community mental health care service contacts and per 1,000 population by sex and age group, 2001–02	53
Table 3.18:	Community mental health care service contacts and per 1,000 population by Indigenous status, states and territories, 2001–02	54
Table 3.19:	Community mental health care service contacts by mental health legal status, states and territories, 2001–02	55
Table 3.20:	Community mental health care service contacts by principal diagnosis in ICD-10-AM groupings, 2001–02	56

Ambulatory-equivalent mental health-related separations

Table 3.21:	Summary of ambulatory-equivalent mental health-related separations, states and territories, 2001–02	63
Table 3.22:	Ambulatory-equivalent mental health-related separations, by mental health legal status and hospital type, states and territories, 2001–02.....	64
Table 3.23:	Ambulatory-equivalent mental health-related separations, by sex and age group, Australia 2001–02	65
Table 3.24:	Ambulatory-equivalent mental health-related separations, by Indigenous status and Remoteness Area of usual residence, Australia, 2001–02	66
Table 3.25:	Ambulatory-equivalent mental health-related separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, Australia, 2001–02.....	67
Table 3.26:	Ambulatory-equivalent mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, Australia, 2001–02.....	68
Table 3.27:	The 30 most frequently reported procedures for ambulatory-equivalent mental health-related separations, with and without specialised psychiatric care, all hospitals, Australia, 2001–02	69

Table 3.28:	The 30 most frequently reported AR-DRGs for ambulatory-equivalent mental health-related separations, Australia, 2001–02.....	70
-------------	--	----

4 Residential and admitted patient mental health care overview

Overview of residential and admitted patient mental health care

Table 4.1:	Mental health-related separations and patient days, by principal diagnosis category, Australia, 1998–99 to 2001–02	81
Table 4.2:	Summary of separations for mental health-related residential and admitted patient care, states and territories,2001–02.....	83
Table 4.3:	Summary of patient days for mental health-related admitted patient care, states and territories, 2001–02	87
Table 4.4:	Separations, patient days and psychiatric care days of separations with specialised psychiatric care or any mental health-related diagnosis, Australia, 2001–02.....	91

Principal diagnosis

Table 4.5:	Separations, patient days and psychiatric care days for mental health-related separations by principal diagnosis in ICD-10-AM chapter groupings, Australia, 2001–02.....	92
------------	--	----

5 Specialised admitted patient mental health care

Patient demographics

Table 5.1:	Mental health-related separations with specialised psychiatric care, by sex and age group, Australia 2001–02	98
Table 5.2:	Separations with specialised psychiatric care, by mental health legal status, sex and age group, Australia, 2001–02.....	99
Table 5.3:	Separations with specialised psychiatric care, by mental health legal status and hospital type, states and territories, 2001–02	100
Table 5.4:	Mental health-related separations with specialised psychiatric care, by Remoteness Area of usual residence of the patient, by hospital type and state or territory of usual residence, 2001–02.....	102
Table 5.5:	Mental health-related separations with specialised psychiatric care, by Indigenous status and Remoteness Area of usual residence, Australia, 2001–02	103

Principal diagnosis

National overview

Table 5.6:	Separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, Australia, 2001–02.....	106
------------	---	-----

Table 5.7:	Separations, patient days and psychiatric care days for separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings and hospital type, Australia, 2001-02.....	107
------------	---	-----

Sex and age group

Table 5.8:	Same day separations with specialised psychiatric care for male patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2001-02	112
Table 5.9:	Same day mental health-related separations with specialised psychiatric care for female patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2001-02	113
Table 5.10:	Overnight separations with specialised psychiatric care for male patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2001-02	114
Table 5.11:	Overnight separations with specialised psychiatric care for female patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2001-02	115

Aboriginal and Torres Strait Islander patients

Table 5.12:	Mental health-related separations with specialised psychiatric care reported for Aboriginal and Torres Strait Islander patients, by principal diagnosis in ICD-10-AM groupings, Australia, 2001-02.....	116
-------------	---	-----

Mental health legal status

Table 5.13:	Separations with specialised psychiatric care by mental health legal status and principal diagnosis in ICD-10-AM groupings, and hospital type, Australia, 2001-02.....	117
-------------	--	-----

Additional diagnoses

Table 5.14:	Separations, patient days and psychiatric care days for separations with specialised psychiatric care, with a mental health-related additional diagnosis, by principal diagnosis in ICD-10-AM chapter groupings, Australia, 2001-02.....	118
Table 5.15:	Separations, patient days and psychiatric care days for separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings and presence of an additional mental health-related condition, Australia, 2001-02.....	119
Table 5.16:	Separations, patient days and psychiatric care days for the top five additional mental health-related diagnoses for separations with specialised psychiatric care by selected mental health-related principal diagnosis, Australia, 2001-02.....	120

Self-harm

Table 5.17:	Separation statistics for separations with specialised psychiatric care, with an external cause of injury or poisoning reported as intentional self-harm, by principal diagnosis in ICD-10-AM groupings, Australia, 2001-02	121
-------------	---	-----

Australian Refined Diagnosis Related Groups

National overview

Table 5.18:	The 30 most frequently reported AR-DRGs for separations with specialised psychiatric care, Australia, 2001-02	124
Table 5.19:	Separations, patient days and psychiatric care days for separations with specialised psychiatric care for the 30 most frequently reported AR-DRGs, public acute hospitals, Australia, 2001-02	125
Table 5.20:	Separations, patient days and psychiatric care days for separations with specialised psychiatric care for the 30 most frequently reported AR-DRGs, private hospitals, Australia, 2001-02	126
Table 5.21:	Separations, patient days and psychiatric care days for separations with specialised psychiatric care for the 30 most frequently reported AR-DRGs, public psychiatric hospitals, Australia, 2001-02.....	127

Procedures

Table 5.22:	The 30 most frequently reported procedures for separations with specialised psychiatric care, by hospital type, Australia, 2001-02.....	128
Table 5.23:	Separations with specialised psychiatric care by mode of admission and hospital type, states and territories, 2001-02	133
Table 5.24:	Separations with specialised psychiatric care by mode of separation and hospital type, states and territories, 2001-02	134

Care type

Table 5.25:	Separations with specialised psychiatric care by care type and hospital type, states and territories, 2001-02	136
Table 5.26:	Patient days for separations with specialised psychiatric care by care type and hospital type, states and territories, 2001-02	137
Table 5.27:	Psychiatric care days for separations with specialised psychiatric care by type of episode of care and hospital type, states and territories, 2001-02.....	138

6 Non-specialised admitted patient mental health care

Patient demographics

Table 6.1:	Mental health-related separations without specialised psychiatric care, by sex and age group, Australia 2001-02.....	143
Table 6.2:	Mental health-related separations without specialised psychiatric care, by Remoteness Area of usual residence of the patient, by hospital type and state or territory of usual residence, 2001-02.....	144
Table 6.3:	Mental health-related separations by Indigenous status and Remoteness Area of usual residence, Australia, 2001-02	145

Principal diagnosis

National overview

Table 6.4:	Mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, Australia, 2001-02.....	150
Table 6.5:	Separations, patient days and psychiatric care days for mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings and hospital type, Australia, 2001-02...	151

Sex and age group

Table 6.6:	Same day mental health-related separations without specialised psychiatric care for male patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2001-02.....	152
Table 6.7:	Same day mental health-related separations without specialised psychiatric care for female patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2001-02	153
Table 6.8:	Overnight mental health-related separations without specialised psychiatric care for male patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2001-02	154
Table 6.9:	Overnight mental health-related separations without specialised psychiatric care for female patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2001-02	155

Aboriginal and Torres Strait Islander patients

Table 6.10:	Mental health-related separations without specialised psychiatric care reported for Aboriginal and Torres Strait Islander patients, by principal diagnosis in ICD-10-AM groupings, Australia, 2001-02.....	156
-------------	--	-----

Additional diagnoses

Table 6.11:	Separations, patient days and psychiatric care days for separations without specialised psychiatric care, with a mental health-related additional diagnosis, by principal diagnosis in ICD-10-AM chapter groupings, Australia, 2001-02.....	157
Table 6.12:	Separations, patient days and psychiatric care days for mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings and presence of an additional mental health-related condition, Australia, 2001-02	158
Table 6.13:	Separations and patient days for the top five additional mental health-related diagnoses for separations without specialised psychiatric care by selected mental health-related principal diagnosis, Australia, 2001-02	159

Self-harm

Table 6.14:	Separation statistics for separations without specialised psychiatric care, with an external cause of injury or poisoning reported as intentional self-harm, by principal diagnosis in ICD-10-AM groupings, Australia, 2001-02.	160
-------------	---	-----

Australian Refined Diagnosis Related Groups

Table 6.15:	The 30 most frequently reported AR-DRGs for mental health-related separations without specialised psychiatric care, Australia, 2001-02	163
Table 6.16:	Separations, patient days and psychiatric care days for mental health-related separations without specialised psychiatric care for the 30 most frequently reported AR-DRGs, public acute hospitals, Australia, 2001-02 ...	164
Table 6.17:	Separations, patient days and psychiatric care days for mental health-related separations without specialised psychiatric care for the 30 most frequently reported AR-DRGs, private hospitals, Australia, 2001-02	165

Procedures

Table 6.18:	The 30 most frequently reported procedures for mental health-related separations without specialised psychiatric care, by hospital type, Australia, 2001-02	166
-------------	---	-----

Mode of admission and separation

Table 6.19:	Mental health-related separations without specialised psychiatric care by mode of admission and hospital type, states and territories, 2001-02	169
Table 6.20:	Mental health-related separations without specialised psychiatric care by mode of separation and hospital type, states and territories, 2001-02	170
Table 6.21:	Mental health-related separations without specialised psychiatric care by care type and hospital type, states and territories, 2001-02	171

Care type

Table 6.22:	Patient days for mental health-related separations without specialised psychiatric care by care type and hospital type, states and territories, 2001-02	172
-------------	---	-----

7 Specialised mental health care resources

Labour force and expenditure

Table 7.1:	Psychiatrists and psychiatrists-in-training by sex, and per 100,000 population, states and territories, 2001	174
Table 7.2:	Psychiatrists and psychiatrists-in-training by sex, and per 100,000 population, Australia, 1995 to 2001	176
Table 7.3:	Psychiatrists and psychiatrists-in-training, and per 100,000 population, by Remoteness Area of main place of work, Australia, 1995 to 2001	177
Table 7.4:	Medicare-funded full-time-equivalent private psychiatrists, and per 100,000 population, by metropolitan, rural and remote region, states and territories, 2002-03	180
Table 7.5:	Medicare expenditure (\$'000) on services provided by private psychiatrists by schedule item, states and territories, 2002-03	181

Table 7.6:	Medicare expenditure on services provided by private psychiatrists (current prices), 1990-91 to 2002-03.....	182
Table 7.7:	Mental health nurses, and per 100,000 population, states and territories, 1993 to 2001.....	183
Table 7.8:	Mental health nurses, by Remoteness Area of main place of work, 1994 to 2001	183
Table 7.9:	Pharmaceutical Benefits Scheme-funded expenditure (\$'000) on pharmaceuticals prescribed by private psychiatrists by pharmaceutical group, states and territories, 2002-03	185

Public community mental health establishments

Table 7.10:	Pharmaceutical Benefits Scheme-funded expenditure (\$'000) on mental health related pharmaceuticals prescribed by non-psychiatrists by mental health-related pharmaceutical group, states and territories, 2002-03.....	186
Table 7.11:	Summary of public and private psychiatric hospitals and public community mental health establishments, Australia, 1997-98 to 2001-02.....	187
Table 7.12:	Public community mental health establishments, establishments with residential care services, available beds and available beds per 100,000 population, states and territories, 2001-02.....	188
Table 7.13:	Full-time-equivalent staff, public community mental health establishments, states and territories, 2001-02	190
Table 7.14:	Salaries and wages expenditure (\$'000), public community mental health establishments, states and territories, 2001-02	191

Psychiatric and acute care hospitals

Table 7.15:	Non-salary and total recurrent expenditure (\$'000), public community mental health establishments, states and territories, 2001-02.....	192
Table 7.16:	Public psychiatric hospitals, available beds and available beds per 1,000 population by Remoteness Area, states and territories, 2001-02.....	195
Table 7.17:	Full-time-equivalent staff, public psychiatric hospitals, states, 2001-02	196
Table 7.18:	Salaries and wages expenditure (\$'000), public psychiatric hospitals, states, 2001-02	197
Table 7.19:	Non-salary expenditure and total recurrent expenditure (\$'000), public psychiatric hospitals, states, 2001-02	198
Table 7.20:	Revenue (\$'000), public psychiatric hospitals, states, 2001-02.....	199
Table 7.21:	Public acute care hospitals with psychiatric units or wards, by Remoteness Area, states and territories, 2001-02.....	201
Table 7.22:	Private psychiatric hospitals, available beds and available beds per 1,000 population, states, 2001-02.....	202
Table 7.23:	Full-time-equivalent staff, private psychiatric hospitals, states, 2001-02.....	202
Table 7.24:	Salaries and wages expenditure (\$'000), private psychiatric hospitals, states, 2001-02	203

Table 7.25:	Non-salary expenditure (\$'000), and total recurrent expenditure (\$'000), private psychiatric hospitals, states, 2001–02	204
Table 7.26:	Revenue (\$'000), private psychiatric hospitals, states, 2001–02	205

8 Mental health care for depression

Table 8.1:	Prevalence of affective disorders (mainly depression) in adulthood, Australia, 1997	209
Table 8.2:	Prevalence of depressive disorders in children and adolescents, Australia, 1998	209
Table 8.3:	Community mental health care service contacts and per 1,000 population by sex and age group, with a principal diagnosis of depression (F32–F33), 2001–02	214
Table 8.4:	Separations and patient days for mental health-related separations with a principal diagnosis of depression (F32–F33) by separation and hospital type, Australia, 2001–02	215
Table 8.5:	Health system costs of depression in Australia, 1993–94 and 2000–01 (\$millions)	216

Appendix 1: Data sources

Table A1.1:	Data elements that constitute the NMDS for Admitted Patient Mental Health Care for 2001–02	228
Table A1.2:	Data elements that constitute the NMDS for Community Mental Health Establishments for 2001–02	229
Table A1.3:	Reporting of data elements that constitute the NMDS for Community Mental Health Care for 2001–02	230
Table A2.1:	Anatomical Therapeutic Chemical codes used to define mental health-related medication prescribed by general practitioners and non-psychiatrist medical specialists in PBS data	232
Table A3.1:	Same day mental health-related separations by hospital type and specialised psychiatric care status, states and territories, 2001–02	234
Table A3.2:	Separations with procedures not expected to be undertaken in ambulatory mental health care for same day mental health-related separations, excluding separations with ECT and GA procedures, by sector and psychiatric care days, 2001–02	237
Table A3.3:	Mode of admission for same day mental health-related separations, by states and territories, 2001–02	238
Table A3.4:	Mode of separation for same day mental health-related separations, by states and territories, 2001–02	238
Table A3.5:	Intended length of stay for same day mental health-related separations, by states and territories, 2001–02	239
Table A3.6:	Summary of separations excluded from the ambulatory-equivalent mental health-related category, by hospital type and specialised psychiatric care status, 2001–02	239

Table A3.7:	Same day mental health-related separations by ambulatory-equivalent status, by hospital type and specialised psychiatric care status, 2001-02	240
Table A4.1:	Community mental health service contacts by sex and age group, states and territories, 2001-02	242
Table A4.2:	Community mental health service contacts by principal diagnosis, states and territories, 2001-02	243
Table A4.3:	Same day separations with specialised psychiatric care by principal diagnosis in ICD-10-AM groupings, states and territories, 2001-02	245
Table A4.4:	Overnight separations with specialised psychiatric care by principal diagnosis in ICD-10-AM groupings, states and territories, 2001-02	246
Table A4.5:	Patient days for overnight separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, states and territories, 2001-02	247
Table A4.6:	Psychiatric care days for overnight separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, states and territories, 2001-02	248
Table A4.7:	Overnight separations with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories, 2001-02	249
Table A4.8:	Average length of stay (days) for overnight separations with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories, 2001-02	251
Table A4.9:	Median length of stay (days) for overnight separations with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories, 2001-02	253
Table A4.10:	The 15 most frequently reported procedures for same day non-ambulatory-equivalent separations with specialised psychiatric care, states and territories, 2001-02.....	255
Table A4.11:	The 15 most frequently reported procedures for overnight separations with specialised psychiatric care, states and territories, 2001-02	256
Table A4.12:	Same day mental health-related separations without specialised psychiatric care by principal diagnosis in ICD-10-AM groupings, states and territories, 2001-02	257
Table A4.13:	Overnight mental health-related separations without specialised psychiatric care by principal diagnosis in ICD-10-AM groupings, states and territories, 2001-02.....	258
Table A4.14:	Patient days for mental health-related overnight separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, states and territories, 2001-02	259
Table A4.15:	Overnight mental health-related separations without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories, 2001-02	260
Table A4.16:	Average length of stay (days) of overnight mental health-related separations without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories, 2001-02	262

Table A4.17:	Median length of stay (days) of overnight mental health-related separations without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories, 2001-02	264
Table A4.18:	The 15 most frequently reported procedures for same day mental health-related separations without specialised psychiatric care, states and territories, 2001-02.....	266
Table A4.19:	The 15 most frequently reported procedures for overnight mental health-related separations without specialised psychiatric care, states and territories, 2001-02.....	266
Table A4.20:	Ambulatory-equivalent mental health-related separations with specialised psychiatric care by principal diagnosis in ICD-10-AM groupings, states and territories, 2001-02.....	267
Table A4.21:	Ambulatory-equivalent mental health-related separations without specialised psychiatric care by principal diagnosis in ICD-10-AM groupings, states and territories, 2001-02	268

Appendix 6: Internet tables

(Following tables available on the Internet at <www.aihw.gov.au>)

Table A6.1:	Number of overnight mental health-related separations per 1,000 population by hospital type, Australia, 1995-96 to 2001-02
Table A6.2:	Number patient days per 1,000 population for overnight mental health-related separations by hospital type, Australia, 1995-96 to 2001-02
Table A6.3:	Private psychiatrist services subsidised through Medicare by schedule item, states and territories, 2001-02
Table A6.4:	Private psychiatrist services subsidised through Medicare by schedule item, sex and age group, 2001-02
Table A6.5:	Overnight separations with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by sex and age group, Australia, 2001-02
Table A6.6:	Overnight mental health-related separations without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by sex and age group, Australia, 2001-02
Table A6.7:	Average length of stay (days) for overnight separations with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by sex, Australia, 2001-02
Table A6.8:	Average length of stay (days) for overnight mental health-related separations without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by sex, Australia, 2001-02
Table A6.9:	Median length of stay (days) for overnight separations with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by sex, Australia, 2001-02
Table A6.10:	Median length of stay (days) for overnight mental health-related separations without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by sex, Australia, 2001-02
Table A6.11:	Separations with specialised psychiatric care by source of referral to public psychiatric hospital, states and territories, 2001-02

- Table A6.12: Medicare-funded full-time-equivalent private psychiatrists, and per 100,000 population, by metropolitan, rural and remote region, states and territories, 2001-02
- Table A6.13: Medicare expenditure (\$'000) on services provided by private psychiatrists by schedule item, states and territories, 2001-02
- Table A6.14: Pharmaceutical Benefits Scheme-funded expenditure (\$'000) on pharmaceuticals prescribed by private psychiatrists by pharmaceutical group, states and territories, 2001-02
- Table A6.15: Pharmaceutical Benefits Scheme-funded expenditure (\$'000) on mental health related pharmaceuticals prescribed by non-psychiatrists by mental health-related pharmaceutical group, states and territories, 2001-02
- Table A6.16: Public psychiatric hospitals reporting to NPHEd for 2001-02
- Table A6.17: Public community mental health establishments reporting to NCMHED for 2001-02
- Table A6.18: Public hospitals reporting separations with psychiatric care days to NHMD for 2001-02
- Table A6.19: Public community mental health establishments reporting service contacts to NCHMCD for 2001-02

List of figures

2 Overview

Figure 2.1:	Mental health-related GP encounters per 1,000 population, 1998–99 to 2002–03	9
Figure 2.2:	Medicare-funded psychiatrist attendances per 1,000 population, 1997–98 to 2002–03.....	10
Figure 2.3:	Ambulatory-equivalent mental health-related separations per 1,000 population, by hospital sector, Australia, 1998–99 to 2001–02.....	10
Figure 2.4:	CSDA-funded disability support services received by people with a psychiatric disability per 100,000 population, 1997 to 2002.....	11
Figure 2.5:	Overnight mental health-related separations per 1,000 population by hospital type, 1993–94 to 2001–02.....	11
Figure 2.6:	Patient days for mental health-related overnight separations per 1,000 population by hospital type, 1993–94 to 2001–02.....	12
Figure 2.7:	Average and median length of stay for selected mental health-related overnight separations by hospital type, 1993–94 to 2001–02.....	12
Figure 2.8:	Per cent of mental health-related GP encounters by age group and sex, 2002–03	13
Figure 2.9:	Medicare-funded psychiatrist attendances per 1,000 population by age group and sex, 2002–03	13
Figure 2.10:	Community mental health service contacts per 1,000 population by age group and sex, 2001–02	13
Figure 2.11:	Non-ambulatory-equivalent mental health-related separations per 1,000 population by age group and sex, 2001–02	14
Figure 2.12:	Mental health-related GP encounters per 1,000 population by rural, remote and metropolitan area classification, 2002–03	14
Figure 2.13:	Medicare-funded psychiatrist attendances per 1,000 population by rural, remote and metropolitan area classification, 2002–03	14
Figure 2.14:	Non-ambulatory-equivalent mental health-related separations per 1,000 population by Remoteness Area of usual residence, 2001–02.....	15
Figure 2.15:	Non-ambulatory-equivalent mental health-related separations per 1,000 population by Indigenous status, 2001–02.....	15
Figure 2.16:	Mental health-related problems managed by general practitioners, 2002–03 .	16
Figure 2.17:	Principal diagnoses for service contacts, public community mental health care, 2001–02.....	16
Figure 2.18:	Principal diagnoses for non-ambulatory mental health-related separations, public hospitals, 2001–02	17
Figure 2.19:	Non-ambulatory-equivalent mental health-related separations with specialised psychiatric care, 2001–02	17

Figure 2.20:	Principal diagnoses for mental health-related separations, private hospitals, 2001–02	17
Figure 2.21:	Mental health-related PBS-funded prescriptions per 1,000 population, 1994–95 to 2002–03.....	18
Figure 2.22:	Psychiatrists per 100,000 population by Remoteness Area, 1995 to 2001	18
Figure 2.23:	Mental health nurses per 100,000 population by Remoteness Area, 1995 to 2001	19

3 Ambulatory mental health care

Figure 3.1:	Data reported for encounters at which a mental health problem was managed, BEACH, 2002–03.....	27
Figure 3.2:	Encounters with one or more mental health-related reasons for encounter by sex and age group of patient, BEACH, 2002–03.....	28
Figure 3.3:	Number of medications for mental health problems managed per 100 problems managed, by sex and age group of patient, BEACH, 2002–03.....	41
Figure 3.4:	Interrelationships of psychiatric disability with other data elements, all CSDA-funded ambulatory disability support services (non-residential), on a snapshot day, 2002.....	62

4 Residential and admitted patient mental health care overview

Figure 4.1:	Summary of data reported for mental health-related separations, all hospitals, Australia, 2001–02	80
Figure 4.2:	Data reported for CSDA-funded residential disability support services for persons with a psychiatric disability, 2001–02 snapshot day	93

5 Specialised residential and admitted patient mental health care

Figure 5.1:	Summary of data reported for mental health-related separations with specialised psychiatric care, all hospitals, 2001–02	97
-------------	--	----

6 Non-specialised admitted patient mental health care

Figure 6.1:	Summary of data reported for mental health-related separations without psychiatric care, all hospitals, 2001–02	140
-------------	---	-----

8 Mental health care for depression

Figure 8.1:	Data reported for encounters at which depression was managed, BEACH, 2001–02	217
Figure 8.2:	Data reported for non-ambulatory-equivalent mental health-related separations with a principal diagnosis of depression (F32–F33), all hospitals, Australia, 2000–01	218

Figure 8.3: Data reported for ambulatory-equivalent mental health-related separations with a principal diagnosis of depression (F32-F33), all hospitals, Australia, 2000-01219

Appendix 3: Ambulatory mental health care-equivalent hospital separations

Figure A3.1: Same day mental health-related separations per 1,000 population by hospital type, states and territories, 2001-02234

List of boxes

1 Introduction

Box 1.1:	National Mental Health Strategy.....	3
----------	--------------------------------------	---

3 Ambulatory mental health care

Box 3.1:	Disability groups.....	58
----------	------------------------	----

4 Residential and admitted patient mental health care overview

Box 4.1:	Measuring hospital activity.....	74
----------	----------------------------------	----

Box 4.2:	State and territory differences in the scope of services provided for admitted patients.....	76
----------	--	----

5 Specialised residential and admitted patient mental health care

Box 5.1:	Specialised psychiatric care and principal diagnosis	105
----------	--	-----

7 Specialised mental health care resources

Box 7.1:	Expenditure and staffing data for public psychiatric hospital-based services provided to non-admitted patients	194
----------	--	-----

8 Mental health care for depression

Box 8.1:	Depression data sources, type of data and classification system used	208
----------	--	-----

Acknowledgments

This report would not have been possible without the valued cooperation and effort of the data providers in the health authorities of the states and territories. The Australian Institute of Health and Welfare (AIHW) would like to express its appreciation for their timely supply of the data and their assistance with data validation. The AIHW also wishes to thank the members of the Australian Health Ministers' Advisory Council National Mental Health Working Group Information Strategy Committee who assisted in the planning of this report and provided advice on its content. The AIHW would also like to acknowledge the funding, assistance and data provided by the Australian Government Department of Health and Ageing for this project.

Within the AIHW, the report was prepared by David Braddock, Katrina Burgess, Jenny Hargreaves, Danielle Sellick, Jayson Tatnell and Gail Weaving with assistance from Ruth Penm, Alannah Smith, and Ian Titulaer. Ainsley Morrissey coordinated the publication process.

Abbreviations

ABS	Australian Bureau of Statistics
ADD	attention deficit disorder
ADHD	attention deficit hyperactivity disorder
AHMAC	Australian Health Ministers' Advisory Council
AIHW	Australian Institute of Health and Welfare
ALOS	average length of stay
AR-DRG	Australian Refined Diagnosis Related Group, version 4.2
ARIA	Accessibility/Remoteness Index of Australia
ATC	Anatomical Therapeutic Chemical (classification)
BEACH	Bettering the Evaluation and Care of Health (survey)
CADE	Confused and disturbed elderly (services)
CAPS	Coding Atlas for Pharmaceutical Substances
CSDA	Commonwealth/State Disability Agreement
CSDA MDS	Commonwealth/State Disability Agreement Minimum Data Set
DALY	disability adjusted life year
DHA	Department of Health and Ageing
ECT	electroconvulsive therapy
EP1	English Proficiency Group 1
FTE	full-time-equivalent
GA	general anaesthesia
HIC	Health Insurance Commission
ICD-9-CM	International Statistical Classification of Diseases and Related Health Problems, 9th Revision, Clinical Modification
ICD-10-AM	International Statistical Classification of Diseases and Related Health Problems, 10th Revision, Australian Modification
ICD-10-PC	International Statistical Classification of Diseases and Related Health Problems, 10th Revision, Primary Care
ICPC-2	International Classification of Primary Care, 2nd edition
LCL	lower confidence limit
MBS	Medicare Benefits Schedule
MOAI	monoamine oxidase inhibitor
NCMHCD	National Community Mental Health Care Database
NCMHED	National Community Mental Health Establishments Database
NHDD	National Health Data Dictionary
NHMD	National Hospital Morbidity Database

NMDS	National Minimum Data Set
NMHWG	National Mental Health Working Group
NPHEd	National Public Hospital Establishments Database
PBS	Pharmaceutical Benefits Scheme
PHEC	Private Health Establishments Collection
RA	remoteness area
RANZCP	Royal Australian and New Zealand College of Psychiatrists
RFE	reason for encounter
SSRI	selective serotonin re-uptake inhibitor
UCL	upper confidence limit
WHO	World Health Organization