

# Appendix 4: State and territory ambulatory mental health care and admitted patient data

This appendix presents state and territory data on ambulatory mental health care and admitted patient mental health care.

## Ambulatory mental health care

Tables A4.1 and A4.2 provide information by state and territory for public community mental health service contacts by age and sex and principal diagnosis. Please see Chapter 3 for the national data on these service contacts. Data in the tables are sourced from the National Community Mental Health Care Database.

Tables A4.21 and A4.22 present information on the principal diagnosis groupings for ambulatory-equivalent mental health-related hospital separations (see Appendix 3) with and without specialised psychiatric care by state and territory. See Chapter 3 for the national data on these separations.

## Admitted patient mental health care

The remaining tables in this appendix provide more detailed state and territory information on admitted patient mental health care that was not considered to be ambulatory-equivalent.

Tables A4.3 to A4.12 provide information by state and territory for mental health-related separations with specialised psychiatric care which were not considered ambulatory-equivalent. These tables include counts of separations, patient days and psychiatric care days by principal diagnosis, AR-DRGs and procedures. See Chapter 5 for the national data on these separations.

Tables A4.13 to A4.20 provide information by state and territory for mental health-related separations without specialised psychiatric care which were not considered ambulatory-equivalent. These tables include counts of separations and patient days by principal diagnosis, AR-DRGs and procedures. See Chapter 6 for the national data on these separations.

**Table A4.1: Community mental health service contacts by sex and age group, states and territories, 2001–02<sup>(a)</sup>**

<b>Sex and age</b>	<b>NSW</b>	<b>Vic</b>	<b>Qld</b>	<b>WA</b>	<b>SA</b>	<b>Tas</b>	<b>ACT</b>	<b>NT</b>	<b>Australia</b>
<b>Males</b>									
Less than 15	36,953	86,941	63,873	22,273	11,117	2,661	7,596	1,202	232,616
15–24	75,282	139,109	60,872	29,184	21,731	3,063	19,353	3,919	352,513
25–34	107,914	211,086	84,165	44,047	37,353	5,798	21,283	5,634	517,280
35–44	105,132	154,809	69,587	40,360	37,012	5,513	18,284	5,509	436,206
45–54	65,287	109,389	46,324	29,314	19,478	3,686	7,322	1,494	282,294
55–64	29,494	50,747	24,841	13,372	8,402	1,201	2,922	869	131,848
65+	20,849	90,614	24,596	16,426	12,307	1,511	2,902	375	169,580
<b>Total males<sup>(b)</sup></b>	<b>441,642</b>	<b>842,720</b>	<b>374,258</b>	<b>195,096</b>	<b>147,400</b>	<b>23,631</b>	<b>79,663</b>	<b>19,029</b>	<b>2,123,439</b>
<b>Females</b>									
Less than 15	22,690	45,119	37,690	12,511	5,665	1,756	5,067	508	131,006
15–24	70,338	120,542	60,493	26,400	15,509	3,269	18,377	1,960	316,888
25–34	85,492	147,948	59,988	35,566	23,284	4,711	12,784	2,646	372,419
35–44	91,895	155,072	61,905	41,595	27,089	4,917	14,003	2,781	399,257
45–54	65,877	107,662	47,092	33,109	20,456	4,319	11,803	1,909	292,227
55–64	39,974	65,807	25,327	18,951	14,823	2,048	6,812	399	174,141
65+	39,397	161,045	39,133	32,191	25,001	3,532	5,933	252	306,484
<b>Total females<sup>(b)</sup></b>	<b>416,580</b>	<b>803,227</b>	<b>331,628</b>	<b>200,417</b>	<b>131,827</b>	<b>24,636</b>	<b>74,819</b>	<b>10,491</b>	<b>1,993,625</b>
<b>Total<sup>(b)</sup></b>									
Less than 15	70,024	132,060	101,571	34,784	17,182	4,417	12,663	1,710	374,411
15–24	156,609	259,651	121,365	55,584	37,478	6,332	37,730	5,906	680,655
25–34	209,654	359,061	144,153	79,613	60,768	10,512	34,067	8,325	906,153
35–44	211,247	309,881	131,492	81,955	64,126	10,435	32,287	8,290	849,713
45–54	139,563	217,051	93,416	62,423	39,938	8,006	19,125	3,403	582,925
55–64	73,903	116,554	50,168	32,323	23,228	3,252	9,734	1,268	310,430
65+	74,406	251,659	63,730	48,617	37,336	5,050	8,835	627	490,260
<b>Total<sup>(b)</sup></b>	<b>942,307</b>	<b>1,645,974</b>	<b>705,895</b>	<b>395,513</b>	<b>280,056</b>	<b>48,286</b>	<b>156,108</b>	<b>29,592</b>	<b>4,203,731</b>

(a) These data should be interpreted with caution due to incomplete coverage and inconsistencies in the definition of a service contact used between jurisdictions. For more information refer to Appendix 1 and Chapter 3.

(b) Includes service contacts for which sex and/or age group was not reported.

**Table A4.2: Community mental health service contacts by principal diagnosis, states and territories, 2001–02<sup>(a)</sup>**

Principal diagnosis		NSW	Vic	Qld <sup>(b)</sup>	WA	SA	Tas	ACT <sup>(c)</sup>	NT <sup>(c)</sup>	Australia	Per cent of service contacts with specified principal diagnosis
F00–F03	Dementia	4,666	50,242	n.a.	11,931	7,771	2,267	1,269	13	78,159	2.8
F04–F09	Other organic mental disorders	1,604	8,010	n.a.	7,533	1,895	153	2,368	71	21,634	0.8
F10	Mental and behavioural disorders due to use of alcohol	5,378	14,196	n.a.	3,473	1,010	93	1,032	353	25,535	0.9
F11–F19	Mental and behavioural disorders due to other psychoactive substances use	8,712	26,248	n.a.	8,555	2,265	245	3,310	573	49,908	1.8
F20	Schizophrenia	217,955	538,666	n.a.	101,813	96,522	12,947	48,924	2,692	1,019,519	36.5
F21, F24, F28, F29	Schizotypal and other delusional disorders	1,330	24,687	n.a.	7,916	6,080	164	3,168	183	43,528	1.6
F22	Persistent delusional disorders	1,060	20,476	n.a.	5,074	3,831	32	3,004	120	33,597	1.2
F23	Acute and transient psychotic disorders	55,259	18,192	n.a.	7,036	5,362	1,319	1,841	160	89,169	3.2
F25	Schizoaffective disorders	2,412	113,264	n.a.	11,230	19,547	2,715	8,450	529	158,147	5.7
F30	Manic episode	571	4,874	n.a.	7,673	2,921	170	1,090	13	17,312	0.6
F31	Bipolar affective disorders	39,961	129,088	n.a.	29,428	27,102	2,948	11,176	490	240,193	8.6
F32	Depressive episode	87,850	148,269	n.a.	48,672	29,618	4,864	11,853	1,906	333,032	11.9
F33	Recurrent depressive disorders	1,068	39,745	n.a.	13,328	4,754	143	4,173	205	63,416	2.3
F34	Persistent mood (affective) disorders	434	14,203	n.a.	8,745	2,261	191	2,089	134	28,057	1.0
F38, F39	Other and unspecified mood (affective) disorders	2,044	2,248	n.a.	2,107	834	28	1,166	109	8,536	0.3
F40	Phobic anxiety disorders	3,047	3,485	n.a.	2,562	2,167	161	542	84	12,048	0.4
F41	Other anxiety disorders	31,306	25,353	n.a.	14,641	6,627	2,427	2,304	394	83,052	3.0
F42	Obsessive—compulsive disorders	474	7,315	n.a.	4,450	2,008	672	1,662	50	16,631	0.6
F43	Reaction to severe stress and adjustment disorders	20,234	81,072	n.a.	29,995	10,634	1,772	2,096	1,489	147,292	5.3
F44	Dissociative (conversion) disorders	1,158	546	n.a.	737	110	83	19	1	2,654	0.1
F45, F48	Somatoform and other neurotic disorders	1,927	2,604	n.a.	1,475	408	80	227	58	6,779	0.2

(continued)

**Table A4.2 (continued): Community mental health service contacts by principal diagnosis, states and territories, 2001–02<sup>(a)</sup>**

Principal diagnosis		NSW	Vic	Qld <sup>(b)</sup>	WA	SA	Tas	ACT <sup>(c)</sup>	NT <sup>(c)</sup>	Australia	Per cent of service contacts with specified principal diagnosis
F50	Eating disorders	4,142	7,401	n.a.	3,045	116	344	186	67	15,301	0.5
F51–F59	Other behavioural syndromes associated with physiological disturbance & physical factors	250	2,127	n.a.	1,833	233	142	613	3	5,201	0.2
F60	Specific personality disorders	11,820	63,198	n.a.	13,200	7,033	1,379	6,356	487	103,473	3.7
F61–F69	Disorders of adult personality and behaviour	510	3,107	n.a.	1,777	1,584	110	831	137	8,056	0.3
F70–F79	Mental retardation	1,829	5,059	n.a.	1,998	473	167	787	11	10,324	0.4
F80–F89	Disorders of psychological development	980	14,733	n.a.	1,811	1,204	104	450	63	19,345	0.7
F90	Hyperkinetic disorders	3,413	10,157	n.a.	3,267	332	482	886	140	18,677	0.7
F91	Conduct disorders	5,644	22,435	n.a.	2,200	2,094	324	503	111	33,311	1.2
F92–F98	Other & unspecified disorders with onset during childhood adolescence	2,358	28,295	n.a.	9,607	2,153	395	4,762	175	47,745	1.7
	Other	35,256	2,481	n.a.	12,201	2,694	1,230	0 <sup>(c)</sup>	0 <sup>(c)</sup>	53,862	1.9
<i>Total with specified principal diagnosis</i>		<i>554,652</i>	<i>1,431,776</i>	<i>n.a.</i>	<i>379,313</i>	<i>251,643</i>	<i>38,151</i>	<i>127,137</i>	<i>10,821</i>	<i>2,793,493</i>	<i>100.0</i>
F99	Mental disorder not otherwise specified	205,750	3,702	n.a.	16,200	28,413	1	28,971	208	283,245	..
	Not reported	181,905	210,496	705,895	0	0	10,134	0	18,563	1,126,993	..
<i>Total with unspecified principal diagnosis</i>		<i>387,655</i>	<i>214,198</i>	<i>705,895</i>	<i>16,200</i>	<i>28,413</i>	<i>10,135</i>	<i>28,971</i>	<i>18,771</i>	<i>1,410,238</i>	<i>..</i>
<b>Total service contacts</b>		<b>942,307</b>	<b>1,645,974</b>	<b>705,895</b>	<b>395,513</b>	<b>280,056</b>	<b>48,286</b>	<b>156,108</b>	<b>29,592</b>	<b>4,203,731</b>	<b>..</b>

(a) These data should be interpreted with caution due to incomplete coverage and inconsistencies in the definition of a service contact used across jurisdictions. For more information refer to Appendix 1 and Chapter 3.

(b) These data should be interpreted with caution due to differences in the statistical unit used by jurisdictions when reporting principal diagnosis.

(c) The Australian Capital Territory and Northern Territory reported principal diagnosis using the 'Mental and behavioural disorders' chapter of the ICD-10-AM classification only.

**n.a. Not available.**

**Table A4.3: Same day separations with specialised psychiatric care by principal diagnosis in ICD-10-AM groupings, states and territories,<sup>(a)</sup> 2001–02**

Principal diagnosis	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
F00–F03 Dementia	2	5	2	0	1	0	1	0	11
F04–F09 Other organic mental disorders	2	2	4	5	1	1	0	0	15
F10 Mental and behavioural disorders due to use of alcohol	220	6	32	8	4	0	0	1	271
F11–F19 Mental and behav disorders due to other psychoactive substances use	85	8	25	18	10	3	0	4	153
F20 Schizophrenia	171	55	193	12	28	8	1	2	470
F21, F24, F28–F29 Schizotypal and other delusional disorders	12	7	28	16	8	8	1	0	80
F22 Persistent delusional disorders	5	3	1	1	4	0	0	0	14
F23 Acute and transient psychotic disorders	34	11	26	0	7	0	0	1	79
F25 Schizoaffective disorders	103	60	161	7	24	2	0	0	357
F30 Manic episode	3	4	4	1	1	1	0	0	14
F31 Bipolar affective disorders	103	146	244	21	49	53	1	0	617
F32 Depressive episode	752	381	1,219	95	125	574	14	0	3,160
F33 Recurrent depressive disorders	657	393	640	165	48	47	2	0	1,952
F34 Persistent mood (affective) disorders	13	3	15	3	2	5	0	0	41
F38, F39 Other and unspecified mood (affective) disorders	0	0	1	0	0	0	0	0	1
F40 Phobic anxiety disorders	13	7	1	3	0	0	0	0	24
F41 Other anxiety disorders	120	0	27	2	0	0	0	0	149
F42 Obsessive–compulsive disorders	70	2	1	3	0	1	0	0	77
F43 Reaction to severe stress and adjustment disorders	61	34	130	48	21	9	1	3	307
F44 Dissociative (conversion) disorders	1	0	12	0	0	1	0	0	14
F45, F48 Somatoform and other neurotic disorders	3	0	1	0	0	0	0	0	4
F50 Eating disorders	28	107	4	0	1	0	0	0	140
F51–F59 Other behav syndromes associated w phys dist and phys factors	5	16	18	0	2	0	0	0	41
F60 Specific personality disorders	50	19	36	7	10	6	2	0	130
F61–F69 Disorders of adult personality and behaviour	10	0	2	3	0	0	0	0	15
F70–F79 Mental retardation	1	0	3	0	1	0	0	0	5
F80–F89 Disorders of pscychological development	8	0	2	1	0	0	0	0	11
F90 Hyperkinetic disorders	1	0	1	0	0	0	0	0	2
F91 Conduct disorders	5	0	0	1	2	0	0	0	8
F92–F98 Other and unspec disorders w onset childhood adolescence	27	0	1	1	0	0	0	0	29
F99 Mental disorder not otherwise specified	1	1	0	0	1	0	0	0	3
G30 Alzheimer's disease	0	0	4	0	1	0	0	0	5
O99.3 Mental disorders and dis of the nerv sys complic preg, child & puerp	1	0	0	0	0	0	0	0	1
R45 Symptoms and signs involving emotional state	0	0	5	0	1	0	1	0	7
Other factors related to mental and behavioural disorders <sup>(b)</sup>	4	3	5	1	0	0	0	0	13
Other <sup>(c)</sup>	53	14	61	2	179	0	4	3	316
<b>Total</b>	<b>2,624</b>	<b>1,287</b>	<b>2,909</b>	<b>424</b>	<b>531</b>	<b>719</b>	<b>28</b>	<b>14</b>	<b>8,536</b>
<b>Age-standardised same day separation rate<sup>(d)</sup></b>	<b>0.40</b>	<b>0.27</b>	<b>0.82</b>	<b>0.23</b>	<b>0.34</b>	<b>1.51</b>	<b>0.09</b>	<b>0.08</b>	<b>0.44</b>
95% confidence interval	0.41–0.38	0.28–0.25	0.84–0.79	0.25–0.21	0.37–0.31	1.62–1.4	0.13–0.06	0.13–0.04	0.45–0.43

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

(b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0. No separations were reported for Other factors related to substance use (Z50.2, Z50.3, Z71.4, Z71.5)

(c) All other codes not included in the mental health principal diagnosis as listed in Appendix 2.

(d) Indirect age-standardisation using the estimated resident population as at 30 June 2001.

Note: Abbreviations; behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium.

**Table A4.4: Overnight separations with specialised psychiatric care by principal diagnosis in ICD-10-AM groupings, states and territories,<sup>(a)</sup> 2001–02**

Principal diagnosis	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
F00–F03 Dementia	211	382	142	153	163	46	9	3	1,109
F04–F09 Other organic mental disorders	266	230	171	191	93	23	6	20	1,000
F10 Mental and behavioural disorders due to use of alcohol	1,868	675	499	434	355	134	26	24	4,015
F11–F19 Mental and behav disorders due to other psychoactive substances use	1,980	922	965	848	410	141	59	98	5,423
F20 Schizophrenia	5,784	5,112	5,036	1,791	1,516	575	239	152	20,205
F21, F24, F28–F29 Schizotypal and other delusional disorders	602	471	260	253	154	45	24	25	1,834
F22 Persistent delusional disorders	318	272	225	132	144	39	27	7	1,164
F23 Acute and transient psychotic disorders	855	392	389	155	215	34	43	28	2,111
F25 Schizoaffective disorders	1,709	1,328	1,018	352	701	97	61	58	5,324
F30 Manic episode	280	197	112	87	76	17	13	11	793
F31 Bipolar affective disorders	2,903	2,288	1,915	1,082	1,094	253	177	54	9,766
F32 Depressive episode	3,968	3,272	3,482	1,376	1,293	352	194	69	14,006
F33 Recurrent depressive disorders	1,409	1,650	736	909	784	108	177	4	5,777
F34 Persistent mood (affective) disorders	441	268	514	177	115	33	80	5	1,633
F38, F39 Other and unspecified mood (affective) disorders	43	27	35	23	20	7	15	0	170
F40 Phobic anxiety disorders	76	36	45	17	14	7	1	0	196
F41 Other anxiety disorders	498	328	397	222	189	60	41	4	1,739
F42 Obsessive–compulsive disorders	114	94	71	47	23	20	9	2	380
F43 Reaction to severe stress and adjustment disorders	2,575	1,722	2,575	1,664	1,199	407	183	108	10,433
F44 Dissociative (conversion) disorders	66	52	253	29	30	9	3	0	442
F45, F48 Somatoform and other neurotic disorders	39	28	35	18	11	8	1	0	140
F50 Eating disorders	283	237	217	104	98	21	7	0	967
F51–F59 Other behav syndromes associated w phys dist and phys factors	117	125	71	46	48	3	8	3	421
F60 Specific personality disorders	1,391	974	917	712	327	239	120	10	4,690
F61–F69 Disorders of adult personality and behaviour	123	18	42	64	40	4	8	0	299
F70–F79 Mental retardation	67	16	59	18	14	10	5	0	189
F80–F89 Disorders of psychological development	53	15	61	25	8	4	0	1	167
F90 Hyperkinetic disorders	42	30	19	14	5	0	1	0	111
F91 Conduct disorders	187	77	96	31	19	12	7	1	430
F92–F98 Other and unspec disorders w onset childhood adolescence	37	33	52	29	11	1	0	0	163
F99 Mental disorder not otherwise specified	25	86	4	4	2	2	0	0	123
G30 Alzheimer's disease	103	213	61	165	121	16	0	0	679
G47 Sleep disorders	2	0	18	0	2	1	0	0	23
O99.3 Mental disorders and dis of the nerv sys complic preg, child & puerp	20	15	13	7	3	7	1	1	67
R44 Other symptoms and signs involving general sensations and perceptions	9	10	2	1	0	0	0	0	22
R45 Symptoms and signs involving emotional state	7	15	16	0	1	1	2	1	43
Other factors related to mental and behavioural disorders <sup>(b)</sup>	413	70	18	8	1	2	6	3	521
Other factors related to substance use <sup>(c)</sup>	3	0	0	0	0	0	0	0	3
Other <sup>(d)</sup>	3,018	410	1,465	190	487	133	111	41	5,855
<b>Total</b>	<b>31,905</b>	<b>22,090</b>	<b>22,006</b>	<b>11,378</b>	<b>9,786</b>	<b>2,871</b>	<b>1,664</b>	<b>733</b>	<b>102,433</b>
<b>Age-standardised overnight separation rate<sup>(e)</sup></b>	<b>4.9</b>	<b>4.6</b>	<b>6.1</b>	<b>6.0</b>	<b>6.5</b>	<b>6.3</b>	<b>5.1</b>	<b>3.7</b>	<b>5.3</b>
95% confidence interval	4.91–4.8	4.62–4.5	6.19–6.03	6.1–5.88	6.61–6.35	6.49–6.03	5.31–4.82	3.95–3.42	5.31–5.25

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

(b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

(c) Includes Z50.2, Z50.3, Z71.4, Z71.5.

(d) All other codes not included in the mental health principal diagnosis as listed in Appendix 2.

(e) Indirect age-standardisation using the estimated resident population as at 30 June 2001.

Note: Abbreviations; behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium.

**Table A4.5: Patient days for overnight separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, states and territories,<sup>(a)</sup> 2001–02**

Principal diagnosis		NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
F00–F03	Dementia	17,872	15,295	12,551	10,810	7,405	2,830	169	41	66,973
F04–F09	Other organic mental disorders	11,804	6,064	16,828	4,152	1,563	1,163	79	444	42,097
F10	Mental and behavioural disorders due to use of alcohol	32,800	9,451	15,170	6,244	4,956	3,478	167	125	72,391
F11–F19	Mental and behav disorders due to other psychoactive substances use	20,650	9,329	7,651	8,375	3,546	1,022	820	652	52,045
F20	Schizophrenia	419,643	117,871	207,812	50,223	31,060	15,433	3,526	1,960	847,528
F21, F24, F28–F29	Schizotypal and other delusional disorders	9,659	7,296	3,630	4,112	1,719	385	248	207	27,256
F22	Persistent delusional disorders	5,105	4,717	15,312	2,564	2,156	599	467	106	31,026
F23	Acute and transient psychotic disorders	12,011	5,213	4,854	1,887	2,617	542	600	250	27,974
F25	Schizoaffective disorders	55,900	27,317	20,805	9,358	16,590	2,173	1,061	1,168	134,372
F30	Manic episode	4,076	2,972	1,590	1,391	1,035	171	149	83	11,467
F31	Bipolar affective disorders	58,116	42,715	39,565	21,349	19,520	6,274	2,690	688	190,917
F32	Depressive episode	67,668	55,404	55,002	21,259	22,970	3,306	2,881	640	229,130
F33	Recurrent depressive disorders	26,433	29,764	12,534	14,713	15,665	1,872	2,816	16	103,813
F34	Persistent mood (affective) disorders	4,603	2,973	5,857	1,735	1,168	327	745	12	17,420
F38, F39	Other and unspecified mood (affective) disorders	473	407	771	300	348	86	227	0	2,612
F40	Phobic anxiety disorders	1,151	508	816	156	203	81	4	0	2,919
F41	Other anxiety disorders	7,193	5,201	5,568	3,306	2,810	555	405	13	25,051
F42	Obsessive–compulsive disorders	2,500	1,895	3,032	918	316	231	93	7	8,992
F43	Reaction to severe stress and adjustment disorders	19,454	13,865	21,523	13,987	10,993	2,403	1,306	314	83,845
F44	Dissociative (conversion) disorders	860	754	3,396	323	480	130	17	0	5,960
F45, F48	Somatoform and other neurotic disorders	535	522	672	226	170	160	19	0	2,304
F50	Eating disorders	8,646	7,578	7,744	2,822	2,843	739	249	0	30,621
F51–F59	Other behav syndromes associated w phys dist and phys factors	2,287	1,717	1,009	631	626	13	91	34	6,408
F60	Specific personality disorders	12,815	7,424	5,144	5,625	2,424	2,339	624	89	36,484
F61–F69	Disorders of adult personality and behaviour	1,664	142	480	684	799	14	102	0	3,885
F70–F79	Mental retardation	13,853	226	13,236	248	365	325	20	0	28,273
F80–F89	Disorders of psychological development	1,249	293	790	591	173	50	0	1	3,147
F90	Hyperkinetic disorders	344	510	174	336	42	0	1	0	1,407
F91	Conduct disorders	1,090	1,136	821	373	116	42	30	5	3,613
F92–F98	Other and unspec disorders w onset childhood adolescence	280	597	437	624	122	2	0	0	2,062
F99	Mental disorder not otherwise specified	257	3,062	219	54	46	21	0	0	3,659
G30	Alzheimer's disease	9,006	8,361	2,506	11,963	6,396	816	0	0	39,048
G47	Sleep disorders	6	0	18	0	12	1	0	0	37
O99.3	Mental disorders and dis of the nerv sys complic preg, child & puerp	297	297	84	60	47	49	1	29	864
R44	Other symptoms and signs involving general sensations and perceptions	201	115	6	25	0	0	0	0	347
R45	Symptoms and signs involving emotional state	12	98	202	0	57	1	19	2	391
	Other factors related to mental and behavioural disorders <sup>(b)</sup>	1,951	949	166	59	3	2	56	5	3,191
	Other factors related to substance use <sup>(c)</sup>	294	0	0	0	0	0	0	0	294
	Other <sup>(d)</sup>	145,910	6,858	42,614	14,515	68,253	20,874	903	197	300,124
	<b>Total</b>	<b>978,668</b>	<b>398,896</b>	<b>530,589</b>	<b>215,998</b>	<b>229,614</b>	<b>68,509</b>	<b>20,585</b>	<b>7,088</b>	<b>2,449,947</b>
	<b>Age-standardised overnight patient day rate<sup>(e)</sup></b>	<b>148.3</b>	<b>82.2</b>	<b>148.1</b>	<b>115.0</b>	<b>149.9</b>	<b>147.7</b>	<b>64.7</b>	<b>38.0</b>	<b>126.2</b>
	95% confidence interval	148.6–148	82.5–82	48.51–147.7	115.5–114.6	150.5–149.3	148.8–146.6	65.5–63.8	38.9–37.1	126.4–126.1

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

(b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

(c) Includes Z50.2, Z50.3, Z71.4, Z71.5.

(d) All other codes not included in the mental health principal diagnosis as listed in Appendix 2.

(e) Indirect age-standardisation using the estimated resident population as at 30 June 2001.

Note: Abbreviations; behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium.

**Table A4.6: Psychiatric care days for overnight separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, states and territories,<sup>(a)</sup> 2001–02**

Principal diagnosis		NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
F00–F03	Dementia	17,706	15,295	12,473	10,704	7,405	2,830	168	41	66,622
F04–F09	Other organic mental disorders	11,569	6,064	16,800	4,016	1,563	1,163	79	414	41,668
F10	Mental and behavioural disorders due to use of alcohol	32,255	9,451	15,147	6,176	4,956	3,478	164	124	71,751
F11–F19	Mental and behav disorders due to other psychoactive substances use	20,040	9,329	7,615	8,240	3,546	1,022	815	640	51,247
F20	Schizophrenia	410,755	117,871	207,368	49,500	31,060	15,433	3,488	1,957	837,432
F21, F24, F28–F29	Schizotypal and other delusional disorders	9,468	7,296	3,535	3,981	1,719	385	248	207	26,839
F22	Persistent delusional disorders	5,038	4,717	15,300	2,543	2,156	599	465	106	30,924
F23	Acute and transient psychotic disorders	11,820	5,213	4,806	1,873	2,617	542	568	250	27,689
F25	Schizoaffective disorders	53,890	27,317	20,733	9,265	16,500	2,173	1,044	1,168	132,090
F30	Manic episode	3,990	2,972	1,576	1,350	1,035	171	145	83	11,322
F31	Bipolar affective disorders	57,106	42,715	39,363	20,874	19,520	6,274	2,655	686	189,193
F32	Depressive episode	65,729	55,404	54,566	20,585	22,970	3,306	2,760	633	225,953
F33	Recurrent depressive disorders	25,898	29,764	12,334	14,446	15,665	1,872	2,758	16	102,753
F34	Persistent mood (affective) disorders	4,533	2,973	5,841	1,709	1,168	327	738	12	17,301
F38, F39	Other and unspecified mood (affective) disorders	471	407	770	289	348	86	226	0	2,597
F40	Phobic anxiety disorders	1,059	508	815	156	203	81	3	0	2,825
F41	Other anxiety disorders	6,959	5,201	5,553	3,239	2,810	555	398	13	24,728
F42	Obsessive–compulsive disorders	2,458	1,895	3,025	888	316	231	87	6	8,906
F43	Reaction to severe stress and adjustment disorders	19,091	13,865	21,418	13,781	10,993	2,403	1,268	311	83,130
F44	Dissociative (conversion) disorders	811	754	3,362	322	480	130	17	0	5,876
F45, F48	Somatoform and other neurotic disorders	516	522	319	222	170	160	19	0	1,928
F50	Eating disorders	8,244	7,578	7,635	2,783	2,843	739	241	0	30,063
F51–F59	Other behav syndromes associated w phys dist and phys factors	2,275	1,717	1,009	630	626	13	91	34	6,395
F60	Specific personality disorders	12,596	7,424	5,112	5,531	2,424	2,339	617	89	36,132
F61–F69	Disorders of adult personality and behaviour	1,646	142	477	669	799	14	102	0	3,849
F70–F79	Mental retardation	13,845	226	13,228	248	365	325	20	0	28,257
F80–F89	Disorders of psychological development	1,241	293	790	581	173	50	0	1	3,129
F90	Hyperkinetic disorders	337	510	174	330	42	0	1	0	1,394
F91	Conduct disorders	1,073	1,136	821	372	116	42	30	5	3,595
F92–F98	Other & unspec disorders w onset childhood adolescence	257	597	437	592	122	2	0	0	2,007
F99	Mental disorder not otherwise specified	256	3,062	216	54	46	21	0	0	3,655
G30	Alzheimer's disease	8,950	8,361	2,332	11,664	6,396	816	0	0	38,519
G47	Sleep disorders	6	0	18	0	12	1	0	0	37
O99.3	Mental disorders and dis of the nerv sys complic preg, child & puerp	274	297	68	51	47	49	1	29	816
R44	Other symptoms and signs involving general sensations and perceptions	192	115	6	25	0	0	0	0	338
R45	Symptoms and signs involving emotional state	12	98	202	0	57	1	19	2	391
	Other factors related to mental and behavioural disorders <sup>(b)</sup>	1,949	949	166	55	3	2	55	5	3,184
	Other factors related to substance use <sup>(c)</sup>	294	0	0	0	0	0	0	0	294
	Other <sup>(d)</sup>	137,569	6,858	40,426	13,573	67,710	20,874	760	151	287,921
	<b>Total</b>	<b>952,178</b>	<b>398,896</b>	<b>525,836</b>	<b>211,317</b>	<b>228,981</b>	<b>68,509</b>	<b>20,050</b>	<b>6,983</b>	<b>2,412,750</b>
	<b>Age-standardised overnight psychiatric care day rate<sup>(e)</sup></b>	<b>144.30</b>	<b>82.20</b>	<b>146.81</b>	<b>112.56</b>	<b>149.49</b>	<b>147.73</b>	<b>62.99</b>	<b>37.46</b>	<b>124.31</b>
	95% confidence interval	144.6–144	82.5–81.9	147.2–146.4	113–112.1	150.1–148.9	148.8–146.6	63.9–62.1	38.3–36.6	124.5–124.2

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

(b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

(c) Includes Z50.2, Z50.3, Z71.4, Z71.5.

(d) All other codes not included in the mental health principal diagnosis as listed in Appendix 2.

(e) Indirect age-standardisation using the estimated resident population as at 30 June 2001.

Note: Abbreviations; behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium.

**Table A4.7: Overnight separations<sup>(a)</sup> with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories,<sup>(b)</sup> 2001–02**

AR-DRG	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
<b>Description</b>	<b>Public acute hospitals</b>								
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	2,986	3,266	2,786	1,273	1,116	326	n.p.	123	12,188
U67Z Personality Disorders and Acute Reactions	2,142	2,281	2,770	1,676	941	559	n.p.	117	10,721
U61A Schizophrenia Disorders W Mental Health Legal Status	1,964	3,436	3,261	535	739	177	n.p.	0	10,197
U61B Schizophrenia Disorders W/O Mental Health Legal Status	2,774	2,388	1,923	735	461	395	n.p.	208	9,097
U64Z Other Affective and Somatoform Disorders	928	1,040	1,110	391	194	246	n.p.	18	4,074
U63A Major Affective Disorders W Cat/Sev CC or (Age>69 W/O Cat/Sev CC)	490	753	418	96	196	97	n.p.	4	2,093
V61B Drug Intoxication and Withdrawal W/O CC	512	475	535	253	120	78	25	78	2,076
U62A Paranoia & Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	434	614	444	158	142	30	24	2	1,848
U62B Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	519	401	240	144	104	67	n.p.	55	1,587
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	131	568	197	83	118	78	n.p.	8	1,192
X62A Poisoning/Toxic Effects of Drugs and Other Substances Age>59 or W CC	227	45	361	31	79	21	28	7	799
X62B Poisoning/Toxic Effects of Drugs and Other Substances Age<60 W/O CC	224	84	307	33	44	30	40	7	769
V60Z Alcohol Intoxication and Withdrawal	267	161	159	70	45	35	n.p.	21	768
U65Z Anxiety Disorders	163	134	181	67	57	39	n.p.	1	656
U66Z Eating and Obsessive–Compulsive Disorders	111	197	142	59	94	32	n.p.	1	648
	<b>Private hospitals</b>								
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	1,261	2,027	n.p.	1,039	951	n.p.	n.p.	n.a.	7,055
U67Z Personality Disorders and Acute Reactions	446	494	680	453	280	n.p.	n.p.	n.a.	2,524
U63A Major Affective Disorders W Cat/Sev CC or (Age>69 W/O Cat/Sev CC)	234	515	n.p.	123	222	n.p.	n.p.	n.a.	1,461
U64Z Other Affective and Somatoform Disorders	177	293	n.p.	242	128	n.p.	n.p.	n.a.	1,350
U61B Schizophrenia Disorders W/O Mental Health Legal Status	347	431	409	114	0	n.p.	n.p.	n.a.	1,310
V62A Alcohol Use Disorder and Dependence	484	333	59	169	199	n.p.	n.p.	n.a.	1,286
U65Z Anxiety Disorders	190	177	397	120	82	n.p.	n.p.	n.a.	996
U66Z Eating and Obsessive–Compulsive Disorders	140	134	129	85	29	n.p.	n.p.	n.a.	529
V64Z Other Drug Use Disorder and Dependence	223	62	34	92	53	n.p.	n.p.	n.a.	474
U61A Schizophrenia Disorders W Mental Health Legal Status	0	0	n.p.	34	243	n.p.	n.p.	n.a.	374
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	13	124	n.p.	10	56	n.p.	n.p.	n.a.	241
V60Z Alcohol Intoxication and Withdrawal	58	25	37	51	6	n.p.	n.p.	n.a.	209
V63Z Opioid Use Disorder and Dependence	60	81	14	22	6	n.p.	n.p.	n.a.	191
U62B Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	47	59	44	30	0	n.p.	n.p.	n.a.	182
O61Z Postpartum and Post Abortion W/O O.R. Procedure	68	15	32	17	7	n.p.	n.p.	n.a.	140

(continued)

**Table A4.7 (continued): Overnight separations<sup>(a)</sup> with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories,<sup>(b)</sup> 2001–02**

AR-DRG	Description	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
		Public psychiatric hospitals								
U67Z	Personality Disorders and Acute Reactions	1,715	31	0	332	363	n.p.	..	..	2,458
U61A	Schizophrenia Disorders W Mental Health Legal Status	1,106	101	n.p.	523	683	n.p.	..	..	2,424
U63B	Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	1,385	26	n.p.	301	468	n.p.	..	..	2,201
U61B	Schizophrenia Disorders W/O Mental Health Legal Status	1,492	110	0	196	119	n.p.	..	..	2,006
U62A	Paranoia & Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	266	3	0	112	182	n.p.	..	..	564
V61B	Drug Intoxication and Withdrawal W/O CC	297	6	0	195	65	n.p.	..	..	563
U64Z	Other Affective and Somatoform Disorders	324	10	n.p.	48	33	n.p.	..	..	419
V60Z	Alcohol Intoxication and Withdrawal	328	3	0	50	21	n.p.	..	..	403
U63A	Major Affective Disorders W Cat/Sev CC or (Age>69 W/O Cat/Sev CC)	145	0	n.p.	22	150	n.p.	..	..	321
U62B	Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	278	5	0	21	6	n.p.	..	..	315
B63Z	Dementia and Other Chronic Disturbances of Cerebral Function	102	0	n.p.	28	154	n.p.	..	..	289
Z64B	Other Factors Influencing Health Status Age<80	250	24	0	3	8	n.p.	..	..	285
V64Z	Other Drug Use Disorder and Dependence	146	4	0	95	26	n.p.	..	..	272
V61A	Drug Intoxication and Withdrawal W CC	77	0	0	29	37	n.p.	..	..	144
V62A	Alcohol Use Disorder and Dependence	107	1	0	12	16	n.p.	..	..	140
<b>All hospitals</b>										
U63B	Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	5,632	5,319	4,391	2,613	2,535	407	424	123	21,444
U67Z	Personality Disorders and Acute Reactions	4,303	2,806	3,450	2,461	1,584	664	318	117	15,703
U61A	Schizophrenia Disorders W Mental Health Legal Status	3,070	3,537	3,346	1,092	1,665	200	85	0	12,995
U61B	Schizophrenia Disorders W/O Mental Health Legal Status	4,613	2,929	2,332	1,045	580	484	222	208	12,413
U64Z	Other Affective and Somatoform Disorders	1,429	1,343	1,551	681	355	283	183	18	5,843
U63A	Major Affective Disorders W Cat/Sev CC or (Age>69 W/O Cat/Sev CC)	869	1,268	751	241	568	106	68	4	3,875
V61B	Drug Intoxication and Withdrawal W/O CC	823	492	565	479	195	78	27	78	2,737
U62A	Paranoia & Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	700	618	460	286	362	34	26	2	2,488
U62B	Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	844	465	284	195	110	72	59	55	2,084
V62A	Alcohol Use Disorder and Dependence	754	479	171	230	273	71	n.p.	3	1,992
U65Z	Anxiety Disorders	440	312	578	189	153	60	24	1	1,757
B63Z	Dementia and Other Chronic Disturbances of Cerebral Function	246	692	239	121	328	79	9	8	1,722
V60Z	Alcohol Intoxication and Withdrawal	653	189	196	171	72	63	15	21	1,380
V64Z	Other Drug Use Disorder and Dependence	549	217	174	247	111	46	n.p.	10	1,375
U66Z	Eating and Obsessive–Compulsive Disorders	315	331	271	152	127	41	17	1	1,255

(a) Separations for which the care type was acute, or was not reported.

(b) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

Note: Abbreviations: W—with, W/O—without, CC—complications and comorbidities, ECT—electroconvulsive therapy, Cat/Sev—catastrophic or severe, O.R.—operating room, Psych—psychotic.

.. Not applicable.

n.a. Not available.

n.p. Not published: based on less than 10 separations. Data for private hospitals in the Australian Capital Territory and Tasmania are also not published for confidentiality reasons.

**Table A4.8: Average length of stay (days) for overnight separations<sup>(a)</sup> with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories,<sup>(b)</sup> 2001–02**

AR-DRG	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
<b>Description</b>	<b>Public acute hospitals</b>								
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	15.4	14.8	12.5	15.0	14.3	12.2	13.7	10.6	14.3
U67Z Personality Disorders and Acute Reactions	5.7	6.4	4.7	6.2	7.7	4.7	5.1	3.4	5.8
U61A Schizophrenia Disorders W Mental Health Legal Status	22.0	21.2	19.9	24.8	21.7	15.2	15.5	..	21.0
U61B Schizophrenia Disorders W/O Mental Health Legal Status	19.1	17.1	10.3	15.5	14.9	13.2	13.2	14.7	15.7
U64Z Other Affective and Somatoform Disorders	8.4	11.8	8.6	8.7	8.5	8.1	7.4	3.8	9.3
U63A Major Affective Disorders W Cat/Sev CC or (Age>69 W/O Cat/Sev CC)	26.9	27.1	26.9	24.4	31.3	12.5	19.7	n.p.	26.5
V61B Drug Intoxication and Withdrawal W/O CC	7.3	9.6	6.5	8.4	6.7	6.4	9.3	6.7	7.7
U62A Paranoia & Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	12.9	13.6	13.7	15.8	12.8	15.1	13.9	n.p.	13.6
U62B Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	12.3	14.2	8.7	11.6	8.8	8.9	13.5	9.3	11.7
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	20.1	38.5	24.6	18.3	37.6	41.1	n.p.	n.p.	32.5
X62A Poisoning/Toxic Effects of Drugs and Other Substances Age>59 or W CC	8.6	7.3	9.8	12.0	12.7	7.3	7.6	n.p.	9.5
X62B Poisoning/Toxic Effects of Drugs and Other Substances Age<60 W/O CC	5.0	5.2	4.6	2.9	4.2	4.8	6.4	n.p.	4.8
V60Z Alcohol Intoxication and Withdrawal	4.1	13.4	3.9	7.3	7.2	5.0	3.7	5.6	6.6
U65Z Anxiety Disorders	8.2	12.3	7.2	8.1	14.5	5.7	6.8	n.p.	9.1
U66Z Eating and Obsessive–Compulsive Disorders	28.0	25.5	30.3	18.2	28.6	25.2	13.3	n.p.	26.5
<b>All AR-DRGs</b>	<b>14.2</b>	<b>16.2</b>	<b>12.0</b>	<b>12.6</b>	<b>14.9</b>	<b>10.6</b>	<b>11.0</b>	<b>9.3</b>	<b>13.8</b>
	<b>Private hospitals</b>								
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	19.5	18.6	19.4	14.6	17.2	20.6	17.2	n.a.	18.1
U67Z Personality Disorders and Acute Reactions	13.0	14.5	14.8	14.9	15.5	12.9	10.6	n.a.	14.3
U63A Major Affective Disorders W Cat/Sev CC or (Age>69 W/O Cat/Sev CC)	25.7	22.1	21.3	22.9	25.8	20.2	37.5	n.a.	23.4
U64Z Other Affective and Somatoform Disorders	18.5	17.9	18.8	15.2	17.5	18.3	16.7	n.a.	17.7
U61B Schizophrenia Disorders W/O Mental Health Legal Status	19.0	19.5	20.0	18.3	..	..	27.1	n.a.	19.5
V62A Alcohol Use Disorder and Dependence	16.9	16.5	15.5	16.5	13.7	10.6	6.3	n.a.	15.9
U65Z Anxiety Disorders	18.0	16.7	15.4	15.6	14.4	22.4	9.9	n.a.	16.1
U66Z Eating and Obsessive–Compulsive Disorders	26.9	33.2	34.0	28.4	17.3	14.6	36.8	n.a.	29.9
V64Z Other Drug Use Disorder and Dependence	17.4	12.7	10.8	11.6	12.4	25.6	8.7	n.a.	14.7
U61A Schizophrenia Disorders W Mental Health Legal Status	..	..	24.9	32.1	16.2	19.4	..	n.a.	19.7
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	34.5	27.0	20.4	15.5	22.2	..	..	n.a.	0.0
V60Z Alcohol Intoxication and Withdrawal	13.4	12.5	14.2	14.1	25.2	14.0	12.2	n.a.	14.0
V63Z Opioid Use Disorder and Dependence	16.6	6.7	12.6	11.8	6.2	12.0	25.5	n.a.	11.2
U62B Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	9.9	21.8	18.8	10.6	..	..	10.5	n.a.	16.0
O61Z Postpartum and Post Abortion W/O O.R. Procedure	23.9	20.8	22.6	12.9	20.4	..	8.0	n.a.	21.7
<b>All AR-DRGs</b>	<b>18.6</b>	<b>18.7</b>	<b>18.7</b>	<b>16.0</b>	<b>17.3</b>	<b>16.3</b>	<b>17.5</b>	<b>n.a.</b>	<b>18.1</b>

(continued)

**Table A4.8 (continued): Average length of stay (days) for overnight separations<sup>(a)</sup> with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories,<sup>(b)</sup> 2001–02**

AR-DRG	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
<b>Description</b>	<b>Public psychiatric hospitals</b>								
U67Z Personality Disorders and Acute Reactions	5.4	28.0	..	9.0	7.4	30.1	..	..	6.6
U61A Schizophrenia Disorders W Mental Health Legal Status	29.7	90.5	n.p.	36.1	23.0	n.p.	..	..	31.7
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	16.7	36.5	n.p.	23.8	16.8	10.8	..	..	17.9
U61B Schizophrenia Disorders W/O Mental Health Legal Status	23.8	28.0	..	29.2	24.2	30.3	..	..	24.8
U62A Paranoia & Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	16.1	n.p.	..	20.6	12.9	n.p.	..	..	16.3
V61B Drug Intoxication and Withdrawal W/O CC	9.2	n.p.	..	11.7	8.0	..	..	..	10.1
U64Z Other Affective and Somatoform Disorders	9.1	40.4	n.p.	10.6	10.5	n.p.	..	..	10.1
V60Z Alcohol Intoxication and Withdrawal	5.4	n.p.	..	13.2	30.1	n.p.	..	..	8.5
U63A Major Affective Disorders W Cat/Sev CC or (Age>69 W/O Cat/Sev CC)	27.3	..	n.p.	32.5	38.0	n.p.	..	..	32.6
U62B Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	14.2	n.p.	..	13.7	n.p.	n.p.	..	..	15.0
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	50.7	..	n.p.	32.0	50.3	n.p.	..	..	48.4
Z64B Other Factors Influencing Health Status Age<80	4.2	24.1	..	n.p.	n.p.	..	..	..	6.1
V64Z Other Drug Use Disorder and Dependence	4.9	n.p.	..	9.3	8.2	n.p.	..	..	7.1
V61A Drug Intoxication and Withdrawal W CC	13.8	..	..	12.6	14.5	n.p.	..	..	14.2
V62A Alcohol Use Disorder and Dependence	9.8	n.p.	..	9.2	6.3	n.p.	..	..	9.4
<b>All AR-DRGs</b>	<b>16.6</b>	<b>45.4</b>	<b>28.3</b>	<b>22.4</b>	<b>20.4</b>	<b>34.6</b>	<b>..</b>	<b>..</b>	<b>19.2</b>
	<b>All hospitals</b>								
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	16.7	16.3	15.0	15.9	15.8	13.5	14.6	10.6	15.9
U67Z Personality Disorders and Acute Reactions	6.4	8.1	6.7	8.1	9.0	6.4	6.5	3.4	7.3
U61A Schizophrenia Disorders W Mental Health Legal Status	24.8	23.1	20.0	30.4	21.4	16.7	15.5	..	23.0
U61B Schizophrenia Disorders W/O Mental Health Legal Status	20.6	17.8	12.0	18.3	16.7	16.1	13.7	14.7	17.6
U64Z Other Affective and Somatoform Disorders	9.8	13.3	11.5	11.1	11.9	9.3	9.2	3.8	11.3
U63A Major Affective Disorders W Cat/Sev CC or (Age>69 W/O Cat/Sev CC)	26.7	25.1	24.4	24.4	30.9	12.8	27.3	n.p.	25.8
V61B Drug Intoxication and Withdrawal W/O CC	8.2	9.9	7.0	10.2	7.3	6.4	9.3	6.7	8.5
U62A Paranoia & Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	14.1	14.0	14.2	18.1	12.9	16.8	16.8	n.p.	14.4
U62B Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	12.8	15.4	10.2	11.7	9.7	10.3	13.4	9.3	12.6
V62A Alcohol Use Disorder and Dependence	13.5	14.0	8.9	14.2	13.4	7.8	6.3	n.p.	13.0
U65Z Anxiety Disorders	13.1	14.8	12.8	12.9	14.2	11.3	8.1	n.p.	13.2
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	33.5	36.5	23.9	21.2	40.9	41.3	n.p.	n.p.	34.1
V60Z Alcohol Intoxication and Withdrawal	5.6	13.4	5.9	11.1	15.4	13.3	6.5	5.6	8.2
V64Z Other Drug Use Disorder and Dependence	10.0	8.6	5.5	8.8	9.2	6.7	5.5	3.3	8.7
U66Z Eating and Obsessive–Compulsive Disorders	25.9	28.6	32.0	24.9	25.6	23.7	20.2	n.p.	27.6
<b>All AR-DRGs</b>	<b>15.6</b>	<b>17.2</b>	<b>13.5</b>	<b>15.3</b>	<b>16.9</b>	<b>12.5</b>	<b>12.2</b>	<b>9.3</b>	<b>15.4</b>

(a) Separations for which the care was acute, or was not reported and the length of stay was less than 366 days.

(b) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals. Please refer to Box 4.2 for information.

Note: Abbreviations: W—with, W/O—without, CC—complications and comorbidities, ECT—electroconvulsive therapy, Cat/Sev—catastrophic or severe, O.R.—operating room, Psych—psychotic.

.. Not applicable.

n.a. Not available.

n.p. Not published: based on less than 10 separations. Data for private hospitals in the Australian Capital Territory and Tasmania are also not published for confidentiality reasons.

**Table A4.9: Median length of stay (days) for overnight separations<sup>(a)</sup> with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories,<sup>(b)</sup> 2001–02**

AR-DRG	Description	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
		Public acute hospitals								
U63B	Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	11	10	8	11	10	9	11	8	10
U67Z	Personality Disorders and Acute Reactions	3	3	3	4	5	3	3	2	3
U61A	Schizophrenia Disorders W Mental Health Legal Status	14	14	12	18	16	10	10	..	14
U61B	Schizophrenia Disorders W/O Mental Health Legal Status	12	11	6	10	7	7	8	9	9
U64Z	Other Affective and Somatoform Disorders	5	6	4	6	5	5	5	2	5
U63A	Major Affective Disorders W Cat/Sev CC or (Age>69 W/O Cat/Sev CC)	18	20	20	21	24	5	15	n.p.	19
V61B	Drug Intoxication and Withdrawal W/O CC	4	6	4	5	4	4	5	5	5
U62A	Paranoia & Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	8	9	8	12	8	8	11	n.p.	9
U62B	Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	8	8	6	9	4	6	9	5	7
B63Z	Dementia and Other Chronic Disturbances of Cerebral Function	11	25	17	9	26	15	n.p.	n.p.	20
X62A	Poisoning/Toxic Effects of Drugs and Other Substances Age>59 or W CC	2	4	1	3	3	3	3	n.p.	2
X62B	Poisoning/Toxic Effects of Drugs and Other Substances Age<60 W/O CC	4	8	4	5	9	4	5	n.p.	5
V60Z	Alcohol Intoxication and Withdrawal	3	2	3	2	2	4	4	2	3
U65Z	Anxiety Disorders	5	4	6	7	7	2	6	n.p.	5
U66Z	Eating and Obsessive–Compulsive Disorders	10	14	17	8	14	7	5	n.p.	14
<b>All AR-DRGs</b>		<b>7</b>	<b>9</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>5</b>	<b>6</b>	<b>5</b>	<b>7</b>
Private hospitals										
U63B	Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	16	14	15	11	14	19	15	n.a.	14
U67Z	Personality Disorders and Acute Reactions	9	10	11	10	10	11	10	n.a.	10
U63A	Major Affective Disorders W Cat/Sev CC or (Age>69 W/O Cat/Sev CC)	15	14	14	12	14	n.p.	13	n.a.	14
U64Z	Other Affective and Somatoform Disorders	15	15	14	13	0	0	17	n.a.	14
U61B	Schizophrenia Disorders W/O Mental Health Legal Status	21	18	18	18	..	..	n.p.	n.a.	20
V62A	Alcohol Use Disorder and Dependence	15	14	13	14	12	8	n.p.	n.a.	14
U65Z	Anxiety Disorders	14	13	11	12	13	19	9	n.a.	12
U66Z	Eating and Obsessive–Compulsive Disorders	21	22	23	26	13	n.p.	n.p.	n.a.	22
V64Z	Other Drug Use Disorder and Dependence	7	5	7	12	6	n.p.	n.p.	n.a.	7
U61A	Schizophrenia Disorders W Mental Health Legal Status	..	..	6	9	12	14	..	n.a.	11
B63Z	Dementia and Other Chronic Disturbances of Cerebral Function	13	9	10	10	21	..	..	n.a.	10
V60Z	Alcohol Intoxication and Withdrawal	25	20	19	16	n.p.	0	n.p.	n.a.	20
V63Z	Opioid Use Disorder and Dependence	8	14	11	11	n.p.	n.p.	n.p.	n.a.	11
U62B	Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	22	22	23	8	..	..	n.p.	n.a.	21
O61Z	Postpartum and Post Abortion W/O O.R. Procedure	12	11	12	14	n.p.	..	n.p.	n.a.	11
<b>All AR-DRGs</b>		<b>14</b>	<b>14</b>	<b>14</b>	<b>12</b>	<b>14</b>	<b>12</b>	<b>13</b>	<b>n.a.</b>	<b>14</b>

(continued)

**Table A4.9 (continued): Median length of stay (days) for overnight separations<sup>(a)</sup> with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories,<sup>(b)</sup> 2001–02**

AR-DRG	Description	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
		Public psychiatric hospitals								
U67Z	Personality Disorders and Acute Reactions	3	20	..	6	10	9	..	..	4
U61A	Schizophrenia Disorders W Mental Health Legal Status	18	70	n.p.	25	13	n.p.	..	..	20
U63B	Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	11	18	n.p.	18	14	11	..	..	13
U61B	Schizophrenia Disorders W/O Mental Health Legal Status	12	17	..	13	0	18	..	..	13
U62A	Paranoia & Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	12	n.p.	..	14	8	n.p.	..	..	10
V61B	Drug Intoxication and Withdrawal W/O CC	5	n.p.	..	7	9	..	..	..	6
U64Z	Other Affective and Somatoform Disorders	6	7	n.p.	8	14	n.p.	..	..	6
V60Z	Alcohol Intoxication and Withdrawal	2	n.p.	..	6	21	n.p.	..	..	2
U63A	Major Affective Disorders W Cat/Sev CC or (Age>69 W/O Cat/Sev CC)	19	..	n.p.	23	25	n.p.	..	..	23
U62B	Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	8	n.p.	..	12	n.p.	n.p.	..	..	9
B63Z	Dementia and Other Chronic Disturbances of Cerebral Function	34	..	n.p.	19	26	n.p.	..	..	27
Z64B	Other Factors Influencing Health Status Age<80	4	17	..	n.p.	n.p.	..	..	..	4
V64Z	Other Drug Use Disorder and Dependence	3	n.p.	..	5	12	n.p.	..	..	3
V61A	Drug Intoxication and Withdrawal W CC	9	..	..	9	16	n.p.	..	..	9
V62A	Alcohol Use Disorder and Dependence	3	n.p.	..	6	12	n.p.	..	..	4
<b>All AR-DRGs</b>		<b>7</b>	<b>25</b>	<b>39</b>	<b>13</b>	<b>12</b>	<b>20</b>	<b>..</b>	<b>..</b>	<b>9</b>
<b>All hospitals</b>										
U63B	Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	12	12	10	12	12	11	12	8	11
U67Z	Personality Disorders and Acute Reactions	3	4	3	5	5	3	4	2	4
U61A	Schizophrenia Disorders W Mental Health Legal Status	16	14	13	21	16	10	10	..	15
U61B	Schizophrenia Disorders W/O Mental Health Legal Status	12	12	6	11	8	8	8	9	10
U64Z	Other Affective and Somatoform Disorders	6	8	6	8	8	6	6	2	7
U63A	Major Affective Disorders W Cat/Sev CC or (Age>69 W/O Cat/Sev CC)	19	19	18	19	25	5	18	n.p.	20
V61B	Drug Intoxication and Withdrawal W/O CC	5	7	4	6	4	4	6	5	5
U62A	Paranoia & Acute Psych Disorder W Cat/Sev CC or W Mental Health Legal Status	9	10	8	14	7	10	12	n.p.	9
U62B	Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	8	9	7	10	4	6	9	5	8
V62A	Alcohol Use Disorder and Dependence	9	11	5	10	11	5	6	n.p.	9
U65Z	Anxiety Disorders	7	11	8	9	11	6	6	n.p.	8
B63Z	Dementia and Other Chronic Disturbances of Cerebral Function	18	23	18	11	26	15	n.p.	n.p.	21
V60Z	Alcohol Intoxication and Withdrawal	2	5	3	6	5	4	5	3	3
V64Z	Other Drug Use Disorder and Dependence	5	5	3	5	7	3	5	2	5
U66Z	Eating and Obsessive–Compulsive Disorders	15	17	20	17	14	12	14	n.p.	16
<b>All AR-DRGs</b>		<b>8</b>	<b>10</b>	<b>7</b>	<b>9</b>	<b>11</b>	<b>6</b>	<b>7</b>	<b>5</b>	<b>9</b>

(a) Separations for which the care type was acute, or was not reported.

(b) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

Note: Abbreviations: W—with, W/O—without, CC—complications and comorbidities, ECT—electroconvulsive therapy, Cat/Sev—catastrophic or severe, O.R.—operating room, Psych—psychotic.

.. Not applicable.

n.a. Not available.

n.p. Not published: based on less than 10 separations. Data for private hospitals in the Australian Capital Territory and Tasmania are also not published for confidentiality reasons.

**Table A4.10: The 15 most frequently reported procedures for same day non-ambulatory-equivalent separations with specialised psychiatric care, states and territories,<sup>(a)</sup> 2001–02**

Procedure	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
93340–00 Electroconvulsive therapy [ECT] <=8 treatments	1,310	748	2,416	263	373	670	12	0	5,792
92502–02 Intravenous and inhalational general anaesthesia	429	557	929	87	366	633	7	0	3,008
92502–00 Intravenous general anaesthesia	849	295	1,460	185	0	43	0	0	2,832
96099–00 Psychotherapy	500	0	0	0	0	0	0	0	500
93340–01 Electroconvulsive therapy [ECT] >8 treatments	49	203	76	4	1	10	0	0	343
95550–10 Allied health intervention, psychology	260	23	2	1	0	0	0	0	286
95550–01 Allied health intervention, social work	208	11	6	6	6	0	1	0	238
93300–00 Psychiatric assessment	0	0	0	1	179	0	0	0	180
95550–00 Allied health intervention, dietetics	0	103	7	0	1	0	0	0	111
92503–00 Intravenous sedation, anaesthetist controlled	12	21	19	1	0	0	5	0	58
30026–00 Repair of wound of skin and subcutaneous tissue of other site, superficial	3	3	23	1	1	1	1	0	33
95550–03 Allied health intervention, physiotherapy	3	4	16	0	0	0	0	0	23
95550–02 Allied health intervention, occupational therapy	9	11	0	0	1	0	0	0	21
95550–11 Allied health intervention, other	1	19	0	0	0	0	0	0	20
92502–01 Inhalational general anaesthesia	1	1	17	0	0	0	0	0	19

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

**Table A4.11: The 15 most frequently reported procedures for overnight separations with specialised psychiatric care, states and territories,<sup>(a)</sup> 2001–02**

Procedure	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
95550–01 Allied health intervention, social work	6,692	3,202	1,995	2,749	2,745	72	315	2	17,772
92502–02 Intravenous and inhalational general anaesthesia	4,776	4,158	2,341	1,499	2,505	435	250	5	15,969
95550–02 Allied health intervention, occupational therapy	4,080	3,065	880	2,369	975	1	121	2	11,493
92502–00 Intravenous general anaesthesia	3,323	1,787	3,385	473	0	7	0	2	8,977
95550–10 Allied health intervention, psychology	1,727	1,095	668	469	178	2	132	1	4,272
93340–00 Electroconvulsive therapy [ECT] <=8 treatments	953	1,191	1,162	338	250	100	79	5	4,078
56001–00 Computerised tomography of brain	1,108	659	944	520	554	61	79	71	3,996
95550–03 Allied health intervention, physiotherapy	1,380	529	577	498	555	4	63	4	3,610
93300–00 Psychiatric assessment	28	0	428	37	2,920	0	0	0	3,413
95550–00 Allied health intervention, dietetics	873	493	636	538	301	3	179	4	3,027
96099–00 Psychotherapy	1,719	86	370	1	0	0	0	0	2,176
93340–01 Electroconvulsive therapy [ECT] >8 treatments	460	626	318	117	137	13	16	0	1,687
96001–00 Psychological skills training	1,153	2	431	2	9	0	0	0	1,597
96090–00 Other counselling or education	1,155	0	1	9	0	0	0	0	1,165
92003–00 Alcohol detoxification	445	103	69	134	243	1	5	0	1,000

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

**Table A4.12: Same day mental health-related separations without specialised psychiatric care by principal diagnosis in ICD-10-AM groupings, states and territories,<sup>(a)</sup> 2001–02**

Principal diagnosis		NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
F00–F03	Dementia	58	48	14	6	4	3	0	0	133
F04–F09	Other organic mental disorders	72	92	28	10	4	3	0	1	210
F10	Mental and behavioural disorders due to use of alcohol	315	131	193	103	63	12	1	8	826
F11–F19	Mental and behav disorders due to other psychoactive substances use	256	57	84	45	45	1	0	2	490
F20	Schizophrenia	313	945	103	36	101	9	1	1	1,509
F21, F24, F28–F29	Schizotypal and other delusional disorders	121	106	38	23	29	4	0	2	323
F22	Persistent delusional disorders	56	42	14	7	18	1	0	0	138
F23	Acute and transient psychotic disorders	186	137	61	27	100	1	0	2	514
F25	Schizoaffective disorders	43	416	8	3	21	0	0	0	491
F30	Manic episode	25	70	5	10	8	0	0	0	118
F31	Bipolar affective disorders	123	475	41	16	50	18	0	0	723
F32	Depressive episode	527	1,786	163	98	132	100	7	2	2,815
F33	Recurrent depressive disorders	206	1,286	42	31	124	26	4	0	1,719
F34	Persistent mood (affective) disorders	12	7	1	1	0	0	0	0	21
F38, F39	Other and unspecified mood (affective) disorders	3	1	1	1	0	0	0	0	6
F40	Phobic anxiety disorders	1	3	0	0	2	0	0	0	6
F41	Other anxiety disorders	74	38	29	17	25	5	1	0	189
F42	Obsessive–compulsive disorders	1	4	0	0	0	0	0	0	5
F43	Reaction to severe stress and adjustment disorders	79	52	39	36	39	4	0	1	250
F44	Dissociative (conversion) disorders	25	14	27	11	12	3	0	1	93
F45, F48	Somatoform and other neurotic disorders	62	45	28	13	32	10	2	4	196
F50	Eating disorders	6	20	6	0	1	0	0	0	33
F51–F59	Other behav syndromes associated w phys dist and phys factors	13	14	2	3	4	1	1	0	38
F60	Specific personality disorders	77	49	16	8	18	2	1	0	171
F61–F69	Disorders of adult personality and behaviour	12	5	2	1	2	0	1	0	23
F70–F79	Mental retardation	12	4	5	1	7	0	0	0	29
F80–F89	Disorders of psychological development	188	34	77	14	41	16	7	7	384
F90	Hyperkinetic disorders	11	2	3	0	1	0	0	0	17
F91	Conduct disorders	21	10	7	4	4	1	1	1	49
F92–F98	Other and unspec disorders w onset childhood adolescence	7	5	10	1	0	0	0	0	23
F99	Mental disorder not otherwise specified	17	13	7	0	3	1	0	1	42
G30	Alzheimer's disease	18	8	5	4	5	1	0	0	41
G47	Sleep disorders	11	4	3	3	11	1	0	0	33
O99.3	Mental disorders and dis of the nerv sys complic preg, child and puerp	28	30	7	8	5	0	0	2	80
R44	Other symptoms and signs involving general sensations and perceptions	12	17	3	4	0	1	1	0	38
R45	Symptoms and signs involving emotional state	11	13	3	5	0	0	0	2	34
	Other factors related to mental and behavioural disorders <sup>(b)</sup>	9	15	3	2	0	2	0	2	33
	Other factors related to substance use <sup>(c)</sup>	4	0	0	0	0	0	0	0	4
	<b>Total</b>	<b>3,015</b>	<b>5,998</b>	<b>1,078</b>	<b>552</b>	<b>911</b>	<b>226</b>	<b>28</b>	<b>39</b>	<b>11,847</b>
	<b>Age-standardised same day separation rate<sup>(d)</sup></b>	<b>0.46</b>	<b>1.25</b>	<b>0.31</b>	<b>0.30</b>	<b>0.60</b>	<b>0.48</b>	<b>0.09</b>	<b>0.21</b>	<b>0.62</b>
	95% confidence interval	0.48–0.45	1.28–1.22	0.32–0.29	0.32–0.27	0.64–0.56	0.55–0.42	0.13–0.06	0.28–0.15	0.63–0.61

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

(b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

(c) Includes Z50.2, Z50.3, Z71.4, Z71.5.

(d) Indirect age-standardisation using the estimated resident population as at 30 June 2000.

Note: Abbreviations; behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium.

**Table A4.13: Overnight mental health-related separations without specialised psychiatric care by principal diagnosis in ICD-10-AM groupings, states and territories,<sup>(a)</sup> 2001–02**

Principal diagnosis	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
F00–F03 Dementia	1,788	1,188	938	410	591	103	14	10	5,042
F04–F09 Other organic mental disorders	1,143	1,125	354	228	277	74	15	14	3,230
F10 Mental and behavioural disorders due to use of alcohol	5,027	2,362	2,653	1,315	792	176	43	76	12,444
F11–F19 Mental and behav disorders due to other psychoactive substances use	2,523	615	934	493	236	48	9	12	4,870
F20 Schizophrenia	596	337	266	284	341	87	1	2	1,914
F21, F24, F28–F29 Schizotypal and other delusional disorders	181	173	60	58	68	12	1	7	560
F22 Persistent delusional disorders	127	90	40	37	51	14	1	1	361
F23 Acute and transient psychotic disorders	216	140	97	90	165	7	1	4	720
F25 Schizoaffective disorders	120	57	41	17	94	14	0	0	343
F30 Manic episode	57	58	29	23	25	12	1	1	206
F31 Bipolar affective disorders	345	231	151	183	199	53	0	2	1,164
F32 Depressive episode	2,343	1,436	1,250	1,210	1,192	275	16	22	7,744
F33 Recurrent depressive disorders	712	249	240	212	323	112	3	3	1,854
F34 Persistent mood (affective) disorders	72	26	37	22	21	26	1	0	205
F38, F39 Other and unspecified mood (affective) disorders	14	6	6	7	2	2	0	0	37
F40 Phobic anxiety disorders	11	10	14	6	5	3	0	0	49
F41 Other anxiety disorders	1,389	1,253	903	652	737	142	8	12	5,096
F42 Obsessive–compulsive disorders	26	14	16	5	7	4	1	0	73
F43 Reaction to severe stress and adjustment disorders	879	1,192	516	415	436	172	3	4	3,617
F44 Dissociative (conversion) disorders	216	180	173	70	99	25	8	2	773
F45, F48 Somatoform and other neurotic disorders	153	64	78	35	51	21	2	1	405
F50 Eating disorders	265	226	112	30	83	27	7	2	752
F51–F59 Other behav syndromes associated w phys dist and phys factors	1,203	302	135	82	114	50	5	4	1,895
F60 Specific personality disorders	230	137	91	119	114	77	3	6	777
F61–F69 Disorders of adult personality and behaviour	49	63	20	6	8	4	2	0	152
F70–F79 Mental retardation	21	24	13	3	9	3	0	1	74
F80–F89 Disorders of psychological development	207	28	43	7	5	6	0	1	297
F90 Hyperkinetic disorders	24	3	29	3	2	2	2	1	66
F91 Conduct disorders	89	126	37	26	18	5	0	0	301
F92–F98 Other and unspec disorders w onset childhood adolescence	126	150	72	9	14	2	0	1	374
F99 Mental disorder not otherwise specified	41	20	5	3	3	1	0	2	75
G30 Alzheimer's disease	692	429	354	245	238	29	7	3	1,997
G47 Sleep disorders	207	2,768	636	26	272	120	0	0	4,029
O99.3 Mental disorders and dis of the nerv sys complic preg, child and puerp	608	426	241	253	189	43	30	25	1,815
R44 Other symptoms and signs involving general sensations and perceptions	63	62	43	21	14	5	1	2	211
R45 Symptoms and signs involving emotional state	49	59	20	34	16	2	0	1	181
R48 Dyslexia and other symbolic dysfunctions, not elsewhere classified	2	2	0	2	0	1	0	0	7
Other factors related to mental and behavioural disorders <sup>(b)</sup>	108	171	44	14	2	5	0	2	346
Other factors related to substance use <sup>(c)</sup>	165	0	3	3	0	0	0	0	171
<b>Total</b>	<b>22,087</b>	<b>15,802</b>	<b>10,694</b>	<b>6,658</b>	<b>6,813</b>	<b>1,764</b>	<b>185</b>	<b>224</b>	<b>64,227</b>
<b>Age-standardised overnight separation rate<sup>(d)</sup></b>	<b>3.39</b>	<b>3.28</b>	<b>3.05</b>	<b>3.63</b>	<b>4.40</b>	<b>3.73</b>	<b>0.63</b>	<b>1.31</b>	<b>3.35</b>
95% confidence interval	3.44–3.35	3.34–3.23	3.11–2.99	3.72–3.54	4.5–4.29	3.9–3.56	0.72–0.54	1.48–1.14	3.38–3.33

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

(b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

(c) Includes Z50.2, Z50.3, Z71.4, Z71.5.

(d) Indirect age-standardisation using the estimated resident population as at 30 June 2000.

Note: Abbreviations; behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium.

**Table A4.14: Patient days for mental health-related overnight separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, states and territories,<sup>(a)</sup> 2001–02**

Principal diagnosis	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
F00–F03 Dementia	91,602	37,893	26,842	10,509	11,464	2,088	236	141	180,775
F04–F09 Other organic mental disorders	16,058	16,258	3,638	2,647	3,879	857	110	305	43,752
F10 Mental and behavioural disorders due to use of alcohol	25,850	13,785	15,729	5,223	3,161	1,084	156	228	65,216
F11–F19 Mental and behav disorders due to other psychoactive substances use	14,444	3,745	5,652	1,985	845	321	53	47	27,092
F20 Schizophrenia	5,346	1,592	1,443	1,491	1,412	847	1	9	12,141
F21, F24, F28–F29 Schizotypal and other delusional disorders	1,429	769	308	227	233	96	11	13	3,086
F22 Persistent delusional disorders	991	550	288	238	270	183	1	1	2,522
F23 Acute and transient psychotic disorders	960	546	413	343	600	52	1	17	2,932
F25 Schizoaffective disorders	1,359	264	341	75	506	147	0	0	2,692
F30 Manic episode	429	405	203	119	137	121	28	24	1,466
F31 Bipolar affective disorders	3,477	2,049	1,530	1,139	1,099	815	0	6	10,115
F32 Depressive episode	18,638	9,962	11,421	8,435	7,871	3,915	208	68	60,518
F33 Recurrent depressive disorders	10,140	1,608	2,379	1,540	1,997	1,993	28	9	19,694
F34 Persistent mood (affective) disorders	795	147	289	104	146	237	1	0	1,719
F38, F39 Other and unspecified mood (affective) disorders	123	11	51	27	2	8	0	0	222
F40 Phobic anxiety disorders	246	72	42	63	51	29	0	0	503
F41 Other anxiety disorders	6,830	5,739	4,760	3,194	3,662	1,014	71	52	25,322
F42 Obsessive–compulsive disorders	297	73	291	56	16	63	7	0	803
F43 Reaction to severe stress and adjustment disorders	10,175	3,629	3,671	1,392	1,303	1,185	3	9	21,367
F44 Dissociative (conversion) disorders	1,178	1,118	1,124	293	592	310	53	29	4,697
F45, F48 Somatoform and other neurotic disorders	752	523	474	148	209	152	21	1	2,280
F50 Eating disorders	5,447	3,615	1,487	649	1,628	939	222	17	14,004
F51–F59 Other behav syndromes associated w phys dist and phys factors	5,285	1,311	568	421	435	292	21	8	8,341
F60 Specific personality disorders	911	294	414	337	362	358	19	12	2,707
F61–F69 Disorders of adult personality and behaviour	221	1,099	112	54	34	15	23	0	1,558
F70–F79 Mental retardation	110	144	107	50	40	9	0	1	461
F80–F89 Disorders of psychological development	2,807	80	174	41	14	13	0	4	3,133
F90 Hyperkinetic disorders	108	6	294	9	4	5	8	5	439
F91 Conduct disorders	451	615	236	142	66	15	0	0	1,525
F92–F98 Other and unspec disorders w onset childhood adolescence	602	500	393	25	59	13	0	1	1,593
F99 Mental disorder not otherwise specified	126	37	23	6	4	1	0	4	201
G30 Alzheimer's disease	23,800	17,580	8,607	4,216	3,485	866	64	57	58,675
G47 Sleep disorders	555	9,072	2,031	119	618	276	0	0	12,671
O99.3 Mental disorders and dis of the nerv sys complic preg, child and puerp	2,602	1,970	789	1,065	603	187	168	79	7,463
R44 Other symptoms and signs involving general sensations and perceptions	313	236	241	276	212	46	1	2	1,327
R45 Symptoms and signs involving emotional state	191	237	41	143	55	10	0	1	678
R48 Dyslexia and other symbolic dysfunctions, not elsewhere classified	19	18	0	8	0	1	0	0	46
Other factors related to mental and behavioural disorders <sup>(b)</sup>	464	1,339	125	80	6	33	0	2	2,049
Other factors related to substance use <sup>(c)</sup>	1,778	0	46	12	0	0	0	0	1,836
<b>Total</b>	<b>256,909</b>	<b>138,891</b>	<b>96,577</b>	<b>46,901</b>	<b>47,080</b>	<b>18,596</b>	<b>1,515</b>	<b>1,152</b>	<b>607,621</b>
<b>Age-standardised overnight patient day rate<sup>(d)</sup></b>	<b>38.90</b>	<b>28.49</b>	<b>28.28</b>	<b>27.07</b>	<b>28.19</b>	<b>37.44</b>	<b>6.09</b>	<b>10.30</b>	<b>31.72</b>
95% confidence interval	39.1–38.8	28.6–28.3	28.5–28.1	27.3–26.8	28.4–27.9	38–36.9	6.4–5.8	10.9–9.7	31.8–31.6

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

(b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

(c) Includes Z50.2, Z50.3, Z71.4, Z71.5.

(d) Indirect age-standardisation using the estimated resident population as at 30 June 2000.

Note: Abbreviations; behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium.

**Table A4.15: Overnight mental health-related separations<sup>(a)</sup> without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories,<sup>(b)</sup> 2001-02**

AR-DRG	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
<b>Description</b>	<b>Public acute hospitals</b>								
U65Z Anxiety Disorders	2,358	3,097	1,097	424	675	n.p.	n.p.	12	7,758
V60Z Alcohol Intoxication and Withdrawal	2,273	1,234	908	858	508	n.p.	n.p.	72	5,958
U64Z Other Affective and Somatoform Disorders	1,899	1,137	699	841	868	n.p.	n.p.	19	5,567
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	1,863	871	636	481	709	n.p.	n.p.	21	4,696
V62A Alcohol Use Disorder and Dependence	1,801	532	1,147	359	218	n.p.	n.p.	1	4,103
U67Z Personality Disorders and Acute Reactions	870	1,456	485	531	565	n.p.	n.p.	11	4,069
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	971	636	351	640	808	n.p.	n.p.	12	3,464
U61B Schizophrenia Disorders W/O Mental Health Legal Status	705	370	276	295	415	n.p.	n.p.	2	2,148
B64Z Delirium	833	674	188	151	179	n.p.	n.p.	4	2,077
V64Z Other Drug Use Disorder and Dependence	706	173	331	201	74	n.p.	n.p.	5	1,501
U62B Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	437	333	144	144	209	21	3	11	1,302
V63Z Opioid Use Disorder and Dependence	711	132	293	117	16	n.p.	n.p.	0	1,277
U66Z Eating and Obsessive-Compulsive Disorders	333	330	107	28	75	n.p.	n.p.	2	905
V61B Drug Intoxication and Withdrawal W/O CC	322	123	100	114	103	7	3	5	777
U63A Major Affective Disorders W Cat/Sev CC or (Age>69 W/O Cat/Sev CC)	275	154	88	75	163	n.p.	n.p.	2	776
	<b>Private hospitals</b>								
U65Z Anxiety Disorders	199	892	409	89	179	n.p.	n.p.	n.a.	1,984
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	221	241	460	141	162	n.p.	n.p.	n.a.	1,273
U64Z Other Affective and Somatoform Disorders	195	197	337	248	141	n.p.	n.p.	n.a.	1,267
V62A Alcohol Use Disorder and Dependence	155	521	462	16	29	n.p.	n.p.	n.a.	1,226
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	402	124	308	81	52	n.p.	n.p.	n.a.	1,158
U67Z Personality Disorders and Acute Reactions	491	136	234	77	32	n.p.	n.p.	n.a.	1,092
U63A Major Affective Disorders W Cat/Sev CC or (Age>69 W/O Cat/Sev CC)	124	60	196	35	33	n.p.	n.p.	n.a.	485
B64Z Delirium	80	111	63	34	35	n.p.	n.p.	n.a.	338
V60Z Alcohol Intoxication and Withdrawal	73	45	82	58	26	n.p.	n.p.	n.a.	308
V64Z Other Drug Use Disorder and Dependence	27	65	108	12	6	n.p.	n.p.	n.a.	231
U61B Schizophrenia Disorders W/O Mental Health Legal Status	82	22	47	19	4	n.p.	n.p.	n.a.	191
U68Z Childhood Mental Disorders	159	1	9	2	0	n.p.	n.p.	n.a.	174
V63Z Opioid Use Disorder and Dependence	12	71	53	24	5	n.p.	n.p.	n.a.	169
U66Z Eating and Obsessive-Compulsive Disorders	21	19	35	10	23	n.p.	n.p.	n.a.	118
O61Z Postpartum and Post Abortion W/O O.R. Procedure	16	28	16	36	11	n.p.	n.p.	n.a.	116

(continued)

**Table A4.15 (continued): Overnight mental health-related separations<sup>(a)</sup> without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories,<sup>(b)</sup> 2001–02**

AR-DRG	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
Description	All hospitals								
U65Z Anxiety Disorders	2,557	3,989	1,506	513	854	294	17	12	9,742
U64Z Other Affective and Somatoform Disorders	2,095	1,334	1,036	1,089	1,009	242	11	19	6,835
V60Z Alcohol Intoxication and Withdrawal	2,348	1,279	990	916	534	93	36	72	6,268
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	2,084	1,112	1,096	622	871	141	22	21	5,969
V62A Alcohol Use Disorder and Dependence	2,255	1,053	1,609	375	247	82	6	1	5,628
U67Z Personality Disorders and Acute Reactions	1,362	1,592	719	608	597	264	9	11	5,162
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	1,376	760	659	721	860	232	5	12	4,625
B64Z Delirium	913	785	251	185	214	51	12	4	2,415
U61B Schizophrenia Disorders W/O Mental Health Legal Status	790	392	323	314	419	101	1	2	2,342
V64Z Other Drug Use Disorder and Dependence	812	238	439	213	80	22	2	5	1,811
V63Z Opioid Use Disorder and Dependence	972	203	346	141	21	10	2	0	1,695
U62B Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	455	348	160	160	214	28	3	11	1,379
U63A Major Affective Disorders W Cat/Sev CC or (Age>69 W/O Cat/Sev CC)	399	214	284	110	196	49	7	2	1,261
U66Z Eating and Obsessive–Compulsive Disorders	354	349	142	38	98	32	8	2	1,023
V61B Drug Intoxication and Withdrawal W/O CC	334	130	110	122	103	10	3	5	817

(a) Separations for which the care type was acute, or was not reported.

(b) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

Note: Abbreviations: W—with, W/O—without, CC—complications and comorbidities, ECT—electroconvulsive therapy, Cat/Sev—catastrophic or severe, O.R.—operating room, Psych—psychotic.

n.a. Not available.

n.p. Not published: based on less than 10 separations. Data for private hospitals in the Australian Capital Territory and Tasmania are also not published for confidentiality reasons.

**Table A4.16: Average length of stay (days) of overnight mental health-related separations<sup>(a)</sup> without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories,<sup>(b)</sup> 2001-02**

AR-DRG	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
<b>Description</b>	<b>Public acute hospitals</b>								
U65Z Anxiety Disorders	4.0	3.2	3.4	3.7	3.9	6.0	6.6	5.5	3.6
V60Z Alcohol Intoxication and Withdrawal	2.8	2.2	2.6	2.9	3.1	4.1	2.6	2.6	2.7
U64Z Other Affective and Somatoform Disorders	4.8	4.6	4.4	5.3	5.5	6.2	n.p.	2.7	4.9
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	14.0	15.3	13.4	15.3	18.7	17.0	14.2	18.4	15.1
V62A Alcohol Use Disorder and Dependence	5.5	4.9	4.4	5.4	5.6	4.6	n.p.	n.p.	5.1
U67Z Personality Disorders and Acute Reactions	3.4	2.9	3.3	3.3	3.0	4.3	n.p.	2.0	3.2
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	5.5	3.5	5.1	5.7	5.1	10.4	n.p.	5.3	5.1
U61B Schizophrenia Disorders W/O Mental Health Legal Status	5.7	2.8	3.4	5.1	4.2	10.3	n.p.	n.p.	4.7
B64Z Delirium	12.0	12.2	9.3	12.5	13.4	11.5	7.5	n.p.	11.9
V64Z Other Drug Use Disorder and Dependence	5.6	3.7	4.4	4.2	3.1	2.7	n.p.	n.p.	4.8
U62B Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	5.1	2.6	3.3	3.8	3.7	7.2	n.p.	2.5	3.9
V63Z Opioid Use Disorder and Dependence	5.3	4.1	5.1	5.3	4.6	n.p.	n.p.	n.p.	5.1
U66Z Eating and Obsessive-Compulsive Disorders	17.4	11.7	14.2	21.3	15.4	35.6	n.p.	n.p.	15.4
V61B Drug Intoxication and Withdrawal W/O CC	3.0	2.5	2.3	2.7	3.0	n.p.	n.p.	n.p.	2.8
U63A Major Affective Disorders W Cat/Sev CC or (Age>69 W/O Cat/Sev CC)	16.6	9.8	11.3	12.5	13.4	12.5	n.p.	n.p.	13.5
<b>All AR-DRGs</b>	<b>6.3</b>	<b>5.1</b>	<b>5.0</b>	<b>5.8</b>	<b>6.7</b>	<b>8.4</b>	<b>7.4</b>	<b>4.9</b>	<b>5.9</b>
	<b>Private hospitals</b>								
U65Z Anxiety Disorders	5.9	4.2	6.0	5.2	3.8	5.1	n.p.	n.a.	4.9
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	19.3	15.3	16.8	18.4	14.3	21.7	n.p.	n.a.	16.9
U64Z Other Affective and Somatoform Disorders	12.3	10.5	10.6	7.8	8.6	11.3	n.p.	n.a.	10.2
V62A Alcohol Use Disorder and Dependence	16.0	13.2	13.1	4.6	5.3	11.1	n.p.	n.a.	13.2
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	17.6	11.1	13.1	7.3	7.8	15.4	n.p.	n.a.	14.2
U67Z Personality Disorders and Acute Reactions	17.5	9.2	12.8	4.2	4.6	8.4	n.p.	n.a.	13.1
U63A Major Affective Disorders W Cat/Sev CC or (Age>69 W/O Cat/Sev CC)	20.6	16.4	20.9	16.9	12.2	26.1	n.p.	n.a.	19.7
B64Z Delirium	13.6	13.1	14.4	11.2	11.8	12.3	n.p.	n.a.	13.1
V60Z Alcohol Intoxication and Withdrawal	7.0	7.7	7.0	3.2	3.3	6.0	n.p.	n.a.	6.0
V64Z Other Drug Use Disorder and Dependence	14.7	15.8	13.0	3.3	n.p.	6.3	n.p.	n.a.	13.0
U61B Schizophrenia Disorders W/O Mental Health Legal Status	18.1	15.8	17.2	5.4	n.p.	8.2	n.p.	n.a.	15.3
U68Z Childhood Mental Disorders	7.1	n.p.	n.p.	n.p.	n.p.	n.p.	n.p.	n.a.	6.8
V63Z Opioid Use Disorder and Dependence	2.3	11.3	16.5	4.1	n.p.	n.p.	n.p.	n.a.	11.0
U66Z Eating and Obsessive-Compulsive Disorders	9.4	10.5	10.3	11.2	22.6	22.2	n.p.	n.a.	13.7
O61Z Postpartum and Post Abortion W/O O.R. Procedure	6.5	8.0	6.4	4.4	5.5	n.p.	n.p.	n.a.	6.6
<b>All AR-DRGs</b>	<b>14.5</b>	<b>9.6</b>	<b>12.6</b>	<b>8.4</b>	<b>8.7</b>	<b>11.2</b>	<b>11.3</b>	<b>n.a.</b>	<b>11.5</b>

(continued)

**Table A4.16 (continued): Average length of stay (days) of overnight mental health-related separations<sup>(a)</sup> without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories,<sup>(b)</sup> 2001–02**

AR-DRG Description	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
	<b>All hospitals</b>								
U65Z Anxiety Disorders	4.1	3.4	4.1	3.9	3.9	5.3	6.2	5.5	3.8
U64Z Other Affective and Somatoform Disorders	5.5	5.5	6.4	5.9	5.9	9.3	7.1	2.7	5.9
V60Z Alcohol Intoxication and Withdrawal	2.9	2.4	2.9	2.9	3.1	4.6	2.6	2.6	2.9
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	14.6	15.3	14.8	16.0	17.9	18.3	13.9	18.4	15.5
V62A Alcohol Use Disorder and Dependence	6.4	9.0	6.9	5.3	5.6	7.9	n.p.	n.p.	7.0
U67Z Personality Disorders and Acute Reactions	8.5	3.4	6.4	3.5	3.1	6.1	n.p.	2.0	5.3
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	9.0	4.8	8.8	5.9	5.3	14.5	n.p.	5.3	7.4
B64Z Delirium	12.1	12.3	10.6	12.2	13.2	11.7	7.5	n.p.	12.1
U61B Schizophrenia Disorders W/O Mental Health Legal Status	7.0	3.5	5.4	5.2	4.3	9.9	n.p.	n.p.	5.6
V64Z Other Drug Use Disorder and Dependence	6.0	7.0	6.5	4.1	3.3	4.6	n.p.	n.p.	5.9
V63Z Opioid Use Disorder and Dependence	5.0	6.6	6.9	5.1	4.3	4.8	n.p.	n.p.	5.6
U62B Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	5.3	2.9	4.4	3.8	3.9	7.9	n.p.	2.5	4.2
U63A Major Affective Disorders W Cat/Sev CC or (Age>69 W/O Cat/Sev CC)	17.8	11.7	17.9	13.9	13.2	21.9	n.p.	n.p.	15.9
U66Z Eating and Obsessive–Compulsive Disorders	17.0	11.7	13.2	18.7	17.1	31.4	n.p.	n.p.	15.2
V61B Drug Intoxication and Withdrawal W/O CC	3.2	2.7	2.5	2.7	3.0	7.1	n.p.	n.p.	3.0
<b>All AR-DRGs</b>	<b>7.3</b>	<b>5.9</b>	<b>7.2</b>	<b>6.2</b>	<b>6.9</b>	<b>9.8</b>	<b>8.1</b>	<b>4.9</b>	<b>6.8</b>

(a) Separations for which the care type was acute, or was not reported and the length of stay was less than 366 days.

(b) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

Note: Abbreviations: W—with, W/O—without, CC—complications and comorbidities, ECT—electroconvulsive therapy, Cat/Sev—catastrophic or severe, O.R.—operating room, Psych—psychotic.

n.a. Not available.

n.p. Not published: based on less than 10 separations. Data for private hospitals in the Australian Capital Territory and Tasmania are also not published for confidentiality reasons.

**Table A4.17: Median length of stay (days) of overnight mental health-related separations<sup>(a)</sup> without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories,<sup>(b)</sup> 2001-02**

AR-DRG	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
<b>Description</b>	<b>Public acute hospitals</b>								
U65Z Anxiety Disorders	4	3	3	2	3	4	4	3	3
V60Z Alcohol Intoxication and Withdrawal	1	1	1	1	1	1	1	2	1
U64Z Other Affective and Somatoform Disorders	3	3	3	3	3	4	n.p.	1	3
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	10	10	9	10	10	10	14	7	10
V62A Alcohol Use Disorder and Dependence	5	4	4	5	4	2	n.p.	n.p.	4
U67Z Personality Disorders and Acute Reactions	2	2	2	2	2	3	n.p.	1	2
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	3	2	3	4	3	9	n.p.	4	3
U61B Schizophrenia Disorders W/O Mental Health Legal Status	2	1	2	3	2	6	n.p.	n.p.	2
B64Z Delirium	9	7	7	7	8	7	5	n.p.	8
V64Z Other Drug Use Disorder and Dependence	4	3	4	3	2	1	n.p.	n.p.	4
U62B Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	1	1	1	2	2	4	n.p.	2	1
V63Z Opioid Use Disorder and Dependence	4	4	5	5	3	n.p.	n.p.	..	4
U66Z Eating and Obsessive-Compulsive Disorders	7	5	7	9	7	21	n.p.	n.p.	7
V61B Drug Intoxication and Withdrawal W/O CC	1	1	1	2	2	n.p.	n.p.	n.p.	1
U63A Major Affective Disorders W Cat/Sev CC or (Age>69 W/O Cat/Sev CC)	10	4	8	8	7	4	n.p.	n.p.	8
<b>All AR-DRGs</b>	<b>4</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>4</b>	<b>3</b>	<b>2</b>	<b>3</b>
	<b>Private hospitals</b>								
U65Z Anxiety Disorders	2	5	3	4	1	2	n.p.	n.a.	4
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	13	10	12	14	11	14	n.p.	n.a.	12
U64Z Other Affective and Somatoform Disorders	10	8	7	6	7	9	n.p.	n.a.	7
V62A Alcohol Use Disorder and Dependence	18	8	11	4	5	7	n.p.	n.a.	10
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	15	9	7	5	6	10	n.p.	n.a.	10
U67Z Personality Disorders and Acute Reactions	17	6	8	3	3	5	n.p.	n.a.	10
U63A Major Affective Disorders W Cat/Sev CC or (Age>69 W/O Cat/Sev CC)	17	14	14	13	11	21	n.p.	n.a.	14
B64Z Delirium	10	9	11	8	10	11	n.p.	n.a.	10
V60Z Alcohol Intoxication and Withdrawal	4	5	5	1	2	3	..	n.a.	3
V64Z Other Drug Use Disorder and Dependence	13	13	11	1	n.p.	4	n.p.	n.a.	10
U61B Schizophrenia Disorders W/O Mental Health Legal Status	15	10	14	2	n.p.	6	..	n.a.	11
U68Z Childhood Mental Disorders	1	n.p.	n.p.	n.p.	..	n.p.	..	n.a.	1
V63Z Opioid Use Disorder and Dependence	2	8	14	2	n.p.	n.p.	..	n.a.	7
U66Z Eating and Obsessive-Compulsive Disorders	6	9	5	11	20	19	..	n.a.	9
O61Z Postpartum and Post Abortion W/O O.R. Procedure	5	5	4	4	4	n.p.	n.p.	n.a.	5
<b>All AR-DRGs</b>	<b>11</b>	<b>5</b>	<b>8</b>	<b>5</b>	<b>6</b>	<b>6</b>	<b>9</b>	<b>n.a.</b>	<b>7</b>

(continued)

**Table A4.17 (continued): Median length of stay (days) of overnight mental health-related separations<sup>(a)</sup> without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories,<sup>(b)</sup> 2001–02**

AR-DRG	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
<b>Description</b>	<b>All hospitals</b>								
U65Z Anxiety Disorders	4	4	3	2	3	3	3	3	3
U64Z Other Affective and Somatoform Disorders	3	3	4	4	4	7	4	1	4
V60Z Alcohol Intoxication and Withdrawal	1	1	1	1	1	2	1	2	1
B63Z Dementia and Other Chronic Disturbances of Cerebral Function	11	10	10	11	10	11	10	7	10
V62A Alcohol Use Disorder and Dependence	5	6	5	5	4	5	n.p.	n.p.	5
U67Z Personality Disorders and Acute Reactions	4	2	3	2	2	3	n.p.	1	2
U63B Major Affective Disorders Age<70 W/O Catastrophic or Severe CC	5	2	4	4	3	10	n.p.	4	4
B64Z Delirium	9	8	8	7	9	8	6	n.p.	8
U61B Schizophrenia Disorders W/O Mental Health Legal Status	2	1	2	3	2	6	n.p.	n.p.	2
V64Z Other Drug Use Disorder and Dependence	4	4	4	3	2	4	n.p.	n.p.	4
V63Z Opioid Use Disorder and Dependence	4	5	5	5	3	2	n.p.	..	4
U62B Paranoia & Acute Psych Disorder W/O Cat/Sev CC W/O Mental Health Legal Status	2	1	2	2	2	5	n.p.	2	1
U63A Major Affective Disorders W Cat/Sev CC or (Age>69 W/O Cat/Sev CC)	13	7	11	9	8	16	n.p.	n.p.	10
U66Z Eating and Obsessive–Compulsive Disorders	7	6	7	9	11	21	n.p.	n.p.	7
V61B Drug Intoxication and Withdrawal W/O CC	1	1	1	2	2	2	n.p.	n.p.	1
<b>All AR-DRGs</b>	<b>4</b>	<b>4</b>	<b>4</b>	<b>3</b>	<b>3</b>	<b>5</b>	<b>4</b>	<b>2</b>	<b>4</b>

(a) Separations for which the care type was acute, or was not reported.

(b) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

Note: Abbreviations: W—with, W/O—without, CC—complications and comorbidities, ECT—electroconvulsive therapy, Cat/Sev—catastrophic or severe, O.R.—operating room, Psych—psychotic.

.. Not applicable.

n.a. Not available.

n.p. Not published: based on less than 10 separations. Data for private hospitals in the Australian Capital Territory and Tasmania are also not published for confidentiality reasons.

**Table A4.18: The 15 most frequently reported procedures for same day mental health-related separations without specialised psychiatric care, states and territories,<sup>(a)</sup> 2001–02**

Procedure	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
93340–00 Electroconvulsive therapy [ECT] <=8 treatments	401	4,588	34	59	130	139	10	0	5,361
92502–02 Intravenous and inhalational general anaesthesia	400	3,940	133	46	176	148	16	4	4,863
92502–00 Intravenous general anaesthesia	117	467	1	18	0	1	0	0	604
56001–00 Computerised tomography of brain	143	144	70	27	26	7	2	4	423
92503–00 Intravenous sedation, anaesthetist controlled	117	134	28	24	24	22	3	0	352
93300–00 Psychiatric assessment	2	1	4	40	180	0	0	0	227
90901–00 Magnetic resonance imaging of brain	84	32	33	1	27	12	7	3	199
93340–01 Electroconvulsive therapy [ECT] >8 treatments	22	57	72	0	0	5	0	0	156
95550–01 Allied health intervention, social work	53	19	12	19	10	0	1	0	114
92006–00 Drug detoxification	102	3	1	3	1	0	0	0	110
92502–01 Inhalational general anaesthesia	65	10	20	1	0	0	0	2	98
56007–00 Computerised tomography of brain with intravenous contrast medium	32	25	12	3	5	1	0	1	79
30473–01 Panendoscopy to duodenum with biopsy	33	11	21	2	4	4	2	1	78
30473–00 Panendoscopy to duodenum	19	28	11	4	12	4	0	0	78
95550–03 Allied health intervention, physiotherapy	42	19	10	0	1	1	0	0	73

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

**Table A4.19: The 15 most frequently reported procedures for overnight mental health-related separations without specialised psychiatric care, states and territories,<sup>(a)</sup> 2001–02**

Procedure	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
95550–01 Allied health intervention, social work	3,204	2,243	1,248	906	1,058	97	54	17	8,827
95550–03 Allied health intervention, physiotherapy	2,320	2,173	806	650	738	124	39	13	6,863
95550–02 Allied health intervention, occupational therapy	1,562	1,436	433	395	397	71	14	12	4,320
56001–00 Computerised tomography of brain	1,358	1,162	618	327	480	109	40	19	4,113
92003–00 Alcohol detoxification	1,702	449	912	395	142	31	0	2	3,633
95550–00 Allied health intervention, dietetics	1,088	1,076	386	143	213	43	25	11	2,985
92006–00 Drug detoxification	1,521	202	520	222	34	3	0	1	2,503
95550–05 Allied health intervention, speech pathology	544	540	226	77	123	16	5	9	1,540
95550–10 Allied health intervention, psychology	604	346	243	34	73	63	18	0	1,381
92502–02 Intravenous and inhalational general anaesthesia	319	421	129	66	59	308	4	1	1,307
93300–00 Psychiatric assessment	130	29	248	179	685	0	0	0	1,271
95550–09 Allied health intervention, pharmacy	460	222	46	111	173	50	7	1	1,070
95550–11 Allied health intervention, other	752	110	82	49	58	3	2	3	1,059
92502–00 Intravenous general anaesthesia	488	9	413	17	0	3	1	0	931
92004–00 Alcohol rehabilitation and detoxification	189	416	287	1	2	0	0	0	895

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

**Table A4.20: Ambulatory-equivalent mental health-related separations with specialised psychiatric care by principal diagnosis in ICD-10-AM groupings, states and territories,<sup>(a)</sup> 2001–02**

Principal diagnosis	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
F00–F03 Dementia	99	55	15	3	0	0	0	0	172
F04–F09 Other organic mental disorders	4	52	107	61	1	1	0	0	226
F10 Mental and behavioural disorders due to use of alcohol	2,429	1,082	1,172	194	10	190	2	7	5,086
F11–F19 Mental and behav disorders due to other psychoactive substances use	684	299	380	288	9	37	6	6	1,709
F20 Schizophrenia	838	1,068	999	81	137	24	3	2	3,152
F21, F24, F28–F29 Schizotypal and other delusional disorders	93	20	40	44	2	18	0	0	217
F22 Persistent delusional disorders	110	18	37	9	2	1	2	1	180
F23 Acute and transient psychotic disorders	165	57	45	27	1	7	2	1	305
F25 Schizoaffective disorders	589	1,053	380	41	34	21	1	1	2,120
F30 Manic episode	35	33	9	0	3	0	1	0	81
F31 Bipolar affective disorders	496	1,832	559	324	85	58	0	2	3,356
F32 Depressive episode	4,781	5,445	4,291	1,902	157	142	5	2	16,725
F33 Recurrent depressive disorders	1,879	4,108	2,325	1,296	3	335	1	0	9,947
F34 Persistent mood (affective) disorders	372	283	722	215	20	74	1	0	1,687
F38, F39 Other and unspecified mood (affective) disorders	96	27	74	6	0	0	0	0	203
F40 Phobic anxiety disorders	331	287	200	209	1	13	0	0	1,041
F41 Other anxiety disorders	1,794	1,345	1,242	806	7	258	1	0	5,453
F42 Obsessive–compulsive disorders	178	334	125	258	2	7	0	0	904
F43 Reaction to severe stress and adjustment disorders	3,667	1,858	4,336	1,019	231	240	13	14	11,378
F44 Dissociative (conversion) disorders	6	109	558	11	10	4	0	0	698
F45, F48 Somatoform and other neurotic disorders	225	99	34	0	0	44	0	0	402
F50 Eating disorders	2,136	1,448	246	135	4	12	1	0	3,982
F51–F59 Other behav syndromes associated w phys dist and phys factors	45	206	343	95	1	0	0	0	690
F60 Specific personality disorders	860	830	275	119	47	177	6	0	2,314
F61–F69 Disorders of adult personality and behaviour	113	60	20	25	1	1	1	0	221
F70–F79 Mental retardation	6	1	13	1	0	1	1	0	23
F80–F89 Disorders of psychological development	32	63	37	33	0	12	0	0	177
F90 Hyperkinetic disorders	472	0	3	45	0	0	0	0	520
F91 Conduct disorders	1,875	222	34	115	0	0	0	0	2,246
F92–F98 Other and unspec disorders w onset childhood adolescence	211	81	2	94	0	0	0	0	388
F99 Mental disorder not otherwise specified	3	10	1	0	0	0	0	0	14
G30 Alzheimer's disease	4	16	2	1	0	0	0	0	23
G47 Sleep disorders	1	0	2	0	0	0	0	0	3
O99.3 Mental disorders and dis of the nerv sys complic preg, child and puerp	0	0	5	0	0	0	0	0	5
R44 Other symptoms and signs involving general sensations and perceptions	0	0	2	0	0	0	0	0	2
R45 Symptoms and signs involving emotional state	37	1	12	0	0	0	0	0	50
Other factors related to mental and behavioural disorders <sup>(a)</sup>	369	6	89	42	1	1	0	0	508
Other <sup>(b)</sup>	493	32	399	5	19	22	6	5	981
<b>Total</b>	<b>25,528</b>	<b>22,440</b>	<b>19,135</b>	<b>7,504</b>	<b>788</b>	<b>1,700</b>	<b>53</b>	<b>41</b>	<b>77,189</b>
<b>Age-standardised same day separation rate<sup>(c)</sup></b>	<b>3.89</b>	<b>4.66</b>	<b>5.29</b>	<b>3.94</b>	<b>0.52</b>	<b>3.61</b>	<b>0.16</b>	<b>0.21</b>	<b>3.98</b>
95% confidence interval	3.94–3.84	4.72–4.6	5.36–5.21	4.03–3.85	0.55–0.48	3.78–3.44	0.21–0.12	0.28–0.15	4–3.95

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

(b) All other codes not included in the mental health principal diagnosis as listed in Appendix 3.

(c) Indirect age-standardisation using the estimated resident population as at 30 June 2001.

Note: Abbreviations; behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium.

**Table A4.21: Ambulatory-equivalent mental health-related separations without specialised psychiatric care by principal diagnosis in ICD-10-AM groupings, states and territories,<sup>(a)</sup> 2001–02**

Principal diagnosis		NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
F00–F03	Dementia	49	45	15	3	6	1	0	0	119
F04–F09	Other organic mental disorders	17	31	20	11	3	3	0	0	85
F10	Mental and behavioural disorders due to use of alcohol	1,225	2,084	2,259	459	274	200	21	30	6,552
F11–F19	Mental and behav disorders due to other psychoactive substances use	354	203	472	103	61	20	2	4	1,219
F20	Schizophrenia	305	117	50	24	42	25	0	0	563
F21, F24, F28–F29	Schizotypal and other delusional disorders	58	62	10	8	5	3	0	1	147
F22	Persistent delusional disorders	26	42	9	4	3	3	0	0	87
F23	Acute and transient psychotic disorders	45	46	14	5	17	1	0	1	129
F25	Schizoaffective disorders	70	17	24	1	8	13	0	0	133
F30	Manic episode	12	18	0	1	2	13	0	0	46
F31	Bipolar affective disorders	132	91	34	11	19	30	0	0	317
F32	Depressive episode	453	470	347	64	78	275	3	1	1,691
F33	Recurrent depressive disorders	584	193	98	5	16	161	3	0	1,060
F34	Persistent mood (affective) disorders	44	17	184	3	4	57	0	0	309
F38, F39	Other and unspecified mood (affective) disorders	3	1	59	1	1	1	0	0	66
F40	Phobic anxiety disorders	44	2	20	0	0	2	0	0	68
F41	Other anxiety disorders	900	786	299	99	91	73	4	6	2,258
F42	Obsessive–compulsive disorders	35	0	3	0	4	0	0	0	42
F43	Reaction to severe stress and adjustment disorders	1,138	351	311	134	133	133	0	2	2,202
F44	Dissociative (conversion) disorders	68	40	28	6	18	6	0	3	169
F45, F48	Somatoform and other neurotic disorders	55	22	8	4	7	45	1	1	143
F50	Eating disorders	18	57	2	3	3	46	0	0	129
F51–F59	Other behav syndromes associated w phys dist and phys factors	41	77	22	3	4	4	0	1	152
F60	Specific personality disorders	173	89	38	28	20	32	0	0	380
F61–F69	Disorders of adult personality and behaviour	6	4	12	2	3	1	0	1	29
F70–F79	Mental retardation	4	11	2	2	0	0	0	0	19
F80–F89	Disorders of psychological development	13	5	7	1	2	0	0	1	29
F90	Hyperkinetic disorders	5	3	3	2	1	0	0	0	14
F91	Conduct disorders	29	63	5	0	2	0	1	0	100
F92–F98	Other and unspec disorders w onset childhood adolescence	12	54	1	0	1	1	0	0	69
F99	Mental disorder not otherwise specified	16	11	3	1	0	0	0	0	31
G30	Alzheimer's disease	18	10	3	1	1	1	0	0	34
G47	Sleep disorders	7	1,655	19	8	4	0	0	0	1,693
O99.3	Mental disorders and dis of the nerv sys complic preg, child and puerp	90	50	44	14	30	3	0	6	237
R44	Other symptoms and signs involving general sensations and perceptions	28	27	7	1	0	3	0	1	67
R45	Symptoms and signs involving emotional state	24	43	14	9	5	0	2	1	98
	Other factors related to mental and behavioural disorders <sup>(a)</sup>	44	51	12	4	0	3	1	1	116
	Other factors related to substance use <sup>(b)</sup>	4	1	0	0	0	0	0	0	5
	<b>Total</b>	<b>6,149</b>	<b>6,849</b>	<b>4,458</b>	<b>1,025</b>	<b>868</b>	<b>1,159</b>	<b>38</b>	<b>61</b>	<b>20,607</b>
	<b>Age-standardised same day separation rate<sup>(c)</sup></b>	<b>0.94</b>	<b>1.42</b>	<b>1.23</b>	<b>0.54</b>	<b>0.58</b>	<b>2.49</b>	<b>0.12</b>	<b>0.30</b>	<b>1.06</b>
	95% confidence interval	0.96–0.91	1.46–1.39	1.26–1.19	0.57–0.5	0.62–0.54	2.63–2.35	0.15–0.08	0.38–0.23	1.08–1.05

(a) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishments categorised as hospitals.

(b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

(c) Indirect age-standardisation using the estimated resident population as at 30 June 2001.

Note: Abbreviations; behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium.