

Mental health services in Australia 2002–03

The Australian Institute of Health and Welfare is Australia's national health and welfare statistics and information agency. The Institute's mission is *better health and wellbeing for Australians through better health and welfare statistics and information.*

Please note that as with all statistical reports there is the potential for minor revisions of data in *Mental Health Services in Australia 2002-03* over its one-year life. Please refer to the online version at <www.aihw.gov.au>.

MENTAL HEALTH SERIES

Number 6

Mental health services in Australia 2002–03

Australian Institute of Health and Welfare
Canberra

AIHW cat. no. HSE 35

© Australian Institute of Health and Welfare 2005

This work is copyright. Apart from any use as permitted under the *Copyright Act 1968*, no part may be reproduced without prior written permission from the Australian Institute of Health and Welfare. Requests and enquiries concerning reproduction and rights should be directed to the Head, Media and Publishing, Australian Institute of Health and Welfare, GPO Box 570, Canberra ACT 2601.

This publication is part of the Australian Institute of Health and Welfare's Mental Health Series. A complete list of the Institute's publications is available from the Publications Unit, Australian Institute of Health and Welfare, GPO Box 570, Canberra ACT 2601, or via the Institute's web site (www.aihw.gov.au).

ISSN 1443-6795

ISBN 1 74024 445 1

Suggested citation

Australian Institute of Health and Welfare (AIHW) 2005. Mental health services in Australia 2002–03. Canberra: AIHW (Mental Health Series no. 6).

Australian Institute of Health and Welfare

Board Chair
Hon. Peter Collins, AM, QC

Director
Dr Richard Madden

Any enquiries about or comments on this publication should be directed to:

Gail Weaving
Australian Institute of Health and Welfare
GPO Box 570
Canberra ACT 2601
Phone: (02) 6244 1050

Published by Australian Institute of Health and Welfare

Printed by Pirion Pty Ltd

Contents

List of tables	viii
List of figures	xix
List of boxes.....	xxii
Acknowledgments.....	xxiii
Abbreviations.....	xxiv
1 Overview	1
1.1 Changes in mental health care over time	1
1.2 Patient demographics.....	4
1.3 Mental health problems and disorders.....	8
1.4 Medication	10
1.5 Labour force.....	10
2 Introduction	12
2.1 Report structure	12
2.2 Background.....	13
2.3 Health service expenditure for mental health disorders.....	16
3 Ambulatory mental health care.....	18
3.1 Overview.....	18
3.2 Mental health care in general practice	24
3.3 Private psychiatrist services	48
3.4 Hospital outpatient services and community mental health care services	59
3.5 Commonwealth State/Territory Disability Agreement-funded mental health-related non-residential care provided by disability support services.....	72
3.6 Ambulatory-equivalent mental health-related separations.....	73
4 Residential and admitted patient mental health care.....	86
4.1 Definition of mental health-related separations.....	87
4.2 National overview	87
4.3 Admitted patient mental health care	90

4.4	Residential care provided by public residential mental health care establishments	93
4.5	Commonwealth State/Territory Disability Agreement-funded residential mental health care provided by disability support services	93
5	Specialised admitted patient mental health care.....	109
5.1	Overview	109
5.2	Patient demographics.....	110
5.3	Principal diagnosis.....	121
5.4	Australian Refined Diagnosis Related Groups.....	140
5.5	Procedures	141
5.6	Mode of admission	150
5.7	Mode of separation.....	150
5.8	Care type	150
6	Non-specialised mental health care for admitted patients	157
6.1	Overview	157
6.2	Patient demographics.....	160
6.3	Principal diagnoses.....	165
6.4	Australian Refined Diagnosis Related Groups.....	180
6.5	Procedures	180
6.6	Mode of admission	181
6.7	Mode of separation.....	181
6.8	Care type	181
7	Specialised mental health care resources.....	193
7.1	Specialised mental health care labour force.....	193
7.2	Public community mental health establishments	201
7.3	Psychiatric and acute care hospitals.....	204
8	Mental health care for schizophrenia and related disorders.....	221
8.1	Prevalence	224
8.2	Mental health care.....	226
8.3	Health service expenditure for schizophrenia.....	228
	Appendix 1: Data sources.....	237
	Introduction.....	237
	Data collections	238

Appendix 2: Definitions of mental health-related care and medications, and of ambulatory-equivalent separations	246
National Hospital Morbidity Database	246
Bettering the Evaluation and Care of Health.....	248
Commonwealth State/Territory Disability Agreement National Minimum Data Set....	248
Repatriation Pharmaceutical Benefits Scheme and Pharmaceutical Benefits Scheme.....	248
Appendix 3: State and territory ambulatory and admitted patient mental health care data	250
Ambulatory and ambulatory-equivalent mental health care.....	250
Admitted patient mental health care	250
Appendix 4: National Survey of Mental Health Services.....	285
Comparison with NCMHED data.....	285
Comparison with NCMHCD data	285
Comparison with NPHEd data.....	286
References	298
Index (available on the Internet at < www.aihw.gov.au >)	

List of tables

2 Introduction

Table 2.1:	Persons with a psychiatric disability ('000) by age group, sex and profound/severe core activity limitation, Australia, 2003.....	15
Table 2.2:	Health system costs of mental disorders and Alzheimer's disease and other dementias in Australia, 1993-94 and 2000-01 (\$ millions)	17

3 Ambulatory mental health care

Overview of ambulatory mental health care

Table 3.1:	Summary of ambulatory mental health care provided by general practitioners and private psychiatrists and ambulatory-equivalent mental health admitted-patient care in hospitals, Australia, 1998	21
Table 3.2:	Summary of ambulatory mental health care provided by general practitioners, private psychiatrists, hospitals and community-based services, states and territories, 2002-03	22
Table 3.3:	Summary of available data for ambulatory mental health care provided by general practitioners and private psychiatrists, states and territories, 2003-04	23
Table 3.4:	Most frequent reported mental health-related reasons for encounter, by patient sex, BEACH, 2003-04	28
Table 3.5:	Most frequently reported mental health-related problems managed, by patient sex, BEACH, 1998-99 to 2003-04.....	29
Table 3.6:	Most frequently reported mental health-related problems managed, by patient sex, BEACH, 2003-04	31
Table 3.7:	Referrals for mental health-related problems, BEACH, 2003-04.....	35
Table 3.8:	The most frequently referred mental health-related problems, by patient sex, BEACH, 2003-04	36
Table 3.9:	Mental health-related problems most frequently referred by GPs to psychiatrists, by patient sex, BEACH, 2003-04	37
Table 3.10:	Clinical treatments provided by GPs for mental health-related problems, BEACH, 2003-04	38
Table 3.11:	Mental health-related problems for which GPs most frequently used clinical treatment, by patient sex, BEACH, 2003-04	39

Table 3.12:	Medications most commonly prescribed, supplied or recommended by GPs for mental health-related problems, by drug group and generic drug name, by patient sex, BEACH, 2003–04.....	40
Table 3.13:	Mental health-related problems most frequently managed by medication and medication rate per 100 problems managed, by patient sex, BEACH, 2003–04	42
Table 3.14:	PBS-subsidised mental health-related prescriptions by non-psychiatrists, by Anatomical Therapeutic Chemical group, Australia, 1998–99 to 2003–04	44
Table 3.15:	PBS and RPBS-subsidised mental health-related prescriptions by non-psychiatrists, by Anatomical Therapeutic Chemical group, states and territories, 2003–04.....	45
Table 3.16:	PBS-funded expenditure (\$'000) on mental health-related medications prescribed by non-psychiatrists, by Anatomical Therapeutic Chemical group, Australia, 1998–99 to 2003–04.....	46
Table 3.17:	PBS and RPBS-funded expenditure (\$'000) on mental health-related medications prescribed by non-psychiatrists, by Anatomical Therapeutic Chemical group, states and territories, 2003–04.....	47

Private psychiatrist services

Table 3.18:	Private psychiatrist services subsidised through Medicare by schedule item, states and territories, 2003–04	50
Table 3.19:	Private psychiatrist services subsidised through Medicare by schedule item, patient sex and age group, Australia, 2003–04	51
Table 3.20:	Medicare expenditure (\$'000) on services provided by private psychiatrists (current prices), by schedule item, Australia, 1998–99 to 2003–04.....	53
Table 3.21:	Medicare expenditure (\$'000) on services provided by private psychiatrists by schedule item, states and territories, 2003–04	54
Table 3.22:	Selected PBS-subsidised prescriptions by private psychiatrists, by Anatomical Therapeutic Chemical group, Australia, 1998–99 to 2003–04	55
Table 3.23:	PBS and RPBS-subsidised prescriptions by private psychiatrists, by Anatomical Therapeutic Chemical group, states and territories, 2003–04	56
Table 3.24:	PBS-funded expenditure (\$'000) on selected medications prescribed by private psychiatrists, by Anatomical Therapeutic Chemical group, Australia, 1998–99 to 2003–04	57
Table 3.25:	PBS and RPBS-funded expenditure (\$'000) on medications prescribed by private psychiatrists, by Anatomical Therapeutic Chemical group, states and territories, 2003–04	58

Community mental health care

Table 3.26:	Community mental health care service contacts and per 1,000 population by sex and age group, Australia, 2002–03	64
Table 3.27:	Community mental health care service contacts and per 1,000 population by Indigenous status, states and territories, 2002–03	65

Table 3.28:	Community mental health care service contacts by mental health legal status, states and territories, 2002–03	66
Table 3.29:	Community mental health care service contacts by marital status, states and territories, 2002–03	67
Table 3.30:	Community mental health care service contacts and per 1,000 population, by selected country/region of birth, Australia, 2002–03.....	68
Table 3.31:	Community mental health care service contacts and per 100,000 population, by Remoteness area of usual residence, Australia, 2002-03	70
Table 3.32:	Community mental health care service contacts by principal diagnosis in ICD-10-AM groupings, Australia, 2002–03	71

Ambulatory-equivalent mental health-related separations

Table 3.33:	Summary of ambulatory-equivalent mental health-related separations, states and territories, 2002–03	78
Table 3.34:	Ambulatory-equivalent mental health-related separations, by mental health legal status and hospital type, states and territories, 2002–03.....	79
Table 3.35:	Ambulatory-equivalent mental health-related separations, by sex and age group, Australia 2002–03	80
Table 3.36:	Ambulatory-equivalent mental health-related separations, by Indigenous status and Remoteness area of usual residence, Australia, 2002–03	81
Table 3.37:	Ambulatory-equivalent mental health-related separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, Australia, 2002–03	82
Table 3.38:	Ambulatory-equivalent mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, Australia, 2002–03.....	83
Table 3.39:	The 30 most frequently reported procedures for ambulatory-equivalent mental health-related separations, with and without specialised psychiatric care, all hospitals, Australia, 2002–03	84
Table 3.40:	The 30 most frequently reported AR-DRGs for ambulatory-equivalent mental health-related separations, Australia, 2002–03	85

4 Residential and admitted patient mental health care overview

Overview of residential and admitted patient mental health care

Table 4.1:	Mental health-related separations and patient-days, Australia, 1998–99 to 2002–03	96
Table 4.2:	Summary of separations for residential and admitted patient mental health care, states and territories, 2002–03	98
Table 4.3:	Summary of patient-days for admitted patient mental health care, states and territories, 2002–03	102

Table 4.4:	Separations, patient-days and psychiatric care days for separations with specialised psychiatric care or any mental health-related diagnosis, Australia, 2002-03.....	106
------------	---	-----

Principal diagnosis

Table 4.5:	Separations, patient days and psychiatric care days for mental health-related separations by, principal diagnosis in ICD-10-AM chapter groupings, Australia, 2002-03	107
------------	--	-----

5 Specialised admitted patient mental health care

Patient demographics

Table 5.1:	Mental health-related separations with specialised psychiatric care, by age group and sex, Australia 2002-03.....	114
Table 5.2:	Separations with specialised psychiatric care, by mental health legal status and hospital type, Australia, 1998-99 to 2002-03.....	115
Table 5.3:	Separations with specialised psychiatric care, by mental health legal status, sex and age group, Australia, 2002-03.....	116
Table 5.4:	Separations with specialised psychiatric care, by mental health legal status and hospital type, states and territories, 2002-03	117
Table 5.5:	Mental health-related separations with specialised psychiatric care, by Remoteness Area of usual residence of the patient, by hospital type and state or territory of usual residence, 2002-03.....	119
Table 5.6:	Mental health-related separations with specialised psychiatric care, by Indigenous status and Remoteness Area of usual residence, Australia, 2002-03	120

Principal diagnosis

National overview

Table 5.7:	Separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings and hospital type, Australia, 1998-99 to 2002-03.....	124
Table 5.8:	Separations, patient days and psychiatric care days for separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, Australia, 2002-03.....	126
Table 5.9:	Separations, patient-days and psychiatric care days for separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings and hospital type, Australia, 2002-03	127

Sex and age group

Table 5.10:	Separations with specialised psychiatric care for male patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2002-03	132
-------------	--	-----

Aboriginal and Torres Strait Islander peoples

Table 5.12:	Mental health-related separations, patient days and psychiatric care days for separations with specialised psychiatric care reported for Aboriginal and Torres Strait Islander peoples, by principal diagnosis in ICD-10-AM groupings, Australia, 2002–03.....	134
-------------	--	-----

Mental health legal status

Table 5.13:	Separations with specialised psychiatric care by mental health legal status and principal diagnosis in ICD-10-AM groupings, and hospital type, Australia, 2002–03.....	135
-------------	--	-----

Additional diagnoses

Table 5.14:	Separations, patient-days and psychiatric care days for separations with specialised psychiatric care, with a mental health-related additional diagnosis, by principal diagnosis in ICD-10-AM chapter groupings, Australia, 2002–03.....	136
Table 5.15:	Separations, patient-days and psychiatric care days for separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings and presence of an additional mental health-related condition, Australia, 2002–03.....	137
Table 5.16:	Separations, patient-days and psychiatric care days for the top five additional mental health-related diagnoses for separations with specialised psychiatric care, by selected mental health-related principal diagnosis, Australia, 2002–03.....	138

Self-harm

Table 5.17:	Separation statistics for separations with specialised psychiatric care, with an external cause of injury or poisoning reported as intentional self-harm, by principal diagnosis in ICD-10-AM groupings, Australia, 2002–03	139
-------------	---	-----

Australian Refined Diagnosis Related Groups

National overview

Table 5.18:	The 30 most frequently reported AR-DRGs version 5.0 for separations with specialised psychiatric care, Australia, 2002–03.....	142
Table 5.19:	Separations, patient-days and psychiatric care days for separations with specialised psychiatric care for the 30 most frequently reported AR-DRGs version 5.0, public acute hospitals, Australia, 2002–03	143
Table 5.20:	Separations, patient-days and psychiatric care days for separations with specialised psychiatric care for the 30 most frequently reported AR-DRGs version 5.0, private hospitals, Australia, 2002–03	144
Table 5.21:	Separations, patient-days and psychiatric care days for separations with specialised psychiatric care for the 30 most frequently reported AR-DRGs version 5.0, public psychiatric hospitals, Australia, 2002–03	145

Procedures

Table 5.22:	The 30 most frequently reported procedures for separations with specialised psychiatric care, by hospital type, Australia, 2002–03.....	146
Table 5.23:	Separations with specialised psychiatric care by mode of admission and hospital type, states and territories, 2002–03	151
Table 5.24:	Separations with specialised psychiatric care, by mode of separation and hospital type, states and territories, 2002–03	152

Care type

Table 5.25:	Separations with specialised psychiatric care, by care type and hospital type, states and territories, 2002–03	154
Table 5.26:	Patient-days for separations with specialised psychiatric care, by care type and hospital type, states and territories, 2002–03	155
Table 5.27:	Psychiatric care days for separations with specialised psychiatric care, by type of episode of care and hospital type, states and territories, 2002–03.....	156

6 Non-specialised admitted patient mental health care

Patient demographics

Table 6.1:	Mental health-related separations without specialised psychiatric care, by age group and sex, Australia 2002–03.....	162
Table 6.2:	Mental health-related separations without specialised psychiatric care, by Remoteness Area of usual residence of the patient, by hospital type and state or territory of usual residence, 2002–03.....	163
Table 6.3:	Mental health-related separations without specialised psychiatric care, by Indigenous status and Remoteness Area of usual residence, Australia, 2002–03	164

Principal diagnosis

National overview

Table 6.4:	Mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings and hospital type, Australia, 1998–99 to 2002–03.....	169
Table 6.5:	Mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, Australia, 2002–03.....	171
Table 6.6:	Separations and patient-days for mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings and hospital type, Australia, 2002–03	172

Sex and age group

Table 6.7:	Mental health-related separations without specialised psychiatric care for male patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2002-03	173
Table 6.8:	Mental health-related separations without specialised psychiatric care for female patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2002-03	174

Aboriginal and Torres Strait Islander peoples

Table 6.9:	Mental health-related separations and patient-days without specialised psychiatric care reported for Aboriginal and Torres Strait Islander peoples, by principal diagnosis in ICD-10-AM groupings, Australia, 2002-03	175
------------	---	-----

Additional diagnoses

Table 6.10:	Separations and patient-days for separations without specialised psychiatric care, with a mental health-related additional diagnosis, by principal diagnosis in ICD-10-AM chapter groupings, Australia, 2002-03 ...	176
Table 6.11:	Separations and patient-days for mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings and presence of an additional mental health-related condition, Australia, 2002-03	177
Table 6.12:	Separations and patient-days for the top five additional mental health-related diagnoses for separations without specialised psychiatric care by selected mental health-related principal diagnosis, Australia, 2002-03	178

Self-harm

Table 6.13:	Separations without specialised psychiatric care, with an external cause of injury or poisoning reported as intentional self-harm, by principal diagnosis in ICD-10-AM groupings, Australia, 2002-03	179
-------------	--	-----

Australian Refined Diagnosis Related Groups

Table 6.14:	The 30 most frequently reported AR-DRGs for mental health-related separations without specialised psychiatric care, Australia, 2002-03	183
Table 6.15:	Separations and patient-days for mental health-related separations without specialised psychiatric care for the 30 most frequently reported AR-DRGs, public acute hospitals, Australia, 2002-03	184
Table 6.16:	Separations and patient-days for mental health-related separations without specialised psychiatric care for the 30 most frequently reported AR-DRGs, private hospitals, Australia, 2002-03	185

Procedures

Table 6.17:	The 30 most frequently reported procedures for mental health-related separations without specialised psychiatric care, by hospital type, Australia, 2002-03	186
-------------	---	-----

Mode of admission and separation

Table 6.18:	Mental health-related separations without specialised psychiatric care, by mode of admission and hospital type, states and territories, 2002–03	189
Table 6.19:	Mental health-related separations without specialised psychiatric care, by mode of separation and hospital type, states and territories, 2002–03	190

Care type

Table 6.20:	Mental health-related separations without specialised psychiatric care, by care type and hospital type, states and territories, 2002–03	191
Table 6.21:	Patient-days for mental health-related separations without specialised psychiatric care, by care type and hospital type, states and territories, 2002–03	192

7 Specialised mental health care resources

Labour force

Table 7.1:	Psychiatrists and psychiatrists-in-training, by Remoteness Area of main place of work, Australia, 1998 to 2002	195
Table 7.2:	Psychiatrists and psychiatrists-in-training by sex, Australia, 1998 to 2002....	196
Table 7.3:	Psychiatrists and psychiatrists-in-training by age and sex, Australia, 2002 ..	197
Table 7.4:	Psychiatrists and psychiatrists-in-training by sex, states and territories, 2002	198
Table 7.5:	Medicare-funded full-time-equivalent private psychiatrists, by Remoteness Area of psychiatrists' services, states and territories, 2003–04	199
Table 7.6:	Mental health nurses by age and sex, Australia, 2001	200
Table 7.7:	Persons employed as clinical psychologists by age and sex, Australia, 2001	200
Table 7.8:	Persons employed as clinical psychologists per 100,000 population, states and territories, 2001	200

Public community mental health establishments

Table 7.9:	Summary of public and private psychiatric hospitals and public community mental health establishments, Australia, 1998–99 to 2002–03.....	203
Table 7.10:	Public community mental health establishments, establishments with residential care services, available beds and available beds per 100,000 population, states and territories, 2002–03	204
Table 7.11:	Full-time-equivalent staff, public community mental health establishments, states and territories, 2002–03	205
Table 7.12:	Salaries and wages expenditure (\$'000), public community mental health establishments, states and territories, 2002–03	206
Table 7.13:	Non-salary and total recurrent expenditure (\$'000), public community mental health establishments, states and territories, 2002–03	207

Psychiatric and acute care hospitals

Table 7.14:	Public psychiatric hospitals and available beds by Remoteness Area, states, 2002–03	210
Table 7.15:	Full-time-equivalent staff, public psychiatric hospitals, states, 2002–03	211
Table 7.16:	Salaries and wages expenditure (\$'000), public psychiatric hospitals, states, 2002–03	212
Table 7.17:	Non-salary expenditure and total recurrent expenditure (\$'000), public psychiatric hospitals, states, 2002–03	213
Table 7.18:	Revenue (\$'000), public psychiatric hospitals, states, 2002–03	214
Table 7.19:	Public acute hospitals with psychiatric units or wards, by Remoteness Area, states and territories, 2002–03	216
Table 7.20:	Private psychiatric hospitals, available beds and available beds per 1,000 population, states, 2002–03	217
Table 7.21:	Full-time-equivalent staff, private psychiatric hospitals, states, 2002–03	217
Table 7.22:	Salaries and wages expenditure (\$'000), private psychiatric hospitals, states, 2002–03	218
Table 7.23:	Non-salary expenditure (\$'000), and total recurrent expenditure (\$'000), private psychiatric hospitals, states, 2002–03	219
Table 7.24:	Revenue (\$'000), private psychiatric hospitals, states, 2002–03	220

8 Mental health care for schizophrenia

Table 8.1:	Community mental health care service contacts with a principal diagnosis of schizophrenia, by sex and age group, Australia, 2002–03	230
Table 8.2:	Highly Specialised Drugs Program expenditure (\$'000) on clozapine, by state or territory, 1998–99 to 2003–04	231
Table 8.3:	Highly Specialised Drugs Program: number of packs and prescriptions for clozapine, by hospital sector and state or territory, 2003–04	231
Table 8.4:	Number of separations and patient-days for separations with a principal diagnosis of schizophrenia, by hospital type, Australia, 1998–99 to 2002–03	232
Table 8.5:	Health system costs of schizophrenia in Australia, 2000–01 and 1993–94 (\$ millions)	233

Appendix 1: Data sources

Table A1.1:	Counts of service contacts and estimated number of clients, states and territories, 2000–01 to 2002–03	245
-------------	--	-----

Appendix 3: State and territory ambulatory and admitted patient mental health care data

Table A3.1:	Ambulatory-equivalent mental health-related separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, public hospitals, states and territories, 2002–03	251
-------------	---	-----

Table A3.2:	Ambulatory-equivalent mental health-related separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, private hospitals, states and territories, 2002-03	252
Table A3.3:	Ambulatory-equivalent mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, public hospitals, states and territories, 2002-03	253
Table A3.4:	Ambulatory-equivalent mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, private hospitals, states and territories, 2002-03.....	254
Table A3.5:	Community mental health service contacts, by sex and age group, states and territories, 2002-03	255
Table A3.6:	Community mental health service contacts, by principal diagnosis, states and territories, 2002-03	256
Table A3.7:	Same day separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, states and territories, 2002-03	258
Table A3.8:	Overnight separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, public hospitals, states and territories, 2002-03	259
Table A3.9:	Overnight separations with specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, private hospitals, states and territories, 2002-03	260
Table A3.15:	Average length of stay (days) for overnight separations with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by hospital type, states and territories, 2002-03	267
Table A3.18:	The 15 most frequently reported procedures for overnight separations with specialised psychiatric care, states and territories, 2002-03	271
Table A3.19:	Same day mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, public hospitals, states and territories, 2002-03	272
Table A3.20:	Same day mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, private hospitals, states and territories, 2002-03	273
Table A3.21:	Overnight mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, public hospitals, states and territories, 2002-03	274
Table A3.22:	Overnight mental health-related separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, private hospitals, states and territories, 2002-03	275
Table A3.23:	Patient days for mental health-related overnight separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, public hospitals, states and territories, 2002-03	276
Table A3.24:	Patient days for mental health-related overnight separations without specialised psychiatric care, by principal diagnosis in ICD-10-AM groupings, private hospitals, states and territories, 2002-03.....	277

Table A3.29: The 15 most frequently reported procedures for overnight mental health-related separations without specialised psychiatric care, states and territories, 2002-03.....	284
--	-----

Appendix 5: Internet tables

(The following tables are available on the Internet at <www.aihw.gov.au>)

Table A5.1: Number of overnight mental health-related separations per 1,000 population by hospital type, Australia, 1998-99 to 2002-03	
Table A5.2: Number patient days per 1,000 population for overnight mental health-related separations by hospital type, Australia, 1998-99 to 2002-03	
Table A5.3: Private psychiatrist services subsidised through Medicare by schedule item, states and territories, 2002-03	
Table A5.4: Private psychiatrist services subsidised through Medicare by schedule item, sex and age group, 2002-03	
Table A5.5: Overnight separations with specialised psychiatric care for 15 most frequently reported AR-DRGs, by sex and age group, Australia, 2002-03	
Table A5.6: Overnight mental health-related separations without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by sex and age group, Australia, 2002-03	
Table A5.7: Average length of stay (days) for overnight separations with specialised psychiatric care for the most 15 frequently reported AR-DRGs, by sex, Australia, 2002-03	
Table A5.8: Average length of stay (days) for overnight mental health-related separations without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by sex, Australia, 2002-03	
Table A5.9: Median length of stay (days) for overnight separations with specialised psychiatric care for the 15 most frequently reported AR-DRGs, by sex, Australia, 2002-03	
Table A5.10: Median length of stay (days) for overnight mental health-related separations without specialised psychiatric care for the 15 most frequently reported AR-DRGs, by sex, Australia, 2002-03	
Table A5.11: Separations with specialised psychiatric care by source of referral to public psychiatric hospital, states and territories, 2002-03	
Table A5.12: Public psychiatric hospitals reporting to NPHEd for 2002-03	
Table A5.13: Public community mental health establishments reporting to NCMHED for 2002-03	
Table A5.14: Public hospitals reporting separations with psychiatric care days to NHMD for 2002-03	
Table A5.15: Public community mental health establishments reporting service contacts to NCHMCD for 2002-03	

List of figures

1 Overview

Figure 1.1:	Mental health-related general practice encounters per 1,000 population, 1998–99 to 2003–04.....	1
Figure 1.2:	Medicare-funded psychiatrist attendances per 1,000 population, 1998–99 to 2003–04.....	1
Figure 1.3:	Ambulatory-equivalent mental health-related separations per 1,000 population, by hospital sector, Australia, 1998–99 to 2002–03.....	2
Figure 1.4:	CSTDA-funded disability support services received by people with a psychiatric disability per 100,000 population, 1998 to 2002.....	2
Figure 1.5:	Non-ambulatory-equivalent mental health-related separations by hospital type, 1998–99 to 2002–03.....	3
Figure 1.6:	Patient-days attributed to overnight mental health-related separations by hospital type, 1998–99 to 2002–03.....	3
Figure 1.7:	Average and median length of stay for selected mental health-related overnight separations by hospital type, 1998–99 to 2002–03.....	4
Figure 1.8:	Mental health-related general practice encounters by age group and sex of patient, 2003–04.....	4
Figure 1.9:	Medicare-funded psychiatrist attendances per 1,000 population by age group and sex of patient, 2003–04.....	4
Figure 1.10:	Community mental health service contacts per 1,000 population by age group and sex of patient, 2002–03.....	5
Figure 1.11:	Ambulatory-equivalent mental health-related separations per 1,000 population by age group and sex of patient, 2002–03.....	5
Figure 1.12:	Non-ambulatory-equivalent mental health-related separations per 1,000 population by age group and sex of patient, 2002–03.....	6
Figure 1.13:	Non-ambulatory-equivalent mental health-related separations per 1,000 population by Remoteness Area of usual residence, 2002–03.....	6
Figure 1.14:	Ambulatory-equivalent mental health-related separations per 1,000 population by Indigenous status, 2002–03.....	7
Figure 1.15:	Non-ambulatory-equivalent mental health-related separations per 1,000 population by Indigenous status, 2002–03.....	7
Figure 1.16:	Mental health-related problems managed by general practitioners, 2003–04 ...	8
Figure 1.17:	Principal diagnoses for service contacts, public community mental health care, 2002–03.....	8
Figure 1.18:	Principal diagnoses for ambulatory-equivalent mental health-related separations, with specialised psychiatric care, 2002–03.....	9

Figure 1.19:	Principal diagnoses for ambulatory-equivalent mental health-related separations, without specialised psychiatric care, 2002-03	9
Figure 1.20:	Principal diagnoses for non-ambulatory-equivalent mental health-related separations, public hospitals, 2002-03.....	9
Figure 1.21:	Non-ambulatory-equivalent mental health-related separations with specialised psychiatric care, 2002-03	10
Figure 1.22:	Principal diagnoses for non-ambulatory-equivalent mental health-related separations, private hospitals, 2002-03.....	10
Figure 1.23:	Selected PBS-funded mental health-related prescriptions per 1,000 population, 1998-99 to 2003-04	10
Figure 1.24:	Psychiatrists per 100,000 population by Remoteness Area, 1998 to 2002	11
Figure 1.25:	Mental health nurses per 100,000 population by Remoteness Area, 1997 to 2001.....	11
Figure 1.26:	Mental health nurses by age and sex, Australia, 2001	11

3 Ambulatory mental health care

Figure 3.1:	Data reported for encounters at which a mental health-related problem was managed, BEACH, 2003-04.....	26
Figure 3.2:	Mental health-related encounters by age group and sex of patients, BEACH, 2003-04	27
Figure 3.3:	Medications per 100 mental health-related problems managed, by sex and age group of patient, BEACH, 2003-04	43
Figure 3.4:	Summary of data reported for psychiatric disability, all CSTDA-funded ambulatory disability support services (non-residential), 1 January to 30 June, 2003	77

4 Residential and admitted patient mental health care overview

Figure 4.1:	Summary of data reported for mental health-related separations, all hospitals, Australia, 2002-03	95
Figure 4.2:	Data reported for CSTDA-funded residential disability support services for persons with a psychiatric disability, Australia, 2002-03	108

5 Specialised residential and admitted patient mental health care

Figure 5.1:	Data reported for mental health-related separations with specialised psychiatric care, all hospitals, Australia, 2002-03	113
-------------	--	-----

6 Specialised residential and admitted patient mental health care

Figure 6.1:	Data reported for mental health-related separations without specialised psychiatric care, all hospitals, Australia, 2002-03	159
-------------	---	-----

8 Mental health care for schizophrenia

Figure 8.1: Data reported for general practice encounters at which schizophrenia was managed, BEACH, 2002-03..... 234

Figure 8.2: Data reported for ambulatory-equivalent mental health-related separations with a principal diagnosis of schizophrenia, all hospitals, Australia, 2002-03 235

Figure 8.3: Data reported for non-ambulatory-equivalent mental health-related separations with a principal diagnosis of schizophrenia, all hospitals, Australia, 2002-03..... 236

List of boxes

2 Introduction

Box 2.1:	National Mental Health Strategy.....	14
----------	--------------------------------------	----

4 Residential and admitted patient mental health care overview

Box 4.1:	Measuring hospital activity.....	89
Box 4.2:	State and territory differences in the scope of services provided for admitted patients.....	91

5 Specialised residential and admitted patient mental health care

Box 5.1:	Specialised psychiatric care and principal diagnosis	122
----------	--	-----

7 Specialised mental health care resources

Box 7.1:	Expenditure and staffing data for public psychiatric hospital-based services provided to non-admitted patients	209
----------	---	-----

8 Mental health care for depression

Box 8.1:	Schizophrenia data sources, type of data and classification system used.....	224
----------	--	-----

Acknowledgments

This report would not have been possible without the valued cooperation and effort of the data providers in the health authorities of the states and territories. The Australian Institute of Health and Welfare (AIHW) would like to express its appreciation for their timely supply of the data and their assistance with data validation. The AIHW also wishes to thank the members of the Australian Health Ministers' Advisory Council National Mental Health Working Group Information Strategy Committee who helped plan this report and provided advice on its content. The AIHW would also like to acknowledge the funding, assistance and data provided by the Australian Government Department of Health and Ageing for this project.

Within the AIHW, the report was prepared by Katrina Burgess, Emma Donoghue, Jenny Hargreaves, Danielle Sellick, Gail Weaving and Michelle Wilson, with assistance from Jacqueline Cousins, Alannah Smith and Ian Titulaer. Ainsley Morrissey coordinated the publication process.

Abbreviations

ABS	Australian Bureau of Statistics
AHMAC	Australian Health Ministers' Advisory Council
AIHW	Australian Institute of Health and Welfare
ALOS	Average length of stay
AR-DRG	Australian Refined Diagnosis Related Group
ATC	Anatomical Therapeutic Chemical classification
BEACH	Bettering the Evaluation and Care of Health survey of general practice activity
CADE	Confused and disturbed elderly
CSTDA	Commonwealth State/Territory Disability Agreement
CSTDA NMDS	Commonwealth State/Territory Disability Agreement National Minimum Data Set
DHA	Department of Health and Ageing
FTE	Full-time-equivalent
HIC	Health Insurance Commission
ICD-10-AM	International Statistical Classification of Diseases and Related Health Problems, 10th Revision, Australian Modification
ICPC-2	International Classification of Primary Care, 2nd edition
LCL	Lower confidence limit
NCMHED	National Community Mental Health Establishments Database
NCMHCD	National Community Mental Health Care Database
NHDD	National Health Data Dictionary
NHMD	National Hospital Morbidity Database
NMDS	National Minimum Data Set
NMHWG	National Mental Health Working Group
NPHEd	National Public Hospital Establishments Database
NSMHS	National Survey of Mental Health Services
PBS	Pharmaceutical Benefits Scheme
PHEC	Private Health Establishments Collection
RANZCP	Royal Australian and New Zealand College of Psychiatrists
RFE	Reason for encounter
RPBS	Repatriation Pharmaceutical Benefits Scheme
UCL	Upper confidence limit