

# **INDEX**

**A**

- A2 antagonists, 92–3
- abbreviations of name suffixes, 369
- abbreviations of name titles, 371
- abbreviations of names, 229, 254
- abdominal aortic aneurism, 621–4
- abdominal injuries, 77–8
- abnormalities, structural, 130–1
- Aboriginal health services, 600
- Aboriginal persons, *see* Indigenous peoples
- abortions, 433, 475–6
  - threatened, 129
- absent patients, at non-admitted patient service events, 390
- access to formal community support services, 242
- accident and emergency nursing, 482
- accidents, *see* injuries
- accommodation, 17, 602–3, 615
  - address, 29–30
  - discharges/transfers to, 358–9
  - expenses, 193, 399–400
  - income from, 430, 503–4
- accommodation chargeable status, 38–9
- ACE inhibitors, 92–3
- active foot lesions, 236–7
- activity when injured, 22–3
- actual place of birth, 24
- acute care, 25, 94–5
  - persons recovering from, 261–2
- acute care hospitals, 216, 600
  - admitted patients, employment status of, 205–6
  - day centres/hospitals, 215, 217
  - discharges/transfers to others, 358–9
  - nursing home beds, 603
  - psychiatric/mental health patients, 505, 588–90, 615
- acute newborn days, 37
- acute renal dialysis units, 539
- acute spinal cord injury units, 539
- additional diagnosis, 26–7
- addresses, 16, 28–30, 55–8
  - postal delivery point identifiers, 463–4
  - suburbs/towns/localities, 547
  - see also* geographical location; home; telephone numbers
- administrative expenses, 31, 304, 399–400
- administrative staff, 243–4, 517–18, 718
- administrators (managers), 115, 487–8
- admissions and admitted patient care, 32–9, 279–86, 437
  - available beds, 401–2
  - care type, 25, 94–7
  - censuses, 281, 445
  - congenital malformations, 130
  - date of admission, 33–4: scheduled, 521, 619
  - date patient presents, 171–2
  - Department of Veterans' Affairs patients, 177
  - diagnosis, 336–7: principal, 483–4
  - elective care, 197–8, 284
  - elective surgery waiting list, reason for removal from, 501–2
  - from emergency departments, 201–3, 616–17
  - funding source, 245–6
  - health outcome, 266–7
  - hospital boarders, 97, 280
  - infants, weight on date admitted, 306–7
  - for injuries, 22, 23, 95, 222–3, 461–2
  - intensive care units, 313–14
  - Medicare eligibility status, 344–5
  - mental health legal status, 346–7
  - mode, 357
  - newborn qualification status, 37, 97, 383–4, 408–9
  - non-admitted patients subsequently admitted, 609
  - operating theatre time, 356
  - overnight-stay patients, 311, 323, 436
  - patient listing status, 440–1
  - patient revenue, 443
  - prearranged in service recipients' care planning process, 262
  - previous specialised treatment, 477–8
  - procedure, date of, 168
  - separations, 522–6
  - see also* contracted care; episodes of care; hospital-in-the-home care; patient days; same day patients; triage; urgency of admission
- admitted patient care NMDS, 652–4
- admitted patient election status, 38–9
- admitted patient mental health care context, 279, 615
  - see also* mental health/psychiatric patients

- admitted patient mental health care NMDS, 655–6
- admitted patient palliative care context, 279
  - see also* palliative care
- admitted patient palliative care NMDS, 657–8
- adolescents, 83–4, 270–3, 396
  - see also* children and infants
- adoptions, babies for, 229
- adrenal glands, 320–1
- adverse effects, 224–5
  - see also* complications
- advocacy, 415, 416
- AF, 149–50, 621–2
- age, 40–2
  - amputation rates, 331
  - cardiovascular disease, 152
  - date of birth, 151–2
  - gestational, 251–2
  - neonatal deaths, 379
  - tobacco smoking: quitting, 572–3; starting, 574–5
- age-standardised rate, 40–2
- aged care, 395
  - carer availability, 98–9
  - geriatric evaluation and management, 96, 538, 540: nursing, 482
  - see also* residential aged care services
- aged care assessment teams, 609, 610
- agencies, 600
  - referral sources, 535–7
- agricultural injuries, 461–2
- AIDS units, 540
- air ambulance arrivals, 200
- air conditioning, expenditure on, 86
- aircraft, expenditure on, 89, 91
- albumin/creatinine ratio, 496–7
- alcohol and other drug hospitals/inpatient facilities, 216, 217, 279, 602–3
  - day program attendances, 173
  - group sessions, 611–13
  - patients in residence at year end, 445
  - referral of psychiatric patients to, 505
- alcohol and other drug treatment episodes, 334–5, 431–2, 593
  - cessation, 107, 499–500: date of, 153
  - client type, 118–19
  - commencement, 125, 157
  - delivery settings/outlets, 107, 125, 531–2, 591–2
  - service contacts within, number of, 411–12
- alcohol and other drug treatment services, 395, 531–2, 591–2, 608
  - geographical location, 249–50
  - group sessions, 264, 611–13
  - injecting drug use status, 309–10
  - non-admitted patient care, type of, 611–13
  - other drug of concern, 427–8
  - principal drug of concern, 107, 125, 349, 485–6, 499–500
  - referrals to, 535–6: psychiatric patients, 505
  - referrals from, 535–6
- alcohol and other drug treatment services NMDS, 659–60
- alcohol and other drug units, 539
- alcohol consumption, 43–8, 61–2
- alias names, 229, 230, 254, 373–4
- alimentary tract, foreign bodies in, 376
- allergy services, 395
- allied health services, 363, 394–5, 609
- alpha-glucosidase inhibitor, 185–6
- alterations, expenditure on, 86, 88, 90
- alternate first given name, 254
- ambulances, *see* patient transport
- ambulatory centres, 527–8, 600
- amlodipine, 92
- amputation, 330–1, 623–4
  - traumatic, 376
- anaesthesia during labour, 49
- analgesia administered during labour, 50
- angina/angina pectoris, 621–2
- angioplasty/stenting, 142–3, 623–4
- angiotensin converting enzyme inhibitors, 92–3
- angiotensin II antagonists, 92–3
- animal-related injuries, 226
- ankle brachial index, 455
- ankle injuries, 77–8
- anogenital area injuries, 77–8
- anoscopy, 635
- antagonists, 92–3
- antenatal clinics, 303
- antenatal length of stay, 324
- anteartum haemorrhage, 129
- anti-cancer campaigns, 304

anti-coagulant services, 395  
anti-drug campaigns, 304  
anti-lipid medication, 195–6  
anti-smoking campaigns, 304  
anticipated patient election status, 51–2  
antihypertension medication, 293–4  
anus, endoscopy of, 636  
Apgar scores, 53–4  
area (geographical), *see* addresses;  
geographical locations  
area codes, 508  
area health services, 458  
*see also* community health care services  
area of clinical practice, 481–2  
arms, injury/cancer location, 77–8, 320–1  
arrivals at emergency departments, transport  
mode of, 200  
art objects, expenditure on, 89, 91  
artery by-pass grafting, 142–3, 297, 298, 623–4  
artificial rupture of membranes, 604–6  
asphyxiation, 226, 377  
assault, 224–5, 226, 227  
assessment, 262  
alcohol and other drugs treatment  
method, 334–5  
geriatric assessments units, 538  
nursing interventions, 416  
ophthalmological, 422–3  
peripheral neuropathy, 452–4  
*see also* triage; urgency of admission  
assistant dental practitioners, 115  
assistant directors of nursing, 116  
assistant pharmacists, 116  
assisted reproductive technology, 396, 539  
assisted vaginal birth, 49, 348  
associate professors, 116  
associateships, 115  
asthma services, 395  
at own risk discharges/departures, 201–2,  
358–9, 499–500  
atenolol, 92  
atherosclerotic disease, 621–2  
athletics areas, injuries occurring in, 461–2  
atrial fibrillation, 149–50, 621–2  
audiology, 394  
augmentation of labour, 604–5  
Auslan, 468

Australia Post Postal Address File, 463–4  
Australia Post Postal Codes, 57–8  
Australian Capital Territory, 541–3  
*see also* addresses  
Australian citizens, 344–5  
Australian Defence Force establishments, 216,  
600  
Australian Defence Force patients, 245–6, 345  
Australian football injuries, 22–3  
Australian Health Care Agreements, 245–6  
Australian Institute of Health and Welfare, 2,  
304  
Australian residence, period of, 451  
availability of carers, 98–9  
available beds, 401–2

## B

babies, *see* births; newborn babies  
baby clinics, 303, 609, 610  
back injuries, 77–8  
bank overdrafts, interest on, 317, 399–400  
banks, 600  
basketball injuries, 22–3  
bathing, 178–80  
bed mobility, 178–80  
beds available, 401–2  
bedsitters, *see* accommodation  
behaviour-related risk factor intervention,  
59–62  
benefits, *see* insurance  
benign tumours, 360–1, 479–80  
bequests, 430  
bereavement support, 416  
beta blockers, 92–3  
beverages, *see* food supplies  
biguanide, 185–6  
bilaterality, *see* laterality  
biliary tract, endoscopy of, 635, 636  
biopsy, 634, 636  
biosthesiometer method, 453  
birth centres, 24, 312  
birth dates, 151–2, 219–20  
birthplaces, 24  
Australia, 451: newborn babies, 144  
country, 144–5

intended, 312  
State or Territory, 543

births, 63–7  
clinics, 303  
family planning services, 304  
fertility treatments, 396, 539, 608  
gestational age, 251–2  
method, 348  
outcomes of previous pregnancies, 433, 475–6  
perinatal period, 448  
presentation at, 474  
*see also* labour; live births; mothers; newborn babies; multiple births; obstetrics

birthweight, 67, 306–7

bladder continence, 178–80, 416

blindness, 68–9, 625–6  
*see also* eyes and eyesight

blood banks, 304

blood glucose levels, 257–60, 295–6

blood pressure, 70–6  
*see also* hypertension

blood vessels, injuries to, 376

BMI, 79–85

BPA, *see* British Paediatric Association

boarders, in hospital, 97, 280

boarding houses, 602–3

boat, *see* accommodation

bodily location  
cancer, 479–80  
injuries, 77–8

body mass index, 79–85

body size, 270–5

bone marrow transplants, 539

borrowings, interest payments on, 317, 399–400

bowel continence, 178–80, 416

breast cancer, 320–1, 598

breast surgery services, 396

breathing, threats to, 226, 376–7

breech presentation at birth, 474

bridges, 88, 90

Britain, 344–5

British Paediatric Association (BPA) code – congenital abnormalities, 131

bronchoscopy, 608, 634, 636

*Brother*, abbreviated form of, 371

brow presentation at birth, 474

buildings, 86, 88, 90  
injuries occurring in, 461–2  
*see also* land

burns, 226, 376, 396, 539

business addresses, 29–30

business telephone numbers, 555

buttocks, injuries to, 77–8

bypass grafts, 142–3, 297, 298, 623–4

## C

cab emergency department arrivals, 200

CABG, 142–3, 297, 298, 623–4

caesarean sections, 49, 348

calcium antagonists, 92–3

cancer, 395, 396  
diagnosis, 160–1: tumours at, 598–9  
morphology, 360–1  
primary site, 479–80: laterality, 320–1  
public campaigns, 304

cancer registries, 361, 480

cancer treatment units, 539

candesartan, 92

capillary return, testing of, 455

capital expenditure, 86–91

captopril, 92

car parks, 88, 90  
*see also* motor vehicles

caravans, *see* accommodation

carcinoma in situ, 360–1, 479–80

cardiac defibrillators, 623–4

cardiac procedures, 396, 539, 635, 636  
external massage and ventilation, 515–16  
surgical specialty, 550–1

cardiology services, 395

cardiovascular disease, 62, 681–2  
age and, 152  
alcohol consumption and, 45–6  
blood pressure measurements, 72–3  
carers and, 99  
cholesterol, 109–10, 112, 114  
coronary artery disease, 142–3, 297, 298, 329, 623–4  
diabetes and, 184  
drugs and medications, 92–3, 149–50, 195–6

- history, 364–5, 621–2: in family, 472–3
- Indigenous peoples, 152
- postcode area and, 58
- renal disease therapy, 513
- specialised service indicators, 539
- triglycerides, 597
- see also* stroke; vascular disease
- care, 94–7, 261–3
  - elective, 197, 618–20, 284, 634–7
  - listing date, 327
  - nursing, 415–17
  - see also* acute care; episodes of care; urgency of admissions
- carers, 98–9, 415–16
  - service events and, 390
- carotid angioplasty/stenting, 623–4
- carotid body, 320–1
- carotid endarterectomy, 623–4
- carotid stenosis, 621–2
- cars, *see* motor vehicles
- carvedilol, 92
- case management, 334–5, 416
- cataracts, 100–1, 297, 298
- category reassignment date, 102
- caudal anaesthesia during labour, 49
- caudal analgesia during labour, 50
- censuses, 103, 281, 445, 638–9
- central administrations/support services, 304
- Centrelink customer reference numbers, 104
  - see also* pensioners
- cerebral circulation angioplasty/stenting, 623–4
- cerebral stroke, *see* stroke
- Certificate of Satisfactory Completion of Training holders, 481
- Charcot foot, 234–5
- charitable establishments, 216, 217
  - income from, 430
- chest X-ray campaigns, 303
- child health nursing, 482
- children and infants
  - body mass index, 83–4
  - clinics, 304
  - family names, 228
  - height measurements, 270–3
  - public psychiatric hospital admissions, 207–8
  - weighing, 642–3
  - weight on date admitted, 306–7
    - see also* newborn babies; paediatrics
- cholecystectomy, 297, 298
- cholesterol, 108–14, 195–6, 596–7
- Christmas Island, 58, 541–3
- chronic renal impairment, 510–11
- cigarettes, *see* smoking
- cigars, 570–1
- cities and towns, 57–8, 547
  - see also* geographical location
- citizens, 344–5
- claw toe, 234–5
- clerical staff, 243–4, 517–18, 718
- clients, *see* patients
- clinical expertise, 550–1
- clinical genetics units, 540
- clinical/hospital pharmacists, 116
- clinical intervention, 120–1, 489–50
- clinical nurses, 115, 394–5
- clinical pharmacy, 394
- clinical practice, area of, 481–2
- clinical review, 122
- clinical services, 394–7
- clinical settings context
  - alcohol consumption, 43–8
  - behaviour-related risk factor
    - intervention, 59–62
  - blood pressure, 71–6
  - carer availability, 98–9
  - cholesterol, 108–14
  - creatinine serum, 146–7
  - diabetes, 182–6, 648–50: initial visit, 308;
    - referrals to ophthalmologists, 506–7
  - diagnosis, 159, 650
  - dyslipidaemia treatment, 195–6
  - erectile dysfunction, 210
  - fasting status, 231
  - feet, 234–41, 330–1
  - formal community support access
    - status, 242
  - glycosylated haemoglobin (HbA1c), 257–60
  - height, 270–3
  - hypertension, 293–4
  - hypoglycaemia, 295–6
  - living arrangements, 329
  - lower limb amputation due to vascular disease, 330–1

- microalbumin, 350–5
- ophthalmology, 422–5, 506–7
- peripheral neuropathy, 452–4
- physical activity sufficiency status, 459–60
- pregnancy status, 470–1
- proteinuria, 496–7
- renal disease, 510–13
- service contact date, 529–30
- tobacco smoking, 578–81
- triglycerides, 596–7
- visual acuity, 625–6
- waist circumference, 627–9
- weight, 642–5
- clinical settings, and cardiovascular/vascular disease, 364–5, 621–2
  - cerebral stroke due to, 105–6
  - coronary artery disease, 142–3
  - drugs and medications, 92–3, 149–50, 195–6
  - family history of premature, 472–3
  - peripheral, in feet, 455–6
- clinical urgency, 123–4, 221
- clinicians, 487–8
- cluster apartments, 603
- Cockcroft-Gault formula, 147
- Cocos (Keeling) Islands, 58, 541–3
- cognitive interventions, 120
- cold condition injuries, 227
- collisions with persons and objects, injuries from, 227
- colonoscopy, 608, 634
- colorectal surgery services, 396
- commencement
  - alcohol and other drugs treatment episodes, 125, 157
  - community nursing service episodes, 162–5
  - contract care, 138
  - diabetes visits, 308
  - emergency departments, 155–6:
    - transport mode of arrivals, 200
  - service events, 155–6, 164–5, 556–7
- common data elements, 704–16
- common law claims, 126–7, 245–6
- Commonwealth patient payments, 443
- communicable diseases, 303, 395, 540
- communication systems, 89, 91
- community correctional services, referrals from, 535–6
- community health care services, 609, 610, 611–14
  - alcohol and other drug treatment referrals from, 535–6
  - behaviour-related risk factor intervention referrals to, 59–60
  - listing date for care, 327
  - patients, 385: dates of presentations, 171–2
  - service events, time of commencement of, 556–7
- community health centres, 217–18, 600
- community health nursing, 482
- community health units, 527–8
- community mental health inpatient facilities, 279, 602–3
  - alcohol and other drug treatment referrals from, 535–6
  - involuntary patients, 347
  - referrals to further care, 505
  - usual accommodation of patients prior to admission, 602–3
- community mental health services, 527–30, 661–4
  - contact dates, 410, 529–30
  - see also* mental health/psychiatric patients
- community (district, domiciliary) nursing services, 162–7, 482, 609
  - Domiciliary Nursing Care Benefit assessments, 262
  - establishments, 215, 218
  - formal access status, 242
  - specialised service indicator, 538–9
- community pharmacists, 116
- community support services, 242, 609
- community transport, emergency department arrivals by, 200
- compensable patients, 126–7, 245–6, 345, 443
  - see also* Department of Veterans' Affairs patients
- completion
  - community nursing service contact, 166–7
  - contracted care, 139
  - emergency department departure status, 201–2
  - last previous pregnancy, date of, 158
- complications, 224–5

labour and delivery, 128: resuscitation of babies, 515–16  
nursing interventions, 416  
postpartum, 465  
pregnancy, 129  
renal disease, 510–13

comprehensive epilepsy centres, 539  
compulsory detention/treatment, 346–7  
computer equipment/installations, expenditure on, 86, 89, 91  
computerised tomography, 86, 89, 91, 608  
concession card holders, 104, 175  
*see also* Department of Veterans' Affairs patients; pensioners  
concussion, 376  
conductive disorders, 149–50, 621–2  
congenital heart and blood vessel defect surgery, 623–4  
congenital malformations, 130–1  
congregate care arrangements, 603  
construction areas, injuries occurring in, 461–2  
constructions other than buildings, 88–9, 90–1  
consular staff, 344–5  
consumption of alcohol, 43–8, 61–2  
consumption of cigarettes, 562–3  
contact, *see* commencement  
contact addresses, *see* addresses  
contact numbers, 554–5  
contagious diseases, 303, 395, 540  
continence, 178–80, 416  
contract staff, salary payments for, 243–4, 517–18  
contracted care, 132–41, 212, 315–16  
    Department of Veterans' Affairs patients, 177  
    emergency department waiting time to admission, 203  
    length of stay, 323–6  
    overnight-stay patients, 436  
    patient funding source, 245–6  
    total patient days, 582–3  
contracted services, 140–1  
contracts, 136–7  
contributing family workers, 318–19  
    health labour force, 265  
coordination and collaboration of care, 415, 416  
copyright (intangible assets), 87, 89, 91

coronary artery disease, 142–3, 297, 298, 329, 623–4  
coronary care units, 539  
correctional services, *see* prisons and correctional institutions  
cosmetic (plastic) surgery, 396, 539, 550–1, 634  
costs, *see* health expenditure  
counselling, 609  
    alcohol and other drugs treatment method, 334–5, 431–2  
    behaviour-related risk factor intervention, 59–60  
    nursing interventions, 415, 416  
country of birth, 144–5, 451, 543  
court diversions, 535–6, 499–500  
craniofacial surgery services, 396  
creatinine serum, 146–7  
cricket injuries, 22–3  
crisis events, *see* injuries  
crude rate, 148  
crushing injuries, 376  
CT, 86, 89, 91, 608  
current cardiovascular medication, 92–3  
current foot ulcers, 238–9  
cuts and piercing objects, 226  
cyclists and passengers, injuries to, 226  
cystoscopy, 297, 298, 608

## D

daily living activities, dependency in, 178–80  
daily smoking, 562–9, 572–81  
*Dame*, 371  
dams, 88, 90  
dates, 219–20  
    admission, 33–4; scheduled, 521, 619  
    alcohol and other drugs treatment episodes, 153, 157  
    of birth, 151–2, 219–20  
    category reassignments, 102  
    censuses, 103  
    community nursing service episodes, 162–7  
    contracted care commencement and completion, 138–9  
    diagnosis, 159–61  
    emergency department service events, commencement of, 155–6  
    listing for care, 327

- menstrual period, first day of last, 232
- patients present, 171–2
- pregnancy, last previous, 158
- procedures undertaken, 168
- qualification status, changes to, 154
- rehabilitation, referral to, 169
- removal from elective surgery waiting lists, 509
- separation, 523–4
- service contacts, 410, 529–30
- day centres/hospitals, 215, 217, 279
- day patients/clients, 173, 611–13, 403
- day surgery centres, 215, 217, 600, 601
- days, *see* dates
- de facto marriages, 338–9
- deaths, 219–20
  - alcohol and other drug treatment
    - episode, reason for cessation of, 107, 499–500
  - elective surgery waiting list, reason for removal from, 501–2
  - in emergency departments, 201–2, 616–17
  - on first day in hospital, 436
  - grief and bereavement support, 416
  - mortality rates, 40–2, 148
  - neonatal, 379, 433
  - organ procurement after, 97, 426
  - separation mode, 358–9
  - widows, family name prefixes indicating, 229–30
  - widows/widowers, 338–9
  - see also* palliative care; stillbirths
- decision-making support, 416
- deep vein thrombosis, 621–2
- defence force establishments, 216, 600
- defence force patients, 245–6, 345
- deferred patients, 440–1
- definitions, 1–3, 690–7, 717–42
- deformations, congenital, 130–1
- deformities of foot, 234–5
- dementia services, 395
- demography, *see* population
- dental injuries, 376
- dental practitioners, 115
- dental procedures, not attracting Medicare benefit, 635, 637
- dental services, 304, 394, 608
- dental therapists, training of, 304
- Department of Defence establishments, 216, 600
- Department of Defence patients, 245–6, 345
- Department of Veterans' Affairs (DVA), 304
- Department of Veterans' Affairs hospitals, 177, 216
- Department of Veterans' Affairs patients, 174–7, 245–6, 345
- Department of Veterans' Affairs file numbers, 174–5
- departure from emergency departments, 201–2
- dependency in activities of daily living, 178–80
- depreciation, 181, 399–400
- deputy directors, 116
- dermatology services, 395
- descriptions of injury events, 375
- designs (intangible assets), 87, 89, 91
- detoxification, 334–5, 431–2
- developmental disabilities, 395, 482
- diabetes, 182–6, 395, 683–5
  - age and, 152
  - blindness, 68–9
  - blood pressure measurements, 73
  - cholesterol, 108, 109–10, 114
  - creatinine serum, 146
  - diagnosis, 650
  - dyslipidaemia, 196
  - end-stage renal disease, 510–11
  - eyes and eyesight, 626, 268–9, 422–3, 506–7
  - foot complications and disease, 235, 237, 268–9
  - gestational, 129, 182–3
  - glycosylated haemoglobin (HbA1c), 258, 260
  - health professionals visits, 268–9: initial, 308
  - hypertension, 294
  - Indigenous peoples, 152
  - hypoglycaemia, 295–6
  - insulin, 185–6: year started, 648–9
  - microalbumin, 350–5
  - myocardial infarction, 365
  - peripheral neuropathy, 453–4
  - pregnancy, 471
  - service recipient care, 262
  - stroke risk, 105–6
  - tobacco smoking status, 580–1
  - triglycerides, 597
  - weight measurements, 644–5

- diabetes education, 268–9, 395
- diabetes units, 540
- diabetic nephropathy, 353
- diabetic vascular retinopathy, 69, 621–2
- diagnosis, 187–92, 336–7
  - additional, 26–7
  - cancer, 160–1, 598–9
  - dates of, 159–61, 650
  - diabetes mellitus, 650
  - nursing, 413–14
  - principal, 483–4
  - see also* procedures
- diagnosis related groups, 190–1
- diagnostic imaging, *see* imaging
- diagnostic interventions, 120
- diagnostic procedures, 95, 634–7
- diagnostic professionals, 243–4, 517–18, 718
- diagnostic services, 608
  - emergency departments, 155
- dialysis, 510–13, 416, 634, 636
- dialysis units, 539
- diastolic blood pressure, 71–3
- diet, *see* food
- diltiazem, 92
- diplomatic staff, 344–5
- dipstick testing, 496
- direct patient care, hours worked in, 291–2
- directors, 116
- disabilities, people with, 262
  - carer availability, 98–9
  - dependency in activities of daily living, 178–80
  - group homes, 358–9, 602–3
  - nursing homes for, 216, 217
- disaster sites, registering clients from, 229
- discharges, *see* separations
- dislocation, 376
- district codes, 508
- district health services, 458
  - see also* community health care services
- districts, *see* geographical location
- Division of General Practice numbers, 192
- divorce persons, 338–9
- Doctor*, 371
- doctors, *see* medical practitioners
- dog-related injuries, 226
- domestic and other staff, 243–4, 517–18, 718
- domestic-scale supported living facilities, 358–9, 602–3
- domestic services, 193, 304, 399–400
- domiciliary nursing, *see* community nursing services
- Domiciliary Nursing Care Benefit assessments, 262
- Doppler probes, 455
- drainage, 88, 90
- dressing, 178–80, 416
- dressings, 416
- drinking, *see* alcohol consumption
- drowning, 226, 376
- drug inspection services, 304
- drug use methods, 349
  - injecting drug use status, 309–10
- drugs and medications (pharmacotherapy), 194, 399–400
  - alcohol and other drugs treatment method, 334–5, 431–2
  - behaviour-related risk factor intervention referrals to, 59–60
  - cardiovascular disease, 92–3, 149–50, 195–6
  - diabetes, 185–6
  - dyslipidaemia, 195–6
  - hypertension, 293–4
  - during labour, 49–50
  - nursing interventions, 416
  - poisonings, 226
  - public campaigns, 304
  - renal disease, 512–13
  - see also* alcohol and other drug treatment services
- duodenoscopy, 608
- duration of time, *see* time
- DVA, *see* Department of Veterans' Affairs
- dyslipidaemia, 149–50, 195–6
- dysrhythmia disorders, 149–50, 621–2

## E

- ear canal, foreign bodies in, 376
- ear, nose and throat surgery, 396, 550–1
- eating, 178–80
  - drug use method, 349
  - fasting status, 231
  - injuries when, 22–3
  - see also* food, diet and nutrition

- ECG, 608
- ectopic pregnancies, 433, 475–6
- education, *see* teaching/education
- Eighth*, abbreviated form of, 369
- elbow injuries, 77–8
- election status, 38–9
- elective care, 197, 618–20, 284, 634–7
- elective surgery, 198, 634–41
  - category reassignment date, 102
  - census date, 103
  - overdue patients, 434–5
  - procedures, 297–9, 550–1, 634–7
- elective surgery waiting lists, 103, 281, 634–41
  - anticipated patient election status, 51–2
  - clinical review/urgency, 122–4, 221, 619
  - listing date, 327
  - removal from, 501–2, 640–1: date of, 509
- elective surgery waiting times NMDS, 665–7
- electrical injuries, 227, 377
- electricity mains, 89, 91
- electricity expenses, 193, 399–400
- emergency admissions, 618–20
- emergency and accident nursing, 482
- emergency department care, 199–204, 385–91, 394, 607–8, 609
  - commencement of service events, 155–6
  - length of service episodes, 322
  - non-admitted patient emergency department care NMDS, 673–4
  - see also* non-admitted patients
- emergency department waiting times NMDS, 668–9
- emergency departments, 199
  - patient presentations, 442, 616–17: dates of, 171
  - reasons for visits, 616–17
  - see also* triage
- emergency patients/presentations, 442, 611–13, 616–20
  - alcohol and other drug treatment referrals, 536
  - dates, 171
  - elective surgery waiting lists, reason for removal from, 501–2
- emergency triage, 594–5
- employees, 318–19
- employers, 318–19
  - superannuation contributions, 399–400, 548–9
- employment, 318–19
  - addresses, 29–30
  - admitted patients, 205–8
  - injuries at, 22–3
  - occupations, 419–20
  - telephone numbers, 555
  - see also* health labour force
- emotional support, 416
- enabling factors, 11
- enalapril, 92
- end-stage renal disease, 510–11
- endocrine services, 395
- endoscopic retrograde cholangio, 634
- endoscopy, 608, 635, 636
- endotracheal intubation and IPPR, 515–16
- endovascular interventional procedures, 635, 636
- engines, 89, 91
- enrolled nurses, 115, 243–4, 517–18, 717
- entities, 9–20, 726–42
- environmental health professionals, 487–8
- epidemiological studies contexts, 187, 479–80
- epidural anaesthesia during labour, 49
- epidural analgesia during labour, 50
- epilepsy, 395, 539
- episiotomy, 449–50
- episodes of care, 209
  - cessation, within one hospital stay, 522
  - commencement, 35: within one hospital stay, 32, 357
  - community nursing services, 162–7
  - inter-hospital contract patients, 315–16
  - involuntary patients, 346–7
  - newborn qualification status, 383
  - see also* admissions; service episodes; separations
- eprosartan, 92
- equipment, *see* plant and equipment
- ERCP, 635
- erectile dysfunction, 210
- errors in names/mispelled names, 230, 255
- establishment-based student nurses, 243–4, 517–18, 717
- establishment numbers, 213
- establishments, 211–18, 279, 600–1
  - contract identifiers, 132
  - definitions, 719–21
  - geographical location, 247–8, 458

Person identifier, 457–8  
*see also* accommodation; health expenditure; hospitals  
estimated date flag, 219–20  
ethnic groups, 144–5, 451  
    languages, 466–9, 332–3: proficiency in spoken English, 494–5  
ethnic names, 255  
ever daily smoking, 566–7  
ex-smokers, 572–3, 576–9  
exercise, 61–2, 459–60  
    diabetes therapy, 185–6  
    therapeutic, 416  
expected outcome, 261–3  
expenditure, *see* health expenditure  
expiation of alcohol and other drug treatment, 107, 499–500  
extended wait patients, 221  
external cardiac massage and ventilation, 515–16  
external cause, *see* injuries  
extra surveillance, 178–80  
eyes and eyesight, 625–6  
    cancer, laterality of, 320–1  
    cataracts, 100–1, 297, 298  
    diabetes complication, 68–9, 621–2  
    injuries, 376  
    *see also* ophthalmology

## F

face injuries, 77–8  
face presentation at birth, 474  
falls, 226, 395  
false (alias) names, 229, 230, 254, 373–4  
family history of premature cardiovascular disease, 472–3  
family names, 228–30, 362  
family planning services, 304, 396  
farm injuries, 461–2  
fasting status, 231  
fathers, *see* relatives  
fatness, *see* weight  
feet, 234–41, 452–6  
    amputation, 330–1  
    injuries to, 77–8  
    podiatrists, 116, 268–9  
    podiatry services, 395

felodipine, 92  
females, *see* women  
femoral/popliteal bypass/grant/stenting, 623–4  
fertility treatments, 396, 539, 608  
fictitious (alias) names, 229, 230, 254, 373–4  
*Fifth*, abbreviated form of, 369  
finance, *see* health expenditure; revenues  
finger injuries, 77–8  
Finland, and Medicare eligibility, 344–5  
fire-related injuries, 226, 376, 396, 539  
firearm injuries, 226  
*First*, abbreviated form of, 369  
first contact, *see* commencement  
first names, 253–6  
5 minutes, Apgar score at, 54  
flames, injuries related to, 226, 376, 396, 539  
flats, *see* accommodation  
foetal deaths, *see* stillbirths  
food, diet and nutrition  
    diabetes therapy, 185–6, 268–9  
    expenses, 304  
    meals on wheels, 242, 609  
    meals provided to hospital staff, 503–4  
    non-admitted patient services, 395, 609  
    risk factor intervention, 61–2  
    *see also* eating  
food inspection services, 304  
food supplies, 233, 304, 399–400  
foot, *see* feet  
football injuries, 22–3  
forceps assisted vaginal birth, 49, 348  
forearm injuries, 77–8  
forefoot, amputation of, 330–1  
foreign bodies in parts of body, injuries involving, 376  
foreign patients, *see* overseas patients  
formal admissions, 32  
formal case management, 416  
formal community support access status, 242  
formal separations, 522  
format for data element definitions, 690–7  
fosinopril, 92  
*Fourth*, abbreviated form of, 369  
fractures, 376, 396  
frail older people, *see* aged care

franchises (intangible assets), 87, 89, 91  
frequency, *see* time  
Friedwald equation, 596  
frozen food services, 304  
fuel and power, 193, 399–400  
full-time equivalent staff, 243–4  
full-time work, 491–3  
functional wellbeing, 98–9, 178–80, 329  
funding, *see* health expenditure; revenues  
funding source; hospital patients, 245–6  
furniture and fittings, 87, 88, 89, 90, 91

## G

gall bladder biopsy, 634, 636  
gas mains, 88, 90  
gas-related injuries, 226  
gastroenterology services, 395  
gastroscopy, 608  
general anaesthesia during labour, 49  
general insurance hospital cover, 282–3  
general internal medicine services, 395  
general medicine services, 608  
general nursing care, 416  
general practitioners, 115, 481, 535–6  
    Division of General Practice numbers, 192  
general surgery, 396, 608, 550–1  
genetics, 395, 540  
    congenital disorders, 130–1, 623–4  
genitourinary tract, foreign bodies in, 376  
geographical location, 541–3, 247–50  
    birthplace, 144–5, 451, 543  
    injuries occurring in, 461–2  
    Person identifier, 458  
    region code, 508  
    *see also* addresses  
geriatric evaluation and management, 96, 538, 540  
    nursing, 482  
gerontology nursing, 482  
gestational age, 251–2  
gestational diabetes, 129, 182–3  
given names, 253–6  
glomerular filtration rate (GFR), 147  
glucose levels, 257–60, 295–6  
glycosylated haemoglobin (HbA1c), 257–60

goal of care, 94–7, 261–3  
Gold Card holders, 175  
    *see also* Department of Veterans' Affairs patients  
government concession care holders, 104, 175  
    *see also* Department of Veterans' Affairs patients; pensioners  
government departments, 600  
government hostels, 216, 217  
government nursing homes, 216, 217  
grief and bereavement support, 416  
grooming, 416  
gross capital expenditure, 88–9  
gross expenditure, 399–400  
gross revenues, 430, 443, 503  
grounds, *see* land  
group homes, 358–9, 602–3  
group sessions, 264, 305, 389, 611–13  
gun injuries, 226  
gynaecology, 396, 550–1

## H

haematology services, 395  
haemodialysis, 512–13, 634  
haemorrhoidectomy, 297, 298  
hallus rigidus/valgus, 234–5  
hammer toe, 234–5  
hand injuries, 77–8  
hash (#), identifying truncated names, 229  
HbA1c, 257–60  
HDL-C, 108–10  
head injuries, 77–8  
Health Care Card holders, 104  
    *see also* pensioners  
health care client identification, 63–6  
    *see also* personal identifiers  
health care client identification DSS, 686–7  
health care contexts  
    alcohol consumption, 43–8  
    behaviour-related risk factor intervention, 59–62  
    blood pressure, 71–6  
    body mass index, 79–85  
    cholesterol, 108–14  
    diabetes, 182–6, 648–50: initial visit, 308; referrals to ophthalmologists, 506–7

- Division of General Practice numbers, 192
- dyslipidaemia treatment, 195–6
- erectile dysfunction, 210
- fasting status, 231
- feet, 234–41, 330–1
- glycosylated haemoglobin (HbA1c), 257–60
- height, 270–5
- hip circumference, 276–8
- hypertension, 293–4
- hypoglycaemia, 295–6
- lower limb amputation due to vascular disease, 330–1
- microalbumin, 350–5
- non-salary operating costs, 399–400
- ophthalmology, 422–5, 506–7
- peripheral neuropathy, 452–4
- physical activity sufficiency status, 459–60
- pregnancy status, 470–1
- proteinuria, 496–7
- renal disease – end-stage, diabetes complication, 510–11
- smoking, 562–81
- triglycerides, 596–7
- visual acuity, 625–6
- waist circumference, 627–31
- weight, 642–7
- see also* care
- health care contexts, and cardiovascular /vascular disease, 364–5, 621–4
- cerebral stroke due to, 105–6
- coronary artery disease, 142–3
- drugs and medications, 92–3, 149–50, 195–6
- family history of premature, 472–3
- peripheral, in feet, 455–6
- health care establishments, *see* establishments
- health concession cards, 175
- see also* Department of Veterans' Affairs patients
- health expenditure, 719–25
- capital, 86–91
- indirect, 303–4
- salaries and wages, 243–4, 517–18
- see also* non-salary operating costs; revenues
- health insurance, 245–6, 282–3, 443
- health labour force (health professionals, staff), 115–17, 265, 717–8
- behaviour-related risk factor
  - intervention referrals to, 59–60
- clinical practice, principal area of, 481–2
- diabetic patient visits, 268–9: initial, 308
- domestic services for, 193, 399–400
- employment establishments, 600–1
- hours on-call/ worked, 287–92
- multi-disciplinary team status, 363
- principal roles of health professionals, 487–8
- profession labour force status, 491–3
- salaries and wages, 243–4, 517–18
- see also* medical practitioners
- health labour force NMDS, 670–1
- health outcome, 266–7
  - expected, 261–3
- health promotion programs, service recipients on, 261
- health promotion professionals, 487–8
- health service areas, injuries occurring in, 461–2
- health service utilisation rates, 40–2, 148
- health services context
  - clinical intervention, 120–1
  - Department of Veterans' Affairs patient, 176–7
  - diagnosis, 187–9: date of, 159
  - establishment type, 215–18
  - geographical location, 247–8
  - principal diagnosis, 483–4
  - region codes, 508
  - revenues, 430
  - specialised service indicators, 538–40
  - teaching status, 552–3
- health services research, *see* research
- heart disease, *see* cardiovascular disease
- heart failure, 149–50, 621–2
- heart transplants, 539, 623–4
- heart valve surgery, 623–4
- height, 270–5
- helicopter rescue service arrivals, 200
- hepatobiliary services, 395
- herniorrhaphy, 297, 299
- high blood pressure, 70–6
  - see also* hypertension
- high-density lipoprotein cholesterol, 108–10
- highways, injuries occurring on, 461–2
- hip circumference, 276–8
- hip injuries, 77–8

- hip replacement, 297, 299
- hip-to-waist ratio, 632-3
- histological classification of cancer, 360-1
- history
  - cataract, 100-1
  - foot ulcer, 240-1
  - myocardial infarction, 364-5, 621-2
  - premature cardiovascular disease, 472-3
  - vascular disease, 364-5, 621-2: cerebral stroke due to, 105-6
- hockey injuries, 22-3
- home (usual residence), 55-6, 602-3, 615
  - discharge to, 358-9
  - languages spoken at, 332-3
- home address, *see* addresses
- home births, 24, 312
- home care, 261-3
  - assessments, 162-3
  - see also* hospital-in-the-home care
- home duties (employment status), 207-8
- home help services, 242, 609
- home injuries, 461-2
- home nursing, *see* community nursing services
- home telephone numbers, 555
- home treatment for alcohol and other drugs, 591-2
- homeless persons, 602-3
- homosexual couples, 338
- horse-related injuries, 226
- hospices, 216, 217, 538, 600
- hospital activity context, 94-7, 426
- hospital boarders, 97, 280
- hospital campuses, 279, 392-3
- hospital career medical officers, *see* salaried medical officers
- hospital/clinical pharmacists, 116
- hospital contracted care, *see* contracted care
- hospital facilities, income received from use of, 503-4
- hospital-in-the-home care, 32, 36-7, 209, 285-6
  - number of days, 405-6
- hospital insurance, 245-6, 282-3, 443
- hospital non-admitted patient care
  - date patient presents, 171-2
  - listing date for care, 327
  - multi-disciplinary team status, 363
  - patient funding source, 245-6
  - service events, 388-97: commencement of, 155-6, 556-7; new/ repeat status, 382
  - see also* non-admitted patients
- hospital stay, *see* patient days
- hospital waiting lists, *see* waiting lists
- hospital workforce, *see* health labour force
- hospitals, 279, 600
  - community nursing service visits, 162-3, 166-7
  - drug supplies, 194, 399-400
  - place of birth, 24, 312
  - quality accreditation/certification standard, 498
  - referrals from, 535-7
  - see also* acute care hospitals; admitted patients; inter-hospital transfers; psychiatric hospitals
- hostels, 216, 217, 602-3, 615
  - discharges/transfers to, 358-9
- hot conditions, injuries from, 227
- hot objects/ water, injuries related to, 226
- hours on-call, 287-8
- hours worked, 289-92, 584-5
- houses, *see* accommodation
- human intent, 224-5
- human tissue, posthumous procurement of, 97, 426
- Hungarian women, 230
- husbands, maltreatment by, 224-5
  - see also* relatives
- hygiene, 304, 416
- hyperbaric medicine services, 395
- hypertension, 395
  - blood pressure, 70-6
  - drugs and medication, 149-50, 293-4
  - dyslipidaemia, 196
  - pregnancy-related, 129
  - vascular history, 621-2
- hypertensive vascular retinopathy, 621-2
- hyphenated names, 229, 254
- hypoglycaemia, 185-6, 295-6
- hysterectomy, 297, 299

**I**

- ICUs, *see* intensive care units
- identifiers, *see* establishments; geographical location; personal identifiers

- imaging, 388, 394, 608
  - equipment, 86, 89, 91
- immersion, 226, 376
- immunisation, 303, 609, 610
- immunology services, 395
- impaired fasting glucose (IFG), 183
- impaired glucose tolerance (IGT), 183
- implantable cardiac defibrillators, 623–4
- improvements, capital expenditure on, 86, 88, 90
- in-home respite, 242
- in transit patients, 616–17
- in-vitro fertilisation units, 539
- inactivity, physical, 61–2
- incidence rates, 40–2, 148
- income, *see* revenues
- incomplete names, 229
- independent practice nursing, 482
- indicator procedures, 297–9
- Indigenous peoples, 152, 300–2
  - age-standardised rate, 40–2
  - languages, 332–3, 466, 467, 468
  - names, 255
  - health services, 600
- Indigenous status, 300–2
- indirect health care expenditure, 303–4
- individual/group sessions, 305, 611–13
- induced abortions, 433, 475–6
- induced labour, 421, 606
- industrial areas, injuries occurring in, 461–2
- infant welfare clinics, 304
- infants, *see* children and infants
- infectious diseases, 303, 395, 540
- informal carers, 98–9
- information and education (treatment method), 59–60, 334–5, 415
- information model, 9–20, 726–42
- information technology, 86, 89, 91
- ingested drug use, 349
- inguinal herniorrhaphy, 297, 299
- inhaling drug use, 349
- inhibitors, 92–3, 185–6
- initial visits, *see* commencement
- initials of given names, 254
- injecting drug use, 309–10, 349
- injections, 416
- injuries (external cause), 222–7, 375–7
  - activity when, 22–3
  - admitted patients, 25, 95, 222–3, 461–2
  - bodily location of main, 77–8
  - compensable status, 126–7
  - occupation-related, 419–20
  - place (geographical) of occurrence, 461–2
  - specialised service indicators, 539
- injury surveillance NMDS, 672
- inpatient care, *see* admitted patient care
- insect bites, 377
- institutional health care context, 222–3, 398, 442
- institutions, injuries occurring in, 461–2
- instruments (professional), 89, 91
- insulin, 185–6, 648–9
- insurance, 245–6, 282–3, 443
  - see also* compensable patients; Medicare; private patients; public patients
- insurance companies, 600
- insurance costs, 31, 399–400
- intangible assets, 87, 89, 91
- intended length of hospital stay, 311
- intended place of birth, 312
- intensive care units, 313–14, 538, 539
  - equipment, 86, 89, 91
  - nursing, 482
- intentional self-harm, 224–5
- inter-hospital contract patients, *see* contracted care
- inter-hospital payments, 430, 503–4
- inter-hospital transfers
  - elective surgery waiting lists, reason for removal from, 501–2
  - on first day in hospital, 436
  - from other hospitals, 357
  - to other hospitals/nursing homes, 358–9
  - see also* contracted care
- interest payments, 317, 399–400
- intermittent positive pressure respiration (IPPR), 515–16
- internal medicine services, 395
- internal organs, injuries to, 376
- international health care agreement reciprocal payments, 245–6
- interns, 115, 481

interpreter services, 378  
interventions  
    behaviour-related risk factors, 59–62  
    clinical, 120–1  
    coronary artery disease, 142–3  
    nursing, 262, 415–17  
    *see also* procedures  
intracranial injuries, 376  
intra-muscular narcotics during labour, 50  
invasive procedures, 120  
investment income, 430  
involuntary patients, 346–7  
IPPR, 515–16  
irbesartan, 92  
Ireland, and Medicare eligibility, 344–5  
irregular smokers, 578–9  
ISO 11179, 4, 690–7  
ischaemic heart disease, 149–50, 621–2  
International Standardization Organization, 690  
Italy, and Medicare eligibility, 344–5

## J

Jervis Bay Territory, 58, 541–3  
job injuries, 22–3  
*Junior*, abbreviated form of, 369

## K

kidney biopsy, 634, 636  
kidney cancer, 320–1  
kidney transplants, 510–13, 539  
    *see also* renal disease  
kitchen expenses, 193, 399–400  
knee injuries, 77–8  
knee replacement, 297, 299  
Knowledgebase, 2–3, 8, 9

## L

labetalol, 92  
laboratories, 540, 600  
labour and delivery (childbirth), 49–50, 94, 421, 604–6  
    complications, 128: resuscitation of babies, 515–16  
    *see also* obstetrics; pregnancy

labour costs, 243–4, 399–400, 446–7, 517–18  
labour force, *see* employment; health labour force  
labour force status, 318–19  
    admitted patients, 205–8  
    health professionals, 491–3  
land, 86, 88, 90  
land reclamation/clearing, 89, 91  
landscaping and grounds, 89, 91  
languages, 332–3, 466–9  
    interpreter services, 378  
    proficiency in spoken English, 494–5  
large intestine, endoscopy of, 636  
laryngoscopy, 608  
last menstrual period, 232  
last previous pregnancy, 433  
laterality  
    eye diseases and conditions, 100–1, 422–3, 625–6  
    primary cancer, 320–1  
law enforcement agencies, 537  
    *see also* police  
LDL-C, 111–12  
leave, statistical discharge from, 358–9  
leave days, 323–6, 407, 438–9, 586–7  
lecturers, 116  
left organs, *see* laterality  
left ventricular hypertrophy, 621–2  
leg injuries, 77–8  
legal blindness, 68  
legal intervention, injuries caused through, 224–5  
    *see also* police  
legal status (voluntary/involuntary patients), 346–7  
legs, 320–1  
    amputation of, 330–1  
leisure activities, injuries during, 22–3  
length of stay, *see* patient days  
length of time, *see* time  
lercanidipine, 92  
lesions on feet, 236–7  
liaison, 415  
licences (intangible assets), 87, 89, 91  
lifestyle characteristic, 43–8, 61–2, 309–10, 349  
    *see also* smoking  
lighting, expenditure on, 86

- limbs, injuries to, 77–8
    - see also* amputation; feet
  - linen services, 304
  - lipid levels, measurement of, 596
  - lisinopril, 92
  - listing date for care, 327
  - listing status, 440–1
  - live births, 328, 544–5
    - deaths, 379, 433
    - previous pregnancies, 433, 475–6
  - liver and gall bladder biopsy, 634, 636
  - liver transplants, 539
  - living arrangements, 329
  - living facilities, *see* accommodation
  - LMP, 232
  - loans, interest payments on, 317, 399–400
  - local anaesthesia during labour, 49
  - local government hostels, 216, 217
  - locations, *see* birthplaces; bodily locations; geographical location
  - locums, 115, 116
  - lodgings, *see* accommodation; home
  - loin injuries, 77–8
  - long-term care needs, patients with, 262
  - Lord Howe Island, 58
  - low-density lipoprotein cholesterol, 111–12
  - lower back injuries, 77–8
  - lower leg injuries, 77–8
  - lower limb amputation, *see* amputation
  - lung biopsy, 634, 636
  - lung cancer, 320–1
  - lung-heart transplants, 539
- M**
- machinery in operation, injuries from, 227
  - Macquarie Island, 58
  - macrovascular disease, 353
  - magnetic resonance imaging, 86, 89, 91, 608
  - mailing addresses, *see* addresses
  - main area of clinical practice, 481–2
  - main diagnosis, 483–4
  - main drug of concern, *see* principal drug of concern
  - main injury, bodily location of, 77–8
  - main language spoken at home, 332–3
  - main roles of health professionals, 487–8
  - main treatment type for alcohol and other drugs, 107, 334–5, 499–500
  - maintenance and repairs, 399–400, 514
  - maintenance care, 96, 261, 262
  - maintenance renal dialysis centres, 539
  - major diagnostic category, 336–7
  - major plastic/reconstruction surgery units, 539
  - males, *see* men
  - malformations, congenital, 130–1
  - malignant tumours, 360–1, 479–80
  - Malta, and Medicare eligibility, 344–5
  - maltreatment, 224–5
  - management expenses, 31, 304, 399–400
  - managers (administrators), 115, 487–8
  - manufactured cigarettes, 570–1
  - marital status, 338–9
  - married names, 229, 362
  - mass campaigns and programs, 303–4
  - Master*, abbreviated form of, 371
  - maternity, *see* mothers
  - maternity/obstetric facilities, 538
  - maternity/obstetric nursing, 482
  - meals on wheels, 242, 609
  - meals provided to hospital staff, 503–4
  - measurement
    - blood pressure, 71–6
    - cholesterol, 108–10, 113–14
    - creatinine serum, 146–7
    - glycosylated haemoglobin (HbA1c), 257–60
    - height, 270–3
    - hip circumference, 276–8
    - microalbumin, 350–5
    - triglycerides, 596–7
    - tumours, 598–9
    - waist circumference, 627–9
    - weight, 642–7
  - medical and surgical supplies, 341, 399–400
  - medical centres, 600, 601
  - medical complications, *see* complications
  - medical equipment, expenditure on, 86, 89, 91
  - medical negligence claims, 245–6
  - medical nursing, 481
  - medical oncology services, 395

- medical practitioners, 115, 481
  - Division of General Practice numbers, 192
  - Doctor*, abbreviated form of, 371
  - hours on-call/ worked, 287–92, 584–5
  - referral of psychiatric patients to, 505
  - rooms/ surgeries, 600
  - visiting medical officers, payments to, 399–400, 446–7
  - see also* salaried medical officers
- medical services, 394, 395–6
- Medicare card names, 229, 254, 373–4
- Medicare card numbers, 342–3
- Medicare eligibility, overseas persons, 344–5:
  - Finland
  - Italy
  - Malta
  - Netherlands
  - New Zealand
  - Republic of Ireland
  - Sweden
  - United Kingdom
- Medicare eligibility status, 344–5
- medication, *see* drugs and medication
- meglitinide, 185–6
- melanoma, 599
- Member of Parliament*, abbreviated form of, 369
- membranes, artificial rupture of, 604–6
- men, 533–4
  - age-standardisation, 41
  - alcohol consumption risk, 46
  - erectile dysfunction, 210
  - height, self reported, 275
  - social isolation, 329
  - waist circumference, 630–1
  - waist-to-hip ratio, 632
- mental health/ psychiatric patients, 279, 608, 609, 655–6
  - legal status, 346–7
  - number of contacts, 403
  - previous specialised treatment, 477–8
  - referrals to further care, 505
  - service contacts, 410, 527–30
  - usual accommodation, 602–3, 615
  - see also* community mental health services; psychiatric hospitals
- mental health nursing, 482
- mental health units, 608
- metabolic bone services, 395
- metformin, 185–6
- method of birth, 348
- method of use for principal drug of concern, 349
- metoprolol, 92
- microalbumin/ microalbuminuria, 350–5, 496–7
- middle names, 254–5
- midwifery nursing, independent, 482
- military establishments, 216, 600
- military patients, 245–6, 345
- minors, *see* children
- minutes, *see* time
- Miss*, abbreviated form of, 371
- Mrs*, 371
- misspelled names, 230, 255
- Mister*, abbreviated form of, 371
- mobile telephone numbers, 555
- mobility, 178–80, 416
- mode of admission, 357
- mode of separation, 358–9
- mode of service events, 392–3
- monitoring and surveillance, 15, 416
- monofilament method, 452–3
- morphology of cancer, 360–1
- mortality rates, 40–2, 148
- mothercraft hospitals, 358–9, 536
- mothers, 470–1
  - gestational diabetes, 129, 182–3
  - identification, 63–6
  - length of hospital stay, 324, 326
  - menstrual period, first day of last, 232
  - original family names, 362
  - perineal status, 449–50
  - postpartum complication, 465
  - pre-existing medical conditions, 340
  - previous pregnancies, 158, 433, 475–6
  - see also* births; labour; obstetrics; relatives
- motor cycle drivers and passengers, injuries to, 226
- motor vehicles, 87, 89, 91
  - car parks, 88, 90
  - emergency department arrivals by, 200
  - injuries related to, 226
  - see also* patient transport
- Motor Vehicle Third Party Insurance claims, 126–7, 245–6

MRI equipment, 86, 89, 91, 608

Mrs, 371

Ms, 371

multicampus hospitals, 279, 392–3

multi-disciplinary team status, 363

multiple addresses, 28

multiple births, 63–6

    newborn patient days, 383

    outcome of last pregnancy, 433

    registering unnamed, 255

multiple names, 229, 230, 254–5, 373–4

multiple injuries, 77–8, 377

muscle injuries, 376

myocardial infarction, 364–5, 621–2

myringoplasty, 297, 299

myringotomy, 297, 299

## N

nail deformity, 234–5

names

    personal, 228–30, 253–6, 362, 366–74

    suburbs/towns/localities, 547

narcotics (intra-muscular) during labour, 50

narrative descriptions of injury events, 375

National Data Development Unit, 8

National Health and Medical Research  
    Council, 304

National Health Data Committee, 1–2, 8, 688–9

*National Health Data Dictionary* (Version 12),  
    3–8

National Health Information Management  
    Group, 1, 2, 10

National Health Information Model  
    (Version 2), 9–20, 726–42

National Minimum Data Sets (NMDSs), 5,  
    651–79, 703–12

neck injuries, 77–8

need for interpreter service, 378

negligence claims, 245–6

neonates, *see* newborn babies

neoplasms, *see* cancer

nephrology services, 395

nerve disorders, peripheral, 452–4

nerve injuries, 376

net capital expenditure, 90–1

netball injuries, 22–3

Netherlands, and Medicare eligibility, 344–5

neurology services, 395

neuropsychology services, 395

neurosurgery, 396, 540, 550–1

never daily smoking, 566–7

never married, 338–9

never smoked, 578–9

new/repeat status, 382

New South Wales, 541–3

*see also* addresses

New Zealand, and Medicare eligibility, 344–5

newborn babies (neonates), 36–7, 380–1

    for adoption, 229

    Apgar scores, 53–4

    congenital malformations, 130–1

    country of birth, 144

    deaths, 379, 433

    Medicare eligibility status, 345

    names, 229, 231, 254, 373–4

    neonatal intensive care units, 314, 383,  
        404, 539

    outcomes of previous pregnancies, 433,  
        475–6

    qualification status, 37, 97, 383–4, 408–9:  
        date of change to, 154

    resuscitation, 515–16

    status at birth, 544–5

    weight, 67, 306–7

*see also* neonatal intensive care units

newborn care, 96–7

nifedipine, 92

NIHM (Version 2), 9–20, 726–42

*Ninth*, abbreviated form of, 369

nitrous oxide during labour, 50

no fixed address, 29–30, 57, 547

non-admitted patient emergency department  
    care NMDS, 673–4

non-admitted patients and non-admitted  
    patient care, 385–97, 607–14

    date patient presents, 171–2

    day program attendances, 173

    goal of care, 261–3

    group sessions, 264, 611–13

    health outcome, 266–7

    injuries, 22, 226–7, 376–7, 461

    listing date for care, 327

    mental health/psychiatric patients, 403

    multi-disciplinary team status, 363

    patient revenue, 245–6, 443

service contacts, 410–12, 527–30:  
    previous specialised treatments,  
    477–8  
*see also* alcohol and other drug  
    treatment services; community  
    mental health services; emergency  
    departments

non-admitted patient service events, 388–97  
    date of commencement of, 155–6  
    new/repeat status, 382  
    occasions, 418  
    time of commencement of, 556–7

non-agency individuals, alcohol and other  
    drug treatment referrals from, 535–6

non-elective care, 398

non-fasting status, 231

non-invasive interventions, 120

non-residential health care facilities, 215,  
    217–18, 600  
    alcohol and other drugs treatment,  
    591–2  
    *see also* community health centres

non-rheumatic valvular heart disease, 621–2

non-salary operating costs, 399–400  
    administrative, 31  
    depreciation, 181  
    domestic services, 193  
    drug supplies, 194  
    food supplies, 233  
    interest payments, 317  
    medical and surgical supplies, 341  
    other recurrent expenditure, 429  
    patient transport, 444  
    repairs and maintenance, 514  
    superannuation employer  
    contributions, 548–9

non-urgent triage, 594–5

non-verbal communication means, 468

Norfolk Island, 58

Northern Territory, 541–3  
    *see also* addresses

noses, 396, 550–1  
    foreign bodies in, 376

not in labour force, 318–19  
    health professionals, 491–3

not ready for care patients, 440–1

notifiable diseases, registration of, 304

nuclear medicine, 608

nursing, 413–17  
    multi-disciplinary team status, 363  
    salaries and wages, 243–4, 517–18  
    staffing categories, 115–16, 481–2,  
    717–18  
    *see also* community nursing services

nursing home beds, in hospitals, 603

nursing home care units, 538

nursing home type patients, 345

nursing homes, *see* residential aged care  
    services

nutrition, *see* food

## O

obesity, *see* weight

obstetric complications, 128–9, 465, 515–16

obstetric facilities, 538

obstetric nursing, 482

obstetrics, 94, 394, 396, 608  
    procedures, 634, 636  
    *see also* labour and delivery

occasions of service, 418

occupational health professionals, 482, 487–8

occupational health services, 304

occupational injuries, 22–3, 419–20

occupational medicine services, 396

occupational therapy services, 395, 609

occupations, 419–20  
    *see also* employment; health labour force

oesophagus, endoscopy of, 635, 636

oesophagoscopy, 608, 635

office addresses, 29–30

oncology, *see* cancer

onset of labour, 421

onset type (diagnosis), 188–9

open wounds, 376

operating theatre nursing, 482

operating theatre time, 356

operations of war, injuries caused through,  
    224–5

ophthalmology, 422–5  
    referrals, 268–9, 506–7  
    surgery, 396, 550–1

optic nerves, 320–1

optometrists, 268–9

optometry services, 395, 609

oral hypoglycaemic, 185–6  
order of birth, 63–4  
organ imaging, 608  
organ procurement, 97, 426  
    procedures, 634, 636  
organisational addresses, 29–30  
organisational telephone numbers, 554–5  
organisations, *see* establishments  
orthopaedic surgery, 396, 550–1  
orthoptics services, 395  
orthotics services, 395  
other drug of concern, 427–8  
other recurrent expenditure, 399–400, 429  
other revenues, 430  
other treatment type for alcohol and other  
    drugs, 431–2  
outcomes, 94–7, 261–3, 266–7  
    previous pregnancies, 433, 475–6  
    ophthalmological assessments, 422–3  
outpatient clinics, 600, 601  
outpatient departments, 388, 537  
outpatients, *see* non-admitted patients  
outreach services, 609, 610, 611–14  
    alcohol and other drugs treatment,  
        591–2  
    group sessions, 264  
    patients, 385  
    service events, 388–9, 392–3  
ovary cancer, 320–1  
overdue patients, 434–5  
overnight-stay patients, 323, 436  
    intended, 311  
overseas patients, 245–6  
    address: in Australia, 29; overseas, 57  
overweight, *see* weight  
own account workers, 318–19  
own practices, 115, 116  
own risk discharges/ departures, 201–2, 358–9,  
    499–500  
oxprenolol, 92  
oxygen therapy, 515–16  
oxytocin, 604–6

**P**

pacemaker implantations, 623–4

paediatric facilities, 538  
    intensive care units, 314  
paediatric nursing, 482  
paediatric services, 394, 396  
pain management, 396, 416  
pain relief during labour, 49–50  
paired organs, *see* laterality  
palliative care, 95–6, 262, 657–8  
    hospices, 216, 217, 538, 600  
    hospitals, 279  
    non-admitted patient services, 396  
    previous specialised treatment, 477–8  
palpate pulses, 455  
pancreas transplants, 539–40  
pancreatography, 635  
panendoscopy, 635, 636  
parathyroid glands, 320–1  
parents, maltreatment by, 224–5  
parental health counselling services, 304  
parliamentarians, 369  
part-time work, 491–3  
partial amputations, 376  
partial names, 229  
partners, maltreatment by, 224–5  
partnership practices, 115, 116  
passengers, injuries to, 226  
pathology, 394, 608  
pathology establishments, 388, 600  
    central services, 304  
patient administration systems context, 160–1  
patient days, 323–6, 438–9  
    acute days, 97  
    contract patients, 582–3  
    hospital-in-the-home care, 405–6  
    intended, 311  
    leave periods, number of, 407  
    newborn babies, 37, 97, 383–4, 408–9: in  
        special/ neonatal intensive care, 404  
    psychiatric care days, 588–90  
    *see also* leave days  
patient identification, 63–6, 686–7  
    *see also* personal identifiers  
patient listing status, 440–1  
patient present status, 390  
patient presentations, 171–2, 442, 560–1, 616–17  
patient revenue, 443  
patient transport, 87, 303, 399–400, 444

- emergency department arrivals by, 200
- patients, 437–45
  - see also* admissions; non-admitted patients
- payments to visiting medical officers, 399–400, 446–7
- pedal cyclists and passengers, injuries to, 226
- pedestrians, 200, 226
- pelvic injuries, 77–8
- pensioners, 104
  - admitted patients, 205–8
  - see also* Department of Veterans' Affairs patients
- perinatal data, *see* births; labour and delivery; mothers; newborn babies; obstetrics; pregnancies
- perinatal NMDS, 675–6
- perinatal period, 448
- perindopril, 92
- perineal status, 449–50
- perineum, 49, 77–8
- period of time, *see* time
- peripheral neuropathy, 452–4
- peripheral vascular disease, 149–50, 455–6, 621–2
- peritoneal renal dialysis, 512–13, 634, 636
- permanent pacemaker implantations, 623–4
- permanent residents, 344–5
- Person identifier, 457–8
- personal addresses, 29–30, 57, 547
- personal and social support contexts, 98–9, 242, 329, 334–5
- personal care staff, 243–4, 517–18, 718
  - see also* nursing; salaried medical officers
- personal identifiers, 104, 174–5, 457–8
  - Department of Veterans' Affairs file numbers, 174–5
  - Division of General Practice numbers, 192
  - Medicare card numbers, 342–3
  - name context flag, 367–8
- personal names, 228–30, 253–6, 362, 366–74
- personal telephone numbers, 554–5
- pes cavus, 234–5
- pest control services, 304
- pharmacies, 394, 609
- pharmacists, 116
- pharmacy departments, 388
  - see also* drugs and medications
- physical activity, *see* exercise
- physical disabilities residential centres, 600
- physical inactivity, 61–2
- physiotherapists, 116
- physiotherapy services, 395, 609
- piercing objects, injuries from, 226
- pindolol, 92
- pipe smoking, 570–1
- places, *see* geographical locations
- planned admissions, 357
- planning, 415
  - anticipated patient election status, 51–2
  - expenses, 304
  - intended length of hospital stay, 311
  - intended place of birth, 312
  - scheduled admission date, 521
- plant and equipment, expenditure on, 86–7, 88–9, 90–1
  - repairs and maintenance, 399–400, 514
- plastic surgery, 396, 539, 550–1, 634
- plumbing, expenditure on, 86, 88, 90
- plurality of birth, *see* multiple births
- podiatrists, 116, 268–9
- podiatry services, 395
  - see also* feet
- poisoning, 226, 377
- police
  - emergency department arrivals from, 200
  - emergency department departures to, 201–2
  - intervention, injuries caused through, 224–5
  - referrals from, 535–7
  - see also* prisons and correctional institutions
- popliteal/femoral bypass/graft/stenting, 623–4
- population, 148, 533–4
  - age-standardised rate, 40–2
  - cancer statistics, 160–1
  - date of birth, 151–2
  - estimated date flag, 219–20
  - marital status, 338–9
  - patients in residence at year end, 445
  - preferred language, 466–8

- see also* births; deaths; ethnic groups; Indigenous peoples; men; women
- population surveys, 146–7, 277–8
- post-admit conditions, 188–9
- post surgical service recipients, 261
- post-term, 251
- postal addresses, *see* addresses
- postal delivery point identifiers, 463–4
- postcodes, 57–8
- posthumous organ procurement, 97, 426
- postnatal clinics, 303
- postnatal length of stay, 326
- postpartum complication, 465
- powder drug use, 349
- power and fuel, 193, 399–400
- pre-admission surgery services, 396
- pre-anaesthesia services, 396
- pre-term, 251
- preferred languages, 466–9
- preferred names, 354, 373–4
- prefixes in family names, 229–30
- prefixes in telephone numbers, 554
- pregnancies, 470–1
  - gestational diabetes, 129, 182–3
  - previous, 158, 433, 475–6
  - see also* births; mothers
- premature cardiovascular disease, family history of, 472–3
- preschool medical services, 303
- presentation at birth, 474
- presentation of patients, 171–2, 442, 560–1, 616–17
- pressure area care, 416
- prevalence rates, 40–2, 148
- preventive programs, service recipients on, 261
- previous pregnancies, 433, 475–6
- previous specialised treatment, 477–8
- primary conditions, 188–9
  - cancer, laterality of, 320–1
- primary site of cancer, 479–80
- principal area of clinical practice, 481–2
- principal diagnosis, 483–4
- principal drug of concern, 349, 485–6
  - change in, 107, 125, 499–500
- principal language spoken at home, 332–3
- principal roles of health professionals, 487–8
- prisoners, 107, 345, 499–500
- prisons and correctional institutions, 602–3
  - alcohol and other drug treatment referrals from, 535–6
  - discharge to, 358–9
  - emergency department arrivals from, 200
  - patient funding sources, 245–6, 345
- privacy, *see* personal identifiers
- private health insurance, 245–6, 282–3, 443
- private hospitals, 215, 216, 535, 600
  - public psychiatric hospital referrals from, 537
  - total psychiatric care days, 588–90
  - see also* contracted care
- private medical practices, 503–4
  - nursing, 482
  - referrals from, 535–7
- private patients, 38–9, 51–2, 403, 503–4
  - veterans, 177
- private psychiatric hospitals, 216, 600, 601
  - admitted patients, employment status of, 205–6
  - public psychiatric hospital referrals from, 537
- private psychiatrists, referrals to/from, 505, 537
- private residences, *see* accommodation
- private sector establishments, 214–18, 315–16, 600–1
- private transport emergency department arrivals, 200
- procedures, 489–50
  - care type, 95
  - contracted, 133–4
  - dates undertaken, 168
  - elective care, 297–9, 634–7
  - nursing interventions, 416
  - vascular, 142–3, 297, 298, 623–4
- proctosigmoidoscopy, 635
- profession labour force status, 491–3
- professional instruments and containers, 89, 91
- Professor*, abbreviated form of, 371
- professors, 116
- proficiency in spoken English, 494–5
- Project Summary template, 698–9
- propranolol, 92
- prostaglandins, 421, 604–6
- prostatectomy, 297, 299

- prosthetics services, 395
- proteinuria, 496–7
- pseudonyms (alias names), 229, 230, 254, 373–4
- psychiatric hospitals, 216, 600–3
  - admitted patients, employment status of, 205–8
  - alcohol/other drug treatment units in, 603
  - day program attendances, 173
  - discharges/transfers to, 358–9
  - outpatient clinic number of contacts, 403
  - total psychiatric care days, 588–90
  - usual accommodation, prior to admission, 615
  - see also* community-based mental health inpatient facilities; mental health/psychiatric patients; public psychiatric hospitals
- psychiatric nursing, 482
- psychiatric units/services, 394, 538, 608, 609
- psychiatrists and psychiatric practices, 505, 537
- psychogeriatric care, 96
- psychology services, 395
- public administration areas, injuries occurring in, 461–2
- public health and monitoring services, costs of, 303–4
- public health context
  - alcohol consumption, 43–8
  - behaviour-related risk factor intervention, 59–62
  - blood pressure, 71–6
  - body mass index, 79–85
  - cholesterol, 108–14
  - diabetes, 182–6, 648–50: initial visit, 308; referrals to ophthalmologists, 506–7
  - Division of General Practice numbers, 192
  - dyslipidaemia treatment, 195–6
  - erectile dysfunction, 210
  - fasting status, 231
  - feet, 234–41, 330–1
  - glycosylated haemoglobin (HbA1c), 257–60
  - height, 270–5
  - hip circumference, 276–8
  - hypertension, 293–4
  - hypoglycaemia, 295–6
  - lower limb amputation due to vascular disease, 330–1
  - microalbumin, 350–5
  - ophthalmology, 422–5, 506–7
  - peripheral neuropathy, 452–4
  - peripheral vascular disease in feet, 455–6
  - physical activity sufficiency status, 459–60
  - pregnancy status, 470–1
  - renal disease end-stage, diabetes complication, 510–11
  - service event, date of commencement of, 155–6
  - smoking, 562–81
  - State/Territory identifier, 541–2
  - triglycerides, 596–7
  - visual acuity, 625–6
  - waist circumference, 627–31
  - weight, 642–7
- public health contexts, and cardiovascular/vascular disease, 364–5, 621–4
  - cerebral stroke due to, 105–6
  - coronary artery disease, 142–3
  - drugs and medications, 92–3, 149–50, 195–6
  - family history of premature, 472–3
  - peripheral, in feet, 455–6
- public health professionals, 487–8
- public hospital establishments context, 132, 135–7, 279, 437
- public hospital establishments NMDS, 677–9
- public hospitals, 215, 216, 535, 600
  - Department of Veterans' Affairs patients, 177
  - see also* acute care hospitals; emergency departments
- public housing, *see* accommodation
- public liability claims, 126–7, 245–6
- public patients, 38–9, 51–2, 245
  - persons covered by Reciprocal Health Care Agreements, 345
- public places, 602–3
- public psychiatric hospitals, 216, 600, 601
  - admitted patients, employment status of, 207–8
  - group sessions, 264
  - non-admitted patient care, 611–13
  - patients in residence at year end, 445
  - referrals to/from, 537
- public sector establishments, 215–18, 315–16, 600–1

public transport, emergency department arrivals by, 200  
pudendal anaesthesia during labour, 49  
pulmonary services, 396  
punctuation  
    in names, 229, 254–5  
    in telephone numbers, 554  
pupil nurses, 243–4, 517–18, 718

## Q

quadruplets, *see* multiple births  
qualification of newborn babies, 37, 97, 383–4, 408–9  
    date of change to, 154  
quality accreditation/certification standard, 498  
quarantine services, 304  
*Queens Council*, abbreviated form of, 369  
Queensland, 541–3  
    *see also* addresses  
quinapril, 92  
quintuplets, *see* multiple births  
quitting smoking, 572–3, 576–7

## R

RACGP fellowships, 481  
RACGP trainees, 481  
radiation oncology services, 396  
radiology, 608  
    equipment, 86, 89, 91  
railway rolling stock, 89, 91  
ramipril, 92  
rate, age-standardised, 40–2  
rate, crude, 148  
rates and taxes, 31, 399–400  
ready for care patients, 440–1  
Reciprocal Health Care Agreements, 344–5  
reconstructive/plastic surgery, 396, 539, 550–1, 634  
recoveries (financial), 503–4  
recovery patients, 261–2  
recreational activities, injuries during, 22–3  
rectum, endoscopy of, 636  
Red Cross, 304  
referrals, 59–60, 169, 201–2, 505–7, 535–7

refuges, 602–3  
region codes, 508  
regional health services, 458  
registered insurance, 245–6, 282–3, 443  
registered marital status, 339  
registered nurses, 115, 243–4, 517–18, 717  
registrars, 115  
registration authorities, 2–3  
regulation of sanitation standards, 304  
rehabilitation, 95, 396  
    alcohol and other drugs treatment method, 334–5, 431–2  
    referrals to, 169  
rehabilitation units, 95, 540  
relatives, 472–3, 535–6  
    service events and, 390  
reliever pharmacists, 116  
remand centres, *see* prisons and correctional institutions  
removal from elective surgery waiting lists, 501–2, 640–1, 509  
remuneration of staff, 243–4, 399–400, 446–7, 517–18  
renal artery angioplasty/stenting, 623–4  
renal dialysis, 510–13, 608, 634, 636  
renal dialysis units, 539  
renal disease, 539, 510–13  
    creatinine serum, 146–7  
    proteinuria, 496–7  
renal vascular disease, 149–50, 621–2  
rented homes, *see* accommodation  
repairs and maintenance, 399–400, 514  
Repatriation Pharmaceutical Benefits Card holders, 175  
    *see also* Department of Veterans' Affairs patients  
repeat non-admitted patient service events, 382  
research, 304  
    age-standardisation rate, 40–2  
    crude rate, 148  
    diagnosis of cancer, date of, 160–1  
research organisations, 600  
researchers, 115  
residence in Australia, period of, 451  
residential addresses, 29–30  
residential aged care services (nursing homes), 216, 217, 602–3

available beds, 401–2  
 community nursing service visits,  
 162–3, 166–7  
 discharges/transfers to, 358–9  
 emergency department departures to,  
 201–2  
 non-admitted patient care, 614  
 nursing home care units, 538  
 patient revenue, 443  
 patients in residence at year end, 445  
 sector, 600  
 residential institutions, 600, 615  
 alcohol and other drugs treatment,  
 591–2  
 injuries occurring in, 461–2  
*see also* alcohol and drug treatment  
 inpatient facilities;  
 community-based mental health  
 inpatient facilities; hospitals  
 residential medical officers, 115, 481  
 residential patients, at year end, 445  
 Residential Services/Facilities, 603  
 residents (Australia, temporary), 344–5  
 resources, 401–2  
*see also* health expenditure; health  
 labour force  
 respiratory services, 396  
 respiratory tract, foreign bodies in, 376  
 resting, injuries while, 22–3  
 resuscitation, 594–5  
 babies, 515–16  
 reticulation systems, 89, 91  
 retinopathy, 69, 621–2  
 retirement village units, *see* accommodation  
 return visits, to emergency departments,  
 616–17  
 revenues, 11, 430, 503–4  
 from patients, 177, 245–6, 443  
*Reverend*, abbreviated form of, 371  
 rheumatic heart disease, 621–2  
 rheumatology services, 396  
 right organs, *see* laterality  
 risk factor interventions, 59–62  
 RMOs, 115, 481  
 roads, 88, 90  
 injuries occurring on, 461–2  
 roles  
 contracting/contracted hospital, 135  
 health professionals, 115–17, 487–8

roll-your-own cigarettes, 570–1  
 roller blading injuries, 22–3  
 rooming houses, 602–3  
 rostered care worker services, 603  
 rugby injuries, 22–3

## S

salaried medical officers, 115, 481, 717  
 hospital facilities, income received from  
 use of, 503–4  
 salaries and wages, 243–4, 517–18  
 salaried physiotherapists, 116  
 salaried podiatrists, 116  
 salaries and wages, 243–4, 517–18  
 same-day establishments, 215, 217  
 same-day patients, 323, 519–20  
 intended, 311  
 patient days, 438–9  
 subsequently classified as  
 overnight-stay, 436  
 same sex couples, 338  
 sanitation standards, regulation of, 304  
 sanitation systems, 88, 90  
 scheduled admissions, 521, 619  
 school medical services, 303  
 school nursing, 482  
 schools, injuries occurring in, 461–2  
*Second*, abbreviated form of, 369  
 sector, *see* private sector establishments; public  
 sector establishments  
 sedentary, 459–60  
 self-funded patients, 245–6  
 self-harm, 224–5  
 self referrals, 535–6  
 self reporting  
 alcohol consumption, 44–8  
 employment status of admitted patient,  
 205–8  
 establishments, sector groupings of, 601  
 height, 274–5  
 weight, 646–7  
 semi-urgent triage, 594–5  
*Senior*, abbreviated form of, 369  
 senior lecturers, 116  
 sensory test, 452–3  
 separated people, 338–9

- separations, 358–9, 522–6
  - patient days and, 438–9
- septoplasty, 297, 299
- septuplets, *see* multiple births
- service areas, injuries occurring in, 461–2
- service needs assessments, 416
- services, *see* non-admitted patients
- Seventh*, abbreviated form of, 369
- severe hypoglycaemia, 295–6
- sex, *see* men; women
- sextuplets, *see* multiple births
- sexual assault, 224–5
- shelters, 602–3
- ships, 89, 91
- shortened forms of name suffixes, 369
- shortened name titles, 371
- shortened names, 229, 254
- shortness, 270–5
- shoulder injuries, 77–8
- siblings, *see* relatives
- sight, *see* eyes and eyesight
- sigmoidoscopy, 635
- single births, *see* births
- single persons, 338–9
- Sir*, 371
- Sister*, abbreviated form of, 371
- sites, *see* locations
- Sixth*, abbreviated form of, 369
- skin cancer (melanoma), 599
- sleep centres, 540
- sleeping, injuries while, 22–3
- small intestine, endoscopy of, 635
- smoke-related injuries, 226
- smoking, 349, 562–81
  - public campaigns, 304
  - risk factor intervention, 61–2
- SNAP initiative, 62
- Snellen chart, 625–6
- sniffing drug use, 349
- social isolation, 329
- social marital status, 339
- social work services, 395
- socioeconomic status, 58, 205–8
  - see also* employment
- soft tissue, foreign bodies in, 376
- solid tumours, size at diagnosis, 598
- sotalol, 92
- South Australia, 541–3
  - see also* addresses
- spaces in names, 254–5
- special care, number of days neonates spent in, 404
- specialised service indicators, 538–40
- specialist hospitals, 600
  - see also* psychiatric hospitals
- specialist medical practitioners, 115, 481
  - see also* surgery
- specialty treatment, previous, 477–8
- specifications for data sets, 651–87
- speech pathology services, 395
- speech therapy services, 395, 609
- sphygmomanometers, 71–2, 74–5
- spinal anaesthesia during labour, 49
- spinal analgesia during labour, 50
- spinal cord injury, 376, 539
- spinal services, 396
- spoken English, proficiency in, 494–5
- spontaneous abortions, 129, 433, 475–6
- spontaneous onset of labour, 421
- spontaneous vaginal birth, 348
- sporting facilities, 88, 90
- sports injuries, 22–3, 461–2
- spot urine test, 496–7
- spouses, maltreatment by, 224–5
  - see also* relatives
- sprains or strains, 376
- squash injuries, 22–3
- staff, *see* health labour force
- staged patients, 440
- standard drinks, 46, 47–8
- standards (quality) accreditation/certification, 498
- starting smoking, 574–5
- state government hostels, 216, 217
- States and Territories, 58, 541–3
  - see also* addresses
- statewide support services, 304
- stationery expenses, 31, 399–400
- statistical admissions, 32, 357
- statistical discharges/separations, 358–9, 522

status

diabetes, 182–4  
fasting, 231  
formal community support services  
  access, 242  
Indigenous, 300–2  
injecting drug use, 309–10  
marital, 338–9  
mental health, 346–7  
new/repeat non-admitted patient care,  
  382  
newborn qualification, 37, 97, 383–4,  
  408–9: date of change to, 154  
non-admitted patient service event –  
  patient present, 390  
perineal, 449–50  
peripheral neuropathy, 452–4  
physical activity sufficiency, 459–60  
pregnancy, 470–1  
premature cardiovascular disease  
  family history, 472–3  
proteinuria, 496–7  
public/private patient election, 38–9  
teaching, 552–3  
tobacco smoking, 578–81  
steam-related injuries, 226  
stenting, 142–3, 623–4  
stillbirths (foetal deaths), 306–7, 544–6  
  previous pregnancies, 433, 475–6  
stomach, endoscopy of, 635  
stomal therapy services, 395  
storm water channels, 88, 90  
stoves, expenditure on, 86  
strains or sprains, 376  
strangling, 226  
streets, injuries occurring in, 461–2  
striking, injuries resulting from, 226, 227  
stroke, 105–6, 149–50, 621–2  
  carers and, 99  
  due to vascular disease, 105–6  
structural abnormalities, 130–1  
student nurses, 243–4, 517–18, 718  
students, 207–8  
submersion injuries, 226  
submission templates, 698–702  
suburbs, 57–8, 547  
  *see also* geographical location  
suction, 515–16  
suffixes following names, 369–70

sulphonylurea, 185–6  
sunlight injuries, 227  
superannuation employer contributions,  
  399–400, 548–9  
superficial injuries, 376  
support groups, referrals to, 59–60  
supported accommodation, *see*  
  accommodation  
supporting information carers, 415–16  
surgery, 95, 120  
  behaviour-related risk factor  
  intervention, 59–60  
  day centres, 215, 217, 600, 601  
  non-admitted patient services, 394, 396,  
  608, 609  
  recovery from, 261  
  specialised service indicators, 539–40  
  vascular procedures, 142–3, 297, 298,  
  623–4  
  *see also* elective surgery  
surgical complications, *see* complications  
surgical nursing, 481, 482  
surgical supplies, 341, 399–400  
surnames (family names), 228–30, 362  
surveillance and monitoring, 15, 416  
Sweden, and Medicare eligibility, 344–5  
swimming pool drownings and submersions,  
  226  
system-level resource definitions, 722–25  
systolic blood pressure, 74–6

**T**

tallness, 270–5  
Tasmania, 541–3  
  *see also* addresses  
taxes and rates, 31, 399–400  
taxis, emergency department arrivals by, 200  
teachers/educators, 115, 116, 487–8  
teaching/education, 304, 415, 416, 552–3  
  about diabetes, 395, 268–9  
  education and information treatment  
  method, 59–60, 334–5  
  tertiary education institutions, 552–3,  
  600  
teaching status, 552–3  
tear, vaginal, 449–50  
technical nursing treatment or procedure, 416

- teeth, *see* dental
- telephone (telehealth, telemedicine) calls,  
service events delivered by, 392–3,  
527–8  
date patient presents, 171–2
- telephone expenses, 31, 399–400
- telephone numbers, 554–5
- telmisartan, 92
- templates, 698–701
- temporary residential addresses, 29–30
- temporary residents, 344–5
- temporary telephone numbers, 555
- tendon injuries, 376
- Tenth*, abbreviated form of, 369
- term, 251
- Territories, 58, 541–3  
*see also* addresses
- tertiary education institutions, 600
- tertiary teachers, 116, 552–3
- testis cancer, 320–1
- therapeutic interventions, 120, 416
- therapeutic procedures, 95
- therapy, *see* drugs and medications
- thiazolidinedione, 185–6
- thickness of tumours at diagnosis, 599
- thigh injuries, 77–8
- thinness, *see* weight
- Third*, abbreviated form of, 369
- thoracic surgery services, 396
- thorax injuries, 77–8
- throats, 550–1, 608
- time  
of admission, 35  
alcohol consumption frequency, 44–6  
Apgar scores, 53–4  
Australian residence, period of, 451  
clinical urgency, 123–4, 221  
diabetes: diagnosed, 650; insulin  
started, 648–9  
on elective surgery waiting lists, 638–41  
hours on-call/worked, 287–92, 584–5  
in operating theatres, 356  
patient presents, 560–1  
of separation, 525  
service events, commencement of, 556–7  
smoking: duration, 564–5; frequency,  
562–9, 572–81; since quitting, 576–7  
triage, 558–9  
*see also* age; dates; history; patient days
- timed urine test, 496–7
- tissue transplant procedures, 634, 636
- titles before names, 371–2
- tobacco products, 570–1
- tobacco smoking, *see* smoking
- toes, 77–8, 234–5, 330–1
- toileting, 178–80, 416
- tomography, 86, 89, 91, 608
- tonsils, 320–1
- tonsillectomy, 297, 299
- topography of tumours, 479–80
- Torres Strait Islanders, *see* Indigenous peoples
- total contract patient days, 582–3
- total hip replacement, 297, 299
- total knee replacement, 297, 299
- total leave days, 586–7
- total psychiatric care days, 588–90
- 'Touch-test' Sensory Evaluation, 452–3
- towns, 57–8, 547  
*see also* geographical location
- toxic effects, 226, 377
- trade areas, injuries occurring in, 461–2
- trademarks (intangible assets), 87, 89, 91
- trailers, 89, 91
- trainee nurses, 243–4, 517–18, 718
- tramway rolling stock, 89, 91
- trandolapril, 92
- transfers to other service providers, 107,  
499–500  
*see also* inter-hospital transfers
- transient ischaemic attack, 149–50, 621–2
- transplantation units, 539–40
- transplants, 396, 510–13, 623–4  
equipment, 86, 89, 91  
procedures, 634, 636
- transport, 87, 89, 91  
emergency department arrival mode,  
200  
*see also* patient transport
- transport injuries, 226
- travel insurance, overseas visitors with, 246
- traumatic amputations, 376
- treatment  
mental health legal status, 346–7  
overnight-stay patients, 436

technical nursing, 416  
*see also* alcohol and other drugs  
treatment episodes; drugs and  
medication; specialty treatment

triage, 594–5  
time of, 558–9  
dates, 170, 171  
patient presentations, 171, 442  
*see also* urgency of admission

triglycerides, 596–7

triplets, *see* multiple births

tumours, 360–1, 479–80, 598–9  
*see also* cancer

tutors, 116

24 hour medical clinics, 600

twins, *see* multiple births

Type 1/Type 2 diabetes, *see* diabetes

## U

ulcers on foot, 238–41

ultrasound, 608

underweight, *see* weight

unemployed people, 318–19  
admitted patients, 205–8  
health professionals, 491–3

unidentified health care clients, 229, 254

United Kingdom, and Medicare eligibility,  
344–5

unknown addresses, 29–30, 57, 547

unknown names, 229, 254

unpaid contributing family workers, 265,  
318–19

unplanned admissions, 357

unqualified newborn patient days, 37, 383–4

unstable angina pectoris, 621–2

upper arm injuries, 77–8

upper limit of normal range, 259–60, 352–3

ureter, 320–1

urethroscopy, 635, 636–7

urgency, *see* clinical urgency

urgency of admission, 122–4, 197, 618–20  
category reassignment date, 102  
extended wait patients, 221, 619  
non-elective care, 398  
overdue patients, 434–5  
*see also* triage

urgent triage, 594–5

urinary albumin, 350

urine testing, 496–7

urology, 396, 550–1

usual residence, *see* accommodation

utilisation rates, 40–2, 148  
Medicare, 342–3

## V

vaccination and immunisation, 303, 609, 610

vacuum extractions, 49, 348

vaginal breech, 348

vaginal tear, 449–50

values-clarification, 416

valvular heart disease, 621–2

vapour drug use, 349

vapour-related injuries, 226

varicose veins, 297, 299

vas deferens, 320–1

vascular disease, 364–5, 455–6, 621–2  
cerebral stroke due to, 105–6  
lower limb amputations due to, 330–1

vascular renal disease, 149–50, 621–4

vascular retinopathy, 69, 621–2

vascular surgery, 396, 550–1  
procedures, 142–3, 297, 298, 623–4

venipuncture, 416

venom, effect of, 377

verapamil, 92

Version 12, *National Health Data Dictionary*,  
3–8

vertex presentation at birth, 474

veterans, *see* Department of Veterans' Affairs  
patients

vibration sensation, testing of, 453

Victoria, 541–3  
*see also* addresses

video links, service events provided by, 392–3,  
527–8

vision, *see* eyes and eyesight

visiting medical officers, payments to, 399–400,  
446–7

vital activities, injuries when engaging in, 22–3

vocationally registered medical practitioners,  
481, 535

voluntary patients, 346–7

volunteers, 265

## W

wages and salaries, 243–4, 517–18  
waist circumference, 627–31  
waist-to-hip ratio, 632–3  
waiting lists, 281, 284, 634–7  
    *see also* elective surgery waiting lists  
waiting times, 638–41, 665–7  
    in emergency departments, 203–4:  
        NMDS, 668–9  
walking, 200, 459–60  
war injuries, 224–5  
war widows/widowers, *see* Department of  
    Veterans' Affairs patients  
washing, assistance with, 416  
water mains, 88, 90  
weapons, injuries from, 226  
weekly smokers, 578–81  
weight, 627–33, 642–7  
    body mass index, 79–85  
    newborn babies and infants, 67, 306–7  
welfare institutions/establishments, 358–9,  
    602–3  
    income from, 430  
    *see also* hostels; prisons and correctional  
        institutions  
wellbeing, state of, 416  
Western Australia, 541–3  
    *see also* addresses  
White Card Holders, 175  
    *see also* Department of Veterans' Affairs  
        patients  
widows, family name prefixes indicating,  
    229–30  
widows/widowers, 338–9  
withdrawal management, 334–5, 431–2  
wives, maltreatment by, 224–5  
women, 533–4  
    age-standardisation, 41  
    alcohol consumption risk, 46  
    height, self reported, 275  
    pregnancy, 470–1, 642  
    waist circumference, 630–1  
    waist-to-hip ratio, 632  
    weight, 642  
    widows, family name prefixes  
        indicating, 229–30  
    *see also* mothers

work, *see* employment  
workers compensation expenses, 31, 399–400  
workers compensation patients, 126–7, 245–6  
working hours, 287–92, 584–5  
Worksafe Australia, 304  
wound management services, 395  
wrist injuries, 77–8  
written regimens, 59–60

## X

X-rays, *see* radiology

## Y

years, *see* time  
youth training centres, *see* prisons and  
    correctional institutions