

The geographical guide—SLAs and the three remoteness classifications

This geographical guide (Tables 4–11) shows the class to which each SLA¹⁰ is assigned under each of the three classifications. The geographical guide is divided into three components:

- The RRMA component of the guide shows the RRMA classes to which each SLA is assigned.
- The ARIA component shows the ARIA class and a mean, minimum and maximum ARIA index value for each SLA.
- The ASGC Remoteness Areas component shows the proportion of each SLA's population living in each remoteness area.

The geographical guide has some features of which users should be aware:

- The RRMA component is imperfect because it is based on old (1991) information. The RRMA classes for non-metropolitan SLAs are determined by an 'Index of remoteness' based on 'distance' and 'personal distance' factors calculated from 1991 census data and 1991 SLA boundaries. In the guide, the 2001 SLAs have inherited the RRMA class of the equivalent 1991 SLAs.
- The ARIA class is based on the mean index value of the SLA. This may not be an appropriate means of determining the ARIA class when an SLA is heterogeneous in terms of remoteness (that is, the SLA's boundary contains a range of index values that overlaps remoteness classes).

Appendix A illustrates the application of the three classifications to ten SLAs.

¹⁰ As defined at 30 June 2001.

Table footnotes

Tables 4-11 make reference to the following footnotes:

1. Population-weighted SLA concordance is based on ARIA+ methodology, 2001 SLA boundaries and 1996 census population counts for service centres. Population weighting is based on CD population counts at the time of the 2001 census. The ASGC Remoteness Areas component shows the proportion of the SLA's population living in each ASGC Remoteness Areas class.
2. SLA concordance is based on ARIA methodology, 2001 SLA boundaries and 1996 census population counts for service centres. The ARIA component shows the ARIA class of the SLA (which is based on the mean index value of the SLA), the mean, minimum and maximum index value of points contained within the SLA boundary.
3. SLA concordance is based on RRMA methodology which uses 'distance' and 'personal distance' information based on 1991 population census data and 1991 SLA boundaries. The 2001 SLA boundaries have inherited the same RRMA class as the 'equivalent' 1991 SLA.
4. ARIA class is based on the mean index value of the SLA. This may not be an appropriate means of determining the ARIA class when the SLA contains a range of index values that overlap remoteness classes (see 'Applying ARIA index values to SLAs' on page 8). ARIA class ranges are listed in Table 2 on page 9.
5. The SLA is in a rural or remote zone and the boundary has not changed since 1991. The population within the urban centre of the SLA did not change so as to breach any RRMA class population threshold between 1991 and 2001. The RRMA class given assumes that 'distance' and 'personal distance' factors within the SLA did not change between 1991 and 2001.
6. The SLA is in a rural or remote zone and the boundary has changed since 1991. The population within the urban centre of the SLA did not change so as to breach any RRMA class population threshold between 1991 and 2001. The RRMA class given assumes that 'personal distance' and 'distance' factors of the SLA did not change between 1991 and 2001.
7. The RRMA class given does not reflect the true status of the SLA because, between 1991 and 2001, the population of the urban centre of the SLA increased or decreased and breached RRMA class population thresholds. The SLA boundary may also have changed since 1991.

SLA suffixes

Most of the SLAs in the following geographical guide (Tables 4–11) have a suffix indicating the SLA's Local Government Area (LGA) status. The suffixes are:

- (A) New South Wales Area
- (B) Borough
- (C) City
- (CGC) Community Government Council
- (DC) District Council
- (M) Municipality
- (RC) Rural City
- (S) Shire
- (T) Town

SLAs that do not have a suffix are localities or suburbs within a LGA. For example, Acacia Ridge is in the LGA of Brisbane City (ABS 2002).

Finding an SLA

The geographical guide (Tables 4–11) is in the state/territory order as used in the Australian Standard Geographical Classification:

- New South Wales (page 26)
- Victoria (page 32)
- Queensland (page 38)
- South Australia (page 53)
- Western Australia (page 57)
- Tasmania (page 62)
- Northern Territory (page 64)
- Australian Capital Territory and Other Territories (page 67).

SLAs are listed in SLA code order which, with the exception of Queensland and the Northern Territory, corresponds to alphabetical order according to SLA name. An alphabetical guide has been included with the Queensland table (Table 6) and Northern Territory table (Table 10) to assist in locating SLAs within these jurisdictions.

Table 4: ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – New South Wales

SLA code	SLA name	ASGC Remoteness Areas				ARIA			RRMA	
		Percentage of population living in each Remoteness Area				ARIA class ⁴	Mean	Min.	Max.	RRMA class
10050	Albury (C)	IR	100.0			HA	0.774	0.720	1.079	R1 ⁵
10111	Armidale Dumaresq (A) – City	IR	100.0			A	2.123	2.120	2.191	R2 ⁵
10112	Armidale Dumaresq (A) Bal.	IR	49.4	OR	50.6	A	3.167	2.120	3.983	R3 ⁵
10150	Ashfield (A)	MC	100.0			HA	0.000	0.000	0.000	M1
10200	Auburn (A)	MC	100.0			HA	0.000	0.000	0.000	M1
10250	Ballina (A)	IR	100.0			HA	1.150	0.997	1.594	R2 ⁵
10300	Balranald (A)	R	16.1	OR	83.9	MA	5.722	3.416	8.222	Rem2 ⁵
10350	Bankstown (C)	MC	100.0			HA	0.000	0.000	0.086	M1
10400	Barraba (A)	OR	100.0			MA	4.124	3.049	4.849	R3 ⁵
10450	Bathurst (C)	IR	100.0			HA	1.336	1.260	1.506	R2 ⁷
10500	Baulkham Hills (A)	MC	92.4	IR	7.6	HA	1.092	0.000	2.033	M1
10550	Bega Valley (A)	R	1.6	OR	98.4	MA	4.286	2.181	6.170	R3 ⁵
10600	Bellingen (A)	OR	100.0			A	3.230	2.526	3.879	R3 ⁵
10650	Berrigan (A)	IR	42.0	OR	58.0	A	2.531	2.107	2.959	R3 ⁵
10700	Bingara (A)	OR	100.0			MA	4.282	3.386	4.767	R3 ⁵
10751	Blacktown (C) – North	MC	100.0			HA	0.635	0.000	1.253	M1
10752	Blacktown (C) – South-East	MC	100.0			HA	0.259	0.000	0.872	M1
10753	Blacktown (C) – South-West	MC	100.0			HA	0.270	0.000	1.143	M1
10800	Bland (A)	OR	94.3	R	5.7	MA	4.112	3.008	5.159	R3 ⁵
10851	Blayney (A) – Pt A	IR	100.0			A	2.042	1.868	2.243	R3 ⁵
10852	Blayney (A) – Pt B	OR	47.5	IR	52.5	A	2.217	1.977	2.419	R3 ⁵
10900	Blue Mountains (C)	MC	67.2	IR	32.8	HA	1.319	0.000	2.949	M1
10950	Bogan (A)	R	100.0			R	7.225	5.379	9.234	Rem2 ⁵
11000	Bombala (A)	OR	100.0			MA	3.937	2.640	5.318	R3 ⁵
11050	Boorowa (A)	IR	58.5	OR	41.5	A	2.208	1.908	2.671	R3 ⁵
11100	Botany Bay (C)	MC	100.0			HA	0.000	0.000	0.000	M1
11150	Bourke (A)	VR	100.0			VR	10.752	8.888	11.220	Rem2 ⁵
11200	Brewarrina (A)	R	58.3	VR	41.7	VR	9.745	7.717	10.645	Rem2 ⁵
11250	Broken Hill (C)	OR	100.0			A	3.343	3.240	3.511	R2 ⁵
11300	Burwood (A)	MC	100.0			HA	0.000	0.000	0.000	M1
11350	Byron (A)	IR	100.0			HA	1.047	0.903	1.233	R3 ⁵
11401	Cabonne (A) – Pt A	IR	100.0			A	1.968	1.714	2.270	R3 ⁵
11402	Cabonne (A) – Pt B	IR	100.0			A	2.151	1.822	2.611	R3 ⁵
11403	Cabonne (A) – Pt C	OR	56.7	IR	43.3	A	2.716	2.051	3.251	R3 ⁵

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 4 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – New South Wales

SLA code	SLA name	ASGC Remoteness Areas				ARIA			RRMA			
		Percentage of population living in each Remoteness Area				ARIA class ⁴	Mean	Min.	Max.	RRMA class		
11450	Camden (A)	IR	4.4	MC	95.7	HA	0.994	0.000	1.550	M1		
11500	Campbelltown (C)	IR	0.2	MC	99.8	HA	0.494	0.000	1.245	M1		
11550	Canterbury (C)	MC	100.0			HA	0.000	0.000	0.000	M1		
11600	Carrathool (A)	OR	33.2	R	66.8	R	5.824	3.239	8.142	Rem2 ⁵		
11700	Central Darling (A)	VR	68.0	R	32.0	R	8.478	5.207	10.700	Rem2 ⁵		
11720	Cessnock (C)	IR	69.2	MC	30.3	OR	0.45	HA	0.993	0.100	2.601	M2
11750	Cobar (A)	R	91.0	VR	9.0	R	8.742	5.861	10.765	Rem2 ⁵		
11801	Coffs Harbour (C) – Pt A	OR	0.7	IR	99.3	A	2.285	2.080	2.573	R2 ⁷		
11804	Coffs Harbour (C) – Pt B	OR	14.3	IR	85.7	A	2.489	2.175	3.011	R2 ⁶		
11850	Conargo (A)	OR	100.0			A	3.218	2.330	4.459	R3 ⁵		
11900	Concord (A)	MC	100.0			HA	0.000	0.000	0.000	M1		
11950	Coolah (A)	OR	100.0			MA	3.523	2.937	4.150	R3 ⁵		
12000	Coolamon (A)	IR	50.0	OR	50.0	A	2.592	1.720	3.300	R3 ⁵		
12050	Cooma-Monaro (A)	IR	82.8	OR	17.2	A	1.917	1.101	3.215	R3 ⁵		
12100	Coonabarabran (A)	R	18.0	OR	82.0	MA	4.371	3.133	5.432	R3 ⁵		
12150	Coonamble (A)	R	100.0			R	6.044	4.546	7.938	R3 ⁵		
12200	Cootamundra (A)	IR	94.5	OR	5.5	A	2.038	1.720	2.513	R3 ⁵		
12250	Copmanhurst (A)	IR	41.7	OR	58.3	A	2.743	1.705	3.716	R3 ⁵		
12300	Corowa (A)	IR	95.5	OR	4.5	A	1.972	1.262	2.858	R3 ⁵		
12350	Cowra (A)	IR	80.4	OR	19.6	A	2.201	1.880	3.017	R3 ⁵		
12400	Crookwell (A)	IR	68.4	OR	31.6	A	2.156	1.304	3.140	R3 ⁵		
12450	Culcairn (A)	IR	87.5	OR	12.6	A	2.024	1.631	2.447	R3 ⁵		
12500	Deniliquin (A)	IR	100.0			A	2.333	2.330	2.454	R3 ⁵		
12550	Drummoyne (A)	MC	100.0			HA	0.000	0.000	0.000	M1		
12601	Dubbo (C) – Pt A	OR	2.3	IR	97.7	A	2.563	2.400	2.791	R1 ⁶		
12604	Dubbo (C) – Pt B	OR	100.0			A	2.847	2.501	3.310	R3 ⁷		
12700	Dungog (A)	IR	95.5	OR	4.5	HA	1.491	0.378	2.679	R3 ⁵		
12750	Eurobodalla (A)	OR	34.3	IR	65.7	A	2.392	1.720	3.707	R3 ⁷		
12801	Evans (A) – Pt A	IR	100.0			HA	1.614	1.351	2.014	R3 ⁵		
12802	Evans (A) – Pt B	OR	21.0	IR	79.1	A	2.111	1.293	2.879	R3 ⁵		
12850	Fairfield (C)	MC	100.0			HA	0.294	0.000	1.058	M1		
12900	Forbes (A)	OR	100.0			A	3.189	2.556	4.513	R3 ⁵		
12950	Gilgandra (A)	R	3.1	OR	96.9	MA	4.007	2.993	4.961	R3 ⁵		
13000	Glen Innes (A)	OR	100.0			A	2.690	2.680	2.839	R3 ⁵		
13050	Gloucester (A)	IR	52.7	OR	47.3	A	2.686	2.072	3.083	R3 ⁵		

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 4 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – New South Wales

SLA code	SLA name	ASGC Remoteness Areas				ARIA			RRMA			
		Percentage of population living in each Remoteness Area				ARIA class ⁴	Mean	Min.	Max.	RRMA class		
13100	Gosford (C)	MC	94.8	IR	5.2	HA	0.817	0.180	1.850	M1		
13150	Goulburn (C)	IR	100.0			HA	0.591	0.590	0.619	R2 ⁵		
13200	Grafton (C)	IR	100.0			A	2.212	2.170	2.324	R2 ⁵		
13300	Greater Lithgow (C)	OR	0.8	IR	99.2	A	1.862	1.340	2.676	R2 ⁵		
13350	Greater Taree (C)	IR	90.2	OR	9.8	A	2.297	1.680	3.218	R2 ⁵		
13400	Great Lakes (A)	OR	11.6	IR	88.4	A	1.875	0.851	2.630	R2 ⁵		
13450	Griffith (C)	OR	100.0			A	3.422	3.077	4.006	R2 ⁵		
13500	Gundagai (A)	IR	63.0	OR	37.0	A	2.026	1.641	2.533	R3 ⁵		
13550	Gunnedah (A)	OR	100.0			A	2.854	2.368	3.629	R3 ⁵		
13600	Gunning (A)	OR	3.6	IR	96.4	HA	1.415	0.446	2.138	R3 ⁵		
13650	Guyra (A)	OR	100.0			A	3.353	2.836	3.825	R3 ⁵		
13700	Harden (A)	OR	12.3	IR	87.7	A	2.063	1.945	2.386	R3 ⁵		
13751	Hastings (A) – Pt A	IR	100.0			A	1.737	1.640	1.876	R1 ⁶		
13754	Hastings (A) – Pt B	OR	14.2	IR	85.8	A	2.436	1.670	3.374	R1 ⁷		
13800	Hawkesbury (C)	OR	1.1	MC	56.2	IR	42.71	A	2.026	0.477	3.316	M1
13850	Hay (A)	OR	78.9	R	21.1	MA	5.643	4.446	7.459	Rem2 ⁵		
13900	Holbrook (A)	IR	64.7	OR	35.3	A	2.293	1.648	2.967	R3 ⁵		
13950	Holroyd (C)	MC	100.0			HA	0.014	0.000	0.588	M1		
14000	Hornsby (A)	MC	95.9	IR	4.1	HA	0.860	0.000	1.844	M1		
14050	Hume (A)	IR	100.0			HA	1.476	0.720	2.017	R3 ⁵		
14100	Hunters Hill (A)	MC	100.0			HA	0.000	0.000	0.000	M1		
14150	Hurstville (C)	MC	100.0			HA	0.000	0.000	0.000	M1		
14201	Inverell (A) – Pt A	R	11.4	OR	88.6	MA	4.003	3.080	4.808	R3 ⁵		
14202	Inverell (A) – Pt B	OR	100.0			A	3.301	3.009	3.448	R3 ⁵		
14250	Jerilderie (A)	OR	100.0			A	3.405	2.850	4.269	R3 ⁵		
14300	Junee (A)	IR	88.2	OR	11.8	A	2.041	1.505	2.484	R3 ⁵		
14350	Kempsey (A)	IR	43.8	OR	56.2	A	3.031	2.085	4.039	R3 ⁵		
14400	Kiama (A)	IR	100.0			HA	0.803	0.461	1.128	M2		
14450	Kogarah (A)	MC	100.0			HA	0.000	0.000	0.000	M1		
14500	Ku-ring-gai (A)	MC	100.0			HA	0.030	0.000	0.622	M1		
14550	Kyogle (A)	IR	71.3	OR	28.7	A	2.095	1.189	2.919	R3 ⁵		
14600	Lachlan (A)	OR	52.0	R	48.1	MA	5.217	3.717	6.663	Rem2 ⁵		
14650	Lake Macquarie (C)	IR	9.7	MC	90.3	HA	0.000	0.000	1.024	M2		
14700	Lane Cove (A)	MC	100.0			HA	0.000	0.000	0.000	M1		
14750	Leeton (A)	OR	100.0			A	2.852	2.531	3.314	R3 ⁵		

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 4 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – New South Wales

SLA code	SLA name	ASGC Remoteness Areas				ARIA			RRMA	
		Percentage of population living in each Remoteness Area				ARIA class ⁴	Mean	Min.	Max.	RRMA class
14800	Leichhardt (A)	MC	100.0			HA	0.000	0.000	0.000	M1
14851	Lismore (C) – Pt A	IR	100.0			HA	0.914	0.790	1.146	R1 ⁶
14854	Lismore (C) – Pt B	IR	100.0			HA	1.131	0.790	1.697	R1 ⁷
14900	Liverpool (C)	MC	96.6	IR	3.4	HA	0.714	0.000	1.545	M1
14950	Lockhart (A)	IR	25.7	OR	74.3	A	2.299	1.457	2.814	R3 ⁵
15000	Maclean (A)	IR	20.1	OR	79.9	A	2.527	2.360	2.877	R3 ⁵
15050	Maitland (C)	IR	5.3	MC	94.7	HA	0.233	0.080	0.586	M2 ⁵
15100	Manilla (A)	OR	100.0			A	2.903	2.285	3.464	R3 ⁵
15150	Manly (A)	MC	100.0			HA	0.000	0.000	0.057	M1
15200	Marrickville (A)	MC	100.0			HA	0.000	0.000	0.000	M1
15250	Merriwa (A)	OR	100.0			A	3.199	2.191	3.808	R3 ⁵
15300	Moree Plains (A)	OR	81.8	R	18.2	MA	5.302	4.220	7.158	R2 ⁷
15350	Mosman (A)	MC	100.0			HA	0.000	0.000	0.000	M1
15400	Mudgee (A)	IR	51.2	OR	48.8	A	2.855	2.457	3.803	R3 ⁵
15450	Mulwaree (A)	OR	7.0	IR	93.0	HA	1.373	0.590	2.616	R3 ⁵
15500	Murray (A)	IR	68.0	OR	32.0	A	2.451	1.340	3.314	R2 ⁷
15550	Murrumbidgee (A)	OR	96.4	R	3.6	MA	4.005	2.806	4.804	R3 ⁵
15600	Murrurundi (A)	OR	100.0			A	2.695	2.332	3.337	R3 ⁵
15650	Muswellbrook (A)	IR	95.9	OR	4.2	A	2.276	1.309	3.254	R2 ⁵
15700	Nambucca (A)	OR	100.0			A	3.145	2.510	3.794	R3 ⁵
15750	Narrabri (A)	R	9.1	OR	90.9	MA	4.501	2.807	6.159	R3 ⁵
15800	Narrandera (A)	OR	100.0			A	2.798	2.269	3.601	R3 ⁵
15850	Narromine (A)	OR	100.0			MA	3.832	2.851	5.063	R3 ⁵
15901	Newcastle (C) – Inner	MC	100.0			HA	0.000	0.000	0.000	M2
15902	Newcastle (C) – Remainder	MC	100.0			HA	0.000	0.000	0.478	M2
15950	North Sydney (A)	MC	100.0			HA	0.000	0.000	0.000	M1
16000	Nundle (A)	OR	100.0			A	2.375	1.999	2.814	R3 ⁵
16100	Oberon (A)	OR	10.5	IR	89.5	A	2.174	1.438	2.655	R3 ⁵
16150	Orange (C)	IR	100.0			HA	1.763	1.620	1.950	R1 ⁵
16200	Parkes (A)	R	1.6	OR	98.4	A	3.449	2.590	4.724	R3 ⁵
16250	Parramatta (C)	MC	100.0			HA	0.000	0.000	0.000	M1
16301	Parry (A) – Pt A	IR	100.0			A	2.022	1.745	2.330	R3 ⁶
16304	Parry (A) – Pt B	OR	38.1	IR	61.9	A	2.392	1.759	3.186	R3 ⁶
16350	Penrith (C)	MC	95.6	IR	4.4	HA	0.840	0.000	1.367	M1
16370	Pittwater (A)	MC	99.4	IR	0.7	HA	0.351	0.000	0.994	M1

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 4 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – New South Wales

SLA code	SLA name	ASGC Remoteness Areas				ARIA			RRMA	
		Percentage of population living in each Remoteness Area				ARIA class ⁴	Mean	Min.	Max.	RRMA class
16400	Port Stephens (A)	MC	24.4	IR	75.6	HA	0.589	0.000	1.025	M2
16421	Pristine Waters (A) – Nymboida	IR	25.7	OR	74.3	A	3.197	2.211	3.959	R3 ⁵
16422	Pristine Waters (A) – Ulmarra	IR	11.4	OR	88.6	A	2.519	2.198	2.907	R3 ⁵
16450	Queanbeyan (C)	MC	100.0			HA	0.092	0.040	0.128	M2
16500	Quirindi (A)	OR	100.0			A	2.870	2.130	3.726	R3 ⁵
16550	Randwick (C)	MC	100.0			HA	0.000	0.000	0.000	M1
16611	Richmond Valley (A) – Casino	IR	100.0			HA	1.188	1.131	1.348	R2 ⁷
16612	Richmond Valley (A) Bal.	OR	3.4	IR	96.6	HA	1.713	1.050	2.539	R3 ⁵
16650	Rockdale (C)	MC	100.0			HA	0.000	0.000	0.000	M1
16700	Ryde (C)	MC	100.0			HA	0.000	0.000	0.000	M1
16750	Rylstone (A)	IR	39.9	OR	60.2	A	2.793	2.104	3.199	R3 ⁵
16800	Scone (A)	IR	72.9	OR	27.1	A	2.441	1.640	3.042	R3 ⁵
16850	Severn (A)	OR	100.0			A	3.249	2.680	4.008	R3 ⁵
16900	Shellharbour (C)	IR	1.4	MC	98.6	HA	0.498	0.190	0.939	M2
16951	Shoalhaven (C) – Pt A	IR	100.0			HA	0.790	0.670	0.961	R2 ⁶
16952	Shoalhaven (C) – Pt B	IR	98.2	OR	1.8	HA	1.545	0.781	2.355	R2 ⁷
17000	Singleton (A)	OR	1.1	IR	98.9	HA	1.683	0.423	3.118	R2 ⁵
17050	Snowy River (A)	IR	8.4	OR	91.6	A	2.847	1.529	5.225	R3 ⁵
17070	South Sydney (C)	MC	100.0			HA	0.000	0.000	0.000	M1
17100	Strathfield (A)	MC	100.0			HA	0.000	0.000	0.000	M1
17151	Sutherland Shire (A) – East	IR	2.8	MC	97.2	HA	0.601	0.000	1.250	M1
17152	Sutherland Shire (A) – West	IR	0.4	MC	99.6	HA	0.302	0.000	0.936	M1
17201	Sydney (C) – Inner	MC	100.0			HA	0.000	0.000	0.000	M1
17202	Sydney (C) – Remainder	MC	100.0			HA	0.000	0.000	0.000	M1
17250	Tallaganda (A)	IR	5.9	OR	94.1	HA	1.719	1.021	2.331	R3 ⁵
17300	Tamworth (C)	IR	100.0			HA	1.783	1.710	2.020	R1 ⁵
17350	Temora (A)	OR	100.0			A	2.808	2.154	3.671	R3 ⁵
17400	Tenterfield (A)	OR	100.0			A	3.274	2.032	4.690	R3 ⁵
17450	Tumbarumba (A)	OR	100.0			A	3.040	2.180	4.618	R3 ⁵
17500	Tumut (A)	IR	90.8	OR	9.2	A	1.917	1.351	2.959	R3 ⁵
17551	Tweed (A) – Pt A	IR	2.7	MC	97.3	HA	0.335	0.044	0.539	M2
17552	Tweed (A) – Pt B	MC	11.3	IR	88.7	HA	0.853	0.401	1.447	R3 ⁵
17650	Uralla (A)	IR	40.2	OR	59.8	A	2.958	2.254	3.736	R3 ⁵
17700	Urana (A)	OR	100.0			A	2.820	2.026	3.622	R3 ⁵
17751	Wagga Wagga (C) – Pt A	IR	100.0			HA	1.201	1.070	1.367	R1 ⁶

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 4 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – New South Wales

SLA code	SLA name	ASGC Remoteness Areas				ARIA			RRMA			
		Percentage of population living in each Remoteness Area				ARIA class ⁴	Mean	Min.	Max.	RRMA class		
17754	Wagga Wagga (C) – Pt B	IR	73.6	OR	26.4	HA	1.773	1.176	2.600	R1 ⁷		
17800	Wakool (A)	OR	100.0			MA	3.850	2.534	5.527	Rem2 ⁵		
17850	Walcha (A)	OR	100.0			A	3.216	2.508	3.869	R3 ⁵		
17900	Walgett (A)	VR	4.7	R	95.3	R	7.712	5.601	9.420	Rem2 ⁵		
17950	Warren (A)	R	29.8	OR	70.2	R	5.962	3.854	9.185	R3 ⁵		
18000	Warringah (A)	MC	100.0			HA	0.150	0.000	0.679	M1		
18050	Waverley (A)	MC	100.0			HA	0.000	0.000	0.000	M1		
18100	Weddin (A)	OR	100.0			A	3.040	2.230	3.874	R3 ⁵		
18150	Wellington (A)	OR	100.0			A	2.822	2.351	3.299	R3 ⁵		
18200	Wentworth (A)	R	8.9	OR	91.1	MA	4.625	2.480	8.052	Rem2 ⁵		
18250	Willoughby (C)	MC	100.0			HA	0.000	0.000	0.000	M1		
18300	Windouran (A)	OR	100.0			MA	3.751	2.330	4.707	Rem2 ⁵		
18350	Wingecarribee (A)	IR	100.0			HA	1.288	0.486	2.650	R3 ⁷		
18400	Wollondilly (A)	MC	0.8	IR	99.2	HA	1.632	0.000	3.113	M1		
18450	Wollongong (C)	IR	4.1	MC	95.9	HA	0.451	0.190	1.095	M2		
18500	Woollahra (A)	MC	100.0			HA	0.000	0.000	0.000	M1		
18550	Wyong (A)	MC	88.9	IR	11.1	HA	0.670	0.180	1.177	M1		
18600	Yallaroi (A)	OR	95.3	R	4.7	MA	4.479	3.627	4.792	R3 ⁵		
18651	Yarrowlumla (A) – Pt A	IR	89.6	MC	10.4	HA	0.737	0.083	1.471	R3 ⁶		
18652	Yarrowlumla (A) – Pt B	IR	100.0			HA	1.286	0.290	2.145	R3 ⁶		
18700	Yass (A)	OR	8.1	IR	91.9	HA	1.574	0.163	2.587	R3 ⁵		
18750	Young (A)	IR	76.4	OR	23.6	A	2.383	2.013	3.009	R3 ⁵		
18809	Unincorp. Far West	R	27.0	OR	22.6	VR	50.33	R	8.021	3.264	11.320	Rem2 ⁵
18859	Lord Howe Island	VR	100.0			VR	12.000	12.000	12.000	Rem2 ⁵		

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 5: ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Victoria

SLA code	SLA name	ASGC Remoteness Areas				ARIA			RRMA	
		Percentage of population living in each Remoteness Area				ARIA class ⁴	Mean	Min.	Max.	RRMA class
20111	Alpine (S) – East	IR	4.3	OR	95.8	A	2.974	1.582	3.849	R3 ⁶
20112	Alpine (S) – West	OR	8.8	IR	91.2	A	2.366	1.626	3.280	R3 ⁶
20260	Ararat (RC)	OR	19.0	IR	81.0	A	2.020	1.451	2.659	R3 ⁶
20571	Ballarat (C) – Central	IR	100.0			HA	0.270	0.270	0.270	R1 ⁶
20572	Ballarat (C) – Inner North	IR	100.0			HA	0.553	0.270	0.920	R1 ⁶
20573	Ballarat (C) – North	IR	100.0			HA	0.885	0.653	1.111	R3 ⁶
20574	Ballarat (C) – South	IR	100.0			HA	0.459	0.270	0.677	R1 ⁶
20661	Banyule (C) – Heidelberg	MC	100.0			HA	0.000	0.000	0.000	M1
20662	Banyule (C) – North	MC	100.0			HA	0.000	0.000	0.000	M1
20741	Bass Coast (S) – Phillip Is.	IR	100.0			A	1.918	1.918	1.918	R3 ⁵
20744	Bass Coast (S) Bal	IR	100.0			HA	1.459	1.141	1.882	R3 ⁶
20831	Baw Baw (S) – Pt A	IR	100.0			HA	1.322	1.100	1.682	R2 ⁷
20834	Baw Baw (S) – Pt B East	OR	2.3	IR	97.7	HA	1.827	1.200	2.638	R2 ⁷
20835	Baw Baw (S) – Pt B West	IR	100.0			HA	1.419	1.091	2.029	R3 ⁷
20911	Bayside (C) – Brighton	MC	100.0			HA	0.000	0.000	0.000	M1
20912	Bayside (C) – South	MC	100.0			HA	0.000	0.000	0.000	M1
21111	Boroondara (C) – Camberwell N.	MC	100.0			HA	0.000	0.000	0.000	M1
21112	Boroondara (C) – Camberwell S.	MC	100.0			HA	0.000	0.000	0.000	M1
21113	Boroondara (C) – Hawthorn	MC	100.0			HA	0.000	0.000	0.000	M1
21114	Boroondara (C) – Kew	MC	100.0			HA	0.000	0.000	0.000	M1
21181	Brimbank (C) – Keilor	MC	100.0			HA	0.064	0.000	0.516	M1
21182	Brimbank (C) – Sunshine	MC	100.0			HA	0.069	0.000	0.365	M1
21271	Buloke (S) – North	OR	100.0			MA	3.793	3.066	4.356	R3 ⁶
21272	Buloke (S) – South	OR	100.0			A	3.181	2.478	3.765	R3 ⁶
21371	Campaspe (S) – Echuca	IR	100.0			HA	1.347	1.340	1.416	R2 ⁶
21374	Campaspe (S) – Kyabram	IR	100.0			HA	1.343	1.110	1.656	R3 ⁶
21375	Campaspe (S) – Rochester	IR	88.0	OR	12.0	HA	1.687	1.335	2.352	R3 ⁶
21376	Campaspe (S) – South	IR	100.0			HA	1.384	0.904	1.560	R3 ⁶
21452	Cardinia (S) – North	IR	66.6	MC	33.5	HA	0.934	0.207	1.301	M1
21453	Cardinia (S) – Pakenham	IR	13.8	MC	86.2	HA	0.598	0.000	0.902	M1
21454	Cardinia (S) – South	IR	100.0			HA	1.056	0.616	1.360	M1
21612	Casey (C) – Berwick	MC	100.0			HA	0.127	0.000	0.578	M1
21613	Casey (C) – Cranbourne	MC	100.0			HA	0.253	0.000	0.448	M1
21616	Casey (C) – Hallam	MC	100.0			HA	0.000	0.000	0.129	M1
21618	Casey (C) – South	IR	39.9	MC	60.1	HA	0.485	0.024	0.762	M1

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 5 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Victoria

SLA code	SLA name	ASGC Remoteness Areas		ARIA			RRMA			
		Percentage of population living in each Remoteness Area		ARIA class ⁴	Mean	Min.	Max.	RRMA class		
21671	C. Goldfields (S) – M'borough	IR	100.0	HA	1.123	1.120	1.173	R3 ⁶		
21674	C. Goldfields (S) Bal.	IR	100.0	HA	1.308	1.059	1.965	R3 ⁶		
21751	Colac-Otway (S) – Colac	IR	100.0	HA	1.203	1.200	1.231	R2 ⁶		
21754	Colac-Otway (S) – North	IR	100.0	HA	1.430	1.160	1.806	R2 ⁷		
21755	Colac-Otway (S) – South	OR	79.3	IR	20.7	A	2.081	1.570	2.659	R3 ⁶
21831	Corangamite (S) – North	IR	83.3	OR	16.7	A	1.887	1.232	2.282	R3 ⁶
21832	Corangamite (S) – South	OR	41.3	IR	58.7	A	1.999	1.559	2.508	R3 ⁶
21891	Darebin (C) – Northcote	MC	100.0	HA	0.000	0.000	0.000	M1		
21892	Darebin (C) – Preston	MC	100.0	HA	0.000	0.000	0.000	M1		
21951	Delatite (S) – Benalla	IR	100.0	HA	1.331	1.330	1.347	R3 ⁶		
21954	Delatite (S) – North	OR	10.1	IR	89.9	HA	1.723	1.330	2.453	R3 ⁶
21955	Delatite (S) – South	OR	100.0	A	2.868	1.973	3.498	R3 ⁶		
22111	E. Gippsland (S) – Bairnsdale	OR	100.0	A	2.896	2.560	3.188	R2 ⁶		
22113	E. Gippsland (S) – Orbost	OR	70.5	R	29.5	MA	4.797	2.986	6.619	Rem2 ⁶
22115	E. Gippsland (S) – South-West	OR	100.0	A	2.878	2.560	3.606	R3 ⁶		
22117	E. Gippsland (S) Bal.	OR	100.0	MA	3.760	2.687	4.632	R3 ⁶		
22171	Frankston (C) – East	MC	100.0	HA	0.118	0.000	0.383	M1		
22174	Frankston (C) – West	MC	100.0	HA	0.036	0.000	0.400	M1		
22250	Gannawarra (S)	OR	100.0	A	2.873	2.168	3.403	R3 ⁶		
22311	Glen Eira (C) – Caulfield	MC	100.0	HA	0.000	0.000	0.000	M1		
22314	Glen Eira (C) – South	MC	100.0	HA	0.000	0.000	0.000	M1		
22411	Glenelg (S) – Heywood	OR	100.0	A	2.779	2.419	3.026	R3 ⁶		
22412	Glenelg (S) – North	OR	100.0	A	2.968	2.465	3.514	R3 ⁶		
22413	Glenelg (S) – Portland	OR	100.0	A	2.604	2.573	2.621	R2 ⁷		
22491	Golden Plains (S) – North-West	IR	97.6	OR	2.4	HA	1.064	0.381	1.708	R3 ⁶
22492	Golden Plains (S) – South-East	IR	100.0	HA	1.077	0.356	1.509	R3 ⁶		
22621	Gr. Bendigo (C) – Central	IR	100.0	HA	0.350	0.350	0.350	R1 ⁶		
22622	Gr. Bendigo (C) – Eaglehawk	IR	100.0	HA	0.353	0.350	0.385	R1 ⁶		
22623	Gr. Bendigo (C) – Inner East	IR	100.0	HA	0.364	0.350	0.496	R1 ⁶		
22624	Gr. Bendigo (C) – Inner North	IR	100.0	HA	0.565	0.350	0.846	R1 ⁶		
22625	Gr. Bendigo (C) – Inner West	IR	100.0	HA	0.598	0.350	0.819	R1 ⁶		
22626	Gr. Bendigo (C) – S'saye	IR	100.0	HA	0.536	0.350	0.685	R1 ⁶		
22628	Gr. Bendigo (C) – Pt B	IR	100.0	HA	1.022	0.510	1.507	R3 ⁶		
22671	Gr. Dandenong (C) – Dandenong	MC	100.0	HA	0.079	0.000	0.472	M1		
22674	Gr. Dandenong (C) Bal.	MC	100.0	HA	0.115	0.000	0.438	M1		

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 5 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Victoria

SLA code	SLA name	ASGC Remoteness Areas				ARIA			RRMA	
		Percentage of population living in each Remoteness Area				ARIA class ⁴	Mean	Min.	Max.	RRMA class
Greater Geelong										
22751	Bellarine – Inner	IR	2.9	MC	97.1	HA	0.301	0.180	0.414	M2 ⁵
22752	Corio – Inner	MC	98.5	IR	1.5	HA	0.337	0.180	0.605	M2 ⁵
22753	Geelong	MC	100.0			HA	0.181	0.180	0.187	M2 ⁵
22754	Geelong West	MC	100.0			HA	0.180	0.180	0.180	M2 ⁵
22755	Newtown	MC	100.0			HA	0.180	0.180	0.180	M2 ⁵
22756	South Barwon – Inner	IR	5.0	MC	95.1	HA	0.312	0.180	0.511	M2 ⁵
Alphabetical listing continued										
22757	Greater Geelong (C) – Pt B	IR	100.0			HA	0.562	0.380	0.789	R2 ⁶
22758	Greater Geelong (C) – Pt C	IR	100.0			HA	0.631	0.310	1.029	R3 ⁶
22831	Gr. Shepparton (C) – Pt A	IR	100.0			HA	1.109	0.930	1.307	R1 ⁶
22834	Gr. Shepparton (C) – Pt B East	IR	100.0			HA	1.404	1.050	1.701	R3 ⁶
22835	Gr. Shepparton (C) – Pt B West	IR	100.0			HA	1.262	1.076	1.522	R3 ⁶
22911	Hepburn (S) – East	IR	100.0			HA	1.169	0.927	1.347	R3 ⁶
22912	Hepburn (S) – West	IR	100.0			HA	0.996	0.608	1.194	R3 ⁶
22980	Hindmarsh (S)	OR	87.3	R	12.7	MA	4.678	3.441	5.390	R3 ⁶
23111	Hobsons Bay (C) – Altona	MC	100.0			HA	0.057	0.000	0.346	M1
23112	Hobsons Bay (C) – Williamstown	MC	100.0			HA	0.000	0.000	0.000	M1
23191	Horsham (RC) – Central	OR	100.0			A	2.836	2.830	2.917	R3 ⁷
23194	Horsham (RC) Bal.	OR	100.0			A	3.227	2.620	3.806	R3 ⁷
23271	Hume (C) – Broadmeadows	MC	100.0			HA	0.051	0.000	0.323	M1
23274	Hume (C) – Craigieburn	IR	3.5	MC	96.5	HA	0.422	0.000	0.610	M1
23275	Hume (C) – Sunbury	IR	7.7	MC	92.3	HA	0.663	0.297	0.922	M1
23351	Indigo (S) – Pt A	IR	100.0			HA	1.367	1.010	1.858	R3 ⁶
23352	Indigo (S) – Pt B	IR	100.0			HA	1.354	1.231	1.818	R3 ⁶
23431	Kingston (C) – North	MC	100.0			HA	0.000	0.000	0.000	M1
23434	Kingston (C) – South	MC	100.0			HA	0.000	0.000	0.000	M1
23671	Knox (C) – North	MC	100.0			HA	0.000	0.000	0.000	M1
23674	Knox (C) – South	MC	100.0			HA	0.013	0.000	0.227	M1
23811	Latrobe (C) – Moe	IR	100.0			HA	1.167	1.100	1.245	R2 ⁶
23814	Latrobe (C) – Morwell	IR	100.0			HA	1.267	1.080	1.568	R2 ⁵
23815	Latrobe (C) – Traralgon	IR	100.0			HA	1.316	1.070	1.835	R2 ⁵
23818	Latrobe (C) Bal.	IR	100.0			HA	1.570	1.222	1.990	R3 ⁶
23943	Loddon (S) – North	IR	13.1	OR	86.9	A	2.238	1.132	3.013	R3 ⁶

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 5 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Victoria

SLA code	SLA name	ASGC Remoteness Areas				ARIA			RRMA	
		Percentage of population living in each Remoteness Area				ARIA class ⁴	Mean	Min.	Max.	RRMA class
23945	Loddon (S) – South	IR	51.6	OR	48.4	HA	1.801	0.794	2.950	R3 ⁶
24131	Macedon Ranges (S) – Kyneton	IR	100.0			HA	1.352	1.024	1.549	R3 ⁶
24134	Macedon Ranges (S) – Romsey	IR	100.0			HA	1.158	0.555	1.514	R3 ⁶
24135	Macedon Ranges (S) Bal.	IR	100.0			HA	1.068	0.622	1.480	R3 ⁶
24211	Manningham (C) – East	MC	100.0			HA	0.257	0.000	0.861	M1
24214	Manningham (C) – West	MC	100.0			HA	0.000	0.000	0.000	M1
24330	Maribyrnong (C)	MC	100.0			HA	0.001	0.000	0.034	M1
24411	Maroondah (C) – Croydon	MC	100.0			HA	0.000	0.000	0.000	M1
24412	Maroondah (C) – Ringwood	MC	100.0			HA	0.000	0.000	0.000	M1
24601	Melbourne (C) – Inner	MC	100.0			HA	0.000	0.000	0.000	M1
24605	Melbourne (C) – S'bank-D'lands	MC	100.0			HA	0.000	0.000	0.000	M1
24608	Melbourne (C) – Remainder	MC	100.0			HA	0.000	0.000	0.000	M1
24651	Melton (S) – East	MC	100.0			HA	0.278	0.000	0.533	M1
24654	Melton (S) Bal.	IR	9.5	MC	90.5	HA	0.411	0.244	0.680	M1
24781	Mildura (RC) – Pt A	OR	100.0			A	2.675	2.480	2.998	R2 ⁷
24782	Mildura (RC) – Pt B	R	20.1	OR	79.9	MA	4.185	2.677	5.264	Rem2 ⁶
24851	Mitchell (S) – North	IR	100.0			HA	1.386	1.184	1.825	R3 ⁶
24854	Mitchell (S) – South	IR	100.0			HA	1.204	0.555	1.530	R3 ⁶
24901	Moira (S) – East	IR	100.0			A	1.883	1.487	2.163	R3 ⁶
24904	Moira (S) – West	OR	8.6	IR	91.5	A	1.889	1.425	2.460	R3 ⁶
24971	Monash (C) – South-West	MC	100.0			HA	0.000	0.000	0.000	M1
24974	Monash (C) – Waverley East	MC	100.0			HA	0.000	0.000	0.000	M1
24975	Monash (C) – Waverley West	MC	100.0			HA	0.000	0.000	0.000	M1
25063	Moonee Valley (C) – Essendon	MC	100.0			HA	0.000	0.000	0.000	M1
25065	Moonee Valley (C) – West	MC	100.0			HA	0.000	0.000	0.000	M1
25151	Moorabool (S) – Bacchus Marsh	IR	100.0			HA	0.706	0.363	1.173	R3 ⁷
25154	Moorabool (S) – Ballan	IR	100.0			HA	0.945	0.684	1.236	R3 ⁵
25155	Moorabool (S) – West	IR	100.0			HA	0.742	0.307	1.098	R3 ⁶
25251	Moreland (C) – Brunswick	MC	100.0			HA	0.000	0.000	0.000	M1
25252	Moreland (C) – Coburg	MC	100.0			HA	0.000	0.000	0.000	M1
25253	Moreland (C) – North	MC	100.0			HA	0.000	0.000	0.000	M1
25341	Mornington P'sula (S) – East	IR	36.4	MC	63.6	HA	0.636	0.000	1.031	M1
25344	Mornington P'sula (S) – South	IR	7.1	MC	92.9	HA	0.810	0.000	1.633	M1

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 5 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Victoria

SLA code	SLA name	ASGC Remoteness Areas				ARIA			RRMA	
		Percentage of population living in each Remoteness Area				ARIA class ⁴	Mean	Min.	Max.	RRMA class
25345	Mornington P'sula (S) – West	MC	100.0			HA	0.096	0.000	0.665	M1
25431	Mount Alexander (S) – C'maine	IR	100.0			HA	0.712	0.710	0.734	R3 ⁵
25434	Mount Alexander (S) Bal.	IR	100.0			HA	0.983	0.702	1.377	R3 ⁶
25491	Moyne (S) – North-East	IR	25.4	OR	74.7	A	2.071	1.647	2.369	R3 ⁵
25493	Moyne (S) – North-West	IR	23.4	OR	76.6	A	2.254	1.512	2.747	R3 ⁶
25496	Moyne (S) – South	IR	93.2	OR	6.8	HA	1.806	1.310	2.540	R3 ⁶
25621	Murrindindi (S) – East	OR	15.6	IR	84.4	A	2.129	1.099	2.985	R3 ⁶
25622	Murrindindi (S) – West	IR	100.0			HA	1.575	1.045	2.055	R3 ⁶
25713	Nillumbik (S) – South	IR	1.4	MC	98.6	HA	0.255	0.000	0.786	M1
25715	Nillumbik (S) – South-West	MC	100.0			HA	0.363	0.000	0.715	M1
25718	Nillumbik (S) Bal.	MC	40.8	IR	59.2	HA	0.876	0.599	1.165	M1
25811	N. Grampians (S) – St Arnaud	OR	100.0			A	2.527	1.698	3.240	R3 ⁶
25814	N. Grampians (S) – Stawell	OR	22.9	IR	77.1	A	2.437	1.741	3.171	R3 ⁶
25901	Port Phillip (C) – St Kilda	MC	100.0			HA	0.000	0.000	0.000	M1
25902	Port Phillip (C) – West	MC	100.0			HA	0.000	0.000	0.000	M1
25991	Pyrenees (S) – North	IR	80.5	OR	19.5	HA	1.656	0.937	2.260	R3 ⁶
25994	Pyrenees (S) – South	OR	5.4	IR	94.6	HA	1.425	0.702	1.973	R3 ⁵
26080	Queenscliffe (B)	IR	100.0			HA	0.664	0.657	0.668	R3 ⁵
26171	South Gippsland (S) – Central	OR	4.3	IR	95.7	A	1.910	1.429	2.627	R3 ⁶
26174	South Gippsland (S) – East	OR	43.5	IR	56.5	A	2.578	1.931	3.549	R3 ⁵
26175	South Gippsland (S) – West	IR	100.0			HA	1.538	1.223	1.744	R3 ⁶
26261	S. Grampians (S) – Hamilton	IR	100.0			A	2.108	2.100	2.168	R3 ⁵
26264	S. Grampians (S) – Wannon	OR	100.0			A	3.179	2.613	3.789	R3 ⁵
26265	S. Grampians (S) Bal.	IR	1.9	OR	98.1	A	2.550	2.100	3.284	R3 ⁶
26351	Stonnington (C) – Prahran	MC	100.0			HA	0.000	0.000	0.000	M1
26352	Stonnington (C) – Malvern	MC	100.0			HA	0.000	0.000	0.000	M1
26430	Strathbogie (S)	OR	2.9	IR	97.1	HA	1.620	1.222	2.173	R3 ⁶
26493	Surf Coast (S) – East	IR	100.0			HA	0.632	0.359	0.914	R3 ⁶
26495	Surf Coast (S) – West	IR	100.0			HA	1.178	0.567	1.641	R3 ⁶
26611	Swan Hill (RC) – Central	OR	100.0			A	2.915	2.910	2.987	R3 ⁶
26614	Swan Hill (RC) – Robinvale	OR	100.0			MA	4.119	3.922	4.206	R3 ⁶
26616	Swan Hill (RC) Bal.	OR	100.0			MA	3.640	2.870	4.210	R3 ⁵
26671	Towong (S) – Pt A	OR	6.9	IR	93.1	HA	1.598	1.079	1.953	R3 ⁵
26672	Towong (S) – Pt B	OR	100.0			A	2.825	1.713	4.237	R3 ⁶
26701	Wangaratta (RC) – Central	IR	100.0			HA	1.309	1.300	1.402	R2 ⁵

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 5 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Victoria

SLA code	SLA name	ASGC Remoteness Areas				ARIA			RRMA	
		Percentage of population living in each Remoteness Area				ARIA class ⁴	Mean	Min.	Max.	RRMA class
26704	Wangaratta (RC) – North	IR	100.0			HA	1.490	1.300	1.798	R3 ⁵
26705	Wangaratta (RC) – South	OR	27.9	IR	72.1	A	2.164	1.300	3.272	R3 ⁶
26730	Warrnambool (C)	IR	100.0			HA	1.361	1.310	1.565	R2 ⁷
26811	Wellington (S) – Alberton	IR	70.9	OR	29.1	A	2.258	1.555	2.742	R3 ⁵
26812	Wellington (S) – Avon	OR	44.7	IR	55.3	A	2.959	1.760	3.696	R3 ⁵
26813	Wellington (S) – Maffra	IR	87.4	OR	12.6	A	2.784	1.797	3.642	R3 ⁵
26814	Wellington (S) – Rosedale	IR	69.4	OR	30.6	A	1.994	1.238	3.197	R3 ⁶
26815	Wellington (S) – Sale	IR	100.0			HA	1.767	1.760	1.850	R2 ⁵
26890	West Wimmera (S)	R	4.0	OR	96.0	MA	4.227	3.227	5.339	R3 ⁶
26981	Whitehorse (C) – Box Hill	MC	100.0			HA	0.000	0.000	0.000	M1
26984	Whitehorse (C) – Nunawading E.	MC	100.0			HA	0.000	0.000	0.000	M1
26985	Whitehorse (C) – Nunawading W.	MC	100.0			HA	0.000	0.000	0.000	M1
27071	Whittlesea (C) – North	MC	44.9	IR	55.1	HA	0.712	0.000	1.129	M1
27074	Whittlesea (C) – South	MC	100.0			HA	0.000	0.000	0.274	M1
27170	Wodonga (RC)	IR	100.0			HA	0.987	0.720	1.370	R1 ⁶
27261	Wyndham (C) – North	IR	2.4	MC	97.6	HA	0.256	0.000	0.582	M1
27264	Wyndham (C) – South	MC	50.8	IR	49.2	HA	0.443	0.091	0.867	M1
27267	Wyndham (C) – West	IR	5.5	MC	94.5	HA	0.389	0.000	0.693	M1
27351	Yarra (C) – North	MC	100.0			HA	0.000	0.000	0.000	M1
27352	Yarra (C) – Richmond	MC	100.0			HA	0.000	0.000	0.000	M1
27451	Yarra Ranges (S) – Central	IR	100.0			HA	1.159	0.870	1.449	M1
27454	Yarra Ranges (S) – North	IR	100.0			HA	0.976	0.813	1.361	M1
27455	Yarra Ranges (S) – South-West	IR	2.2	MC	97.8	HA	0.453	0.000	0.926	M1
27458	Yarra Ranges (S) – Pt B	IR	100.0			A	1.860	0.968	2.669	R3 ⁵
27631	Yarriambiack (S) – North	R	70.1	OR	29.9	MA	4.549	4.006	5.049	R3 ⁵
27632	Yarriambiack (S) – South	OR	100.0			MA	3.525	2.788	4.476	R3 ⁶
28469	Lady Julia Percy Island	OR				MA	4.780	4.780	4.780	R3 ⁵
28529	French Island	OR	100.0			A	2.730	2.730	2.730	Rem2 ⁵
28649	Bass Strait Islands	OR				R	6.200	6.200	6.200	Rem2 ⁵

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 6: ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Queensland

SLA code	SLA name	ASGC Remoteness Areas				ARIA			RRMA			
		Percentage of population living in each Remoteness Area				ARIA class ⁴	Mean	Min.	Max.	RRMA class		
A												
30150	Aramac (S)	VR	100.0			VR	10.955	7.587	11.639	Rem2 ⁵		
30200	Atherton (S)	OR	100.0			MA	3.956	3.629	4.467	R3 ⁵		
30250	Aurukun (S)	VR	100.0			VR	11.972	11.748	12.000	Rem2 ⁵		
B												
30300	Balonne (S)	VR	11.2	R	88.8	R	8.455	5.416	10.260	Rem2 ⁵		
30350	Banana (S)	R	5.9	OR	94.1	MA	3.761	2.419	5.619	R3 ⁵		
30400	Barcaldine (S)	VR	100.0			VR	11.001	10.512	11.326	Rem2 ⁵		
30450	Barcoo (S)	VR	100.0			VR	11.856	11.504	11.970	Rem2 ⁵		
30500	Bauhinia (S)	R	77.9	VR	22.1	R	6.365	4.575	9.922	Rem2 ⁵		
30552	Beaudesert (S) – Pt A	IR	61.4	MC	38.7	HA	0.695	0.000	1.129	M1		
30557	Beaudesert (S) – Pt B	OR	2.9	IR	97.1	HA	1.606	0.558	2.610	R3 ⁵		
30600	Belyando (S)	R	34.7	OR	62.1	VR	3.28	R	7.085	5.170	10.777	Rem1 ⁷
30650	Bendemere (S)	R	100.0			MA	5.195	4.930	5.763	Rem2 ⁵		
30700	Biggenden (S)	OR	100.0			A	3.411	2.702	3.874	R3 ⁵		
30750	Blackall (S)	VR	100.0			VR	10.973	10.078	11.566	Rem2 ⁵		
30800	Boonah (S)	OR	4.0	IR	96.0	A	1.963	1.138	2.605	R3 ⁵		
30850	Booringa (S)	VR	25.7	R	74.4	R	7.628	6.149	10.188	Rem2 ⁵		
30900	Boulia (S)	VR	100.0			VR	9.676	6.213	11.253	Rem2 ⁵		
30950	Bowen (S)	OR	77.2	R	22.8	R	6.215	4.700	7.470	Rem1 ⁵		
Brisbane City												
31001	Acacia Ridge	MC	100.0			HA	0.000	0.000	0.201	M1		
31004	Albion	MC	100.0			HA	0.000	0.000	0.000	M1		
31007	Alderley	MC	100.0			HA	0.000	0.000	0.000	M1		
31012	Algester	MC	100.0			HA	0.000	0.000	0.000	M1		
31015	Annerley	MC	100.0			HA	0.000	0.000	0.000	M1		
31018	Anstead	MC	100.0			HA	0.591	0.462	0.833	M1		
31023	Archerfield	MC	100.0			HA	0.010	0.000	0.050	M1		
31026	Ascot	MC	100.0			HA	0.000	0.000	0.000	M1		
31031	Ashgrove	MC	100.0			HA	0.000	0.000	0.000	M1		
31034	Aspley	MC	100.0			HA	0.000	0.000	0.000	M1		
31037	Bald Hills	MC	100.0			HA	0.000	0.000	0.000	M1		
31042	Balmoral	MC	100.0			HA	0.000	0.000	0.000	M1		
31045	Banyo	MC	100.0			HA	0.000	0.000	0.000	M1		

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 6 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Queensland

SLA code	SLA name	ASGC Remoteness Areas		ARIA class ⁴	ARIA			RRMA
			Percentage of population living in each Remoteness Area		Mean	Min.	Max.	RRMA class
Brisbane City (continued)								
31048	Bardon	MC	100.0	HA	0.000	0.000	0.000	M1
31053	Bellbowrie	MC	100.0	HA	0.000	0.000	0.603	M1
31057	Belmont-Mackenzie	MC	100.0	HA	0.112	0.000	0.254	M1
31064	Boondall	MC	100.0	HA	0.000	0.000	0.000	M1
31067	Bowen Hills	MC	100.0	HA	0.000	0.000	0.000	M1
31072	Bracken Ridge	MC	100.0	HA	0.000	0.000	0.000	M1
31075	Bridgeman Downs	MC	100.0	HA	0.000	0.000	0.000	M1
31078	Brighton	MC	100.0	HA	0.000	0.000	0.000	M1
31083	Brookfield (incl. Mt C'tha)	MC	100.0	HA	0.224	0.000	0.383	M1
31086	Bulimba	MC	100.0	HA	0.000	0.000	0.000	M1
31091	Burbank	MC	100.0	HA	0.279	0.000	0.428	M1
31094	Calamvale	MC	100.0	HA	0.000	0.000	0.000	M1
31097	Camp Hill	MC	100.0	HA	0.000	0.000	0.000	M1
31102	Cannon Hill	MC	100.0	HA	0.000	0.000	0.000	M1
31105	Capalaba West	MC	100.0	HA	0.025	0.000	0.061	M1
31108	Carindale	MC	100.0	HA	0.000	0.000	0.000	M1
31113	Carina	MC	100.0	HA	0.000	0.000	0.000	M1
31116	Carina Heights	MC	100.0	HA	0.000	0.000	0.000	M1
31121	Carseldine	MC	100.0	HA	0.000	0.000	0.000	M1
31124	Chandler	MC	100.0	HA	0.074	0.000	0.123	M1
31127	Chapel Hill	MC	100.0	HA	0.000	0.000	0.000	M1
31132	Chelmer	MC	100.0	HA	0.000	0.000	0.000	M1
31135	Chermside	MC	100.0	HA	0.000	0.000	0.000	M1
31138	Chermside West	MC	100.0	HA	0.000	0.000	0.000	M1
31143	City – Inner	MC	100.0	HA	0.000	0.000	0.000	M1
31146	City – Remainder	MC	100.0	HA	0.000	0.000	0.000	M1
31151	Clayfield	MC	100.0	HA	0.000	0.000	0.000	M1
31154	Coopers Plains	MC	100.0	HA	0.000	0.000	0.000	M1
31157	Coorparoo	MC	100.0	HA	0.000	0.000	0.000	M1
31162	Corinda	MC	100.0	HA	0.000	0.000	0.000	M1
31167	Darra-Sumner	MC	100.0	HA	0.000	0.000	0.000	M1
31173	Deagon	MC	100.0	HA	0.000	0.000	0.000	M1
31176	Doolandella-Forest Lake	MC	100.0	HA	0.059	0.000	0.233	M1
31184	Durack	MC	100.0	HA	0.020	0.000	0.141	M1

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 6 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Queensland

SLA code	SLA name	ASGC Remoteness Areas		ARIA			RRMA			
		Percentage of population living in each Remoteness Area		ARIA class ⁴	Mean	Min.	Max.	RRMA class		
Brisbane City (continued)										
31187	Dutton Park	MC	100.0	HA	0.000	0.000	0.000	M1		
31195	East Brisbane	MC	100.0	HA	0.000	0.000	0.000	M1		
31198	Eight Mile Plains	MC	100.0	HA	0.043	0.000	0.256	M1		
31203	Ellen Grove	MC	100.0	HA	0.000	0.000	0.000	M1		
31206	Enoggera	MC	100.0	HA	0.000	0.000	0.000	M1		
31211	Everton Park	MC	100.0	HA	0.000	0.000	0.000	M1		
31214	Fairfield	MC	100.0	HA	0.000	0.000	0.000	M1		
31217	Ferny Grove	MC	100.0	HA	0.000	0.000	0.061	M1		
31222	Fig Tree Pocket	MC	100.0	HA	0.000	0.000	0.000	M1		
31228	Fortitude Valley – Inner	MC	100.0	HA	0.000	0.000	0.000	M1		
31233	Fortitude Valley – Remainder	MC	100.0	HA	0.000	0.000	0.000	M1		
31236	Geebung	MC	100.0	HA	0.000	0.000	0.000	M1		
31241	Graceville	MC	100.0	HA	0.000	0.000	0.000	M1		
31244	Grange	MC	100.0	HA	0.000	0.000	0.000	M1		
31247	Greenslopes	MC	100.0	HA	0.000	0.000	0.000	M1		
31252	Gumdale	MC	100.0	HA	0.000	0.000	0.000	M1		
31255	Hamilton	MC	100.0	HA	0.000	0.000	0.000	M1		
31258	Hawthorne	MC	100.0	HA	0.000	0.000	0.000	M1		
31265	Hemmant-Lytton	MC	100.0	HA	0.000	0.000	0.000	M1		
31271	Hendra	MC	100.0	HA	0.000	0.000	0.000	M1		
31274	Herston	MC	100.0	HA	0.000	0.000	0.000	M1		
31277	Highgate Hill	MC	100.0	HA	0.000	0.000	0.000	M1		
31282	Holland Park	MC	100.0	HA	0.000	0.000	0.000	M1		
31285	Holland Park West	MC	100.0	HA	0.000	0.000	0.000	M1		
31288	Inala	MC	100.0	HA	0.000	0.000	0.000	M1		
31293	Indooroopilly	MC	100.0	HA	0.000	0.000	0.000	M1		
31296	Jamboree Heights	MC	100.0	HA	0.000	0.000	0.000	M1		
31301	Jindalee	MC	100.0	HA	0.000	0.000	0.000	M1		
31304	Kangaroo Point	MC	100.0	HA	0.000	0.000	0.000	M1		
31306	Karana Downs-Lake Manchester	IR	9.4	MC	90.6	HA	0.843	0.499	1.267	M1
31312	Kedron	MC	100.0	HA	0.000	0.000	0.000	M1		
31315	Kelvin Grove	MC	100.0	HA	0.000	0.000	0.000	M1		
31318	Kenmore	MC	100.0	HA	0.000	0.000	0.000	M1		

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 6 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Queensland

SLA code	SLA name	ASGC Remoteness Areas		ARIA			RRMA			
		Percentage of population living in each Remoteness Area		ARIA class ⁴	Mean	Min.	Max.	RRMA class		
Brisbane City (continued)										
31323	Kenmore Hills	MC	100.0	HA	0.000	0.000	0.000	M1		
31326	Keperra	MC	100.0	HA	0.009	0.000	0.065	M1		
31331	Kuraby	MC	100.0	HA	0.058	0.000	0.288	M1		
31337	Lota	MC	100.0	HA	0.000	0.000	0.000	M1		
31345	Lutwyche	MC	100.0	HA	0.000	0.000	0.000	M1		
31353	McDowall	MC	100.0	HA	0.000	0.000	0.000	M1		
31356	MacGregor	MC	100.0	HA	0.000	0.000	0.000	M1		
31364	Manly	MC	100.0	HA	0.000	0.000	0.000	M1		
31367	Manly West	MC	100.0	HA	0.000	0.000	0.000	M1		
31372	Mansfield	MC	100.0	HA	0.000	0.000	0.000	M1		
31375	Middle Park	MC	100.0	HA	0.000	0.000	0.000	M1		
31378	Milton	MC	100.0	HA	0.000	0.000	0.000	M1		
31383	Mitchelton	MC	100.0	HA	0.000	0.000	0.000	M1		
31386	Moggill	MC	100.0	HA	0.473	0.005	0.904	M1		
31391	Moorooka	MC	100.0	HA	0.000	0.000	0.000	M1		
31394	Moreton Island	OR	0.0	R	100.0	MA	5.010	5.010	5.010	M1
31397	Morningside	MC	100.0	HA	0.000	0.000	0.000	M1		
31402	Mount Gravatt	MC	100.0	HA	0.000	0.000	0.000	M1		
31405	Mount Gravatt East	MC	100.0	HA	0.000	0.000	0.000	M1		
31408	Mount Ommaney	MC	100.0	HA	0.000	0.000	0.000	M1		
31413	Murarie	MC	100.0	HA	0.000	0.000	0.000	M1		
31416	Nathan	MC	100.0	HA	0.000	0.000	0.000	M1		
31421	New Farm	MC	100.0	HA	0.000	0.000	0.000	M1		
31424	Newmarket	MC	100.0	HA	0.000	0.000	0.000	M1		
31427	Newstead	MC	100.0	HA	0.000	0.000	0.000	M1		
31432	Norman Park	MC	100.0	HA	0.000	0.000	0.000	M1		
31435	Northgate	MC	100.0	HA	0.000	0.000	0.000	M1		
31438	Nudgee	MC	100.0	HA	0.000	0.000	0.000	M1		
31443	Nudgee Beach	MC	100.0	HA	0.000	0.000	0.000	M1		
31446	Nundah	MC	100.0	HA	0.000	0.000	0.000	M1		
31451	Oxley	MC	100.0	HA	0.000	0.000	0.000	M1		
31454	Paddington	MC	100.0	HA	0.000	0.000	0.000	M1		
31456	Pallara-Heathwood-Larapinta	MC	100.0	HA	0.184	0.000	0.403	M1		
31463	Parkinson-Drewvale	MC	100.0	HA	0.000	0.000	0.000	M1		

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 6 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Queensland

SLA code	SLA name	ASGC Remoteness Areas		ARIA			RRMA			
		Percentage of population living in each Remoteness Area		ARIA class ⁴	Mean	Min.	Max.	RRMA class		
Brisbane City (continued)										
31465	Pinjarra Hills	MC	100.0	HA	0.249	0.000	0.425	M1		
31467	Pinkenba-Eagle Farm	MC	100.0	HA	0.015	0.000	0.140	M1		
31473	Pullenvale	MC	100.0	HA	0.408	0.302	0.511	M1		
31476	Ransome	MC	100.0	HA	0.000	0.000	0.000	M1		
31481	Red Hill	MC	100.0	HA	0.000	0.000	0.000	M1		
31484	Richlands	MC	100.0	HA	0.000	0.000	0.000	M1		
31487	Riverhills	MC	100.0	HA	0.000	0.000	0.000	M1		
31492	Robertson	MC	100.0	HA	0.000	0.000	0.000	M1		
31495	Rochedale	MC	100.0	HA	0.204	0.000	0.290	M1		
31498	Rocklea	MC	100.0	HA	0.000	0.000	0.000	M1		
31503	Runcorn	MC	100.0	HA	0.000	0.000	0.000	M1		
31506	St Lucia	MC	100.0	HA	0.000	0.000	0.000	M1		
31511	Salisbury	MC	100.0	HA	0.000	0.000	0.000	M1		
31514	Sandgate	MC	100.0	HA	0.000	0.000	0.000	M1		
31517	Seventeen Mile Rocks	MC	100.0	HA	0.000	0.000	0.000	M1		
31522	Sherwood	MC	100.0	HA	0.000	0.000	0.000	M1		
31525	South Brisbane	MC	100.0	HA	0.000	0.000	0.000	M1		
31528	Spring Hill	MC	100.0	HA	0.000	0.000	0.000	M1		
31533	Stafford	MC	100.0	HA	0.000	0.000	0.000	M1		
31536	Stafford Heights	MC	100.0	HA	0.000	0.000	0.000	M1		
31541	Stretton-Karawatha	MC	100.0	HA	0.000	0.000	0.000	M1		
31547	Sunnybank	MC	100.0	HA	0.000	0.000	0.000	M1		
31552	Sunnybank Hills	MC	100.0	HA	0.000	0.000	0.000	M1		
31556	Taigum-Fitzgibbon	MC	100.0	HA	0.000	0.000	0.000	M1		
31558	Taringa	MC	100.0	HA	0.000	0.000	0.000	M1		
31563	Tarragindi	MC	100.0	HA	0.000	0.000	0.000	M1		
31566	The Gap (incl. Enoggera Res.)	IR	0.4	MC	99.6	HA	0.377	0.000	0.736	M1
31571	Tingalpa	MC	100.0	HA	0.000	0.000	0.000	M1		
31574	Toowong	MC	100.0	HA	0.000	0.000	0.000	M1		
31582	Upper Brookfield	IR	100.0	HA	0.508	0.372	0.705	M1		
31585	Upper Kedron	MC	100.0	HA	0.323	0.225	0.417	M1		
31588	Upper Mount Gravatt	MC	100.0	HA	0.000	0.000	0.000	M1		
31593	Virginia	MC	100.0	HA	0.000	0.000	0.000	M1		
31596	Wacol	MC	100.0	HA	0.000	0.000	0.095	M1		

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 6 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Queensland

SLA code	SLA name	ASGC Remoteness Areas				ARIA			RRMA	
		Percentage of population living in each Remoteness Area				ARIA class ⁴	Mean	Min.	Max.	RRMA class
Brisbane City (continued)										
31601	Wakerley	MC	100.0			HA	0.000	0.000	0.000	M1
31604	Wavell Heights	MC	100.0			HA	0.000	0.000	0.000	M1
31607	West End	MC	100.0			HA	0.000	0.000	0.000	M1
31612	Westlake	MC	100.0			HA	0.000	0.000	0.000	M1
31615	Willawong	MC	100.0			HA	0.268	0.081	0.429	M1
31618	Wilston	MC	100.0			HA	0.000	0.000	0.000	M1
31623	Windsor	MC	100.0			HA	0.000	0.000	0.000	M1
31626	Wishart	MC	100.0			HA	0.000	0.000	0.000	M1
31631	Woolloongabba	MC	100.0			HA	0.000	0.000	0.000	M1
31634	Woolloowin	MC	100.0			HA	0.000	0.000	0.000	M1
31637	Wynnum	MC	100.0			HA	0.000	0.000	0.000	M1
31642	Wynnum West	MC	100.0			HA	0.000	0.000	0.000	M1
31645	Yeerongpilly	MC	100.0			HA	0.000	0.000	0.000	M1
31648	Yeronga	MC	100.0			HA	0.000	0.000	0.000	M1
31653	Zillmere	MC	100.0			HA	0.000	0.000	0.000	M1
B (continued)										
31700	Broadsound (S)	R	95.3	OR	4.7	MA	5.496	4.356	7.063	Rem2 ⁵
31750	Bulloo (S)	VR	100.0			VR	11.263	10.397	11.714	Rem2 ⁵
31810	Bundaberg (C)	IR	100.0			A	2.102	2.070	2.237	R1 ⁶
31850	Bungil (S)	R	100.0			R	6.381	5.139	7.210	Rem2 ⁵
31900	Burdekin (S)	R	1.6	OR	98.4	MA	4.662	3.724	5.815	R3 ⁶
31950	Burke (S)	VR	100.0			VR	11.584	8.985	12.000	Rem2 ⁵
31981	Burnett (S) – Pt A	OR	17.4	IR	82.6	A	2.332	2.070	2.530	R1 ⁷
31984	Burnett (S) – Pt B	IR	31.6	OR	68.4	A	2.553	2.147	3.146	R3 ⁷
C										
Caboolture Shire Part A										
32002	Bribie Island	IR	100.0			HA	0.930	0.890	1.003	M1
32005	Burpengary-Narangba	IR	25.7	MC	74.3	HA	0.510	0.321	0.655	M1
32008	Caboolture (S) – Central	IR	100.0			HA	0.716	0.640	0.895	M1
32013	Caboolture (S) – East	IR	100.0			HA	0.810	0.310	1.009	M1
32016	Deception Bay	IR	2.8	MC	97.2	HA	0.480	0.344	0.520	M1
32018	Morayfield	IR	43.8	MC	56.2	HA	0.644	0.520	0.862	M1
32023	Caboolture (S) Bal. in BSD	IR	100.0			HA	0.846	0.512	1.189	M1

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 6 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Queensland

SLA code	SLA name	ASGC Remoteness Areas			ARIA			RRMA				
		Percentage of population living in each Remoteness Area			ARIA class ⁴	Mean	Min.	Max.	RRMA class			
C (continued)												
32031	Caboolture (S) – Pt B	IR	100.0		HA	1.165	0.858	1.481	R3 ⁶			
32062	Cairns (C) – Barron	OR	100.0		A	3.215	3.000	3.543	R1 ⁶			
32065	Cairns (C) – Central Suburbs	OR	100.0		A	3.005	3.000	3.053	R1 ⁶			
32066	Cairns (C) – City	OR	100.0		A	3.000	3.000	3.000	R1 ⁶			
32068	Cairns (C) – Mt Whitfield	OR	100.0		A	3.019	3.000	3.132	R1 ⁶			
32072	Cairns (C) – Northern Suburbs	OR	100.0		A	3.480	3.359	3.552	R1 ⁶			
32074	Cairns (C) – Trinity	OR	100.0		A	3.249	3.000	3.923	R1 ⁶			
32076	Cairns (C) – Western Suburbs	OR	100.0		A	3.000	3.000	3.000	R1 ⁶			
32078	Cairns (C) – Pt B	R	0.0	OR	100.0	MA	3.898	3.234	4.318	R3 ⁶		
32101	Calliope (S) – Pt A	IR	100.0		A	2.094	1.927	2.536	R3 ⁵			
32104	Calliope (S) – Pt B	R	11.2	OR	88.8	A	2.609	1.864	3.994	R3 ⁵		
32132	Caloundra (C) – Caloundra N.	IR	100.0		HA	0.661	0.600	0.766	R2 ⁶			
32133	Caloundra (C) – Caloundra S.	IR	100.0		HA	0.761	0.600	0.910	R2 ⁶			
32135	Caloundra (C) – Kawana	IR	100.0		HA	0.689	0.650	0.761	R2 ⁶			
32136	Caloundra (C) – Hinterland	IR	100.0		HA	1.358	0.893	1.886	R3 ⁶			
32138	Caloundra (C) – Rail Corridor	IR	100.0		HA	0.898	0.689	1.114	R3 ⁶			
32151	Cambooya (S) – Pt A	IR	100.0		HA	0.638	0.503	0.790	R3 ⁶			
32154	Cambooya (S) – Pt B	IR	100.0		HA	1.029	0.585	1.347	R3 ⁶			
32200	Cardwell (S)	OR	83.1	R	16.9	MA	5.564	4.506	5.960	R3 ⁵		
32250	Carpentaria (S)	VR	100.0		VR	11.510	10.346	12.000	Rem2 ⁵			
32300	Charters Towers (C)	OR	100.0		MA	4.551	4.550	4.576	R3 ⁵			
32350	Chinchilla (S)	R	2.1	OR	97.9	MA	4.128	2.452	6.185	R3 ⁵		
32400	Clifton (S)	IR	100.0		HA	1.454	1.182	1.847	R3 ⁵			
32450	Cloncurry (S)	R	58.6	VR	41.4	R	8.953	6.258	11.079	Rem2 ⁵		
32501	Cook (S) (excl. Weipa)	R	44.5	VR	55.5	VR	10.825	5.924	12.000	Rem2 ⁵		
32504	Cook (S) – Weipa only	VR	100.0		VR	12.000	12.000	12.000	Rem2 ⁵			
32532	Cooloolo (S) (excl. Gympie)	OR	7.6	IR	92.5	A	1.552	1.520	1.756	R3 ⁶		
32535	Cooloolo (S) – Gympie only	IR	100.0		HA	1.847	1.425	2.669	R2 ⁶			
32551	Crows Nest (S) – Pt A	IR	100.0		HA	0.709	0.492	0.983	R3 ⁶			
32554	Crows Nest (S) – Pt B	IR	90.4	OR	9.6	HA	1.540	0.814	2.157	R3 ⁶		
32600	Croydon (S)	VR	100.0		VR	11.328	10.664	11.798	Rem2 ⁵			
D–F												
32650	Dalby (T)	IR	100.0		HA	1.452	1.443	1.483	R3 ⁵			
32700	Dalrymple (S)	VR	10.2	R	78.4	OR	11.4	R	6.380	3.340	10.513	Rem2 ⁵

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 6 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Queensland

SLA code	SLA name	ASGC Remoteness Areas				ARIA			RRMA			
		Percentage of population living in each Remoteness Area				ARIA class ⁴	Mean	Min.	Max.	RRMA class		
D–F (continued)												
32750	Diamantina (S)	VR	100.0			VR	11.747	10.321	12.000	Rem2 ⁵		
32800	Douglas (S)	OR	89.3	R	10.8	MA	5.799	3.551	7.197	R3 ⁶		
32850	Duarina (S)	R	3.2	OR	96.8	MA	4.440	3.142	6.117	Rem1 ⁷		
32900	Eacham (S)	OR	100.0			MA	4.241	3.762	5.411	R3 ⁵		
32950	Eidsvold (S)	OR	69.6	R	30.4	MA	5.029	4.501	5.990	Rem2 ⁵		
33000	Emerald (S)	R	20.6	VR	0.6	OR	78.76	R	6.146	4.223	8.857	Rem1 ⁵
33050	Esk (S)	IR	79.9	OR	20.1	HA	1.803	0.790	2.449	R3 ⁶		
33100	Etheridge (S)	VR	100.0			VR	10.285	7.987	11.268	Rem2 ⁵		
33151	Fitzroy (S) – Pt A	IR	100.0			A	1.845	1.822	1.857	R3 ⁵		
33154	Fitzroy (S) – Pt B	OR	47.3	IR	52.7	A	2.550	1.511	3.717	R3 ⁵		
33200	Flinders (S)	VR	100.0			VR	10.032	7.460	11.214	Rem2 ⁵		
G												
33250	Gatton (S)	IR	100.0			HA	0.916	0.290	1.758	R3 ⁵		
33300	Gayndah (S)	OR	100.0			MA	4.233	3.277	4.996	R3 ⁵		
33350	Gladstone (C)	OR	0.2	IR	99.8	HA	1.815	1.700	2.034	R2 ⁷		
Gold Coast City Part A												
33461	Beenleigh	MC	100.0			HA	0.000	0.000	0.000	M1		
33463	Bethania-Waterford	MC	100.0			HA	0.005	0.000	0.059	M1		
33466	Eagleby	MC	100.0			HA	0.027	0.000	0.159	M1		
33471	Edens Landing-Holmview	MC	100.0			HA	0.000	0.000	0.000	M1		
33476	Mt Warren Park	MC	100.0			HA	0.000	0.000	0.000	M1		
33494	Windaroo-Bannockburn	MC	100.0			HA	0.162	0.000	0.487	M1		
33496	Gold Coast (C) Bal. in BSD	IR	20.5	MC	79.5	HA	0.525	0.000	0.757	M1		
Gold Coast City Part B												
33497	Arundel	MC	100.0			HA	0.112	0.000	0.203	M2		
33501	Ashmore	MC	100.0			HA	0.000	0.000	0.000	M2		
33504	Benowa	MC	100.0			HA	0.000	0.000	0.000	M2		
33507	Biggera Waters	MC	100.0			HA	0.000	0.000	0.000	M2		
33512	Bilinga	MC	100.0			HA	0.000	0.000	0.098	M2		
33513	Broadbeach	MC	100.0			HA	0.000	0.000	0.000	M2		
33515	Broadbeach Waters	MC	100.0			HA	0.000	0.000	0.000	M2		
33517	Bundall	MC	100.0			HA	0.000	0.000	0.000	M2		
33521	Burleigh Heads	MC	100.0			HA	0.000	0.000	0.028	M2		
33523	Burleigh Waters	MC	100.0			HA	0.000	0.000	0.000	M2		

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 6 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Queensland

SLA code	SLA name	ASGC Remoteness Areas				ARIA			RRMA	
		Percentage of population living in each Remoteness Area				ARIA class ⁴	Mean	Min.	Max.	RRMA class
Gold Coast City Part B (continued)										
33525	Carrara-Merrimac	MC	100.0			HA	0.007	0.000	0.160	M2
33527	Coolangatta	MC	100.0			HA	0.000	0.000	0.180	M2
33531	Coombabah	MC	100.0			HA	0.000	0.106	0.238	M2
33532	Coomera-Cedar Creek	MC	47.4	IR	52.6	HA	0.495	0.000	0.740	M2
33533	Currumbin	MC	100.0			HA	0.000	0.000	0.000	M2
33535	Currumbin Waters	MC	100.0			HA	0.000	0.000	0.237	M2
33537	Elanora	MC	100.0			HA	0.000	0.000	0.264	M2
33541	Ernest-Molendinar	MC	100.0			HA	0.000	0.000	0.065	M2
33542	Guanaba-Currumbin Valley	MC	68.8	IR	31.3	HA	0.000	0.000	1.006	M2
33543	Helensvale	MC	100.0			HA	0.230	0.230	0.230	M2
33545	Hollywell	MC	100.0			HA	0.000	0.000	0.000	M2
33547	Hope Island	MC	100.0			HA	0.300	0.230	0.362	M2
33553	Labrador	MC	100.0			HA	0.000	0.000	0.000	M2
33555	Main Beach-Broadwater	MC	100.0			HA	0.000	0.000	0.000	M2
33557	Mermaid Beach	MC	100.0			HA	0.000	0.000	0.000	M2
33562	Mermaid Wtrs-Clear Is. Wtrs	MC	100.0			HA	0.000	0.000	0.000	M2
33563	Miami	MC	100.0			HA	0.000	0.000	0.000	M2
33565	Mudgeeraba	IR	16.1	MC	83.9	HA	0.000	0.000	0.523	M2
33567	Nerang	MC	100.0			HA	0.218	0.000	0.404	M2
33571	Oxenford	MC	100.0			HA	0.270	0.230	0.315	M2
33573	Palm Beach	MC	100.0			HA	0.000	0.000	0.000	M2
33575	Paradise Point	MC	100.0			HA	0.000	0.000	0.000	M2
33577	Parkwood	MC	100.0			HA	0.000	0.000	0.174	M2
33582	Robina	MC	100.0			HA	0.000	0.000	0.303	M2
33583	Runaway Bay	MC	100.0			HA	0.000	0.000	0.000	M2
33585	Southport	MC	100.0			HA	0.000	0.000	0.000	M2
33586	Stephens	MC	100.0			HA	0.000	0.000	0.000	M2
33587	Surfers Paradise	MC	100.0			HA	0.000	0.000	0.000	M2
33591	Tugun	MC	100.0			HA	0.000	0.000	0.031	M2
33593	Worongary-Tallai	MC	100.0			HA	0.000	0.000	0.345	M2

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 6 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Queensland

SLA code	SLA name	ASGC Remoteness Areas				ARIA			RRMA			
		Percentage of population living in each Remoteness Area				ARIA class ⁴	Mean	Min.	Max.	RRMA class		
G (continued)												
33600	Goondiwindi (T)	OR	100.0			MA	4.926	4.910	4.944	R3 ⁵		
H-K												
33700	Herberton (S)	R	41.3	OR	58.7	MA	5.723	4.108	8.927	Rem2 ⁵		
33751	Hervey Bay (C) – Pt A	IR	97.2	OR	2.8	A	2.166	1.910	2.832	R2 ⁷		
33754	Hervey Bay (C) – Pt B	IR	25.6	R	15.5	OR	58.96	A	4.238	1.755	6.040	R2 ⁷
33801	Hinchinbrook (S) (excl. Palm I.)	R	0.7	OR	99.3	MA	4.685	4.282	5.445	R3 ⁶		
33804	Hinchinbrook (S) – Palm Island	R	100.0			VR	9.200	9.200	9.200	R3 ⁶		
33850	Ilfracombe (S)	VR	100.0			VR	11.456	11.131	11.826	Rem2 ⁵		
33900	Inglewood (S)	OR	60.0	R	40.0	MA	3.535	1.954	4.700	R3 ⁵		
33962	Ipswich (C) – Central	MC	100.0			HA	0.351	0.000	1.022	M1		
33965	Ipswich (C) – East	MC	100.0			HA	0.177	0.000	0.751	M1		
33966	Ipswich (C) – North	IR	6.9	MC	93.1	HA	0.989	0.743	1.307	M1		
33974	Ipswich (C) – South-West	MC	0.0	IR	100.0	HA	1.237	0.063	1.626	R3 ⁷		
33976	Ipswich (C) – West	IR	80.1	MC	19.9	HA	1.163	0.853	1.286	R3 ⁶		
34000	Isis (S)	OR	100.0			A	2.952	2.433	3.426	R3 ⁵		
34050	Isisford (S)	VR	100.0			VR	11.666	11.361	11.856	Rem2 ⁵		
34100	Jericho (S)	VR	100.0			VR	9.559	6.985	10.939	Rem2 ⁵		
34150	Johnstone (S)	OR	100.0			MA	4.600	4.030	5.755	R3 ⁵		
34201	Jondaryan (S) – Pt A	IR	100.0			HA	0.598	0.290	0.806	R3 ⁶		
34204	Jondaryan (S) – Pt B	OR	2.9	IR	97.1	HA	1.370	0.560	1.903	R3 ⁶		
34250	Kilcoy (S)	IR	95.1	OR	4.9	A	2.042	1.195	2.500	R3 ⁵		
34300	Kilkivan (S)	OR	100.0			A	2.711	1.698	3.971	R3 ⁵		
34350	Kingaroy (S)	OR	16.7	IR	83.3	A	2.606	2.051	3.556	R3 ⁵		
34400	Kolan (S)	OR	100.0			A	3.305	2.687	4.115	R3 ⁵		
L												
34450	Laidley (S)	IR	100.0			HA	1.131	0.736	1.843	R3 ⁵		
34550	Livingstone (S)	OR	8.7	IR	87.8	R	3.51	A	3.370	1.490	5.770	R3 ⁷
Logan City												
34601	Browns Plains	MC	100.0			HA	0.000	0.000	0.146	M1		
34603	Carbrook-Cornubia	MC	100.0			HA	0.174	0.000	0.400	M1		
34605	Daisy Hill-Priestdale	MC	100.0			HA	0.050	0.000	0.149	M1		
34608	Greenbank-Boronia Heights	MC	100.0			HA	0.155	0.000	0.718	M1		
34612	Kingston	MC	100.0			HA	0.000	0.000	0.000	M1		
34615	Loganholme	MC	100.0			HA	0.000	0.000	0.000	M1		

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 6 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Queensland

SLA code	SLA name	ASGC Remoteness Areas				ARIA			RRMA			
		Percentage of population living in each Remoteness Area				ARIA class ⁴	Mean	Min.	Max.	RRMA class		
Logan City (continued)												
34618	Loganlea	MC	100.0			HA	0.000	0.000	0.000	M1		
34623	Marsden	MC	100.0			HA	0.000	0.000	0.000	M1		
34631	Rochedale South	MC	100.0			HA	0.000	0.000	0.170	M1		
34634	Shailer Park	MC	100.0			HA	0.000	0.000	0.000	M1		
34637	Slacks Creek	MC	100.0			HA	0.000	0.000	0.000	M1		
34642	Springwood	MC	100.0			HA	0.000	0.000	0.000	M1		
34645	Tanah Merah	MC	100.0			HA	0.000	0.000	0.000	M1		
34651	Underwood	MC	100.0			HA	0.146	0.000	0.309	M1		
34654	Waterford West	MC	100.0			HA	0.000	0.000	0.000	M1		
34656	Woodridge	MC	100.0			HA	0.000	0.000	0.000	M1		
34663	Logan (C) Bal.	MC	100.0			HA	0.078	0.000	0.209	M1		
L (continued)												
34700	Longreach (S)	VR	100.0			VR	11.730	11.245	11.974	Rem2 ⁵		
M–O												
34762	Mackay (C) – Pt A	OR	100.0			MA	3.851	3.700	4.132	R1 ⁶		
34765	Mackay (C) – Pt B	OR	76.5	R	23.6	MA	4.761	3.787	5.813	R3 ⁶		
34800	McKinlay (S)	VR	100.0			VR	10.282	8.788	11.314	Rem2 ⁵		
34850	Mareeba (S)	R	3.8	OR	95.8	VR	0.46	R	7.931	3.308	11.262	Rem1 ⁵
34902	Maroochy (S) – Buderim	IR	100.0			HA	0.675	0.650	0.759	R1 ⁶		
34905	Maroochy (S) – Coastal North	IR	100.0			HA	0.852	0.650	1.018	R1 ⁶		
34907	Maroochy (S) – Maroochydore	IR	100.0			HA	0.652	0.650	0.684	R1 ⁶		
34911	Maroochy (S) – Mooloolaba	IR	100.0			HA	0.650	0.650	0.650	R1 ⁶		
34914	Maroochy (S) – Nambour	IR	100.0			HA	0.787	0.780	0.859	R1 ⁶		
34917	Maroochy (S) Bal. in S C'st SSD	IR	100.0			HA	0.780	0.650	0.855	R1 ⁶		
34918	Maroochy (S) Bal.	IR	100.0			HA	1.159	0.730	2.070	R3 ⁷		
34950	Maryborough (C)	R	2.8	IR	97.2	MA	4.102	1.660	6.040	R2 ⁷		
35000	Millmerran (S)	IR	56.3	OR	43.7	A	2.521	1.766	3.564	R3 ⁵		
35050	Mirani (S)	OR	77.8	R	22.2	MA	5.127	4.194	5.798	R3 ⁵		
35100	Miriam Vale (S)	R	2.8	OR	97.2	A	3.257	2.265	4.015	R3 ⁵		
35150	Monto (S)	OR	100.0			MA	4.141	2.881	4.993	R3 ⁵		
35250	Mornington (S)	VR	100.0			VR	12.000	12.000	12.000	Rem2 ⁵		
35300	Mount Isa (C)	R	96.2	VR	3.8	R	8.835	6.020	11.870	Rem1 ⁵		
35350	Mount Morgan (S)	IR	86.4	OR	13.7	A	2.542	2.132	2.890	R3 ⁵		

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 6 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Queensland

SLA code	SLA name	ASGC Remoteness Areas				ARIA			RRMA	
		Percentage of population living in each Remoteness Area				ARIA class ⁴	Mean	Min.	Max.	RRMA class
M–O (continued)										
35450	Mundubbera (S)	OR	79.4	R	20.6	MA	4.931	3.646	5.258	R3 ⁵
35500	Murgon (S)	OR	100.0			A	2.930	2.686	3.259	R3 ⁵
35550	Murilla (S)	OR	71.8	R	28.2	MA	4.811	3.764	5.833	Rem2 ⁵
35600	Murweh (S)	R	60.9	VR	39.1	VR	10.002	5.913	11.008	Rem2 ⁵
35650	Nanango (S)	IR	59.3	OR	40.7	A	2.164	2.015	2.740	R3 ⁵
35700	Nebo (S)	R	100.0			MA	5.506	4.118	6.736	Rem2 ⁵
35752	Noosa (S) – Noosa-Noosaville	IR	100.0			HA	0.882	0.880	0.894	R2 ⁷
35755	Noosa (S) – Sunshine-Peregian	IR	100.0			HA	0.950	0.880	1.039	R2 ⁷
35756	Noosa (S) – Tewantin	IR	100.0			HA	0.884	0.880	0.928	R2 ⁷
35758	Noosa (S) Bal.	IR	100.0			HA	1.288	0.880	1.703	R2 ⁷
P–Q										
35800	Paroo (S)	VR	100.0			VR	10.781	9.281	11.306	Rem2 ⁵
35850	Peak Downs (S)	R	100.0			R	6.327	4.524	7.382	Rem2 ⁵
35900	Perry (S)	OR	100.0			MA	3.990	3.050	4.928	Rem2 ⁵
Pine Rivers Shire										
35951	Albany Creek	MC	100.0			HA	0.003	0.000	0.039	M1
35957	Bray Park	MC	100.0			HA	0.000	0.000	0.036	M1
35958	Central Pine West	IR	1.5	MC	98.5	HA	0.346	0.000	0.766	M1
35961	Dakabin-Kallangur-M. Downs	MC	100.0			HA	0.050	0.000	0.334	M1
35963	Griffin-Mango Hill	MC	100.0			HA	0.000	0.000	0.141	M1
35971	Hills District	MC	100.0			HA	0.159	0.000	0.487	M1
35973	Lawnton	MC	100.0			HA	0.000	0.000	0.000	M1
35974	Petrie	MC	100.0			HA	0.000	0.000	0.000	M1
35978	Strathpine-Brendale	MC	100.0			HA	0.022	0.000	0.068	M1
35988	Pine Rivers (S) Bal.	MC	12.1	IR	87.9	HA	0.790	0.000	1.358	M1
Redcliffe City										
36050	Pittsworth (S)	IR	100.0			HA	1.509	0.956	1.869	R3 ⁵
36150	Quilpie (S)	VR	100.0			VR	11.431	10.731	11.857	Rem2 ⁵
36201	Clontarf	MC	100.0			HA	0.000	0.000	0.035	M1
36204	Margate-Woody Point	MC	100.0			HA	0.000	0.000	0.000	M1
36206	Redcliffe-Scarborough	MC	100.0			HA	0.000	0.000	0.000	M1
36208	Rothwell-Kippa-Ring	MC	100.0			HA	0.000	0.000	0.043	M1
Redland Shire										
36251	Alexandra Hills	MC	100.0			HA	0.000	0.000	0.000	M1

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 6 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Queensland

SLA code	SLA name	ASGC Remoteness Areas						ARIA			RRMA	
		Percentage of population living in each Remoteness Area						ARIA class ⁴	Mean	Min.	Max.	RRMA class
Redland Shire (continued)												
36254	Birkdale	MC	100.0					HA	0.000	0.000	0.000	M1
36257	Capalaba	MC	100.0					HA	0.000	0.000	0.133	M1
36262	Cleveland	MC	100.0					HA	0.000	0.000	0.000	M1
36264	Ormiston	MC	100.0					HA	0.000	0.000	0.000	M1
36265	Redland Bay	IR	27.2	MC	72.8			HA	0.469	0.384	0.571	M1
36267	Sheldon-Mt Cotton	IR	58.0	MC	42.0			HA	0.204	0.000	0.408	M1
36268	Thorneside	MC	100.0					HA	0.000	0.000	0.000	M1
36271	Thornlands	MC	100.0					HA	0.177	0.000	0.480	M1
36273	Victoria Point	MC	100.0					HA	0.474	0.422	0.480	M1
36276	Wellington Point	MC	100.0					HA	0.000	0.000	0.000	M1
36283	Redland (S) Bal.	R	39.9	IR	60.1	MC	0	HA	0.401	0.000	0.647	M1
R (continued)												
36300	Richmond (S)	VR	100.0					VR	10.879	10.545	11.259	Rem2 ⁵
36350	Rockhampton (C)	IR	100.0					HA	1.614	1.490	2.094	R1 ⁵
36400	Roma (T)	OR	100.0					MA	5.256	5.150	5.369	Rem1 ⁵
36451	Rosalie (S) – Pt A	IR	100.0					HA	0.787	0.519	0.975	R3 ⁶
36454	Rosalie (S) – Pt B	OR	42.2	IR	57.8			HA	1.678	0.836	2.129	R3 ⁶
S												
36550	Sarina (S)	OR	100.0					MA	4.322	3.961	4.599	R3 ⁵
36600	Stanthorpe (S)	OR	100.0					A	3.214	2.294	4.341	R3 ⁵
T												
36650	Tambo (S)	VR	100.0					VR	10.373	8.157	11.066	Rem2 ⁵
36700	Tara (S)	OR	68.0	R	32.0			MA	4.399	2.452	5.946	Rem2 ⁵
36750	Taroom (S)	R	100.0					R	6.047	4.754	7.095	Rem2 ⁵
Thuringowa City Part A												
36801	Kelso	OR	100.0					A	3.021	3.000	3.061	M2
36804	Kirwan	OR	100.0					A	3.016	3.000	3.078	M2
36807	Thuringowa (C) – Pt A Bal.	OR	100.0					A	3.383	3.000	3.594	M2
T (continued)												
36831	Thuringowa (C) – Pt B	OR	100.0					MA	3.789	3.000	4.545	R3 ⁶
36850	Tiaro (S)	IR	36.7	OR	63.3			A	2.154	1.862	2.479	R3 ⁵
36901	Toowoomba (C) – Central	IR	100.0					HA	0.290	0.290	0.290	R1 ⁶
36903	Toowoomba (C) – North-East	IR	100.0					HA	0.319	0.290	0.416	R1 ⁶

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 6 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Queensland

SLA code	SLA name	ASGC Remoteness Areas		ARIA			RRMA	
			Percentage of population living in each Remoteness Area	ARIA class ⁴	Mean	Min.	Max.	RRMA class
T (continued)								
36905	Toowoomba (C) – North-West	IR	100.0	HA	0.363	0.290	0.525	R1 ⁶
36906	Toowoomba (C) – South-East	IR	100.0	HA	0.307	0.290	0.468	R1 ⁶
36908	Toowoomba (C) – West	IR	100.0	HA	0.346	0.290	0.559	R1 ⁶
36950	Torres (S)	VR	100.0	VR	12.000	12.000	12.000	Rem2 ⁵
Townsville City Part A								
37001	Aitkenvale	OR	100.0	A	3.000	3.000	3.000	M2
37003	City (Townsville)	OR	100.0	A	3.000	3.000	3.000	M2
37007	Cranbrook	OR	100.0	A	3.000	3.000	3.000	M2
37012	Currajong	OR	100.0	A	3.000	3.000	3.000	M2
37014	Douglas	OR	100.0	A	3.001	3.000	3.011	M2
37015	Garbutt	OR	100.0	A	3.009	3.000	3.099	M2
37018	Gulliver	OR	100.0	A	3.000	3.000	3.000	M2
37023	Heatley	OR	100.0	A	3.000	3.000	3.000	M2
37026	Hermit Park	OR	100.0	A	3.000	3.000	3.000	M2
37027	Hyde Park-Mysterton	OR	100.0	A	3.000	3.000	3.000	M2
37031	Magnetic Island	OR	100.0	MA	5.440	5.440	5.440	M2
37033	Mt Louisa-Mt St John-Bohle	OR	100.0	A	3.137	3.000	3.294	M2
37034	Mundingburra	OR	100.0	A	3.000	3.000	3.000	M2
37038	Murray	OR	100.0	A	3.004	3.000	3.088	M2
37041	North Ward-Castle Hill	OR	100.0	A	3.000	3.000	3.000	M2
37044	Oonoonba-Idalia-Cluden	OR	100.0	A	3.000	3.000	3.000	M2
37047	Pallarenda-Shelley Beach	OR	100.0	A	3.173	3.105	3.331	M2
37051	Pimlico	OR	100.0	A	3.000	3.000	3.000	M2
37054	Railway Estate	OR	100.0	A	3.000	3.000	3.000	M2
37058	Rosslea	OR	100.0	A	3.000	3.000	3.000	M2
37062	Rowes Bay-Belgian Gardens	OR	100.0	A	3.021	3.000	3.126	M2
37065	South Townsville	OR	100.0	A	3.000	3.000	3.000	M2
37068	Stuart-Roseneath	OR	100.0	A	3.078	3.000	3.271	M2
37071	Vincent	OR	100.0	A	3.000	3.000	3.000	M2
37074	West End (Townsville)	OR	100.0	A	3.000	3.000	3.000	M2
37078	Wulguru	OR	100.0	A	3.011	3.000	3.067	M2
T (continued)								
37084	Townsville (C) – Pt B	OR	100.0	MA	3.779	3.000	4.350	R3 ⁶

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 6 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Queensland

SLA code	SLA name	ASGC Remoteness Areas				ARIA			RRMA			
		Percentage of population living in each Remoteness Area				ARIA class ⁴	Mean	Min.	Max.	RRMA class		
W												
37100	Waggamba (S)	OR	57.7	R	42.3	MA	5.322	2.825	7.341	Rem2 ⁵		
37150	Wambo (S)	IR	29.4	OR	70.6	A	2.258	1.402	3.394	R3 ⁵		
37200	Warroo (S)	R	100.0			R	6.269	4.974	8.127	Rem2 ⁵		
37262	Warwick (S) – Central	IR	100.0			HA	1.296	1.290	1.339	R2 ⁵		
37263	Warwick (S) – East	OR	39.8	IR	60.2	HA	1.723	1.260	2.390	R3 ⁵		
37265	Warwick (S) – North	IR	100.0			HA	1.416	1.273	1.825	R3 ⁵		
37266	Warwick (S) – West	IR	77.6	OR	22.4	A	1.845	1.290	2.489	R3 ⁵		
37330	Whitsunday (S)	R	22.5	VR	9.4	OR	68.11	MA	5.577	5.165	6.051	R3 ⁵
37400	Winton (S)	VR	100.0			VR	11.491	10.668	12.000	Rem2 ⁵		
37450	Wondai (S)	OR	100.0			A	3.480	2.511	4.727	R3 ⁵		
37500	Woocoo (S)	IR	84.3	OR	15.7	A	2.568	1.671	3.592	R3 ⁷		
Unincorporated Islands												
38809	Unincorp. Islands	VR	100.0			VR	12.000	12.000	12.000	Rem2 ⁵		

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 7: ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – South Australia

SLA code	SLA name	ASGC Remoteness Areas				ARIA			RRMA	
		Percentage of population living in each Remoteness Area				ARIA class ⁴	Mean	Min.	Max.	RRMA class
40070	Adelaide (C)	MC	100.0			HA	0.000	0.000	0.000	M1
40121	Adelaide Hills (DC) – Central	IR	2.2	MC	97.8	HA	0.309	0.290	0.427	M1
40124	Adelaide Hills (DC) – Ranges	IR	39.2	MC	60.9	HA	0.312	0.000	0.634	M1
40125	Adelaide Hills (DC) – North	MC	16.8	IR	83.2	HA	0.762	0.000	1.156	R3 ⁵
40128	Adelaide Hills (DC) Bal.	IR	100.0			HA	0.625	0.290	0.879	R3 ⁵
40221	Alexandrina (DC) – Coastal	IR	100.0			HA	1.287	1.072	1.674	R3 ⁵
40224	Alexandrina (DC) – Strathalbyn	IR	100.0			HA	1.238	0.705	2.550	R3 ⁷
40311	Barossa (DC) – Angaston	IR	100.0			HA	1.460	1.233	1.659	R3 ⁵
40314	Barossa (DC) – Barossa	IR	100.0			HA	1.055	0.560	1.477	R3 ⁶
40315	Barossa (DC) – Tanunda	IR	100.0			HA	1.211	1.097	1.378	R3 ⁵
40430	Barunga West (DC)	OR	100.0			A	2.900	2.499	3.289	R3 ⁶
40521	Berri & Barmera (DC) – Barmera	OR	100.0			MA	4.526	4.429	4.603	R3 ⁵
40524	Berri & Barmera (DC) – Berri	OR	100.0			MA	4.410	4.305	4.479	R3 ⁵
40701	Burnside (C) – North-East	MC	100.0			HA	0.024	0.000	0.152	M1
40704	Burnside (C) – South-West	MC	100.0			HA	0.048	0.000	0.226	M1
40911	Campbelltown (C) – East	MC	100.0			HA	0.000	0.000	0.000	M1
40914	Campbelltown (C) – West	MC	100.0			HA	0.000	0.000	0.000	M1
41010	Ceduna (DC)	VR	100.0			VR	10.524	9.718	10.900	Rem2 ⁵
41061	Charles Sturt (C) – Coastal	MC	100.0			HA	0.000	0.000	0.000	M1
41064	Charles Sturt (C) – Inner East	MC	100.0			HA	0.000	0.000	0.000	M1
41065	Charles Sturt (C) – Inner West	MC	100.0			HA	0.000	0.000	0.000	M1
41068	Charles Sturt (C) – North-East	MC	100.0			HA	0.000	0.000	0.000	M1
41140	Clare and Gilbert Valleys (DC)	IR	23.5	OR	76.5	A	2.341	1.251	3.156	R3 ⁶
41190	Cleve (DC)	R	100.0			R	6.055	5.442	6.677	R3 ⁵
41330	Coober Pedy (DC)	VR	100.0			VR	10.980	10.973	10.989	Rem2 ⁵
41560	Copper Coast (DC)	OR	100.0			A	3.204	2.887	3.517	R3 ⁶
41750	Elliston (DC)	R	54.3	VR	45.7	R	7.440	6.464	9.035	Rem2 ⁵
41830	Flinders Ranges (DC)	OR	73.3	R	26.8	MA	4.263	2.852	5.099	R3 ⁵
41960	Franklin Harbor (DC)	R	100.0			MA	4.889	3.497	5.688	R3 ⁵
42030	Gawler (M)	MC	100.0			HA	0.567	0.501	0.651	M1
42110	Goyder (DC)	IR	21.8	OR	78.2	A	3.324	1.776	4.453	R3 ⁷
42250	Grant (DC)	OR	100.0			A	2.645	2.240	3.170	R3 ⁵
42601	Holdfast Bay (C) – North	MC	100.0			HA	0.000	0.000	0.000	M1
42604	Holdfast Bay (C) – South	MC	100.0			HA	0.000	0.000	0.000	M1

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 7 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – South Australia

SLA code	SLA name	ASGC Remoteness Areas			ARIA			RRMA	
		Percentage of population living in each Remoteness Area			ARIA class ⁴	Mean	Min.	Max.	RRMA class
42750	Kangaroo Island (DC)	R	100.0		R	8.080	8.080	8.080	Rem2 ⁵
43080	Karoonda East Murray (DC)	OR	100.0		A	3.032	1.991	4.119	R3 ⁵
43220	Kimba (DC)	R	100.0		MA	5.772	4.442	6.712	R3 ⁵
43360	Lacepede (DC)	OR	89.0	R 11.0	MA	4.409	3.820	4.760	R3 ⁵
43570	Le Hunte (DC)	R	17.9	VR 82.1	R	7.899	6.274	9.272	Rem2 ⁵
43650	Light (DC)	MC	3.8	IR 96.2	HA	1.257	0.560	1.931	R3 ⁶
43710	Lower Eyre Peninsula (DC)	R	100.0		R	6.601	5.981	7.230	R3 ⁵
43791	Loxton Waikerie (DC) – East	OR	100.0		MA	4.313	3.461	4.880	R3 ⁵
43794	Loxton Waikerie (DC) – West	OR	100.0		MA	3.630	2.786	4.472	R3 ⁵
43920	Mallala (DC)	IR	100.0		HA	1.156	0.587	1.641	R3 ⁵
44061	Marion (C) – Central	MC	100.0		HA	0.000	0.000	0.000	M1
44064	Marion (C) – North	MC	100.0		HA	0.000	0.000	0.000	M1
44065	Marion (C) – South	MC	100.0		HA	0.000	0.000	0.000	M1
44210	Mid Murray (DC)	IR	65.9	OR 34.1	A	2.447	0.886	3.968	R3 ⁵
44341	Mitcham (C) – Hills	MC	100.0		HA	0.081	0.000	0.254	M1
44344	Mitcham (C) – North-East	MC	100.0		HA	0.000	0.000	0.000	M1
44345	Mitcham (C) – West	MC	100.0		HA	0.000	0.000	0.000	M1
44551	Mount Barker (DC) – Central	IR	100.0		HA	0.502	0.448	0.610	R3 ⁶
44554	Mount Barker (DC) Bal.	IR	100.0		HA	0.706	0.420	1.004	R3 ⁶
44620	Mount Gambier (C)	IR	100.0		A	2.248	2.240	2.326	R2 ⁵
44830	Mount Remarkable (DC)	OR	100.0		A	3.251	2.699	3.985	R3 ⁵
45040	Murray Bridge (RC)	IR	100.0		HA	1.419	0.891	2.493	R2 ⁵
45090	Naracoorte and Lucindale (DC)	OR	100.0		MA	3.905	3.044	4.518	R3 ⁵
45120	Northern Areas (DC)	OR	100.0		A	3.275	2.722	3.894	R3 ⁶
45291	Norw. P'ham St Ptrs (C) – East	MC	100.0		HA	0.000	0.000	0.000	M1
45294	Norw. P'ham St Ptrs (C) – West	MC	100.0		HA	0.000	0.000	0.000	M1
45341	Onkaparinga (C) – Hackham	MC	100.0		HA	0.375	0.000	0.675	M1
45342	Onkaparinga (C) – Hills	IR	62.9	MC 37.1	HA	0.796	0.000	1.122	M1
45343	Onkaparinga (C) – Morphett	MC	100.0		HA	0.000	0.000	0.000	M1
45344	Onkaparinga (C) – North Coast	MC	100.0		HA	0.000	0.000	0.000	M1
45345	Onkaparinga (C) – Reservoir	MC	100.0		HA	0.000	0.000	0.000	M1
45346	Onkaparinga (C) – South Coast	IR	34.9	MC 65.1	HA	0.725	0.000	1.121	M1
45347	Onkaparinga (C) – Woodcroft	MC	100.0		HA	0.000	0.000	0.512	M1
45400	Orroroo/Carrieton (DC)	OR	85.9	R 14.1	MA	4.145	3.456	4.730	R3 ⁵
45540	Peterborough (DC)	OR	100.0		MA	4.552	3.718	5.249	R3 ⁵

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 7 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – South Australia

SLA code	SLA name	ASGC Remoteness Areas				ARIA			RRMA	
		Percentage of population living in each Remoteness Area				ARIA class ⁴	Mean	Min.	Max.	RRMA class
45681	Playford (C) – East Central	MC	100.0			HA	0.017	0.000	0.168	M1
45683	Playford (C) – Elizabeth	MC	100.0			HA	0.000	0.000	0.000	M1
45684	Playford (C) – Hills	MC	23.9	IR	76.1	HA	0.433	0.000	0.809	M1
45686	Playford (C) – West	MC	70.8	IR	29.2	HA	0.568	0.000	0.878	M1
45688	Playford (C) – West Central	MC	100.0			HA	0.000	0.000	0.189	M1
45891	Port Adel. Enfield (C) – East	MC	100.0			HA	0.000	0.000	0.000	M1
45894	Port Adel. Enfield (C) – Inner	MC	100.0			HA	0.000	0.000	0.000	M1
45895	Port Adel. Enfield (C) – Coast	MC	100.0			HA	0.000	0.000	0.000	M1
45898	Port Adel. Enfield (C) – Port	MC	100.0			HA	0.000	0.000	0.000	M1
46090	Port Augusta (C)	OR	100.0			A	2.739	2.500	3.021	R2 ⁵
46300	Port Lincoln (C)	R	100.0			R	6.085	6.040	6.220	R2 ⁵
46451	Port Pirie C, Dists (M) – City	OR	100.0			A	2.626	2.570	2.713	R2 ⁵
46454	Port Pirie C, Dists (M) Bal.	OR	100.0			A	2.822	2.590	2.986	R3 ⁶
46510	Prospect (C)	MC	100.0			HA	0.000	0.000	0.000	M1
46671	Renmark Paringa (DC) – Paringa	OR	100.0			MA	4.205	3.983	4.471	R3 ⁵
46674	Renmark Paringa (DC) – Renmark	OR	100.0			MA	4.337	4.196	4.470	R3 ⁵
46860	Robe (DC)	OR	100.0			MA	3.743	3.253	4.068	R3 ⁵
46970	Roxby Downs (M)	R	100.0			R	8.854	8.801	8.969	Rem2 ⁵
47141	Salisbury (C) – Central	MC	100.0			HA	0.000	0.000	0.062	M1
47143	Salisbury (C) – Inner North	MC	100.0			HA	0.000	0.000	0.000	M1
47144	Salisbury (C) – North-East	MC	100.0			HA	0.000	0.000	0.000	M1
47146	Salisbury (C) – South-East	MC	100.0			HA	0.000	0.000	0.000	M1
47148	Salisbury (C) Bal.	IR	4.0	MC	96.0	HA	0.224	0.000	0.650	M1
47290	Southern Mallee (DC)	OR	11.7	R	88.3	MA	4.274	3.146	5.106	R3 ⁶
47490	Streaky Bay (DC)	R	54.5	VR	45.5	VR	9.583	8.888	10.248	Rem2 ⁵
47630	Tatiara (DC)	R	14.7	OR	85.3	MA	4.853	4.326	5.220	R3 ⁵
47701	Tea Tree Gully (C) – Central	MC	100.0			HA	0.000	0.000	0.000	M1
47704	Tea Tree Gully (C) – Hills	MC	100.0			HA	0.080	0.000	0.289	M1
47705	Tea Tree Gully (C) – North	MC	100.0			HA	0.000	0.000	0.048	M1
47708	Tea Tree Gully (C) – South	MC	100.0			HA	0.000	0.000	0.000	M1
47800	The Coorong (DC)	OR	67.5	IR	32.5	A	3.298	1.347	4.781	R3 ⁶
47910	Tumby Bay (DC)	R	100.0			R	6.129	5.771	6.568	R3 ⁵
47981	Unley (C) – East	MC	100.0			HA	0.000	0.000	0.000	M1
47984	Unley (C) – West	MC	100.0			HA	0.000	0.000	0.000	M1
48050	Victor Harbor (DC)	IR	100.0			HA	1.218	1.122	1.398	R3 ⁵

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 7 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – South Australia

SLA code	SLA name	ASGC Remoteness Areas					ARIA			RRMA		
		Percentage of population living in each Remoteness Area					ARIA class ⁴	Mean	Min.	Max.	RRMA class	
48130	Wakefield (DC)	IR	56.3	OR	43.7		A	2.375	1.260	2.993	R3 ⁶	
48260	Walkerville (M)	MC	100.0				HA	0.000	0.000	0.000	M1	
48341	Wattle Range (DC) – East	OR	100.0				A	3.152	2.708	3.637	R3 ⁵	
48344	Wattle Range (DC) – West	OR	100.0				A	3.007	2.644	3.840	R3 ⁶	
48411	West Torrens (C) – East	MC	100.0				HA	0.000	0.000	0.000	M1	
48414	West Torrens (C) – West	MC	100.0				HA	0.000	0.000	0.000	M1	
48540	Whyalla (C)	OR	100.0				A	2.929	2.450	3.536	R1 ⁷	
48750	Yankalilla (DC)	IR	100.0				HA	1.511	1.098	1.938	R3 ⁵	
48831	Yorke Peninsula (DC) – North	OR	94.7	R	5.3		MA	3.875	2.452	5.183	R3 ⁶	
48834	Yorke Peninsula (DC) – South	R	100.0				R	5.835	4.607	7.056	R3 ⁶	
48969	Unincorp. Yorke	R					R	7.070	7.070	7.070	Rem2 ⁵	
49039	Unincorp. Riverland	OR	65.1	R	34.9		MA	4.484	3.293	5.090	Rem2 ⁵	
49109	Unincorp. Murray Mallee	OR					A	2.785	2.502	3.129	R3 ⁵	
49179	Unincorp. Lincoln	VR	70.6	R	29.4		R	7.791	5.865	9.387	Rem2 ⁵	
49249	Unincorp. West Coast	VR	100.0				VR	11.003	9.133	11.946	Rem2 ⁵	
49389	Unincorp. Whyalla	R	18.7	OR	81.4		MA	4.494	2.450	6.407	Rem2 ⁵	
49459	Unincorp. Pirie	R	100.0				MA	5.136	3.699	7.185	Rem2 ⁵	
49529	Unincorp. Flinders Ranges	R	68.9	OR	2.6	VR	28.4	R	7.919	2.675	10.400	Rem2 ⁵
49589	Unincorp. Far North	R	17.3	VR	82.7		VR	10.996	3.900	12.000	Rem2 ⁵	

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 8: ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Western Australia

SLA code	SLA name	ASGC Remoteness Areas				ARIA			RRMA	
		Percentage of population living in each Remoteness Area				ARIA class ⁴	Mean	Min.	Max.	RRMA class
50081	Albany (C) – Central	OR	100.0			A	2.691	2.690	2.715	R2 ⁵
50084	Albany (C) Bal.	R	1.9	OR	98.1	MA	3.785	2.690	5.101	R2 ⁷
50210	Armadale (C)	IR	0.5	MC	99.5	HA	0.851	0.000	1.263	M1
50250	Ashburton (S)	VR	100.0			VR	11.496	9.460	12.000	Rem2 ⁵
50280	Augusta-Margaret River (S)	OR	100.0			A	3.080	2.119	4.120	R3 ⁵
50350	Bassendean (T)	MC	100.0			HA	0.000	0.000	0.000	M1
50420	Bayswater (C)	MC	100.0			HA	0.000	0.000	0.000	M1
50490	Belmont (C)	MC	100.0			HA	0.000	0.000	0.000	M1
50560	Beverley (S)	OR	100.0			A	2.265	1.155	3.416	R3 ⁵
50630	Boddington (S)	OR	100.0			A	2.322	1.738	2.916	R3 ⁵
50770	Boyup Brook (S)	OR	100.0			A	3.405	1.996	4.551	R3 ⁵
50840	Bridgetown-Greenbushes (S)	OR	100.0			A	3.420	2.761	4.270	R3 ⁵
50910	Brookton (S)	OR	100.0			A	3.073	2.132	3.960	R3 ⁵
50980	Broome (S)	R	86.0	VR	14.1	VR	10.746	9.000	12.000	Rem1 ⁵
51050	Broomehill (S)	OR	100.0			MA	4.589	4.209	4.805	Rem2 ⁵
51120	Bruce Rock (S)	R	100.0			MA	4.941	3.995	5.722	Rem2 ⁵
51190	Bunbury (C)	IR	100.0			HA	1.170	1.140	1.243	R2 ⁷
51260	Busselton (S)	OR	11.6	IR	88.5	A	2.241	1.811	2.702	R3 ⁷
51310	Cambridge (T)	MC	100.0			HA	0.000	0.000	0.000	M1
51330	Canning (C)	MC	100.0			HA	0.009	0.000	0.189	M1
51401	Capel (S) – Pt A	IR	100.0			HA	1.322	1.152	1.553	R3 ⁶
51404	Capel (S) – Pt B	IR	100.0			HA	1.765	1.173	2.316	R3 ⁶
51470	Carnamah (S)	R	100.0			MA	5.002	4.439	5.816	Rem2 ⁵
51540	Carnarvon (S)	R	79.5	VR	20.5	VR	9.972	8.160	11.701	Rem1 ⁵
51610	Chapman Valley (S)	R	28.0	OR	72.0	MA	4.610	2.942	7.157	Rem2 ⁵
51680	Chittering (S)	IR	84.9	OR	15.1	A	1.945	0.898	2.865	R3 ⁵
51750	Claremont (T)	MC	100.0			HA	0.000	0.000	0.000	M1
51820	Cockburn (C)	R	0.7	MC	99.3	HA	0.162	0.000	0.553	M1
51890	Collie (S)	IR	100.0			A	1.931	1.600	2.496	R3 ⁵
51960	Coolgardie (S)	OR	95.2	R	4.8	MA	5.455	3.999	7.459	Rem2 ⁵
52030	Coorow (S)	R	100.0			MA	5.295	4.680	6.144	Rem2 ⁵
52100	Corrigin (S)	R	100.0			MA	4.682	3.633	5.654	R3 ⁵
52170	Cottesloe (T)	MC	100.0			HA	0.000	0.000	0.000	M1
52240	Cranbrook (S)	OR	83.3	R	16.7	MA	4.070	3.550	4.774	Rem2 ⁵

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 8 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Western Australia

SLA code	SLA name	ASGC Remoteness Areas		ARIA			RRMA			
		Percentage of population living in each Remoteness Area		ARIA class ⁴	Mean	Min.	Max.	RRMA class		
52310	Cuballing (S)	OR	100.0	MA	3.741	3.369	4.413	R3 ⁵		
52380	Cue (S)	VR	100.0	VR	10.200	9.121	10.769	Rem2 ⁵		
52450	Cunderdin (S)	OR	100.0	A	2.573	1.742	3.764	R3 ⁵		
52520	Dalwallinu (S)	R	100.0	MA	5.642	4.328	7.578	Rem2 ⁵		
52590	Dandaragan (S)	R	64.5	OR	35.5	MA	4.384	2.929	5.339	R3 ⁵
52661	Dardanup (S) – Pt A	IR	100.0	HA	1.172	1.140	1.214	R3 ⁶		
52664	Dardanup (S) – Pt B	IR	100.0	HA	1.663	1.203	2.048	R3 ⁶		
52730	Denmark (S)	OR	100.0	MA	4.108	3.382	4.752	R3 ⁵		
52800	Derby-West Kimberley (S)	VR	100.0	VR	11.820	10.712	12.000	Rem2 ⁵		
52870	Donnybrook-Balingup (S)	IR	67.1	OR	32.9	A	2.368	1.739	3.121	R3 ⁵
52940	Dowerin (S)	OR	100.0	A	3.351	2.315	4.353	R3 ⁵		
53010	Dumbleyung (S)	R	100.0	MA	5.540	4.953	6.495	Rem2 ⁵		
53080	Dundas (S)	R	64.5	VR	35.5	VR	9.985	5.244	12.000	Rem2 ⁵
53150	East Fremantle (T)	MC	100.0	HA	0.000	0.000	0.000	M1		
53220	East Pilbara (S)	VR	100.0	VR	11.605	8.800	12.000	Rem1 ⁶		
53290	Esperance (S)	VR	5.5	R	94.5	R	8.454	7.172	10.420	Rem1 ⁵
53360	Exmouth (S)	VR	100.0	VR	11.801	11.307	12.000	Rem2 ⁵		
53431	Fremantle (C) – Inner	MC	100.0	HA	0.000	0.000	0.000	M1		
53432	Fremantle (C) – Remainder	MC	100.0	HA	0.000	0.000	0.000	M1		
53500	Geraldton (C)	OR	100.0	VR	0.0	A	2.760	2.760	2.764	R2 ⁷
53570	Gingin (S)	IR	27.9	OR	72.1	A	2.435	1.175	3.745	R3 ⁵
53640	Gnowangerup (S)	R	100.0	MA	4.818	4.151	5.812	Rem2 ⁵		
53710	Goomalling (S)	OR	100.0	A	2.481	1.617	3.531	R3 ⁵		
53780	Gosnells (C)	MC	100.0	HA	0.169	0.000	0.749	M1		
53851	Greenough (S) – Pt A	OR	100.0	A	2.889	2.760	3.165	R2 ⁷		
53854	Greenough (S) – Pt B	OR	100.0	A	3.394	2.851	3.864	R2 ⁷		
53920	Halls Creek (S)	VR	100.0	VR	12.000	12.000	12.000	Rem2 ⁵		
53991	Harvey (S) – Pt A	IR	100.0	HA	1.211	1.140	1.379	R3 ⁶		
53994	Harvey (S) – Pt B	IR	100.0	HA	1.741	1.140	1.964	R3 ⁶		
54060	Irwin (S)	OR	100.0	MA	3.866	3.255	4.600	R3 ⁵		
54130	Jerramungup (S)	R	100.0	R	6.235	4.960	7.413	Rem2 ⁵		
54171	Joondalup (C) – North	MC	100.0	HA	0.000	0.000	0.000	M1		
54174	Joondalup (C) – South	MC	100.0	HA	0.000	0.000	0.033	M1		
54200	Kalamunda (S)	IR	0.0	MC	100.0	HA	0.576	0.000	1.278	M1
54281	Kalgoorlie/Boulder (C) – Pt A	OR	100.0	MA	3.937	3.870	4.022	Rem1 ⁶		

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 8 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Western Australia

SLA code	SLA name	ASGC Remoteness Areas						ARIA			RRMA	
		Percentage of population living in each Remoteness Area						ARIA class ⁴	Mean	Min.	Max.	RRMA class
54284	Kalgoorlie/Boulder (C) – Pt B	VR	55.1	OR	0.0	R	44.9	VR	9.832	3.924	12.000	Rem1 ⁷
54340	Katanning (S)	R	3.9	OR	96.1			MA	4.837	4.426	5.488	R3 ⁵
54410	Kellerberrin (S)	OR	100.0					MA	4.323	3.615	5.418	R3 ⁵
54480	Kent (S)	R	100.0					R	6.062	4.828	7.462	Rem2 ⁵
54550	Kojonup (S)	OR	100.0					MA	4.092	3.439	4.475	R3 ⁵
54620	Kondinin (S)	VR	28.8	R	71.2			R	7.341	5.282	7.977	Rem2 ⁵
54690	Koorda (S)	R	100.0					MA	5.071	4.015	6.262	Rem2 ⁵
54760	Kulin (S)	VR	16.9	R	83.1			R	6.713	4.888	8.009	Rem2 ⁵
54830	Kwinana (T)	IR	11.5	MC	88.5			HA	0.371	0.290	0.535	M1
54900	Lake Grace (S)	VR	25.4	R	74.6			R	7.421	5.849	8.120	Rem2 ⁵
54970	Laverton (S)	VR	100.0					VR	11.401	9.136	12.000	Rem2 ⁵
55040	Leonora (S)	R	36.5	VR	63.5			VR	10.145	8.488	11.235	Rem2 ⁵
55110	Mandurah (C)	MC	0.7	IR	99.3			HA	0.753	0.470	1.472	R2 ⁷
55180	Manjimup (S)	R	15.7	OR	84.3			MA	4.796	3.649	5.420	R3 ⁵
55250	Meekatharra (S)	VR	100.0					VR	10.913	8.861	11.840	Rem2 ⁵
55320	Melville (C)	MC	100.0					HA	0.001	0.000	0.074	M1
55390	Menzies (S)	R	50.0	VR	50.0			VR	9.785	5.047	11.976	Rem2 ⁵
55460	Merredin (S)	R	14.8	OR	85.2			MA	5.624	4.553	6.736	Rem2 ⁵
55530	Mingenew (S)	OR	56.2	R	43.9			MA	4.461	3.920	5.371	Rem2 ⁵
55600	Moora (S)	OR	100.0					MA	4.351	3.051	5.449	R3 ⁵
55670	Morawa (S)	R	100.0					MA	5.486	4.750	6.704	Rem2 ⁵
55740	Mosman Park (T)	MC	100.0					HA	0.000	0.000	0.000	M1
55810	Mount Magnet (S)	VR	100.0					VR	9.159	8.584	10.115	Rem2 ⁵
55880	Mount Marshall (S)	R	89.4	VR	10.6			R	6.976	4.544	8.489	Rem2 ⁵
55950	Mukinbudin (S)	R	100.0					R	6.817	5.666	7.389	Rem2 ⁵
56020	Mullewa (S)	R	100.0					MA	5.739	3.653	8.047	Rem2 ⁵
56090	Mundaring (S)	IR	25.8	MC	74.2			HA	1.002	0.000	1.289	M1
56160	Murchison (S)	VR	100.0					VR	9.793	5.283	10.920	Rem2 ⁵
56230	Murray (S)	IR	100.0					HA	1.242	0.470	1.934	R3 ⁵
56300	Nannup (S)	OR	100.0					A	3.432	2.428	4.642	R3 ⁵
56370	Narembeen (S)	R	100.0					R	6.335	5.349	7.490	Rem2 ⁵
56440	Narrogin (T)	OR	100.0					MA	3.757	3.751	3.766	R3 ⁵
56510	Narrogin (S)	OR	100.0					MA	3.903	3.191	4.674	R3 ⁵
56580	Nedlands (C)	MC	100.0					HA	0.000	0.000	0.000	M1
56620	Ngaanyatjarraku (S)	VR	100.0					VR	12.000	11.850	12.000	Rem2 ⁶

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 8 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Western Australia

SLA code	SLA name	ASGC Remoteness Areas			ARIA			RRMA	
		Percentage of population living in each Remoteness Area			ARIA class ⁴	Mean	Min.	Max.	RRMA class
56650	Northam (T)	IR	100.0		HA	1.303	1.300	1.375	R3 ⁵
56720	Northam (S)	IR	100.0		HA	1.472	1.186	2.007	R3 ⁵
56790	Northampton (S)	OR	35.7	R 64.3	R	6.297	3.449	8.630	Rem2 ⁵
56860	Nungarin (S)	R	100.0		R	5.918	5.050	6.790	Rem2 ⁵
56930	Peppermint Grove (S)	MC	100.0		HA	0.000	0.000	0.000	M1
57000	Perenjori (S)	R	100.0		R	6.449	5.310	7.532	Rem2 ⁵
57081	Perth (C) – Inner	MC	100.0		HA	0.000	0.000	0.000	M1
57082	Perth (C) – Remainder	MC	100.0		HA	0.000	0.000	0.000	M1
57140	Pingelly (S)	OR	100.0		MA	3.629	3.064	4.699	R3 ⁵
57210	Plantagenet (S)	OR	100.0		MA	3.761	2.975	4.579	R3 ⁵
57280	Port Hedland (T)	VR	1.9	R 98.1	VR	9.744	9.000	10.486	Rem1 ⁵
57350	Quairading (S)	OR	100.0		A	3.419	2.411	4.254	R3 ⁵
57420	Ravensthorpe (S)	VR	100.0		R	7.589	6.792	7.978	Rem2 ⁵
57490	Rockingham (C)	MC	93.2	IR 6.9	HA	0.528	0.290	0.775	M1
57560	Roebourne (S)	VR	3.9	R 96.2	VR	9.853	9.000	11.281	Rem1 ⁵
57630	Sandstone (S)	VR	100.0		VR	9.820	8.229	10.906	Rem2 ⁵
57700	Serpentine-Jarrahdale (S)	MC	14.0	IR 86.0	HA	0.938	0.405	1.475	M1
57770	Shark Bay (S)	VR	100.0		VR	9.101	6.827	11.049	Rem2 ⁵
57840	South Perth (C)	MC	100.0		HA	0.000	0.000	0.000	M1
57914	Stirling (C) – Central	MC	100.0		HA	0.000	0.000	0.000	M1
57915	Stirling (C) – Coastal	MC	100.0		HA	0.000	0.000	0.000	M1
57916	Stirling (C) – South-Eastern	MC	100.0		HA	0.000	0.000	0.000	M1
57980	Subiaco (C)	MC	100.0		HA	0.000	0.000	0.000	M1
58050	Swan (C)	MC	78.9	IR 21.1	HA	0.863	0.000	1.419	M1
58120	Tambellup (S)	OR	100.0		MA	4.266	3.760	4.645	R3 ⁵
58190	Tammin (S)	OR	100.0		MA	3.574	3.028	4.156	R3 ⁵
58260	Three Springs (S)	R	100.0		MA	4.776	4.140	5.554	Rem2 ⁵
58330	Toodyay (S)	OR	5.2	IR 94.8	HA	1.686	1.229	2.581	R3 ⁵
58400	Trayning (S)	R	100.0		MA	4.943	4.199	5.867	Rem2 ⁵
58470	Upper Gascoyne (S)	VR	100.0		VR	11.168	9.713	11.827	Rem2 ⁵
58510	Victoria Park (T)	MC	100.0		HA	0.000	0.000	0.000	M1
58540	Victoria Plains (S)	OR	100.0		A	2.903	2.093	3.624	R3 ⁵
58570	Vincent (T)	MC	100.0		HA	0.000	0.000	0.000	M1
58610	Wagin (S)	OR	100.0		MA	4.189	3.318	5.449	R3 ⁶
58680	Wandering (S)	OR	100.0		A	2.454	1.120	3.456	R3 ⁵

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 8 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Western Australia

SLA code	SLA name	ASGC Remoteness Areas				ARIA			RRMA	
		Percentage of population living in each Remoteness Area				ARIA class ⁴	Mean	Min.	Max.	RRMA class
58761	Wanneroo (C) – North-East	IR	9.8	MC	90.2	HA	0.796	0.000	1.469	M1
58764	Wanneroo (C) – North-West	IR	14.1	MC	85.9	HA	0.971	0.000	1.770	M1
58767	Wanneroo (C) – South	MC	100.0			HA	0.151	0.000	0.436	M1
58820	Waroona (S)	IR	100.0			HA	1.701	1.372	1.998	R3 ⁵
58890	West Arthur (S)	OR	100.0			A	3.010	2.032	3.825	R3 ⁵
59030	Westonia (S)	R	100.0			R	6.796	5.937	7.200	Rem2 ⁵
59100	Wickepin (S)	R	43.3	OR	56.7	MA	4.992	4.103	5.624	Rem2 ⁵
59170	Williams (S)	OR	100.0			A	2.883	2.026	3.490	R3 ⁵
59250	Wiluna (S)	VR	100.0			VR	11.317	9.787	12.000	Rem2 ⁶
59310	Wongan-Ballidu (S)	R	39.3	OR	60.7	MA	4.132	3.097	5.251	R3 ⁵
59380	Woodanilling (S)	OR	100.0			MA	4.290	3.478	5.007	Rem2 ⁵
59450	Wyalkatchem (S)	R	100.0			MA	3.990	3.470	4.557	R3 ⁵
59520	Wyndham-East Kimberley (S)	VR	100.0			VR	11.997	11.229	12.000	Rem2 ⁷
59590	Yalgoo (S)	VR	33.0	R	67.0	R	7.919	5.363	9.822	Rem2 ⁵
59660	Yilgarn (S)	R	100.0			R	6.875	5.690	8.459	Rem2 ⁵
59730	York (S)	IR	100.0			A	1.836	1.199	2.543	R3 ⁵

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 9: ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Tasmania

SLA code	SLA name	ASGC Remoteness Areas				ARIA			RRMA			
		Percentage of population living in each Remoteness Area				ARIA class ⁴	Mean	Min.	Max.	RRMA class		
60210	Break O'Day (M)	R	6.8	OR	93.2	MA	3.942	2.451	4.747	R3 ⁶		
60410	Brighton (M)	IR	100.0			HA	1.663	1.417	1.856	M1		
60611	Burnie (C) – Pt A	OR	100.0			A	2.160	2.080	2.406	R2 ⁵		
60612	Burnie (C) – Pt B	OR	100.0			A	2.643	2.175	3.236	R3 ⁵		
60811	Central Coast (M) – Pt A	OR	100.0			A	2.127	2.000	2.259	R3 ⁶		
60812	Central Coast (M) – Pt B	OR	100.0			A	2.502	2.044	2.944	R3 ⁶		
61010	Central Highlands (M)	R	9.8	OR	90.2	A	3.490	2.069	4.919	R3 ⁶		
61210	Circular Head (M)	OR	92.8	R	7.2	MA	4.674	2.999	5.706	R3 ⁵		
61410	Clarence (C)	OR	5.2	IR	94.8	HA	1.616	1.210	2.062	M1		
61511	Derwent Valley (M) – Pt A	IR	100.0			HA	1.610	1.517	1.703	M1		
61512	Derwent Valley (M) – Pt B	OR	66.2	IR	33.1	R	0.7	A	3.361	1.581	4.780	R3 ⁶
61610	Devonport (C)	OR	6.3	IR	93.7	A	1.911	1.780	2.101	R2 ⁶		
61810	Dorset (M)	R	4.0	OR	96.0	A	3.353	2.113	4.890	R3 ⁶		
62010	Flinders (M)	VR	100.0			VR	9.803	9.200	10.010	Rem2 ⁵		
62211	George Town (M) – Pt A	OR	100.0			A	1.999	1.866	2.137	R3 ⁵		
62212	George Town (M) – Pt B	OR	100.0			A	2.148	1.866	2.460	R3 ⁵		
62410	Glamorgan/Spring Bay (M)	OR	38.4	R	61.6	MA	3.780	2.203	5.178	R3 ⁵		
62610	Glenorchy (C)	IR	100.0			HA	1.471	1.210	1.696	M1		
62811	Hobart (C) – Inner	IR	100.0			HA	1.210	1.210	1.210	M1		
62812	Hobart (C) – Remainder	IR	100.0			HA	1.290	1.210	1.581	M1		
63010	Huon Valley (M)	OR	97.2	R	2.8	A	3.027	1.627	4.244	R3 ⁶		
63210	Kentish (M)	OR	100.0			A	2.615	1.874	3.527	R3 ⁵		
63410	King Island (M)	VR	100.0			VR	9.460	9.460	9.460	Rem2 ⁵		
63611	Kingborough (M) – Pt A	OR	3.9	IR	96.1	HA	1.580	1.210	2.532	M1		
63612	Kingborough (M) – Pt B	R	26.4	OR	73.6	A	3.600	1.810	4.010	R3 ⁵		
63811	Latrobe (M) – Pt A	OR	100.0			A	1.932	1.780	2.074	R3 ⁶		
63812	Latrobe (M) – Pt B	OR	100.0			A	2.091	1.855	2.408	R3 ⁶		
64011	Launceston (C) – Inner	IR	100.0			HA	1.210	1.210	1.210	R1 ⁵		
64012	Launceston (C) – Pt B	IR	100.0			HA	1.393	1.210	1.908	R1 ⁶		
64013	Launceston (C) – Pt C	IR	17.4	OR	82.6	A	2.020	1.210	2.482	R3 ⁶		
64211	Meander Valley (M) – Pt A	IR	100.0			HA	1.278	1.210	1.448	R1 ⁷		
64212	Meander Valley (M) – Pt B	IR	6.5	OR	93.5	A	2.737	1.261	4.321	R3 ⁶		
64611	Northern Midlands (M) – Pt A	IR	100.0			HA	1.499	1.221	1.700	R3 ⁶		
64612	Northern Midlands (M) – Pt B	OR	100.0			A	2.815	1.544	4.491	R3 ⁶		

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 9 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Tasmania

SLA code	SLA name	ASGC Remoteness Areas				ARIA			RRMA	
		Percentage of population living in each Remoteness Area				ARIA class ⁴	Mean	Min.	Max.	RRMA class
64811	Sorell (M) – Pt A	OR	59.3	IR	40.7	A	2.031	1.729	2.429	M1
64812	Sorell (M) – Pt B	OR	100.0			A	2.378	2.003	2.738	R3 ⁶
65010	Southern Midlands (M)	OR	100.0			A	2.697	1.695	3.723	R3 ⁶
65210	Tasman (M)	OR	92.8	R	7.2	A	3.299	2.500	3.824	R3 ⁶
65411	Waratah/Wynyard (M) – Pt A	OR	100.0			A	2.633	2.080	3.046	R2 ⁷
65412	Waratah/Wynyard (M) – Pt B	R	5.9	OR	94.1	MA	3.616	2.294	4.959	R2 ⁷
65610	West Coast (M)	OR	40.9	R	59.1	MA	5.132	3.272	6.650	R3 ⁶
65811	West Tamar (M) – Pt A	IR	66.6	OR	33.4	A	1.921	1.210	2.618	R1 ⁶
65812	West Tamar (M) – Pt B	IR	25.6	OR	74.4	A	2.082	1.238	2.434	R3 ⁶

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 10: ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Northern Territory

SLA code	SLA name	ASGC Remoteness Areas		ARIA			RRMA			
		Percentage of population living in each Remoteness Area		ARIA class ⁴	Mean	Min.	Max.	RRMA class		
A–C										
70201	Alice Springs (T) – Charles	R	100.0	R	6.097	6.000	6.201	Rem1 ⁶		
70203	Alice Springs (T) – Heavitree	R	100.0	R	6.242	6.065	6.390	Rem1 ⁶		
70205	Alice Springs (T) – Larapinta	R	100.0	R	6.069	6.000	6.158	Rem1 ⁶		
70207	Alice Springs (T) – Ross	R	100.0	R	6.082	6.000	6.211	Rem1 ⁶		
70208	Alice Springs (T) – Stuart	R	100.0	R	6.000	6.000	6.000	Rem1 ⁶		
70609	Bathurst-Melville	VR	100.0	VR	10.353	10.160	11.020	Rem2 ⁵		
70700	Coomalie (CGC)	R	100.0	MA	4.960	4.228	5.470	R3 ⁵		
70759	Cox-Finiss	R	100.0	MA	5.259	3.646	6.527	Rem2 ⁵		
D										
70809	Daly	R	15.9	VR	84.1	R	8.212	5.094	10.809	Rem2 ⁵
Darwin City										
71004	Alawa	OR	100.0	A	3.000	3.000	3.000	M1		
71008	Anula	OR	100.0	A	3.000	3.000	3.000	M1		
71014	Brinkin	OR	100.0	A	3.000	3.000	3.000	M1		
71018	City – Inner	OR	100.0	A	3.000	3.000	3.000	M1		
71024	Coconut Grove	OR	100.0	A	3.000	3.000	3.000	M1		
71028	Fannie Bay	OR	100.0	A	3.207	3.000	4.239	M1		
71034	Jingili	OR	100.0	A	3.000	3.000	3.000	M1		
71038	Karama	OR	100.0	A	3.000	3.000	3.000	M1		
71044	Larrakeyah	OR	100.0	A	3.000	3.000	3.000	M1		
71048	Leanyer	OR	100.0	A	3.000	3.000	3.000	M1		
71052	Lee Point-Leanyer Swamp	OR	100.0	MA	3.625	3.000	3.897	M1		
71054	Ludmilla	OR	100.0	A	3.000	3.000	3.000	M1		
71058	Malak	OR	100.0	A	3.000	3.000	3.000	M1		
71064	Marrara	OR	100.0	A	3.092	3.000	3.367	M1		
71068	Millner	OR	100.0	A	3.000	3.000	3.000	M1		
71074	Moil	OR	100.0	A	3.000	3.000	3.000	M1		
71078	Nakara	OR	100.0	A	3.000	3.000	3.000	M1		
71084	Narrows	OR	100.0	A	3.000	3.000	3.000	M1		
71088	Nightcliff	OR	100.0	A	3.000	3.000	3.000	M1		
71094	Parap	OR	100.0	A	3.000	3.000	3.000	M1		
71098	Rapid Creek	OR	100.0	A	3.000	3.000	3.000	M1		

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 10 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Northern Territory

SLA code	SLA name	ASGC Remoteness Areas		ARIA			RRMA			
		Percentage of population living in each Remoteness Area		ARIA class ⁴	Mean	Min.	Max.	RRMA class		
Darwin City (continued)										
71104	Stuart Park	OR	100.0	A	3.000	3.000	3.000	M1		
71108	The Gardens	OR	100.0	A	3.000	3.000	3.000	M1		
71114	Tiwi	OR	100.0	A	3.000	3.000	3.000	M1		
71118	Wagaman	OR	100.0	A	3.000	3.000	3.000	M1		
71124	Wanguri	OR	100.0	A	3.000	3.000	3.000	M1		
71128	Winnellie	OR	100.0	A	3.048	3.000	3.338	M1		
71134	Wulagi	OR	100.0	A	3.000	3.000	3.000	M1		
71138	City – Remainder	OR	100.0	A	3.087	3.000	3.320	M1		
E–N										
71169	East Arm	OR	100.0	A	3.327	3.000	3.483	M1		
71209	East Arnhem – Bal.	VR	100.0	VR	11.878	11.275	12.000	Rem2 ⁵		
71409	Elsey – Bal.	VR	56.6	R	43.4	VR	9.785	6.730	11.908	Rem2 ⁵
71609	Groote Eylandt	VR	100.0	VR	12.000	12.000	12.000	Rem2 ⁵		
71809	Gulf	VR	100.0	VR	11.864	10.174	12.000	Rem2 ⁵		
72000	Jabiru (T)	R	100.0	R	9.058	9.028	9.082	Rem2 ⁵		
72200	Katherine (T)	R	100.0	R	6.888	6.750	7.079	Rem1 ⁵		
72304	Litchfield (S) – Pt A	OR	100.0	A	3.352	3.261	3.684	R3 ⁵		
72308	Litchfield (S) – Pt B	OR	100.0	MA	3.947	3.315	4.592	R3 ⁵		
72409	Nhulunbuy	VR	100.0	VR	12.000	12.000	12.000	Rem2 ⁵		
Palmerston										
72802	Bakewell	OR	100.0	A	3.257	3.257	3.257	M1		
72804	Driver	OR	100.0	A	3.250	3.250	3.250	M1		
72806	Durack	OR	100.0	A	3.262	3.250	3.285	M1		
72808	Gray	OR	100.0	A	3.250	3.250	3.250	M1		
72814	Moulden	OR	100.0	A	3.250	3.250	3.250	M1		
72818	Woodroffe	OR	100.0	A	3.250	3.250	3.250	M1		
72824	Palmerston (C) Bal.	OR	100.0	A	3.306	3.254	3.389	M1		
P (continued)										
73009	Petermann	VR	100.0	VR	10.998	7.703	12.000	Rem2 ⁵		
S–W										
73209	Sandover – Bal.	R	40.2	VR	59.8	VR	9.593	6.106	11.811	Rem2 ⁶
73309	South Alligator	VR	51.6	R	48.4	R	7.315	4.102	9.498	Rem2 ⁵
73409	Tableland	VR	100.0	VR	11.705	9.656	12.000	Rem2 ⁵		

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 10 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Northern Territory

SLA code	SLA name	ASGC Remoteness Areas		ARIA			RRMA	
			Percentage of population living in each Remoteness Area	ARIA class ⁴	Mean	Min.	Max.	RRMA class
S–W (continued)								
73609	Tanami	VR	100.0	VR	11.298	7.318	12.000	Rem2 ⁵
73800	Tennant Creek (T)	VR	100.0	VR	12.000	12.000	12.000	Rem2 ⁵
74009	Tennant Creek – Bal.	VR	100.0	VR	11.537	9.344	12.000	Rem2 ⁵
74409	Victoria	VR	100.0	VR	11.512	7.316	12.000	Rem2 ⁵
74809	West Arnhem	VR	100.0	VR	10.395	5.808	11.771	Rem2 ⁵

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 11: ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Australian Capital Territory and Other Territories

SLA code	SLA name	ASGC Remoteness Areas		ARIA class ⁴	ARIA			RRMA
		Percentage of population living in each Remoteness Area			Mean	Min.	Max.	RRMA class
80089	Acton	MC	100.0	HA	0.000	0.000	0.000	M1
80189	Ainslie	MC	100.0	HA	0.000	0.000	0.000	M1
80239	Amaroo	MC	100.0	HA	0.000	0.000	0.000	M1
80279	Aranda	MC	100.0	HA	0.000	0.000	0.000	M1
80339	Banks	MC	100.0	HA	0.000	0.000	0.268	M1
80369	Barton	MC	100.0	HA	0.000	0.000	0.000	M1
80459	Belconnen Town Centre	MC	100.0	HA	0.000	0.000	0.000	M1
80549	Belconnen – SSD Bal.	MC	100.0	HA	0.225	0.000	0.606	M1
80609	Bonython	MC	100.0	HA	0.000	0.000	0.000	M1
80639	Braddon	MC	100.0	HA	0.000	0.000	0.000	M1
80729	Bruce	MC	100.0	HA	0.000	0.000	0.000	M1
80819	Calwell	MC	100.0	HA	0.000	0.000	0.000	M1
80909	Campbell	MC	100.0	HA	0.000	0.000	0.000	M1
81089	Chapman	MC	100.0	HA	0.000	0.000	0.038	M1
81179	Charnwood	MC	100.0	HA	0.000	0.000	0.000	M1
81269	Chifley	MC	100.0	HA	0.000	0.000	0.000	M1
81359	Chisholm	MC	100.0	HA	0.000	0.000	0.000	M1
81449	City (Canberra)	MC	100.0	HA	0.000	0.000	0.000	M1
81549	Conder	MC	100.0	HA	0.000	0.000	0.000	M1
81629	Cook	MC	100.0	HA	0.000	0.000	0.018	M1
81719	Curtin	MC	100.0	HA	0.000	0.000	0.000	M1
81809	Deakin	MC	100.0	HA	0.000	0.000	0.000	M1
81889	Dickson	MC	100.0	HA	0.000	0.000	0.000	M1
81989	Downer	MC	100.0	HA	0.000	0.000	0.000	M1
82079	Duffy	MC	100.0	HA	0.000	0.000	0.000	M1
82139	Dunlop	MC	100.0	HA	0.000	0.000	0.000	M1
82169	Duntroon	MC	100.0	HA	0.000	0.000	0.000	M1
82259	Evatt	MC	100.0	HA	0.000	0.000	0.000	M1
82349	Fadden	MC	100.0	HA	0.000	0.000	0.000	M1
82439	Farrer	MC	100.0	HA	0.000	0.000	0.000	M1
82529	Fisher	MC	100.0	HA	0.000	0.000	0.000	M1
82619	Florey	MC	100.0	HA	0.000	0.000	0.000	M1
82709	Flynn	MC	100.0	HA	0.000	0.000	0.000	M1
82789	Forrest	MC	100.0	HA	0.000	0.000	0.000	M1

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 11 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Australian Capital Territory and Other Territories

SLA code	SLA name	ASGC Remoteness Areas		ARIA			RRMA			
			Percentage of population living in each Remoteness Area	ARIA class ⁴	Mean	Min.	Max.	RRMA class		
82889	Fraser	MC	100.0	HA	0.000	0.000	0.000	M1		
82979	Fyshwick	MC	100.0	HA	0.000	0.000	0.000	M1		
83069	Garran	MC	100.0	HA	0.000	0.000	0.000	M1		
83159	Gilmore	MC	100.0	HA	0.000	0.000	0.000	M1		
83249	Giralang	MC	100.0	HA	0.000	0.000	0.000	M1		
83289	Gordon	MC	100.0	HA	0.061	0.000	0.177	M1		
83339	Gowrie	MC	100.0	HA	0.000	0.000	0.000	M1		
83379	Greenway	MC	100.0	HA	0.000	0.000	0.004	M1		
83429	Griffith	MC	100.0	HA	0.000	0.000	0.000	M1		
83529	Gungahlin-Hall – SSD Bal.	MC	100.0	HA	0.112	0.000	0.300	M1		
83609	Hackett	MC	100.0	HA	0.000	0.000	0.000	M1		
83689	Hall	MC	100.0	HA	0.339	0.338	0.340	M1		
83789	Harman	MC	100.0	HA	0.000-	0.048	0.048	M1		
83879	Hawker	MC	100.0	HA	0.000	0.000	0.124	M1		
83969	Higgins	MC	100.0	HA	0.000	0.223	0.223	M1		
84059	Holder	MC	100.0	HA	0.000	0.000	0.000	M1		
84149	Holt	MC	100.0	HA	0.000	0.000	0.405	M1		
84239	Hughes	MC	100.0	HA	0.000	0.000	0.000	M1		
84329	Hume	MC	100.0	HA	0.037	0.017	0.051	M1		
84419	Isaacs	MC	100.0	HA	0.000	0.000	0.000	M1		
84509	Isabella Plains	MC	100.0	HA	0.000	0.000	0.000	M1		
84589	Jerrabomberra	MC	100.0	HA	0.026	0.000	0.078	M1		
84779	Kaleen	MC	100.0	HA	0.000	0.000	0.000	M1		
84869	Kambah	MC	100.0	HA	0.000	0.000	0.000	M1		
84959	Kingston	MC	100.0	HA	0.000	0.000	0.000	M1		
85049	Kowen	IR	100.0	HA	0.251	0.078	0.596	M1		
85139	Latham	MC	100.0	HA	0.000	0.000	0.000	M1		
85229	Lyneham	MC	100.0	HA	0.000	0.000	0.000	M1		
85319	Lyons	MC	100.0	HA	0.000	0.000	0.000	M1		
85409	McKellar	MC	100.0	HA	0.000	0.000	0.000	M1		
85489	Macarthur	MC	100.0	HA	0.000	0.000	0.000	M1		
85589	Macgregor	MC	100.0	HA	0.179	0.000	0.357	M1		
85679	Macquarie	MC	100.0	HA	0.000	0.000	0.000	M1		
85769	Majura	IR	66.5	MC	33.5	HA	0.056	0.000	0.173	M1
85859	Mawson	MC	100.0	HA	0.000	0.000	0.000	M1		

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 11 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Australian Capital Territory and Other Territories

SLA code	SLA name	ASGC Remoteness Areas		ARIA			RRMA			
			Percentage of population living in each Remoteness Area	ARIA class ⁴	Mean	Min.	Max.	RRMA class		
85949	Melba	MC	100.0	HA	0.000	0.000	0.000	M1		
86039	Mitchell	MC	100.0	HA	0.000	0.000	0.000	M1		
86129	Monash	MC	100.0	HA	0.000	0.000	0.000	M1		
86219	Narrabundah	MC	100.0	HA	0.000	0.000	0.004	M1		
86249	Ngunnawal	MC	100.0	HA	0.000	0.000	0.183	M1		
86279	Nicholls	MC	100.0	HA	0.000	0.000	0.000	M1		
86309	Oaks Estate	MC	100.0	HA	0.100	0.100	0.100	M1		
86389	O'Connor	MC	100.0	HA	0.000	0.000	0.000	M1		
86489	O'Malley	MC	100.0	HA	0.000	0.000	0.000	M1		
86579	Oxley	MC	100.0	HA	0.000	0.000	0.000	M1		
86669	Page	MC	100.0	HA	0.000	0.000	0.000	M1		
86719	Palmerston	MC	100.0	HA	0.000	0.000	0.039	M1		
86759	Parkes	MC	100.0	HA	0.000	0.000	0.000	M1		
86849	Pearce	MC	100.0	HA	0.000	0.000	0.000	M1		
86939	Phillip	MC	100.0	HA	0.000	0.000	0.000	M1		
87029	Pialligo	MC	100.0	HA	0.018	0.000	0.056	M1		
87119	Red Hill	MC	100.0	HA	0.000	0.000	0.000	M1		
87209	Reid	MC	100.0	HA	0.000	0.000	0.000	M1		
87289	Richardson	MC	100.0	HA	0.000	0.000	0.000	M1		
87389	Rivett	MC	100.0	HA	0.000	0.000	0.000	M1		
87479	Russell	MC	100.0	HA	0.000	0.000	0.000	M1		
87569	Scullin	MC	100.0	HA	0.000	0.000	0.000	M1		
87659	Spence	MC	100.0	HA	0.000	0.000	0.000	M1		
87749	Stirling	MC	100.0	HA	0.000	0.000	0.000	M1		
87839	Stromlo	IR	100.0	HA	0.415	0.090	0.655	M1		
87929	Symonston	MC	100.0	HA	0.010	0.000	0.028	M1		
88019	Theodore	MC	100.0	HA	0.000	0.000	0.000	M1		
88109	Torrens	MC	100.0	HA	0.000	0.000	0.000	M1		
88189	Tuggeranong – SSD Bal.	MC	20.7	IR	79.3	HA	0.368	0.000	0.740	M1
88289	Turner	MC	100.0	HA	0.000	0.000	0.000	M1		
88379	Wanniassa	MC	100.0	HA	0.000	0.000	0.000	M1		
88469	Waramanga	MC	100.0	HA	0.000	0.000	0.000	M1		
88559	Watson	MC	100.0	HA	0.000	0.000	0.000	M1		
88649	Weetangera	MC	100.0	HA	0.000	0.000	0.000	M1		
88739	Weston	MC	100.0	HA	0.000	0.000	0.000	M1		

(continued)

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.

Table 11 (continued): ASGC Remoteness Areas¹, ARIA² and RRMA³ guide based on 2001 SLA boundaries – Australian Capital Territory and Other Territories

SLA code	SLA name	ASGC Remoteness Areas		ARIA			RRMA	
			Percentage of population living in each Remoteness Area	ARIA class ⁴	Mean	Min.	Max.	RRMA class
88829	Weston Creek-Stromlo – SSD Bal.	MC	100.0	HA	0.042	0.000	0.146	M1
88919	Yarralumla	MC	100.0	HA	0.000	0.000	0.000	M1
89009	Remainder of ACT	IR	100.0	HA	0.891	0.016	2.063	R3 ⁵
Other Territories								
91009	Jervis Bay Territory	IR	100.0	HA	1.508	1.508	1.508	R3 ⁶
92009	Territory of Christmas Island	VR	100.0	VR	12.000	12.000	12.000	Rem2 ⁶
93009	Territory of Cocos (Keeling) Islands	VR	100.0	VR	12.000	12.000	12.000	Rem2 ⁶

Note: The footnotes in this table are listed on page 24. A guide to SLA suffixes is on page 25.

Sources: ABS, DoHA and AIHW.