

List of figures

| | | |
|--------------|--|----|
| Figure 2.1: | Conceptual model for health risk assessment which identifies unavoidable burden due to past exposures (light grey), avoidable burden due to current and future exposure (dark grey) and burden unrelated to risk (mid-grey at bottom)..... | 28 |
| Figure 3.1: | Burden (DALYs) by broad cause group expressed as: (a) proportions of total, (b) proportions by sex, and (c) proportions due to fatal and non-fatal outcomes, Australia, 2003 | 37 |
| Figure 3.2: | Burden (DALYs) by age expressed as: (a) rates by sex, and (b) numbers by broad cause group, Australia, 2003 | 38 |
| Figure 3.3: | Fatal burden (YLL) expressed as: (a) proportion by broad cause group, and (b) proportion by sex for each broad cause group, Australia, 2003..... | 41 |
| Figure 3.4: | Fatal burden (YLL) by age expressed as: (a) rates by sex, and (b) numbers by broad cause group, Australia, 2003 | 42 |
| Figure 3.5: | Non-fatal burden (YLD) expressed as: (a) proportion by broad cause group, and (b) proportion by sex for each broad cause group, Australia, 2003..... | 44 |
| Figure 3.6: | Incident non-fatal burden (YLD) by age expressed as: (a) rates by sex, and (b) numbers by broad cause group, Australia, 2003 | 45 |
| Figure 3.7: | Prevalent non-fatal burden (PYLD) by age expressed as: (a) rates by sex, and (b) numbers by broad cause group, Australia, 2003 | 47 |
| Figure 3.8: | Burden (DALYs) in 0–14 year olds by broad cause group expressed as: (a) proportions of total, (b) proportions by sex, and (c) proportions due to fatal and non-fatal outcomes, Australia, 2003 | 48 |
| Figure 3.9: | Burden (DALYs) in 15–44 year olds by broad cause group expressed as: (a) proportions of total, (b) proportions by sex, and (c) proportions due to fatal and non-fatal outcomes, Australia, 2003 | 49 |
| Figure 3.10: | Burden (DALYs) in 45–64 year olds by broad cause group expressed as: (a) proportions of total, (b) proportions by sex, and (c) proportions due to fatal and non-fatal outcomes, Australia, 2003 | 50 |
| Figure 3.11: | Burden (DALYs) in 65–74 year olds by broad cause group expressed as: (a) proportions of total, (b) proportions by sex, and (c) proportions due to fatal and non-fatal outcomes, Australia, 2003 | 52 |
| Figure 3.12: | Burden (DALYs) in those aged 75 years and over by broad cause group expressed as: (a) proportions of total, (b) proportions by sex, and (c) proportions due to fatal and non-fatal outcomes, Australia, 2003 | 53 |
| Figure 3.13: | Cancer burden (DALYs) by specific cause expressed as: (a) proportions of total, (b) proportions by sex, and (c) proportions due to fatal and non-fatal outcomes, Australia, 2003 | 56 |
| Figure 3.14: | Cancer burden (DALYs) by age expressed as: (a) rates by sex, and (b) numbers by specific cause, Australia, 2003..... | 57 |
| Figure 3.15: | Cardiovascular burden (DALYs) by specific cause expressed as: (a) proportions of total, (b) proportions by sex, and (c) proportions due to fatal and non-fatal outcomes, Australia, 2003..... | 58 |
| Figure 3.16: | Cardiovascular burden (DALYs) by age expressed as: (a) rates by sex, and (b) numbers by specific cause, Australia, 2003 | 59 |

| | | |
|--------------|--|----|
| Figure 3.17: | Mental disorder burden (DALYs) by specific cause expressed as: (a) proportions of total, (b) proportions by sex, and (c) proportions due to fatal and non-fatal outcomes, Australia, 2003..... | 60 |
| Figure 3.18: | Mental disorder burden (DALYs) by age expressed as: (a) rates by sex, and (b) numbers by specific cause, Australia, 2003..... | 61 |
| Figure 3.19: | Neurological & sense disorder burden (DALYs) by specific cause expressed as: (a) proportions of total, (b) proportions by sex, and (c) proportions due to fatal and non-fatal outcomes, Australia, 2003..... | 62 |
| Figure 3.20: | Neurological & sense disorder burden (DALYs) by age expressed as: (a) rates by sex, and (b) numbers by specific cause, Australia, 2003..... | 63 |
| Figure 3.21: | Chronic respiratory disease burden (DALYs) by specific cause expressed as: (a) proportions of total, (b) proportions by sex, and (c) proportions due to fatal and non-fatal outcomes, Australia, 2003..... | 64 |
| Figure 3.22: | Chronic respiratory disease burden (DALYs) by age expressed as: (a) rates by sex, and (b) numbers by specific cause, Australia, 2003..... | 65 |
| Figure 3.23: | Injury burden (DALYs) by specific cause expressed as: (a) proportions of total, (b) proportions by sex, and (c) proportions due to fatal and non-fatal outcomes, Australia, 2003..... | 66 |
| Figure 3.24: | Injury burden (DALYs) by age expressed as: (a) rates by sex, and (b) numbers by specific cause, Australia, 2003..... | 66 |
| Figure 3.25: | Suicide burden (DALYs) by specific cause expressed as: (a) proportions of total, (b) proportions by sex, and (c) proportions due to fatal and non-fatal outcomes, Australia, 2003..... | 67 |
| Figure 3.26: | Diabetes burden (DALYs) by specific cause expressed as: (a) proportions of total, (b) proportions by sex, and (c) proportions due to fatal and non-fatal outcomes..... | 68 |
| Figure 3.27: | Diabetes burden (DALYs) by age expressed as: (a) rates by sex, and (b) numbers by specific cause, Australia, 2003..... | 68 |
| Figure 3.28: | Musculoskeletal disease burden (DALYs) by specific cause expressed as: (a) proportions of total, (b) proportions by sex, and (c) proportions due to fatal and non-fatal outcomes, Australia, 2003..... | 70 |
| Figure 3.29: | Musculoskeletal disease burden (DALYs) by age expressed as: (a) rates by sex, and (b) numbers by specific cause, Australia, 2003..... | 70 |
| Figure 4.1: | Burden (DALYs) attributable to tobacco by specific cause expressed as: (a) proportions of total, (b) proportions by sex, and (c) proportions due to fatal and non-fatal outcomes, Australia, 2003..... | 77 |
| Figure 4.2: | Burden (DALYs) attributable to tobacco by age expressed as: (a) rates by sex, and (b) numbers by specific cause, Australia, 2003..... | 77 |
| Figure 4.3: | Burden (DALYs) attributable to high blood pressure by specific cause expressed as: (a) proportions of total, (b) proportions by sex, and (c) proportions due to fatal and non-fatal outcomes, Australia, 2003..... | 78 |
| Figure 4.5: | Burden (DALYs) attributable to high body mass by specific cause expressed as: (a) proportions of total, (b) proportions by sex, and (c) proportions due to fatal and non-fatal outcomes, Australia, 2003..... | 80 |
| Figure 4.6: | Burden (DALYs) attributable to high body mass by age expressed as: (a) rates by sex, and (b) numbers by specific cause, Australia, 2003..... | 81 |

| | | |
|--------------|---|----|
| Figure 4.7: | Burden (DALYs) attributable to physical inactivity by specific cause expressed as: (a) proportions of total, (b) proportions by sex, and (c) proportions due to fatal and non-fatal outcomes, Australia, 2003 | 82 |
| Figure 4.8: | Burden (DALYs) attributable to physical inactivity by age expressed as: (a) rates by sex, and (b) numbers by specific cause, Australia, 2003..... | 82 |
| Figure 4.9: | Burden (DALYs) attributable to high blood cholesterol by specific cause expressed as: (a) proportions of total, (b) proportions by sex, and (c) proportions due to fatal and non-fatal outcomes, Australia, 2003 | 83 |
| Figure 4.10: | Burden (DALYs) attributable to high blood cholesterol by age expressed as: (a) rates by sex, and (b) numbers by specific cause, Australia, 2003 | 84 |
| Figure 4.11: | Burden (DALYs) attributable to alcohol (alcohol harm) by specific cause expressed as: (a) proportions of total, (b) proportions by sex, and (c) proportions due to fatal and non-fatal outcomes, Australia, 2003 | 85 |
| Figure 4.12: | Burden (DALYs) attributable to alcohol (alcohol harm) by age expressed as: (a) rates by sex, and (b) numbers by specific cause, Australia, 2003 | 86 |
| Figure 4.13: | Burden (DALYs) prevented due to alcohol (alcohol benefit) by specific cause expressed as: (a) proportions of total, (b) proportions by sex, and (c) proportions due to fatal and non-fatal outcomes, Australia, 2003 | 86 |
| Figure 4.14: | Burden (DALYs) attributable to alcohol (alcohol benefit) by age expressed as: (a) rates by sex, and (b) numbers by specific cause, Australia, 2003 | 87 |
| Figure 4.15: | Burden (DALYs) attributable to low fruit and vegetable consumption by specific cause expressed as: (a) proportions of total, (b) proportions by sex, and (c) proportions due to fatal and non-fatal outcomes, Australia, 2003 | 88 |
| Figure 4.16: | Burden (DALYs) attributable to low fruit and vegetable consumption by age expressed as: (a) rates by sex , and (b) numbers by specific cause, Australia, 2003 | 88 |
| Figure 4.17: | Burden (DALYs) attributable to illicit drugs by specific cause expressed as: (a) proportions of total, (b) proportions by sex, and (c) proportions due to fatal and non- fatal outcomes, Australia, 2003 | 89 |
| Figure 4.18: | Burden (DALYs) attributable to illicit drugs by age expressed as: (a) rates by sex, and (b) numbers by specific cause, Australia, 2003 | 90 |
| Figure 4.19: | Burden (DALYs) attributable to occupational exposures and hazards by specific cause expressed as: (a) proportions of total, (b) proportions by sex, and (c) proportions due to fatal and non-fatal outcomes, Australia, 2003 | 91 |
| Figure 4.20: | Burden (DALYs) attributable to occupational exposures and hazards by age expressed as: (a) rates by sex, and (b) numbers by specific cause, Australia, 2003 | 91 |
| Figure 4.21: | Burden (DALYs) attributable to intimate partner violence by specific cause expressed as: (a) proportions of total, (b) proportions by sex, and (c) proportions due to fatal and non-fatal outcomes, Australia, 2003 | 93 |
| Figure 4.22: | Burden (DALYs) attributable to intimate partner violence by age expressed as: (a) rates by sex, and (b) numbers by specific cause, Australia, 2003 | 93 |
| Figure 4.23: | Burden (DALYs) attributable to child sexual abuse by specific cause expressed as: (a) proportions of total, (b) proportions by sex, and (c) proportions due to fatal and non- fatal outcomes, Australia, 2003..... | 94 |
| Figure 4.24: | Burden (DALYs) attributable to child sexual abuse by age expressed as: (a) rates by sex, and (b) numbers by specific cause, Australia, 2003..... | 95 |

| | | |
|--------------|---|-----|
| Figure 4.25: | Burden (DALYs) attributable to urban air pollution (long-term effects) by specific cause expressed as: (a) proportions of total, (b) proportions by sex, and (c) proportions due to fatal and non-fatal outcomes, Australia, 2003 | 97 |
| Figure 4.26: | Burden (DALYs) attributable to urban air pollution (long-term effects) by age expressed as: (a) rates by sex, and (b) numbers by specific cause, Australia, 2003 | 97 |
| Figure 4.27: | Burden (DALYs) attributable to unsafe sex by specific cause expressed as: (a) proportions of total, (b) proportions by sex, and (c) proportions due to fatal and non- fatal outcomes, Australia, 2003 | 98 |
| Figure 4.28: | Burden (DALYs) attributable to unsafe sex by age expressed as: (a) rates by sex, and (b) numbers by specific cause, Australia, 2003 | 99 |
| Figure 4.29: | Burden (DALYs) attributable to osteoporosis by specific cause expressed as: (a) proportions of total, (b) proportions by sex, and (c) proportions due to fatal and non- fatal outcomes, Australia, 2003 | 100 |
| Figure 4.30: | Burden (DALYs) attributable to osteoporosis by age expressed as: (a) rates by sex, and (b) numbers by specific cause, Australia, 2003 | 100 |
| Figure 5.1: | Proportion of life expectancy lost due to disability (%) by age and sex, Australia, 2003..... | 104 |
| Figure 5.2: | Life expectancy at birth (years) versus proportion of life expectancy at birth lost due to disability (%) by area, Australia, 2003 | 105 |
| Figure 5.3: | Standardised DALY rates per 1,000 by state/territory jurisdiction, broad cause group and sex, Australia, 2003 | 106 |
| Figure 5.4: | Age standardised DALY rates per 1,000 by socioeconomic quintile, broad cause group and sex, Australia, 2003 | 109 |
| Figure 5.5: | Standardised DALY rates per 1,000 by remoteness category, broad cause group and sex, Australia, 2003 | 111 |
| Figure 6.1: | Age-specific (a) mortality, and (b) total prevalence-based years lived with disability (PYLD) expressed as rates per 1,000 in the elderly for both sexes combined, Australia, 1993 and 2023..... | 116 |
| Figure 6.2: | Impact on life expectancy lost due to disability (years) of declining mortality and constant (1993) levels of disability, Australia, 1993 to 2023..... | 117 |
| Figure 6.3: | Age-standardised and crude total prevalence-based years lived with disability (PYLD) for both sexes combined, Australia, 1993 to 2023 | 117 |
| Figure 6.4: | Per cent change in the rates of total prevalence-based years lived with disability (PYLD) rates since 1993 at selected age groups for both sexes combined, Australia, 2003 to 2023 | 118 |
| Figure 6.5: | Net years gained in health-adjusted life expectancy (years) from changes in prevalence of disability compared with baseline (1993) levels of disability for males, Australia, 2003 to 2023..... | 119 |
| Figure 6.6: | Net years gained in health-adjusted life expectancy (years) from changes in prevalence of disability compared with baseline (1993) levels of disability for females, Australia, 2003 to 2023..... | 119 |
| Figure 6.7: | Percentage change in disability (PYLD) prevalence rates since 1993 for selected causes in people aged 80 years and over, Australia, 2003 to 2023 | 120 |
| Figure 6.8: | Prevalence of disability (PYLD) due to selected broad cause groups for both sexes combined by age, Australia, 1993 and 2023..... | 121 |
| Figure 6.9: | Proportion of total prevalence of disability (PYLD) due to selected broad cause groups, Australia, 1993 to 2023..... | 122 |

Figure 6.10: Age-standardised and crude burden (DALY) rates for both sexes combined, Australia, 1993 to 2023124

Figure 6.11: Proportion of total burden (DALYs) due to selected broad cause groups, Australia, 1993 to 2023125

Figure 6.12: Burden (DALYs) due to selected broad cause groups for both sexes combined by age, Australia, 1993 and 2023.....126