

References

- ABS (Australian Bureau of Statistics) 2003. Disability, ageing and carers, Australia: User guide. ABS cat. no. 4431.0.55.001. Canberra: ABS.
- ABS 2004. Disability, ageing and carers: summary of findings, Australia. ABS cat. no. 4430.0. Canberra: ABS.
- AIHW (Australian Institute of Health and Welfare) 2005. Arthritis and musculoskeletal conditions in Australia, 2005. Cat. no. PHE 67. Canberra: AIHW.
- AIHW 2004a. Disability and its relationship to health conditions and other factors. Cat. no. DIS 37. Canberra: AIHW.
- AIHW 2004b. Australia's health 2004. Cat. no. AUS 44. Canberra: AIHW.
- American Thoracic Society 2004. Key concepts: quality of life resource. American Thoracic Society, New York. Viewed 14 June 2004, <www.atsqol.org/key.asp>.
- Andrews FM & Withy SB 1987. The Delighted-Terrible Scale. In: McDowell I & Newell C (eds). Measuring health: a guide to rating scales and questionnaires. New York: Oxford University Press.
- Arthritis Australia 2004. The voice of arthritis: a social impact study of arthritis in Australia. Sydney: Arthritis Australia.
- Australian Centre for Asthma Monitoring 2004. Measuring the impact of asthma on quality of life in the Australian population. Cat. no. ACM 3. Canberra: AIHW.
- Cooper C 1997. The crippling consequences of fractures and their impact on quality of life. American Journal of Medicine 103(2A):12S-17S.
- Creamer P, Lethbridge-Cejku M & Hochberg M 1999. Determinants of pain severity in knee osteoarthritis: effect of demographic and psychosocial variable using 3 pain measures. Journal of Rheumatology 26(8):1785-92.
- Cunningham LS & Kelsey JL 1984. Epidemiology of musculoskeletal impairments and associated disability. American Journal of Public Health 74:574-9.
- Dickens C, Jackson J, Tomenson B et al. (2003). Association of depression and rheumatoid arthritis. Psychosomatics 44(3):209-15.
- Fletcher PC & Hirdes JP 2004. Restriction in activity associated with fear of falling among community-based seniors using home care services. Age and Ageing 33:273-9.
- Fromage B 2005. Self concept in falling and non-falling elderly. Encephale 31:601-8.
- Fyrand L, Moum T, Finset A et al. 2002. The impact of disability and disease duration on social support of women with rheumatoid arthritis. Journal of Behavioural Medicine 25:251-68.
- Geusens P 2003. Osteoporosis: clinical features. In: Hochberg MC, Silman AJ, Smolen JS et al. (eds). Rheumatology, 3rd ed. London: Mosby.
- Gold DT 2001. The nonskeletal consequences of osteoporotic fractures. Psychologic and social outcomes. Rheumatic Disease Clinics of North America 27:255-62.
- Gooberman-Hill R & Ebrahim S 2006. Informal care at times of change in health and mobility: a qualitative study. Age and Ageing 35:261-66.

- Gureje O, Von Korff M, Simon GE et al. 1998. Persistent pain and well-being: a World Health Organization Study in primary care. *Journal of American Medical Association* 280:147–51.
- Hallberg I, Rosenqvist AM, Kartous L et al. 2004. Health-related quality of life after osteoporotic fractures. *Osteoporosis International* 15:834–41.
- Hill C, Parsons J, Taylor A et al. 1999. Health related quality of life in a population sample with arthritis. *Journal of Rheumatology* 26(9):2029–35.
- Johnell O 1997. The socioeconomic burden of fractures: today and in the 21st century. *American Journal of Medicine* 103(2A):20S–25S; discussion 25S–26S.
- Juniper EF 2001. Using humanistic health outcomes data in asthma. *Pharmacoeconomics* 19 (Suppl. 2):13–19.
- Keefe F & Bonk V 1999. Psychological assessment of pain in patients having rheumatic diseases. *Rheumatic Disease Clinics of North America* 25:81–103.
- Keefe F, Smith S, Buffington A et al. 2002. Recent advances and future directions in the biopsychosocial assessment and treatment of arthritis. *Journal of Consulting and Clinical Psychology* 70(3):640–55.
- Kraus LE, Stoddard S & Gilmartin D 1996. Chartbook on disability in the United States, 1996. An InfoUse report. Washington DC: US National Institute of Disability and Rehabilitation Research.
- Lawrence RC, Helmick CG, Arnett FC et al. 1998. Estimates of the prevalence of arthritis and selected musculoskeletal disorders in the United States. *Arthritis and Rheumatism* 43:778–99.
- Mili F, Helmick CG, Zack MM et al. 2003. Health-related quality of life among adults reporting arthritis: behavioural risk factor surveillance system, 15 states and Puerto Rico, 1996–1999. *Journal of Rheumatology* 30:160–6.
- Picavet HSJ & Hoeymans N 2004. Health-related quality of life in multiple musculoskeletal diseases: SF-36 and EQ-5D in the DMC3 study. *Annals of the Rheumatic Diseases* 63:723–9.
- Reginster JY & Khaltsev NG 2002. Introduction and WHO perspective on the global burden of musculoskeletal conditions. *Rheumatology* 41(Supplement 1):1–2.
- Reisine S, McQuillan J & Fifield J 1995. Predictors of work disability in rheumatoid arthritis patients. A five-year follow-up. *Arthritis and Rheumatism* 38:1630–7.
- Rupp I, Boshuizen H, Jacobi C et al. 2004. Co-morbidity in patients with rheumatoid arthritis: effect on health-related quality of life. *Journal of Rheumatology* 31:58–65.
- Scott JC & Hochberg MC 1998. Arthritis and other musculoskeletal diseases. In: Brownson RC, Remington PL & Davis JR (eds). *Chronic disease epidemiology and control*, 2nd ed. Washington, DC: American Public Health Association, 468–70.
- Sokka T 2003. Work disability in early rheumatoid arthritis. *Clinical and Experimental Rheumatoid* 21(Supplement 31):S71–S74.
- Testa MA & Simonson DC 1996. Assessment of quality-of-life outcomes. *New England Journal of Medicine* 334(13):835–40.
- van Jaarsveld CH, Jacobs JW, Schrijvers AJ et al. 1998. Effects of rheumatoid arthritis on employment and social participation during the first years of disease in The Netherlands. *British Journal of Rheumatology* 37:848–53.
- White GW, Paine-Andrews AL, Mathews RM et al. 1995. Home access modifications: their effects on community visits of people with physical disabilities. *Journal of Applied Behaviour Analysis* 28:457–63.

WHO (World Health Organization) 2001. International Classification of Functioning, Disability and Health. Geneva: WHO.

Wolf AD 2005. Economic burden of rheumatic diseases. In: Harris ED et al. (eds). Kelley's textbook of rheumatology, 7th edition (online edition). St Louis, MO: MD Consult. Viewed 18 May 2006, <www.mdconsult.com/das/book/0/view/1257/instruct.html> .

Yelin E, Lubeck D, Holman H et al. 1987. The impact of rheumatoid arthritis and osteoarthritis: the activities of patients with rheumatoid arthritis and osteoarthritis compared to controls. *Journal of Rheumatology* 14:710-17.

Young A, Dixey J, Cox N et al. 2000. How does functional disability in early rheumatoid arthritis (RA) affect patients and their lives? Results of 5 years of follow-up in 732 patients from the Early RA Study (ERAS). *Rheumatology* 39:603-11.

List of tables

Table 1.1: Selected long-term conditions among people with arthritis or osteoporosis, 2004–05.....	7
Table 2.1: Age and sex distribution of people with disability associated with arthritis, ages 35 years or over, 2003.....	11
Table 2.2: Personal characteristics of people with disability associated with arthritis, ages 35 years or over, 2003.....	12
Table 2.3: Age and sex distribution of people with disability associated with osteoporosis, ages 35 years or over, 2003.....	13
Table 2.4: Personal characteristics of people with disability associated with osteoporosis, ages 35 years or over, 2003.....	14
Table 3.1: Physical impairments associated with arthritis and osteoporosis, ages 35 years or over, 2003.....	17
Table 3.2: Need for assistance with self-care activities, people with disability associated with arthritis, ages 35 years or over, 2003.....	18
Table 3.3: Need for assistance with self-care activities, people with disability associated with osteoporosis, ages 35 years or over, 2003.....	18
Table 3.4: Need for assistance with daily activities, people with disability associated with arthritis, ages 35 years or over, 2003.....	19
Table 3.5: Need for assistance with daily activities, people with disability associated with osteoporosis, ages 35 years or over, 2003.....	19
Table 3.6: Need for assistance with mobility and transport, people with disability associated with arthritis, ages 35 years or over, 2003.....	20
Table 3.7: Need for assistance with mobility and transport, people with disability associated with osteoporosis, ages 35 years or over, 2003.....	20
Table 3.8: Participation in social activities among people with disability associated with arthritis, ages 35 years or over, 2003.....	23
Table 3.9: Participation in social activities among people with disability associated with osteoporosis, ages 35 years or over, 2003.....	23
Table 4.1: Psychological distress associated with arthritis or osteoporosis, people aged 35 years or over, 2004–05.....	28
Table 4.2: Self-reported health status among people with arthritis or osteoporosis, ages 35 years or over, 2004–05.....	29
Table 4.3: Self-perceived health status among people with disability associated with arthritis or osteoporosis, ages 35 years or over, 2003.....	30
Table 4.4: Proportion of people with specific limitations reporting fair or poor health, by main cause of disability, ages 35 years or over, 2003.....	31
Table 4.5: Other long-term conditions reported by people with disability associated with arthritis or osteoporosis, ages 35 years or over, 2003.....	31
Table 4.6: Fair/poor health reported by people with disability associated with arthritis or osteoporosis and selected long-term conditions, ages 35 years or over, 2003.....	33
Table 5.1: Use of devices for mobility among people with disability associated with arthritis or osteoporosis, ages 35 years or over, 2003.....	38
Table 5.2: Home modifications among people with disability associated with arthritis or osteoporosis, ages 35 years or over, 2003.....	39

Table 5.3: Primary carers of people aged 35 years or over with disability associated with arthritis or osteoporosis, 2003.....	41
Table 5.4: Assistance with general activities provided by primary carers to people with disability associated with arthritis or osteoporosis, ages 35 years or over, 2003.....	43

List of figures

Figure 1.1: Interactions between various components of the ICF framework.....	2
Figure 1.2: Age-specific prevalence of arthritis and osteoporosis, 2004–05.....	6
Figure 1.3: Age and sex distribution of people with disability, 2003.....	7
Figure 2.1: The role of arthritis and osteoporosis in core activity restrictions in the Survey of Disability, Ageing and Carers, people aged 35 years or over, 2003.....	10
Figure 3.1: Types of employment restrictions associated with arthritis and osteoporosis, people aged 35–64 years, 2003.....	21
Figure 3.2: Proportion of people with disability associated with arthritis or osteoporosis who have employment restrictions, ages 35–64 years, 2003.....	22
Figure 4.1: The interrelationships between health, quality of life and health-related quality of life.....	26
Figure 4.2: Life satisfaction in people with arthritis or osteoporosis, 2001.....	27
Figure 4.3: Very high levels of psychological distress among people with arthritis or osteoporosis, ages 35 years or over, 2004–05.....	29
Figure 4.4: Long-term conditions reported by people with disability associated with arthritis, ages 35 years or over, 2003.....	32
Figure 4.5: Long-term conditions reported by people with disability associated with osteoporosis, ages 35 years or over, 2003.....	33
Figure 4.6: Fair/poor health reported by people with disability associated with arthritis and other long-term conditions, ages 35 years or over, 2003.....	34
Figure 4.7: Fair/poor health reported by people with disability associated with osteoporosis and other long-term conditions, ages 35 years or over, 2003.....	35
Figure 5.1: Use of assistive devices for daily activities among people with disability associated with arthritis or osteoporosis, ages 35 years or over, 2003.....	38
Figure 5.2: Arrangements made by employers for people with disability associated with arthritis, ages 35–64 years, 2003.....	40
Figure 5.3: Hours of care provided by primary carers to people aged 35 years or over with disability associated with arthritis or osteoporosis, by provider of care, 2003.....	42
Figure 5.4: Proportion of primary carers of people aged 35 years or over with disability associated with arthritis or osteoporosis providing assistance with specific activities, 2003.....	43