



# Index

- abdominal and pelvic pain, 212, 263, 347
- abdominal obesity, 185
- abdominal wall, anomalies of, 201
- Aboriginal Australians, *see* Indigenous Australians
- Aboriginal Medical Services (ACCHOs), 387–8
- abortions, 32, 212, 394
- ABS, 10, 12, 38, 360
- abuse, *see* violence and aggression
- academic qualifications, *see* qualifications
- accessibility, *see* health system accessibility
- accident and emergency services, 8, 39, 368, 369–71
  - medical indemnity claims, 351, 352
  - waiting times, 375–7
- accidents, *see* injuries; transport accidents
- acculturation, 238–9
- ACIR, 275, 338, 339
- acoustic testing, 389
- acquired brain injury, 127, 265
- activity limitations, *see* disability
- acupuncture, 394, 395
- acute appendicitis, 263
- acute bronchitis, *see* bronchitis and emphysema
- acute care hospitals, *see* public (non-psychiatric/acute) hospitals
- acute myocardial infection, *see* heart disease/attack
- acute otitis media/myringitis, 264, 367, 376
- acute respiratory infections, *see* respiratory diseases/infections
- acute rheumatic fever, 65, 66
- Adelaide, 85, 151, 205–6, 337
- adenoids and tonsils, 263, 264, 367, 376
- ADHD, 45, 46, 261
- administration, *see* health administration
- administrative procedures, 347
- admissions, *see* hospitals and hospitalisation
- adolescents, *see* young people
- adverse events, 377–9
  - see also* complications
- advice and education, 349, 350, 386, 389, 393–4
  - telephone-based services, 9, 390, 394
  - see also* counselling
- aerobics/fitness, 203
- affective problems, *see* mood (affective) problems
- age, 16–17, 400
  - AIDS diagnosed, 420
  - alcohol and other drug treatment service clients, 385
  - asthma, 81–3
  - blood cholesterol, 181
  - blood pressure, 178, 179
  - body weight, 183, 185
  - bronchitis/emphysema, 85
  - cancer risks, 75–6, 78
  - cardiovascular disease, 62, 63, 66;
    - rheumatic, 65
  - chronic obstructive pulmonary disease, 86
  - at death, *see* age at death
  - dementia, 218
  - diabetes, 69–71
  - disability, 44–5, 47, 395–6
  - family planning clients, 394
  - GP consultations, 82, 83
  - health professional consultations, 39
  - health workforce, 321, 325, 326, 327, 329
  - hospital patients, *see* age of hospital patients
  - Indigenous Australians, 222
  - injuries, ‘catastrophic’, 127
  - kidney disease, 92–3, 94
  - life expectancy at, *see* life expectancy
  - long-term conditions, 39, 40, 41
  - at marriage, 29
  - medical indemnity claimants, 351
  - Medicare use, 211, 452–4
  - mental health problems and illnesses, 97–8, 99, 379, 380
  - mothers, *see* age of mothers
  - musculoskeletal conditions, 87–91
  - oral health, 35–7, 423–4
  - physical activity, 163–5
  - private health insurance coverage, 312
  - risk factors, multiple, 210
  - self-assessment of health, 25, 209
  - sexual and reproductive health, 28–9, 33
  - vaccine-preventable diseases, 117, 118–19
  - veteran health treatment population, 247–8
  - whooping cough (pertussis) notifications, 118
  - women having induced abortions, 394
  - see also* children; older Australians; young people

- age at death, 18–19, 52–3, 408–13
  - asthma, 81–2
  - cancer, 52, 77–8
  - cardiovascular disease, 52, 63
  - children, 265
  - communicable diseases, 108
  - diabetes, 73
  - Indigenous Australians, 226–7
  - injuries, 52, 124–6; after falls, 128, 129
  - mental health problems and illnesses, 101
  - nervous system disorders, 52
  - prisoners, 251
  - respiratory diseases, 52, 53, 109
  - working-age adults, 213–14
  - see also* life expectancy
- age of hospital patients, 211–12, 425–6
  - accident and emergency services, 370–1
  - acute respiratory infections, 109
  - asthma, 82–3, 84
  - cardiovascular disease, 66
  - children, 263; Indigenous, 279
  - chronic obstructive pulmonary disease (COPD), 86
  - injuries, 121, 122; after falls, 128
  - meningococcal disease, 116
- age of mothers, 18, 30, 203, 401
  - after ART treatment, 31
  - Indigenous, 31, 203, 222
  - perinatal death rates by, 404
  - of twins, 197–8
- age-related macular degeneration (AMD), 219–20
- aged Australians, *see* older Australians
- aged care, *see* residential aged care
- ageing, 16, 321
- aggressive behaviour, *see* violence and aggression
- AHCAs, 301–2
- AHIC, 11
- AHMAs, 7, 11, 12
- AHMC, 7
- AIDS, *see* HIV/AIDS
- aids and equipment, 293, 395–6, 435–7, 439–40, 447
  - for hearing, 393, 396
- AIHW, *see* Australian Institute of Health and Welfare
- air pollution, 150–2
- aircraft, 391
- alcohol and other drug treatment services, 384–6, 389, 431–2
- alcohol consumption and abuse, 165–7, 168
  - burden of disease, 133, 146, 165
  - children, 260, 274
- Indigenous Australians, 230, 231
- injury risk factor, 126
- international comparisons, 2, 3, 166
- mental and behavioural disorders due to, 101, 103
- socioeconomically disadvantaged people, 233
- treatment clients, 385–6
- young people, 203
- see also* psychoactive substances
- allergies, 40–3, 205, 210, 262
- allied health services, 368, 369, 388–90
  - expenditure on, 293, 294
  - GP referrals to, 350
  - Medicare items processed, 344
  - workforce, 316–24
  - see also* dental practitioners; nurses
- alternative medicines, *see* complementary and alternative medicines
- Alzheimer's disease, *see* dementia
- ambient air pollution, 150–2
- ambulance services, 8–9, 390, 435–7, 439–40, 447, 448
- AMD, 219–20
- amlodipine besylate, 433
- amoxicillin, 357, 358
- amoxicillin with potassium clavulanate, 358
- amphetamines, 168–70, 203, 385–6
- amputations, 72
- anaesthetics, 344, 450
- anal intercourse, 34, 175–6
- analgesics/pain-killers, 169
  - prescribed, 357, 358
- anencephalus, 200, 201
- angina, 61–2, 366
  - older Australians, 217
  - working-age adults, 212
- angioplasties, 67, 245, 367
- antibiotics, 357, 358
  - resistance to, 34
- antidepressants, 98, 379
- anti-inflammatory drugs, 358
- antipsychotics, 379
- antiretroviral treatment, 111
- antitrypsin, 84
- antiviral treatment, 112
- anxiety-related problems, 42, 98
  - burden of disease, 133, 211
  - GP consultations, 348, 358
  - prisoners, 250–1
  - Vietnam veterans, 384
  - young people, 204
  - see also* psychological distress

- appendicitis, 263, 367  
 AR-DRGs, 365, 368–9  
 aromatherapy oils, 359  
 ART, 31, 198, 199  
 arteries, arterioles and capillaries, diseases of, 51  
     *see also* angina  
 artery bypass grafting, 67, 245, 367, 375, 376  
 arthritis, *see* musculoskeletal conditions  
 asbestos, 75  
 aspirin, 433  
 assault, *see* violence and aggression  
 assessment only (drug treatment), 386  
 assisted reproductive technology, 31, 198, 199  
 associated causes of death, 50, 58–9  
     cancer, 58–9  
     diabetes, 58–9, 73  
     environmental, 150, 153  
     heart failure, 58–9, 64  
     hospital adverse events, 377  
     kidney disease, 95  
     socioeconomic, 154, 155  
 asthma, 40–3, 80–3  
     causes, 80, 145  
     children, 81–3, 262, 263, 268  
     chronic obstructive pulmonary disease (COPD) and, 84–5  
     GP consultations, 82, 83, 264, 268, 348  
     hospitalisation, 82–3, 84, 263, 268  
     Indigenous Australians, 81, 83, 205, 224  
     medications, 359  
     mental health problems and disorders associated with, 42, 101  
     self-assessed health status, 27  
     working age people, 210  
     young people, 205  
 atenolol, 357  
 atherosclerosis, 61  
 atorvastatin, 356–8, 433  
 atrial fibrillation and flutter, 217  
 attempted suicide, 250  
 attention-deficit hyperactivity disorder (ADHD), 45, 46, 261  
 attitudes, knowledge and beliefs, 157–8  
 Australasian Association of Cancer Registries, 76  
 Australia and New Zealand Dialysis and Transplant Registry, 92  
 Australian Bureau of Statistics (ABS), 10, 12, 38, 360  
 Australian Capital Territory, *see* states and territories  
 Australian Childhood Immunisation Register, 275, 338, 339  
 Australian Commission on Safety and Quality Health Care, 13  
 Australian Council for Safety and Quality in Health Care, 13, 377  
 Australian Diabetes, Obesity and Lifestyle Study, 70  
 Australian Drinking Water Guidelines, 149  
 Australian Gonococcal Surveillance Programme, 33–4  
 Australian Government, 9–10  
     Commonwealth/State Disability Agreement, 381  
     receipts, 306, 312, 434  
     *see also* Department of Health and Ageing; Department of Veterans' Affairs  
 Australian Government expenditure and funding, 287, 300–7, 308–9, 435–6, 441  
     cancer screening, 336, 441  
     capital, 297–8, 435–6  
     Indigenous health services, 291–2, 387–8, 438  
     National Diabetes Services Scheme, 392  
     veterans, 292–3, 295  
     *see also* Medicare; Pharmaceutical Benefits Scheme (PBS)  
 Australian Health Care Agreements, 300–1  
 Australian Health Information Council, 11  
 Australian Health Ministers' Advisory Council (AHMAC), 7, 11, 12  
 Australian Health Ministers' Conference (AHMC), 7  
 Australian Hearing, 393  
 Australian Institute of Health and Welfare (AIHW), 10, 12, 360  
     General Record of Incidence Mortality (GRIM) Books, 55  
     National Cancer Statistics Clearing House, 76  
     *A picture of Australia's children*, 259  
     publication on national health information priority areas, 11, 13  
 Australian Management Plan for Pandemic Influenza, 340  
 Australian National CJD Registry, 114  
 Australian Refined Diagnosis Related Groups (AR-DRGs), 365, 368–9  
 Australian Safety and Quality Commission in Health Care, 7  
 Australian Standard Vaccination Schedule, 115  
 Australian Technical Advisory Group on Immunisation, 337

- autism, 45, 46  
average expenditure per person, 290–1  
avian influenza, 119, 340
- babies, 196–201  
  diet and nutrition, 173, 260, 269–70  
  *see also* births and pregnancy; infant mortality
- back pain and disc disorders, 40–3, 45, 47, 347, 348  
  burden of disease, 133, 211  
  older Australians, 216  
  self-assessed health status, 27  
  working-age adults, 210  
  young people, 205
- background health determinants, 142–4
- bacterial diseases, 105, 114, 418  
bacterial vaginosis, 34  
barbiturates, 169  
Barmah Forest virus, 113, 149, 419  
basal cell carcinoma, 76  
BEACH survey, 347  
  *see also* general practitioners, consultations with
- bed numbers, 371–3, 374  
  residential mental health care, 381, 383–4
- behaviours, *see* health behaviours; mental health problems and illnesses; violence and aggression
- beliefs, knowledge and attitudes, 157–8
- biomedical risk factors, 145, 177–87  
  *see also* blood cholesterol; blood pressure; body weight
- bipolar affective disorder, 103
- bird flu, 119, 340
- birth, life expectancy at, *see* life expectancy
- birth defects, *see* congenital conditions
- birthplaces, 236–9, 259
- births and pregnancy, 29–32, 196–201, 365–9, 393–4, 401–5, 427–32  
  as cause of death, 414–15; *see also* infant mortality  
  gestational diabetes, 68, 69, 74  
  Indigenous, 31, 199, 203, 222, 225, 229–30  
  medical indemnity claims, 351, 352  
  Medicare benefits paid, 345, 450  
  Medicare items processed, 344  
  rubella infection in, 117  
  tobacco smoking, 260  
  working-age adults, 211, 212  
  young women, 203  
  *see also* age of mothers; babies; fertility
- birthweight, 198, 229–30, 260, 271, 403
- bisexual people, 157
- bladder cancer, 421–2
- blended families, 260
- blindness, *see* vision problems
- blood cholesterol (lipid disorders), 40, 179–82  
  burden of disease, 146  
  GP consultations, 348, 358  
  prescriptions, 356–8
- blood diseases, 414–15, 427–32
- blood pressure (hypertension), 152, 177–9, 180  
  burden of disease, 146  
  GP consultations, 347, 348  
  kidney disease, 93, 94, 95  
  long-term condition, 40–3, 215–16  
  older Australians, 215–16  
  prescriptions, 356–7  
  socioeconomically disadvantaged people, 233  
  working-age adults, 211
- bloodborne infections, 34, 110–12, 418  
  prisoners, 249–50  
  *see also* hepatitis; HIV/AIDS
- blue-collar occupations, 155, 156
- body image perception, 158
- body weight, 182–7  
  at birth, 198, 229–30, 260, 271, 403  
  burden of disease, 146, 173  
  children, 186, 260, 271–2  
  diet and, 174  
  GP counselling, 349, 350  
  Indigenous Australians, 186, 202, 229, 230  
  international comparisons, 2, 3, 187  
  self-assessed health status, 27–8  
  socioeconomically disadvantaged people, 233  
  urban dwellers, 152  
  young people, 186, 202
- bones, *see* musculoskeletal conditions
- botulism, 418
- bovine spongiform encephalopathy, 114
- bowel cancer, *see* colorectal (bowel) cancer
- boys, *see* age; children; sex of population
- brain cancer, 268
- brain injury, 127, 265
- breast cancer, 74–8, 421–2  
  burden of disease, 133, 211  
  international comparisons, 3  
  screening, 74, 244, 334–5, 441; expenditure on, 297
- breast cancer as cause of death, 50, 51, 77, 78, 421  
  potential years of life lost (PYLL), 53  
  socioeconomically disadvantaged people, 235  
  working-age women, 213, 214

- breast procedures, 429–30
- breastfeeding, 173, 260, 269–70
- BreastScreen Australia, 74, 334–5
- Brisbane, 150, 151
- bronchitis and emphysema, 83, 85, 150, 416–17
  - children, 263, 264
  - GP consultations, 264, 348
  - socioeconomically disadvantaged people, 233
  - see also* chronic obstructive pulmonary disease
- brucellosis, 419
- BSE, 114
- built environments, 152
- bulk-billing, 305–6, 344–5, 346
- burden of disease, 53, 129–33, 146
  - alcohol, 133, 146, 165
  - asthma, 83
  - cancer, 53, 131–3, 421
  - cardiovascular disease, 53, 61, 131–3, 211
  - chronic obstructive pulmonary disease, 87
  - communicable diseases, 105–6, 131–2
  - diabetes, 69, 211
  - fruit and vegetables, lack of, 146, 172–3
  - mental health problems and illnesses, 97, 131–3, 211
  - musculoskeletal conditions, 88, 89, 131–3
  - overweight, 146, 173
  - potential years of life lost (PYLL), 53, 421
  - socioeconomic disadvantage, 154
  - tobacco smoking, 158, 173
  - working-age adults, 211
  - see also* disability; mortality
- burns/scalds/fires, 123, 124, 431–2
- bypass grafting, 67, 245, 367, 375, 376
  
- CABG, 67, 245, 367, 375, 376
- caesarean section deliveries, 30, 31, 366, 367, 368
- campylobacteriosis, 113, 418
- cancer (neoplasms), 74–9, 80, 421–2
  - burden of disease, 53, 131–3, 421
  - children, 260
  - expenditure on, 297, 336
  - self-assessed health status, 27
  - young people, 205
  - see also* breast cancer; cervical cancer; colorectal (bowel) cancer; lung cancer; prostate cancer
- cancer as cause of death, 50–4, 56, 77–9, 80, 414–17, 421
  - associated/underlying, 58–9; conditions associated with, 95, 102
- children, 268, 278, 279
  - Indigenous Australians, 227–8, 278, 279
  - international comparisons, 3, 79, 80
  - Korean veterans, 249
  - overseas-born people, 236, 237
  - rural and remote Australians, 240, 244
  - socioeconomically disadvantaged people, 235
  - working-age adults, 213–14
  - young people, 207
  - see also* breast cancer as cause of death; lung cancer as cause of death
- cancer hospitalisation, 365, 366, 427–8, 431–2
  - older Australians, 217
  - overseas-born people, 237
  - procedures, 362, 364, 367, 368, 369, 429–30
- cancer registers, 76
- cancer-screening services, 74, 78, 333–7
  - expenditure on, 297, 441
  - rural and remote Australia, 244
  - see also* Pap smears
- candida, 34
- cannabis/marijuana, 101, 168–70, 203, 385–6
- capital cities, air pollution in, 150, 151
- capital expenditure, 297–8, 435–6
- caps and diaphragms, 29
- carbon monoxide, 150–1
- cardio-thoracic surgery, 375
- cardiovascular (circulatory) disease, 60–8
  - burden of disease, 53, 61, 131–3
  - comorbidity, 42; with diabetes, 41, 42, 72, 74
  - GP consultations, 65–6, 225
  - Indigenous Australians, 65, 224, 225, 279
  - medications, 356–9
  - overseas-born people, 237
  - risk factors, 61, 150
  - see also* blood cholesterol; blood pressure; heart disease/attack; heart failure; stroke
- cardiovascular disease as cause of death, 50–6, 61–4, 414–17
  - air pollution associated with, 150
  - associated/underlying, 58–9
  - conditions associated with, 95, 102
  - Indigenous Australians, 227–8, 279
  - overseas-born people, 236, 237
  - rural and remote Australians, 243, 244
  - socioeconomically disadvantaged people, 67–8, 155, 235
  - working-age adults, 214
- cardiovascular disease hospitalisation, 66–7, 365, 427–32
  - elective surgery waiting times, 375, 376
  - Indigenous Australians, 225

- cardiovascular disease hospitalisation (*continued*)
  - older Australians, 217
  - overseas-born people, 237
  - procedures, 67, 245, 367, 429–30
  - rural and remote Australians, 245
  - socioeconomically disadvantaged people, 68, 234
  - working-age adults, 213
- caries, *see* oral (dental) health
- cars, 150, 152, 163
  - see also* transport accidents
- case management and support (drug treatment), 386
- casemix cost per separation, 373–4
- casual sex, 34
- casualty departments, *see* accident and emergency services
- cataracts, 217, 219–20, 376
- causes of death, 50–9, 414–17
  - AIDS, 111
  - alcohol consumption, 165
  - asthma, 81–2
  - body weight, 182
  - cancer, *see* cancer as cause of death
  - cardiovascular disease, *see* cardiovascular disease as cause of death
  - children, 267–9
  - chronic obstructive pulmonary disease (COPD), 50, 51, 58–9, 64, 86, 243
  - communicable diseases, *see* communicable diseases as cause of death
  - diabetes, *see* diabetes as cause of death
  - digestive system diseases, 52, 228, 414–15
  - drugs, 100–1, 168, 207
  - hepatitis C, 112
  - hospitals adverse events, 377
  - Indigenous Australians, 95–6, 227–8
  - infants, 52, 200, 228, 267–8, 278
  - influenza and pneumonia, 50, 51, 108–9, 110, 115
  - injuries, *see* injuries as cause of death
  - international comparisons, 2, 3, 79
  - kidney disease, 95–6; *see also* kidney failure
  - mental health, *see* mental health problems and illnesses as cause of death
  - mothers, 32
  - musculoskeletal conditions, 88, 89, 414–15;
    - hip fractures, 90
  - nervous system disorders, 52, 228, 279, 414–15
  - overseas-born people, 236–7
  - prisoners, 251
  - respiratory diseases, *see* respiratory diseases/infections as cause of death
  - rural and remote Australians, 243–4
  - socioeconomically disadvantaged people, 235
  - suicide, *see* suicide
  - tobacco smoking, 158
  - tuberculosis, 114, 115
  - vaccine-preventable diseases, 115, 116
  - working-age adults, 213–14
  - young people, 207
  - see also* associated causes of death; kidney failure
- cefalexin, 357, 358
- celecoxib, 433
- centenarians, 17
- central nervous system, *see* nervous system diseases/disorders
- cephalexin, 357, 358
- cerebral palsy, 45, 46
- cerebrovascular disease, *see* stroke
- cervical cancer, 74, 75
  - as cause of death, 77–9, 240
  - Indigenous women, 240
  - papilloma virus, 33, 105
  - screening, 244, 336, 441; expenditure on, 297
  - see also* Pap smears
- check-ups, 347, 348
- chemical contaminants, 149
- chemists, *see* pharmacists
- chemotherapy, 362, 364, 367, 368, 369, 429–30
- chest and throat pains, 212, 217
- chicken surveillance, 150
- Child Care Benefit, 339
- childhood vaccination/immunisation, 115–19, 260, 264, 274–5, 276, 337–9
  - hepatitis B, 112, 274–5
  - Indigenous rates, 279
  - rural and remote Australia, 244
- children, 258–85
  - asthma, 81–3, 260, 262, 263, 268
  - body weight, 186, 260, 271–2
  - diabetes, 69–70, 260, 266
  - diet and nutrition, 174
  - family status and, 156
  - hospitalisation, 260, 262–3, 268–9, 278–9, 364
  - Indigenous, 65, 259, 261, 278–9, 338
  - medical indemnity claim subjects, 351, 352
  - mental health disorders and illnesses, 260, 261, 262, 265, 380, 383
  - mortality, 52, 260, 265–9, 278, 279, 280–1; *see also* infant mortality
  - oral health, 35–7, 242, 260, 263, 423–4;
    - international comparisons, 2, 3
  - physical activity, 162, 164, 270–1

- sexual abuse, 146
- sun protection, 177
- tobacco smoking and, 160–1, 260, 272–3, 281
  - see also* age; babies; births and pregnancy; young people
- chiroprodists, *see* podiatrists
- chiropractors/osteopaths, 320, 394–5
- chlamydia, 34, 112, 157, 176, 205, 418
- cholelithiasis, 212, 367
- cholera, 418
- cholescystectomy, 376
- cholesterol, *see* blood cholesterol
- chromosomal abnormalities, *see* congenital conditions
- chronic (end-stage) kidney disease, 72, 73, 92–6, 233
  - see also* dialysis
- chronic obstructive pulmonary disease (COPD), 83–7, 217
  - burden of disease, 133, 211
  - as cause of death, 50, 51, 58–9, 64, 86, 243
  - see also* bronchitis and emphysema
- chronic respiratory diseases, *see* asthma; chronic obstructive pulmonary disease
- chronic rheumatic heart disease, 65, 66
- chronic sinusitis, 40, 41, 210, 262
- chronic viral hepatitis, *see* hepatitis B; hepatitis C
- cigarettes, *see* tobacco smoking
- circulatory diseases, *see* cardiovascular (circulatory) disease
- cirrhosis of liver, 112
- cities and towns, 240–5
  - abortion rates, 394
  - body weight trends in, 152, 202
  - children living in, 259
  - environment, 150–2
  - Indigenous Australians living in, 202, 226, 230
  - see also* rural and remote Australians
- CJD, 114
- classifications and standards, 4, 10, 11, 365
  - Australian Refined Diagnosis Related Groups (AR-DRGs), 365, 368–9
  - body weight, 184
- cleaning of hands, 177
- clerical occupations, 155, 156
- climate change, 152–3
- clinical treatments by GPs, 349
- clinicians, *see* medical practitioners
- closed treatment episodes, 385–6
- COAG, 9
- cocaine, 169
- codeine with paracetamol, 357
- cognition or emotion activity limitations, 49
- colon cancer, 3
- colonoscopies, 362, 367, 368, 369
- colorectal (bowel) cancer, 74–8, 366, 421–2
  - burden of disease, 133
  - screening for, 337
- colorectal (bowel) cancer as cause of death, 50, 51, 77, 78, 421
  - overseas-born people, 236
  - rural and remote Australians, 244
- Commonwealth Government, *see* Australian Government
- Commonwealth/State Disability Agreement, 381
- communicable (infectious/parasitic) diseases, 105–19, 149–50, 418–20, 427–8, 431–2
  - burden of disease, 105–6, 131–2
  - expenditure on, 106, 297, 441
  - Indigenous Australians, 225
  - infection as hospital adverse event, 378
  - rural and remote Australians, 242
  - see also* bloodborne infections; respiratory diseases/infections; vaccination
- communicable diseases as cause of death, 54, 55, 106, 108–9, 268, 414–15
  - acute respiratory infections (influenza and pneumonia), 50, 51, 108, 109–10, 111, 115; avian influenza virus, 119
  - AIDS, 111
  - Creutzfeldt-Jakob disease (CJD), 114
  - hepatitis C, 112
  - Indigenous Australians, 228; children, 278, 279
  - tuberculosis, 114, 115
  - vaccine-preventable diseases, 115, 116
- communication activity limitations, 49, 396
- community health services, 391, 435–7, 439–40
  - childhood immunisation episodes, 338
  - Indigenous, 387–8
  - mental health, 380–1
  - palliative care, 392
  - pharmacists and friendly societies, 354
- community nursing, DVA expenditure on, 293
- comorbidity, 40–1, 42
  - dementia, 219
  - diabetes, 41, 42, 72, 74, 93
  - kidney disease, 93–4
  - mental health problems and diseases, 42, 99, 101–2, 104
  - musculoskeletal conditions, 41, 92, 101
  - profound or severe core activity limitations, 45–6, 47
  - see also* associated causes of death

- complementary and alternative medicines, 359, 394–5
- complementary therapists, 316, 321–3
  - consultations with, 394–5
  - health course completions, 318, 319
- complications, 378, 379
  - diabetes, 71–2, 74
  - kidney disease, 94
  - relating to pregnancy/labour/delivery, 32, 267
- Composite International Diagnostic Interview, 97
- computers and computing, 11, 12–13
- concession card holders, 358
  - hearing services, 392–3
  - pharmaceutical patient contributions, 296, 3555
  - Repatriation Health Cards, 246–7, 293
- condoms, 29, 34, 175
- congenital conditions, 200–1, 427–8
  - burden of disease, 131, 132
  - cause of death, 52, 268, 279, 414–15
  - syphilis, 418
- congenital rubella infection, 117
- conjunctivitis, 264
- constant price estimates, 290
- consultations with health professionals, 39, 342–50, 388–90
  - complementary therapists, 394–5
  - dentists, 206, 233, 353–4
  - Royal Flying Doctor Service, 390–1
  - see also* general practitioners, consultations with; specialist medical practitioners
- contact dermatitis, 264, 348
- contagious diseases, *see* communicable (infectious/parasitic) diseases
- contraception, 29–30, 33, 34, 175
- coordinated care (integration of services), 11
- COPD, *see* chronic obstructive pulmonary disease
- coronary angioplasties, 67, 245, 367
- coronary artery bypass grafting, 67, 245, 367, 375, 376
- coronary heart disease, *see* heart disease/attack
- coronary stenting, 67
- cost of food, 173–4
- costs of public hospital care, 373–4
- coughs, 347
- Council of Australian Governments, 9
- counselling, 389
  - alcohol and drug treatment, 386
  - by GPs, 249, 350
  - Vietnam veterans, 384
- country of birth, 236–9, 259
- couple families, 259–60
- Creutzfeldt-Jakob disease, 114
- crime, 145
  - see also* prisoners
- cryptosporidiosis, 107, 149, 418
- current price estimates, 290
- cuts, 204
- cystoscopy, 376
- dairy products, 174
- DALYs, *see* burden of disease
- data, *see* statistical developments, gaps and deficiencies
- day clinic attendances, 39
- day hospital facilities, private, 362, 364, 371–3
- deafness, 40–3
  - see also* ear diseases/disorders
- death, *see* causes of death; mortality
- decayed teeth, *see* oral (dental) health
- definitions
  - health, 2–4
  - health expenditure and funding, 287, 298
  - high blood cholesterol, 180
  - high blood pressure, 178
  - hospital patients, 360–1
  - public health, 332–3
- degree holders, *see* qualifications
- delivery and delivery methods (births), 30, 212, 366, 367, 368
  - Indigenous women, 31
- dementia, 96–7, 218–19
  - burden of disease, 133
  - cause of death, 50, 51
  - hospital separations, 103
  - profound or severe activity limitation, 45, 46, 216, 218–19
- demographics, *see* population
- dengue fever, 113–14, 149, 152, 419
- dental fluorosis, 37
- dental health, *see* oral (dental) health
- dental practitioners, 316–24, 327–30
  - consultations with, 206, 233, 353–4; referrals from GPs, 389
- dental therapists, hygienists and prosthetists, 327–9
- dentistry students, 319
- Department of Health and Ageing (DoHA), 10, 355
  - expenditure by, 292, 295, 438
- Department of Veterans' Affairs (DVA), 7, 246, 345–6, 384
  - expenditure by, 292–3, 295, 438
  - see also* veterans and war widows/widowers

- depression/depressive disorders, 46
  - GP patients, 347, 348
  - hospitalisation, 103, 212, 366
  - older Australians, 216
  - prisoners, 250, 251
  - psychiatric patient prescriptions, 379
  - see also* suicide
- dermatitis, 264, 348
- determinants of health, 5–7, 141–95
  - children, 269–77
  - see also* risk factors
- detoxification, 386
- diabetes, 43, 68–74
  - burden of disease, 131–3, 211
  - children, 69–70, 260, 266
  - comorbidity, 41, 42, 72, 74, 93
  - expenditure on, 392
  - GP consultations, 73, 389
  - hospitalisation, 74, 217, 237, 366
  - international comparisons, 2, 3
  - medications, 359
  - National Diabetes Services Scheme, 392
  - older Australians, 216, 219–20
  - overseas-born people, 237–8
  - self-assessed health status, 27, 70–1, 72
  - see also* endocrine, nutritional and metabolic disorders
- diabetes as cause of death, 50, 51, 416–17
  - associated/underlying, 58–9, 64, 73, 95
  - overseas-born people, 236, 237
  - rural and remote Australians, 243–4
  - socioeconomically disadvantaged people, 235
- Diabetes Australia, 392
- diabetic nephropathy (diabetic kidney disease), 72, 73, 93
- diabetic retinopathy, 72, 219–20
- diagnoses, *see* diseases
- diagnostic imaging, *see* medical imaging
- dialysis, 93, 362, 364, 367, 368, 369
  - age of patients, 93, 94
  - data source, 92
  - Indigenous Australians, 95, 225
  - older Australians, 216, 217
  - overseas-born people, 237
  - sex of patients, 95
  - working-age adults, 212
- diaphragmatic hernia, 200, 201
- diaphragms and caps, 29
- diarrhoea, 263, 268, 347
- diastolic blood pressure, 178
- diazepam, 358
- diet and nutrition, 171–4
  - children and infants, 174, 269–70;
    - breastfeeding, 173, 260, 269–70
  - consultations with dietitians/nutritionists, 389
  - eating disorders, 103, 396
  - food handling practices, 177
  - food standards and hygiene, expenditure
    - on, 297, 441
  - foodborne diseases, 107, 108, 112–13, 147–8, 418
  - fruit and vegetable consumption, 146, 171–3, 202, 230
  - GP counselling, 349, 350
  - health course completions, 318, 319
  - Indigenous Australians, 230
  - meal preparation assistance, 47, 396
  - see also* body weight
- digestive system diseases, 106, 427–32
  - burden of disease, 131–2
  - cause of death, 52, 228, 414–15
  - hospitalisation, 365, 366, 367; procedures, 364, 367, 368, 369
  - Indigenous Australians, 224, 225
  - overseas-born people, 237
- dilatation & curettage of uterus, 367
- diltiazem hydrochloride, 433
- diphtheria, 115, 116, 274–5
- disability, 43–9
  - cardiovascular disease, 61, 62–3;
    - comorbidity, 41, 42
  - children, 260, 264–5, 279
  - chronic obstructive pulmonary disease (COPD), 85
  - communicable (infectious and parasitic) diseases, 106
  - diabetes, 47, 73
  - hospital adverse events associated with, 377
  - Indigenous Australians, 226, 279
  - injuries, 120, 127
  - life expectancy free of severe and profound, 4
  - mental health problems and diseases, 99–100
  - musculoskeletal conditions, 88
  - older Australians, 215–16, 217, 243; *see also* residential aged care
  - rural and remote Australians, 242, 243
  - working-age adults, 208, 210
  - young people, 202
  - see also* aids and equipment; burden of disease; long-term conditions
- disability-adjusted life years, *see* burden of disease

- Disability Support Pensioners, 99–100
- disadvantage, *see* Indigenous Australians;  
socioeconomically disadvantaged people
- diseases, 37–133
- children, 261–4
  - diagnostic medical indemnity claims, 351, 352
  - hospitalisation for, 364–9
  - Indigenous Australians, 224–5
  - prisoners, 249–51
  - rural and remote Australians, 242–3
  - socioeconomically disadvantaged people, 233–4
  - veterans, 247–8
  - working-age adults, 210–11
  - young people, 203–6
- see also* cancer; cardiovascular (circulatory) disease; causes of death; communicable (infectious/parasitic) diseases; digestive system diseases; ear diseases/disorders; hospitals and hospitalisation; injuries; long-term conditions; mental health problems and illnesses; oral (dental) health; respiratory diseases/infections; risk factors; vision problems
- disposable income, 4, 154
- distance flown by Royal Flying Doctor Service, 391
- doctors, *see* medical practitioners
- domestic violence, 146
- donovanosis, 205, 418
- Down syndrome, 200, 201
- dressing aids and equipment, 396
- drinking water, 36–7, 148–9, 232, 241, 242
- drowning and immersion, 123, 124
- drug deaths, 100–1, 168, 207
- drug overdoses/poisoning, 123
- drug scripts, *see* prescribed medicines
- drug treatment services, 384–6, 389, 431–2
- drugs and drug use, 167–71, 384–6
- burden of disease, 146
  - Indigenous Australians, 230–1
  - mental health problems and illnesses, 101
  - prevention programs, expenditure on, 297, 441
  - young people, 168–9, 203, 207
- see also* alcohol consumption and abuse; injecting drugs and drug users; pharmaceuticals; tobacco smoking
- duodenitis and gastritis, 237
- duty of care medical indemnity claims, 351, 352
- DVA, *see* Department of Veterans' Affairs
- dwelling, Indigenous, 231–2
- dysthymia, 251
- e-health, 11, 12–13
- ear, nose & throat surgery, 375, 429–30
- ear diseases/disorders, 40–3, 367, 396, 427–32
- burden of disease, 133
  - children, 263, 264, 279
  - elective surgery waiting times, 376
  - GP consultations, 264, 347, 389
  - hearing services, public, 392–3
  - Indigenous Australians, 225, 279
  - older Australians, 215–16
  - profound or severe activity limitations, 45, 47, 215–16
  - working-age adults, 210–11
- early childhood development, 258–9
- eating disorders, 103, 396
- economic health determinants, *see* socioeconomically disadvantaged people
- ecosystems, 152–3
- ecstasy, 168–70, 203
- edentulous people, 353
- education, 154, 241–2
- family planning, 393–4
  - general advice/information provided, 349, 350, 386, 389; telephone-based services, 9, 390, 394
  - health and medical, 318–19
  - STI knowledge and, 158
- see also* qualifications
- elective surgery waiting times, 374–5, 376
- electronic media, 11, 12–13
- used for entertainment, 270, 271
- emergency contraception, 29
- emergency departments, *see* accident and emergency services
- emotion and cognition activity limitations, 49
- emotional disorders, *see* depression/depressive disorders; mood (affective) problems; wellbeing
- emphysema, *see* bronchitis and emphysema; chronic obstructive pulmonary disease
- employment, 4, 153, 155–6
- as cause of long-term conditions, 41, 42
  - fatalities related to, 214
  - injury and disease claims, 211
  - occupational exposures, 146
  - parents, 276–7
  - regional and remote areas, 241
- see also* health workforce
- encephalitis, 149, 150, 419
- encephalocele, 200, 201
- end-stage kidney disease, 72, 73, 92–6, 233
- see also* dialysis

- endocrine, nutritional and metabolic disorders, 427–8, 431–2  
 cause of death, 52, 227–8, 414–15  
 Indigenous Australians, 224, 225, 227–8  
*see also* diabetes
- endoscopies, 364, 367, 368, 369
- energy intake, 174, 270
- enrolled nurses, 245, 316, 321–3, 326–7  
 ‘sustainability ratio’, 318
- environmental health/factors, 146–53, 231–2  
 expenditure, 297, 441
- epilepsy, 46
- equity and access, *see* health system  
 accessibility
- erectile dysfunction/impotence, 33
- esomeprazol, 357, 358, 433
- ethnicity, *see* Indigenous Australians; migrants
- ex-service community, *see* veterans and war  
 widows/widowers
- exercise, *see* physical activity/inactivity
- exomphalos, 200, 201
- expenditure, *see* health expenditure
- external causes, *see* injuries
- eye disorders, *see* vision problems
- faecal occult blood tests, 337
- falls, 127–9  
 deaths, 124, 125, 127–9; international  
 comparisons, 2, 3  
 hip fractures after, 90–1  
 hospitalisation, 122–3, 128  
 young people, 204
- families, 259–60, 275–6  
 formation and planning, 28–33, 393–4  
*see also* births and pregnancy
- Family Planning Australia Healthline, 394
- fat intake, 174
- fatalities, *see* mortality
- fathers, identification of, 29
- FCTC, 339–40
- Federal Government, *see* Australian  
 Government
- females, *see* births and pregnancy; breast  
 cancer; cervical cancer; sex of population
- fertility, 4, 17–18, 401–2  
 age structure effect, 16  
 Indigenous females, 203
- fertility treatments, 31, 198, 199
- fetal deaths (stillbirths), 196, 200
- fevers, 347
- fiberoptic colonoscopy, 367
- finance, *see* health expenditure
- fires/burns/scalds, 123, 124, 431–2
- fitness/aerobics, 203
- flavivirus infection, 419
- flies, 150
- fluoridation, 36–7, 148, 241, 242
- Flying Doctor Service, 390–1
- FOBTs, 337
- foetal deaths (stillbirths), 196, 200
- folate intake, 173
- food, *see* diet and nutrition
- food security, 173–4
- foot problems, *see* podiatrists
- forceps delivery, 30
- fractures, 90–1, 263, 366
- Framework Convention on Tobacco Control,  
 339–40
- free-standing day hospital facilities, 362, 364,  
 371–3
- fruit and vegetable consumption, 146, 171–3,  
 202, 230
- frusemide, 433
- full-time employment, *see* hours worked
- functioning, 24–37  
*see also* disability; self-assessment of health
- fungi, 105
- gallstones, 237
- gamete intra-fallopian transfer, 31
- gastric acid, drugs to reduce, 357, 358
- gastritis and duodenitis, 237
- gastro-oesophageal reflux disease, 212
- gastrointestinal endoscopies, 364, 367, 368, 369
- gastrointestinal infections, 107, 108, 112–13,  
 147, 418  
 children, 263
- gastroschisis, 200, 201
- gastrosopies, 369
- gay people, 34, 157, 174–6, 420
- GDP, *see* gross domestic product
- general background health determinants, 142–4
- general duty of care medical indemnity claims,  
 351, 352
- General Practice Immunisation Incentives  
 scheme, 338–9
- general practitioners (GPs), 8, 245, 316, 320–3  
 international comparisons, 3, 330  
 Lifescrpts initiative, 340
- general practitioners, consultations with,  
 346–50, 450  
 asthma, 82, 83, 264, 268, 348  
 blood cholesterol (lipid disorders), 358  
 cardiovascular (circulatory) diseases, 65–6,  
 225, 348, 357, 358  
 children, 263–4, 268, 338

- general practitioners, consultations with  
(*continued*)  
chronic obstructive pulmonary disease, 85  
communicable diseases, 107–8, 268  
diabetes, 73, 389  
Indigenous Australians, 224, 225  
kidney disease, 94–5  
Medicare benefit payable, 342  
mental problems, 225, 347, 348, 358  
musculoskeletal conditions, 225, 348, 358  
Pap smears, 336  
prescriptions, 347, 348, 349, 358  
referrals to specialists and other health  
professionals, 73, 350, 389  
respiratory infections, 109, 225, 264, 347,  
348–9, 358  
sexual and reproductive health conditions,  
32–3, 34  
socioeconomically disadvantaged people,  
233  
vaccination/immunisation, 338, 347, 348;  
children, 264, 338–9  
working-age adults, 211
- General Record of Incidence Mortality (GRIM)  
Books, 55
- general surgery, *see* procedures
- genital herpes, 33, 34  
genital warts, 34, 157  
genitals, 32, 33–4, 348, 429–30  
cancer, 205
- genitourinary diseases, 106, 108, 427–32  
burden of disease, 131–2  
cause of death, 50, 51, 52, 228, 414–15  
GP patients, 107  
Indigenous Australians, 225, 228  
*see also* prostate cancer
- geographic locations, *see* cities and towns; rural  
and remote Australians; states and  
territories
- gestational diabetes, 68, 69, 74
- GHB, 169
- GIFT, 31
- girls, *see* age; children; sex of population
- glaucoma, 219–20
- global warming, 152–3
- glomerulonephritis, 93–4
- gonococcal infections, 33–4, 112, 157, 175–6, 418  
young people, 205
- governance arrangements for national health  
information, 11–13
- government concession card holders, *see*  
concession card holders
- government Disability Support Pensioners,  
99–100
- government expenditure and funding, *see*  
Australian Government expenditure and  
funding; state and territory and local  
government expenditure and funding  
government roles and responsibilities, 9–10
- GRIM Books, 55
- gross domestic product (GDP), 4  
ratios, 288, 289, 299–300; social costs of  
tobacco use, 158
- group psychotherapy groups, 379
- gynaecology, 352, 375, 429–30  
*see also* births and pregnancy
- H5N1 virus, 119
- haemodialysis, *see* dialysis
- haemolytic uraemic syndrome, 418
- Haemophilus influenzae* type b (Hib), 107, 115,  
116, 274–5, 419
- haemorrhage and haematoma complications,  
377
- haemorrhoidectomy, 376
- hallucinogens, 169
- hands, washing of, 177
- hanging, 251
- hats, 177
- hayfever and allergic rhinitis, 40–3, 205, 210,  
262
- HCV, *see* hepatitis C
- HDL cholesterol, 180
- headaches, 347
- health administration, 435–7, 439–41  
health insurance funds costs, 311, 447  
managers, 316, 321–3
- health behaviours, 158–77  
expenditure on, 297  
*see also* alcohol consumption and abuse; diet  
and nutrition; drugs and drug use;  
physical activity/inactivity; tobacco  
smoking
- Health Care Agreements, 301–2
- health care assistance, 49
- Health Care Cards, *see* concession card holders
- health classifications, *see* classifications and  
standards
- health counselling, *see* counselling
- health data, *see* statistical developments, gaps  
and deficiencies
- health determinants, *see* determinants of  
health; risk factors
- health expenditure and funding, 286–313,  
434–48  
cancer screening, 297, 336  
cardiovascular disease, 61  
communicable diseases, 106, 297, 441

- complementary and alternative medicines, 359, 395
- psychiatric hospitals, 294, 383, 384, 435–7, 439–40
  - see also* Australian Government expenditure and funding; private (non-government) sector, expenditure and funding by; recurrent expenditure; state and territory and local government expenditure and funding
- health indicators, *see* performance indicators/measurement
- health inflation, 288–9
- health information, *see* statistical developments
- Health information development priorities*, 11
- health insurance, 309–13, 390, 395
- Health Insurance Commission, 10, 342, 354
  - see also* Medicare
- health insurance funds, 309–13, 445–8
  - expenditure and funding by, 295, 304–5, 307–8, 311, 435–6, 445, 447–8
- health promotion and prevention, 297, 441
  - see also* cancer-screening services; vaccination
- health research and development, expenditure on, 297, 301, 435–7, 439–41
- health resources, 286–331, 434–49
- health risk factors, *see* risk factors
- health screening, *see* cancer-screening services
- health services managers, 316, 321–3
- health services provision and use, 332–99, 450–4
  - see also* general practitioners; hospitals and hospitalisation; specialist medical practitioners
- health status, 15–140
  - children, 261–9
  - Indigenous Australians, 196–201
  - veterans, 242–3
  - see also* diseases; mortality; self-assessment of health
- health system, 7–10
- health system accessibility, 11, 244–5
  - waiting times, 374–7
- health workforce, 11, 313–30, 449
  - Indigenous, 388
  - international comparisons, 3
  - mental health services, 380, 383, 384
  - in rural and remote Australia, 245
- healthcare cards, *see* concession card holders
- hearing, *see* ear diseases/disorders
- heart, stroke or vascular diseases, *see* cardiovascular (circulatory) disease
- heart disease/attack, 60–3
  - burden of disease, 133, 211
  - diabetes and, 72
  - hospitalisation, 66, 217, 237, 365, 366; socioeconomic inequalities, 68
  - overseas-born people, 237
  - profound or severe activity limitations, 46, 215–16
  - self-assessed health status, 27
- heart disease/attack as cause of death, 50, 51, 62–4
  - associated/underlying, 58–9, 64, 73
  - international comparisons, 2, 3
  - overseas-born people, 236, 237
  - potential years of life lost (PYLL), 53
  - rural and remote Australians, 243
  - socioeconomic inequalities, 67–8
  - working-age adults, 214
- heart failure, 60–1, 64
  - associated/underlying cause of death, 58–9, 73
  - hospitalisation, 66, 217, 237, 366
- heart malformations, congenital, 268
- heat-related illnesses, 153
- height and weight (BMI) measurements, 183–5, 202, 271–2
- 'Helping Australians with dementia, and their carers', 97
- hepatitis, 111–12, 418
- hepatitis A, 34, 107, 418
- hepatitis B, 34, 107, 112, 418
  - childhood vaccination, 112, 274–5
  - prisoners, 249–50
- hepatitis C, 34, 112, 418
  - injecting drug users, 170–1
  - notifications, 107
  - prisoners, 249–50
- herbal and natural medicines, 359, 394–5
- hernias, 200, 201, 212, 376
- heroin, 169, 170, 207, 385–6
  - see also* psychoactive substances
- herpes, 33, 34
- heterosexual people, 34, 175, 176
  - HIV infections, 111, 420
- H5N1 virus, 119
- Hib disease, 107, 115, 116, 274–5, 419
- high blood cholesterol, *see* blood cholesterol
- high blood pressure, *see* blood pressure
- higher education course completions, 318–19
  - see also* qualifications
- hip fractures, 90–1
- hip replacements, 89, 90, 367, 376
- hitting injuries, 204

- HIV/AIDS, 34, 110–11, 420
  - injecting drug users, 170–1, 420
  - international comparisons, 3
  - notifications, 108
  - prisoners, 249–50
- home care, 293
- home exposure to tobacco smoke, 160–1, 260, 272–3, 281
- homosexual people, 34, 157, 174–6, 420
- hospitals and hospitalisation, 39, 359–79, 425–33
  - air pollution associated with, 150
  - asthma, 82–3, 84, 263, 268
  - births, *see* births and pregnancy
  - cancer, *see* cancer hospitalisation
  - cardiovascular disease, *see* cardiovascular disease hospitalisation
  - childhood immunisation episodes, 338
  - children, 260, 262–3, 278–9, 364, 368–9
  - chronic obstructive pulmonary disease, 85–6, 217
  - communicable diseases, 108, 109–10, 114, 116–19
  - diabetes, 74, 217, 237, 366
  - digestive system diseases, 365, 366, 427–32
  - Indigenous Australians, 95, 96, 224–5, 278–9
  - injuries, *see* injuries hospitalisation
  - kidney disease, 95, 96, 237; *see also* dialysis
  - medical practitioners employed in, 325–6
  - Medicare benefit payable, 342, 343
  - mental health, *see* mental health problems and illnesses hospitalisation
  - musculoskeletal conditions, *see* musculoskeletal conditions hospitalisation
  - older Australians, 216–17
  - overseas-born people, 237
  - palliative care, 391–2
  - respiratory diseases, *see* respiratory diseases/infections hospitalisation
  - rural and remote Australians, 244–5
  - sexual and reproductive health conditions, 32
  - special care/intensive care nurseries, admission to, 199
  - tuberculosis, 114, 237
  - vaccine preventable diseases, 116–19
  - working-age adults, 211–13
  - young people, 204
  - see also* private hospitals; public (non-psychiatric/acute) hospitals
- hospitals and hospitalisation, expenditure on, 294, 301, 302–4, 435–7, 439–40
  - Department of Veterans' Affairs, 293
  - health insurance funding, 447
  - pharmaceuticals used, 295
- hours worked, 155
  - health workforce, 322–3, 325–7, 329
- household crime, 145
- household final consumption expenditure, 444
- household income, 154
  - see also* socioeconomically disadvantaged people
- household smoking status, 160–1, 273
- household wealth, 144
- housework assistance, 49
- housing, 4, 231–2, 241, 242
- HSVD, *see* cardiovascular (circulatory) disease
- human immunodeficiency virus, *see* HIV/AIDS
- human papilloma virus, 33, 105
- hyperactivity (ADHD), 45, 46, 261
- hypertension, *see* blood pressure
- hypoglycaemia, 71
- hysterectomies/tubal ligations, 29, 367, 376
- ibuprofen, 358
- ICD, 4, 50, 365
- ICF, 4, 43
- ICSI, 31
- illicit drugs, *see* drugs and drug use
- illness, *see* diseases
- imaging, *see* medical imaging
- immersion and drowning, 123, 124
- immigrants, *see* migrants
- immunisation, *see* vaccination
- impotence/erectile dysfunction, 33
- imprisonment, *see* prisoners
- in-vitro fertilisation, 31
- inactivity, *see* physical activity/inactivity
- income, 4, 154, 241
  - Commonwealth Government receipts, 306, 312, 434
  - private health insurance funds, 310, 445, 448
  - see also* socioeconomically disadvantaged people
- Indigenous Australians, 11, 221–32, 241, 387–8
  - asthma, 81, 83, 205, 224
  - births and pregnancy, 31, 199, 203, 222, 225; birthweight, 229
  - blood cholesterol, 181
  - blood pressure, 179
  - body weight, 186, 202, 229, 230
  - children, 65, 259, 261, 278–9; vaccination, 338
  - diabetes, 70

- drinking water supplies, 149
- education, 154
- expenditure on, 291–2, 387–8, 438
- hearing service users, 393
- information developments relating to, 222
- kidney disease, 95–6, 225
- life expectancy, 4, 196
- mental health disorders and illnesses, 225, 261
- prisoners, 249
- rheumatic fever/heart disease, 65
- young people, 201–2, 203, 205, 206
- Indigenous Australians' deaths, 226–9
  - children and infants, 199, 228–9, 278
  - injuries, 125, 207, 227–8
  - kidney disease, 95–6
  - rheumatic heart disease, 65
  - young people, 206, 207
- individual make-up, 146
- induced abortions, 32, 212, 394
- industry, 241
  - health and safety, 211, 214
  - health workers, 315
- infant mortality, 19, 196, 199–200, 265–7, 403–5
  - causes, 52, 200, 228, 267–8, 278, 414–15
  - Indigenous, 199, 228–9, 278
  - international comparisons, 3, 267, 278
  - in rural and remote areas, 282
  - socioeconomic groups, 280
  - socioeconomically disadvantaged people, 235
- infectious conjunctivitis, 264
- infectious diseases, *see* communicable (infectious/parasitic) diseases
- infertility treatments, 31, 198, 199
- inflation, 288–9
- influenza and pneumonia, 105, 419
  - avian influenza, 119, 340
  - cause of death, 50, 51, 108, 109–10, 111, 115
  - hospitalisation, 108, 109–10, 217, 366
  - socioeconomically disadvantaged people, 233
  - vaccination, 176, 338
- information, *see* statistical developments
- information and communications technology, 11, 12–13
- inguinal hernias, 212, 376
- inhalants, 169
- injectable contraception, 29
- injecting drugs and drug users, 169, 170–1, 420
  - needle and syringe programs, 341
  - prisoners, 250
- injuries, 120–9
  - acquired brain, 127, 265
  - burden of disease, 131–3, 211
  - children, 269
  - as chronic condition, 42, 120, 127
  - working-age adults, 211
  - young people, 204
  - see also* falls; transport accidents
- injuries as cause of death, 54, 55, 123–6, 414–17
  - alcohol attributed, 126
  - children, 269, 278, 279
  - Indigenous Australians, 125, 207, 227–8, 278, 279
  - by lifestage, 52–3
  - mental health service users, WA, 102
  - rural and remote Australians, 244
  - socioeconomically disadvantaged people, 235
  - young people, 207
  - see also* suicide
- injuries hospitalisation, 120–3, 365, 427–8, 431–2
  - alcohol attributed, 126
  - children, 269
  - Indigenous Australians, 224, 225
  - separations with adverse event, 377
  - young people, 204
- insulin, 392
- insurance, 307, 350–2
  - see also* health insurance
- integration of services, 11
- intellectual impairments, 210, 265
  - see also* mental health problems and illnesses
- intensive care nurseries, admission to, 199
- intentional injuries, *see* self-harm; violence and aggression
- intercourse, sexual, 28–9, 33, 34
- International Classification of Diseases and Related Health Problems (ICD), 4, 50, 365
- International Classification of Functioning, Disability and Health (ICF), 4, 43
- International Classification of Health Accounts, 298
- international comparisons, 1–2, 3
  - age of populations, 17
  - alcohol consumption, 2, 3, 166
  - asthma, 81
  - births and pregnancy, 2, 3, 196, 402, 405; birthweight, 271
  - body weight, 2, 3, 187
  - cancer incidence and mortality, 3, 79, 80
  - death rates, 2, 3, 56–8, 410–13, 416–17; infant mortality, 3, 267, 278, 405

- international comparisons (*continued*)
  - health expenditure and funding, 298–300, 313, 442–4
  - health workforce, 3, 330
  - hospital overnight separations, 361
  - life expectancy, 2, 3, 23–4, 208–9, 407
  - tobacco smoking, 2, 3, 161–2
- interpersonal violence, *see* violence and aggression
- intra-cytoplasmic sperm injection, 31
- intrauterine devices, 29
- intrauterine hypoxia, 200
- invasive meningococcal disease, 116
- in-vitro fertilisation, 31
- involuntary hospitalisation, 381
- irbesartan, 357, 433
- irbesartan with hydrochlorothiazide, 357
- ischaemic heart disease, *see* heart disease/attack
- IVF, 31
- Japanese encephalitis, 149, 150, 419
- joint replacement, 89
- Kessler Psychological Distress Scale, *see* psychological distress
- ketamine, 169
- kidney disease, 92–6, 431–2
  - cancer, 421–2
  - diabetes and, 72, 73, 93, 95
  - renal agenesis/dygenesis, 200
  - socioeconomically disadvantaged people, 233
  - see also* dialysis
- kidney failure, 51, 95–6
  - conditions associated with, 64, 73, 95
- kidney stones, 237
- kidney transplants, 92, 93, 94
- knee, arthrosis of, 217
- knee, internal derangement of, 212
- knee replacements, 89, 90, 367, 375, 376
- knowledge, attitudes and beliefs, 157–8
- Korean War veterans, 248–9
- kunjin virus, 149, 150, 419
- labour force, *see* health workforce
- land transport accidents, *see* transport accidents
- LDL cholesterol, 180
- lead, in air, 151–2
- leg problems, 72
- legionellosis, 418
- length of hospital stay, 361, 362, 363–4, 427–32
  - asthma, 82
  - cardiovascular disease, 66, 427–32
  - chronic pulmonary disease, 85
  - diabetes, 74
  - injuries, 121
  - kidney disease, 95
  - mental health problems and illnesses, 103, 104, 427–8, 431–2
  - palliative care, 391–2
  - see also* overnight patients; same-day patients
- lens insertion/extraction, 364, 367, 368, 369
- leprosy, 418
- leptospirosis, 419
- lesbian women, 174–5
- leukaemia, 51, 205, 260
- lice, pubic, 34
- life expectancy, 3, 19–24, 406–7
  - disability and, 47–9
  - Indigenous Australians, 222
  - older Australians, 2, 20–3, 215; after hip fractures, 90
  - socioeconomically disadvantaged people, 234
  - working-age adults, 208–9
- Lifescrpts initiative, 340
- lifestyle, *see* health behaviours
- 'Lifetime' Health Cover, 310
- lipid disorders, *see* blood cholesterol
- listeriosis, 418
- liver diseases, 51, 112
  - see also* digestive system diseases
- liver transplants, 112
- living conditions, Indigenous, 231–2
- local government, 338
  - see also* state and territory and local government expenditure and funding
- local medical officers and specialists, 293, 345–6
- lone parent families, 156, 259–60, 277
- long-sightedness, 40–3, 210, 262
- long-term conditions, 39–43
  - children, 262
  - communicable (infectious and parasitic) diseases, 106
  - Indigenous Australians, 224
  - injuries, 120, 127; resulting from, 42
  - mental health, 42–3, 97–8, 99–102
  - older Australians, 215
  - profound or severe activity limitations, 45–7
  - self-assessed health status, 27
  - working-age people, 210–11
  - young people, 205
  - see also* burden of disease
- longevity, *see* life expectancy
- lower limbs, 72
  - fractures, 90, 91
  - see also* podiatrists

- lung cancer, 74–9, 421–2
  - burden of disease, 133
  - overseas-born people, 237
- lung cancer as cause of death, 50, 51, 77–9, 421
  - international comparisons, 2, 3
  - overseas-born people, 236, 237
  - potential years of life lost (PYLL), 53
  - rural and remote Australians, 244
  - socioeconomically disadvantaged people, 235
  - unemployment and, 155
  - working-age adults, 214
- lymphomas, 51, 205
  - non-Hodgkin's (NHL), 74, 75, 77, 78, 421–2
- Mackay, 337
- macular degeneration, age-related (AMD), 219–20
- malaria, 113, 114, 419
- males, *see* prostate cancer; sex of population
- manic episodes, 103, 251
- manual occupations, 155, 156
- marijuana/cannabis, 101, 168–70, 203, 385–6
- marriage, 29, 156
- massages, 394
- maternity, *see* births and pregnancy
- Maternity Immunisation Allowance, 339
- meal preparation assistance, 49, 396
- measles, 107, 115, 116–17, 275, 419
- median age, *see* age
- medical abortion, 32, 212, 394
- medical aids, 395–6
- medical imaging, 344–5, 349, 350, 429–30, 451
  - professionals, 316, 320–3
- medical indemnity, 307, 350–2
- Medical Indemnity National Collection, 351
- medical practitioners, 8, 39, 316–26, 342–52
  - acupuncture by, 395
  - bulk-billing, 305–6, 344–5, 346
  - Department of Veterans' Affairs' health expenditure, 293
  - Royal Flying Doctor Service, 390–1
  - 'sustainability ratio', 318
  - see also* general practitioners; medical services, expenditure and funding on; specialist medical practitioners
- medical services, expenditure and funding on, 294, 301, 302, 304–6, 435–7, 439–40
  - Department of Veterans' Affairs, 293
  - health insurance funds, 447
- medical students, 318, 319
- Medicare, 304, 342–5, 450–4
  - acupuncture, 395
  - allied health services, 390
  - cervical screening, 336
  - Indigenous Australians, expenditure on, 292
  - private psychiatry, 379
  - public patients, 361
  - sexual health benefits paid, 29
  - vaccination, 339
  - working-age adult's use of services, 211
- Medicare agreements, 300–1
- Medicare Australia, 10, 342, 354
- Medicare levy, 306, 434
- Medicare levy surcharge, 312
- medications, 349, 354–9
  - for mental wellbeing, 98, 104
  - see also* pharmaceuticals; prescribed medicines
- medicine (course of study), 318, 319
- melanoma, 50, 74–9, 205, 421–2
- Melbourne, 85, 150, 151, 337
- men, *see* prostate cancer; sex of population
- meningococcal infection, 107, 116, 418
- mental health problems and illnesses, 42–3, 97–104, 145, 379–84
  - burden of disease, 97, 131–3
  - children, 260, 261, 262, 265, 380, 383
  - comorbidity, 42, 99, 101–2, 104
  - GP consultations, 225, 347, 348, 358
  - Indigenous Australians, 225
  - knowledge, attitudes and beliefs, 158
  - medical indemnity claims, 352
  - medications, 98, 104, 358, 379
  - older Australians, 100
  - prisoners, 250–1
  - private health ancillary payments, 390
  - psychological counselling by GPs, 350
  - psychologists, 316, 317, 321–3; consultations with, 389
  - veteran community, 247–8
  - young people, 203–4
  - see also* anxiety-related problems; dementia; depression/depressive disorders; mood (affective) problems; psychological distress; wellbeing
- mental health problems and illnesses as cause of death, 52, 100–1, 414–15
  - Indigenous Australians, 228
- mental health service users, WA, 102
- mental health problems and illnesses
  - hospitalisation, 102–4, 366, 381–4, 427–8, 431–2
  - Indigenous Australians, 225
  - Medicare expenditure, 379
  - same-day, 369
  - see also* suicide

- mental health services, 379–84  
*see also* public psychiatric hospitals
- mental retardation, 103, 380, 383
- mesothelioma, 75
- metabolic disorders, *see* endocrine, nutritional  
 and metabolic disorders
- metformin hydrochloride, 357
- methadone, 169
- methamphetamines/amphetamines, 168–70,  
 203, 385–6
- middle ear infections, 279
- migraine, 40
- migrants and overseas-born people, 235–9  
 asthma, 81  
 children, 259  
 congenital rubella infection, 117  
 diabetes, 236, 237–8  
 health professionals, 319–20  
 tuberculosis, 114, 237
- milk, 174  
 breastfeeding, 173, 260, 269–70
- MINC, 351
- mineral supplements, 359
- MIR for cancer, 78–9
- misadventures, 378
- mobility activity limitations, 49, 210, 395–6
- mood (affective) problems, 42, 98  
 community health service patients, 380  
 hospital separations, 103, 381–2, 383  
 prisoners, 250–1  
 self-assessed health status, 27  
*see also* depression/depressive disorders
- morbidity, *see* disability; diseases
- mortality, 18–24, 50–9, 403–17  
 age structure effect, 16  
 children, 52, 260, 265–9; *see also* infant  
 mortality  
 Indigenous Australians, *see* Indigenous  
 Australians' deaths  
 overseas-born people, 236–7, 238–9  
 palliative care services, 391–2  
 prisoners, 251  
 rural and remote Australians, 242, 243–4  
 socioeconomically disadvantaged people,  
 234–5  
 veterans, 247  
 working-age adults, 213–14  
 young people, 206–7, 244  
*see also* causes of death; life expectancy;  
 survival following diagnosis
- mortality to incidence ratio for cancer, 78–9
- mothers, *see* births and pregnancy
- motor vehicles, 150, 152, 163  
*see also* transport accidents
- multiple births, 31, 197–8, 199
- multiple sclerosis, 46
- mumps, 116, 117, 275, 419
- Murray Valley encephalitis, 149, 150, 419
- musculoskeletal conditions, 40–3, 87–92  
 aids and equipment use, 396  
 burden of disease, 88, 89, 131–3  
 cause of death, 88, 89, 414–15; hip fractures,  
 90  
 chiropractors/osteopaths, 320, 394–5  
 comorbidity, 41, 92, 101  
 Disability Support Pensioners with, 100  
 GP consultations, 225, 348, 358  
 Indigenous Australians, 224, 225  
 medical indemnity claims, 352  
 medications, 358, 359  
 profound or severe activity limitations, 45,  
 47  
 self-assessed health status, 27  
 socioeconomically disadvantaged people,  
 233  
 working-age adults, 210  
*see also* older Australians and  
 musculoskeletal conditions
- musculoskeletal conditions hospitalisation,  
 365, 366, 427–32  
 children, 263  
 elective surgery waiting times, 375  
 fractures, 90–1, 263, 366  
 older Australians, 89–91  
 procedures, 89, 90, 367, 429–30
- myocardial infarction, *see* heart disease/attack
- myringitis/acute otitis media, 264, 367, 376
- narcotics, *see* drugs and drug use
- nasal congestion/sneezing, 347
- National Aboriginal and Torres Strait Islander  
 Health Survey, 70
- National Advisory Group for Aboriginal and  
 Torres Strait Islander Health Information  
 and Data, 11
- National Agenda for Early Childhood, 258–9
- National Bowel Screening Program, 337
- National Cancer Statistics Clearing House, 76
- National Centre in HIV Epidemiology and  
 Clinical Research, 108
- National Cervical Screening Program, 336
- National Dental Telephone Interview Survey,  
 29
- National Diabetes Register, 69, 70
- National Diabetes Services Scheme, 392
- National e-Health Transition Authority  
 (NEHTA), 12–13

- National Environmental Protection Measures, 151
- National Health and Medical Research Council, 337  
 alcohol guidelines, 167  
 dietary guidelines, 171–2  
*National health data dictionary*, 10
- National Health Information Agreement, 8, 10
- National Health Information Group (NHIG), 8, 11–12
- National Health Performance Committee, 6, 318
- National Health Performance Framework, 6–7, 373–9  
*see also* performance  
 indicators/measurement
- National Health Priorities Action Council, 7
- National Health Survey, 38
- National Hospital Morbidity Database, 360
- National Immunisation Program Schedule (NIPS), 337–8
- National Mental Health Strategy, 379
- National Notifiable Diseases Surveillance System, 33–4, 106, 107, 108
- National Physical Activity Guidelines for Australians, 162
- National Physical Activity Surveys, 163
- National Public Health Information Working Group, 11
- National Public Health Partnership, 8
- National Road Safety Strategy 2001–2010, 341
- National Survey of Mental Health and Wellbeing, 204
- natural medicines, 359, 394–5
- NCSCH, 76
- NDSS, 392
- needles and syringes, 170–1, 341, 392  
*see also* injecting drugs and drug users
- NEHTA, 12–13
- neonatal conditions, *see* perinatal/neonatal conditions
- neoplasms, *see* cancer
- nervous system diseases/disorders, 427–32  
 burden of disease, 131–3  
 cause of death, 52, 228, 279, 414–15  
 Indigenous Australians, 224, 228; children, 279  
 prescribed medicines, 358  
*see also* dementia
- neural tube defects, 173, 200, 201
- neurosurgery, 375
- neurotic, stress-related and somatoform disorders, 103, 380, 382, 383  
 post-traumatic stress disorder, 250, 251, 384
- New South Wales, 176, 177, 186, 250–1, 272  
 physical activity among school children, 164, 270–1  
 Sydney air pollution, 150, 151
- New Zealand, 155  
*see also* international comparisons
- NHIG, 8, 11–12
- NHMRC, *see* National Health and Medical Research Council
- NIPS, 337–8
- nitrogen dioxide, 150–1
- NNDS, 33–4, 106, 107, 108
- non-admitted patients, 360–1, 368–71  
*see also* accident and emergency services
- non-English speaking backgrounds, *see* migrants and overseas-born people
- non-government sector, *see* private (non-government) sector, expenditure and funding by
- non-Hodgkin's lymphoma (NHL), 74, 75, 77, 78, 421–2
- non-melanocytic skin cancer, *see* skin cancer
- non-specific urethritis, 34
- Northern Territory, 65  
*see also* states and territories
- notifiable diseases, 33–4, 106, 107, 108, 115–19
- nuclear medicine and radiotherapy, 344, 345
- nurses, 316–24, 326–7  
 community, DVA health expenditure on, 293  
 consultations with, 388–9; Medicare, 339, 344  
 international comparisons, 3, 330  
 rural and remote areas, 245, 326–7, 336
- nursing homes, *see* residential aged care
- nursing students, 318, 319
- nutrition, *see* diet and nutrition
- obesity, *see* body weight
- obstetrics, *see* births and pregnancy
- occupational health and safety, 146, 211, 214
- occupational therapists, 316–23
- occupational therapy students, 318, 319
- occupations, 155–6, 158  
*see also* health workforce
- OECD countries, *see* international comparisons
- oedema, 64
- oesophagus disease, 348
- Office for Aboriginal and Torres Strait Islander Health, 387
- Office of Hearing Services, 392
- older Australians, 16, 215–21  
 food security, 173  
 Indigenous, 226

- older Australians (*continued*)
  - influenza and pneumococcal vaccinations, 176
  - physical activity, 164
  - rural and remote, 242, 243
  - see also* age; dementia; residential aged care
- older Australians and life expectancy, 2, 3, 20–3, 215, 406–7
  - after hip fractures, 90
  - socioeconomically disadvantaged people, 234
- older Australians and musculoskeletal conditions, 87–92, 217, 220–1
  - falls, 125, 127–8; hip fractures after, 90–1
  - profound or severe core activity limitation, 215–16
- omeprazole, 357, 433
- one-parent families, 156, 259–60, 277
- operating profit, health insurance funds, 310
- operations, *see* procedures
- opiates/opioids, 169
  - see also* heroin
- optometry, optometrists and opticians, 319, 320
  - consultations with, 389–90; Medicare items, 344, 390, 451
  - see also* vision problems
- oral contraceptives, 29, 33
- oral (dental) health, 35–7, 260, 352–4, 423–4
  - hospitalisation, 263, 369, 429–30, 435–347, 439–40
  - international comparisons, 2, 3
  - older Australians: with dementia, 219
  - rural and remote children, 242
  - socioeconomically disadvantaged people, 233
  - young people, 205–6
  - see also* dental practitioners
- oral (dental) health expenditure and funding, 294, 302, 435–7, 439–40
  - Department of Veterans' Affairs, 293
  - health benefits paid, 311
  - health insurance funds, 447
- organic mental disorders, 103, 380, 383
  - see also* dementia
- Organisation for Economic Co-operation and Development countries, *see* international comparisons
- ornithosis, 419
- orthopaedics, *see* musculoskeletal conditions
- osteoarthritis, 40, 87, 88, 220–1
  - burden of disease, 133
  - GP consultations, 348
  - knee and hip replacements, 89
  - self-assessed health status, 27
- osteopaths/chiropractors, 320, 394–5
- osteoporosis, 46, 87–8, 216
  - hip fractures, 90–1
  - socioeconomically disadvantaged people, 233
- otitis media, 263, 264
- outpatient services, *see* non-admitted patients
- ovarian cancer, 51, 421–2
- over-the-counter medicines, 349, 358
- overconsumption of food, 174
- overcrowded living conditions, 231–2
- overnight patients, 361
  - mental health, 381–2, 383
  - see also* length of hospital stay
- overseas-born people, *see* migrants
- overseas-trained health professionals, 319–20
- overweight, *see* body weight
- OzFoodNet, 112
- ozone, 151
- Pacific Islanders, 238
- pain
  - abdominal and pelvic, 212, 263
  - during intercourse, 33
  - throat and chest, 212, 217
  - see also* analgesics/pain-killers; back pain and disc disorders
- palliative care services, 391–2
- Pan Pharmaceuticals, 359
- pancreas, 431–2
  - cancer, 51, 421–2
- pandemic planning, 340
- panendoscopies, 367
- panic disorders, 251
- Pap smears, 33, 78, 336, 348
  - socioeconomically disadvantaged people, 233
  - wart virus infections, 34
- papilloma virus, 33, 105
- paracetamol, 357, 358
- paralysis, 45, 46
- parasitic diseases, *see* communicable (infectious/parasitic) diseases
- parents, *see* families
- Parkinson's disease, 45, 46, 133
- part-time employment, *see* hours worked
- particulate matter in air, 151
- partner violence, 146
- passive smoking, 157, 160–1
- paternity, identification of, 29
- pathology services, 95, 211, 344–5, 349, 350, 450
- patient days, 361, 427–32
  - AR-DRG activities, 369
  - definition, 360

- mental health care, 103, 381, 382
- procedures, 366
- patients, *see* hospitals and hospitalisation
- PBS, *see* Pharmaceutical Benefits Scheme
- peer groups of public hospitals, 371, 374–7
- pelvic and abdominal pains, 212, 263, 347
- pelvic diseases, 32, 34
- penicillin resistance, 34
- pensioners, *see* concession card holders
- per person health expenditure, 290–2, 438
  - international comparisons, 299, 300, 444
- percutaneous coronary interventions (PCI), 67
- performance indicators/measurement, 5–7, 11
  - children's health, 260
  - hospitals, 374–9
- perinatal/neonatal conditions, 263, 427–8
  - burden of disease, 131, 132
  - cause of death, 52, 200, 228, 267–8, 278
  - see also* infant mortality
- perindopril, 357, 433
- perineal laceration during pregnancy, 212
- peripheral vascular disease, 66, 72
- personal care and nursing assistants, 316, 321–3
- personality disorders, 103, 133, 251, 380, 383
- Perth, 151
- pertussis (whooping cough), 107, 115, 116, 118–19, 419
  - childhood vaccination coverage, 274–5
  - hospitalisation, 116, 119
  - rural and remote Australians, 242, 243
- pesticides, 149
- Pharmaceutical Benefits Advisory Committee, 355
- Pharmaceutical Benefits Pricing Authority, 358
- Pharmaceutical Benefits Scheme (PBS), 296, 306, 433, 435–7, 439–40
  - highest cost drugs, 357–8
  - for Indigenous Australians, 292
  - psychiatric patient prescriptions, 379
- pharmaceutical poisonings, 123
- pharmaceuticals, expenditure and funding on, 294, 295–6, 301, 302, 435–7, 439–40
  - Department of Veterans' Affairs, 293, 295
  - health insurance funds, 447
  - highest cost drugs, 357–8
  - see also* prescribed medicines (prescriptions)
- pharmacists (chemists), 316–23, 318, 354
  - consultations with, 388–9
  - in rural and remote areas, 245
  - see also* prescribed medicines
- Pharmacy Guild of Australia, 354
- pharmacy students, 319
- physical activity/inactivity, 162–5
  - body image perception impact, 158
  - burden of disease, 146, 173
  - children, 162, 164, 270–1
  - Indigenous Australians, 230
  - self-assessed health status, 27–8
  - young people, 162, 164, 203
- Physical Activity Recommendations for Children and Young People, 270–1
- physical disability, *see* disability
- physicians, *see* medical practitioners
- physiotherapists, 245, 316–23, 388–90
- physiotherapy students, 318, 319
- A picture of Australia's children*, 259
- pig surveillance, 150
- pill (oral contraceptive), 29, 32
- plastic surgery, 375
- PM<sub>10</sub>, 151
- pneumococcal disease, 176, 419
- pneumonia, *see* influenza and pneumonia
- podiatrists, 245, 316–23, 388–90
- podiatry students, 318, 319
- poisonings, 123, 124
- poliomyelitis, 115, 116, 117, 176
  - childhood vaccination coverage, 274–5
- pollution, 148–9, 150–2
- population (demographics), 15–24, 400
  - children, 259
  - geographic distribution, 241–2, 259
  - health insurance coverage, 311–13
  - Indigenous, 202, 222, 241
  - older Australians, 215
  - overseas-born, 235
  - prisoners, 249
  - veterans, 246
  - working-age adults, 207–8
  - young people, 201–2
  - see also* age; births and pregnancy; health workforce; mortality; sex of population
- population ageing, 16, 321
- population health, *see* public health
- post-coital contraception, 29
- post-traumatic stress disorder, 250, 251, 384
- postgraduate qualifications, *see* qualifications
- potential years of life lost, *see* burden of disease
- pravastatin, 433
- pre-term births, 199
- pregnancy, *see* births and pregnancy
- premature mortality, *see* burden of disease
- prescribed medicines (prescriptions), 354–8, 433
  - GP consultations, 347, 348, 349, 358
  - hospital adverse events, 378, 379
  - mental problems and illnesses, 104, 358, 379
  - working-age adults, 211

- prevention and promotion, 297, 441
  - see also* cancer-screening services; vaccination
- prion diseases, 114
- prisoners, 111, 249–51
  - imprisonment rates, 144
- private dental practices, visits to, 354
- private free-standing day hospital facilities, 362, 364, 371–3
- private health insurance, *see* health insurance
- Private Health Insurance Incentives Scheme, 303
- private hospitals, 8, 9, 360–73, 378, 426, 428, 430, 432
  - expenditure and funding, 294, 301, 302, 435–7, 439–40; health insurance funds, 311, 447
  - expenditure on pharmaceuticals by, 295
  - palliative care, 391–2
  - specialised psychiatric units, 381–2, 383
- private (non-government) mental health services, 381
- private (non-government) sector, expenditure and funding by, 295, 301–6, 307–13, 435–6, 443–8
  - capital, 298
  - Indigenous programs, 292, 438
  - see also* health insurance funds
- private psychiatry, 379
- procedures, 360, 366–8, 429–30, 451
  - adverse events, 378, 379
  - cardiovascular, 67, 245, 367, 429–30
  - elective surgery waiting times, 374–5, 376
  - GP consultations, 349, 350
  - knee and hip replacements, 89, 90, 367, 375, 376
  - medical indemnity claims, 351, 352
  - Medicare items processed, 344
  - rural and remote Australians, 245
  - sterilisation, 29
  - transplants, 92, 93, 94, 112
  - see also* dialysis; procedures; treatments
- Productivity Commission, 313–14
- professional indemnity insurance, 307, 350–2
- professional occupations, 156
- progesterone implants, 29
- promotion and prevention, 297, 441
  - see also* cancer-screening services; vaccination
- property maintenance assistance, 49
- prostate, enlarged, 237
- prostate cancer, 74–8, 421–2
  - burden of disease, 133
  - cause of death, 50, 51, 77, 78, 244, 421
  - international comparisons, 3
- prostatectomy, 367, 376
- protective factors, *see* risk factors
- psychiatric disability, 99–100, 210, 265
  - see also* mental health problems and illnesses
- psychiatric hospitals, *see* public psychiatric hospitals
- psychiatrists, 379
- psychoactive substances, 380, 383
  - cause of death, 100–1
  - see also* alcohol consumption; drugs and drug use
- psychological distress, 97, 98–9, 103, 104
  - alcohol use and, 167
  - illicit drug use and, 169–70
- psychological problems, *see* mental health problems and illnesses
- psychological stress, 177
- psychologists, 316, 317, 321–3
  - consultations with, 389
- psychotic disorders, *see* schizophrenia and psychotic disorders
- public lice, 34
- public dental services, visits to, 354
- public health, 9, 11, 332–41
  - expenditure on, 296–7, 301, 302, 306, 435–7, 439–41
  - health course completions, 319
- public health cards, *see* concession card holders
- public hearing services, 392–3
- public (non-psychiatric/acute) hospitals, 8, 9, 360–278, 425, 427, 429, 431
  - expenditure and funding, 294, 300–1, 302–4, 306, 435–7, 439–40; health insurance funds, 447
  - expenditure on pharmaceuticals by, 295
  - overseas-born patients, 237
  - palliative care, 391–2
  - prisoner deaths, 251
  - specialised psychiatric units, 381–4
- public (Medicare) patients, 343, 361
- public psychiatric hospitals, 361, 362, 371–3, 381–4
  - expenditure on, 294, 383, 384, 435–7, 439–40
  - same-day separations, 364
- pulmonary diseases, *see* chronic obstructive pulmonary disease
- PYLL, 53, 421
- Q fever, 419
- qualifications (educational attainment), 154
  - food security, 173
  - health workforce students obtaining, 318–19

- quality, 11, 13
  - see also* complications
- quarantinable diseases, 418
- Queensland, 150, 151, 238
  - see also* states and territories
- radiography students, 319
- radiotherapy and nuclear medicine, 344, 345
- ramipril, 356–7, 433
- rashes, 347
- recurrent expenditure, 286–7, 294–7, 302, 306, 435–7, 439–40
  - community mental health services, 380
  - cost per casemix-adjusted separation, calculation of, 373
  - prescribed medicines, 354
  - public psychiatric hospitals, 383
- referrals to specialists/other health professionals, 73, 350, 389
- registered nurses, 245, 326–7
- rehabilitation (drug treatment), 386
- rehabilitation appliances, *see* aids and equipment
- rehabilitation procedures, 212, 217
- rehabilitation service students, 319
- remedial massages, 394
- remoteness, *see* rural and remote Australians
- renal agenesis/dygenesis, 200
- renal disease, *see* kidney disease
- Repatriation Health Card holders, 246–7, 293
  - see also* concession card holders
- Repatriation Pharmaceutical Benefits Scheme (RPBS), 355
- reproduction, *see* births and pregnancy
- reproductive organs, *see* genitals
- research and development, expenditure on, 297, 301, 435–7, 439–41
- residence in Australia, length of, 238–9
- residential aged care, expenditure on, 294, 301, 302, 306, 435–7, 439–40
  - Department of Veterans' Affairs, 293
- residential mental health care, 381–4
  - see also* public psychiatric hospitals
- respiratory diseases/infections, 79–87, 109–10, 111
  - air pollution and, 150, 151
  - burden of disease, 131–3
  - Indigenous Australians, 205, 224–5, 279
  - international comparisons, 2, 3
  - long-term condition, 40, 41, 205, 224
  - older Australians, 108, 109
  - see also* asthma; chronic obstructive pulmonary disease; influenza and pneumonia
- respiratory diseases/infections as cause of death, 109, 111, 150, 414–17
  - conditions associated with, 95, 102
  - Indigenous Australians, 228; children, 279
  - by life stage, 52, 53
  - rural and remote Australians, 244
  - socioeconomically disadvantaged people, 235
  - trends in, 54, 55, 110
- respiratory diseases/infections GP consultations, 109, 347, 348–9
  - children, 263
  - Indigenous Australians, 225
  - prescriptions, 358
- respiratory diseases/infections hospitalisation, 109–10, 365, 366, 427–32
  - children, 279
  - Indigenous patients, 224–5
  - older people, 217
  - sex of patients, 213
- retirements from health workforce, 320–1
- rheumatic fever/heart disease, 65, 66
- rheumatism, 42
- rheumatoid arthritis, 87, 88, 89, 220–1, 233
- rhinitis and hayfever, 40–3, 205, 210, 262
- risk factors, 141–95, 340
  - asthma, 80
  - cancer, 75
  - cardiovascular disease, 61
  - children, 269–75
  - chronic obstructive pulmonary disease, 83–4
  - diabetes, 69
  - Indigenous Australians, 229–31
  - injuries, 126–7
  - kidney disease, 93–4
  - socioeconomically disadvantaged people, 233, 234
  - working-age adults, 210
  - young people, 202–3
  - see also* biomedical risk factors; environmental health/factors; health behaviours; socioeconomically disadvantaged people
- road safety programs, 341
- road traffic accidents, *see* transport accidents
- Ross River virus, 113, 149, 242, 243, 419
- roxithromycin, 358
- Royal Flying Doctor Service, 390–1
- RPBS, 355
- rubella, 107, 117, 275, 419
- rural and remote Australians, 239–45, 390–1
  - accident and emergency service use, 369–70
  - cancer screening, 334, 335, 336

- rural and remote Australians (*continued*)
  - children, 259, 281–2
  - dental visits, 353–4
  - food security, 173–4
  - health workforce, 325–9, 336
  - see also* cities and towns
- rural and remote Indigenous Australians, 222, 241, 387–8
  - cervical cancer, 240
  - housing and living conditions, 232
  - mortality rate, 206
  - social and emotional wellbeing, 223
- safe period contraception method, 29
- safety, 124
  - in health care, 11, 13
  - see also* complications
- St John's Ambulance Service, 390
- salbutamol, 357, 358, 433
- salmeterol and fluticasone, 357–8
- salmonellosis, 107, 113, 418
- same-day patients, 362, 364, 427–32
  - AR-DRG activities, 368, 369
  - with kidney disease, 95
  - with mental problems, 379, 381–2, 383, 427–8, 431–2
- saturated fat intake, 174
- scalds/fires/burns, 123, 124, 431–2
- schizophrenia and psychotic disorders, 45, 46, 133
  - community mental health service patients, 380
  - hospital separations, 103, 381, 383
  - prisoners, 250–1
- school retention rates, 154
- schoolchildren, *see* children
- screening programs, *see* cancer-screening services
- seasons
  - for asthma hospitalisation, 82
  - physical activity participation, 270
- self-assessment of health, 24–8
  - children, by parents, 261
  - Indigenous Australians, 202, 222
  - international comparisons, 3
  - socioeconomically disadvantaged people, 233
  - working-age adults, 209
  - young people, 202
- self-care activity limitations, 49, 395–6
- self-harm, 123, 250
  - see also* suicide
- senile cataract, 217
- sensory/speech disability, 99, 210, 265
  - see also* ear diseases/disorders; vision problems
- sentinel surveillance, 150
- separations from hospital, *see* hospitals and hospitalisation
- septicaemia, 50
- septoplasty, 376
- sertraline, 433
- sex of hospital patients, 425–6
  - accident and emergency services, 370–1
  - asthma, 82–3
  - cardiovascular disease, 66
  - chronic obstructive pulmonary disease, 86
  - diabetes, 74
  - hip fractures, 90
  - injuries, 121, 122; after falls, 128
  - kidney disease, 95
  - mumps, 117
  - sexual or reproductive diseases, 32
  - tuberculosis, 114
  - working-age adults, 212–13
- sex of population, 16–17, 400
  - AIDS cases, 111, 420
  - alcohol and other drug treatment service clients, 385
  - alcohol consumption, 168, 203, 230; standard drinks, 167
  - allied health consultations, 388–9
  - alternative medicine use, 359
  - asthma, 80–3
  - birth ratios, 197, 402
  - birthweight, 198
  - blood cholesterol, 146, 180–2
  - blood pressure, 146, 178–9
  - body weight, *see* sex of population and body weight
  - burden of disease, 53, 146, 211; socioeconomic disadvantage, 154
  - cancer, 421–2; *see also* sex of population with cancer as cause of death
  - cardiovascular (circulatory) diseases, 62–4, 66, 234; *see also* sex of population with cardiovascular (circulatory) diseases as cause of death
  - children, 261
  - chronic obstructive pulmonary disease, 86
  - complementary and alternative medicine users, 359, 394
  - death, *see* sex of population and mortality
  - dementia, 218
  - diabetes, 70, 73, 74, 238
  - diet and nutrition, 172, 173; children, 174

- with disability, 44–5, 208, 226, 243, 264
- education, 154
- employment, 155–6
- health professional consultations, 39, 211
- health workforce, 321–3
- in hospital, *see* sex of hospital patients
- illicit drug users, 203
- Indigenous Australians, 202, 226, 227–8, 230, 388
- injuries, 121, 122, 204; *see also* sex of population with injuries as cause of death
- kidney disease, 92, 95
- life expectancy, *see* sex of population and life expectancy
- long-term conditions, 40, 205
- medical indemnity claimants, 351
- Medicare use, 211, 452–4
- mental health, *see* sex of population with mental health problems and illnesses
- mortality, *see* sex of population and mortality
- musculoskeletal conditions, *see* sex of population with musculoskeletal conditions
- physical activity, 163–5, 270–1
- prescription rates, 211
- prisoners, 249–51
- respiratory infections, *see* sex of population with respiratory infections/diseases
- rubella, 117
- self-assessment of health, 24–5, 209
- sexual and reproductive health, 28–9, 32–4, 157–8, 174–6
- single parents, 259, 260
- socioeconomically disadvantaged, 233–5
- sun protection, 177
- tobacco smokers, 75, 158–60, 230; children, 273
- veterans, war widows and war widowers, 247–9
- working-age adults, 207–8
- sex of population and body weight, 146, 183–7
  - at birth, 197
  - children, 272
  - Indigenous Australians, 202
  - young people, 202
- sex of population and life expectancy, 20–4, 208, 215, 406–7
  - disability and, 45–7, 208
  - Indigenous, 222
  - international comparisons, 2, 3, 407
  - socioeconomically disadvantaged people, 234
- sex of population and mortality, 18, 50–9, 406–17
  - asthma, 81–2
  - cancer, *see* sex of population with cancer as cause of death
  - cardiovascular disease, *see* sex of population with cardiovascular (circulatory) diseases as cause of death
  - children and infants, 200, 265–7, 280–1, 405
  - chronic obstructive pulmonary disease, 86
  - diabetes, 73
  - hepatitis C, 108
  - Indigenous Australians, 227–8
  - injuries, *see* sex of population with injuries as cause of death
  - meningococcal infections, 116
  - mental health problems and illnesses, 101, 414–15
  - prisoners, 251
  - respiratory diseases, *see* respiratory diseases/infections as cause of death
  - rural and remote Australians, 244
  - socioeconomically disadvantaged people, 154, 155, 235
  - suicide, 51, 124, 126, 207, 212, 214, 244
  - transport accidents, 124, 126, 213, 214
  - tuberculosis, 114
  - veteran community, 248–9
  - working-age adults, 213–14
  - young people, 206–7
- sex of population with cancer as cause of death, 50–4, 56, 77–9, 80, 414–17, 421
  - associated cause, 58–9
  - Indigenous Australians, 228
  - socioeconomically disadvantaged people, 235
  - veterans, 249
  - working-age adults, 213–14
- sex of population with cardiovascular (circulatory) diseases as cause of death, 50–6, 62–4, 414–17
  - associated cause, 58–9
  - Indigenous Australians, 228
  - socioeconomically disadvantaged people, 235
- sex of population with injuries as cause of death, 123–6, 414–17
  - Indigenous Australians, 228
  - socioeconomically disadvantaged people, 235
  - young people, 207

- sex of population with mental health problems and illnesses, 98–100, 101, 414–15
  - children, 261
  - community mental health care service patients, 380
  - Indigenous Australians, 228
  - older Australians, 98
  - psychiatric patients, 379
  - veteran community, 248
- sex of population with musculoskeletal conditions, 40, 87–90, 414–17
  - aids and equipment use, 396
  - older Australians, 220–1
- sex of population with respiratory infections/diseases as cause of death, 54, 55, 111, 414–17
  - age at death, 109
  - Indigenous Australians, 228
  - socioeconomically disadvantaged people, 235
- sexual abuse of children, 146
- Sexual Health and Family Planning Australia, 393–4
- sexual health/practices, 28–34, 174–6, 393–4
  - knowledge of, 157–8
  - unsafe, 146
  - see also* births and pregnancy
- sexually transmitted infections (STIs), 33–4, 112, 157–8, 418
  - young people, 205
  - see also* HIV/AIDS
- shigellosis, 418
- short-sightedness, 40, 41, 43, 205, 210, 262
- shortages in health workforce, 313–14
  - ‘sustainability ratio’, 318
- showering aids and equipment, 396
- sickness, *see* diseases
- SIDS, 260, 267
- sight, *see* vision problems
- simvastatin, 356–8, 433
- single-parent families, 156, 259–60, 277
- sinusitis, 40, 41, 210, 262
- skin cancer, 74, 76, 77, 78
  - melanoma, 50, 74–9, 205, 421–2
  - older Australians, 217
- skin diseases/disorders, 369, 414–15, 427–32
  - children, 264, 279
  - GP consultations, 225, 264, 347, 348
  - Indigenous Australians, 225, 279
- sleep disorders/disturbance, 212, 348
- sleeping pills, 98, 358
  - illicit use, 169
- smallpox, 176
- smoking, *see* tobacco smoking
- sneezing/nasal congestion, 347
- social cohesion, 144
- social costs, 158, 165
  - see also* burden of disease
- social wellbeing, *see* wellbeing
- social worker/welfare officer consultations, 389
- socioeconomically disadvantaged people, 153–6, 232–5
  - asthma hospitalisation, 83
  - body weight, 186
  - breast cancer screening, 334, 335
  - cardiovascular disease, 67–8, 155, 234
  - children, 275–7, 280–1
  - hospital separations, 363
  - rural and remote, 241–2
  - see also* concession card holders; qualifications
- sole-parent families, 156, 259–60, 277
- somatiform disorders, *see* neurotic, stress-related and somatiform disorders
- South Australia, 85, 151, 205–6, 337, 395
  - see also* states and territories
- special care nurseries, admittance to, 199
- specialised mental health services, 379–84
- specialist medical practitioners, 245, 316, 320–3
  - attendances, 211, 342, 344, 450; referrals, 73, 350
  - international comparisons, 330
  - overseas arrivals and departures, 320
  - psychiatrists, 379
- Specific Purpose Payments, 287
- speech pathologists, 319, 320
- speech-related conditions, 45, 46, 216
- speech/sensory disability, 99, 210, 265
  - see also* ear diseases/disorders; vision problems
- speed and amphetamines, 168–70, 203, 385–6
- spermicidal foams/jellies, 29
- spina bifida, 173, 200, 201
- spinal cord injury, 127
- spinal fractures, 90
- spontaneous vaginal deliveries, *see* vaginal deliveries
- sprains and strains, 348
  - see also* musculoskeletal conditions
- squamous cell carcinoma, 76
- St John’s Ambulance Service, 390
- standard drinks, 167
- standards, *see* classifications and standards
- state and territory and local government expenditure and funding, 301–4, 307, 308–9, 435–6
  - capital, 297–8, 435–6

- state and territory expenditure and funding, 291, 306, 441
  - activities covered, 287–8
  - agreements with Commonwealth, 300–1
  - cervical screening, 336
  - Indigenous services, 388, 438
- state and territory hospitals, 371, 373–4, 425–6
  - accident and emergency non-admitted patients, 370
  - cost per casemix-adjusted separation, 373–4
  - mental health care, 381, 382
- states and territories, 9, 153
  - air pollution levels in capital cities, 150, 151
  - ambulance services, 390
  - births and pregnancy, 30, 197, 199, 401, 403, 404; notification of induced abortions, 32
  - body weight, 183, 185, 403
  - cancer registries, 76
  - cervical cytology registries, 336
  - childhood vaccinations, 274, 338
  - children's oral health, 424
  - death rates, 409, 415; perinatal, 199, 403, 404
  - fluoridated drinking water, 148
  - fruit and vegetable consumption, 172
  - health workforce, 324–8
  - HIV/AIDS, 250, 420
  - Indigenous Australians, 222, 228–9; kidney disease, 95–6
  - life expectancy, 406
  - Medicare use, 345, 453
  - physical activity patterns, 163–4
  - prisoners, 249–50
  - sexually transmitted diseases, 175–6
  - vectorborne diseases, 113–14, 150
- statistical developments, gaps and deficiencies, 10–13
  - cancer surveillance and monitoring, 76
  - children, 261
  - chronic obstructive pulmonary disease (COPD), 84–5
  - communicable diseases, 109
  - diabetes, 69
  - health workforce, 314–15
  - hospital use, 360–1, 363–4
  - Indigenous Australians, 219; kidney disease, 95
  - palliative care, 392
  - private health insurance, 311
  - rural and remote Australians, 240–1
- stenting, coronary, 67
- step-families, 260
- sterilisation, 29
- steroids, 169
- stillbirths (fetal births), 196, 200
- STIs, *see* sexually transmitted infections
- stomach cancer, 421–2
- stomach ulcers, 89
- strains and sprains, 348
  - see also* musculoskeletal conditions
- stress, 177
  - see also* neurotic, stress-related and somatoform disorders
- stroke (cerebrovascular disease), 60–1, 63–4
  - burden of disease, 133
  - diabetes and, 72
  - hospitalisation, 66; socioeconomic inequalities, 68
  - profound or severe activity limitation, 46, 215–16
- stroke (cerebrovascular disease) as cause of death, 50, 51, 63–4
  - associated/underlying, 58–9; conditions associated with, 73, 102
  - international comparisons, 2, 3
  - overseas-born people, 23, 236
  - socioeconomically disadvantaged people, 67–8, 235
- students, *see* children; education; young people
- substance use and abuse, 101
  - Indigenous Australians, 230–1, 388
  - prisoners, 250, 251
  - young people, 204
  - see also* alcohol consumption and abuse; drugs and drug use; psychoactive substances; tobacco smoking
- sudden infant death syndrome, 260, 267
- suicide, 51, 124–5, 126
  - burden of disease, 133, 211
  - Indigenous Australians, 207
  - international comparisons, 2, 3
  - mental health service users, WA, 102
  - overseas-born people, 236
  - potential years of life lost (PYLL), 53
  - prisoners, 250, 251
  - rural and remote Australians, 244
  - socioeconomically disadvantaged people, 235
  - unemployment and, 155
  - working-age adults, 211, 213, 214
  - young people, 207
  - see also* depression/depressive disorders
- sun protection, 177, 203
  - see also* skin cancer
- support and case management (drug treatment), 386
- surgery, *see* procedures

- survival following diagnosis
  - AIDS, 111
  - cancer, 78–9; leukaemia, 260
- 'sustainability ratio', 318
- swimming, 203
- Sydney, 150, 151, 176
- symptoms, signs and abnormal clinical
  - laboratory findings, 225, 228, 278, 279, 427–8
- syphilis, 34, 112, 205, 418
- syringes and needles, 170–1, 341, 392
  - see also* injecting drugs and drug users
- systolic blood pressure, 178
  
- Tasmania, *see* states and territories
- tax rebate on private health insurance, 310, 311
- taxation revenue and expenditure, 306, 312, 434
- TB, 107, 114, 115, 237, 418
- technology, 11, 12–13, 31, 198
  - telehealth, 9, 390, 394
- teenagers, *see* young people
- teeth, *see* oral (dental) health
- telehealth consultations, 9, 390, 394
- temazepam, 358
- temperatures, 153
- termination of pregnancy, 32, 212, 394
- test results, receipt of, 347, 348
- testis, cancer of, 205
- tetanus, 115, 116, 117–18, 274–5, 419
- Therapeutic Goods Administration, 358
- throat and chest pains, 212, 217
- throat complaints, 347
- thrush, 34
- thyroid procedures, 429–30
- time
  - asthma hospitalisation, months for, 82
  - Australian residence, length of, 238–9
  - hours worked: health workforce, 325–7, 329
  - Pap smears recommended, 336
  - of physical activity, 162, 163–4, 270–1
  - waiting for hospital services, 374–7
    - see also* hours worked; length of hospital stay; survival following diagnosis
- tiredness/weakness, 347
- tissue, excision or removal of tissue, 349
- tobacco smoking, 75, 158–62, 339–40
  - burden of disease, 158, 173
  - children and, 160–1, 260, 272–3, 281
  - chronic obstructive pulmonary disease risk factor, 82–3, 86–7
  - Indigenous Australians, 230, 231
  - international comparisons, 2, 3, 161–2
  - perception of effects on nonsmokers, 157
  - self-assessed health status, 27–8
  - socioeconomically disadvantaged people, 233, 234
  - young people, 159–60, 203
    - see also* lung cancer
- toileting aids and equipment, 396
- tonsils and adenoids, 263, 367, 376
- tooth decay, *see* oral (dental) health
- toothpaste, fluoridated, 37
- Torres Strait Islanders, *see* Indigenous Australians
- toxins, bacterial, 105
- tranquillisers, *see* sleeping pills
- transmissible spongiform encephalopathies (TSEs), 114
- transplants, 92, 93, 94, 112
- transport accidents, 122–3, 133, 211
- transport accidents, deaths involving, 50, 51, 124–5, 126, 341
  - international comparisons, 2, 3
  - potential years of life lost (PYLL), 53
  - rural and remote Australians, 243
  - socioeconomically disadvantaged people, 235
  - young people, 206
- transport assistance for people with disability, 49
- treatments, 362
  - assisted reproductive technology (ART), 31, 198, 199
  - eye disease, 220
  - hepatitis C, 112
  - HIV, 111
  - medical indemnity claims, 351, 352
  - musculoskeletal conditions, 89
  - sexually transmitted diseases, 34
  - travel for, DVA expenditure on, 293
    - see also* prescribed medicines (prescriptions); procedures
- triage categories, 376–7, 390
- trichomoniasis, 34
- triglyceride, 180
- triplets, 31, 199
- tubal ligations/hysterectomies, 29, 367, 376
- tuberculosis, 107, 114, 115, 237, 418
- twins, 31, 197–8, 199
- Type 1 diabetes, 68, 69–70, 260, 266
  - insulin users, 392
- Type 2 diabetes, 68, 69, 70
  - burden of disease, 133
  - children, 266
  - insulin users, 392
  - older Australians, 217
  - overseas-born people, 237–8
  - severe (end-stage) kidney disease, 72
- typhoid, 105, 418

- ulcers, 89, 105, 366
- underlying causes of death, *see* causes of death
- underweight, 182, 184, 185
- unemployment, 4, 153, 155
  - parents, 276–7
- United Kingdom, 155
  - see also* international comparisons
- United States, 152, 154, 182
  - see also* international comparisons
- university course completions, 318–19
  - see also* qualifications
- unmarried parents, births to, 29
- unplanned pregnancies, 29
- unreferred medical attendances, *see*
  - consultations with health professionals
- unsafe sex, 34, 146, 175–6
- upper respiratory tract infections, 109, 264, 347
- urban environment, 150–2
- urinary tract infections, 107, 108, 348
  - see also* genitourinary diseases
- urology, 367, 375
- uterus
  - cancer, 421–2
  - dilatation and curettage, 367
- vaccination (immunisation), 115–19, 176, 260, 274–5, 276, 337–9
  - expenditure on, 297, 441
  - GP consultations, 338, 347, 348; children, 264, 338–9
  - hepatitis B, 112, 274–5
  - Indigenous children, 279
  - Royal Flying Doctor Service consultations, 391
  - rural and remote children, 244
- vaccine-preventable diseases, 108, 115–19, 419
- vacuum extraction deliveries, 30
- vaginal deliveries, 30, 31, 212, 368, 369
- vaginal dryness, 33
- vaginal intercourse, 34, 175
- vaginosis, bacterial, 34
- variant Creutzfeldt-Jakob disease (vCJD), 114
- varicose veins, 376
- vascular diseases, *see* cardiovascular (circulatory) disease
- vasectomies, 29
- vectorborne diseases, 113–14, 149–50, 153, 242, 243, 419
- vegetable and fruit consumption, 146, 171–3, 202, 230
- vertebral fractures, 90
- veterans and war widows/widowers, 245–9, 346, 384
  - admitted patient care, 368
  - expenditure on, 292–3, 295
  - pharmaceutical prescriptions, 355
  - see also* Department of Veterans' Affairs
  - Veterans' Home Care, 293
  - Veterans Line calls, 384
  - Victoria, 85, 150, 151, 176, 337
  - see also* states and territories
  - Vietnam veterans, 248
  - Vietnam Veterans Counselling Service (VVCS), 384
  - violence and aggression, 145
    - burden of disease, 146
    - deaths from, 124
    - hospitalisation from, 123
    - see also* self-harm; suicide
  - viral diseases, 105, 107, 264
  - see also* hepatitis
  - vision problems, 40, 41, 46, 427–32
    - children, 262
    - diabetes-related complications, 72, 74, 219–20
    - elective surgery waiting times, 375
    - Indigenous Australians, 224
    - lens insertion/extraction, 364, 367, 368, 369
    - older Australians, 216, 219–20
    - working-age adults, 210
    - young people, 205
    - see also* optometry
  - vitamins, 359
- waist circumference, 184, 185
- waiting times, 374–7
- walking, 27–8, 163, 203
- war widows/widowers, *see* veterans
- warts, genital, 34, 157
- washing hands, 177
- water, 36–7, 148–9, 232, 241, 242
- weakness/tiredness, 347
- wealth, 144
- weather, 152–3
  - see also* seasons
- weight, *see* body weight
- wellbeing, 2–5, 24–8
  - Indigenous Australians, 223
  - Western Australia, 102, 151, 186, 261
  - see also* states and territories
- white collar occupations, 155, 156
- whooping cough, *see* pertussis
- withdrawal (contraceptive method), 29
- withdrawal management (detoxification), 386
- women, *see* births and pregnancy; breast cancer; cervical cancer; sex of population

work, *see* employment  
worked hours, *see* hours worked  
workforce, *see* health workforce  
working-age adults, 207–14  
World Bank, 130  
World Health Organization (WHO), 119, 130  
    Framework Convention on Tobacco Control,  
        339–40  
    standards and definitions, 4, 298  
World War veterans, 246  
  
Year 12 retention rate, 154  
years of life lost (YLL/YLD), *see* burden of  
    disease  
young people, 201–7  
    alcohol consumption, 203  
    body weight, 186, 202  
    drug use, 168–9, 203  
    physical activity, 162, 164, 203  
    rural and remote, 206, 244  
    sun protection, 177, 203  
    tobacco smoking, 159–60, 203  
    *see also* age; children  
  
zoonoses, 419