



Index

- abdominal pain, doctor consultations for, 213
- Aboriginal and Torres Strait Islander Commission, 158
- Aboriginal Australians, *see* Indigenous Australians
- abortions, 52, 204
- abuse, *see* violence/abuse
- access to hospital services, 205–9
- access to medical practitioners, 45
- accident and emergency departments, 205
- accidents, *see* injuries and poisonings; motor vehicle accidents
- accredited hospitals, 210
- acute care institutions, *see* private hospitals; public acute care hospitals
- administration, *see* health administration
- admission, *see* hospital use
- adolescents
 - causes of death, 8
 - dental health, 219, 220
 - Recommended Dietary Intakes, 138
 - smoking, 298
 - see also* under age
- affective disorders, 104, 105, 106
 - see also* depression
- age, 248, 305
 - alcohol consumption, 146
 - asthma prevalence, 127
 - cancer incidence, 86, 88, 91: survival following, 90
 - cardiovascular conditions, 82, 83, 84
 - cervical cancer screening, 96
 - conditions reported, 16, 17–18
 - dental patients, 219–22
 - diabetes prevalence, 109–10
 - disability and, 21, 23, 68–9
 - doctor consultations, 211, 212
 - edentulism, 131
 - gonococcal infection, 120
 - health system costs by, 194, 195
 - health workforce, 186
 - heart attacks, 83
 - hospital patients, 33, 82, 274–7
 - Indigenous Australians, 33, 35, 37
 - Medicare items, 295–7
 - medication use, 222, 223
 - mental disorders, 103, 104–5
 - mothers, 50, 249, 252
 - nurses, 185
 - nutrient intake, 138–9
 - physical activity, 149
 - private health insurance coverage, 180
 - prostate cancer, 91
 - self-assessed health status, 13, 14, 18, 19–20, 37
 - smokers, 35, 143, 144, 273
 - suicide, 61–2, 107, 108
 - see also* children; life expectancy; older Australians; young adults
- age at death, 7, 8, 256–66
 - asthma, 126
 - cancer, 88, 89, 91
 - cardiovascular disease, 78–9
 - diabetes, 111
 - Indigenous Australians, 29–30
 - prostate cancer, 91
- aged care, 160
 - see also* nursing homes
- ageing, 64, 181
- agoraphobia, 104
- aids and appliances, expenditure on, 176, 286, 288, 290–1
- AIDS/HIV, 47, 117, 118, 142, 268
- alcohol, 104, 145–7

- cause of death, 36
- contribution to energy intake, 139, 140, 141
- hospital patients, 106
- Indigenous Australians, 35–6, 146–7
- morbidity and mortality associated with excess consumption, 142
- overseas-born Australians, 48, 50
- allergies, 16, 17
- allied health professions/services, 182, 183
 - expenditure on, 286, 288, 290–1
 - health system costs, 193
 - private hospitals, 205
- ambulance services
 - expenditure on, 286, 288, 291; from private health insurance funds, 176
 - workforce, 182
- amoxicillin, 214, 226
- amphetamines, 147
- anaesthetics, 217, 218, 293
- ancillary health benefits, 179
- anencephalus, 54, 55
- anxiety, 104, 213, 214, 223, 224
- arbovirus infection, 267
- arthritis, 18, 23, 24
 - doctor consultations, 214
 - older Australians, 66, 67, 68, 69
 - reported condition, 15, 16, 17
- assisted conception, 51–2
- asthma, 15, 16, 17, 18, 125–8
 - children, 16, 17, 127–8, 145
 - doctor consultations, 214
 - hospital patients, 49, 202
 - medication use, 223, 224, 226
 - mortality, 43, 126–7
 - overseas-born Australians, 49
 - rural and remote Australians, 43
 - passive smoking and, 145
- atenolol, 226
- atherosclerosis, 84
- atresia, 54
- Australian Bureau of Statistics, 237, 244
 - census records, 234
 - National Nutrition Survey, 137–9
 - National Survey of Mental Health and Wellbeing, 103–5
 - Survey of Disability, Ageing and Carers, 21
 - see also* National Health Survey
- Australian Capital Territory, *see* States and Territories
- Australian Childhood Immunisation Register, 123
- Australian encephalitis, 121
- Australian Health Ministers' Advisory Council, 161, 230, 234
- Australian Longitudinal Study on Women's Health, 240
- Australian National Diagnosis Related Groups (AN-DRGs), 202, 203–4
- Australian Spinal Cord Injury Register, 98
- back complaint/problems, 16, 17, 204, 213, 214
- Barmah Forest virus infection, 121
- bed availability, 188–91
- beef, 140
- betamethasone cream, 214
- Better Health Outcomes for Australians* report, 75
- 'Bettering the Evaluation And Care of Health' (BEACH), 236
- beverages, 138
 - see also* alcohol
- birthplace, *see* country of birth
- births, 50–5, 249–53
 - hospital patients, 33, 63, 202, 204, 278–83
 - Indigenous Australians, 33, 34
 - pregnancy complications, 202, 262–3, 278–9: health system costs, 193, 194
 - see also* life expectancy
- birthweight, 34, 53, 57, 251
- bladder, cancer of, 87, 89, 269–70
- blood cholesterol, *see* cholesterol
- blood diseases, 193, 194
 - hospital patients, 203, 278–83
 - mortality rates, 262–3
- blood pressure, 142, 151, 298
 - medication use, 222, 223, 224
- bloodborne diseases, 117–18, 267

- see also* AIDS/HIV
- body mass, *see* overweight and obesity
- brain damage/head injuries, 23, 24, 68, 101
see also stroke
- breach deliveries, 54
- breast cancer, 86–7, 89, 95, 269–71
 overseas-born Australians, 47, 48, 49, 50
 risk factors, 142
 screening, 48, 50, 95–6
 status of indicators, 299
 survival following, 90
- bronchitis, 16, 17, 214
- brucellosis, 267
- burden of disease, 238
- burns (fire injuries), 98, 100, 101, 282–3, 300
- Caesarean section, 53–4
- calcium intakes, 138
- campylobacteriosis, 118–19, 267
- cancer (neoplasms), 18, 76–7, 85–96, 269–71
 health system costs, 193, 194
 hospital patients, 49, 203, 278–9, 282–3
 overseas-born Australians, 49
 risk factors, 142
 status of indicators, 299
- cancer mortality, 11, 86, 87, 89, 262–6, 269
 age-specific, 88, 91
 breast cancer, 47, 48, 87, 89, 95, 269, 299
 cervical cancer, 47, 87, 95, 269, 299
 children, 58
 colorectal cancer, 9–10, 87, 89, 93, 266, 269, 299
 Indigenous Australians, 31
 lung cancer, 9, 47, 87, 89, 266, 299
 older Australians, 66
 overseas-born Australians, 47, 48
 prostate cancer, 47, 48, 87, 89, 90–2, 269, 299
 rural and remote Australians, 43
 skin cancer, 43, 47, 48, 87, 93, 94, 269, 299
 status of indicators, 299
 young adults, 62
- cancer screening, 48, 49, 50, 90, 91, 95–6
- cannabis (marijuana), 36, 147
- carbohydrates, 138, 139
- cardiothoracic surgery waiting times, 207–9
- cardiovascular diseases, 76, 77–85
 data developments, 236
 older Australians, 65–6, 69
 overseas-born Australians, 47, 49
 reported conditions, 17, 84, 151
 status of indicators, 298
 see also cholesterol; heart disease; stroke
- caries, *see* dental health
- casemix, 191–2, 202, 282–3
- cataracts, 202
- causes of death, 2, 7–11, 262–6
 asthma, 43, 126–7
 cardiovascular disease, 77–81
 children, 32, 55, 56–8, 99–100, 124, 251–2
 circulatory diseases, 30–2, 262–5
 communicable diseases, 31, 47, 116, 122, 124, 262–5
 diabetes, 32, 42, 43, 46–7, 111, 112
 drugs, 36, 148
 firearms, 101
 Haemophilus influenzae type b (Hib), 124
 Indigenous Australians, 30–2, 36, 42, 112
 infants, 57
 injuries, 96–8, 99–100, 262–5
 motor vehicle accidents, 8, 43, 47, 58, 61, 62, 96, 97, 99, 100, 300
 older Australians, 65–6, 68
 overseas-born Australians, 46–8
 respiratory diseases, 30–2, 47, 57, 66, 262–3
 rural and remote Australians, 41–2, 43
 smoking, 143
 suicide, 107–8
 see also cancer mortality; risk factors
- cefaclor, 214, 226
- census records, 234
- Centre for Health Services Research, University of Western Australia, 107

- cephalexin, 214
- cereal (grain) foods, 137, 139, 140
- cerebrovascular disease, *see* stroke
- cervical cancer, 86, 87, 89, 95, 269–70
 - overseas-born Australians, 47–8, 49, 50
 - Pap smears, 48, 49, 50, 95–6
 - risk factors, 142
 - status of indicators, 299
 - survival following, 90
- chancroid, 267
- check-ups/examinations, 205, 211, 213
- chemotherapy, 203, 204
- chest pain, doctor consultations for, 213
- child battering, 59
- Child Fluoride Study, 135
- Child Health Questionnaire, 235
- children, 15–16, 55–60
 - asthma, 15, 17, 127–8, 145
 - immunisation, 123–5
 - dental health, 15, 16, 128–9, 131–6, 219–20, 272–3: paedodontists, 187
 - homicide among, 300
 - hospital patients, 55, 58–9, 100–1, 102, 200, 282–3
 - Indigenous, 32
 - injuries, 15, 16, 58, 59, 99–101, 102, 300–1
 - mortality, 32, 55, 56–8, 99–100, 124, 251–2
 - nutrient intake, 138–9
 - preventable diseases, 120–1, 123–5, 267
- chiropractors and osteopaths, 183
- chlamydial infection, 120, 267
- chloramphenicol eye, 214
- cholera, 267
- cholesterol, 16, 17, 142, 151, 298
 - medication use, 224
 - overseas-born Australians, 50
 - rural and remote Australians, 45
- chromosomal abnormalities, 54
- chronic obstructive pulmonary disease, 9, 11, 59, 266
- cigarettes, *see* smoking
- circulatory diseases, 15, 16, 17–18, 23, 24
 - cause of death, 30–2, 262–5
 - doctor consultations, 211
 - health system costs, 193, 194
 - hospital patients, 204, 278–9, 282–3
 - Indigenous Australians, 30–2
 - older Australians, 68
 - see also* heart disease
- circulatory system malformations, 54
- clearance times, 209
- cleft lip/palate, 54
- cocaine, 36, 147
- codeine with paracetamol, 214, 226
- colds/cough/sore throat, 15, 16, 17
- colonoscopy, 203, 204
- colorectal cancer, 87, 89, 92–3, 269–71
 - mortality, 9–10, 11, 87, 89, 93, 266, 269
 - status of indicators, 299
- Commonwealth Grants Commission data, 171–3
- Commonwealth Government
 - health administration, 158, 159, 160
 - health expenditure, 163–7, 285, 287–8:
 - for Indigenous Australians, 38–9
 - see also* Medicare; Pharmaceutical Benefits Scheme
- communicable (infectious and parasitic) diseases, 116–25, 262–8
 - health system costs, 193, 194
 - hospital patients, 49, 203, 278–9, 282–3
 - Indigenous Australians, 31
 - mortality, 31, 47, 116, 122, 124, 262–5
 - overseas-born Australians, 47, 48, 49
- community health services, 160–1
 - Indigenous Australians, 39, 242
 - workforce, 182, 186
- community health services: expenditure on, 176, 286, 288, 290–1
 - private health insurance funds, 176
 - State and Territory Governments, 39, 242
- community mental health services, 159, 160
- Composite International Diagnostic Interview, 104
- conception (assisted), 51–2

- congenital malformations/anomalies, 54–5
 - health system costs, 193, 194
 - hospital patients, 278–9
 - mortality, 57, 58, 262–3
- congestion/sneezing, doctor consultations for, 213
- contagious diseases, *see* communicable diseases
- conventions and methods, 305–6
- coronary heart disease, *see* heart disease
- costs, 191–6, 282–3
 - dental visits, 221
 - prescriptions (PBS), 226
 - spinal cord injury, 98
- coughs and colds, 15, 16, 17
 - doctor consultations, 213
 - hospital patients, 282–3
 - medication use, 222, 224
- counselling course completions, 187
- country of birth (overseas-born Australians), 46–50
 - medical practitioners, 185
 - tuberculosis notifications, 122
- crime (alcohol-related), 145
 - see also* violence/abuse
- dairy products, 137, 140
- DALY, 238
- day hospitals, 189
- day patients, 199, 200, 201, 203, 204
- deafness, *see* ear diseases/disorders
- death, *see* causes of death; mortality
- definitions
 - available beds, 188
 - disability, 21, 22–3
 - health, 1–2
 - health outcome, 234
 - hospital services, sources relating to, 198–9
 - Indigenous status, 241
 - National Health Survey, 13–14
- dementia, 67–8, 106
- dengue, 121, 267
- dental graduates, 187
 - dental health, 128–36, 219–22
 - children, 15, 16, 128–9, 131–6, 219–20, 272–3
 - expenditure on, 186, 288, 290–1; from private health insurance funds, 176
 - health system costs, 193
 - hospital patients, 63, 204, 205
 - young adults, 63
 - dental therapy graduates, 187
 - dentists, 182, 183, 186–7
 - Department of Health and Family Services, 137, 158, 234
 - Department of Health, Housing and Community Services, 158
 - Department of Health, Housing, Local Government and Community Services, 158
 - Department of Human Services and Health, 158
 - Department of Veterans' Affairs, 159, 161
 - depression, 104, 106, 214, 223, 224
 - dermatitis, doctor consultations for, 214
 - determinants, 1–4
 - see also* risk factors
 - diabetes, 16, 17, 18, 77, 109–12
 - doctor consultations, 214
 - hospital patients, 49, 203
 - Indigenous Australians, 32, 42, 112
 - juvenile, 63
 - medication use, 223, 224
 - mortality, 32, 42, 43, 46–7, 111, 112
 - older Australians, 66
 - overseas-born Australians, 46–7, 49, 50
 - Register, 237
 - risk factors, 142
 - rural and remote Australians, 42, 43, 45
 - diagnoses, *see* diseases
 - diagnostic imaging, 183, 205, 217, 218, 294
 - diagnostic procedures, 203–4
 - diaphragmatic hernia, 54
 - diarrhoea, doctor consultations for, 213
 - diclofenac, 214
 - diet, 85, 92, 136–42, 187, 298

- see also* endocrine and nutritional disorders
- dietary guidelines, 141-2
- digestive diseases, 16, 142
 - cause of death, 31, 262-5
 - doctor consultations, 211
 - health system costs, 193, 194
 - hospital patients, 49, 202, 203, 204, 278-83
 - Indigenous Australians, 31
 - medication dispensed, 226
 - older Australians, 66
 - overseas-born Australians, 47, 49
- diphtheria, 121, 123, 267
- disability-adjusted life year (DALY), 238
- disability and handicap, 21-6
 - children, 55, 59-60
 - older Australians, 21, 23, 68-9, 70-1
 - young adults, 63-4
- diseases, 1-4, 11-20, 201-3, 278-9
 - children, 58-9
 - classification for admitted patients, 202
 - health system costs, 192-6
 - Indigenous Australians, 30-2, 33
 - older Australians, 65-9
 - overseas-born Australians, 48, 49
 - young adults, 63
 - see also* cancer; cardiovascular diseases; causes of death; circulatory diseases; communicable diseases; digestive diseases; disability and handicap; ear diseases/disorders; eye diseases/disorders; genitourinary diseases/disorders; injuries and poisonings; mental health; respiratory diseases/infection; skin diseases/disorders
- diuretics/fluid tablets, 224
- doctors, *see* medical practitioners
- donovanosis, 267
- Down syndrome, 54
- doxycycline, 214
- drinking, *see* alcohol
- drowning, 98, 100, 301
- drugs, 104, 142, 222-6
 - cause of death, 8, 36
 - hospital patients, 106, 282-3
 - illicit, 147-8
 - prescribed, 36, 213, 214, 223, 224, 225-6
 - see also* alcohol; Pharmaceutical Benefits Scheme; smoking
- dysthymia, 104
- ear, nose and throat surgery waiting times, 207-9
- ear diseases/disorders, 15, 16, 17, 23, 24
 - children, 16, 59
 - doctor consultations, 213, 214
 - hospital patients, 59, 280-3
 - older Australians, 66, 67, 68, 69
- ecstasy, 147
- eczema/dermatitis, 16, 17
- edentulism, 130-1, 221-2
- elective surgery, waiting lists for, 205-9
- emergency and accident departments, 205
- emphysema/bronchitis, 16, 17
- employment in health industry, 180-7, 292
- enalapril, 214, 226
- encephalitis, 121
- encephalocele, 55
- endocrine and nutritional disorders, 16, 17
 - cause of death, 30-2, 262-3
 - health system costs, 193, 194
 - hospital patients, 278-83
 - Indigenous Australians, 30-2
- endoscopies, 203
- energy intake, 138-9, 298
- environmental health, 159, 187
- erythromycin, 214
- examinations/check-ups, 205, 211, 213
- exercise, 142, 148-50, 298
 - overseas-born Australians, 48, 50
- expenditure, *see* health expenditure
- eye diseases/disorders, 15, 16, 17, 23, 24
 - hospital patients, 280-3
 - older Australians, 66, 67, 68, 69

- falls, 98, 100, 300
- fats, 138, 139, 140, 141, 298
- fertility, *see* births
- fever, doctor consultations for, 213
- finance, *see* health expenditure
- firearm injuries, 101–2
- fires/flames/scalds/burns, 98, 100, 101, 282–3, 300
- First Report on National Health Priority Areas 1996*, 76
- fish, 140
- fluid tablets/diuretics, 224
- fluoridation, 131–6
- foetal deaths, 52–3
- folic acid, 55
- food and nutrition, 85, 92, 136–42, 187, 298
see also endocrine and nutritional disorders
- forceps deliveries, 54
- fractures, dislocations, sprains and strains, 59, 101, 142, 214
- fruit and fruit products, 92, 138, 139–40
- frusemide, 214
- full-time employment, 183–4
- funding, *see* health expenditure
- gamete intra-fallopian transfer (GIFT), 52
- gastrointestinal diseases/infections, 118–20, 214
- gastroscopy, 203, 204
- general practitioners (GPs), 45, 160, 183, 186
consultations, 43–4, 210–14, 216, 293
data on, 235–6
dental, 187
rural and remote Australia, 43–5, 181
- general weakness, doctor consultations for, 213
- genital malformations, 54
- genitourinary diseases/disorders
causes of deaths, 31, 262–3
doctor consultations, 211, 214
health system costs, 193, 194
hospital patients, 203, 204, 278–83
Indigenous Australians, 31
surgery waiting times, 207–9
- gestational diabetes mellitus (GDM), 109
- Goals and Targets for Australia's Health in the Year 2000 and Beyond*, 75
- gonococcal infection, 120, 267
- gout, 16
- government health expenditure, 163–7, 285, 287–8
Indigenous Australians, 38–40
see also under Commonwealth Government and States and Territories
- grains (cereals), 137, 139, 140
- gross domestic product (GDP), health services expenditure and, 162–3, 164, 168–71, 289
- gun injuries, 101–2
- gynaecology waiting times, 207–9
- haemic and lymphatic system operations, 280–1
- Haemophilus influenzae type b (Hib), 123, 124, 125, 267
- handicap, *see* disability and handicap
- hay fever, 15, 16, 17, 18
- head injuries/brain damage, 23, 24, 68, 101
see also stroke
- headache, 15, 17, 18, 213
- health administration, 157–61
Indigenous Australians, 39, 242
undergraduate course completions, 187
- health administration: expenditure, 286, 288, 290–1
private health insurance funds, 176
- State and Territory Governments, 39, 242
- Health and Welfare Satellite Accounts: Concepts, Sources and Methods*, 239
- health counselling course completions, 187
- health determinants, 1–4
see also risk factors
- health expenditure, 162–74, 284–91
health insurance funds, 175–6
for Indigenous Australians, 38–40, 242
international comparisons, 238–40
for older Australians, 69
pharmaceutical benefits, 226

- see also* costs; Medicare; Pharmaceutical Benefits Scheme
- Health for All Australians* report, 75, 234
- health information, *see* statistical developments, gaps and deficiencies
- health insurance, 174–80
 - dental, 221, 222
 - see also* Medicare
- Health Insurance Commission, 234
- health outcomes, 234–5, 245
- health priority areas, 75–112, 203, 234–5, 243, 298–301
- health promotion, 2–3, 161
- health research, 161
 - expenditure on, 167, 286, 288, 290–1: State and Territory Governments, 39, 242
 - Indigenous Australians, 39, 242
- health satellite accounts, 238–9
- health service delivery, 157–96
- health service use, 198–226
- health status, *see* self-assessed health status
- health surveys, 187, 244
- health workforce, 180–7, 292
- hearing disorders, *see* ear diseases/disorders
- heart attacks, 81–3
- heart disease, 17, 18, 77–85
 - hospital patients, 49, 202
 - mortality, 7–9, 43, 47, 65–6, 77–81, 266, 298
 - older Australians, 65–6, 67
 - overseas-born Australians, 47, 49
 - risk factors, 142
 - rural and remote Australians, 43
 - status of indicators, 298
- heart malformations, 54
- heart problems, medication for, 222, 223, 224
- hepatitis, 117–20, 142, 267
- hernia, 17
 - diaphragmatic, 54
- heroin, 36, 147, 148
- Hib disease, 123, 124, 125, 267
- high blood pressure, *see* blood pressure
- high cholesterol, *see* cholesterol
- hip, congenital dislocation of, 54
- HIV/AIDS, 47, 117, 118, 142, 268
- hole in heart, 54
- Home and Community Care program, 160
- homicide, 42, 43, 47, 98, 101, 300
- hospital insurance, 174–5, 177–8
- hospital size, and waiting lists, 207
- hospital use, 198–210, 274–83
 - asthma, 127
 - cardiovascular conditions, 81, 82, 83
 - children, 55, 58–9, 100–1, 102, 200, 282–3
 - drug use disorders, 148, 282–3
 - firearm injuries, 102
 - Indigenous Australians, 32–3, 39, 242
 - infants, 58–9
 - mental disorders, 105–7
 - motor vehicle accidents, 99
 - older Australians, 69–70
 - overseas-born Australians, 48, 49
 - rural and remote Australians, 42, 44
 - smoking and, 143
 - status of indicators, 300–1
 - young adults, 62–3
- hospital workforce, 181–2, 186
- hospitals, 188–96
 - see also* private hospitals; public acute care hospitals; public psychiatric hospitals
- hostels, 71, 160, 189, 190–1
- hydatid infection, 267
- hydrocephalus, 54
- hygiene, 159
- hypertension, 15, 16, 17, 18, 84
 - doctor consultations, 214
 - hospital patients, 81, 82, 83
 - medication dispensed, 226
 - older Australians, 66, 67
 - overseas-born Australians, 50
 - rural and remote Australians, 45
- hypospadias, 54
- illicit drugs, 147–8
- illness, *see* diseases; hospital use

- immigrants, *see* overseas-born Australians
- immunisation/vaccination, 120–1, 123–5, 267
 - doctor consultations, 213, 214
- impairment, *see* disability and handicap
- in-vitro fertilisation, 52
- Indigenous Australians, 28–40
 - alcohol consumption, 35–6, 146–7
 - diabetes, 112
 - health administration, 158: State and Territory government expenditure, 39, 242
 - medical training, 185
 - smoking, 35, 36, 143–5
 - statistics, 232–3: gaps and deficiencies, 29, 32–3, 240–2
 - tuberculosis, 122
- Indigenous Australians: mortality, 28–32, 42, 242, 300
 - cardiovascular disease, 78, 80
 - diabetes, 32, 42, 112
 - perinatal death rates, 34
 - risk, and self-assessed health status, 37
 - substance abuse, 36
- Indigenous status/identification, 240–1
- induced abortions, 52, 204
- Industry Commission inquiry into private health insurance, 179
- infants
 - hospital patients, 59, 282–3
 - immunisation, 123–4
 - mortality, 32, 56–7, 251–2
- infectious diseases, *see* communicable diseases
- influenza, 15, 16, 17, 116
 - vaccine, 214
- injuries and poisonings, 17, 77, 96–102
 - children, 15, 16, 58, 59, 99–101, 102, 300–1
 - doctor consultations, 211
 - head/brain, 23, 24, 68
 - health system costs, 193, 194
 - hospital patients, 33, 49, 59, 63, 203, 204, 278–9, 282–3: non-admitted, 205
 - Indigenous Australians, 33, 300
 - overseas-born Australians, 49
 - risk factors, 142
 - status of indicators, 300–1
 - young adults, 63
- injury and poisoning deaths, 96–8, 262–5
 - children, 58, 99–100, 300–1
 - homicide, 42, 43, 47, 98, 101, 300
 - Indigenous Australians, 30–2, 300
 - older Australians, 66
 - overseas-born Australians, 47
 - rural and remote Australians, 42, 43, 300
 - status of indicators, 300–1
 - young adults, 61, 62
 - see also* suicide
- insect-borne diseases, 121, 267
- insomnia, doctor consultations for, 213, 214
- institutions, *see* health administration; hospitals; hostels; nursing homes
- insurance, *see* health insurance
- intellectual disabling conditions, *see* mental health
- International Classification of Diseases (ICD-9-CM), 202
- International Classification of Diseases and Related Health Programs (ICD-10), 237
- international comparisons
 - birth rates, 250
 - cancer incidence, 271
 - child asthma, 127
 - child dental health, 128
 - health expenditure, 169–71, 238–40, 289
 - hospital length of stay, 200
 - infant mortality, 253
 - life expectancy, 12, 255
 - mortality, 258–61, 264–5: cardiovascular disease, 80–1
- ischaemic heart disease, *see* heart disease
- IVF, 52
- Japanese encephalitis, 121
- kidneys, 142
 - agenesis and dysgenesis, 54

- cancer, 86, 87, 269
 - congenital malformation, 54
 - dialysis, 203, 204
 - hospital patients, 282-3
- knee procedures, 204
- labour force, 180-7, 292
- lamb, 140
- larynx, cancer of, 86, 89
- leg/thigh symptoms, doctor consultations for, 213
- legionellosis, 267
- lens procedures, 204
- leprosy, 267
- leptospirosis, 267
- leukemia (lymphatic), 89
- life expectancy, 11, 65, 69, 254-5
 - disability-adjusted life year (DALY), 238
 - Indigenous Australians, 28-9
 - international comparison, 12, 255
- listeriosis, 118-19, 267
- liver, 86, 142, 282-3
- local government, 158, 159, 161
 - health expenditure, 163-6, 285, 287-8; for Indigenous Australians, 38-9
- lung cancer, 86, 87, 269-71, 299
 - mortality, 9, 11, 47, 87, 89, 266, 269, 299
 - overseas-born Australians, 47, 49
 - passive smoking and, 145
 - survival following, 90
 - see also* smoking
- lymphatic and haemic system operations, 280-1
- lymphatic leukemia, 89
- lymphogranuloma venereum, 267
- magnesium intakes, 138
- malaria, 121, 267
- mammograms, 96
- marijuana (cannabis), 36, 147
- measles, 120-1, 123, 267
- meat, 140
- medical check-ups/ examinations, 205, 211, 213
- medical education, 185, 186, 187
- medical imaging, 183, 205, 217, 218, 294
- medical operations, *see* operations and procedures
- medical practitioners, 45, 182, 183, 184-5, 186
 - consultations, 210-14, 216-18
 - hospital labour costs, 191-2
 - see also* general practitioners; specialist medical practitioners
- medical radiography, 187, 205
- medical science undergraduate course completions, 187
- medical services, 210-19, 293-7
 - expenditure on, 166, 286, 288, 290-1:
 - from private health insurance funds, 176
 - health system costs, 191-2, 193
- medical technology undergraduate course completions, 187
- Medicare, 215-19, 293-7
 - Commonwealth-State hospital funding agreements, 163, 165-6
 - expenditure on Indigenous Australians, 38-9
 - levy, 173-4: surcharge arrangements, 175
 - record linkage project, 234
- medication, *see* drugs
- melanoma, *see* skin cancer
- meningitis, 116, 267
- menstruation disorders, 17
- mental health, 21, 23, 24, 102-8
 - children, 55, 60
 - data, 235: status of indicators, 301
 - health system costs, 193, 194
 - hospital patients, 49, 63, 203, 278-9, 282-3
 - Indigenous Australians, 31, 39, 242
 - mortality, 31, 66, 262-3
 - older Australians, 66, 67-8, 69
 - overseas-born Australians, 49
 - risk factors, 142
 - young adults, 63, 104, 105
 - see also* suicide

- mental health facilities and services, 39, 159, 160, 189–90, 242
see also public psychiatric hospitals
- methods and conventions, 305–6
- migrants, *see* overseas-born Australians
- milk and milk products, 137, 140
- minerals, 138, 222
- mood disorders, 104, 105
see also depression
- morbidity, *see* diseases; hospital use
- Morbidity and Treatment Survey, 211–14
- mortality, 7–11, 254–66
 children, 32, 55, 56–8, 99–100, 251–2
 Indigenous Australians, 28–32, 34, 36, 42
 older Australians, 65–6
 overseas-born Australians, 46–8
 rural and remote Australians, 40–2
 status of indicators, 298–301
 young adults, 61–2
see also causes of death; life expectancy
- mosquito-borne diseases, 121, 267
- mothers, 34, 50–5, 249
- motor vehicle accidents, 8, 96, 97, 99, 300
 children, 58, 100, 101
 overseas-born Australians, 47
 rural and remote Australians, 43
 young Australian adults, 61, 62
- mouth, nose and pharynx (throat) patients, 207–9, 213, 280–3
- multiple births, 51–2
- multiple myeloma, 89
- mumps, 123, 267
- Murray Valley encephalitis, 121
- musculoskeletal diseases, 16, 17, 23, 24
 deaths, 262–3
 doctor consultations, 211
 health system costs, 193, 194
 hospital patients, 204, 278–83
 older Australians, 68
 young adults, 63
- musculoskeletal malformations, 54
- mutton, 140
- naproxen, 214
- National Aboriginal and Torres Strait Islander Health Information Plan, 232–3
- National Asthma Campaign, 128
- National Centre for Classification in Health, 237
- National Centre for Monitoring Cardiovascular Disease, 236
- National Community Services Data Dictionary, 234
- National Community Services Information Model, 234
- National Coronial Information System suicide module, 107
- National Dental Telephone Survey 1996, 219
- National Health and Medical Research Council, 161
 dietary guidelines, 141
 recommended standard immunisations, 123
 safe alcohol consumption guidelines, 145
- National Health Data Dictionary, 231, 234, 236, 240
- National Health Information Agreement, 229–30, 244
- National Health Information Development Plan, 231, 233–7
- National Health Information Knowledgebase, 231–2
- National Health Information Management Group, 232, 234–5
- National Health Information Model, 233–4
- National Health Information Work Program, 230
- National Health Priority Areas, 75–112, 203, 234–5, 243, 298–301
- National Health Survey, 11, 13–14
 cardiovascular conditions, 84–5
 cholesterol, 151
 diabetes, 109
 Indigenous sample, 241–2
 medications used, 222–3
 non-admitted patient visits, 205
see also SF-36 Health Survey

- National Heart Foundation Risk Factor Prevalence Study, 150-1
- National Insulin-Treated Diabetes Mellitus Register, 237
- National Mental Health Strategy, 105, 235
- National Nutrition Survey, 137-9, 150-1
- National Public Health Information Development Plan, 244
- National Screening Information Advisory Group, 95
- National Survey of Mental Health and Wellbeing, 103-5
- National Waiting Times Data Collection, 205-6
- neonatal deaths, 52-3, 253
- neonatal hospital patients, 282-3
- neoplasms, *see* cancer
- nervous system diseases/disorders, 23, 24
 - causes of death, 31, 57, 58, 262-3
 - children, 57, 58
 - doctor consultations, 211
 - health system costs, 193, 194
 - hospital patients, 278-83
 - Indigenous Australians, 31
 - older Australians, 68
- nervous tension, medication use for, 223, 224
- neural tube defects, 55
- neurosurgery waiting times, 207-9
- neurotic disorders, 104, 105, 106
- New South Wales, *see* States and Territories
- non-admitted patients, 199, 204-5
 - Indigenous, 39, 242
- non-Hodgkin's lymphoma, 87, 89, 269-70
- Northern Territory, *see* States and Territories
- nose, mouth and pharynx (throat) patients, 207-9, 213, 280-3
- notifiable diseases, *see* communicable diseases
- nuclear medicine, 216
- nurses, 183, 184, 185-6, 187
 - hospital salary costs, 191
- nurses education, 185, 186, 187
- nursing homes (aged care), 71, 160, 189, 190-1
 - expenditure on, 167, 286, 288, 290-1: by State and Territory Governments, 39, 242
 - health system costs, 193
- Indigenous Australians, 39, 242
- workforce, 182, 186
- nutrition, 85, 92, 136-42, 187, 298
 - see also* endocrine and nutritional disorders
- obesity, *see* overweight and obesity
- obsessive-compulsive disorder, 104
- obstetrics, *see* births
- occupational health policy, 159
- occupational therapists, 183, 187
- oesophagus, 90, 202
- oils and fats, 138, 139, 140, 141, 298
- older Australians, 64-71, 300
 - cancer deaths, 89
 - care facilities, 160; *see also* nursing homes
 - disability, 21
 - see also* under age
- operations and procedures, 200, 203-4, 280-1
 - Medicare benefits, 217, 218, 294
- ophthalmology waiting times, 207-9
- optometrists, 182, 183, 187
- optometry, 216, 217, 218, 294
- oral health, *see* dental health
- oral surgeons, 187
- ornithosis, 267
- orthodontists, 187
- orthopaedic surgery waiting times, 207-9
- osteoarthritis, doctor consultations for, 214
- osteopaths and chiropractors, 183
- osteoporosis, 17, 142
- otitis media, doctor consultations for, 214
- Ottawa Charter, 2-3
- outcomes, 234-5, 245
- outpatient services, *see* non-admitted patients
- ovary, cancer of, 87, 269
- overseas-born Australians, 45-50
 - in medical workforce, 185
 - tuberculosis, 49, 122
- overweight and obesity, 136-7, 142, 150-1, 236
 - Indigenous Australians, 34-5

- older Australians, 67
 - overseas-born Australians, 48, 50
 - rural and remote Australians, 45
 - status of indicators, 298
- paedodontists, 187
- pain relievers, 222, 224
- pancreas, cancer of, 87, 89, 142, 269
- panic disorder, 104
- Pap smears, 95–6
 - overseas-born Australians, 48, 49, 50
- paracetamol, 214, 226
- paraplegia, 98
- parasitic diseases, *see* communicable diseases
- part-time employment, 183–4, 185
- passive smoking, 145
- pathology tests, 205
 - Medicare benefits, 216, 217, 218, 293
- patient transport, 39
 - see also* ambulance services
- patients, *see* hospital use; non-admitted patients
- perinatal causes of deaths, 57
- perinatal deaths, 34, 52–3, 252–3, 262–3
- perinatal diseases, 59, 278–9
 - health system costs, 193, 194
- periodontists, 187
- peripheral vascular diseases, *see* cardiovascular diseases
- personality disorders, 106
- pertussis, 123, 124–5, 267
- petrol sniffing, 36
- Pharmaceutical Benefits Scheme, 223–4, 225–6
 - expenditure on, 226, 286, 288, 290–1: for Indigenous Australians, 38–9
 - record linkage project, 234
- pharmaceutical services, 193
 - expenditure on, 166, 167, 286, 288, 290–1: from private health insurance funds, 176
- pharmacists, 183, 187
- pharynx (throat), nose and mouth patients, 207–9, 213, 280–3
- physical activity, *see* exercise
- physical disabilities, 21, 23, 24
- physiotherapists, 183, 187
- pigmeat, 140
- plastic surgery waiting times, 207–9
- pneumonia and influenza, 116
- podiatrists, 183, 187
- poisoning, *see* drugs; injuries and poisonings
- polio, 121, 123
- Port Arthur shootings, 101
- post-traumatic stress disorder, 104
- poultry, 140
- pregnancy
 - folic acid, 55
 - onset of diabetes during, 109
 - termination, 52, 204
 - see also* births
- pregnancy complications, 202, 262–3, 278–9
 - health system costs, 193, 194
- prescribed medicine, 223, 224, 225–6
 - cause of death, 36
 - doctor consultations, 213, 214
- priority areas, 75–112, 203, 234–5, 243, 298–301
- private dental insurance, 221, 222
- private dental practice, use of, 220
- private health insurance, 174–80
- Private Health Insurance Incentives Scheme, 175
- private hospitals, 160, 188, 189, 191
 - costs, 283
 - expenditure on, 167, 286, 288, 290–1: from private health insurance funds, 176
 - patients, 198–204, 205, 275, 277, 279, 281, 283
- private medical practice, *see* medical practitioners
- private patients, in public acute care hospitals, 201, 215, 216
- procedures, *see* operations and procedures
- prochlorperazine, 214
- promotion, 2–3, 161
- prostate cancer, 86, 87, 89, 90–2, 269–71
 - overseas-born Australians, 47, 48, 49
 - status of indicators, 299

- survival following, 90
- prosthodontists, 187
- protein, 139
- psychiatric disabilities, *see* mental health
- public acute care hospitals, 159, 188, 189
 - accreditation, 210
 - costs, 191–2, 282–3
 - Medicare funding agreements, 163, 165–6
 - patients, 198–205, 274, 276, 278, 280, 282
 - waiting lists for elective surgery, 205–9
- public acute care hospitals: expenditure, 167, 286, 288, 290–
 - private health insurance funds, 176
 - State and Territory Governments, 39, 166, 171, 173, 242
- public dental practice, use of, 220
- public health, 4–5, 115–51, 159
 - Indigenous Australians, 39, 242
 - information, 244
- public patients, 200, 201
- public psychiatric hospitals, 159, 189–90
 - expenditure on, 286, 288, 290–1: State and Territory Governments, 166
 - services, 198–9
 - workforce, 182
- pulmonary disease, 9, 11, 59, 266

- Q fever, 267
- quadriplegia, 98
- quality of health care, 245
- quality of hospital services, 210
- Queensland, *see* States and Territories
- Queensland Department of Health, 82

- radiography, 187, 205
- radiotherapy, 216
- ranitidine, 214, 226
- rash, doctor consultations for, 213
- Recommended Dietary Intakes, 138–9
- record linkage, 234
- rectum, *see* colorectal cancer
- recurrent health services expenditure, 166–7, 286, 288, 290–1

- Report on National Health Priority Areas 1996, 76
- rehabilitation undergraduate course completions, 187
- remote population, *see* rural and remote Australians
- renal diseases, *see* kidneys
- repatriation hospitals, expenditure on, 286, 288, 290–1
- research, *see* health research
- residential care facilities, 189
 - see also* hostels; nursing homes
- respiratory diseases/infection, 15, 16, 17, 18, 23, 24
 - children, 15, 16, 59, 145
 - doctor consultations, 211, 214
 - health system costs, 193, 194
 - hospital patients, 33, 49, 59, 203, 204, 278–83
 - Indigenous Australians, 30–2, 33
 - infants, 57, 59
 - mortality, 30–2, 47, 57, 66, 262–3
 - older Australians, 66, 68, 69
 - overseas-born Australians, 47, 49
 - passive smoking and, 145
 - see also* asthma
- rheumatic heart disease, 81, 82, 83
- Risk Factor Prevalence Study, 150–1
- risk factors, 2–3, 142–51, 236–7
 - cancers, 85, 92, 94
 - diet, 92, 136–7
 - gaps and deficiencies, 244
 - Indigenous Australians, 34–6
 - older Australians, 66
 - overseas-born Australians, 47–9
 - rural and remote Australians, 45
 - young adults, 60
 - see also* alcohol; overweight and obesity; smoking
- road accidents, *see* motor vehicle accidents
- Ross River virus infection, 121, 122, 267
- roxithromycin, 214
- rubella, 121, 123, 267
- rural and remote Australians, 40–5, 301

- dentists, 187
- general practitioners, 43–5, 181
- Rural, Remote and Metropolitan Areas (RRMA) classification, 41
- SAAP, 60
- safe alcohol consumption guidelines, 145
- salbutamol, 214, 226
- salmonellosis, 118–19, 267
- same-day patients, 199, 200, 201, 203, 204
- sanitation, 159
- satellite accounts, 238–9
- schizophrenic disorders, 106
- seafood, 140
- sedatives/tranquilisers, 224
- self-assessed health status, 12–18, 19–20
 - Indigenous Australians, 36–7
 - older Australians, 67
 - see also* National Health Survey
- self-harm, 102, 106
- sensory disorders, *see* ear diseases/disorders; eye diseases/disorders
- separations, *see* hospital use
- service delivery, 157–96
- service use, 198–226
- sexual activity, 47, 142
- sexual deviations and disorders, 106
- sexually transmitted diseases, 120, 267
 - see also* AIDS/HIV
- SF-36 Health Survey, 13, 18, 19–20, 235
 - Mental Component Summary, 102–3
- shigellosis, 118–19, 267
- SIDS, 57
- sight, *see* eye diseases/disorders
- simvastatin, 226
- sinusitis, 15, 16, 17, 214
- skin cancer, 85, 86, 299
 - sun protection, 48, 50, 142
- skin cancer (melanoma), 86, 87, 89, 93–4, 269–71
 - mortality, 43, 47, 48, 87, 93, 94, 269
 - overseas-born Australians, 47, 48, 49, 50
 - rural and remote Australians, 43
 - status of indicators, 299
- skin diseases/disorders, 193, 194
 - children, 15, 16
 - deaths, 262–3
 - doctor consultations, 211, 214
 - hospital patients, 204, 205, 278–83
- skin ointments/creams, 224
- smallpox, 123
- smoking, 85, 142, 143–5, 273
 - Indigenous Australians, 35, 36, 143–5
 - older Australians, 67
 - overseas-born Australians, 47, 48, 50
 - status of indicators, 298
- sneezing/congestion, doctor consultations for, 213
- social phobia, 104
- socioeconomic disadvantage, 67, 79, 244
- sore throat/cold/influenza/cough, 15, 16, 17
- South Australia, *see* States and Territories
- specialist dental practitioners, 187
- specialist medical practitioners, 183, 185, 186
 - attendances, 216, 217, 218, 293
 - waiting times for elective surgery, 207–9
- speech pathologists, 183, 187
- spina bifida, 54, 55
- spinal cord injury, 98–9, 301
- spontaneous vertex deliveries, 54
- sprains, 59, 101, 214
- standards, 210, 245
- States and Territories
 - AIDS cases, 268
 - bed supply, 190–1
 - births, 53–4, 249, 251, 252
 - child dental health and water fluoridation, 131–6
 - childhood immunisation, 124
 - health administration, 157–9, 161
 - health expenditure, 38–40, 163–7, 171–3, 242, 285, 287–8
 - hospital patients, 32–3, 274–7
 - hospitals, 191–2, 206, 210
 - Indigenous Australians, 28–30, 32–3, 34, 38–40, 242
 - life expectancy, 28–9, 254

- medical items used, 219
 - Medicare items, 296
 - private health insurance coverage, 176, 179
- States and Territories: mortality, 10–11, 257, 263, 266
 - cardiovascular disease, 78, 266
 - Indigenous Australians, 29–30, 32, 34
 - infants/perinatal, 32, 34, 251, 252
- statistical developments, gaps and deficiencies, 4–5, 229–45
 - health expenditure, 157
 - Indigenous Australians, 28–9, 32–3, 240–2
 - mental health data, 108
- statistical methods and conventions, 305–6
- stenosis, 54
- stomach cancer, 86, 87, 89, 269
- strains, 59, 101, 214
- stroke, 17, 77–85
 - mortality, 9, 47, 77–81, 266
 - older Australians, 66
 - overseas-born Australians, 47, 49
 - risk factors, 142
- substance abuse, 36, 104, 105, 148, 282–3
 - see also* drugs
- sudden infant death syndrome, 57
- sugars, 133, 139, 140, 141
- suicide, 8, 96–7, 101, 106, 107–8
 - children, 100
 - data, 301
 - overseas-born Australians, 47
 - young adults, 61–2, 107
- sun protection, 48, 50, 142
 - see also* skin cancer
- Supported Accommodation Assistance Program, 60
- surgery (elective), waiting times for, 205–9
- swelling, doctor consultations for, 213
- Sydney University, 185, 236
- symptoms, 193, 194, 211
- sypphilis, 120, 267
- Tasmania, *see* States and Territories
- teeth, *see* dental health
- temazepam, 214, 226
- termination of pregnancy, 52, 204
- Territories, *see* States and Territories
- tetanus, 121, 123, 267
- therapeutic aids and appliances, expenditure on, 176, 286, 288, 290–1
- therapeutic nuclear medicine, 216
- therapeutic procedures, 203–4
- thigh/leg symptoms, doctor consultations for, 213
- throat (pharynx), mouth and nose patients, 207–9, 213, 280–3
- thyroid disorders, 17
- tobacco, *see* smoking
- tonsillitis, doctor consultations for, 214
- toothpaste, fluoridated, 131, 133, 135
- Torres Strait Islanders, *see* Indigenous Australians
- tranquilisers/sedatives, 224
- transport, 39
 - see also* ambulance services
- triplets, 51–2
- tuberculosis, 49, 121–3, 267
- twins, 51–2
- typhoid, 267
- University of Newcastle, 82, 185
- University of Queensland, 185
- University of Sydney, 185, 236
- University of Western Australia, 82
 - Centre for Health Services Research, 107
- upper respiratory tract infection, *see* respiratory diseases/infection
- urinary system, *see* genitourinary diseases/disorders
- uterus, cancer of, 87, 89, 90, 269–70
- vaccination, *see* immunisation/vaccination
- vacuum extraction deliveries, 54
- vaginal breach deliveries, 54
- varicose veins, 17, 67

vascular surgery waiting times, 207–9
veal, 140
vectorborne diseases, 121, 267
vegetable and vegetable products, 92, 138,
139–40
ventilator-dependency, 98
ventricular septal defect, 54
Victoria, *see* States and Territories
violence/abuse, 142
 children, 58, 59
 young adults, 60, 61–2
vitamins, 138, 222
vomiting, doctor consultations for, 213

waiting lists, 205–9
walking, 48, 50, 148, 149
water fluoridation, 131–6
weakness (general), doctor consultations for,
213
weapons, injuries from, 101–2
‘web of causation’, 2
wellbeing, 1–4, 102–3
 see also self-assessed health status
Western Australia, *see* States and Territories
Western Australian Child Health Survey, 60
Western Australian Health Department, 107
whooping cough (pertussis), 123, 124–5, 267
Women’s Health, Australian Longitudinal
Study on, 240
workforce, 180–7, 292
Worksafe Australia, 159
World Health Organization, 75
 MONICA Project, 81, 82

yersiniosis, 118–19, 267
young adults, 60–4
 asthma levels, 127
 smoking, 298
 suicide, 61–2, 107
 see also under age

zinc intakes, 138



Australia's Welfare 1997

Australia's Welfare

1997 is the most comprehensive and authoritative source of national information on welfare services in Australia.

Topics include welfare services expenditure, children's and family services, child protection, housing assistance, crisis accommodation and support services, aged care services, and disability services.

Australia's Welfare 1997 also features a special chapter on families and welfare services. The impact of family change on welfare services is examined, as well as implications for families of current directions in welfare policy.

The text is backed by 33 charts, 213 tables and 29 special information boxes. A comprehensive index and glossary, and extensive reference lists, are also included.

Australia's Welfare 1997 (AIHW Cat. No. AUS 8) is available from Government Info Shops or AusInfo Mail Order Sales, toll-free on 132 447, or from ABS bookshops.

