

Appendix B: Tables published on the Internet

Contents

- List of tables..... 3
- Indicator 1: Participation 15
- Indicator 2: Detection rate for small invasive cancers..... 41
- Indicator 3a: Interval cancer rate 97
- Indicator 3b: Program sensitivity 109
- Indicator 4: Ductal carcinoma in situ..... 117
- Indicator 5: Recall to assessment rate 131
- Indicator 6: Rescreen rate..... 159
- Indicator 7a: Incidence of breast cancer 171
- Indicator 7b: Incidence of ductal carcinoma in situ..... 181
- Indicator 8: Mortality 183

List of tables

Table 1:	Number of women participating in BreastScreen Australia by age, states and territories, 2002–2003	15
Table 2:	Percentage of women participating in BreastScreen Australia, states and territories, 2002–2003	16
Table 3:	Number of women participating in BreastScreen Australia by age, states and territories, 2001–2002	17
Table 4:	Percentage of women participating in BreastScreen Australia, states and territories, 2001–2002	18
Table 5:	Number of women participating in BreastScreen Australia by age, states and territories, 2000–2001	19
Table 6:	Percentage of women participating in BreastScreen Australia, states and territories, 2000–2001	20
Table 7:	Number of women participating in BreastScreen Australia by age, states and territories, 1999–2000	21
Table 8:	Percentage of women participating in BreastScreen Australia, states and territories, 1999–2000	22
Table 9:	Number of women participating in BreastScreen Australia by age, states and territories, 1998–1999	23
Table 10:	Percentage of women participating in BreastScreen Australia, states and territories, 1998–1999	24
Table 11:	Number of women participating in BreastScreen Australia by age, states and territories, 1997–1998	25
Table 12:	Percentage of women participating in BreastScreen Australia, states and territories, 1997–1998	26
Table 13:	Number of women participating in BreastScreen Australia by age, states and territories, 1996–1997	27
Table 14:	Percentage of women participating in BreastScreen Australia, states and territories, 1996–1997	28
Table 15:	Participation in BreastScreen Australia by age and region, 2002–2003	29
Table 16:	Participation in BreastScreen Australia by age and region, 2000–2001	30
Table 17:	Participation in BreastScreen Australia by age and region, 1997–1998	31
Table 18:	Participation in BreastScreen Australia by age and socioeconomic status, 2002–2003	32
Table 19:	Participation in BreastScreen Australia by age and socioeconomic status, 2000–2001	33
Table 20:	Participation in BreastScreen Australia by age and socioeconomic status, 1997–1998	34
Table 21:	Participation in BreastScreen Australia by age and Indigenous status, 2002–2003	35

Table 22:	Participation in BreastScreen Australia by age and Indigenous status, 2000–2001	36
Table 23:	Participation in BreastScreen Australia by age and Indigenous status, 1997–1998	37
Table 24:	Participation in BreastScreen Australia by age and main language spoken at home, 2002–2003	38
Table 25:	Participation in BreastScreen Australia by age and main language spoken at home, 2000–2001	39
Table 26:	Participation in BreastScreen Australia by age and main language spoken at home, 1997–1998	40
Table 27:	Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 2003	41
Table 28:	Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 2003	42
Table 29:	Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 2002	43
Table 30:	Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 2002	44
Table 31:	Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 2001	45
Table 32:	Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 2001	46
Table 33:	Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 2000	47
Table 34:	Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 2000	48
Table 35:	Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 1999	49
Table 36:	Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 1999	50
Table 37:	Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 1998	51
Table 38:	Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 1998	52

Table 39:	Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 1997	53
Table 40:	Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 1997	54
Table 41:	Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 2003	55
Table 42:	Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 2003.....	56
Table 43:	Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 2002	57
Table 44:	Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 2002.....	58
Table 45:	Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 2001	59
Table 46:	Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 2001.....	60
Table 47:	Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 2000	61
Table 48:	Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 2000.....	62
Table 49:	Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 1999	63
Table 50:	Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 1999.....	64
Table 51:	Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 1998	65
Table 52:	Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 1998.....	66
Table 53:	Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 1997	67
Table 54:	Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 1997.....	68
Table 55:	Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 2003	69

Table 56:	Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 2003	70
Table 57:	Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 2002	71
Table 58:	Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 2002	72
Table 59:	Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 2001	73
Table 60:	Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 2001	74
Table 61:	Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 2000	75
Table 62:	Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 2000	76
Table 63:	Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 1999	77
Table 64:	Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 1999	78
Table 65:	Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 1998	79
Table 66:	Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 1998	80
Table 67:	Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 1997	81
Table 68:	Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 1997	82
Table 69:	Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 2003.....	83
Table 70:	Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 2003	84
Table 71:	Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 2002.....	85
Table 72:	Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 2002	86
Table 73:	Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 2001.....	87
Table 74:	Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 2001	88
Table 75:	Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 2000.....	89
Table 76:	Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 2000	90

Table 77:	Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 1999.....	91
Table 78:	Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 1999	92
Table 79:	Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 1998.....	93
Table 80:	Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 1998	94
Table 81:	Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 1997.....	95
Table 82:	Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 1997	96
Table 83:	Numbers and age-specific rates of interval cancers in women screened during 1999, 2000 and 2001, first screening round, 0-12 months, states and territories	97
Table 84:	Numbers and age-specific rates of interval cancers in women screened during 1999, 2000 and 2001, first screening round, 13-24 months, states and territories	98
Table 85:	Numbers and age-specific rates of interval cancers in women screened during 1999, 2000 and 2001, first screening round, 0-24 months, states and territories ..	99
Table 86:	Numbers and age-specific rates of interval cancers in women screened during 1996, 1997 and 1998, first screening round, 0-12 months, states and territories	100
Table 87:	Numbers and age-specific rates of interval cancers in women screened during 1996, 1997 and 1998, first screening round, 13-24 months, states and territories	101
Table 88:	Numbers and age-specific rates of interval cancers in women screened during 1996, 1997 and 1998, first screening round, 0-24 months, states and territories	102
Table 89:	Numbers and age-specific rates of interval cancers in women screened during 1999, 2000 and 2001, subsequent screening rounds, 0-12 months, states and territories	103
Table 90:	Numbers and age-specific rates of interval cancers in women screened during 1999, 2000 and 2001, subsequent screening rounds, 13-24 months, states and territories	104
Table 91:	Numbers and age-specific rates of interval cancers in women screened during 1999, 2000 and 2001, subsequent screening rounds, 0-24 months, states and territories	105
Table 92:	Numbers and age-specific rates of interval cancers in women screened during 1996, 1997 and 1998, subsequent screening rounds, 0-12 months, states and territories	106

Table 93:	Numbers and age-specific rates of interval cancers in women screened during 1996, 1997 and 1998, subsequent screening rounds, 13–24 months, states and territories	107
Table 94:	Numbers and age-specific rates of interval cancers in women screened during 1996, 1997 and 1998, subsequent screening rounds, 0–24 months, states and territories	108
Table 95:	Program sensitivity rates for women screened during 1999, 2000 and 2001, first screening round, 0–12 months, states and territories	109
Table 96:	Program sensitivity rates for women screened during 1999, 2000 and 2001, first screening round, 0–24 months, states and territories	110
Table 97:	Program sensitivity rates for women screened during 1999, 2000 and 2001, subsequent screening rounds, 0–12 months, states and territories	111
Table 98:	Program sensitivity rates for women screened during 1999, 2000 and 2001, subsequent screening rounds, 0–24 months, states and territories	112
Table 99:	Program sensitivity rates for women screened during 1996, 1997 and 1998, first screening round, 0–12 months, states and territories	113
Table 100:	Program sensitivity rates for women screened during 1996, 1997 and 1998, first screening round, 0–24 months, states and territories	114
Table 101:	Program sensitivity rates for women screened during 1996, 1997 and 1998, subsequent screening rounds, 0–12 months, states and territories	115
Table 102:	Program sensitivity rates for women screened during 1996, 1997 and 1998, subsequent screening rounds, 0–24 months, states and territories	116
Table 103:	Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 2003.....	117
Table 104:	Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 2003	117
Table 105:	Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 2003.....	118
Table 106:	Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 2003.....	118
Table 107:	Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 2002.....	119
Table 108:	Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 2002	119
Table 109:	Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 2002.....	120
Table 110:	Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 2002.....	120
Table 111:	Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 2001.....	121
Table 112:	Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 2001	121

Table 113: Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 2001	122
Table 114: Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 2001.....	122
Table 115: Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 2000.....	123
Table 116: Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 2000	123
Table 117: Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 2000.....	124
Table 118: Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 2000.....	124
Table 119: Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 1999.....	125
Table 120: Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 1999	125
Table 121: Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 1999.....	126
Table 122: Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 1999.....	126
Table 123: Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 1998.....	127
Table 124: Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 1998	127
Table 125: Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 1998.....	128
Table 126: Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 1998.....	128
Table 127: Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 1997.....	129
Table 128: Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 1997	129
Table 129: Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 1997.....	130
Table 130: Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 1997.....	130
Table 131: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 2003.....	131
Table 132: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 2003	132
Table 133: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 2002.....	133

Table 134: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 2002.....	134
Table 135: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 2001.....	135
Table 136: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 2001.....	136
Table 137: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 2000.....	137
Table 138: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 2000.....	138
Table 139: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 1999.....	139
Table 140: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 1999.....	140
Table 141: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 1998.....	141
Table 142: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 1998.....	142
Table 143: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 2003.....	143
Table 144: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 2003.....	144
Table 145: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 2002.....	145
Table 146: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 2002.....	146
Table 147: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 2001.....	147
Table 148: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 2001.....	148
Table 149: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 2000.....	149
Table 150: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 2000.....	150
Table 151: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 1999.....	151

Table 152: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 1999	152
Table 153: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 1998	153
Table 154: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 1998	154
Table 155: Numbers of women screened and women recalled for assessment by age, other reasons only, first screening round, states and territories, 2003.....	155
Table 156: Age-specific and age-standardised recall to assessment rates, first screening round, other reasons only, states and territories, 2003.....	156
Table 157: Numbers of women screened and women recalled for assessment by age, other reasons only, subsequent screening rounds, states and territories, 2003	157
Table 158: Age-specific and age-standardised recall to assessment rates, other reasons only, subsequent screening rounds, states and territories, 2003.....	158
Table 159: Number of women screened during 2001 and number of those women who returned for screening within 27 months by age, first screening round, states and territories	159
Table 160: Age-specific and age-standardised rescreen rates for women screened during 2001, first screening round, states and territories	160
Table 161: Number of women screened during 2000 and number of those women who returned for screening within 27 months by age, first screening round, states and territories	161
Table 162: Age-specific and age-standardised rescreen rates for women screened during 2000, first screening round, states and territories	162
Table 163: Number of women screened during 2001 and number of those women who returned for screening within 27 months by age, second screening round, states and territories	163
Table 164: Age-specific and age-standardised rescreen rates in women screened during 2001, second screening round, states and territories	164
Table 165: Number of women screened during 2000 and number of those women who returned for screening within 27 months by age, second screening round, states and territories	165
Table 166: Age-specific and age-standardised rescreen rates in women screened during 2000, second screening round, states and territories	166
Table 167: Number of women screened during 2001 and number of those women who returned for screening within 27 months by age, third and subsequent screening rounds, states and territories.....	167
Table 168: Age-specific and age-standardised rescreen rates in women screened during 2001, third and subsequent screening rounds, states and territories	168

Table 169: Number of women screened during 2000 and number of those women who returned for screening within 27 months by age, third and subsequent screening rounds, states and territories.....	169
Table 170: Age-specific and age-standardised rescreen rates in women screened during 2000, third and subsequent screening rounds, states and territories.....	170
Table 171: Number of new cases of breast cancer in women by age, Australia, 1988–2002.....	171
Table 172: Age-specific and age-standardised incidence rates for breast cancer in women, Australia, 1988–2002.....	172
Table 173: Number of new cases of breast cancer in women by age, states and territories, 1998–2002.....	173
Table 174: Age-specific and age-standardised incidence rates for breast cancer in women, states and territories, 1998–2002.....	174
Table 175: Number of new cases of breast cancer in women by age, states and territories, 1993–1997.....	175
Table 176: Age-specific and age-standardised incidence rates for breast cancer in women, states and territories, 1993–1997.....	176
Table 177: Number of new cases of breast cancer in women, by age and region, 1998–2002.....	177
Table 178: Age-specific and age-standardised incidence rates for breast cancer in women by region, 1998–2002.....	178
Table 179: Number of new cases of breast cancer in women, by age and region, 1993–1997.....	179
Table 180: Age-specific and age-standardised incidence rates for breast cancer in women by region, 1993–1997.....	180
Table 181: Number of new cases of ductal carcinoma in situ by age, states and territories, 1997–2002.....	181
Table 182: Age-specific and age-standardised rates of ductal carcinoma in situ, states and territories, 1997–2002.....	181
Table 183: Number of new cases of ductal carcinoma in situ by age, states and territories, 1993–1998.....	182
Table 184: Age-specific and age-standardised rates of ductal carcinoma in situ, states and territories, 1993–1998.....	182
Table 185: Number of deaths from breast cancer in women, Australia, 1989–2003.....	183
Table 186: Age-specific and age-standardised mortality rates for breast cancer in women, Australia, 1989–2003.....	184
Table 187: Number of deaths from breast cancer in women by age, states and territories, 1999–2003.....	185
Table 188: Age-specific and age-standardised mortality rates for breast cancer in women, states and territories, 1999–2003.....	186
Table 189: Number of deaths from breast cancer in women by age, states and territories, 1994–1998.....	187

Table 190: Age-specific and age-standardised mortality rates for breast cancer in women, states and territories, 1994–1998	188
Table 191: Number of deaths from breast cancer in women by age and region, 1999–2003	189
Table 192: Age-specific and age-standardised mortality rates for breast cancer in women by region, 1999–2003.....	190
Table 193: Number of deaths from breast cancer in women by age and Indigenous status, Queensland, Western Australia, South Australia, Northern Territory, 1999–2003	191
Table 194: Age-standardised and age-specific mortality rates for breast cancer in women by Indigenous status, Queensland, Western Australia, South Australia, Northern Territory, 1999–2003.....	192
Table 195: Number of deaths from breast cancer in women by age and Indigenous status, Queensland, Western Australia, South Australia, Northern Territory, 1994–1998	193
Table 196: Age-standardised and age-specific mortality rates for breast cancer in women by Indigenous status, Queensland, Western Australia, South Australia, Northern Territory, 1994–1998	194

Tables

Indicator 1: Participation

Table 1: Number of women participating in BreastScreen Australia by age, states and territories, 2002–2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	41,138	10,692	34,725	7,176	6,159	2,820	561	622	103,893
45–49	70,029	19,491	50,525	15,816	12,219	5,439	2,330	1,347	177,196
50–54	102,019	89,304	68,792	34,153	33,255	8,923	6,011	2,318	344,775
55–59	98,818	81,438	63,429	29,675	29,309	8,918	5,337	1,843	318,767
60–64	79,286	64,213	48,494	23,309	22,873	6,947	3,646	1,109	249,877
65–69	65,730	53,611	38,670	18,800	19,184	5,790	2,619	606	205,010
70–74	51,050	42,483	29,597	5,177	6,719	3,254	570	331	139,181
75–79	33,242	11,075	8,415	2,069	3,268	692	243	136	59,140
80–84	11,789	1,614	1,813	551	763	180	76	65	16,851
85+	2,655	280	443	94	101	26	9	8	3,616
Ages 40+	555,756	374,201	344,903	136,820	133,850	42,989	21,402	8,385	1,618,306
Ages 50–69	345,853	288,566	219,385	105,937	104,621	30,578	17,613	5,876	1,118,429

Note: Period covers 1 January 2002 to 31 December 2003.

Source: AIHW analysis of BreastScreen Australia data.

Table 2: Percentage of women participating in BreastScreen Australia, states and territories, 2002–2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
	(Per cent)								
40–44	16.1	5.7	23.9	9.4	10.4	15.1	4.3	8.3	13.6
45–49	30.1	11.3	38.2	22.2	22.2	31.2	19.0	20.5	25.3
50–54	47.2	55.4	55.3	52.4	62.9	54.3	51.3	40.8	52.7
55–59	53.2	59.8	59.7	57.0	64.0	62.2	59.0	48.7	57.6
60–64	54.9	60.6	60.7	58.2	65.3	60.8	61.1	46.1	58.7
65–69	52.6	58.2	60.3	56.9	62.6	60.5	57.5	43.4	56.9
70–74	43.7	49.8	51.5	18.0	22.9	37.0	15.3	33.8	42.0
75–79	31.7	14.3	16.8	8.4	11.7	8.9	7.1	20.7	19.9
80–84	15.3	2.9	4.9	3.1	3.7	3.1	3.2	15.0	7.8
85+	3.9	0.6	1.4	0.6	0.5	0.5	0.5	2.4	1.9
Ages 40+									
Crude rate	36.4	33.2	41.6	32.1	35.7	37.2	31.5	28.2	36.0
ASR(A)	37.0	34.0	42.1	32.5	36.9	37.9	31.3	29.5	36.7
95% CI	36.9–37.1	33.9–34.1	42.0–42.3	32.4–32.7	36.7–37.1	37.6–38.3	30.8–31.7	28.8–30.2	36.7–36.8
Ages 50–69									
Crude rate	51.5	58.2	58.6	55.6	63.7	59.1	56.3	44.3	56.1
ASR(A)	51.4	58.2	58.5	55.7	63.6	58.9	56.6	44.5	56.1
95% CI	51.2–51.6	57.9–58.4	58.3–58.8	55.3–56.0	63.3–64.0	58.3–59.6	55.7–57.4	43.3–45.7	56.0–56.2

Notes

1. Period covers 1 January 2002 to 31 December 2003.
2. Rates are the number of women screened as a percentage of the eligible female population and age-standardised to the Australian population at 30 June 2001.
3. BreastScreen Australia services are not provided in some remote areas of the Northern Territory. This may affect the Northern Territory's participation rate.

Source: AIHW analysis of BreastScreen Australia data.

Table 3: Number of women participating in BreastScreen Australia by age, states and territories, 2001–2002

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	43,632	11,142	33,804	7,119	6,318	2,715	1,125	739	106,594
45–49	73,017	20,479	49,532	15,591	12,820	5,572	3,055	1,365	181,431
50–54	105,529	90,644	68,257	33,318	33,525	8,880	6,439	2,376	348,968
55–59	96,056	78,813	59,058	27,341	28,384	8,418	5,165	1,751	304,986
60–64	79,436	63,972	46,518	22,299	23,002	6,793	3,577	1,011	246,608
65–69	66,120	52,846	36,925	18,031	19,123	5,578	2,593	537	201,753
70–74	53,093	42,359	28,610	5,096	6,948	2,613	588	312	139,619
75–79	32,774	11,347	10,143	2,048	3,159	683	268	126	60,548
80–84	11,058	1,707	2,886	522	735	158	77	66	17,209
85+	2,445	365	675	115	106	25	11	7	3,749
Ages 40+	563,160	373,674	336,408	131,480	134,120	41,435	22,898	8,290	1,611,465
Ages 50–69	347,141	286,275	210,758	100,989	104,034	29,669	17,774	5,675	1,102,315

Note: Period covers 1 January 2001 to 31 December 2002.

Source: AIHW analysis of BreastScreen Australia data.

Table 4: Percentage of women participating in BreastScreen Australia, states and territories, 2001–2002

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	17.3	6.0	23.9	9.5	10.8	14.7	8.7	9.9	14.2
45–49	31.9	12.1	38.5	22.2	23.5	32.5	24.9	20.9	26.4
50–54	49.0	56.4	55.7	51.9	63.2	54.5	54.7	42.6	53.8
55–59	55.1	61.9	60.3	56.8	66.4	63.1	62.1	49.7	59.1
60–64	56.0	61.6	61.2	57.7	66.8	61.1	62.5	45.6	59.6
65–69	53.9	58.6	60.1	56.7	63.7	59.7	59.5	40.4	57.5
70–74	44.9	49.1	49.9	17.8	23.1	29.8	15.8	32.9	41.8
75–79	31.5	14.8	20.6	8.5	11.4	8.8	8.0	20.7	20.6
80–84	15.0	3.2	8.2	3.1	3.7	2.8	3.5	15.8	8.3
85+	3.7	0.7	2.2	0.7	0.6	0.5	0.6	2.2	2.0
Ages 40+									
Crude rate	37.6	33.9	42.0	31.8	36.4	36.7	34.5	28.6	36.7
ASR(A)	38.3	34.8	42.6	32.4	37.8	37.6	34.3	29.9	37.5
95% CI	38.2–38.4	34.6–34.9	42.5–42.8	32.2–32.6	37.6–38.0	37.2–38.0	33.8–34.7	29.2–30.6	37.4–37.6
Ages 50–69									
Crude rate	53.1	59.4	58.9	55.3	64.9	59.2	58.9	44.8	57.1
ASR(A)	53.0	59.4	58.9	55.3	64.9	59.1	59.2	44.7	57.1
95% CI	52.8–53.2	59.2–59.6	58.6–59.1	55.0–55.7	64.5–65.3	58.5–59.8	58.3–60.1	43.5–45.9	57.0–57.2

Notes

1. Period covers 1 January 2001 to 31 December 2002.
2. Rates are the number of women screened as a percentage of the eligible female population and age-standardised to the Australian population at 30 June 2001.
3. BreastScreen Australia services are not provided in some remote areas of the Northern Territory. This may affect the Northern Territory's participation rate.

Source: AIHW analysis of BreastScreen Australia data.

Table 5: Number of women participating in BreastScreen Australia by age, states and territories, 2000–2001

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	44,071	11,009	32,629	7,304	6,751	2,846	1,641	824	107,075
45–49	72,499	20,686	47,690	15,718	13,278	5,901	3,706	1,390	180,868
50–54	103,962	89,911	66,768	32,234	33,212	9,252	6,218	2,486	344,043
55–59	91,051	73,675	54,099	25,548	26,193	7,789	4,629	1,653	284,637
60–64	77,869	62,123	43,733	21,806	22,587	6,691	3,290	934	239,033
65–69	64,843	51,417	35,467	17,588	18,548	5,491	2,305	518	196,177
70–74	52,700	41,585	26,843	4,982	6,972	1,794	579	316	135,771
75–79	30,232	11,099	12,333	1,984	2,816	630	246	121	59,461
80–84	9,606	1,706	3,930	459	670	135	66	54	16,626
85+	2,184	376	954	104	113	34	17	5	3,787
Ages 40+	549,017	363,587	324,446	127,727	131,140	40,563	22,697	8,301	1,567,478
Ages 50–69	337,725	277,126	200,067	97,176	100,540	29,223	16,442	5,591	1,063,890

Note: Period covers 1 January 2000 to 31 December 2001.

Source: AIHW analysis of BreastScreen Australia data.

Table 6: Percentage of women participating in BreastScreen Australia, states and territories, 2000–2001

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
	(Per cent)								
40–44	17.8	6.0	23.8	9.9	11.7	15.5	12.9	11.2	14.5
45–49	32.1	12.3	37.9	22.8	24.5	34.7	30.1	21.5	26.6
50–54	49.2	57.0	56.1	52.0	63.4	57.6	53.8	46.9	54.1
55–59	55.2	61.4	59.4	56.6	65.3	61.9	60.3	49.5	58.7
60–64	56.1	61.0	60.4	58.6	66.7	61.9	60.2	46.6	59.4
65–69	53.4	57.7	59.3	56.8	62.0	59.3	55.1	41.0	56.7
70–74	44.5	47.9	47.3	17.6	22.9	20.5	15.5	35.7	40.6
75–79	29.3	14.7	25.4	8.4	10.2	8.1	7.5	21.1	20.5
80–84	13.7	3.4	11.8	2.9	3.6	2.5	3.2	13.8	8.5
85+	3.5	0.8	3.2	0.7	0.7	0.7	1.0	1.7	2.1
Ages 40+									
Crude rate	37.5	33.7	42.0	31.8	36.2	36.6	35.1	29.8	36.6
ASR(A)	38.2	34.6	42.6	32.6	37.7	37.7	34.8	31.2	37.5
95% CI	38.1–38.3	34.5–34.7	42.4–42.7	32.4–32.8	37.5–38.0	37.4–38.1	34.4–35.3	30.4–31.9	37.4–37.5
Ages 50–69									
Crude rate	53.0	59.1	58.4	55.4	64.3	60.0	56.9	47.0	56.9
ASR(A)	53.0	59.2	58.5	55.5	64.4	60.0	57.1	46.5	56.9
95% CI	52.8–53.2	58.9–59.4	58.2–58.7	55.2–55.9	64.0–64.8	59.3–60.7	56.2–58.0	45.2–47.8	56.8–57.0

Notes

1. Period covers 1 January 2000 to 31 December 2001.
2. Rates are the number of women screened as a percentage of the eligible female population and age-standardised to the Australian population at 30 June 2001.
3. BreastScreen Australia services are not provided in some remote areas of the Northern Territory. This may affect the Northern Territory's participation rate.

Source: AIHW analysis of BreastScreen Australia data.

Table 7: Number of women participating in BreastScreen Australia by age, states and territories, 1999–2000

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	43,988	11,760	31,448	7,261	6,674	2,855	1,693	766	106,445
45–49	70,699	21,830	45,678	15,321	13,246	5,956	3,901	1,366	177,997
50–54	100,759	89,258	63,288	28,919	31,852	8,977	6,191	2,473	331,717
55–59	86,574	66,430	50,266	23,323	24,891	7,516	4,541	1,582	265,123
60–64	74,777	57,691	41,179	20,057	21,703	6,450	3,213	851	225,921
65–69	63,170	49,044	34,093	16,372	18,260	5,358	2,319	487	189,103
70–74	50,530	39,750	24,903	4,470	6,582	1,319	605	296	128,455
75–79	26,395	9,777	12,545	1,781	2,454	556	271	104	53,883
80–84	8,050	1,476	3,877	368	561	120	47	44	14,543
85+	1,786	325	938	69	92	25	18	3	3,256
Ages 40+	526,728	347,341	308,215	117,941	126,315	39,132	22,799	7,972	1,496,443
Ages 50–69	325,280	262,423	188,826	88,671	96,706	28,301	16,264	5,393	1,011,864

Note: Period covers 1 January 1999 to 31 December 2000.

Source: AIHW analysis of BreastScreen Australia data.

Table 8: Percentage of women participating in BreastScreen Australia, states and territories, 1999–2000

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	18.1	6.6	23.7	10.0	11.7	15.8	13.4	10.7	14.8
45–49	31.7	13.2	36.9	22.7	24.5	35.4	31.6	21.6	26.6
50–54	49.3	58.9	55.6	49.4	62.9	58.0	56.0	50.2	54.3
55–59	54.7	57.7	58.6	53.9	65.2	61.9	63.1	50.5	57.3
60–64	55.2	58.0	59.7	55.9	65.4	61.8	61.7	46.3	57.8
65–69	51.9	54.9	57.5	53.6	60.4	57.7	57.3	40.4	54.7
70–74	42.6	45.8	44.3	16.1	21.4	15.0	16.2	35.4	38.5
75–79	26.0	13.2	26.5	7.7	9.0	7.2	8.6	18.5	19.0
80–84	12.0	3.1	12.3	2.4	3.2	2.3	2.4	12.6	7.8
85+	3.0	0.7	3.3	0.5	0.6	0.6	1.2	1.1	1.9
Ages 40+									
Crude rate	36.8	33.0	41.2	30.3	35.5	36.0	36.3	30.0	35.8
ASR(A)	37.5	33.9	41.9	31.2	37.2	37.3	36.3	31.4	36.7
95% CI	37.4–37.6	33.8–34.0	41.7–42.0	31.0–31.3	37.0–37.4	37.0–37.7	35.8–36.8	30.6–32.1	36.7–36.8
Ages 50–69									
Crude rate	52.5	57.6	57.6	52.7	63.5	59.8	59.1	48.6	55.9
ASR(A)	52.5	57.7	57.6	52.7	63.6	59.8	59.3	47.7	55.9
95% CI	52.3–52.7	57.4–57.9	57.4–57.9	52.4–53.1	63.2–64.0	59.1–60.5	58.4–60.3	46.4–49.0	55.8–56.0

Notes

1. Period covers 1 January 1999 to 31 December 2000.
2. Rates are the number of women screened as a percentage of the eligible female population and age-standardised to the Australian population at 30 June 2001.
3. BreastScreen Australia services are not provided in some remote areas of the Northern Territory. This may affect the Northern Territory's participation rate.

Source: AIHW analysis of BreastScreen Australia data.

Table 9: Number of women participating in BreastScreen Australia by age, states and territories, 1998–1999

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	46,546	12,592	31,520	7,386	6,535	3,394	1,793	792	110,558
45–49	71,416	22,629	44,365	16,379	13,437	6,288	3,920	1,331	179,765
50–54	99,539	84,816	59,671	27,975	29,337	8,678	5,964	2,333	318,313
55–59	84,497	63,853	46,352	22,671	23,731	7,280	4,297	1,434	254,115
60–64	73,199	54,841	38,019	19,313	21,033	6,169	3,057	793	216,424
65–69	64,050	48,151	32,804	16,010	18,014	5,208	2,299	492	187,028
70–74	49,554	37,520	22,139	4,403	6,428	1,447	622	251	122,364
75–79	22,630	8,457	11,533	1,755	2,273	602	318	102	47,670
80–84	7,090	1,400	3,559	399	560	131	56	37	13,232
85+	1,526	339	844	68	88	21	16	1	2,903
Ages 40+	520,047	334,598	290,806	116,359	121,436	39,218	22,342	7,566	1,452,372
Ages 50–69	321,285	251,661	176,846	85,969	92,115	27,335	15,617	5,052	975,880

Note: Period covers 1 January 1998 to 31 December 1999.

Source: AIHW analysis of BreastScreen Australia data.

Table 10: Percentage of women participating in BreastScreen Australia, states and territories, 1998–1999

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	19.5	7.2	24.3	10.3	11.7	18.9	14.3	11.2	15.6
45–49	32.5	13.8	36.5	24.9	25.0	37.8	31.7	21.9	27.3
50–54	50.5	58.3	54.9	50.5	60.4	58.3	56.8	50.6	54.4
55–59	55.6	57.6	57.3	54.9	64.6	62.2	63.6	49.9	57.4
60–64	55.5	56.5	57.8	56.0	65.0	61.0	61.7	45.2	57.2
65–69	52.1	53.6	55.4	52.9	58.7	55.6	58.0	42.5	53.8
70–74	41.8	43.4	39.8	16.1	20.8	16.4	16.9	30.9	36.8
75–79	23.1	11.9	25.2	7.9	8.6	8.0	10.6	18.6	17.3
80–84	10.8	3.0	11.6	2.7	3.2	2.5	3.1	11.5	7.2
85+	2.7	0.8	3.2	0.5	0.6	0.5	1.2	0.4	1.8
Ages 40+									
Crude rate	37.1	32.5	40.2	30.9	34.8	36.8	36.7	29.7	35.7
ASR(A)	38.0	33.5	40.9	31.8	36.6	38.3	36.9	31.1	36.6
95% CI	37.9–38.1	33.4–33.6	40.7–41.0	31.7–32.0	36.4–36.8	37.9–38.6	36.4–37.4	30.4–31.9	36.6–36.7
Ages 50–69									
Crude rate	53.2	56.8	56.2	53.2	62.1	59.3	59.7	48.6	55.6
ASR(A)	53.2	56.9	56.3	53.3	62.2	59.4	59.9	47.8	55.7
95% CI	53.0–53.4	56.6–57.1	56.0–56.5	52.9–53.6	61.8–62.6	58.7–60.1	58.9–60.8	46.4–49.2	55.6–55.8

Notes

1. Period covers 1 January 1998 to 31 December 1999.
2. Rates are the number of women screened as a percentage of the eligible female population and age-standardised to the Australian population at 30 June 2001.
3. BreastScreen Australia services are not provided in some remote areas of the Northern Territory. This may affect the Northern Territory's participation rate.

Source: AIHW analysis of BreastScreen Australia data.

Table 11: Number of women participating in BreastScreen Australia by age, states and territories, 1997–1998

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	45,609	12,343	29,329	7,238	5,838	3,493	1,820	873	106,543
45–49	68,519	22,561	40,678	17,159	12,283	6,315	3,983	1,380	172,878
50–54	97,012	79,947	53,518	27,774	26,768	8,302	5,518	2,312	301,151
55–59	81,803	60,368	41,531	22,261	22,101	7,005	3,961	1,368	240,398
60–64	70,607	52,036	34,041	18,675	19,531	5,856	2,822	721	204,289
65–69	63,947	46,832	30,229	15,696	17,376	5,061	2,191	472	181,804
70–74	46,716	34,257	19,351	4,570	5,543	1,449	690	184	112,760
75–79	19,435	8,041	10,080	1,810	1,980	570	316	91	42,323
80–84	6,013	1,618	3,033	451	479	122	63	21	11,800
85+	1,219	348	689	88	73	21	16	1	2,455
Ages 40+	500,880	318,351	262,479	115,722	111,972	38,194	21,380	7,423	1,376,401
Ages 50–69	313,369	239,183	159,319	84,406	85,776	26,224	14,492	4,873	927,642

Note: Period covers 1 January 1997 to 31 December 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 12: Percentage of women participating in BreastScreen Australia, states and territories, 1997–1998

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	19.5	7.1	23.2	10.3	10.5	19.6	14.6	12.5	15.3
45–49	31.7	14.0	34.2	26.8	23.1	38.4	32.3	23.5	26.7
50–54	51.6	57.8	52.3	53.5	58.0	58.4	56.4	53.9	54.3
55–59	55.7	56.0	54.0	55.9	62.0	61.5	62.1	51.8	56.3
60–64	54.8	54.8	53.9	56.3	61.7	59.1	59.9	43.1	55.5
65–69	51.3	51.7	50.8	52.1	55.7	53.5	55.5	41.6	51.8
70–74	39.6	39.8	35.3	17.0	17.9	16.4	19.0	23.3	34.2
75–79	20.7	11.9	22.9	8.6	7.9	7.8	11.5	17.6	16.1
80–84	9.3	3.5	10.1	3.0	2.8	2.4	3.6	6.7	6.5
85+	2.3	0.9	2.8	0.7	0.5	0.5	1.3	0.4	1.6
Ages 40+									
Crude rate	36.6	31.6	37.4	31.7	32.8	36.5	36.2	30.4	34.6
ASR(A)	37.5	32.7	38.1	32.8	34.5	38.0	36.7	31.3	35.7
95% CI	37.4–37.6	32.6–32.8	38.0–38.3	32.6–33.0	34.3–34.7	37.7–38.4	36.2–37.2	30.5–32.1	35.6–35.8
Ages 50–69									
Crude rate	53.3	55.4	52.8	54.4	59.3	58.3	58.4	50.1	54.5
ASR(A)	53.3	55.6	52.8	54.5	59.4	58.5	58.5	48.8	54.6
95% CI	53.2–53.5	55.4–55.8	52.5–53.1	54.1–54.9	59.0–59.8	57.8–59.2	57.5–59.5	47.4–50.3	54.5–54.7

Notes

1. Period covers 1 January 1997 to 31 December 1998.
2. Rates are the number of women screened as a percentage of the eligible female population and age-standardised to the Australian population at 30 June 2001.
3. BreastScreen Australia services are not provided in some remote areas of the Northern Territory. This may affect the Northern Territory's participation rate.

Source: AIHW analysis of BreastScreen Australia data.

Table 13: Number of women participating in BreastScreen Australia by age, states and territories, 1996–1997

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	40,864	11,335	24,632	6,535	5,130	3,482	1,944	768	94,690
45–49	64,790	21,248	34,593	18,737	11,382	5,934	3,949	1,111	161,744
50–54	93,181	71,547	40,269	25,040	23,285	7,062	4,975	1,729	267,088
55–59	80,782	58,920	32,697	21,129	21,197	6,330	3,648	1,121	225,824
60–64	69,153	50,587	27,053	17,548	18,075	5,315	2,646	582	190,959
65–69	65,161	47,049	24,085	14,401	16,693	4,586	2,089	368	174,432
70–74	43,022	30,011	16,070	3,996	4,147	1,186	665	126	99,223
75–79	16,703	7,506	8,333	1,434	1,395	438	298	59	36,166
80–84	6,264	1,661	2,476	369	309	108	63	12	11,262
85+	0	333	531	87	46	14	16	3	1,030
Ages 40+	479,920	300,197	210,739	109,276	101,659	34,455	20,293	5,879	1,262,418
Ages 50–69	308,277	228,103	124,104	78,118	79,250	23,293	13,358	3,800	858,303

Note: Period covers 1 January 1996 to 31 December 1997.

Source: AIHW analysis of BreastScreen Australia data.

Table 14: Percentage of women participating in BreastScreen Australia, states and territories, 1996–1997

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	17.8	6.6	19.9	9.5	9.3	19.7	15.4	11.4	13.8
45–49	30.3	13.3	29.5	29.9	21.5	36.2	32.0	19.7	25.2
50–54	52.9	55.4	42.4	52.3	54.1	52.7	55.8	43.7	51.6
55–59	56.5	56.0	44.5	55.1	60.9	56.6	60.0	46.3	54.5
60–64	54.7	54.2	44.2	54.6	58.0	54.4	58.6	36.9	53.0
65–69	51.7	51.5	40.4	47.9	52.4	48.3	53.2	33.1	49.3
70–74	36.6	35.0	29.7	15.2	13.4	13.3	18.5	16.5	30.3
75–79	18.6	11.7	19.8	7.2	5.8	6.2	11.8	11.9	14.5
80–84	9.9	3.6	8.4	2.5	1.8	2.1	3.8	4.1	6.3
85+	0.0	0.9	2.3	0.7	0.3	0.4	1.3	1.3	0.7
Ages 40+									
Crude rate	35.9	30.5	31.0	30.9	30.3	33.5	35.4	25.3	32.6
ASR(A)	36.9	31.6	31.7	32.2	32.2	35.0	36.1	26.0	33.7
95% CI	36.8–37.0	31.5–31.8	31.5–31.8	32.0–32.3	32.0–32.4	34.6–35.4	35.6–36.6	25.3–26.7	33.6–33.8
Ages 50–69									
Crude rate	54.0	54.4	42.9	52.6	56.2	53.2	57.0	41.9	52.2
ASR(A)	54.1	54.6	43.0	52.7	56.4	53.3	57.1	41.0	52.3
95% CI	53.9–54.2	54.4–54.8	42.8–43.2	52.4–53.1	56.0–56.8	52.7–54.0	56.1–58.0	39.7–42.3	52.2–52.4

Notes

1. Period covers 1 January 1996 to 31 December 1997.
2. Rates are the number of women screened as a percentage of the eligible female population and age-standardised to the Australian population at 30 June 2001.
3. BreastScreen Australia services are not provided in some remote areas of the Northern Territory. This may affect the Northern Territory's participation rate.

Source: AIHW analysis of BreastScreen Australia data.

Table 15: Participation in BreastScreen Australia by age and region, 2002–2003

Age group	Number/ rate	Major cities	Inner regional	Outer regional	Remote	Very remote	Australia
40–44	Number	63,725	22,531	14,094	2,413	1,130	103,893
	Rate	12.6	13.9	18.0	19.7	19.0	13.6
45–49	Number	109,441	39,634	22,897	3,644	1,580	177,196
	Rate	23.6	26.6	32.3	34.3	31.6	25.3
50–54	Number	224,913	75,307	37,237	5,300	2,018	344,775
	Rate	51.6	54.4	56.4	55.7	45.4	52.7
55–59	Number	202,530	74,126	35,631	4,767	1,712	318,767
	Rate	56.1	60.3	61.5	61.4	51.8	57.6
60–64	Number	153,805	61,811	29,483	3,582	1,195	249,877
	Rate	56.8	62.3	62.7	62.0	50.1	58.7
65–69	Number	126,337	51,250	23,932	2,691	800	205,010
	Rate	54.8	60.0	61.9	60.7	47.3	56.9
70–74	Number	85,550	36,256	15,291	1,600	484	139,181
	Rate	39.8	46.7	45.3	44.5	37.3	42.0
75–79	Number	37,801	14,336	6,210	616	177	59,140
	Rate	19.2	21.3	21.9	22.5	18.8	19.9
80–84	Number	10,858	4,001	1,758	187	48	16,851
	Rate	7.5	8.3	8.7	9.6	7.6	7.8
85+	Number	2,292	838	425	42	18	3,616
	Rate	1.8	2.0	2.3	2.5	3.3	1.9
Ages 40+	Number	1,017,255	380,090	186,959	24,841	9,161	1,618,306
	Crude rate	34.4	38.3	40.7	41.2	35.0	36.0
	ASR(A)	35.3	38.6	40.9	41.2	34.8	36.7
	95% CI	35.2–35.4	38.5–38.8	40.7–41.1	40.7–41.7	34.1–35.6	36.7–36.8
Ages 50–69	Number	707,586	262,495	126,284	16,340	5,725	1,118,429
	Crude rate	54.5	58.9	60.2	59.4	48.4	56.1
	ASR(A)	54.5	58.7	60.1	59.4	48.4	56.1
	95% CI	54.4–54.6	58.5–58.9	59.8–60.4	58.5–60.4	47.2–49.7	56.0–56.2

Notes

1. Period covers 1 January 2002 to 31 December 2003.
2. Rates are the number of women screened as a percentage of the eligible female population and age-standardised to the Australian population at 30 June 2001.
3. The Australian Standard Geographical Classification (ASGC) was used to create the above categories (ABS 2001).

Source: AIHW analysis of BreastScreen Australia data.

Table 16: Participation in BreastScreen Australia by age and region, 2000–2001

Age group	Number/ rate	Major cities	Inner regional	Outer regional	Remote	Very remote	Australia
40–44	Number	65,334	23,735	14,502	2,366	1,139	107,075
	Rate	13.4	15.3	19.0	19.7	20.0	14.5
45–49	Number	112,458	40,509	22,916	3,515	1,470	180,868
	Rate	24.9	28.4	33.3	34.2	30.3	26.6
50–54	Number	224,910	75,456	36,754	5,048	1,876	344,043
	Rate	52.9	56.9	57.1	54.6	44.9	54.1
55–59	Number	179,954	66,909	32,023	4,283	1,468	284,637
	Rate	57.0	62.5	61.5	59.8	49.5	58.7
60–64	Number	148,469	58,541	27,692	3,268	1,063	239,033
	Rate	57.6	63.0	62.4	60.6	49.5	59.4
65–69	Number	121,850	49,042	22,085	2,478	722	196,177
	Rate	54.7	60.5	60.5	58.5	46.1	56.7
70–74	Number	85,996	33,819	14,095	1,431	430	135,771
	Rate	39.2	44.0	42.1	42.2	36.4	40.6
75–79	Number	38,064	14,389	6,174	638	197	59,461
	Rate	19.6	22.3	22.7	24.5	23.7	20.5
80–84	Number	10,537	4,052	1,780	201	56	16,626
	Rate	8.0	9.3	9.6	11.4	10.1	8.5
85+	Number	2,357	931	433	50	17	3,787
	Rate	1.9	2.4	2.6	3.2	3.5	2.1
Ages 40+	Number	989,927	367,381	178,453	23,278	8,438	1,567,478
	Crude rate	35.0	39.3	40.7	40.4	34.5	36.6
	ASR(A)	36.1	39.8	41.0	40.6	34.6	37.5
	95% CI	36.0–36.1	39.7–40.0	40.8–41.2	40.1–41.1	33.9–35.4	37.4–37.5
Ages 50–69	Number	675,182	249,948	118,554	15,077	5,130	1,063,890
	Crude rate	55.3	60.4	60.1	57.9	47.3	56.9
	ASR(A)	55.3	60.4	60.0	58.0	47.3	56.9
	95% CI	55.2–55.5	60.1–60.6	59.6–60.3	57.0–58.9	46.0–48.7	56.8–57.0

Notes

1. Period covers 1 January 2000 to 31 December 2001.
2. Rates are the number of women screened as a percentage of the eligible female population and age-standardised to the Australian population at 30 June 2001.
3. The Australian Standard Geographical Classification (ASGC) was used to create the above categories (ABS 2001).

Source: AIHW analysis of BreastScreen Australia data.

Table 17: Participation in BreastScreen Australia by age and region, 1997–1998

Age group	Number/ rate	Major cities	Inner regional	Outer regional	Remote	Very remote	Australia
40–44	Number	61,966	24,805	15,888	2,694	1,191	106,543
	Rate	13.4	17.0	21.9	23.7	22.4	15.3
45–49	Number	106,369	38,254	22,824	3,856	1,575	172,878
	Rate	24.4	28.9	35.0	39.3	35.1	26.7
50–54	Number	195,333	64,931	34,102	5,073	1,711	301,151
	Rate	52.6	56.9	59.5	60.7	47.9	54.3
55–59	Number	150,930	55,257	29,062	3,864	1,284	240,398
	Rate	54.2	59.7	61.6	61.7	48.9	56.3
60–64	Number	127,048	48,992	24,269	3,098	882	204,289
	Rate	53.4	59.0	60.1	62.7	46.2	55.5
65–69	Number	113,787	44,054	20,883	2,418	662	181,804
	Rate	49.9	54.9	56.8	59.4	43.1	51.8
70–74	Number	73,131	26,655	11,452	1,140	382	112,760
	Rate	33.3	36.2	35.6	36.1	33.9	34.2
75–79	Number	26,701	10,144	4,772	518	189	42,323
	Rate	15.1	17.6	19.2	21.1	26.0	16.1
80–84	Number	7,174	2,939	1,461	157	68	11,800
	Rate	5.9	7.5	8.4	9.4	13.5	6.5
85+	Number	1,520	570	304	40	20	2,455
	Rate	1.5	1.8	2.1	2.7	3.9	1.6
Ages 40+	Number	863,960	316,601	165,017	22,858	7,964	1,376,401
	Crude rate	32.8	37.2	40.4	42.7	35.7	34.6
	ASR(A)	34.0	38.1	40.9	42.8	35.8	35.7
	95% CI	33.9–34.0	37.9–38.2	40.7–41.1	42.2–43.4	35.0–36.6	35.6–35.8
Ages 50–69	Number	587,099	213,234	108,316	14,453	4,540	927,642
	Crude rate	52.6	57.6	59.6	61.2	47.1	54.5
	ASR(A)	52.7	57.7	59.7	61.2	47.0	54.6
	95% CI	52.6–52.8	57.5–58.0	59.4–60.1	60.2–62.2	45.6–48.3	54.5–54.7

Notes

1. Period covers 1 January 1997 to 31 December 1998.
2. Rates are the number of women screened as a percentage of the eligible female population and age-standardised to the Australian population at 30 June 2001.
3. The Australian Standard Geographical Classification (ASGC) was used to create the above categories (ABS 2001).

Source: AIHW analysis of BreastScreen Australia data.

Table 18: Participation in BreastScreen Australia by age and socioeconomic status, 2002–2003

Age group	Number/ rate	1st quintile	2nd quintile	3rd quintile	4th quintile	5th quintile	Australia
40–44	Number	20,182	19,234	22,926	21,947	19,604	103,893
	Rate	12.8	12.2	14.9	14.8	13.3	13.6
45–49	Number	36,047	32,195	38,225	37,150	33,579	177,196
	Rate	24.0	22.3	27.7	27.5	25.4	25.3
50–54	Number	76,533	69,107	69,777	67,207	62,151	344,775
	Rate	53.3	51.7	55.0	53.4	50.1	52.7
55–59	Number	68,777	60,943	65,469	64,322	59,256	318,767
	Rate	57.9	55.1	60.3	58.4	56.4	57.6
60–64	Number	49,035	46,283	51,379	53,366	49,814	249,877
	Rate	58.7	56.9	59.5	59.6	58.9	58.7
65–69	Number	38,068	37,271	42,342	45,597	41,733	205,010
	Rate	56.5	55.7	57.3	57.9	56.7	56.9
70–74	Number	26,535	25,741	29,593	30,116	27,195	139,181
	Rate	42.2	41.9	43.2	42.0	40.6	42.0
75–79	Number	12,898	9,672	12,289	13,093	11,189	59,140
	Rate	21.4	17.4	19.9	21.2	19.5	19.9
80–84	Number	3,926	2,573	3,535	3,742	3,074	16,851
	Rate	8.3	6.2	7.8	8.7	7.7	7.8
85+	Number	834	482	765	852	682	3,616
	Rate	1.8	1.3	1.9	2.4	2.1	1.9
Ages 40+	Number	332,835	303,501	336,300	337,393	308,277	1,618,306
	Crude rate	35.5	34.1	37.3	37.5	35.6	36.0
	ASR(A)	36.6	35.0	38.2	37.8	36.0	36.7
	95% CI	36.4–36.7	34.9–35.1	38.1–38.3	37.7–37.9	35.8–36.1	36.7–36.8
Ages 50–69	Number	232,412	213,604	228,967	230,493	212,953	1,118,429
	Crude rate	56.2	54.4	57.9	57.0	55.0	56.1
	ASR(A)	56.2	54.5	57.8	56.9	54.8	56.1
	95% CI	56.0–56.5	54.2–54.7	57.5–58.0	56.6–57.1	54.6–55.1	56.0–56.2

Notes

1. Period covers 1 January 2002 to 31 December 2003.
2. Rates are the number of women screened as a percentage of the eligible female population and age-standardised to the Australian population at 30 June 2001.
3. The first quintile corresponds to the highest level of socioeconomic status and the fifth to the lowest.

Source: AIHW analysis of BreastScreen Australia data.

Table 19: Participation in BreastScreen Australia by age and socioeconomic status, 2000–2001

Age group	Number/ rate	1st quintile	2nd quintile	3rd quintile	4th quintile	5th quintile	Australia
40–44	Number	21,113	19,504	23,168	23,088	20,203	107,075
	Rate	13.7	13.0	15.8	16.2	14.1	14.5
45–49	Number	37,714	32,417	38,250	38,217	34,270	180,868
	Rate	25.4	23.4	28.9	29.6	26.4	26.6
50–54	Number	76,493	68,340	69,108	67,553	62,549	344,043
	Rate	53.5	53.1	56.8	55.8	51.6	54.1
55–59	Number	60,193	54,112	57,529	58,242	54,562	284,637
	Rate	57.9	56.9	60.6	60.1	58.1	58.7
60–64	Number	45,530	43,936	48,888	51,601	49,079	239,033
	Rate	57.8	58.2	60.1	60.7	59.9	59.4
65–69	Number	36,202	35,873	39,829	43,987	40,285	196,177
	Rate	55.5	56.2	56.3	58.7	56.6	56.7
70–74	Number	26,783	25,394	28,361	28,959	26,273	135,771
	Rate	40.9	41.3	41.1	40.7	39.2	40.6
75–79	Number	12,210	10,224	12,916	13,127	10,984	59,461
	Rate	20.0	18.7	21.6	22.3	19.8	20.5
80–84	Number	3,404	2,724	3,620	3,851	3,026	16,626
	Rate	7.8	7.3	8.9	10.0	8.6	8.5
85+	Number	769	573	881	864	701	3,787
	Rate	1.7	1.6	2.4	2.7	2.3	2.1
Ages 40+	Number	320,412	293,097	322,549	329,488	301,932	1,567,478
	Crude rate	35.3	34.8	37.8	38.8	36.4	36.6
	ASR(A)	36.6	36.0	38.8	39.1	36.8	37.5
	95% CI	36.5–36.7	35.9–36.1	38.7–39.0	39.0–39.3	36.6–36.9	37.4–37.5
Ages 50–69	Number	218,418	202,260	215,354	221,383	206,475	1,063,890
	Crude rate	55.9	55.7	58.4	58.6	56.1	56.9
	ASR(A)	56.0	55.7	58.4	58.5	56.0	56.9
	95% CI	55.7–56.2	55.5–56.0	58.2–58.7	58.3–58.8	55.8–56.2	56.8–57.0

Notes

1. Period covers 1 January 2000 to 31 December 2001.
2. Rates are the number of women screened as a percentage of the eligible female population and age-standardised to the Australian population at 30 June 2001.
3. The first quintile corresponds to the highest level of socioeconomic status and the fifth to the lowest.

Source: AIHW analysis of BreastScreen Australia data.

Table 20: Participation in BreastScreen Australia by age and socioeconomic status, 1997–1998

Age group	Number/ rate	1st quintile	2nd quintile	3rd quintile	4th quintile	5th quintile	Australia
40–44	Number	19,906	18,691	23,414	23,364	21,168	106,543
	Rate	13.4	13.2	17.0	17.6	15.5	15.3
45–49	Number	36,002	31,025	36,399	36,188	33,264	172,878
	Rate	24.4	23.5	29.5	29.9	26.7	26.7
50–54	Number	68,316	58,515	60,335	58,074	55,911	301,151
	Rate	53.6	53.1	57.2	55.2	52.5	54.3
55–59	Number	49,301	44,510	48,438	49,584	48,564	240,398
	Rate	54.7	54.4	57.7	58.1	56.5	56.3
60–64	Number	38,635	37,382	41,347	44,434	42,491	204,289
	Rate	53.8	55.1	55.7	57.1	55.6	55.5
65–69	Number	34,382	33,795	36,591	39,877	37,159	181,804
	Rate	50.5	52.7	51.0	53.2	51.8	51.8
70–74	Number	23,530	20,918	23,350	23,178	21,783	112,760
	Rate	34.8	34.3	34.4	34.1	33.3	34.2
75–79	Number	8,444	7,742	9,121	9,122	7,893	42,323
	Rate	14.8	15.6	16.8	17.4	16.0	16.1
80–84	Number	2,390	1,975	2,542	2,719	2,174	11,800
	Rate	5.6	5.7	6.8	7.9	6.8	6.5
85+	Number	508	412	543	539	453	2,455
	Rate	1.3	1.4	1.7	2.0	1.7	1.6
Ages 40+	Number	281,415	254,965	282,081	287,080	270,860	1,376,401
	Crude rate	32.8	33.0	35.8	36.8	35.0	34.6
	ASR(A)	34.3	34.4	37.1	37.4	35.4	35.7
	95% CI	34.2–34.5	34.3–34.5	37.0–37.2	37.2–37.5	35.3–35.6	35.6–35.8
Ages 50–69	Number	190,634	174,203	186,711	191,969	184,124	927,642
	Crude rate	53.3	53.8	55.7	55.9	54.1	54.5
	ASR(A)	53.4	53.8	55.9	56.0	54.1	54.6
	95% CI	53.1–53.6	53.6–54.1	55.7–56.2	55.7–56.3	53.9–54.3	54.5–54.7

Notes

1. Period covers 1 January 1997 to 31 December 1998.
2. Rates are the number of women screened as a percentage of the eligible female population and age-standardised to the Australian population at 30 June 2001.
3. The first quintile corresponds to the highest level of socioeconomic status and the fifth to the lowest.

Source: AIHW analysis of BreastScreen Australia data.

Table 21: Participation in BreastScreen Australia by age and Indigenous status, 2002–2003

Age group	Number/rate	Indigenous	Non-Indigenous	Australia
40–44	Number	1,576	100,934	103,893
	Rate	11.1	13.4	13.6
45–49	Number	2,196	172,753	177,196
	Rate	20.3	25.1	25.3
50–54	Number	2,763	335,347	344,775
	Rate	32.1	52.0	52.7
55–59	Number	2,185	311,077	318,767
	Rate	37.6	56.8	57.6
60–64	Number	1,634	243,744	249,877
	Rate	37.8	57.9	58.7
65–69	Number	1,133	199,814	205,010
	Rate	38.4	55.9	56.9
70–74	Number	637	135,169	139,181
	Rate	31.0	41.1	42.0
75+	Number	230	77,734	79,607
	Rate	9.3	11.0	11.3
Ages 40+	Number	12,354	1,576,572	1,618,306
	Crude rate	24.1	35.5	36.0
	ASR(A)	25.1	36.1	36.6
	95% CI	24.7–25.6	36.0–36.1	36.6–36.7
Ages 50–69	Number	7,715	1,089,982	1,118,429
	Crude rate	35.6	55.3	56.1
	ASR(A)	35.9	55.2	56.1
	95% CI	35.1–36.7	55.1–55.3	56.0–56.2

Notes

1. Rates are the number of women screened as a percentage of the eligible female population and age-standardised to the Australian population at 30 June 2001.
2. Period covers 1 January 2002 to 31 December 2003.
3. Women in the 'unknown' category are included in the column for 'Australia', but are not included in the other columns.

Source: AIHW analysis of BreastScreen Australia data.

Table 22: Participation in BreastScreen Australia by age and Indigenous status, 2000–2001

Age group	Number/rate	Indigenous	Non-Indigenous	Australia
40–44	Number	1,405	102,358	107,075
	Rate	10.9	14.1	14.5
45–49	Number	1,888	173,263	180,868
	Rate	18.4	25.9	26.6
50–54	Number	2,400	319,866	344,043
	Rate	31.1	50.9	54.1
55–59	Number	1,826	266,553	284,637
	Rate	34.0	55.6	58.7
60–64	Number	1,382	223,799	239,033
	Rate	33.9	56.2	59.4
65–69	Number	981	184,100	196,177
	Rate	34.7	53.6	56.7
70–74	Number	520	127,132	135,771
	Rate	26.9	38.3	40.6
75+	Number	203	76,363	79,874
	Rate	7.9	11.5	12.0
Ages 40+	Number	10,605	1,473,434	1,567,478
	Crude rate	22.3	34.8	36.6
	ASR(A)	23.0	35.5	37.4
	95% CI	22.6–23.5	35.5–35.6	37.3–37.4
Ages 50–69	Number	6,589	994,318	1,063,890
	Crude rate	33.0	53.8	56.9
	ASR(A)	33.1	53.8	56.9
	95% CI	32.3–33.9	53.7–53.9	56.8–57.0

Notes

1. Rates are the number of women screened as a percentage of the eligible female population and age-standardised to the Australian population at 30 June 2001.
2. Period covers 1 January 2000 to 31 December 2001.
3. Women in the 'unknown' category are included in the column for 'Australia', but are not included in the other columns.

Source: AIHW analysis of BreastScreen Australia data.

Table 23: Participation in BreastScreen Australia by age and Indigenous status, 1997–1998

Age group	Number/rate	Indigenous	Non-Indigenous	Australia
40–44	Number	1,306	105,081	106,542
	Rate	11.5	15.3	15.3
45–49	Number	1,684	170,075	172,875
	Rate	18.3	26.6	26.7
50–54	Number	1,815	297,711	301,151
	Rate	28.3	54.3	54.3
55–59	Number	1,541	237,760	240,398
	Rate	30.6	56.3	56.3
60–64	Number	1,093	202,366	204,288
	Rate	29.7	55.5	55.5
65–69	Number	775	180,187	181,804
	Rate	27.8	51.8	51.8
70–74	Number	329	111,971	112,760
	Rate	18.0	34.1	34.2
75+	Number	186	56,216	56,578
	Rate	7.3	9.5	9.5
Ages 40+	Number	8,729	1,361,367	1,376,396
	Crude rate	20.4	34.6	34.6
	ASR(A)	20.5	35.6	35.6
	95% CI	20.1–21.0	35.6–35.7	35.6–35.7
Ages 50–69	Number	5,224	918,024	927,641
	Crude rate	29.2	54.5	54.5
	ASR(A)	29.1	54.6	54.6
	95% CI	28.3–29.9	54.5–54.8	54.5–54.7

Notes

1. Rates are the number of women screened as a percentage of the eligible female population and age-standardised to the Australian population at 30 June 2001.
2. Period covers 1 January 1997 to 31 December 1998.
3. Women in the 'unknown' category are included in the column for 'Australia', but are not included in the other columns.

Source: AIHW analysis of BreastScreen Australia data.

Table 24: Participation in BreastScreen Australia by age and main language spoken at home, 2002–2003

Age group	Number/rate	English-speaking	Non-English-speaking	Australia
40–44	Number	90,881	12,610	103,893
	Rate	14.3	9.6	13.6
45–49	Number	153,822	22,705	177,196
	Rate	26.4	19.4	25.3
50–54	Number	301,377	42,212	344,775
	Rate	54.8	40.5	52.7
55–59	Number	279,215	38,676	318,767
	Rate	59.7	45.4	57.6
60–64	Number	214,283	35,001	249,877
	Rate	61.6	45.2	58.7
65–69	Number	173,834	30,761	205,010
	Rate	59.4	45.4	56.9
70–74	Number	122,445	16,495	139,181
	Rate	44.0	31.0	42.0
75–79	Number	53,224	5,824	59,140
	Rate	21.2	12.9	19.9
80–84	Number	15,599	1,218	16,851
	Rate	8.1	5.0	7.8
85+	Number	3,431	181	3,616
	Rate	2.0	0.9	1.9
Ages 40+	Number	1,408,111	205,683	1,618,306
	Crude rate	37.4	28.3	36.0
	ASR(A)	38.3	28.0	36.7
	95% CI	38.3–38.4	27.9–28.1	36.7–36.8
Ages 50–69	Number	968,709	146,650	1,118,429
	Crude rate	58.4	43.8	56.1
	ASR(A)	58.4	43.7	56.1
	95% CI	58.3–58.5	43.4–43.9	56.0–56.2

Notes

1. Period covers 1 January 2002 to 31 December 2003.
2. Rates are the number of women screened as a percentage of the eligible female population and age-standardised to the Australian population at 30 June 2001.
3. Women who were recorded as not stating their language spoken at home are included in the analysis for all women but excluded from the analysis by language.

Source: AIHW analysis of BreastScreen Australia data.

Table 25: Participation in BreastScreen Australia by age and main language spoken at home, 2000–2001

Age group	Number/rate	English-speaking	Non-English-speaking	Australia
40–44	Number	90,646	12,633	103,858
	Rate	14.8	10.0	14.1
45–49	Number	151,135	21,690	173,859
	Rate	26.7	19.1	25.6
50–54	Number	285,690	42,031	329,656
	Rate	53.5	41.4	51.9
55–59	Number	236,513	35,799	273,614
	Rate	57.7	47.9	56.5
60–64	Number	192,878	35,810	229,533
	Rate	58.6	48.9	57.0
65–69	Number	159,753	28,147	188,401
	Rate	56.9	43.2	54.5
70–74	Number	117,761	15,427	133,503
	Rate	42.0	28.7	39.9
75–79	Number	52,898	5,530	58,571
	Rate	21.5	12.6	20.2
80–84	Number	15,363	1,022	16,431
	Rate	8.8	4.7	8.4
85+	Number	3,539	206	3,751
	Rate	2.2	1.1	2.1
Ages 40+	Number	1,306,176	198,295	1,511,177
	Crude rate	36.4	28.6	35.3
	ASR(A)	37.4	28.5	36.1
	95% CI	37.4–37.5	28.4–28.6	36.0–36.2
Ages 50–69	Number	874,834	141,787	1,021,204
	Crude rate	56.3	45.1	54.6
	ASR(A)	56.3	45.1	54.7
	95% CI	56.2–56.4	44.9–45.3	54.5–54.8

Notes

1. Period covers 1 January 2000 to 31 December 2001.
2. Rates are the number of women screened as a percentage of the eligible female population and age-standardised to the Australian population at 30 June 2001.
3. Women who were recorded as not stating their language spoken at home are included in the analysis for all women but excluded from the analysis by language.

Source: AIHW analysis of BreastScreen Australia data.

Table 26: Participation in BreastScreen Australia by age and main language spoken at home, 1997–1998

Age group	Number/rate	English-speaking	Non-English-speaking	Australia
40–44	Number	92,928	13,590	106,543
	Rate	16.1	11.4	15.3
45–49	Number	148,791	24,020	172,878
	Rate	27.6	22.2	26.7
50–54	Number	257,617	43,441	301,151
	Rate	55.2	49.1	54.3
55–59	Number	202,168	38,111	240,398
	Rate	55.9	57.9	56.3
60–64	Number	170,746	33,443	204,289
	Rate	56.7	49.9	55.5
65–69	Number	156,209	25,499	181,804
	Rate	54.9	38.7	51.8
70–74	Number	99,570	13,125	112,760
	Rate	36.0	24.7	34.2
75–79	Number	38,689	3,598	42,323
	Rate	17.4	9.0	16.1
80–84	Number	11,050	742	11,800
	Rate	6.9	3.7	6.5
85+	Number	2,290	162	2,455
	Rate	1.7	1.0	1.6
Ages 40+	Number	1,180,058	195,731	1,376,401
	Crude rate	35.5	30.4	34.6
	ASR(A)	36.7	30.8	35.7
	95% CI	36.6–36.7	30.6–30.9	35.6–35.8
Ages 50–69	Number	786,740	140,494	927,642
	Crude rate	55.7	48.9	54.5
	ASR(A)	55.7	49.7	54.6
	95% CI	55.5–55.8	49.5–50.0	54.5–54.7

Notes

1. Period covers 1 January 1997 to 31 December 1998.
2. Rates are the number of women screened as a percentage of the eligible female population and age-standardised to the Australian population at 30 June 2001.
3. Women who were recorded as not stating their language spoken at home are included in the analysis for all women but excluded from the analysis by language.

Source: AIHW analysis of BreastScreen Australia data.

Indicator 2: Detection rate for small invasive cancers

Table 27: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 2003

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	12,126	4,123	10,426	2,613	2,010	898	9	194	32,399
	Cases	15	2	10	1	2	1	0	1	32
45–49	Screened	9,140	4,714	5,996	2,862	1,930	788	34	198	25,662
	Cases	15	10	14	7	4	0	1	0	51
50–54	Screened	11,028	12,195	6,220	4,704	3,979	671	507	284	39,588
	Cases	29	29	16	18	11	4	1	0	108
55–59	Screened	5,904	1,988	3,049	1,111	629	368	153	122	13,324
	Cases	21	11	9	5	4	3	1	2	56
60–64	Screened	3,640	1,087	2,040	680	294	208	96	44	8,089
	Cases	11	8	4	3	2	2	0	1	31
65–69	Screened	2,580	753	1,384	396	192	117	47	34	5,503
	Cases	17	2	5	5	1	0	0	0	30
70–74	Screened	1,304	406	655	154	69	41	22	6	2,657
	Cases	9	3	6	0	2	0	1	0	21
75–79	Screened	817	261	437	112	69	28	14	9	1,747
	Cases	7	7	3	3	1	0	0	0	21
80–84	Screened	355	123	149	57	46	12	6	0	748
	Cases	5	1	0	3	0	1	0	0	10
85+	Screened	99	41	40	13	9	4	2	0	208
	Cases	1	0	0	0	0	0	0	0	1
Ages 40+	Screened	46,993	25,691	30,396	12,702	9,227	3,135	890	891	129,925
	Cases	130	73	67	45	27	11	4	4	361
Ages 50–69	Screened	23,152	16,023	12,693	6,891	5,094	1,364	803	484	66,504
	Cases	78	50	34	31	18	9	2	3	225

Source: AIHW analysis of BreastScreen Australia data.

Table 28: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	12.4	4.9	9.6	3.8	10.0	11.1	0.0	51.5	9.9
45–49	16.4	21.2	23.3	24.5	20.7	0.0	294.1	0.0	19.9
50–54	26.3	23.8	25.7	38.3	27.6	59.6	19.7	0.0	27.3
55–59	35.6	55.3	29.5	45.0	63.6	81.5	65.4	163.9	42.0
60–64	30.2	73.6	19.6	44.1	68.0	96.2	0.0	227.3	38.3
65–69	65.9	26.6	36.1	126.3	52.1	0.0	0.0	0.0	54.5
70–74	69.0	73.9	91.6	0.0	289.9	0.0	454.5	0.0	79.0
75–79	85.7	268.2	68.6	267.9	144.9	0.0	0.0	0.0	120.2
80–84	140.8	81.3	0.0	526.3	0.0	833.3	0.0	..	133.7
85+	101.0	0.0	0.0	0.0	0.0	0.0	0.0	..	48.1
Ages 40+									
Crude rate	27.7	28.4	22.0	35.4	29.3	35.1	44.9	44.9	27.8
ASR(A)	37.8	47.2	31.8	55.2	65.9	49.3	91.1	66.1	40.8
95% CI	30.6–45.9	33.7–63.3	22.9–42.4	35.7–79.4	28.5–115.8	22.5–91.6	11.4–261.9	8.8–188.8	35.7–46.2
Ages 50–69									
Crude rate	33.7	31.2	26.8	45.0	35.3	66.0	24.9	62.0	33.8
ASR(A)	37.3	43.5	27.4	58.4	50.6	61.8	23.3	92.7	38.8
95% CI	28.9–47.1	28.6–62.0	18.3–39.1	33.9–90.5	21.2–92.7	26.5–120.1	0.8–90.2	12.2–287.6	33.2–45.1

.. Not applicable—no women in this age group were screened in 2003.

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 29: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 2002

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	13,400	4,759	10,308	2,210	1,903	820	53	192	33,645
	Cases	16	4	13	1	2	2	0	0	38
45–49	Screened	10,515	5,676	6,231	2,766	2,078	606	72	219	28,163
	Cases	14	7	16	3	2	1	0	0	43
50–54	Screened	13,391	12,421	6,936	5,560	4,025	638	651	318	43,940
	Cases	31	24	17	21	12	0	3	0	108
55–59	Screened	6,376	2,853	3,230	1,313	784	298	225	85	15,164
	Cases	20	10	9	2	3	0	2	0	46
60–64	Screened	4,190	1,948	2,254	850	380	184	118	44	9,968
	Cases	17	8	8	7	5	2	0	1	48
65–69	Screened	3,026	1,454	1,549	542	229	108	61	26	6,995
	Cases	17	9	6	3	6	0	0	0	41
70–74	Screened	1,709	844	801	167	113	38	18	16	3,706
	Cases	12	6	6	1	1	0	0	0	26
75–79	Screened	1,087	493	490	113	114	37	25	8	2,367
	Cases	6	2	1	1	2	0	0	0	12
80–84	Screened	436	191	156	49	64	11	6	3	916
	Cases	2	2	1	0	2	0	0	0	7
85+	Screened	118	49	53	17	8	4	0	0	249
	Cases	2	0	0	0	0	0	0	0	2
Ages 40+	Screened	54,248	30,688	32,008	13,587	9,698	2,744	1,229	911	145,113
	Cases	137	72	77	39	35	5	5	1	371
Ages 50–69	Screened	26,983	18,676	13,969	8,265	5,418	1,228	1,055	473	76,067
	Cases	85	51	40	33	26	2	5	1	243

Source: AIHW analysis of BreastScreen Australia data.

Table 30: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 2002

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	11.9	8.4	12.6	4.5	10.5	24.4	0.0	0.0	11.3
45–49	13.3	12.3	25.7	10.8	9.6	16.5	0.0	0.0	15.3
50–54	23.1	19.3	24.5	37.8	29.8	0.0	46.1	0.0	24.6
55–59	31.4	35.1	27.9	15.2	38.3	0.0	88.9	0.0	30.3
60–64	40.6	41.1	35.5	82.4	131.6	108.7	0.0	227.3	48.2
65–69	56.2	61.9	38.7	55.4	262.0	0.0	0.0	0.0	58.6
70–74	70.2	71.1	74.9	59.9	88.5	0.0	0.0	0.0	70.2
75–79	55.2	40.6	20.4	88.5	175.4	0.0	0.0	0.0	50.7
80–84	45.9	104.7	64.1	0.0	312.5	0.0	0.0	0.0	76.4
85+	169.5	0.0	0.0	0.0	0.0	0.0	80.3
Ages 40+									
Crude rate	25.3	23.5	24.1	28.7	36.1	18.2	40.7	11.0	25.6
ASR(A)	34.7	34.7	32.1	39.7	84.1	20.1	25.4	33.6	36.4
95% CI	28.4–41.8	25.7–45.4	23.9–41.9	23.7–59.9	50.0–128.0	2.5–54.8	6.8–62.1	0.8–187.1	32.1–41.0
Ages 50–69									
Crude rate	31.5	27.3	28.6	39.9	48.0	16.3	47.4	21.1	31.9
ASR(A)	35.6	36.5	30.6	45.2	99.7	24.0	38.0	50.3	37.9
95% CI	27.9–44.5	25.5–50.0	21.2–42.4	27.2–68.6	54.9–159.9	2.9–86.8	10.2–93.0	1.3–280.0	32.7–43.6

.. Not applicable—no women in this age group were screened in 2002.

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 31: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 2001

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	13,640	4,387	9,822	2,513	2,153	810	569	315	34,209
	Cases	20	5	13	4	4	0	0	0	46
45–49	Screened	10,802	5,221	6,322	2,954	2,271	658	611	290	29,129
	Cases	17	10	8	6	5	0	0	0	46
50–54	Screened	13,358	13,047	7,097	4,557	4,282	724	678	370	44,113
	Cases	46	36	15	9	9	2	1	1	119
55–59	Screened	5,851	4,533	3,352	1,225	849	279	201	135	16,425
	Cases	22	16	11	3	2	2	1	0	57
60–64	Screened	4,403	3,653	2,336	883	417	210	109	67	12,078
	Cases	22	14	11	4	2	4	2	0	59
65–69	Screened	3,134	2,970	1,639	574	324	139	72	41	8,893
	Cases	11	15	6	2	2	2	0	0	38
70–74	Screened	1,915	1,216	944	244	172	60	33	19	4,603
	Cases	10	12	7	8	1	0	0	0	38
75–79	Screened	1,332	557	597	181	167	72	24	12	2,942
	Cases	10	6	6	0	1	1	0	0	24
80–84	Screened	562	226	205	65	60	15	8	7	1,148
	Cases	3	3	1	0	0	0	0	0	7
85+	Screened	145	79	62	26	23	7	3	0	345
	Cases	0	2	2	0	0	0	0	0	4
Ages 40+	Screened	55,142	35,889	32,376	13,222	10,718	2,974	2,308	1,256	153,885
	Cases	161	119	80	36	26	11	4	1	438
Ages 50–69	Screened	26,746	24,203	14,424	7,239	5,872	1,352	1,060	613	81,509
	Cases	101	81	43	18	15	10	4	1	273

Source: AIHW analysis of BreastScreen Australia data.

Table 32: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 2001

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	14.7	11.4	13.2	15.9	18.6	0.0	0.0	0.0	13.4
45–49	15.7	19.2	12.7	20.3	22.0	0.0	0.0	0.0	15.8
50–54	34.4	27.6	21.1	19.7	21.0	27.6	14.7	27.0	27.0
55–59	37.6	35.3	32.8	24.5	23.6	71.7	49.8	0.0	34.7
60–64	50.0	38.3	47.1	45.3	48.0	190.5	183.5	0.0	48.8
65–69	35.1	50.5	36.6	34.8	61.7	143.9	0.0	0.0	42.7
70–74	52.2	98.7	74.2	327.9	58.1	0.0	0.0	0.0	82.6
75–79	75.1	107.7	100.5	0.0	59.9	138.9	0.0	0.0	81.6
80–84	53.4	132.7	48.8	0.0	0.0	0.0	0.0	0.0	61.0
85+	0.0	253.2	322.6	0.0	0.0	0.0	0.0	..	115.9
Ages 40+									
Crude rate	29.2	33.2	24.7	27.2	24.3	37.0	17.3	8.0	28.5
ASR(A)	36.2	40.8	34.9	51.0	34.7	69.5	38.9	5.9	37.9
95% CI	30.2–43.0	33.1–49.7	26.6–44.8	30.9–76.8	17.3–58.1	32.9–127.2	8.0–105.2	0.1–32.7	33.9–42.1
Ages 50–69									
Crude rate	37.8	33.5	29.8	24.9	25.5	74.0	37.7	16.3	33.5
ASR(A)	38.8	36.4	32.9	29.6	35.6	97.7	58.3	8.8	36.9
95% CI	31.2–47.7	28.3–46.0	23.3–45.0	15.5–49.6	14.5–66.6	44.4–183.6	12.0–157.5	0.2–49.0	32.3–41.9

.. Not applicable—no women in this age group were screened in 2001.

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 33: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 2000

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	12,617	4,522	9,194	2,254	2,356	752	531	259	32,485
	Cases	13	6	5	2	1	0	1	0	28
45–49	Screened	10,384	5,541	6,400	2,955	2,523	590	589	262	29,244
	Cases	16	12	14	6	3	1	0	0	52
50–54	Screened	12,238	12,379	8,461	3,223	5,278	796	662	491	43,528
	Cases	38	29	21	8	23	1	2	1	123
55–59	Screened	5,227	3,179	4,273	923	1,130	342	201	130	15,405
	Cases	15	11	18	4	5	1	1	1	56
60–64	Screened	4,017	2,462	3,149	707	648	224	129	61	11,397
	Cases	11	8	18	4	5	2	2	0	50
65–69	Screened	2,849	1,757	2,426	455	553	156	83	33	8,312
	Cases	13	9	13	4	5	0	0	0	44
70–74	Screened	1,757	868	1,296	235	247	80	41	20	4,544
	Cases	10	10	8	3	1	1	0	0	33
75–79	Screened	1,260	622	747	171	244	59	24	8	3,135
	Cases	6	9	6	0	1	0	1	0	23
80–84	Screened	465	233	235	48	74	17	11	2	1,085
	Cases	3	1	3	0	2	0	0	0	9
85+	Screened	130	60	79	9	14	10	6	1	309
	Cases	1	1	1	0	0	0	0	0	3
Ages 40+	Screened	50,944	31,623	36,260	10,980	13,067	3,026	2,277	1,267	149,444
	Cases	126	96	107	31	46	6	7	2	421
Ages 50–69	Screened	24,331	19,777	18,309	5,308	7,609	1,518	1,075	715	78,642
	Cases	77	57	70	20	38	4	5	2	273

Source: AIHW analysis of BreastScreen Australia data.

Table 34: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 2000

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	10.3	13.3	5.4	8.9	4.2	0.0	18.8	0.0	8.6
45–49	15.4	21.7	21.9	20.3	11.9	16.9	0.0	0.0	17.8
50–54	31.1	23.4	24.8	24.8	43.6	12.6	30.2	20.4	28.3
55–59	28.7	34.6	42.1	43.3	44.2	29.2	49.8	76.9	36.4
60–64	27.4	32.5	57.2	56.6	77.2	89.3	155.0	0.0	43.9
65–69	45.6	51.2	53.6	87.9	90.4	0.0	0.0	0.0	52.9
70–74	56.9	115.2	61.7	127.7	40.5	125.0	0.0	0.0	72.6
75–79	47.6	144.7	80.3	0.0	41.0	0.0	416.7	0.0	73.4
80–84	64.5	42.9	127.7	0.0	270.3	0.0	0.0	0.0	82.9
85+	76.9	166.7	126.6	0.0	0.0	0.0	0.0	0.0	97.1
Ages 40+									
Crude rate	24.7	30.4	29.5	28.2	35.2	19.8	30.7	15.8	28.2
ASR(A)	31.4	41.1	40.3	46.6	49.1	33.6	52.3	17.7	38.0
95% CI	25.4–38.2	31.9–51.8	32.5–49.3	28.2–70.8	32.3–70.1	9.9–77.6	16.2–116.4	0.3–69.6	33.9–42.3
Ages 50–69									
Crude rate	31.6	28.8	38.2	37.7	49.9	26.4	46.5	28.0	34.7
ASR(A)	32.5	33.7	42.1	48.9	60.3	31.4	57.0	26.6	38.6
95% CI	25.1–41.2	24.3–45.3	32.5–53.5	27.5–78.9	37.8–88.9	7.5–82.6	14.2–141.4	0.4–104.1	33.7–43.9

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 35: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 1999

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	14,352	4,965	9,542	2,530	2,344	841	602	246	35,422
	Cases	12	6	8	2	3	0	1	2	34
45–49	Screened	11,908	6,092	7,300	2,880	2,514	689	631	285	32,299
	Cases	14	10	20	5	2	3	1	1	56
50–54	Screened	13,267	13,528	9,379	2,334	4,756	888	756	444	45,352
	Cases	31	29	29	11	7	1	4	1	113
55–59	Screened	6,220	2,623	5,263	1,012	1,334	362	236	140	17,190
	Cases	21	12	24	6	9	0	1	0	73
60–64	Screened	4,780	2,056	3,943	677	862	285	137	91	12,831
	Cases	11	7	14	2	5	0	1	0	40
65–69	Screened	3,646	1,472	3,351	479	682	195	97	48	9,970
	Cases	16	8	27	3	8	1	1	0	64
70–74	Screened	2,238	870	1,839	302	264	119	62	28	5,722
	Cases	14	3	12	4	1	1	0	0	35
75–79	Screened	1,570	690	1,093	204	247	95	32	12	3,943
	Cases	14	4	9	4	2	1	1	0	35
80–84	Screened	503	228	367	49	85	23	12	5	1,272
	Cases	2	2	6	1	1	0	0	0	12
85+	Screened	122	73	108	12	22	5	2	0	344
	Cases	0	2	1	0	0	0	0	0	3
Ages 40+	Screened	58,606	32,597	42,185	10,479	13,110	3,502	2,567	1,299	164,345
	Cases	135	83	150	38	38	7	10	4	465
Ages 50–69	Screened	27,913	19,679	21,936	4,502	7,634	1,730	1,226	723	85,343
	Cases	79	56	94	22	29	2	7	1	290

Source: AIHW analysis of BreastScreen Australia data.

Table 36: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 1999

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	8.4	12.1	8.4	7.9	12.8	0.0	16.6	81.3	9.6
45–49	11.8	16.4	27.4	17.4	8.0	43.5	15.8	35.1	17.3
50–54	23.4	21.4	30.9	47.1	14.7	11.3	52.9	22.5	24.9
55–59	33.8	45.7	45.6	59.3	67.5	0.0	42.4	0.0	42.5
60–64	23.0	34.0	35.5	29.5	58.0	0.0	73.0	0.0	31.2
65–69	43.9	54.3	80.6	62.6	117.3	51.3	103.1	0.0	64.2
70–74	62.6	34.5	65.3	132.5	37.9	84.0	0.0	0.0	61.2
75–79	89.2	58.0	82.3	196.1	81.0	105.3	312.5	0.0	88.8
80–84	39.8	87.7	163.5	204.1	117.6	0.0	0.0	0.0	94.3
85+	0.0	274.0	92.6	0.0	0.0	0.0	0.0	..	87.2
Ages 40+									
Crude rate	23.0	25.5	35.6	36.3	29.0	20.0	39.0	30.8	28.3
ASR(A)	30.5	33.6	44.0	54.7	47.4	24.9	55.9	15.9	37.5
95% CI	25.1–36.6	25.3–43.5	36.9–52.1	36.4–77.9	31.7–67.3	7.5–55.7	19.9–114.0	4.1–41.0	33.8–41.5
Ages 50–69									
Crude rate	28.3	28.5	42.9	48.9	38.0	11.6	57.1	13.8	34.0
ASR(A)	30.0	36.9	45.4	49.4	57.9	13.6	64.4	7.3	38.5
95% CI	23.5–37.7	26.0–50.2	36.5–55.8	29.3–77.1	37.2–85.2	0.4–52.9	18.1–146.5	0.2–40.8	33.9–43.5

.. Not applicable—no women in this age group were screened in 1999.

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 37: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 1998

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	17,692	5,192	11,095	2,603	2,576	1,225	577	299	41,259
	Cases	13	1	6	1	0	0	1	0	22
45–49	Screened	14,864	6,699	8,998	3,763	3,021	1,066	683	411	39,505
	Cases	12	11	21	4	6	0	0	1	55
50–54	Screened	16,509	17,374	13,927	3,491	4,710	1,304	765	723	58,803
	Cases	42	50	28	4	7	8	2	0	141
55–59	Screened	8,055	3,242	8,584	1,601	1,371	581	280	280	23,994
	Cases	35	11	23	3	5	4	1	1	83
60–64	Screened	6,464	2,502	6,564	1,219	978	384	165	158	18,434
	Cases	19	15	30	5	7	1	1	2	80
65–69	Screened	5,180	1,976	6,053	920	827	380	129	127	15,592
	Cases	31	9	24	9	5	2	1	0	81
70–74	Screened	3,438	1,280	2,465	515	474	173	76	42	8,463
	Cases	22	11	21	1	5	0	0	0	60
75–79	Screened	2,096	1,048	1,290	346	431	140	46	30	5,427
	Cases	21	16	9	0	2	2	0	1	51
80–84	Screened	630	308	471	105	149	36	10	6	1,715
	Cases	4	5	6	0	1	0	0	0	16
85+	Screened	145	85	130	18	30	9	4	1	422
	Cases	2	1	1	0	0	0	0	0	4
Ages 40+	Screened	75,073	39,706	59,577	14,581	14,567	5,298	2,735	2,077	213,614
	Cases	201	130	169	27	38	17	6	5	593
Ages 50–69	Screened	36,208	25,094	35,128	7,231	7,886	2,649	1,339	1,288	116,823
	Cases	127	85	105	21	24	15	5	3	385

Source: AIHW analysis of BreastScreen Australia data.

Table 38: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 1998

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	7.3	1.9	5.4	3.8	0.0	0.0	17.3	0.0	5.3
45–49	8.1	16.4	23.3	10.6	19.9	0.0	0.0	24.3	13.9
50–54	25.4	28.8	20.1	11.5	14.9	61.3	26.1	0.0	24.0
55–59	43.5	33.9	26.8	18.7	36.5	68.8	35.7	35.7	34.6
60–64	29.4	60.0	45.7	41.0	71.6	26.0	60.6	126.6	43.4
65–69	59.8	45.5	39.6	97.8	60.5	52.6	77.5	0.0	51.9
70–74	64.0	85.9	85.2	19.4	105.5	0.0	0.0	0.0	70.9
75–79	100.2	152.7	69.8	0.0	46.4	142.9	0.0	333.3	94.0
80–84	63.5	162.3	127.4	0.0	67.1	0.0	0.0	0.0	93.3
85+	137.9	117.6	76.9	0.0	0.0	0.0	0.0	0.0	94.8
Ages 40+									
Crude rate	26.8	32.7	28.4	18.5	26.1	32.1	21.9	24.1	27.8
ASR(A)	36.0	42.6	34.8	27.8	41.3	40.3	32.3	38.2	36.3
95% CI	30.9–41.7	34.2–52.1	29.5–40.7	17.5–41.5	27.9–58.5	22.6–65.7	8.4–76.7	10.9–92.0	33.3–39.6
Ages 50–69									
Crude rate	35.1	33.9	29.9	29.0	30.4	56.6	37.3	23.3	33.0
ASR(A)	37.7	40.3	31.3	36.7	41.9	53.8	46.2	37.2	36.5
95% CI	31.2–45.0	30.2–52.1	25.5–38.0	22.3–56.7	25.7–63.9	28.8–90.7	11.5–114.8	7.2–110.0	32.7–40.5

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 39: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 1997

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	14,066	4,658	8,403	2,481	1,675	820	505	367	32,975
	Cases	9	3	5	3	1	0	0	1	22
45–49	Screened	14,157	6,559	7,853	4,429	2,085	810	610	486	36,989
	Cases	17	12	12	8	4	1	1	1	56
50–54	Screened	19,878	16,843	10,252	4,973	4,203	961	724	736	58,570
	Cases	41	35	20	6	15	0	3	2	122
55–59	Screened	11,097	4,619	6,681	2,759	1,679	486	287	398	28,006
	Cases	34	24	18	8	10	1	0	1	96
60–64	Screened	8,897	3,518	5,200	2,069	1,231	323	153	217	21,608
	Cases	38	11	21	7	4	1	0	0	82
65–69	Screened	7,994	2,905	4,440	1,637	1,131	262	133	108	18,610
	Cases	33	14	24	9	6	3	1	1	91
70–74	Screened	4,924	2,148	2,430	836	551	166	104	49	11,208
	Cases	28	15	18	6	5	2	2	0	76
75–79	Screened	2,679	1,384	1,402	440	353	129	58	16	6,461
	Cases	16	8	11	2	2	1	0	0	40
80–84	Screened	852	471	417	132	87	26	10	5	2,000
	Cases	9	9	3	1	3	0	0	0	25
85+	Screened	143	94	100	37	11	5	3	0	393
	Cases	0	2	0	1	1	0	0	0	4
Ages 40+	Screened	84,687	43,199	47,178	19,793	13,006	3,988	2,587	2,382	216,820
	Cases	225	133	132	51	51	9	7	6	614
Ages 50–69	Screened	47,866	27,885	26,573	11,438	8,244	2,032	1,297	1,459	126,794
	Cases	146	84	83	30	35	5	4	4	391

Source: AIHW analysis of BreastScreen Australia data.

Table 40: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 1997

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	6.4	6.4	6.0	12.1	6.0	0.0	0.0	27.2	6.7
45–49	12.0	18.3	15.3	18.1	19.2	12.3	16.4	20.6	15.1
50–54	20.6	20.8	19.5	12.1	35.7	0.0	41.4	27.2	20.8
55–59	30.6	52.0	26.9	29.0	59.6	20.6	0.0	25.1	34.3
60–64	42.7	31.3	40.4	33.8	32.5	31.0	0.0	0.0	37.9
65–69	41.3	48.2	54.1	55.0	53.1	114.5	75.2	92.6	48.9
70–74	56.9	69.8	74.1	71.8	90.7	120.5	192.3	0.0	67.8
75–79	59.7	57.8	78.5	45.5	56.7	77.5	0.0	0.0	61.9
80–84	105.6	191.1	71.9	75.8	344.8	0.0	0.0	0.0	125.0
85+	0.0	212.8	0.0	270.3	909.1	0.0	0.0	..	101.8
Ages 40+									
Crude rate	26.6	30.8	28.0	25.8	39.2	22.6	27.1	25.2	28.3
ASR(A)	31.0	36.9	33.5	31.6	46.7	37.0	36.9	27.1	33.7
95% CI	27.0–35.4	30.3–44.4	27.9–39.9	23.0–42.2	33.9–62.4	16.0–71.8	11.6–81.8	5.6–67.1	31.0–36.6
Ages 50–69									
Crude rate	30.5	30.1	31.2	26.2	42.5	24.6	30.8	27.4	30.8
ASR(A)	32.1	36.5	32.8	29.6	44.5	34.5	28.1	33.4	33.6
95% CI	27.1–37.9	28.3–46.1	26.1–40.7	19.8–42.5	30.2–63.0	11.0–80.7	4.0–79.8	4.0–96.3	30.2–37.2

.. Not applicable—no women in this age group were screened in 1997.

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 41: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 2003

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	8,387	855	7,730	1,514	1,267	600	273	146	20,772
	Cases	4	1	8	0	2	0	2	0	17
45–49	Screened	25,935	4,396	20,421	6,043	4,190	1,909	1,095	520	64,509
	Cases	37	4	26	9	7	2	0	1	86
50–54	Screened	40,877	32,664	28,992	13,766	12,734	3,896	2,311	899	136,139
	Cases	60	56	48	25	27	5	4	2	227
55–59	Screened	46,601	40,883	30,347	15,673	14,843	4,177	2,521	892	155,937
	Cases	121	92	84	42	41	16	6	3	405
60–64	Screened	38,545	31,374	23,235	12,397	11,903	3,439	1,848	608	123,349
	Cases	159	87	69	40	48	12	2	1	418
65–69	Screened	32,591	26,370	19,135	10,091	9,791	3,033	1,316	323	102,650
	Cases	117	85	69	30	44	9	5	0	359
70–74	Screened	25,346	20,678	14,837	2,623	3,301	1,795	267	169	69,016
	Cases	97	69	44	9	16	12	0	0	247
75–79	Screened	16,992	5,118	4,303	975	1,532	341	91	64	29,416
	Cases	84	26	19	2	8	2	1	0	142
80–84	Screened	6,242	660	920	241	345	85	36	32	8,561
	Cases	24	3	6	0	4	0	0	0	37
85+	Screened	1,404	93	222	33	48	13	3	3	1,819
	Cases	8	1	0	0	1	0	0	0	10
Ages 40+	Screened	242,920	163,091	150,142	63,356	59,954	19,288	9,761	3,656	712,168
	Cases	711	424	373	157	198	58	20	7	1,948
Ages 50–69	Screened	158,614	131,291	101,709	51,927	49,271	14,545	7,996	2,722	518,075
	Cases	457	320	270	137	160	42	17	6	1,409

Source: AIHW analysis of BreastScreen Australia data.

Table 42: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	4.8	11.7	10.3	0.0	15.8	0.0	73.3	0.0	8.2
45–49	14.3	9.1	12.7	14.9	16.7	10.5	0.0	19.2	13.3
50–54	14.7	17.1	16.6	18.2	21.2	12.8	17.3	22.2	16.7
55–59	26.0	22.5	27.7	26.8	27.6	38.3	23.8	33.6	26.0
60–64	41.3	27.7	29.7	32.3	40.3	34.9	10.8	16.4	33.9
65–69	35.9	32.2	36.1	29.7	44.9	29.7	38.0	0.0	35.0
70–74	38.3	33.4	29.7	34.3	48.5	66.9	0.0	0.0	35.8
75–79	49.4	50.8	44.2	20.5	52.2	58.7	109.9	0.0	48.3
80–84	38.4	45.5	65.2	0.0	115.9	0.0	0.0	0.0	43.2
85+	57.0	107.5	0.0	0.0	208.3	0.0	0.0	0.0	55.0
Ages 40+									
Crude rate	29.3	26.0	24.8	24.8	33.0	30.1	20.5	19.1	27.4
ASR(A)	25.8	22.9	24.3	22.6	31.6	27.1	23.6	15.5	25.0
95% CI	23.8–27.8	20.0–26.1	21.9–26.9	19.0–26.7	27.0–36.8	20.5–35.3	12.5–39.2	6.2–32.1	23.8–26.1
Ages 50–69									
Crude rate	28.8	24.4	26.5	26.4	32.5	28.9	21.3	22.0	27.2
ASR(A)	27.6	23.8	26.1	25.8	31.7	27.6	21.6	19.6	26.5
95% CI	25.1–30.3	21.2–26.6	23.1–29.5	21.6–30.5	26.9–37.1	19.8–37.3	12.5–34.7	7.1–42.8	25.1–27.9

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 43: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 2002

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	8,974	970	7,539	1,333	1,260	630	266	130	21,102
	Cases	7	0	3	0	1	2	0	0	13
45–49	Screened	27,504	4,801	19,972	5,175	4,504	2,325	1,268	493	66,042
	Cases	24	11	26	5	7	3	5	0	81
50–54	Screened	41,223	32,555	29,282	12,051	13,378	4,051	2,808	925	136,273
	Cases	86	46	44	22	27	7	4	2	238
55–59	Screened	44,783	36,204	29,310	13,539	13,886	4,366	2,682	805	145,575
	Cases	115	101	65	37	38	16	11	0	383
60–64	Screened	37,155	30,226	22,636	11,096	11,027	3,366	1,797	432	117,735
	Cases	126	93	52	34	40	13	3	1	362
65–69	Screened	31,258	25,426	17,824	9,130	9,498	2,810	1,313	235	97,494
	Cases	123	79	51	42	56	15	6	0	372
70–74	Screened	25,852	20,854	14,136	2,538	3,349	1,524	279	143	68,675
	Cases	91	73	58	7	13	7	1	1	251
75–79	Screened	16,371	5,237	3,613	974	1,612	295	117	56	28,275
	Cases	65	29	20	6	10	0	0	0	130
80–84	Screened	5,506	652	801	234	319	72	30	30	7,644
	Cases	28	4	6	2	2	1	0	0	43
85+	Screened	1,170	101	180	36	38	6	4	5	1,540
	Cases	5	0	0	2	1	0	1	0	9
Ages 40+	Screened	239,796	157,026	145,293	56,106	58,871	19,445	10,564	3,254	690,355
	Cases	670	436	325	157	195	64	31	4	1,882
Ages 50–69	Screened	154,419	124,411	99,052	45,816	47,789	14,593	8,600	2,397	497,077
	Cases	450	319	212	135	161	51	24	3	1,355

Source: AIHW analysis of BreastScreen Australia data.

Table 44: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 2002

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	7.8	0.0	4.0	0.0	7.9	31.7	0.0	0.0	6.2
45–49	8.7	22.9	13.0	9.7	15.5	12.9	39.4	0.0	12.3
50–54	20.9	14.1	15.0	18.3	20.2	17.3	14.2	21.6	17.5
55–59	25.7	27.9	22.2	27.3	27.4	36.6	41.0	0.0	26.3
60–64	33.9	30.8	23.0	30.6	36.3	38.6	16.7	23.1	30.7
65–69	39.3	31.1	28.6	46.0	59.0	53.4	45.7	0.0	38.2
70–74	35.2	35.0	41.0	27.6	38.8	45.9	35.8	69.9	36.5
75–79	39.7	55.4	55.4	61.6	62.0	0.0	0.0	0.0	46.0
80–84	50.9	61.3	74.9	85.5	62.7	138.9	0.0	0.0	56.3
85+	42.7	0.0	0.0	555.6	263.2	0.0	2,500.0	0.0	58.4
Ages 40+									
Crude rate	27.9	27.8	22.4	28.0	33.1	32.9	29.3	12.3	27.3
ASR(A)	25.5	24.5	22.0	26.4	30.9	32.0	31.3	14.0	25.0
95% CI	23.5–27.6	21.9–27.4	19.6–24.5	22.1–31.3	26.5–35.9	24.2–41.3	18.6–48.0	3.0–37.5	23.8–26.1
Ages 50–69									
Crude rate	29.1	25.6	21.4	29.5	33.7	34.9	27.9	12.5	27.3
ASR(A)	28.6	24.7	21.3	28.7	33.1	34.0	27.8	12.1	26.7
95% CI	26.0–31.4	22.0–27.6	18.5–24.4	24.1–34.1	28.2–38.7	25.3–44.8	17.7–41.6	2.3–35.9	25.3–28.2

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 45: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 2001

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	9,580	1,042	7,415	1,575	1,306	578	320	140	21,956
	Cases	6	1	7	0	0	0	1	0	15
45–49	Screened	27,571	4,871	18,976	5,759	4,498	2,201	1,264	451	65,591
	Cases	20	3	18	3	2	5	2	0	53
50–54	Screened	42,494	33,220	27,533	13,290	12,811	3,752	2,582	850	136,532
	Cases	71	69	46	36	26	9	3	2	262
55–59	Screened	43,842	35,828	25,500	13,297	13,715	3,715	2,292	780	138,969
	Cases	133	79	46	35	45	11	6	1	356
60–64	Screened	38,089	28,684	20,739	11,422	12,003	3,277	1,730	482	116,426
	Cases	113	87	60	35	49	13	8	1	366
65–69	Screened	32,501	23,456	16,980	9,236	9,636	2,756	1,250	242	96,057
	Cases	115	79	51	37	31	8	7	2	330
70–74	Screened	26,913	19,790	13,541	2,471	3,438	1,095	266	137	67,651
	Cases	107	68	47	10	18	12	2	0	264
75–79	Screened	16,151	5,106	5,884	913	1,309	285	109	50	29,807
	Cases	69	17	12	12	14	4	0	0	128
80–84	Screened	5,259	649	1,916	199	301	61	34	26	8,445
	Cases	30	6	11	4	2	0	0	0	53
85+	Screened	1,147	142	429	42	38	8	4	2	1,812
	Cases	5	0	5	0	2	1	0	0	13
Ages 40+	Screened	243,547	152,788	138,913	58,204	59,055	17,728	9,851	3,160	683,246
	Cases	669	409	303	172	189	63	29	6	1,840
Ages 50–69	Screened	156,926	121,188	90,752	47,245	48,165	13,500	7,854	2,354	487,984
	Cases	432	314	203	143	151	41	24	6	1,314

Source: AIHW analysis of BreastScreen Australia data.

Table 46: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 2001

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	6.3	9.6	9.4	0.0	0.0	0.0	31.3	0.0	6.8
45–49	7.3	6.2	9.5	5.2	4.4	22.7	15.8	0.0	8.1
50–54	16.7	20.8	16.7	27.1	20.3	24.0	11.6	23.5	19.2
55–59	30.3	22.0	18.0	26.3	32.8	29.6	26.2	12.8	25.6
60–64	29.7	30.3	28.9	30.6	40.8	39.7	46.2	20.7	31.4
65–69	35.4	33.7	30.0	40.1	32.2	29.0	56.0	82.6	34.4
70–74	39.8	34.4	34.7	40.5	52.4	109.6	75.2	0.0	39.0
75–79	42.7	33.3	20.4	131.4	107.0	140.4	0.0	0.0	42.9
80–84	57.0	92.4	57.4	201.0	66.4	0.0	0.0	0.0	62.8
85+	43.6	0.0	116.6	0.0	526.3	1,250.0	0.0	0.0	71.7
Ages 40+									
Crude rate	27.5	26.8	21.8	29.6	32.0	35.5	29.4	19.0	26.9
ASR(A)	24.5	23.4	21.1	30.0	30.1	38.7	32.0	21.1	24.5
95% CI	22.6–26.5	20.7–26.4	18.8–23.7	25.2–35.2	25.7–35.0	28.8–50.5	19.8–48.1	6.8–47.7	23.4–25.7
Ages 50–69									
Crude rate	27.5	25.9	22.4	30.3	31.4	30.4	30.6	25.5	26.9
ASR(A)	26.7	25.7	22.3	30.2	30.4	29.9	31.7	31.6	26.5
95% CI	24.3–29.4	22.9–28.8	19.4–25.6	25.4–35.6	25.7–35.7	21.4–40.6	20.2–47.3	10.2–71.4	25.1–28.0

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 47: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 2000

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	9,999	1,072	7,365	1,488	1,255	821	301	147	22,448
	Cases	6	1	6	1	0	1	0	0	15
45–49	Screened	26,793	5,164	17,711	5,155	4,512	2,678	1,395	469	63,877
	Cases	25	11	32	6	11	6	5	1	97
50–54	Screened	40,405	31,846	25,890	13,287	11,802	4,248	2,555	864	130,897
	Cases	76	63	58	30	22	8	11	1	269
55–59	Screened	40,587	30,594	23,035	12,042	11,308	3,715	2,121	643	124,045
	Cases	109	103	57	27	35	9	8	3	351
60–64	Screened	35,409	27,747	18,658	10,668	10,324	3,251	1,471	332	107,860
	Cases	84	107	78	39	38	15	6	0	367
65–69	Screened	30,042	23,612	15,349	8,666	8,587	2,680	983	208	90,127
	Cases	93	88	64	35	34	8	5	1	328
70–74	Screened	25,133	19,993	11,767	2,283	3,229	622	249	142	63,418
	Cases	102	86	48	9	14	5	1	1	266
75–79	Screened	13,359	4,864	5,525	820	1,130	222	94	52	26,066
	Cases	54	18	25	5	8	1	0	0	111
80–84	Screened	3,885	610	1,740	164	241	42	13	20	6,715
	Cases	21	2	11	0	2	0	0	1	37
85+	Screened	866	103	420	28	38	9	4	2	1,470
	Cases	4	1	2	0	0	0	0	0	7
Ages 40+	Screened	226,478	145,605	127,460	54,601	52,426	18,288	9,186	2,879	636,923
	Cases	574	480	381	152	164	53	36	8	1,848
Ages 50–69	Screened	146,443	113,799	82,932	44,663	42,021	13,894	7,130	2,047	452,929
	Cases	362	361	257	131	129	40	30	5	1,315

Source: AIHW analysis of BreastScreen Australia data.

Table 48: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 2000

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	6.0	9.3	8.1	6.7	0.0	12.2	0.0	0.0	6.7
45–49	9.3	21.3	18.1	11.6	24.4	22.4	35.8	21.3	15.2
50–54	18.8	19.8	22.4	22.6	18.6	18.8	43.1	11.6	20.6
55–59	26.9	33.7	24.7	22.4	31.0	24.2	37.7	46.7	28.3
60–64	23.7	38.6	41.8	36.6	36.8	46.1	40.8	0.0	34.0
65–69	31.0	37.3	41.7	40.4	39.6	29.9	50.9	48.1	36.4
70–74	40.6	43.0	40.8	39.4	43.4	80.4	40.2	70.4	41.9
75–79	40.4	37.0	45.2	61.0	70.8	45.0	0.0	0.0	42.6
80–84	54.1	32.8	63.2	0.0	83.0	0.0	0.0	500.0	55.1
85+	46.2	97.1	47.6	0.0	0.0	0.0	0.0	0.0	47.6
Ages 40+									
Crude rate	25.3	33.0	29.9	27.8	31.3	29.0	39.2	27.8	29.0
ASR(A)	23.1	29.3	29.1	26.6	29.6	30.9	36.4	29.7	27.0
95% CI	21.2–25.1	26.2–32.7	26.2–32.2	22.2–31.6	25.1–34.7	22.3–41.5	24.6–51.7	11.6–60.7	25.7–28.2
Ages 50–69									
Crude rate	24.7	31.7	31.0	29.3	30.7	28.8	42.1	24.4	29.0
ASR(A)	24.3	30.9	31.1	29.1	29.9	28.4	42.7	25.2	28.6
95% CI	21.9–27.0	27.8–34.3	27.4–35.1	24.3–34.5	25.0–35.6	20.3–38.7	28.6–61.3	6.7–61.8	27.1–30.2

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 49: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 1999

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	8,646	1,223	6,374	1,445	990	592	331	162	19,763
	Cases	6	1	8	2	2	0	0	0	19
45–49	Screened	24,506	5,112	15,834	5,235	4,184	2,242	1,445	423	58,981
	Cases	18	8	18	9	3	1	1	0	58
50–54	Screened	39,063	31,741	21,543	11,724	10,771	3,401	2,470	747	121,460
	Cases	54	58	36	27	17	9	6	0	207
55–59	Screened	38,526	30,267	19,394	10,934	11,750	3,387	2,172	702	117,132
	Cases	97	66	53	31	35	13	8	1	304
60–64	Screened	34,275	25,656	16,435	9,527	10,515	2,971	1,633	370	101,382
	Cases	96	80	57	41	47	8	5	2	336
65–69	Screened	30,005	22,416	13,794	7,958	8,883	2,540	1,233	204	87,033
	Cases	95	103	49	33	25	5	4	0	314
70–74	Screened	24,279	18,187	10,640	1,880	2,941	512	258	110	58,807
	Cases	92	82	46	12	9	1	3	2	247
75–79	Screened	11,745	3,656	5,594	668	862	188	128	32	22,873
	Cases	41	23	20	7	3	1	2	0	97
80–84	Screened	3,657	416	1,677	122	171	38	12	18	6,111
	Cases	12	0	12	1	0	0	0	0	25
85+	Screened	746	92	360	21	18	2	6	0	1,245
	Cases	3	0	2	0	0	0	0	0	5
Ages 40+	Screened	215,448	138,766	111,645	49,514	51,085	15,873	9,688	2,768	594,787
	Cases	514	421	301	163	141	38	29	5	1,612
Ages 50–69	Screened	141,869	110,080	71,166	40,143	41,919	12,299	7,508	2,023	427,007
	Cases	342	307	195	132	124	35	23	3	1,161

Source: AIHW analysis of BreastScreen Australia data.

Table 50: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 1999

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	6.9	8.2	12.6	13.8	20.2	0.0	0.0	0.0	9.6
45–49	7.3	15.6	11.4	17.2	7.2	4.5	6.9	0.0	9.8
50–54	13.8	18.3	16.7	23.0	15.8	26.5	24.3	0.0	17.0
55–59	25.2	21.8	27.3	28.4	29.8	38.4	36.8	14.2	26.0
60–64	28.0	31.2	34.7	43.0	44.7	26.9	30.6	54.1	33.1
65–69	31.7	45.9	35.5	41.5	28.1	19.7	32.4	0.0	36.1
70–74	37.9	45.1	43.2	63.8	30.6	19.5	116.3	181.8	42.0
75–79	34.9	62.9	35.8	104.8	34.8	53.2	156.3	0.0	42.4
80–84	32.8	0.0	71.6	82.0	0.0	0.0	0.0	0.0	40.9
85+	40.2	0.0	55.6	0.0	0.0	0.0	0.0	..	40.2
Ages 40+									
Crude rate	23.9	30.3	27.0	32.9	27.6	23.9	29.9	18.1	27.1
ASR(A)	21.7	26.7	26.0	34.2	25.0	22.8	35.8	25.6	25.0
95% CI	19.8–23.7	23.7–29.8	23.1–29.1	28.5–40.6	20.5–30.0	15.6–31.9	21.8–54.2	6.9–62.6	23.8–26.3
Ages 50–69									
Crude rate	24.1	27.9	27.4	32.9	29.6	28.5	30.6	14.8	27.2
ASR(A)	23.4	27.4	27.1	32.4	28.2	28.3	30.5	15.6	26.6
95% CI	21.0–26.0	24.4–30.7	23.4–31.2	27.1–38.5	23.4–33.7	19.7–39.5	19.3–45.9	3.0–46.3	25.1–28.2

.. Not applicable—no women in this age group were screened in 1999.

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 51: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 1998

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	7,704	1,259	5,618	1,256	898	865	376	127	18,103
	Cases	3	1	7	1	1	1	0	0	14
45–49	Screened	23,034	5,000	13,753	5,424	4,167	2,552	1,337	284	55,551
	Cases	33	9	18	6	4	2	0	0	72
50–54	Screened	34,896	23,605	16,792	11,845	9,708	3,352	2,208	478	102,884
	Cases	57	41	32	19	22	6	6	1	184
55–59	Screened	35,638	28,864	14,692	10,468	9,795	3,182	1,803	346	104,788
	Cases	83	75	27	29	25	7	6	1	253
60–64	Screened	31,310	25,670	12,077	9,148	9,204	2,759	1,263	184	91,615
	Cases	70	76	31	29	32	11	3	0	252
65–69	Screened	28,674	23,200	10,455	7,643	7,970	2,224	920	119	81,205
	Cases	91	85	33	31	29	7	2	1	279
70–74	Screened	22,361	17,794	7,869	1,884	2,853	652	236	71	53,720
	Cases	82	71	37	8	16	3	1	0	218
75–79	Screened	8,549	3,130	3,942	600	768	182	113	30	17,314
	Cases	40	12	17	4	3	1	0	1	78
80–84	Screened	2,674	466	1,164	133	162	34	23	8	4,664
	Cases	4	3	2	3	3	0	0	0	15
85+	Screened	578	92	264	18	18	6	4	0	980
	Cases	0	0	4	0	0	1	0	0	5
Ages 40+	Screened	195,418	129,080	86,626	48,419	45,543	15,808	8,283	1,647	530,824
	Cases	463	373	208	130	135	39	18	4	1,370
Ages 50–69	Screened	130,518	101,339	54,016	39,104	36,677	11,517	6,194	1,127	380,492
	Cases	301	277	123	108	108	31	17	3	968

Source: AIHW analysis of BreastScreen Australia data.

Table 52: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 1998

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	3.9	7.9	12.5	8.0	11.1	11.6	0.0	0.0	7.7
45–49	14.3	18.0	13.1	11.1	9.6	7.8	0.0	0.0	13.0
50–54	16.3	17.4	19.1	16.0	22.7	17.9	27.2	20.9	17.9
55–59	23.3	26.0	18.4	27.7	25.5	22.0	33.3	28.9	24.1
60–64	22.4	29.6	25.7	31.7	34.8	39.9	23.8	0.0	27.5
65–69	31.7	36.6	31.6	40.6	36.4	31.5	21.7	84.0	34.4
70–74	36.7	39.9	47.0	42.5	56.1	46.0	42.4	0.0	40.6
75–79	46.8	38.3	43.1	66.7	39.1	54.9	0.0	333.3	45.1
80–84	15.0	64.4	17.2	225.6	185.2	0.0	0.0	0.0	32.2
85+	0.0	0.0	151.5	0.0	0.0	1,666.7	0.0	..	51.0
Ages 40+									
Crude rate	23.7	28.9	24.0	26.8	29.6	24.7	21.7	24.3	25.8
ASR(A)	21.8	25.4	23.6	27.8	28.8	28.3	21.5	30.7	24.0
95% CI	19.8–23.9	22.4–28.7	20.4–27.0	22.6–33.7	23.7–34.6	18.5–40.6	11.8–35.5	6.8–81.8	22.7–25.3
Ages 50–69									
Crude rate	23.1	27.3	22.8	27.6	29.4	26.9	27.4	26.6	25.4
ASR(A)	22.5	26.1	22.8	27.3	28.8	26.5	26.9	30.6	24.8
95% CI	20.0–25.2	23.0–29.4	18.9–27.2	22.4–33.0	23.5–34.8	18.0–37.6	15.6–43.3	4.2–94.7	23.3–26.5

.. Not applicable—no women in this age group were screened in 1998.

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 53: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 1997

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	7,750	1,250	5,033	1,306	922	707	448	87	17,503
	Cases	4	0	1	2	2	1	1	0	11
45–49	Screened	19,035	4,372	11,238	4,333	3,414	2,105	1,501	207	46,205
	Cases	19	4	6	5	7	2	5	0	48
50–54	Screened	29,510	22,388	13,898	8,780	8,566	2,789	2,002	402	88,335
	Cases	42	43	28	12	21	6	5	0	157
55–59	Screened	30,572	23,845	12,738	8,709	9,648	2,812	1,767	368	90,459
	Cases	78	62	23	20	19	6	6	0	214
60–64	Screened	27,105	20,547	10,916	7,363	8,469	2,441	1,339	171	78,351
	Cases	82	59	32	22	16	6	3	2	222
65–69	Screened	25,307	18,929	9,913	6,403	7,727	2,232	1,078	122	71,711
	Cases	76	64	26	26	33	4	6	0	235
70–74	Screened	18,391	13,159	7,035	1,493	1,716	468	283	24	42,569
	Cases	63	59	34	7	12	4	1	0	180
75–79	Screened	7,138	2,514	3,734	472	453	124	100	16	14,551
	Cases	29	14	18	1	2	1	0	1	66
80–84	Screened	2,192	385	1,067	92	83	27	21	3	3,870
	Cases	10	2	1	1	0	0	1	0	15
85+	Screened	410	81	212	17	14	1	6	0	741
	Cases	2	1	2	1	0	0	0	0	6
Ages 40+	Screened	167,410	107,470	75,784	38,968	41,012	13,706	8,545	1,400	454,295
	Cases	405	308	171	97	112	30	28	3	1,154
Ages 50–69	Screened	112,494	85,709	47,465	31,255	34,410	10,274	6,186	1,063	328,856
	Cases	278	228	109	80	89	22	20	2	828

Source: AIHW analysis of BreastScreen Australia data.

Table 54: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 1997

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	5.2	0.0	2.0	15.3	21.7	14.1	22.3	0.0	6.3
45–49	10.0	9.1	5.3	11.5	20.5	9.5	33.3	0.0	10.4
50–54	14.2	19.2	20.1	13.7	24.5	21.5	25.0	0.0	17.8
55–59	25.5	26.0	18.1	23.0	19.7	21.3	34.0	0.0	23.7
60–64	30.3	28.7	29.3	29.9	18.9	24.6	22.4	117.0	28.3
65–69	30.0	33.8	26.2	40.6	42.7	17.9	55.7	0.0	32.8
70–74	34.3	44.8	48.3	46.9	69.9	85.5	35.3	0.0	42.3
75–79	40.6	55.7	48.2	21.2	44.2	80.6	0.0	625.0	45.4
80–84	45.6	51.9	9.4	108.7	0.0	0.0	476.2	0.0	38.8
85+	48.8	123.5	94.3	588.2	0.0	0.0	0.0	..	81.0
Ages 40+									
Crude rate	24.2	28.7	22.6	24.9	27.3	21.9	32.8	21.4	25.4
ASR(A)	22.2	24.6	21.8	25.9	28.6	26.3	34.9	36.4	23.6
95% CI	20.0–24.5	21.7–27.7	18.7–25.4	20.2–32.6	22.8–35.3	16.5–39.2	21.6–52.6	5.2–111.8	22.3–25.1
Ages 50–69									
Crude rate	24.7	26.6	23.0	25.6	25.9	21.4	32.3	18.8	25.2
ASR(A)	23.8	25.9	22.8	24.9	25.6	21.4	32.7	25.9	24.6
95% CI	21.0–26.8	22.6–29.5	18.7–27.5	19.7–31.0	20.4–31.6	13.4–32.6	19.9–50.6	3.1–93.4	22.9–26.3

.. Not applicable—no women in this age group were screened in 1997.

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 55: Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 2003

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	12,126	4,123	10,426	2,613	2,010	898	9	194	32,399
	Cases	29	7	24	1	3	1	0	1	66
45–49	Screened	9,140	4,714	5,996	2,862	1,930	788	34	198	25,662
	Cases	29	21	24	14	9	2	1	0	100
50–54	Screened	11,028	12,195	6,220	4,704	3,979	671	507	284	39,588
	Cases	55	55	25	35	24	5	2	0	201
55–59	Screened	5,904	1,988	3,049	1,111	629	368	153	122	13,324
	Cases	37	15	20	9	6	4	1	2	94
60–64	Screened	3,640	1,087	2,040	680	294	208	96	44	8,089
	Cases	21	11	13	7	3	3	1	1	60
65–69	Screened	2,580	753	1,384	396	192	117	47	34	5,503
	Cases	23	6	10	8	3	0	1	0	51
70–74	Screened	1,304	406	655	154	69	41	22	6	2,657
	Cases	18	6	10	0	2	0	1	0	37
75–79	Screened	817	261	437	112	69	28	14	9	1,747
	Cases	9	10	8	5	1	1	0	0	34
80–84	Screened	355	123	149	57	46	12	6	0	748
	Cases	12	3	0	5	0	1	0	0	21
85+	Screened	99	41	40	13	9	4	2	0	208
	Cases	2	1	0	0	0	0	0	0	3
Ages 40+	Screened	46,993	25,691	30,396	12,702	9,227	3,135	890	891	129,925
	Cases	235	135	134	84	51	17	7	4	667
Ages 50–69	Screened	23,152	16,023	12,693	6,891	5,094	1,364	803	484	66,504
	Cases	136	87	68	59	36	12	5	3	406

Source: AIHW analysis of BreastScreen Australia data.

Table 56: Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	23.9	17.0	23.0	3.8	14.9	11.1	0.0	51.5	20.4
45–49	31.7	44.5	40.0	48.9	46.6	25.4	294.1	0.0	39.0
50–54	49.9	45.1	40.2	74.4	60.3	74.5	39.4	0.0	50.8
55–59	62.7	75.5	65.6	81.0	95.4	108.7	65.4	163.9	70.5
60–64	57.7	101.2	63.7	102.9	102.0	144.2	104.2	227.3	74.2
65–69	89.1	79.7	72.3	202.0	156.3	0.0	212.8	0.0	92.7
70–74	138.0	147.8	152.7	0.0	289.9	0.0	454.5	0.0	139.3
75–79	110.2	383.1	183.1	446.4	144.9	357.1	0.0	0.0	194.6
80–84	338.0	243.9	0.0	877.2	0.0	833.3	0.0	..	280.7
85+	202.0	243.9	0.0	0.0	0.0	0.0	0.0	..	144.2
Ages 40+									
Crude rate	50.0	52.5	44.1	66.1	55.3	54.2	78.7	44.9	51.3
ASR(A)	65.9	81.8	64.2	99.4	100.8	78.5	138.4	66.1	73.1
95% CI	56.5–76.3	63.6–102.5	51.4–78.7	73.1–130.2	56.7–155.1	41.2–132.1	38.2–316.2	8.8–188.8	66.3–80.2
Ages 50–69									
Crude rate	58.7	54.3	53.6	85.6	70.7	88.0	62.3	62.0	61.0
ASR(A)	62.6	72.1	58.2	107.3	97.3	84.3	94.2	92.7	69.2
95% CI	51.8–74.8	52.2–95.5	44.4–74.8	73.8–147.9	53.4–153.6	41.4–150.5	17.0–246.7	12.2–287.6	61.6–77.4

.. Not applicable—no women in this age group were screened in 2003.

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 57: Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 2002

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	13,400	4,759	10,308	2,210	1,903	820	53	192	33,645
	Cases	27	12	19	2	5	4	0	0	69
45–49	Screened	10,515	5,676	6,231	2,766	2,078	606	72	219	28,163
	Cases	32	18	23	8	5	1	0	1	88
50–54	Screened	13,391	12,421	6,936	5,560	4,025	638	651	318	43,940
	Cases	56	53	22	28	24	1	3	1	188
55–59	Screened	6,376	2,853	3,230	1,313	784	298	225	85	15,164
	Cases	44	16	14	6	8	3	3	0	94
60–64	Screened	4,190	1,948	2,254	850	380	184	118	44	9,968
	Cases	31	17	12	15	7	3	0	1	86
65–69	Screened	3,026	1,454	1,549	542	229	108	61	26	6,995
	Cases	25	18	12	4	6	0	0	0	65
70–74	Screened	1,709	844	801	167	113	38	18	16	3,706
	Cases	14	13	10	2	3	0	0	1	43
75–79	Screened	1,087	493	490	113	114	37	25	8	2,367
	Cases	18	4	5	4	2	0	0	0	33
80–84	Screened	436	191	156	49	64	11	6	3	916
	Cases	2	4	2	0	2	0	0	0	10
85+	Screened	118	49	53	17	8	4	0	0	249
	Cases	6	1	0	0	0	0	0	0	7
Ages 40+	Screened	54,248	30,688	32,008	13,587	9,698	2,744	1,229	911	145,113
	Cases	255	156	119	69	62	12	6	4	683
Ages 50–69	Screened	26,983	18,676	13,969	8,265	5,418	1,228	1,055	473	76,067
	Cases	156	104	60	53	45	7	6	2	433

Source: AIHW analysis of BreastScreen Australia data.

Table 58: Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 2002

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	20.1	25.2	18.4	9.0	26.3	48.8	0.0	0.0	20.5
45–49	30.4	31.7	36.9	28.9	24.1	16.5	0.0	45.7	31.2
50–54	41.8	42.7	31.7	50.4	59.6	15.7	46.1	31.4	42.8
55–59	69.0	56.1	43.3	45.7	102.0	100.7	133.3	0.0	62.0
60–64	74.0	87.3	53.2	176.5	184.2	163.0	0.0	227.3	86.3
65–69	82.6	123.8	77.5	73.8	262.0	0.0	0.0	0.0	92.9
70–74	81.9	154.0	124.8	119.8	265.5	0.0	0.0	625.0	116.0
75–79	165.6	81.1	102.0	354.0	175.4	0.0	0.0	0.0	139.4
80–84	45.9	209.4	128.2	0.0	312.5	0.0	0.0	0.0	109.2
85+	508.5	204.1	0.0	0.0	0.0	0.0	281.1
Ages 40+									
Crude rate	47.0	50.8	37.2	50.8	63.9	43.7	48.8	43.9	47.1
ASR(A)	61.4	71.5	53.2	79.7	127.3	50.9	33.1	98.4	65.9
95% CI	53.2–70.5	58.5–86.3	42.2–65.7	56.1–108.0	85.0–178.4	21.2–96.8	10.6–74.9	7.2–294.2	60.2–72.0
Ages 50–69									
Crude rate	57.8	55.7	43.0	64.1	83.1	57.0	56.9	42.3	56.9
ASR(A)	63.9	71.8	48.4	81.6	137.6	67.2	49.5	60.5	67.1
95% CI	53.7–75.4	56.1–90.0	36.2–63.2	56.7–112.2	87.1–200.6	25.8–140.7	15.8–112.2	0.0–249.9	60.2–74.6

.. Not applicable—no women in this age group were screened in 2002.

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 59: Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 2001

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	13,640	4,387	9,822	2,513	2,153	810	569	315	34,209
	Cases	29	14	18	6	5	0	0	0	72
45–49	Screened	10,802	5,221	6,322	2,954	2,271	658	611	290	29,129
	Cases	36	22	16	8	8	1	2	0	93
50–54	Screened	13,358	13,047	7,097	4,557	4,282	724	678	370	44,113
	Cases	70	57	23	18	15	4	3	2	192
55–59	Screened	5,851	4,533	3,352	1,225	849	279	201	135	16,425
	Cases	29	37	15	6	8	2	1	0	98
60–64	Screened	4,403	3,653	2,336	883	417	210	109	67	12,078
	Cases	36	33	16	5	4	4	3	0	101
65–69	Screened	3,134	2,970	1,639	574	324	139	72	41	8,893
	Cases	24	25	9	3	5	4	0	0	70
70–74	Screened	1,915	1,216	944	244	172	60	33	19	4,603
	Cases	19	22	10	9	1	0	0	0	61
75–79	Screened	1,332	557	597	181	167	72	24	12	2,942
	Cases	24	15	11	2	2	1	0	0	55
80–84	Screened	562	226	205	65	60	15	8	7	1,148
	Cases	5	5	2	0	1	0	1	0	14
85+	Screened	145	79	62	26	23	7	3	0	345
	Cases	2	2	2	0	0	0	0	0	6
Ages 40+	Screened	55,142	35,889	32,376	13,222	10,718	2,974	2,308	1,256	153,885
	Cases	274	232	122	57	49	16	10	2	762
Ages 50–69	Screened	26,746	24,203	14,424	7,239	5,872	1,352	1,060	613	81,509
	Cases	159	152	63	32	32	14	7	2	461

Source: AIHW analysis of BreastScreen Australia data.

Table 60: Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 2001

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	21.3	31.9	18.3	23.9	23.2	0.0	0.0	0.0	21.0
45–49	33.3	42.1	25.3	27.1	35.2	15.2	32.7	0.0	31.9
50–54	52.4	43.7	32.4	39.5	35.0	55.2	44.2	54.1	43.5
55–59	49.6	81.6	44.7	49.0	94.2	71.7	49.8	0.0	59.7
60–64	81.8	90.3	68.5	56.6	95.9	190.5	275.2	0.0	83.6
65–69	76.6	84.2	54.9	52.3	154.3	287.8	0.0	0.0	78.7
70–74	99.2	180.9	105.9	368.9	58.1	0.0	0.0	0.0	132.5
75–79	180.2	269.3	184.3	110.5	119.8	138.9	0.0	0.0	186.9
80–84	89.0	221.2	97.6	0.0	166.7	0.0	1250.0	0.0	122.0
85+	137.9	253.2	322.6	0.0	0.0	0.0	0.0	..	173.9
Ages 40+									
Crude rate	49.7	64.6	37.7	43.1	45.7	53.8	43.3	15.9	49.5
ASR(A)	62.8	81.5	52.7	71.8	74.4	96.1	73.8	11.7	66.3
95% CI	54.6–71.6	70.4–93.9	42.4–64.4	48.7–99.9	48.5–106.6	51.4–161.4	27.8–147.9	1.4–42.4	61.0–71.8
Ages 50–69									
Crude rate	59.4	62.8	43.7	44.2	54.5	103.6	66.0	32.6	56.6
ASR(A)	62.9	71.7	48.0	48.2	87.0	134.7	88.1	17.6	63.4
95% CI	52.9–74.1	60.0–84.9	36.2–62.1	30.2–71.7	52.4–132.2	69.4–232.3	27.5–195.7	2.1–63.5	57.3–70.0

.. Not applicable—no women in this age group were screened in 2001.

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 61: Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 2000

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	12,617	4,522	9,194	2,254	2,356	752	531	259	32,485
	Cases	16	12	14	6	4	0	2	0	54
45–49	Screened	10,384	5,541	6,400	2,955	2,523	590	589	262	29,244
	Cases	26	24	26	13	8	3	1	0	101
50–54	Screened	12,238	12,379	8,461	3,223	5,278	796	662	491	43,528
	Cases	66	55	35	15	32	2	5	3	213
55–59	Screened	5,227	3,179	4,273	923	1,130	342	201	130	15,405
	Cases	32	20	24	4	12	1	1	1	95
60–64	Screened	4,017	2,462	3,149	707	648	224	129	61	11,397
	Cases	22	19	30	4	11	2	2	0	90
65–69	Screened	2,849	1,757	2,426	455	553	156	83	33	8,312
	Cases	22	17	25	5	9	1	0	0	79
70–74	Screened	1,757	868	1,296	235	247	80	41	20	4,544
	Cases	16	16	19	3	3	2	0	0	59
75–79	Screened	1,260	622	747	171	244	59	24	8	3,135
	Cases	11	13	13	2	1	0	1	0	41
80–84	Screened	465	233	235	48	74	17	11	2	1,085
	Cases	6	8	6	1	4	0	0	0	25
85+	Screened	130	60	79	9	14	10	6	1	309
	Cases	2	2	2	0	0	0	0	0	6
Ages 40+	Screened	50,944	31,623	36,260	10,980	13,067	3,026	2,277	1,267	149,444
	Cases	219	186	194	53	84	11	12	4	763
Ages 50–69	Screened	24,331	19,777	18,309	5,308	7,609	1,518	1,075	715	78,642
	Cases	142	111	114	28	64	6	8	4	477

Source: AIHW analysis of BreastScreen Australia data.

Table 62: Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 2000

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	12.7	26.5	15.2	26.6	17.0	0.0	37.7	0.0	16.6
45–49	25.0	43.3	40.6	44.0	31.7	50.8	17.0	0.0	34.5
50–54	53.9	44.4	41.4	46.5	60.6	25.1	75.5	61.1	48.9
55–59	61.2	62.9	56.2	43.3	106.2	29.2	49.8	76.9	61.7
60–64	54.8	77.2	95.3	56.6	169.8	89.3	155.0	0.0	79.0
65–69	77.2	96.8	103.1	109.9	162.7	64.1	0.0	0.0	95.0
70–74	91.1	184.3	146.6	127.7	121.5	250.0	0.0	0.0	129.8
75–79	87.3	209.0	174.0	117.0	41.0	0.0	416.7	0.0	130.8
80–84	129.0	343.3	255.3	208.3	540.5	0.0	0.0	0.0	230.4
85+	153.8	333.3	253.2	0.0	0.0	0.0	0.0	0.0	194.2
Ages 40+									
Crude rate	43.0	58.8	53.5	48.3	64.3	36.4	52.7	31.6	51.1
ASR(A)	56.3	77.5	72.8	64.0	99.2	59.4	65.8	26.6	68.2
95% CI	48.3–65.2	64.9–91.6	62.1–84.7	43.2–89.6	74.0–128.8	25.0–113.6	26.2–127.1	4.2–74.5	62.8–74.0
Ages 50–69									
Crude rate	58.4	56.1	62.3	52.8	84.1	39.5	74.4	55.9	60.7
ASR(A)	60.5	66.6	69.1	60.3	116.4	48.0	71.7	39.8	67.8
95% CI	50.3–72.1	53.0–82.3	56.6–83.5	36.6–91.6	83.8–155.7	15.4–108.5	24.2–152.9	6.3–111.6	61.3–74.8

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 63: Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 1999

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	14,352	4,965	9,542	2,530	2,344	841	602	246	35,422
	Cases	22	11	20	7	4	0	2	3	69
45–49	Screened	11,908	6,092	7,300	2,880	2,514	689	631	285	32,299
	Cases	33	18	33	6	6	3	2	1	102
50–54	Screened	13,267	13,528	9,379	2,334	4,756	888	756	444	45,352
	Cases	64	59	51	18	15	2	4	1	214
55–59	Screened	6,220	2,623	5,263	1,012	1,334	362	236	140	17,190
	Cases	37	19	38	8	15	0	1	0	118
60–64	Screened	4,780	2,056	3,943	677	862	285	137	91	12,831
	Cases	21	16	27	2	7	1	1	0	75
65–69	Screened	3,646	1,472	3,351	479	682	195	97	48	9,970
	Cases	31	18	45	5	14	4	2	0	119
70–74	Screened	2,238	870	1,839	302	264	119	62	28	5,722
	Cases	20	8	16	8	3	3	0	1	59
75–79	Screened	1,570	690	1,093	204	247	95	32	12	3,943
	Cases	24	7	19	5	3	1	2	0	61
80–84	Screened	503	228	367	49	85	23	12	5	1,272
	Cases	2	4	13	1	2	1	0	0	23
85+	Screened	122	73	108	12	22	5	2	0	344
	Cases	0	4	1	0	0	0	0	0	5
Ages 40+	Screened	58,606	32,597	42,185	10,479	13,110	3,502	2,567	1,299	164,345
	Cases	254	164	263	60	69	15	14	6	845
Ages 50–69	Screened	27,913	19,679	21,936	4,502	7,634	1,730	1,226	723	85,343
	Cases	153	112	161	33	51	7	8	1	526

Source: AIHW analysis of BreastScreen Australia data.

Table 64: Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 1999

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	15.3	22.2	21.0	27.7	17.1	0.0	33.2	122.0	19.5
45–49	27.7	29.5	45.2	20.8	23.9	43.5	31.7	35.1	31.6
50–54	48.2	43.6	54.4	77.1	31.5	22.5	52.9	22.5	47.2
55–59	59.5	72.4	72.2	79.1	112.4	0.0	42.4	0.0	68.6
60–64	43.9	77.8	68.5	29.5	81.2	35.1	73.0	0.0	58.5
65–69	85.0	122.3	134.3	104.4	205.3	205.1	206.2	0.0	119.4
70–74	89.4	92.0	87.0	264.9	113.6	252.1	0.0	357.1	103.1
75–79	152.9	101.4	173.8	245.1	121.5	105.3	625.0	0.0	154.7
80–84	39.8	175.4	354.2	204.1	235.3	434.8	0.0	0.0	180.8
85+	0.0	547.9	92.6	0.0	0.0	0.0	0.0	..	145.3
Ages 40+									
Crude rate	43.3	50.3	62.3	57.3	52.6	42.8	54.5	46.2	51.4
ASR(A)	55.6	68.3	75.1	84.6	84.6	70.3	82.2	48.9	67.0
95% CI	48.3–63.6	55.9–82.1	65.8–85.3	61.2–113.0	62.9–110.6	36.2–120.5	35.6–151.9	0.8–138.5	62.1–72.3
Ages 50–69									
Crude rate	54.8	56.9	73.4	73.3	66.8	40.5	65.3	13.8	61.6
ASR(A)	57.4	74.0	77.7	72.4	97.3	55.0	84.5	7.3	69.3
95% CI	48.2–67.7	58.1–92.2	65.9–90.9	47.6–104.5	70.0–130.9	20.1–116.8	27.4–181.9	0.2–40.8	63.1–75.9

.. Not applicable—no women in this age group were screened in 1999.

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 65: Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 1998

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	17,692	5,192	11,095	2,603	2,576	1,225	577	299	41,259
	Cases	29	4	19	1	0	1	2	1	57
45–49	Screened	14,864	6,699	8,998	3,763	3,021	1,066	683	411	39,505
	Cases	26	19	39	10	11	2	0	2	109
50–54	Screened	16,509	17,374	13,927	3,491	4,710	1,304	765	723	58,803
	Cases	75	81	50	8	21	13	4	0	252
55–59	Screened	8,055	3,242	8,584	1,601	1,371	581	280	280	23,994
	Cases	53	18	43	6	6	4	3	2	135
60–64	Screened	6,464	2,502	6,564	1,219	978	384	165	158	18,434
	Cases	33	27	46	9	11	2	3	2	133
65–69	Screened	5,180	1,976	6,053	920	827	380	129	127	15,592
	Cases	56	22	38	13	7	2	1	1	140
70–74	Screened	3,438	1,280	2,465	515	474	173	76	42	8,463
	Cases	47	18	32	2	5	0	0	1	105
75–79	Screened	2,096	1,048	1,290	346	431	140	46	30	5,427
	Cases	31	21	18	2	6	4	0	1	83
80–84	Screened	630	308	471	105	149	36	10	6	1,715
	Cases	11	9	12	0	5	0	0	0	37
85+	Screened	145	85	130	18	30	9	4	1	422
	Cases	4	5	3	0	0	0	0	0	12
Ages 40+	Screened	75,073	39,706	59,577	14,581	14,567	5,298	2,735	2,077	213,614
	Cases	365	224	300	51	72	28	13	10	1,063
Ages 50–69	Screened	36,208	25,094	35,128	7,231	7,886	2,649	1,339	1,288	116,823
	Cases	217	148	177	36	45	21	11	5	660

Source: AIHW analysis of BreastScreen Australia data.

Table 66: Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 1998

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	16.4	7.7	17.1	3.8	0.0	8.2	34.7	33.4	13.8
45–49	17.5	28.4	43.3	26.6	36.4	18.8	0.0	48.7	27.6
50–54	45.4	46.6	35.9	22.9	44.6	99.7	52.3	0.0	42.9
55–59	65.8	55.5	50.1	37.5	43.8	68.8	107.1	71.4	56.3
60–64	51.1	107.9	70.1	73.8	112.5	52.1	181.8	126.6	72.1
65–69	108.1	111.3	62.8	141.3	84.6	52.6	77.5	78.7	89.8
70–74	136.7	140.6	129.8	38.8	105.5	0.0	0.0	238.1	124.1
75–79	147.9	200.4	139.5	57.8	139.2	285.7	0.0	333.3	152.9
80–84	174.6	292.2	254.8	0.0	335.6	0.0	0.0	0.0	215.7
85+	275.9	588.2	230.8	0.0	0.0	0.0	0.0	0.0	284.4
Ages 40+									
Crude rate	48.6	56.4	50.4	35.0	49.4	52.9	47.5	48.1	49.8
ASR(A)	64.3	75.9	59.6	49.5	65.5	59.9	69.6	80.2	63.4
95% CI	57.5–71.8	64.4–88.5	52.7–67.1	35.6–66.5	49.1–85.0	38.4–88.4	32.2–126.4	31.4–159.0	59.4–67.7
Ages 50–69									
Crude rate	59.9	59.0	50.4	49.8	57.1	79.3	82.2	38.8	56.5
ASR(A)	64.1	75.1	52.4	61.0	67.2	72.0	100.0	61.8	61.9
95% CI	55.6–73.6	60.9–91.1	44.9–60.8	42.1–85.2	46.8–92.7	42.8–112.5	45.1–186.7	19.2–146.0	57.1–67.1

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 67: Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 1997

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	14,066	4,658	8,403	2,481	1,675	820	505	367	32,975
	Cases	25	6	15	5	3	3	1	1	59
45–49	Screened	14,157	6,559	7,853	4,429	2,085	810	610	486	36,989
	Cases	37	17	24	13	10	4	2	2	109
50–54	Screened	19,878	16,843	10,252	4,973	4,203	961	724	736	58,570
	Cases	67	71	34	7	19	0	3	3	204
55–59	Screened	11,097	4,619	6,681	2,759	1,679	486	287	398	28,006
	Cases	60	39	33	14	15	1	2	1	165
60–64	Screened	8,897	3,518	5,200	2,069	1,231	323	153	217	21,608
	Cases	64	25	35	11	8	3	2	0	148
65–69	Screened	7,994	2,905	4,440	1,637	1,131	262	133	108	18,610
	Cases	47	32	34	17	12	3	3	1	149
70–74	Screened	4,924	2,148	2,430	836	551	166	104	49	11,208
	Cases	51	23	28	11	8	3	2	0	126
75–79	Screened	2,679	1,384	1,402	440	353	129	58	16	6,461
	Cases	29	15	20	4	4	1	0	0	73
80–84	Screened	852	471	417	132	87	26	10	5	2,000
	Cases	20	14	6	3	4	0	0	0	47
85+	Screened	143	94	100	37	11	5	3	0	393
	Cases	1	4	3	1	1	0	0	0	10
Ages 40+	Screened	84,687	43,199	47,178	19,793	13,006	3,988	2,587	2,382	216,820
	Cases	401	246	232	86	84	18	15	8	1,090
Ages 50–69	Screened	47,866	27,885	26,573	11,438	8,244	2,032	1,297	1,459	126,794
	Cases	238	167	136	49	54	7	10	5	666

Source: AIHW analysis of BreastScreen Australia data.

Table 68: Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 1997

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	17.8	12.9	17.9	20.2	17.9	36.6	19.8	27.2	17.9
45–49	26.1	25.9	30.6	29.4	48.0	49.4	32.8	41.2	29.5
50–54	33.7	42.2	33.2	14.1	45.2	0.0	41.4	40.8	34.8
55–59	54.1	84.4	49.4	50.7	89.3	20.6	69.7	25.1	58.9
60–64	71.9	71.1	67.3	53.2	65.0	92.9	130.7	0.0	68.5
65–69	58.8	110.2	76.6	103.8	106.1	114.5	225.6	92.6	80.1
70–74	103.6	107.1	115.2	131.6	145.2	180.7	192.3	0.0	112.4
75–79	108.2	108.4	142.7	90.9	113.3	77.5	0.0	0.0	113.0
80–84	234.7	297.2	143.9	227.3	459.8	0.0	0.0	0.0	235.0
85+	69.9	425.5	300.0	270.3	909.1	0.0	0.0	..	254.5
Ages 40+									
Crude rate	47.4	56.9	49.2	43.4	64.6	45.1	58.0	33.6	50.3
ASR(A)	53.8	68.5	56.8	54.8	77.5	58.9	91.5	32.7	58.8
95% CI	48.5–59.5	59.4–78.6	49.4–64.8	43.2–68.4	60.8–97.1	31.9–97.3	46.0–158.7	9.5–72.3	55.2–62.6
Ages 50–69									
Crude rate	49.7	59.9	51.2	42.8	65.5	34.4	77.1	34.3	52.5
ASR(A)	52.3	72.7	53.4	49.7	72.9	48.2	104.3	37.8	57.3
95% CI	45.8–59.5	60.9–86.0	44.7–63.2	36.6–65.9	53.8–96.2	19.2–99.5	45.4–199.4	6.6–99.3	52.9–62.0

.. Not applicable—no women in this age group were screened in 1997.

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 69: Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 2003

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	8,387	855	7,730	1,514	1,267	600	273	146	20,772
	Cases	5	2	13	0	3	0	3	0	26
45–49	Screened	25,935	4,396	20,421	6,043	4,190	1,909	1,095	520	64,509
	Cases	56	5	41	13	12	2	1	1	131
50–54	Screened	40,877	32,664	28,992	13,766	12,734	3,896	2,311	899	136,139
	Cases	117	86	72	44	43	12	6	4	384
55–59	Screened	46,601	40,883	30,347	15,673	14,843	4,177	2,521	892	155,937
	Cases	197	144	117	75	66	23	8	5	635
60–64	Screened	38,545	31,374	23,235	12,397	11,903	3,439	1,848	608	123,349
	Cases	220	136	109	67	62	19	5	3	621
65–69	Screened	32,591	26,370	19,135	10,091	9,791	3,033	1,316	323	102,650
	Cases	181	129	101	54	67	18	11	0	561
70–74	Screened	25,346	20,678	14,837	2,623	3,301	1,795	267	169	69,016
	Cases	134	91	70	20	23	14	0	0	352
75–79	Screened	16,992	5,118	4,303	975	1,532	341	91	64	29,416
	Cases	114	36	26	6	9	2	1	0	194
80–84	Screened	6,242	660	920	241	345	85	36	32	8,561
	Cases	47	11	14	1	6	0	0	0	79
85+	Screened	1,404	93	222	33	48	13	3	3	1,819
	Cases	10	1	0	0	1	0	1	0	13
Ages 40+	Screened	242,920	163,091	150,142	63,356	59,954	19,288	9,761	3,656	712,168
	Cases	1,081	641	563	280	292	90	36	13	2,996
Ages 50–69	Screened	158,614	131,291	101,709	51,927	49,271	14,545	7,996	2,722	518,075
	Cases	715	495	399	240	238	72	30	12	2,201

Source: AIHW analysis of BreastScreen Australia data.

Table 70: Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	6.0	23.4	16.8	0.0	23.7	0.0	109.9	0.0	12.5
45–49	21.6	11.4	20.1	21.5	28.6	10.5	9.1	19.2	20.3
50–54	28.6	26.3	24.8	32.0	33.8	30.8	26.0	44.5	28.2
55–59	42.3	35.2	38.6	47.9	44.5	55.1	31.7	56.1	40.7
60–64	57.1	43.3	46.9	54.0	52.1	55.2	27.1	49.3	50.3
65–69	55.5	48.9	52.8	53.5	68.4	59.3	83.6	0.0	54.7
70–74	52.9	44.0	47.2	76.2	69.7	78.0	0.0	0.0	51.0
75–79	67.1	70.3	60.4	61.5	58.7	58.7	109.9	0.0	66.0
80–84	75.3	166.7	152.2	41.5	173.9	0.0	0.0	0.0	92.3
85+	71.2	107.5	0.0	0.0	208.3	0.0	3,333.3	0.0	71.5
Ages 40+									
Crude rate	44.5	39.3	37.5	44.2	48.7	46.7	36.9	35.6	42.1
ASR(A)	39.7	35.4	36.9	41.5	46.7	41.7	45.6	29.1	38.5
95% CI	37.2–42.2	31.5–39.4	33.8–40.1	36.4–47.1	41.0–52.9	33.4–51.5	27.5–68.7	15.4–49.9	37.1–40.0
Ages 50–69									
Crude rate	45.1	37.7	39.2	46.2	48.3	49.5	37.5	44.1	42.5
ASR(A)	43.7	36.8	38.7	45.2	47.3	48.0	38.9	39.9	41.5
95% CI	40.5–47.0	33.6–40.2	35.0–42.7	39.6–51.3	41.5–53.8	37.5–60.6	26.1–55.7	20.5–69.9	39.8–43.3

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 71: Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 2002

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	8,974	970	7,539	1,333	1,260	630	266	130	21,102
	Cases	11	0	8	1	4	4	1	0	29
45–49	Screened	27,504	4,801	19,972	5,175	4,504	2,325	1,268	493	66,042
	Cases	41	20	39	9	9	4	6	1	129
50–54	Screened	41,223	32,555	29,282	12,051	13,378	4,051	2,808	925	136,273
	Cases	129	74	75	39	45	12	5	2	381
55–59	Screened	44,783	36,204	29,310	13,539	13,886	4,366	2,682	805	145,575
	Cases	182	153	105	58	58	19	15	0	590
60–64	Screened	37,155	30,226	22,636	11,096	11,027	3,366	1,797	432	117,735
	Cases	195	130	75	50	59	19	6	2	536
65–69	Screened	31,258	25,426	17,824	9,130	9,498	2,810	1,313	235	97,494
	Cases	180	120	86	60	80	21	8	1	556
70–74	Screened	25,852	20,854	14,136	2,538	3,349	1,524	279	143	68,675
	Cases	140	112	73	15	17	9	2	1	369
75–79	Screened	16,371	5,237	3,613	974	1,612	295	117	56	28,275
	Cases	96	40	25	11	13	0	1	1	187
80–84	Screened	5,506	652	801	234	319	72	30	30	7,644
	Cases	37	4	7	2	4	2	0	0	56
85+	Screened	1,170	101	180	36	38	6	4	5	1,540
	Cases	8	1	0	2	1	0	1	0	13
Ages 40+	Screened	239,796	157,026	145,293	56,106	58,871	19,445	10,564	3,254	690,355
	Cases	1,019	654	493	247	290	90	45	8	2,846
Ages 50–69	Screened	154,419	124,411	99,052	45,816	47,789	14,593	8,600	2,397	497,077
	Cases	686	477	341	207	242	71	34	5	2,063

Source: AIHW analysis of BreastScreen Australia data.

Table 72: Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 2002

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	12.3	0.0	10.6	7.5	31.7	63.5	37.6	0.0	13.7
45–49	14.9	41.7	19.5	17.4	20.0	17.2	47.3	20.3	19.5
50–54	31.3	22.7	25.6	32.4	33.6	29.6	17.8	21.6	28.0
55–59	40.6	42.3	35.8	42.8	41.8	43.5	55.9	0.0	40.5
60–64	52.5	43.0	33.1	45.1	53.5	56.4	33.4	46.3	45.5
65–69	57.6	47.2	48.2	65.7	84.2	74.7	60.9	42.6	57.0
70–74	54.2	53.7	51.6	59.1	50.8	59.1	71.7	69.9	53.7
75–79	58.6	76.4	69.2	112.9	80.6	0.0	85.5	178.6	66.1
80–84	67.2	61.3	87.4	85.5	125.4	277.8	0.0	0.0	73.3
85+	68.4	99.0	0.0	555.6	263.2	0.0	2,500.0	0.0	84.4
Ages 40+									
Crude rate	42.5	41.6	33.9	44.0	49.3	46.3	42.6	24.6	41.2
ASR(A)	39.0	37.6	33.4	42.6	46.7	46.6	48.7	31.0	38.1
95% CI	36.5–41.5	34.2–41.2	30.5–36.6	37.0–48.8	41.0–53.0	36.8–58.1	32.2–69.4	12.2–62.9	36.7–39.6
Ages 50–69									
Crude rate	44.4	38.3	34.4	45.2	50.6	48.7	39.5	20.9	41.5
ASR(A)	43.5	37.0	34.3	44.4	50.0	47.9	39.5	25.6	40.8
95% CI	40.3–46.9	33.8–40.5	30.8–38.2	38.5–50.9	43.9–56.7	37.4–60.5	27.2–55.5	7.3–61.5	39.0–42.6

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 73: Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 2001

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	9,580	1,042	7,415	1,575	1,306	578	320	140	21,956
	Cases	11	1	11	1	2	0	1	0	27
45–49	Screened	27,571	4,871	18,976	5,759	4,498	2,201	1,264	451	65,591
	Cases	42	8	29	7	11	7	2	1	107
50–54	Screened	42,494	33,220	27,533	13,290	12,811	3,752	2,582	850	136,532
	Cases	102	103	75	51	45	9	9	3	397
55–59	Screened	43,842	35,828	25,500	13,297	13,715	3,715	2,292	780	138,969
	Cases	201	113	80	60	61	18	7	1	541
60–64	Screened	38,089	28,684	20,739	11,422	12,003	3,277	1,730	482	116,426
	Cases	182	131	92	60	70	20	8	4	567
65–69	Screened	32,501	23,456	16,980	9,236	9,636	2,756	1,250	242	96,057
	Cases	168	112	75	50	49	12	12	2	480
70–74	Screened	26,913	19,790	13,541	2,471	3,438	1,095	266	137	67,651
	Cases	151	100	63	15	25	13	4	0	371
75–79	Screened	16,151	5,106	5,884	913	1,309	285	109	50	29,807
	Cases	88	37	20	15	21	5	1	0	187
80–84	Screened	5,259	649	1,916	199	301	61	34	26	8,445
	Cases	41	8	14	4	2	1	0	0	70
85+	Screened	1,147	142	429	42	38	8	4	2	1,812
	Cases	5	1	5	0	2	1	0	0	14
Ages 40+	Screened	243,547	152,788	138,913	58,204	59,055	17,728	9,851	3,160	683,246
	Cases	991	614	464	263	288	86	44	11	2,761
Ages 50–69	Screened	156,926	121,188	90,752	47,245	48,165	13,500	7,854	2,354	487,984
	Cases	653	459	322	221	225	59	36	10	1,985

Source: AIHW analysis of BreastScreen Australia data.

Table 74: Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 2001

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	11.5	9.6	14.8	6.3	15.3	0.0	31.3	0.0	12.3
45–49	15.2	16.4	15.3	12.2	24.5	31.8	15.8	22.2	16.3
50–54	24.0	31.0	27.2	38.4	35.1	24.0	34.9	35.3	29.1
55–59	45.8	31.5	31.4	45.1	44.5	48.5	30.5	12.8	38.9
60–64	47.8	45.7	44.4	52.5	58.3	61.0	46.2	83.0	48.7
65–69	51.7	47.7	44.2	54.1	50.9	43.5	96.0	82.6	50.0
70–74	56.1	50.5	46.5	60.7	72.7	118.7	150.4	0.0	54.8
75–79	54.5	72.5	34.0	164.3	160.4	175.4	91.7	0.0	62.7
80–84	78.0	123.3	73.1	201.0	66.4	163.9	0.0	0.0	82.9
85+	43.6	70.4	116.6	0.0	526.3	1,250.0	0.0	0.0	77.3
Ages 40+									
Crude rate	40.7	40.2	33.4	45.2	48.8	48.5	44.7	34.8	40.4
ASR(A)	36.9	35.6	32.5	44.8	47.4	51.4	52.0	35.7	37.2
95% CI	34.5–39.3	32.3–39.2	29.6–35.7	39.1–51.1	41.7–53.7	40.1–64.6	35.4–73.0	16.9–65.3	35.8–38.6
Ages 50–69									
Crude rate	41.6	37.9	35.5	46.8	46.7	43.7	45.8	42.5	40.7
ASR(A)	40.3	37.6	35.4	46.3	45.7	42.3	48.2	49.2	40.0
95% CI	37.3–43.5	34.3–41.3	31.6–39.5	40.4–52.9	39.9–52.2	32.2–54.6	33.6–66.8	22.3–92.7	38.3–41.8

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 75: Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 2000

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	9,999	1,072	7,365	1,488	1,255	821	301	147	22,448
	Cases	13	1	8	1	1	1	0	0	25
45–49	Screened	26,793	5,164	17,711	5,155	4,512	2,678	1,395	469	63,877
	Cases	44	14	49	8	17	6	7	1	146
50–54	Screened	40,405	31,846	25,890	13,287	11,802	4,248	2,555	864	130,897
	Cases	122	87	89	44	44	11	15	2	414
55–59	Screened	40,587	30,594	23,035	12,042	11,308	3,715	2,121	643	124,045
	Cases	164	141	88	38	58	12	9	3	513
60–64	Screened	35,409	27,747	18,658	10,668	10,324	3,251	1,471	332	107,860
	Cases	153	159	102	54	52	18	8	0	546
65–69	Screened	30,042	23,612	15,349	8,666	8,587	2,680	983	208	90,127
	Cases	139	131	87	48	45	10	7	1	468
70–74	Screened	25,133	19,993	11,767	2,283	3,229	622	249	142	63,418
	Cases	159	124	78	11	19	7	2	1	401
75–79	Screened	13,359	4,864	5,525	820	1,130	222	94	52	26,066
	Cases	65	30	37	8	11	3	0	0	154
80–84	Screened	3,885	610	1,740	164	241	42	13	20	6,715
	Cases	28	5	13	0	2	0	0	1	49
85+	Screened	866	103	420	28	38	9	4	2	1,470
	Cases	6	1	2	0	1	0	0	0	10
Ages 40+	Screened	226,478	145,605	127,460	54,601	52,426	18,288	9,186	2,879	636,923
	Cases	893	693	553	212	250	68	48	9	2,726
Ages 50–69	Screened	146,443	113,799	82,932	44,663	42,021	13,894	7,130	2,047	452,929
	Cases	578	518	366	184	199	51	39	6	1,941

Source: AIHW analysis of BreastScreen Australia data.

Table 76: Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 2000

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	13.0	9.3	10.9	6.7	8.0	12.2	0.0	0.0	11.1
45–49	16.4	27.1	27.7	15.5	37.7	22.4	50.2	21.3	22.9
50–54	30.2	27.3	34.4	33.1	37.3	25.9	58.7	23.1	31.6
55–59	40.4	46.1	38.2	31.6	51.3	32.3	42.4	46.7	41.4
60–64	43.2	57.3	54.7	50.6	50.4	55.4	54.4	0.0	50.6
65–69	46.3	55.5	56.7	55.4	52.4	37.3	71.2	48.1	51.9
70–74	63.3	62.0	66.3	48.2	58.8	112.5	80.3	70.4	63.2
75–79	48.7	61.7	67.0	97.6	97.3	135.1	0.0	0.0	59.1
80–84	72.1	82.0	74.7	0.0	83.0	0.0	0.0	500.0	73.0
85+	69.3	97.1	47.6	0.0	263.2	0.0	0.0	0.0	68.0
Ages 40+									
Crude rate	39.4	47.6	43.4	38.8	47.7	37.2	52.3	31.3	42.8
ASR(A)	36.6	41.7	42.2	36.9	45.8	41.6	50.5	32.2	39.9
95% CI	34.2–39.2	38.1–45.6	38.8–45.9	31.7–42.6	40.0–52.1	31.2–54.1	35.8–68.8	13.4–63.4	38.4–41.5
Ages 50–69									
Crude rate	39.5	45.5	44.1	41.2	47.4	36.7	54.7	29.3	42.9
ASR(A)	38.8	44.3	44.2	40.9	46.7	36.3	56.0	29.0	42.3
95% CI	35.7–42.2	40.5–48.3	39.8–49.0	35.2–47.3	40.4–53.7	27.0–47.7	39.5–76.9	9.1–65.9	40.4–44.2

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 77: Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 1999

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	8,646	1,223	6,374	1,445	990	592	331	162	19,763
	Cases	13	1	11	2	2	0	1	1	31
45–49	Screened	24,506	5,112	15,834	5,235	4,184	2,242	1,445	423	58,981
	Cases	34	15	35	12	11	5	2	0	114
50–54	Screened	39,063	31,741	21,543	11,724	10,771	3,401	2,470	747	121,460
	Cases	88	84	61	49	30	12	13	2	339
55–59	Screened	38,526	30,267	19,394	10,934	11,750	3,387	2,172	702	117,132
	Cases	136	99	81	47	47	19	12	3	444
60–64	Screened	34,275	25,656	16,435	9,527	10,515	2,971	1,633	370	101,382
	Cases	161	121	86	61	53	10	6	2	500
65–69	Screened	30,005	22,416	13,794	7,958	8,883	2,540	1,233	204	87,033
	Cases	139	136	72	43	40	8	6	0	444
70–74	Screened	24,279	18,187	10,640	1,880	2,941	512	258	110	58,807
	Cases	132	112	63	17	14	2	4	2	346
75–79	Screened	11,745	3,656	5,594	668	862	188	128	32	22,873
	Cases	50	32	30	7	4	1	2	0	126
80–84	Screened	3,657	416	1,677	122	171	38	12	18	6,111
	Cases	18	2	15	1	1	0	1	0	38
85+	Screened	746	92	360	21	18	2	6	0	1,245
	Cases	4	0	2	0	0	0	0	0	6
Ages 40+	Screened	215,448	138,766	111,645	49,514	51,085	15,873	9,688	2,768	594,787
	Cases	775	602	456	239	202	57	47	10	2,388
Ages 50–69	Screened	141,869	110,080	71,166	40,143	41,919	12,299	7,508	2,023	427,007
	Cases	524	440	300	200	170	49	37	7	1,727

Source: AIHW analysis of BreastScreen Australia data.

Table 78: Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 1999

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	15.0	8.2	17.3	13.8	20.2	0.0	30.2	61.7	15.7
45–49	13.9	29.3	22.1	22.9	26.3	22.3	13.8	0.0	19.3
50–54	22.5	26.5	28.3	41.8	27.9	35.3	52.6	26.8	27.9
55–59	35.3	32.7	41.8	43.0	40.0	56.1	55.2	42.7	37.9
60–64	47.0	47.2	52.3	64.0	50.4	33.7	36.7	54.1	49.3
65–69	46.3	60.7	52.2	54.0	45.0	31.5	48.7	0.0	51.0
70–74	54.4	61.6	59.2	90.4	47.6	39.1	155.0	181.8	58.8
75–79	42.6	87.5	53.6	104.8	46.4	53.2	156.3	0.0	55.1
80–84	49.2	48.1	89.4	82.0	58.5	0.0	833.3	0.0	62.2
85+	53.6	0.0	55.6	0.0	0.0	0.0	0.0	..	48.2
Ages 40+									
Crude rate	36.0	43.4	40.8	48.3	39.5	35.9	48.5	36.1	40.1
ASR(A)	33.3	38.9	39.5	48.5	37.1	34.2	61.8	41.3	37.5
95% CI	30.9–35.8	35.3–42.7	36.0–43.4	41.9–55.8	31.7–43.2	25.2–45.1	40.2–88.6	17.7–79.4	36.0–39.1
Ages 50–69									
Crude rate	36.9	40.0	42.2	49.8	40.6	39.8	49.3	34.6	40.4
ASR(A)	35.9	39.3	41.8	49.4	39.3	39.6	49.0	31.7	39.7
95% CI	32.9–39.1	35.7–43.2	37.2–46.8	42.8–56.8	33.6–45.8	29.2–52.4	34.5–67.7	12.3–66.1	37.9–41.7

.. Not applicable—no women in this age group were screened in 1999.

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 79: Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 1998

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	7,704	1,259	5,618	1,256	898	865	376	127	18,103
	Cases	4	1	13	1	2	2	0	0	23
45–49	Screened	23,034	5,000	13,753	5,424	4,167	2,552	1,337	284	55,551
	Cases	52	14	24	12	10	3	0	0	115
50–54	Screened	34,896	23,605	16,792	11,845	9,708	3,352	2,208	478	102,884
	Cases	95	63	49	30	36	6	8	1	288
55–59	Screened	35,638	28,864	14,692	10,468	9,795	3,182	1,803	346	104,788
	Cases	122	105	42	40	35	13	7	1	365
60–64	Screened	31,310	25,670	12,077	9,148	9,204	2,759	1,263	184	91,615
	Cases	108	109	43	39	50	13	5	0	367
65–69	Screened	28,674	23,200	10,455	7,643	7,970	2,224	920	119	81,205
	Cases	131	113	52	45	38	10	3	1	393
70–74	Screened	22,361	17,794	7,869	1,884	2,853	652	236	71	53,720
	Cases	123	96	46	10	19	5	1	0	300
75–79	Screened	8,549	3,130	3,942	600	768	182	113	30	17,314
	Cases	51	15	25	5	3	1	0	1	101
80–84	Screened	2,674	466	1,164	133	162	34	23	8	4,664
	Cases	9	3	6	3	3	0	0	0	24
85+	Screened	578	92	264	18	18	6	4	0	980
	Cases	2	1	5	0	0	1	0	0	9
Ages 40+	Screened	195,418	129,080	86,626	48,419	45,543	15,808	8,283	1,647	530,824
	Cases	697	520	305	185	196	54	24	4	1,985
Ages 50–69	Screened	130,518	101,339	54,016	39,104	36,677	11,517	6,194	1,127	380,492
	Cases	456	390	186	154	159	42	23	3	1,413

Source: AIHW analysis of BreastScreen Australia data.

Table 80: Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 1998

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	5.2	7.9	23.1	8.0	22.3	23.1	0.0	0.0	12.7
45–49	22.6	28.0	17.5	22.1	24.0	11.8	0.0	0.0	20.7
50–54	27.2	26.7	29.2	25.3	37.1	17.9	36.2	20.9	28.0
55–59	34.2	36.4	28.6	38.2	35.7	40.9	38.8	28.9	34.8
60–64	34.5	42.5	35.6	42.6	54.3	47.1	39.6	0.0	40.1
65–69	45.7	48.7	49.7	58.9	47.7	45.0	32.6	84.0	48.4
70–74	55.0	54.0	58.5	53.1	66.6	76.7	42.4	0.0	55.8
75–79	59.7	47.9	63.4	83.3	39.1	54.9	0.0	333.3	58.3
80–84	33.7	64.4	51.5	225.6	185.2	0.0	0.0	0.0	51.5
85+	34.6	108.7	189.4	0.0	0.0	1,666.7	0.0	..	91.8
Ages 40+									
Crude rate	35.7	40.3	35.2	38.2	43.0	34.2	29.0	24.3	37.4
ASR(A)	32.9	35.6	34.7	38.4	41.6	38.3	28.2	30.7	35.0
95% CI	30.5–35.5	32.1–39.4	30.9–38.9	32.5–45.1	35.5–48.5	27.2–51.9	17.1–43.3	6.8–81.8	33.5–36.6
Ages 50–69									
Crude rate	34.9	38.5	34.4	39.4	43.4	36.5	37.1	26.6	37.1
ASR(A)	34.2	37.0	34.4	39.0	42.6	35.6	36.9	30.6	36.4
95% CI	31.1–37.6	33.3–40.9	29.7–39.8	33.1–45.7	36.2–49.8	25.6–48.1	23.3–55.6	4.2–94.7	34.5–38.4

.. Not applicable—no women in this age group were screened in 1998.

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 81: Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 1997

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	7,750	1,250	5,033	1,306	922	707	448	87	17,503
	Cases	9	0	5	2	2	2	1	0	21
45–49	Screened	19,035	4,372	11,238	4,333	3,414	2,105	1,501	207	46,205
	Cases	25	12	20	8	9	8	9	0	91
50–54	Screened	29,510	22,388	13,898	8,780	8,566	2,789	2,002	402	88,335
	Cases	68	58	52	24	32	9	8	0	251
55–59	Screened	30,572	23,845	12,738	8,709	9,648	2,812	1,767	368	90,459
	Cases	122	96	34	25	36	11	11	1	336
60–64	Screened	27,105	20,547	10,916	7,363	8,469	2,441	1,339	171	78,351
	Cases	115	84	43	28	25	8	6	2	311
65–69	Screened	25,307	18,929	9,913	6,403	7,727	2,232	1,078	122	71,711
	Cases	113	83	39	34	43	7	9	0	328
70–74	Screened	18,391	13,159	7,035	1,493	1,716	468	283	24	42,569
	Cases	93	76	44	9	16	4	2	0	244
75–79	Screened	7,138	2,514	3,734	472	453	124	100	16	14,551
	Cases	38	18	25	4	4	2	0	1	92
80–84	Screened	2,192	385	1,067	92	83	27	21	3	3,870
	Cases	16	4	3	1	0	0	1	0	25
85+	Screened	410	81	212	17	14	1	6	0	741
	Cases	3	1	2	1	1	0	0	0	8
Ages 40+	Screened	167,410	107,470	75,784	38,968	41,012	13,706	8,545	1,400	454,295
	Cases	602	432	267	136	168	51	47	4	1,707
Ages 50–69	Screened	112,494	85,709	47,465	31,255	34,410	10,274	6,186	1,063	328,856
	Cases	418	321	168	111	136	35	34	3	1,226

Source: AIHW analysis of BreastScreen Australia data.

Table 82: Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 1997

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	11.6	0.0	9.9	15.3	21.7	28.3	22.3	0.0	12.0
45–49	13.1	27.4	17.8	18.5	26.4	38.0	60.0	0.0	19.7
50–54	23.0	25.9	37.4	27.3	37.4	32.3	40.0	0.0	28.4
55–59	39.9	40.3	26.7	28.7	37.3	39.1	62.3	27.2	37.1
60–64	42.4	40.9	39.4	38.0	29.5	32.8	44.8	117.0	39.7
65–69	44.7	43.8	39.3	53.1	55.6	31.4	83.5	0.0	45.7
70–74	50.6	57.8	62.5	60.3	93.2	85.5	70.7	0.0	57.3
75–79	53.2	71.6	67.0	84.7	88.3	161.3	0.0	625.0	63.2
80–84	73.0	103.9	28.1	108.7	0.0	0.0	476.2	0.0	64.6
85+	73.2	123.5	94.3	588.2	714.3	0.0	0.0	..	108.0
Ages 40+									
Crude rate	36.0	40.2	35.2	34.9	41.0	37.2	55.0	28.6	37.6
ASR(A)	33.2	36.0	34.4	36.7	43.1	41.9	56.3	41.1	35.4
95% CI	30.6–36.0	32.3–39.9	30.4–38.9	29.9–44.4	35.7–51.4	29.6–57.0	39.7–77.1	7.4–113.3	33.7–37.1
Ages 50–69									
Crude rate	37.2	37.5	35.4	35.5	39.5	34.1	55.0	28.2	37.3
ASR(A)	35.9	36.4	35.4	35.1	39.2	34.0	55.3	32.9	36.5
95% CI	32.5–39.5	32.5–40.7	30.3–41.2	28.8–42.3	32.8–46.4	23.6–47.4	38.2–77.3	6.0–98.1	34.5–38.7

.. Not applicable—no women in this age group were screened in 1997.

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Indicator 3a: Interval cancer rate

Table 83: Numbers and age-specific rates of interval cancers in women screened during 1999, 2000 and 2001, first screening round, 0–12 months, states and territories

Age group	Number/ rate	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Number	57	26	26	7	15	3	3	2	139
	Rate	7.7	8.5	5.4	4.4	10.6	6.9	8.6	12.5	7.2
50–59	Number	43	40	35	8	12	5	1	4	148
	Rate	7.7	8.2	9.4	6.1	6.8	14.7	3.7	24.7	8.2
60–69	Number	15	7	15	3	2	3	1	0	46
	Rate	6.6	4.9	9.2	8.1	5.8	24.8	16.3	0.0	7.4
70+	Number	13	4	6	0	0	0	0	0	23
	Rate	10.8	7.2	8.4	0.0	0.0	0.0	0.0	0.0	8.0
Ages 40+	Number	128	77	82	18	29	11	5	6	356
	Crude rate	7.8	7.7	7.5	5.2	7.9	11.6	7.1	16.5	7.7
	ASR(A)	7.8	7.2	8.4	5.5	6.5	14.1	7.8	12.2	7.7
	95% CI	6.3–9.4	5.5–9.2	6.5–10.6	2.8–9.4	3.8–10.0	6.1–26.7	0.4–22.3	4.2–27.1	6.8–8.7
Ages 50–69	Number	58	47	50	11	14	8	2	4	194
	Crude rate	7.3	7.4	9.3	6.5	6.7	17.4	6.1	20.7	8.0
	ASR(A)	7.2	6.8	9.3	6.9	6.4	18.9	9.0	14.4	7.8
	95% CI	5.4–9.4	4.8–9.3	6.9–12.4	3.1–13.0	2.9–11.7	7.5–38.4	0.1–35.3	3.9–36.9	6.7–9.1

Note: Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 84: Numbers and age-specific rates of interval cancers in women screened during 1999, 2000 and 2001, first screening round, 13–24 months, states and territories

Age group	Number/ rate	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Number	65	31	56	11	21	1	2	1	188
	Rate	9.3	10.1	11.9	7.7	15.8	2.4	5.9	6.8	10.2
50–59	Number	74	59	59	17	25	2	4	3	243
	Rate	13.9	12.0	16.3	14.2	14.7	6.2	15.1	18.8	13.9
60–69	Number	17	18	32	4	2	1	1	0	75
	Rate	7.9	12.7	19.9	12.2	6.1	9.1	16.9	0.0	12.5
70+	Number	13	6	6	2	0	1	1	0	29
	Rate	11.7	10.8	8.5	16.1	0.0	20.9	42.0	0.0	10.6
Ages 40+	Number	169	114	153	34	48	5	8	4	535
	Crude rate	10.8	11.5	14.4	11.0	13.6	5.5	11.7	11.5	12.0
	ASR(A)	11.0	11.7	15.4	12.5	10.7	8.0	17.1	8.8	12.3
	95% CI	9.2–13.0	9.4–14.3	12.8–18.4	7.8–18.6	7.4–14.8	1.9–20.1	4.7–38.1	2.3–22.7	11.2–13.5
Ages 50–69	Number	91	77	91	21	27	3	5	3	318
	Crude rate	12.2	12.2	17.4	13.8	13.3	6.9	15.5	15.8	13.5
	ASR(A)	11.4	12.3	17.8	13.4	11.1	7.4	15.9	11.0	13.3
	95% CI	9.1–14.1	9.5–15.7	14.2–22.0	7.7–21.2	6.7–17.0	1.1–22.6	3.3–40.6	2.3–32.2	11.8–14.9

Note: Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 85: Numbers and age-specific rates of interval cancers in women screened during 1999, 2000 and 2001, first screening round, 0–24 months, states and territories

Age group	Number/ Rate	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Number	122	57	82	18	36	4	5	3	327
	Rate	8.5	9.3	8.6	5.9	13.1	4.7	7.3	9.7	8.7
50–59	Number	117	99	94	25	37	7	5	7	391
	Rate	10.7	10.1	12.8	10.0	10.7	10.5	9.4	21.8	11.0
60–69	Number	32	25	47	7	4	4	2	0	121
	Rate	7.2	8.8	14.5	10.0	6.0	17.3	16.6	0.0	9.9
70+	Number	26	10	12	2	0	1	1	0	52
	Rate	11.3	9.0	8.4	7.3	0.0	9.6	21.0	0.0	9.3
Ages 40+	Number	297	191	235	52	77	16	13	10	891
	Crude rate	9.3	9.6	10.9	8.0	10.7	8.6	9.4	14.1	9.8
	ASR(A)	9.3	9.4	11.9	8.8	8.6	11.1	12.4	10.5	10.0
	95% CI	8.2–10.6	8.0–11.0	10.2–13.7	6.1–12.2	6.4–11.1	5.7–18.9	4.7–24.0	4.9–19.6	9.2–10.8
Ages 50–69	Number	149	124	141	32	41	11	7	7	512
	Crude rate	9.7	9.8	13.3	10.0	9.9	12.3	10.7	18.3	10.7
	ASR(A)	9.2	9.6	13.5	10.0	8.7	13.4	12.4	12.7	10.5
	95% CI	7.8–10.9	7.8–11.6	11.3–16.0	6.5–14.6	5.8–12.4	6.2–24.6	3.7–27.7	5.1–26.2	9.6–11.5

Note: Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 86: Numbers and age-specific rates of interval cancers in women screened during 1996, 1997 and 1998, first screening round, 0–12 months, states and territories

Age group	Number/ rate	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia*
40–49	Number	69	19	26	14	7	2	3	..	140
	Rate	8.1	5.4	5.2	6.1	5.3	3.4	8.4	..	6.5
50–59	Number	71	49	25	15	22	1	0	..	183
	Rate	7.7	7.2	5.0	7.0	12.3	2.0	0.0	..	7.1
60–69	Number	37	21	11	5	2	1	2	..	79
	Rate	6.8	7.1	3.9	4.9	2.8	4.1	15.8	..	5.9
70+	Number	21	11	4	1	0	1	0	..	38
	Rate	7.9	7.6	3.5	2.8	0.0	10.8	0.0	..	6.3
Ages 40+	Number	198	100	66	35	31	5	5	..	440
	Crude rate	7.7	6.8	4.7	6.0	7.5	3.5	5.5	..	6.6
	ASR(A)	7.6	6.9	4.5	5.7	6.7	3.9	6.1	..	6.5
	95% CI	6.5–8.7	5.5–8.4	3.5–5.9	3.8–8.2	4.5–9.6	1.0–9.8	1.2–15.9	..	5.9–7.2
Ages 50–69	Number	108	70	36	20	24	2	2	..	262
	Crude rate	7.4	7.2	4.6	6.3	9.6	2.6	4.1	..	6.7
	ASR(A)	7.3	7.2	4.5	6.1	8.4	2.8	6.6	..	6.6
	95% CI	6.0–8.9	5.5–9.1	3.2–6.3	3.7–9.5	5.3–12.5	0.3–10.4	0.8–23.8	..	5.8–7.5

.. Not applicable.

Notes

Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

*The Australian figure includes data from Vic, Qld, WA, SA, Tas and ACT. NT data were unavailable at the time of publication of the *BreastScreen Australia monitoring report 1998–1999 and 1999–2000* from which the data for index years 1996, 1997 and 1998 were copied. Updated NSW data were supplied separately.

Source: AIHW analysis of BreastScreen Australia data.

Table 87: Numbers and age-specific rates of interval cancers in women screened during 1996, 1997 and 1998, first screening round, 13–24 months, states and territories

Age group	Number/ rate	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia*
40–49	Number	102	44	38	23	19	5	2	..	233
	Rate	11.9	12.5	8.0	10.2	15.3	8.8	5.9	..	11.0
50–59	Number	126	93	65	24	19	7	5	..	339
	Rate	13.7	13.7	13.4	11.4	10.6	14.1	14.2	..	13.3
60–69	Number	61	30	37	12	5	3	2	..	150
	Rate	11.2	10.2	13.4	12.0	7.1	12.7	16.4	..	11.3
70+	Number	37	17	14	4	1	0	0	..	73
	Rate	14.0	11.8	12.4	11.6	3.1	0.0	0.0	..	12.1
Ages 40+	Number	326	184	154	63	44	15	9	..	795
	Crude rate	12.6	12.5	11.4	11.0	10.8	10.7	10.3	..	12.0
	ASR(A)	12.7	12.2	12.2	11.3	9.7	10.9	11.3	..	12.1
	95% CI	11.3–14.2	10.5–14.2	10.2–14.3	8.4–14.8	6.9–13.2	5.7–18.5	4.5–22.5	..	11.2–13.0
Ages 50–69	Number	187	123	102	36	24	10	7	..	489
	Crude rate	12.8	12.6	13.4	11.6	9.6	13.7	14.7	..	12.6
	ASR(A)	12.7	12.2	13.4	11.6	9.2	13.5	15.1	..	12.5
	95% CI	10.9–14.6	10.1–14.7	10.9–16.3	8.1–16.2	5.7–13.8	6.4–25.1	5.5–32.1	..	11.4–13.6

.. Not applicable.

Notes

Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

*The Australian figure includes data from Vic, Qld, WA, SA, Tas and ACT. NT data were unavailable at the time of publication of the *BreastScreen Australia monitoring report 1998–1999 and 1999–2000* from which the data for index years 1996, 1997 and 1998 were copied. Updated NSW data were supplied separately.

Source: AIHW analysis of BreastScreen Australia data.

Table 88: Numbers and age-specific rates of interval cancers in women screened during 1996, 1997 and 1998, first screening round, 0–24 months, states and territories

Age group	Number/ Rate	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia*
40–49	Number	171	63	64	37	26	7	5	..	373
	Rate	10.0	9.0	6.6	8.1	10.1	6.1	7.2	..	8.7
50–59	Number	197	142	90	39	41	8	5	..	522
	Rate	10.7	10.5	9.1	9.2	11.4	8.0	7.0	..	10.2
60–69	Number	98	51	48	17	7	4	4	..	229
	Rate	9.0	8.6	8.6	8.4	5.0	8.3	16.1	..	8.6
70+	Number	58	28	18	5	1	1	0	..	111
	Rate	11.0	9.7	7.9	7.2	1.5	5.0	0.0	..	9.1
Ages 40+	Number	524	284	220	98	75	20	14	..	1,235
	Crude rate	10.1	9.7	8.0	8.5	9.1	7.0	7.9	..	9.3
	ASR(A)	10.1	9.5	8.3	8.5	8.1	7.3	8.7	..	9.3
	95% CI	9.2–11.1	8.4–10.8	7.2–9.5	6.7–10.5	6.3–10.3	4.2–11.6	4.2–15.4	..	8.8–9.9
Ages 50–69	Number	295	193	138	56	48	12	9	..	751
	Crude rate	10.1	9.9	8.9	8.9	9.6	8.1	9.3	..	9.6
	ASR(A)	10.0	9.7	8.9	8.9	8.8	8.1	10.8	..	9.5
	95% CI	8.9–11.2	8.3–11.2	7.5–10.5	6.7–11.6	6.4–11.7	4.1–14.3	4.6–21.0	..	8.8–10.2

.. Not applicable.

Notes

Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

*The Australian figure includes data from Vic, Qld, WA, SA, Tas, ACT. NT data were unavailable at the time of the publication of the *BreastScreen Australia monitoring report 1998–1999 and 1999–2000* from which the data for index years 1996, 1997 and 1998 were copied. Updated NSW data were supplied separately.

Source: AIHW analysis of BreastScreen Australia data.

Table 89: Numbers and age-specific rates of interval cancers in women screened during 1999, 2000 and 2001, subsequent screening rounds, 0–12 months, states and territories

Age group	Number/ rate	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Number	82	11	68	19	13	3	5	2	203
	Rate	7.7	6.0	9.3	9.2	7.8	3.3	10.0	11.4	8.1
50–59	Number	188	163	130	47	66	14	23	0	631
	Rate	7.7	8.5	9.3	6.4	9.2	6.3	16.6	0.0	8.3
60–69	Number	155	107	78	39	34	10	10	1	434
	Rate	7.7	7.1	7.9	6.9	5.7	5.7	12.4	5.6	7.3
70+	Number	85	42	54	9	9	2	2	0	203
	Rate	6.4	5.8	9.6	9.8	6.6	6.5	17.9	0.0	7.0
Ages 40+	Number	510	323	330	114	122	29	40	3	1,471
	Crude rate	7.4	7.4	9.0	7.1	7.5	5.6	14.3	3.5	7.8
	ASR(A)	7.5	7.2	9.0	7.6	7.6	5.5	14.2	3.9	7.8
	95% CI	6.9–8.2	6.3–8.3	8.0–10.0	6.1–9.2	6.2–9.2	3.6–8.1	9.7–20.0	0.8–11.5	7.4–8.2
Ages 50–69	Number	343	270	208	86	100	24	33	1	1,065
	Crude rate	7.7	7.9	8.7	6.6	7.6	6.0	15.0	1.6	7.8
	ASR(A)	7.7	7.9	8.7	6.6	7.7	6.1	14.8	2.3	7.9
	95% CI	6.9–8.6	7.0–8.9	7.6–10.0	5.3–8.2	6.3–9.4	3.9–9.0	10.2–20.9	0.1–13.0	7.4–8.4

Note: Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 90: Numbers and age-specific rates of interval cancers in women screened during 1999, 2000 and 2001, subsequent screening rounds, 13–24 months, states and territories

Age group	Number/ rate	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Number	101	24	87	18	15	14	3	2	264
	Rate	10.5	13.1	12.5	11.2	10.5	16.6	6.4	12.5	11.5
50–59	Number	289	239	204	78	91	22	16	7	946
	Rate	13.1	12.4	15.1	12.5	13.6	10.0	12.1	16.1	13.2
60–69	Number	213	211	143	64	77	8	7	3	726
	Rate	11.9	14.0	14.6	13.8	13.8	4.8	8.9	17.0	13.1
70+	Number	141	66	79	7	11	2	1	3	310
	Rate	12.0	9.1	14.2	9.8	8.1	5.7	9.0	54.3	11.4
Ages 40+	Number	744	540	513	167	194	46	27	15	2,246
	Crude rate	12.1	12.4	14.3	12.7	12.9	9.1	10.0	18.1	12.7
	ASR(A)	12.1	12.6	14.3	12.3	12.3	9.4	9.6	20.3	12.6
	95% CI	11.2–13.0	11.2–14.0	13.1–15.6	10.3–14.4	10.5–14.3	6.8–12.6	6.0–14.4	10.7–34.5	12.1–13.1
Ages 50–69	Number	502	450	347	142	168	30	23	10	1,672
	Crude rate	12.6	13.1	14.9	13.1	13.7	7.7	10.9	16.3	13.1
	ASR(A)	12.6	13.1	14.9	13.1	13.7	7.8	10.8	16.5	13.1
	95% CI	11.5–13.8	11.9–14.4	13.4–16.5	11.0–15.4	11.7–15.9	5.3–11.2	6.8–16.2	7.6–30.8	12.5–13.8

Note: Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 91: Numbers and age-specific rates of interval cancers in women screened during 1999, 2000 and 2001, subsequent screening rounds, 0–24 months, states and territories

Age group	Number/ Rate	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Number	183	35	155	37	28	17	8	4	467
	Rate	9.0	9.6	10.9	10.1	9.0	9.7	8.2	11.9	9.7
50–59	Number	477	402	334	125	157	36	39	7	1,577
	Rate	10.2	10.4	12.1	9.2	11.3	8.2	14.4	8.0	10.6
60–69	Number	368	318	221	103	111	18	17	4	1,160
	Rate	9.7	10.6	11.3	10.0	9.6	5.3	10.7	11.3	10.1
70+	Number	226	108	133	16	20	4	3	3	513
	Rate	9.0	7.4	11.9	9.8	7.4	6.1	13.4	26.6	9.1
Ages 40+	Number	1,254	863	843	281	316	75	67	18	3,717
	Crude rate	9.7	9.9	11.6	9.6	10.1	7.3	12.2	10.7	10.1
	ASR(A)	9.7	9.9	11.6	9.7	9.9	7.4	12.0	12.0	10.1
	95% CI	9.1–10.3	9.1–10.8	10.8–12.4	8.5–11.0	8.7–11.1	5.8–9.3	9.0–15.5	6.8–19.4	9.8–10.5
Ages 50–69	Number	845	720	555	228	268	54	56	11	2,737
	Crude rate	10.0	10.5	11.8	9.5	10.5	6.9	13.0	8.9	10.4
	ASR(A)	10.0	10.5	11.8	9.5	10.6	6.9	12.8	9.3	10.4
	95% CI	9.4–10.7	9.7–11.3	10.8–12.8	8.3–10.9	9.4–12.0	5.2–9.1	9.7–16.7	4.5–17.0	10.0–10.8

Note: Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 92: Numbers and age-specific rates of interval cancers in women screened during 1996, 1997 and 1998, subsequent screening rounds, 0–12 months, states and territories

Age group	Number/ rate	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia*
40–49	Number	70	15	21	15	18	3	5	..	147
	Rate	8.6	9.6	4.3	9.3	12.6	3.3	9.1	..	7.7
50–59	Number	157	102	55	45	39	15	8	..	421
	Rate	8.9	7.5	7.3	8.5	7.5	9.0	7.8	..	8.1
60–69	Number	112	80	38	33	37	8	9	..	317
	Rate	7.4	6.6	6.7	8.0	8.0	6.1	14.8	..	7.3
70+	Number	46	22	18	2	2	2	1	..	93
	Rate	5.8	4.5	5.7	3.5	2.7	10.9	9.9	..	5.3
Ages 40+	Number	385	219	132	95	96	28	23	..	978
	Crude rate	7.9	6.8	6.2	8.2	8.0	6.9	10.0	..	7.4
	ASR(A)	8.0	7.3	6.3	7.9	8.1	7.2	10.3	..	7.4
	95% CI	7.2–8.9	6.1–8.7	5.3–7.5	6.3–9.7	6.4–10.0	4.6–10.8	6.2–15.8	..	7.0–7.9
Ages 50–69	Number	269	182	93	78	76	23	17	..	738
	Crude rate	8.2	7.1	7.0	8.3	7.7	7.7	10.4	..	7.7
	ASR(A)	8.3	7.1	7.0	8.3	7.7	7.8	10.7	..	7.8
	95% CI	7.3–9.4	6.1–8.3	5.7–8.6	6.5–10.3	6.0–9.6	4.9–11.7	6.2–17.2	..	7.2–8.3

.. Not applicable.

Notes

Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

*The Australian figure includes data from Vic, Qld, WA, SA, Tas and ACT. NT data were unavailable at the time of the publication of the *BreastScreen Australia monitoring report 1998–1999 and 1999–2000* from which the data for index years 1996, 1997 and 1998 were copied. Updated NSW data were supplied separately.

Source: AIHW analysis of BreastScreen Australia data.

Table 93: Numbers and age-specific rates of interval cancers in women screened during 1996, 1997 and 1998, subsequent screening rounds, 13–24 months, states and territories

Age group	Number/ rate	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia*
40–49	Number	99	16	46	12	18	8	4	..	203
	Rate	12.1	10.3	10.0	9.2	14.3	9.2	8.0	..	11.1
50–59	Number	249	191	104	47	58	17	17	..	683
	Rate	14.1	14.1	14.4	10.3	11.1	10.7	17.9	..	13.5
60–69	Number	163	159	87	29	58	12	6	..	514
	Rate	10.8	13.1	15.7	8.3	12.5	9.6	10.6	..	12.1
70+	Number	74	55	36	3	9	1	2	..	180
	Rate	9.3	11.3	11.6	6.5	12.1	5.9	20.3	..	10.3
Ages 40+	Number	585	421	273	91	143	38	29	..	1,580
	Crude rate	12.0	13.1	13.3	9.3	12.1	9.8	13.8	..	12.2
	ASR(A)	12.2	12.7	13.5	9.1	12.3	9.5	14.1	..	12.2
	95% CI	11.2–13.2	11.3–14.2	11.9–15.2	7.2–11.3	10.2–14.7	6.6–13.2	9.0–20.9	..	11.6–12.8
Ages 50–69	Number	412	350	191	76	116	29	23	..	1,197
	Crude rate	12.6	13.6	15.0	9.5	11.8	10.2	15.2	..	12.8
	ASR(A)	12.8	13.7	15.0	9.5	11.7	10.3	14.9	..	12.9
	95% CI	11.6–14.1	12.3–15.2	12.9–17.2	7.5–11.9	9.6–14.0	6.9–14.7	9.4–22.4	..	12.2–13.6

.. Not applicable.

Notes

Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

*The Australian figure includes data from Vic, Qld, WA, SA, Tas and ACT. NT data were unavailable at the time of publication of the *BreastScreen Australia monitoring report 1998–1999 and 1999–2000* from which the data for index years 1996, 1997 and 1998 were copied. Updated NSW data were supplied separately.

Source: AIHW analysis of BreastScreen Australia data.

Table 94: Numbers and age-specific rates of interval cancers in women screened during 1996, 1997 and 1998, subsequent screening rounds, 0–24 months, states and territories

Age group	Number/ Rate	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Number	169	31	67	27	36	11	9	..	350
	Rate	10.3	9.9	7.1	9.2	13.4	6.2	8.6	..	9.4
50–59	Number	406	293	159	92	97	32	25	..	1,104
	Rate	11.5	10.8	10.8	9.3	9.3	9.8	12.6	..	10.8
60–69	Number	275	239	125	62	95	20	15	..	831
	Rate	9.1	9.9	11.2	8.1	10.2	7.8	12.8	..	9.6
70+	Number	120	77	54	5	11	3	3	..	273
	Rate	7.5	7.9	8.6	4.8	7.4	8.5	15.0	..	7.8
Ages 40+	Number	970	640	405	186	239	66	52	..	2,558
	Crude rate	9.9	10.0	9.7	8.7	10.0	8.3	11.8	..	9.8
	ASR(A)	10.1	10.0	9.8	8.4	10.2	8.3	12.1	..	9.8
	95% CI	9.5–10.8	9.1–11.0	8.9–10.8	7.2–9.8	8.8–11.7	6.3–10.8	8.8–16.2	..	9.4–10.2
Ages 50–69	Number	681	532	284	154	192	52	40	..	1,935
	Crude rate	10.4	10.4	10.9	8.8	9.7	9.0	12.7	..	10.2
	ASR(A)	10.5	10.4	10.9	8.8	9.7	9.0	12.7	..	10.3
	95% CI	9.8–11.4	9.5–11.3	9.7–12.3	7.5–10.3	8.4–11.2	6.7–11.8	9.1–17.3	..	9.8–10.8

.. Not applicable.

Notes

Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

*The Australian figure includes data from Vic, Qld, WA, SA, Tas and ACT. NT data were unavailable at the time of the publication of the *BreastScreen Australia monitoring report 1998–1999 and 1999–2000* from which the data for index years 1996, 1997 and 1998 were copied. Updated NSW data were supplied separately.

Source: AIHW analysis of BreastScreen Australia data.

Indicator 3b: Program sensitivity

Table 95: Program sensitivity rates for women screened during 1999, 2000 and 2001, first screening round, 0–12 months, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
	(Per cent)								
40–49	74.1	79.5	84.3	86.8	70.0	70.0	70.0	66.7	78.3
50–59	87.5	86.1	85.8	89.6	89.0	66.7	93.8	60.0	86.6
60–69	91.2	94.8	91.5	88.9	96.2	84.2	88.9	100.0	92.2
70+	91.0	96.4	95.1	100.0	100.0	100.0	100.0	100.0	94.8
Ages 40+									
Crude rate	85.4	88.3	88.5	90.4	87.4	78.8	87.2	66.7	87.2
ASR(A)	86.2	88.4	88.2	90.1	88.4	76.4	88.3	77.5	87.5
95% CI	79.9–92.7	81.2–96.1	81.4–95.5	76.1–100.0	76.4–100.0	54.1–100.0	60.8–100.0	22.8–100.0	84.0–91.1
Ages 50–69									
Crude rate	88.7	88.9	88.2	89.4	91.3	76.5	92.0	63.6	88.5
ASR(A)	89.0	89.7	88.1	89.3	92.0	74.0	91.7	76.6	88.9
95% CI	80.9–97.7	80.7–99.5	79.4–97.6	71.0–100.0	77.4–100.0	47.2–100.0	57.9–100.0	7.1–100.0	84.4–93.6

Note: Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 96: Program sensitivity rates for women screened during 1999, 2000 and 2001, first screening round, 0–24 months, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
	(Per cent)								
40–49	57.2	63.9	65.9	80.7	49.3	66.7	77.8	57.1	62.1
50–59	71.9	71.5	71.2	80.2	72.4	64.7	78.9	50.0	72.0
60–69	82.9	83.7	78.8	85.7	92.6	81.0	88.9	100.0	82.8
70+	83.5	91.4	92.1	93.9	100.0	88.9	80.0	100.0	89.3
Ages 40+									
Crude rate	71.6	75.3	74.9	83.3	72.4	74.6	81.0	56.5	74.2
ASR(A)	73.4	75.8	74.8	83.6	76.6	72.6	81.6	71.6	75.1
95% CI	68.0–79.0	69.6–82.3	69.0–81.0	70.4–98.3	65.9–88.6	52.2–98.2	56.1–100.0	17.9–100.0	72.1–78.2
Ages 50–69									
Crude rate	75.3	75.2	74.3	81.6	78.2	73.7	82.1	53.3	75.6
ASR(A)	76.5	76.5	74.4	82.5	80.8	71.5	83.1	70.8	76.5
95% CI	69.4–84.1	68.8–84.9	67.0–82.4	65.4–100.0	67.7–95.5	46.6–100.0	52.0–100.0	1.6–100.0	72.6–80.5

Note: Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 97: Program sensitivity rates for women screened during 1999, 2000 and 2001, subsequent screening rounds, 0–12 months, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
	(Per cent)								
40–49	65.7	78.8	70.6	62.7	77.2	86.4	70.6	66.7	69.9
50–59	81.2	79.6	80.1	86.0	81.3	85.3	74.2	100.0	81.1
60–69	85.8	88.1	87.9	89.0	90.1	88.6	82.1	91.7	87.6
70+	89.8	91.5	87.6	89.3	91.9	94.3	86.7	100.0	89.9
Ages 40+									
Crude rate	83.9	85.6	83.2	86.2	85.9	87.9	77.4	92.1	84.5
ASR(A)	80.3	83.3	81.2	82.4	84.2	87.6	77.2	90.8	81.7
95% CI	76.9–83.9	77.4–89.3	77.1–85.5	75.5–89.7	77.3–91.4	75.2–100.0	63.8–92.4	62.9–100.0	79.7–83.7
Ages 50–69									
Crude rate	83.6	84.1	84.0	87.5	85.6	86.9	77.2	96.4	84.4
ASR(A)	83.1	83.1	83.3	87.2	84.9	86.7	77.5	96.5	83.8
95% CI	79.2–87.2	78.7–87.7	78.4–88.5	80.3–94.6	78.2–92.1	73.6–100.0	63.8–93.3	63.6–100.0	81.6–86.0

Note: Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 98: Program sensitivity rates for women screened during 1999, 2000 and 2001, subsequent screening rounds, 0–24 months, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–49	46.2	53.9	55.8	64.0	61.1	56.8	80.0	50.0	53.3
50–59	63.0	61.2	65.0	78.7	64.6	73.5	80.5	72.0	65.2
60–69	71.8	71.4	74.9	83.1	73.6	85.9	86.8	75.0	74.0
70+	76.8	80.8	76.5	91.5	83.6	89.7	92.9	57.1	78.8
Ages 40+									
Crude rate	67.9	69.0	69.4	81.0	70.1	77.7	83.5	67.9	70.2
ASR(A)	63.7	65.0	67.3	78.5	68.7	75.5	83.7	66.4	66.9
95% CI	61.0–66.4	60.8–69.3	63.9–70.8	71.8–85.6	63.2–74.6	65.7–86.2	69.0–100.0	46.7–91.5	65.3–68.5
Ages 50–69									
Crude rate	67.5	66.5	69.8	81.0	68.9	79.2	83.0	73.2	69.6
ASR(A)	66.7	65.4	69.1	80.6	68.3	78.6	83.1	73.2	68.9
95% CI	63.6–69.9	62.0–69.0	65.1–73.4	74.2–87.4	62.9–74.1	67.3–91.4	68.4–100.0	49.4–100.0	67.1–70.7

Note: Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 99: Program sensitivity rates for women screened during 1996, 1997 and 1998, first screening round, 0–12 months, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia*
(Per cent)									
40–49	72.4	81.4	83.2	77.8	82.9	83.3	75.0	..	78.0
50–59	85.6	87.7	89.4	81.5	80.4	96.7	100.0	..	86.7
60–69	90.8	92.1	94.5	93.9	97.1	93.8	83.3	..	92.4
70+	93.7	94.7	97.6	97.6	100.0	91.7	100.0	..	95.3
Ages 40+									
Crude rate	86.6	89.7	91.3	86.9	88.4	92.9	90.0	..	88.6
ASR(A)	85.3	88.5	90.6	86.2	88.0	92.5	90.2	..	87.5
95% CI	80.6–90.3	82.3–94.9	83.7–97.8	75.2–98.2	76.9–100.0	71.0–100.0	65.6–100.0	..	84.6–90.6
Ages 50–69									
Crude rate	87.9	89.5	91.7	87.7	86.7	95.7	93.9	..	89.2
ASR(A)	87.8	89.5	91.5	86.6	87.3	95.5	93.1	..	89.1
95% CI	81.7–94.1	82.5–97.0	82.7–100.0	72.8–100.0	74.1–100.0	69.1–100.0	63.1–100.0	..	85.3–92.9

.. Not applicable.

Notes

Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

*The Australian figure includes data from Vic, Qld, WA, SA, Tas and ACT. NT data were unavailable at the time of the publication of the *BreastScreen Australia monitoring report 1998–1999 and 1999–2000* from which the data for index years 1996, 1997 and 1998 were copied. Updated NSW data were supplied separately.

Source: AIHW analysis of BreastScreen Australia data.

Table 100: Program sensitivity rates for women screened during 1996, 1997 and 1998, first screening round, 0–24 months, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia*
(Per cent)									
40–49	56.2	56.8	66.8	68.1	57.6	62.5	64.3	..	60.2
50–59	71.3	71.1	70.1	73.3	72.0	78.4	80.8	..	71.5
60–69	80.8	82.7	79.7	85.6	90.4	78.9	71.4	..	81.9
70+	85.8	87.5	90.2	97.6	97.9	91.7	100.0	..	88.5
Ages 40+									
Crude rate	74.0	75.5	75.9	79.2	77.7	77.4	76.3	..	75.4
ASR(A)	72.6	73.4	74.6	78.7	77.4	76.9	77.2	..	74.2
95% CI	68.6–76.8	68.5–78.7	69.0–80.5	68.7–89.6	67.7–88.0	59.2–98.2	55.9–100.0	..	71.7–76.7
Ages 50–69									
Crude rate	75.4	75.5	74.3	79.4	78.8	78.6	77.5	..	75.8
ASR(A)	75.2	75.9	74.1	78.4	79.7	78.6	76.9	..	75.8
95% CI	70.1–80.7	69.9–82.3	67.0–81.8	65.9–92.6	67.6–93.2	56.8–100.0	52.0–100.0	..	72.6–79.1

.. Not applicable.

Notes

Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

*The Australian figure includes data from Vic, Qld, WA, SA, Tas and ACT. NT data were unavailable at the time of the publication of the *BreastScreen Australia monitoring report 1998–1999 and 1999–2000* from which the data for index years 1996, 1997 and 1998 were copied. Updated NSW data were supplied separately.

Source: AIHW analysis of BreastScreen Australia data.

Table 101: Program sensitivity rates for women screened during 1996, 1997 and 1998, subsequent screening rounds, 0–12 months, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia*
(Per cent)									
40–49	64.5	70.0	77.9	65.1	63.3	84.2	66.7	..	68.6
50–59	78.3	81.0	79.2	77.8	82.4	72.7	80.5	..	79.4
60–69	85.0	87.0	85.2	84.9	85.0	66.7	69.0	..	84.9
70+	90.1	92.4	90.9	94.4	63.3	86.7	80.0	..	89.4
Ages 40+									
Crude rate	81.9	85.3	83.8	81.0	79.9	73.4	74.4	..	82.5
ASR(A)	78.8	81.8	82.1	79.2	76.8	75.2	74.4	..	79.9
95% CI	74.8–82.9	75.7–88.2	75.6–88.9	70.8–88.3	69.2–84.9	61.0–91.5	56.7–95.6	..	77.4–82.5
Ages 50–69									
Crude rate	81.7	84.2	82.2	81.5	83.8	69.7	75.7	..	82.2
ASR(A)	81.1	83.5	81.7	80.8	83.5	70.2	75.7	..	81.7
95% CI	76.5–85.9	78.2–89.1	74.1–89.9	72.3–90.0	75.2–92.4	55.1–88.1	56.7–99.0	..	79.0–84.5

.. Not applicable.

Notes

Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

*The Australian figure includes data from Vic, Qld, WA, SA, Tas and ACT. NT data were unavailable at the time of the publication of the *BreastScreen Australia monitoring report 1998–1999 and 1999–2000* from which the data for index years 1996, 1997 and 1998 were copied. Updated NSW data were supplied separately.

Source: AIHW analysis of BreastScreen Australia data.

Table 102: Program sensitivity rates for women screened during 1996, 1997 and 1998, subsequent screening rounds, 0–24 months, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia*
(Per cent)									
40–49	47.2	53.0	52.5	70.0	46.3	59.3	52.6	..	51.0
50–59	61.6	59.8	56.9	77.1	65.2	55.6	56.9	..	61.8
60–69	73.2	69.1	63.7	86.4	68.9	69.7	57.1	..	71.0
70+	79.5	77.7	76.8	91.9	84.1	81.3	57.1	..	79.0
Ages 40+									
Crude rate	67.6	66.6	62.7	81.7	66.8	63.5	56.3	..	67.2
ASR(A)	64.1	63.2	60.3	80.1	64.6	63.5	56.1	..	64.2
95% CI	60.9–67.3	58.6–68.0	55.7–65.3	71.5–89.3	58.5–71.2	52.0–76.6	42.8–72.1	..	62.3–66.3
Ages 50–69									
Crude rate	67.2	64.6	60.2	81.9	67.1	62.3	57.0	..	66.3
ASR(A)	66.4	63.7	59.7	81.0	66.7	61.4	57.0	..	65.6
95% CI	62.7–70.3	59.6–67.9	54.1–65.7	72.5–90.2	60.1–73.8	49.0–76.0	42.6–74.6	..	63.4–67.8

.. Not applicable.

Notes

Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

*The Australian figure includes data from Vic, Qld, WA, SA, Tas and ACT. NT data were unavailable at the time of the publication of the *BreastScreen Australia monitoring report 1998–1999 and 1999–2000* from which the data for index years 1996, 1997 and 1998 were copied. Updated NSW data were supplied separately.

Source: AIHW analysis of BreastScreen Australia data.

Indicator 4: Ductal carcinoma in situ

Table 103: Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 2003

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	21,266	8,837	16,422	5,475	3,940	1,686	43	392	58,061
	Cases	14	12	12	7	3	1	0	0	49
50–59	Screened	16,931	14,183	9,269	5,815	4,608	1,039	660	406	52,911
	Cases	19	28	15	11	2	1	0	0	76
60–69	Screened	6,220	1,840	3,424	1,076	486	325	143	78	13,592
	Cases	11	6	3	5	0	1	0	0	26
70+	Screened	2,575	831	1,281	336	193	85	44	15	5,360
	Cases	8	1	2	1	0	0	0	0	12
Ages 40+	Screened	46,992	25,691	30,396	12,702	9,227	3,135	890	891	129,924
	Cases	52	47	32	24	5	3	0	0	163
Ages 50–69	Screened	23,151	16,023	12,693	6,891	5,094	1,364	803	484	66,503
	Cases	30	34	18	16	2	2	0	0	102

Source: AIHW analysis of BreastScreen Australia data.

Table 104: Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	6.6	13.6	7.3	12.8	7.6	5.9	0.0	0.0	8.4
50–59	11.2	19.7	16.2	18.9	4.3	9.6	0.0	0.0	14.4
60–69	17.7	32.6	8.8	46.5	0.0	30.8	0.0	0.0	19.1
70+	31.1	12.0	15.6	29.8	0.0	0.0	0.0	0.0	22.4
Ages 40+									
Crude rate	11.1	18.3	10.5	18.9	5.4	9.6	0.0	0.0	12.5
ASR(A)	14.5	21.1	12.2	26.6	3.3	13.5	0.0	0.0	15.5
95% CI	10.4–19.6	13.2–30.9	7.6–18.2	13.8–44.1	1.0–7.8	0.6–44.9	0.0	0.0	12.7–18.6
Ages 50–69									
Crude rate	13.0	21.2	14.2	23.2	3.9	14.7	0.0	0.0	15.3
ASR(A)	13.9	25.1	13.1	30.4	2.5	18.4	0.0	0.0	16.3
95% CI	9.1–20.2	14.4–38.9	7.5–21.0	14.5–53.5	0.3–9.2	1.0–70.0	0.0	0.0	12.9–20.3

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 105: Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 2003

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	34,322	5,251	28,151	7,557	5,457	2,509	1,368	666	85,281
	Cases	21	2	10	5	2	3	1	1	45
50–59	Screened	87,479	73,547	59,339	29,439	27,577	8,073	4,832	1,791	292,077
	Cases	65	70	56	42	22	13	6	1	275
60–69	Screened	71,136	57,744	42,370	22,488	21,694	6,472	3,164	931	225,999
	Cases	68	53	43	42	23	8	6	0	243
70+	Screened	49,984	26,549	20,282	3,872	5,226	2,234	397	268	108,812
	Cases	69	38	25	12	8	4	1	0	157
Ages 40+	Screened	242,921	163,091	150,142	63,356	59,954	19,288	9,761	3,656	712,169
	Cases	223	163	134	101	55	28	14	2	720
Ages 50–69	Screened	158,615	131,291	101,709	51,927	49,271	14,545	7,996	2,722	518,076
	Cases	133	123	99	84	45	21	12	1	518

Source: AIHW analysis of BreastScreen Australia data.

Table 106: Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	6.1	3.8	3.6	6.6	3.7	12.0	7.3	15.0	5.3
50–59	7.4	9.5	9.4	14.3	8.0	16.1	12.4	5.6	9.4
60–69	9.6	9.2	10.1	18.7	10.6	12.4	19.0	0.0	10.8
70+	13.8	14.3	12.3	31.0	15.3	17.9	25.2	0.0	14.4
Ages 40+									
Crude rate	9.2	10.0	8.9	15.9	9.2	14.5	14.3	5.5	10.1
ASR(A)	8.5	8.8	8.8	16.0	8.7	14.4	14.8	5.3	9.6
95% CI	7.4–9.8	7.2–10.6	7.4–10.4	12.8–19.7	6.4–11.5	9.5–21.0	7.1–26.3	0.6–19.3	8.9–10.3
Ages 50–69									
Crude rate	8.4	9.4	9.7	16.2	9.1	14.4	15.0	3.7	10.0
ASR(A)	8.3	9.4	9.7	16.1	9.1	14.5	15.1	3.3	10.0
95% CI	7.0–9.9	7.8–11.2	7.9–11.8	12.8–19.9	6.6–12.1	9.0–22.2	7.8–26.5	0.1–18.2	9.1–10.9

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 107: Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 2002

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	23,915	10,435	16,539	4,977	3,981	1,426	125	411	61,809
	Cases	17	12	8	6	4	2	0	0	49
50–59	Screened	19,767	15,274	10,166	6,873	4,809	936	876	403	59,104
	Cases	29	20	12	19	12	2	2	1	97
60–69	Screened	7,216	3,402	3,803	1,392	609	292	179	70	16,963
	Cases	21	9	2	10	3	0	0	0	45
70+	Screened	3,350	1,577	1,500	346	299	90	49	27	7,238
	Cases	9	3	3	0	2	0	0	0	17
Ages 40+	Screened	54,248	30,688	32,008	13,588	9,698	2,744	1,229	911	145,114
	Cases	76	44	25	35	21	4	2	1	208
Ages 50–69	Screened	26,983	18,676	13,969	8,265	5,418	1,228	1,055	473	76,067
	Cases	50	29	14	29	15	2	2	1	142

Source: AIHW analysis of BreastScreen Australia data.

Table 108: Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 2002

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	7.1	11.5	4.8	12.1	10.0	14.0	0.0	0.0	7.9
50–59	14.7	13.1	11.8	27.6	25.0	21.4	22.8	24.8	16.4
60–69	29.1	26.5	5.3	71.8	49.3	0.0	0.0	0.0	26.5
70+	26.9	19.0	20.0	0.0	66.9	0.0	0.0	0.0	23.5
Ages 40+									
Crude rate	14.0	14.3	7.8	25.8	21.7	14.6	16.3	11.0	14.3
ASR(A)	18.6	17.2	9.6	33.2	33.8	11.2	8.9	9.7	18.3
95% CI	14.2–23.8	11.6–24.3	5.6–14.9	20.9–49.1	15.9–58.8	2.2–30.7	1.1–32.2	0.2–54.0	15.5–21.4
Ages 50–69									
Crude rate	18.5	15.5	10.0	35.1	27.7	16.3	19.0	21.1	18.7
ASR(A)	20.7	18.6	9.1	46.0	35.1	12.5	13.3	14.5	20.6
95% CI	15.1–27.6	11.5–28.2	4.8–15.5	28.0–69.8	13.7–66.6	1.5–45.1	1.6–48.2	0.4–80.8	17.0–24.7

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 109: Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 2002

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	36,478	5,771	27,511	6,507	5,764	2,955	1,534	623	87,143
	Cases	20	4	9	9	3	1	0	0	46
50–59	Screened	86,006	68,759	58,592	25,590	27,264	8,417	5,490	1,730	281,848
	Cases	74	50	42	31	29	8	8	2	244
60–69	Screened	68,413	55,652	40,460	20,226	20,525	6,176	3,110	667	215,229
	Cases	56	53	34	35	13	5	4	0	200
70+	Screened	48,899	26,844	18,730	3,782	5,318	1,897	430	234	106,134
	Cases	54	24	14	11	16	5	0	0	124
Ages 40+	Screened	239,796	157,026	145,293	56,105	58,871	19,445	10,564	3,254	690,354
	Cases	204	131	99	86	61	19	12	2	614
Ages 50–69	Screened	154,419	124,411	99,052	45,816	47,789	14,593	8,600	2,397	497,077
	Cases	130	103	76	66	42	13	12	2	444

Source: AIHW analysis of BreastScreen Australia data.

Table 110: Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 2002

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	5.5	6.9	3.3	13.8	5.2	3.4	0.0	0.0	5.3
50–59	8.6	7.3	7.2	12.1	10.6	9.5	14.6	11.6	8.7
60–69	8.2	9.5	8.4	17.3	6.3	8.1	12.9	0.0	9.3
70+	11.0	8.9	7.5	29.1	30.1	26.4	0.0	0.0	11.7
Ages 40+									
Crude rate	8.5	8.3	6.8	15.3	10.4	9.8	11.4	6.1	8.9
ASR(A)	8.1	8.0	6.7	16.0	10.7	9.9	9.3	4.5	8.5
95% CI	7.0–9.4	6.3–10.0	5.5–8.2	12.6–20.1	8.1–14.0	5.9–15.6	4.8–16.2	0.5–16.3	7.8–9.2
Ages 50–69									
Crude rate	8.4	8.3	7.7	14.4	8.8	8.9	14.0	8.3	8.9
ASR(A)	8.4	8.2	7.7	14.3	8.8	8.9	13.9	6.8	8.9
95% CI	7.0–10.0	6.7–10.0	6.1–9.6	11.0–18.2	6.4–12.0	4.7–15.3	7.1–24.3	0.8–24.4	8.1–9.8

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 111: Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 2001

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	24,442	9,608	16,144	5,467	4,424	1,468	1,180	605	63,338
	Cases	21	6	8	7	9	1	2	0	54
50–59	Screened	19,209	17,580	10,449	5,782	5,131	1,003	879	505	60,538
	Cases	25	35	12	16	4	0	1	0	93
60–69	Screened	7,537	6,623	3,975	1,457	741	349	181	108	20,971
	Cases	9	21	8	7	1	1	0	0	47
70+	Screened	3,954	2,078	1,808	516	422	154	68	38	9,038
	Cases	9	4	5	4	0	0	0	0	22
Ages 40+	Screened	55,142	35,889	32,376	13,222	10,718	2,974	2,308	1,256	153,885
	Cases	64	66	33	34	14	2	3	0	216
Ages 50–69	Screened	26,746	24,203	14,424	7,239	5,872	1,352	1,060	613	81,509
	Cases	34	56	20	23	5	1	1	0	140

Source: AIHW analysis of BreastScreen Australia data.

Table 112: Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 2001

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	8.6	6.2	5.0	12.8	20.3	6.8	16.9	0.0	8.5
50–59	13.0	19.9	11.5	27.7	7.8	0.0	0.0	0.0	15.4
60–69	11.9	31.7	20.1	48.0	13.5	28.7	0.0	0.0	22.4
70+	22.8	19.2	27.7	77.5	0.0	0.0	0.0	0.0	24.3
Ages 40+									
Crude rate	11.6	18.4	10.2	25.7	13.1	6.7	13.0	0.0	14.0
ASR(A)	13.0	20.3	14.5	36.5	11.0	9.4	8.0	0.0	17.0
95% CI	9.7–17.0	15.4–26.2	9.5–21.1	22.9–54.0	3.7–21.9	-0.7–39.2	1.0–24.9	0.0	14.6–19.7
Ages 50–69									
Crude rate	12.7	23.1	13.9	31.8	8.5	7.4	9.4	0.0	17.2
ASR(A)	12.6	24.8	15.1	36.1	10.2	11.9	6.6	0.0	18.3
95% CI	8.5–17.8	18.4–32.6	8.9–23.7	21.1–56.7	1.0–28.2	0.3–66.4	0.2–37.0	0.0	15.2–21.8

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 113: Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 2001

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	37,151	5,913	26,391	7,334	5,804	2,779	1,584	591	87,547
	Cases	20	6	5	6	5	2	3	0	47
50–59	Screened	86,336	69,048	53,033	26,587	26,526	7,467	4,874	1,630	275,501
	Cases	86	59	36	21	29	5	7	2	245
60–69	Screened	70,590	52,140	37,719	20,658	21,639	6,033	2,980	724	212,483
	Cases	66	64	28	39	24	7	7	1	236
70+	Screened	49,470	25,687	21,770	3,625	5,086	1,449	413	215	107,715
	Cases	60	22	20	7	8	2	1	0	120
Ages 40+	Screened	243,547	152,788	138,913	58,204	59,055	17,728	9,851	3,160	683,246
	Cases	232	151	89	73	66	16	18	3	648
Ages 50–69	Screened	156,926	121,188	90,752	47,245	48,165	13,500	7,854	2,354	487,984
	Cases	152	123	64	60	53	12	14	3	481

Source: AIHW analysis of BreastScreen Australia data.

Table 114: Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 2001

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	5.4	10.1	1.9	8.2	8.6	7.2	18.9	0.0	5.4
50–59	10.0	8.5	6.8	7.9	10.9	6.7	14.4	0.0	8.9
60–69	9.3	12.3	7.4	18.9	11.1	11.6	23.5	13.8	11.1
70+	12.1	8.6	9.2	19.3	15.7	13.8	24.2	0.0	0.0
Ages 40+									
Crude rate	9.5	9.9	6.4	12.5	11.2	9.0	18.3	9.5	9.5
ASR(A)	9.1	9.9	6.2	12.4	11.1	9.0	19.1	8.6	9.1
95% CI	7.9–10.4	7.9–12.2	5.0–7.7	9.5–15.9	8.4–14.3	5.1–14.9	10.5–31.3	1.6–25.7	8.4–9.8
Ages 50–69									
Crude rate	9.7	10.1	7.1	12.7	11.0	8.9	17.8	12.7	9.9
ASR(A)	9.7	10.1	7.1	12.5	11.0	8.7	18.2	12.9	9.8
95% CI	8.2–11.4	8.4–12.0	5.4–9.0	9.5–16.0	8.2–14.4	4.5–15.3	9.9–30.5	2.4–38.4	9.0–10.7

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 115: Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 2000

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	23,001	10,063	15,594	5,209	4,879	1,342	1,120	521	61,729
	Cases	16	19	11	7	1	1	3	0	58
50–59	Screened	17,465	15,558	12,734	4,146	6,408	1,138	863	621	58,933
	Cases	15	20	15	14	9	2	0	0	75
60–69	Screened	6,866	4,219	5,575	1,162	1,201	380	212	94	19,709
	Cases	9	9	7	1	2	0	0	1	29
70+	Screened	3,612	1,783	2,357	463	579	166	82	31	9,073
	Cases	8	6	4	1	3	0	0	0	22
Ages 40+	Screened	50,944	31,623	36,260	10,980	13,067	3,026	2,277	1,267	149,444
	Cases	48	54	37	23	15	3	3	1	184
Ages 50–69	Screened	24,331	19,777	18,309	5,308	7,609	1,518	1,075	715	78,642
	Cases	24	29	22	15	11	2	0	1	104

Source: AIHW analysis of BreastScreen Australia data.

Table 116: Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 2000

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	7.0	18.9	7.1	13.4	2.0	7.5	26.8	0.0	9.4
50–59	8.6	12.9	11.8	33.8	14.0	17.6	0.0	0.0	12.7
60–69	13.1	21.3	12.6	8.6	16.7	0.0	0.0	106.4	14.7
70+	22.1	33.7	17.0	21.6	51.8	0.0	0.0	0.0	0.0
Ages 40+									
Crude rate	9.4	17.1	10.2	20.9	11.5	9.9	13.2	7.9	12.3
ASR(A)	11.2	19.0	11.7	21.0	17.0	8.4	5.6	29.5	14.0
95% CI	7.9–15.3	13.6–25.7	7.9–16.5	12.0–33.4	7.9–30.3	1.4–25.4	1.1–16.2	0.7–164.6	11.8–16.5
Ages 50–69									
Crude rate	9.9	14.7	12.0	28.3	14.5	13.2	0.0	14.0	13.2
ASR(A)	10.5	16.4	12.1	23.3	15.1	10.3	0.0	44.2	13.6
95% CI	6.5–15.8	10.3–24.4	7.5–18.5	12.4–39.3	5.8–29.8	1.2–37.1	0.0	1.1–246.4	10.9–16.6

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 117: Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 2000

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	36,792	6,236	25,076	6,643	5,767	3,499	1,696	616	86,325
	Cases	30	6	8	3	5	2	1	1	56
50–59	Screened	80,992	62,440	48,925	25,329	23,110	7,963	4,676	1,507	254,942
	Cases	73	58	47	30	35	9	7	1	260
60–69	Screened	65,451	51,359	34,007	19,334	18,911	5,931	2,454	540	197,987
	Cases	52	50	38	32	23	8	3	2	208
70+	Screened	43,243	25,570	19,452	3,295	4,638	895	360	216	97,669
	Cases	47	33	26	6	10	1	1	0	124
Ages 40+	Screened	226,478	145,605	127,460	54,601	52,426	18,288	9,186	2,879	636,923
	Cases	202	147	119	71	73	20	12	4	648
Ages 50–69	Screened	146,443	113,799	82,932	44,663	42,021	13,894	7,130	2,047	452,929
	Cases	125	108	85	62	58	17	10	3	468

Source: AIHW analysis of BreastScreen Australia data.

Table 118: Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 2000

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	8.2	9.6	3.2	4.5	8.7	5.7	5.9	16.2	6.5
50–59	9.0	9.3	9.6	11.8	15.1	11.3	15.0	6.6	10.2
60–69	7.9	9.7	11.2	16.6	12.2	13.5	12.2	37.0	10.5
70+	10.9	12.9	13.4	18.2	21.6	11.2	27.8	0.0	0.0
Ages 40+									
Crude rate	8.9	10.1	9.3	13.0	13.9	10.9	13.1	13.9	10.2
ASR(A)	8.8	9.9	9.2	12.4	13.8	10.7	13.9	16.2	9.8
95% CI	7.6–10.1	7.9–12.2	7.6–11.0	9.5–15.9	10.6–17.5	6.3–17.0	6.0–26.1	4.0–42.5	9.1–10.6
Ages 50–69									
Crude rate	8.5	9.5	10.2	13.9	13.8	12.2	14.0	14.7	10.3
ASR(A)	8.6	9.5	10.3	13.8	13.9	12.2	13.8	19.3	10.3
95% CI	7.1–10.2	7.8–11.4	8.2–12.7	10.6–17.7	10.6–18.0	7.1–19.6	6.6–25.6	3.4–57.8	9.4–11.3

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 119: Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 1999

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	26,260	11,057	16,842	5,410	4,858	1,530	1,233	531	67,721
	Cases	17	11	6	2	6	2	1	0	45
50–59	Screened	19,487	16,151	14,642	3,346	6,090	1,250	992	584	62,542
	Cases	30	31	10	6	4	2	1	0	84
60–69	Screened	8,426	3,528	7,290	1,156	1,544	480	234	139	22,797
	Cases	13	3	19	1	2	0	0	0	38
70+	Screened	4,433	1,861	3,407	567	618	242	108	45	11,281
	Cases	11	4	4	0	5	1	0	0	25
Ages 40+	Screened	58,606	32,597	42,181	10,479	13,110	3,502	2,567	1,299	164,341
	Cases	71	49	39	9	17	5	2	0	192
Ages 50–69	Screened	27,913	19,679	21,932	4,502	7,634	1,730	1,226	723	85,339
	Cases	43	34	29	7	6	2	1	0	122

Source: AIHW analysis of BreastScreen Australia data.

Table 120: Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 1999

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	6.5	9.9	3.6	3.7	12.4	13.1	8.1	0.0	6.6
50–59	15.4	19.2	6.8	17.9	6.6	16.0	10.1	0.0	13.4
60–69	15.4	8.5	26.1	8.7	13.0	0.0	0.0	0.0	16.7
70+	24.8	21.5	11.7	0.0	0.0	41.3	0.0	0.0	22.2
Ages 40+									
Crude rate	12.1	15.0	9.2	8.6	13.0	14.3	7.8	0.0	11.7
ASR(A)	14.7	14.6	12.1	10.2	18.8	14.1	5.6	0.0	14.0
95% CI	11.2–18.9	10.2–20.0	8.5–16.7	4.0–20.3	9.4–32.3	3.5–35.1	0.3–21.4	0.0	11.9–16.4
Ages 50–69									
Crude rate	15.4	17.3	13.2	15.5	7.9	11.6	8.2	0.0	14.3
ASR(A)	15.4	14.7	14.8	14.1	9.2	9.3	5.9	0.0	14.8
95% CI	11.0–20.9	9.6–21.4	9.9–21.4	5.2–29.8	2.6–21.5	1.1–33.8	0.1–32.8	0.0	12.1–17.8

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 121: Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 1999

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	33,152	6,335	22,208	6,680	5,174	2,834	1,776	585	78,744
	Cases	14	3	14	10	5	1	0	0	47
50–59	Screened	77,589	62,008	40,937	22,658	22,521	6,788	4,642	1,449	238,592
	Cases	52	39	34	25	20	14	8	0	192
60–69	Screened	64,280	48,072	30,232	17,485	19,398	5,511	2,866	574	188,418
	Cases	67	50	33	17	19	5	1	0	192
70+	Screened	40,427	22,351	18,272	2,691	3,992	740	404	160	89,037
	Cases	40	17	20	5	5	2	1	0	90
Ages 40+	Screened	215,448	138,766	111,649	49,514	51,085	15,873	9,688	2,768	594,791
	Cases	173	109	101	57	49	22	10	0	521
Ages 50–69	Screened	141,869	110,080	71,169	40,143	41,919	12,299	7,508	2,023	427,010
	Cases	119	89	67	42	39	19	9	0	384

Source: AIHW analysis of BreastScreen Australia data.

Table 122: Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 1999

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	4.2	4.7	6.3	15.0	9.7	3.5	0.0	0.0	6.0
50–59	6.7	6.3	8.3	11.0	8.9	20.6	17.2	0.0	8.0
60–69	10.4	10.4	10.9	9.7	9.8	9.1	3.5	0.0	10.2
70+	9.9	7.6	10.9	18.6	12.5	27.0	24.8	0.0	10.1
Ages 40+									
Crude rate	8.0	7.9	9.0	11.5	9.6	13.9	10.3	0.0	8.8
ASR(A)	7.6	7.3	8.9	12.4	9.8	14.7	10.8	0.0	8.5
95% CI	6.5–8.9	5.7–9.1	7.3–10.9	9.1–16.4	7.0–13.2	8.6–23.1	4.2–21.4	0.0	7.7–9.2
Ages 50–69									
Crude rate	8.4	8.1	9.4	10.5	9.3	15.4	12.0	0.0	9.0
ASR(A)	8.2	8.0	9.4	10.5	9.3	15.8	11.5	0.0	8.9
95% CI	6.8–9.9	6.4–9.8	7.3–11.9	7.6–14.2	6.6–12.7	9.5–24.7	5.3–21.9	0.0	8.1–9.9

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 123: Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 1998

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	32,556	11,891	20,092	6,366	5,597	2,291	1,260	710	80,763
	Cases	29	9	12	6	3	2	1	0	62
50–59	Screened	24,564	20,616	22,511	5,092	6,081	1,885	1,045	1,003	82,797
	Cases	36	26	19	11	8	1	1	3	105
60–69	Screened	11,644	4,478	12,613	2,139	1,805	764	294	285	34,022
	Cases	15	9	15	1	2	2	0	0	44
70+	Screened	6,309	2,721	4,356	984	1,084	358	136	79	16,027
	Cases	14	5	11	2	1	0	1	0	34
Ages 40+	Screened	75,073	39,706	59,572	14,581	14,567	5,298	2,735	2,077	213,609
	Cases	94	49	57	20	14	5	3	3	245
Ages 50–69	Screened	36,208	25,094	35,124	7,231	7,886	2,649	1,339	1,288	116,819
	Cases	51	35	34	12	10	3	1	3	149

Source: AIHW analysis of BreastScreen Australia data.

Table 124: Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 1998

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	8.9	7.6	6.0	9.4	5.4	8.7	7.9	0.0	7.7
50–59	14.7	12.6	8.4	21.6	13.2	5.3	9.6	29.9	12.7
60–69	12.9	20.1	11.9	4.7	11.1	26.2	0.0	0.0	12.9
70+	22.2	18.4	25.3	20.3	9.2	0.0	73.5	0.0	21.2
Ages 40+									
Crude rate	12.5	12.3	9.6	13.7	9.6	9.4	11.0	14.4	11.5
ASR(A)	13.9	14.4	11.0	14.2	10.5	11.2	14.5	11.7	12.8
95% CI	11.0–17.3	10.0–19.8	8.2–14.4	8.2–22.6	5.2–18.4	2.6–28.1	0.8–47.9	2.4–34.1	11.1–14.6
Ages 50–69									
Crude rate	14.1	13.9	9.7	16.6	12.7	11.3	7.5	23.3	12.8
ASR(A)	13.9	15.7	9.9	14.6	12.3	14.0	5.6	17.5	12.8
95% CI	10.3–18.4	10.1–23.0	6.8–13.8	7.4–25.6	5.3–23.5	2.6–41.6	0.1–31.2	3.6–51.1	10.7–15.1

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 125: Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 1998

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	30,738	6,259	19,372	6,680	5,065	3,417	1,713	411	73,655
	Cases	18	7	8	5	9	0	2	0	49
50–59	Screened	70,534	52,469	31,484	22,313	19,503	6,534	4,011	824	207,672
	Cases	55	40	25	22	21	6	0	1	170
60–69	Screened	59,984	48,870	22,535	16,791	17,174	4,983	2,183	303	172,823
	Cases	63	48	22	18	23	8	3	0	185
70+	Screened	34,162	21,482	13,240	2,635	3,801	874	376	109	76,679
	Cases	34	19	17	2	4	2	1	0	79
Ages 40+	Screened	195,418	129,080	86,631	48,419	45,543	15,808	8,283	1,647	530,829
	Cases	170	114	72	47	57	16	6	1	483
Ages 50–69	Screened	130,518	101,339	54,019	39,104	36,677	11,517	6,194	1,127	380,495
	Cases	118	88	47	40	44	14	3	1	355

Source: AIHW analysis of BreastScreen Australia data.

Table 126: Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 1998

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	5.9	11.2	4.1	7.5	17.8	0.0	11.7	0.0	6.7
50–59	7.8	7.6	7.9	9.9	10.8	9.2	0.0	12.1	8.2
60–69	10.5	9.8	9.8	10.7	13.4	16.1	13.7	0.0	10.7
70+	10.0	8.8	12.8	7.6	10.5	22.9	26.6	0.0	10.3
Ages 40+	0	0	0	0	0	0	0	0	0
Crude rate	8.7	8.8	8.3	9.7	12.5	10.1	7.2	6.1	9.1
ASR(A)	8.4	9.1	8.3	9.3	12.9	10.9	9.6	4.7	8.8
95% CI	7.2–9.8	7.1–11.5	6.5–10.4	6.7–12.6	9.6–17.0	5.8–18.2	2.8–22.0	0.1–26.4	8.0–9.7
Ages 50–69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Crude rate	9.0	8.7	8.7	10.2	12.0	12.2	4.8	8.9	9.3
ASR(A)	8.9	8.5	8.7	10.2	11.9	12.0	5.7	7.1	9.2
95% CI	7.4–10.7	6.8–10.5	6.4–11.6	7.3–13.9	8.6–15.9	6.6–20.2	1.2–16.7	0.2–39.5	8.3–10.2

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 127: Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 1997

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	28,223	11,217	16,255	6,910	3,760	1,630	1,115	853	69,963
	Cases	25	8	6	5	4	1	0	0	49
50–59	Screened	30,974	21,462	16,930	7,732	5,882	1,447	1,011	1,134	86,572
	Cases	35	28	18	7	7	2	2	1	100
60–69	Screened	16,890	6,423	9,637	3,706	2,362	585	286	325	40,214
	Cases	23	7	9	7	5	1	0	2	54
70+	Screened	8,598	4,097	4,348	1,445	1,002	326	175	70	20,061
	Cases	21	6	6	3	6	1	0	1	44
Ages 40+	Screened	84,685	43,199	47,170	19,793	13,006	3,988	2,587	2,382	216,810
	Cases	104	49	39	22	22	5	2	4	247
Ages 50–69	Screened	47,864	27,885	26,567	11,438	8,244	2,032	1,297	1,459	126,786
	Cases	58	35	27	14	12	3	2	3	154

Source: AIHW analysis of BreastScreen Australia data.

Table 128: Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 1997

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	8.9	7.1	3.7	7.2	10.6	6.1	0.0	0.0	7.0
50–59	11.3	13.0	10.6	9.1	11.9	13.8	19.8	8.8	11.6
60–69	13.6	10.9	9.3	18.9	21.2	17.1	0.0	61.5	13.4
70+	24.4	14.6	13.8	20.8	59.9	30.7	0.0	142.9	21.9
Ages 40+									
Crude rate	12.3	11.3	8.3	11.1	16.9	12.5	7.7	16.8	11.4
ASR(A)	13.1	11.4	9.2	12.9	20.2	15.2	7.7	38.3	12.4
95% CI	10.6–15.9	8.2–15.4	6.5–12.7	7.8–19.9	12.3–31.1	4.2–37.0	0.9–27.9	6.6–106.3	10.9–14.1
Ages 50–69									
Crude rate	12.1	12.6	10.2	12.2	14.6	14.8	15.4	20.6	12.1
ASR(A)	12.3	12.2	10.1	13.1	15.8	15.2	11.6	30.7	12.3
95% CI	9.3–15.9	8.1–17.3	6.6–14.7	7.1–22.2	7.8–28.0	2.6–45.5	1.4–41.8	4.9–93.4	10.4–14.5

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 129: Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 1997

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	26,785	5,622	16,272	5,639	4,336	2,812	1,949	294	63,709
	Cases	15	3	3	1	4	2	3	0	31
50–59	Screened	60,083	46,233	26,639	17,489	18,214	5,601	3,769	770	178,798
	Cases	30	27	11	9	20	6	3	1	107
60–69	Screened	52,413	39,476	20,832	13,766	16,196	4,673	2,417	293	150,066
	Cases	42	33	15	10	17	5	1	0	123
70+	Screened	28,131	16,139	12,049	2,074	2,266	620	410	43	61,732
	Cases	22	14	5	0	2	0	0	0	43
Ages 40+	Screened	167,412	107,470	75,792	38,968	41,012	13,706	8,545	1,400	454,305
	Cases	109	77	34	20	43	13	7	1	304
Ages 50–69	Screened	112,496	85,709	47,471	31,255	34,410	10,274	6,186	1,063	328,864
	Cases	72	60	26	19	37	11	4	1	230

Source: AIHW analysis of BreastScreen Australia data.

Table 130: Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 1997

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	5.6	5.3	1.8	1.8	9.2	7.1	15.4	0.0	0.0
50–59	5.0	5.8	4.1	5.1	11.0	10.7	8.0	13.0	6.0
60–69	8.0	8.4	7.2	7.3	10.5	10.7	4.1	0.0	8.2
70+	7.8	8.7	4.1	0.0	0.0	0.0	0.0	0.0	7.0
Ages 40+									
Crude rate	6.5	7.2	4.5	5.1	10.5	9.5	8.2	7.1	6.7
ASR(A)	6.3	6.8	4.5	4.4	10.2	8.6	7.4	5.1	6.5
95% CI	5.2–7.6	5.1–8.8	3.1–6.3	2.7–6.8	7.1–14.1	4.6–14.8	3.0–15.4	0.1–28.2	5.8–7.3
Ages 50–69									
Crude rate	6.4	7.0	5.5	6.1	10.8	10.7	6.5	9.4	7.0
ASR(A)	6.2	6.9	5.4	6.0	10.8	10.7	6.4	7.6	6.9
95% CI	4.9–7.9	5.2–8.9	3.5–7.9	3.6–9.4	7.6–14.9	5.3–19.2	1.7–16.3	0.2–42.3	6.0–7.9

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Indicator 5: Recall to assessment rate

Table 131: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 2003

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	12,126	4,123	10,426	2,613	2,010	898	9	194	32,399
	Recalled	1,006	369	940	266	100	74	1	9	2,765
45–49	Screened	9,141	4,714	5,996	2,862	1,930	788	34	198	25,663
	Recalled	853	489	636	357	103	103	5	9	2,555
50–54	Screened	11,028	12,195	6,220	4,704	3,979	671	507	284	39,588
	Recalled	1,017	1,232	675	515	229	90	50	17	3,825
55–59	Screened	5,904	1,988	3,049	1,111	629	368	153	122	13,324
	Recalled	570	219	289	121	29	40	13	13	1,294
60–64	Screened	3,640	1,087	2,040	680	294	208	96	44	8,089
	Recalled	340	100	189	50	21	27	7	2	736
65–69	Screened	2,580	753	1,384	396	192	117	47	34	5,503
	Recalled	219	57	133	34	10	14	4	0	471
70–74	Screened	1,304	406	655	154	69	41	22	6	2,657
	Recalled	116	48	60	13	5	5	1	0	248
75–79	Screened	817	261	437	112	69	28	14	9	1,747
	Recalled	60	40	39	13	6	3	2	0	163
80–84	Screened	355	123	149	57	46	12	6	0	748
	Recalled	35	16	8	8	0	2	0	0	69
85+	Screened	99	41	40	13	9	4	2	0	208
	Recalled	6	4	5	0	1	1	0	0	17
Ages 40+	Screened	46,994	25,691	30,396	12,702	9,227	3,135	890	891	129,926
	Recalled	4,222	2,574	2,974	1,377	504	359	83	50	12,143
Ages 50–69	Screened	23,152	16,023	12,693	6,891	5,094	1,364	803	484	66,504
	Recalled	2,146	1,608	1,286	720	289	171	74	32	6,326

Source: BreastScreen Australia.

Table 132: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	8.3	8.9	9.0	10.2	5.0	8.2	11.1	4.6	8.5
45–49	9.3	10.4	10.6	12.5	5.3	13.1	14.7	4.5	10.0
50–54	9.2	10.1	10.9	10.9	5.8	13.4	9.9	6.0	9.7
55–59	9.7	11.0	9.5	10.9	4.6	10.9	8.5	10.7	9.7
60–64	9.3	9.2	9.3	7.4	7.1	13.0	7.3	4.5	9.1
65–69	8.5	7.6	9.6	8.6	5.2	12.0	8.5	0.0	8.6
70–74	8.9	11.8	9.2	8.4	7.2	12.2	4.5	0.0	9.3
75–79	7.3	15.3	8.9	11.6	8.7	10.7	14.3	0.0	9.3
80–84	9.9	13.0	5.4	14.0	0.0	16.7	0.0	..	9.2
85+	6.1	9.8	12.5	0.0	11.1	25.0	0.0	..	8.2
Ages 40+									
Crude rate	9.0	10.0	9.8	10.8	5.5	11.5	9.3	5.6	9.3
ASR(A)	9.1	10.1	9.8	10.0	5.8	12.1	9.4	4.8	9.3
95% CI	8.7–9.4	9.5–10.7	9.3–10.3	9.3–10.9	4.9–6.7	10.4–14.0	6.5–12.8	3.3–6.6	9.1–9.6
Ages 50–69									
Crude rate	9.3	10.0	10.1	10.4	5.7	12.5	9.2	6.6	9.5
ASR(A)	9.2	9.6	9.9	9.7	5.7	12.4	8.7	5.7	9.3
95% CI	8.8–9.6	9.0–10.4	9.3–10.5	8.8–10.6	4.6–6.8	10.4–14.6	6.3–11.5	3.7–8.4	9.1–9.6

.. Not applicable—no women in this age group were screened in 2003.

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 133: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 2002

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	13,402	4,759	10,308	2,211	1,903	820	53	192	33,648
	Recalled	923	374	869	247	74	79	5	12	2,583
45–49	Screened	10,515	5,676	6,231	2,766	2,078	606	72	219	28,163
	Recalled	838	499	674	331	113	60	6	11	2,532
50–54	Screened	13,391	12,421	6,936	5,560	4,025	638	651	318	43,940
	Recalled	1,140	1,168	719	634	248	85	60	14	4,068
55–59	Screened	6,376	2,853	3,230	1,313	784	298	225	85	15,164
	Recalled	555	228	303	106	50	26	18	5	1,291
60–64	Screened	4,190	1,948	2,254	850	380	184	118	44	9,968
	Recalled	324	155	215	95	26	25	7	4	851
65–69	Screened	3,026	1,454	1,549	542	229	108	61	26	6,995
	Recalled	252	117	133	55	16	14	3	0	590
70–74	Screened	1,709	844	801	167	113	38	18	16	3,706
	Recalled	123	58	63	13	11	5	3	1	277
75–79	Screened	1,087	493	490	113	114	37	25	8	2,367
	Recalled	90	22	49	10	6	3	0	0	180
80–84	Screened	436	191	156	49	64	11	6	3	916
	Recalled	33	9	19	5	6	1	0	1	74
85+	Screened	118	49	53	17	8	4	0	0	249
	Recalled	17	6	6	3	1	1	0	0	34
Ages 40+	Screened	54,250	30,688	32,008	13,588	9,698	2,744	1,229	911	145,116
	Recalled	4,295	2,636	3,050	1,499	551	299	102	48	12,480
Ages 50–69	Screened	26,983	18,676	13,969	8,265	5,418	1,228	1,055	473	76,067
	Recalled	2,271	1,668	1,370	890	340	150	88	23	6,800

Source: BreastScreen Australia.

Table 134: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 2002

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	6.9	7.9	8.4	11.2	3.9	9.6	9.4	6.3	7.7
45–49	8.0	8.8	10.8	12.0	5.4	9.9	8.3	5.0	9.0
50–54	8.5	9.4	10.4	11.4	6.2	13.3	9.2	4.4	9.3
55–59	8.7	8.0	9.4	8.1	6.4	8.7	8.0	5.9	8.5
60–64	7.7	8.0	9.5	11.2	6.8	13.6	5.9	9.1	8.5
65–69	8.3	8.0	8.6	10.1	7.0	13.0	4.9	0.0	8.4
70–74	7.2	6.9	7.9	7.8	9.7	13.2	16.7	6.3	7.5
75–79	8.3	4.5	10.0	8.8	5.3	8.1	0.0	0.0	7.6
80–84	7.6	4.7	12.2	10.2	9.4	9.1	0.0	33.3	8.1
85+	14.4	12.2	11.3	17.6	12.5	25.0	0.0	..	13.7
Ages 40+									
Crude rate	7.9	8.6	9.5	11.0	5.7	10.9	8.3	5.3	8.6
ASR(A)	8.1	8.2	9.5	10.3	6.4	11.6	8.1	5.3	8.6
95% CI	7.8–8.4	7.8–8.6	9.1–10.0	9.6–11.1	5.6–7.3	9.8–13.5	5.9–10.6	3.3–7.7	8.4–8.7
Ages 50–69									
Crude rate	8.4	8.9	9.8	10.8	6.3	12.2	8.3	4.9	8.9
ASR(A)	8.4	8.5	9.6	10.2	6.5	12.1	7.3	5.0	8.7
95% CI	8.0–8.7	7.9–9.0	9.0–10.1	9.4–11.1	5.5–7.6	10.0–14.5	5.5–9.4	2.7–8.0	8.5–9.0

.. Not applicable—no women in this age group were screened in 2002.

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 135: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 2001

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	13,640	4,387	9,822	2,513	2,153	810	569	315	34,209
	Recalled	817	344	810	256	84	93	24	18	2,446
45–49	Screened	10,803	5,221	6,322	2,954	2,271	658	611	290	29,130
	Recalled	779	463	621	381	121	85	57	15	2,522
50–54	Screened	13,358	13,047	7,097	4,557	4,282	724	678	370	44,113
	Recalled	1,081	1,207	760	527	200	91	64	15	3,945
55–59	Screened	5,852	4,533	3,352	1,225	849	279	201	135	16,426
	Recalled	444	420	307	123	43	27	24	4	1,392
60–64	Screened	4,403	3,653	2,336	883	417	210	109	67	12,078
	Recalled	324	321	220	84	27	27	13	3	1,019
65–69	Screened	3,134	2,971	1,639	574	324	139	72	41	8,894
	Recalled	203	239	148	59	17	12	6	4	688
70–74	Screened	1,915	1,216	944	244	172	60	33	19	4,603
	Recalled	127	114	75	31	9	4	4	2	366
75–79	Screened	1,332	557	597	181	167	72	24	12	2,942
	Recalled	110	44	49	14	8	6	2	1	234
80–84	Screened	562	226	205	65	60	15	8	7	1,148
	Recalled	30	18	22	3	1	2	1	0	77
85+	Screened	145	79	62	26	23	7	3	0	345
	Recalled	8	7	8	1	0	1	0	0	25
Ages 40+	Screened	55,144	35,890	32,376	13,222	10,718	2,974	2,308	1,256	153,888
	Recalled	3,923	3,177	3,020	1,479	510	348	195	62	12,714
Ages 50–69	Screened	26,747	24,204	14,424	7,239	5,872	1,352	1,060	613	81,511
	Recalled	2,052	2,187	1,435	793	287	157	107	26	7,044

Source: BreastScreen Australia.

Table 136: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 2001

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	6.0	7.8	8.2	10.2	3.9	11.5	4.2	5.7	7.2
45–49	7.2	8.9	9.8	12.9	5.3	12.9	9.3	5.2	8.7
50–54	8.1	9.3	10.7	11.6	4.7	12.6	9.4	4.1	8.9
55–59	7.6	9.3	9.2	10.0	5.1	9.7	11.9	3.0	8.5
60–64	7.4	8.8	9.4	9.5	6.5	12.9	11.9	4.5	8.4
65–69	6.5	8.0	9.0	10.3	5.2	8.6	8.3	9.8	7.7
70–74	6.6	9.4	7.9	12.7	5.2	6.7	12.1	10.5	8.0
75–79	8.3	7.9	8.2	7.7	4.8	8.3	8.3	8.3	8.0
80–84	5.3	8.0	10.7	4.6	1.7	13.3	12.5	0.0	6.7
85+	5.5	8.9	12.9	3.8	0.0	14.3	0.0	..	7.2
Ages 40+									
Crude rate	7.1	8.9	9.3	11.2	4.8	11.7	8.4	4.9	8.3
ASR(A)	7.3	8.8	9.4	10.8	5.1	10.9	9.9	5.6	8.3
95% CI	7.0–7.5	8.5–9.2	9.0–9.8	10.1–11.5	4.5–5.8	9.5–12.5	8.0–12.0	3.6–8.0	8.1–8.5
Ages 50–69									
Crude rate	7.7	9.0	9.9	11.0	4.9	11.6	10.1	4.2	8.6
ASR(A)	7.5	8.9	9.7	10.5	5.3	11.1	10.4	5.0	8.5
95% CI	7.1–7.8	8.5–9.3	9.2–10.2	9.6–11.4	4.5–6.2	9.3–13.2	8.1–13.1	2.8–7.9	8.3–8.7

.. Not applicable—no women in this age group were screened in 2001.

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 137: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 2000

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	12,617	4,522	9,194	2,254	2,356	752	531	259	32,485
	Recalled	776	354	727	256	88	67	43	8	2,319
45–49	Screened	10,384	5,541	6,400	2,955	2,523	590	589	262	29,244
	Recalled	765	543	613	352	109	68	45	5	2,500
50–54	Screened	12,238	12,379	8,461	3,223	5,278	796	662	492	43,529
	Recalled	983	1,176	816	407	258	99	55	23	3,817
55–59	Screened	5,227	3,179	4,273	923	1,130	342	201	130	15,405
	Recalled	393	291	393	96	52	34	22	9	1,290
60–64	Screened	4,017	2,462	3,149	707	648	224	129	61	11,397
	Recalled	300	192	274	80	31	30	9	5	921
65–69	Screened	2,849	1,757	2,426	455	553	156	83	33	8,312
	Recalled	196	142	202	39	33	18	3	2	635
70–74	Screened	1,757	868	1,296	235	247	80	41	20	4,544
	Recalled	135	75	104	24	12	6	3	1	360
75–79	Screened	1,260	622	747	171	244	59	24	8	3,135
	Recalled	85	52	61	18	10	2	3	0	231
80–84	Screened	465	233	235	48	74	17	11	2	1,085
	Recalled	37	25	27	4	7	0	0	0	100
85+	Screened	130	60	79	9	14	10	6	1	309
	Recalled	7	9	6	2	1	1	0	0	26
Ages 40+	Screened	50,944	31,623	36,260	10,980	13,067	3,026	2,277	1,268	149,445
	Recalled	3,677	2,859	3,223	1,278	601	325	183	53	12,199
Ages 50–69	Screened	24,331	19,777	18,309	5,308	7,609	1,518	1,075	716	78,643
	Recalled	1,872	1,801	1,685	622	374	181	89	39	6,663

Source: BreastScreen Australia.

Table 138: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 2000

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
	(Per cent)								
40–44	6.2	7.8	7.9	11.4	3.7	8.9	8.1	3.1	7.1
45–49	7.4	9.8	9.6	11.9	4.3	11.5	7.6	1.9	8.5
50–54	8.0	9.5	9.6	12.6	4.9	12.4	8.3	4.7	8.8
55–59	7.5	9.2	9.2	10.4	4.6	9.9	10.9	6.9	8.4
60–64	7.5	7.8	8.7	11.3	4.8	13.4	7.0	8.2	8.1
65–69	6.9	8.1	8.3	8.6	6.0	11.5	3.6	6.1	7.6
70–74	7.7	8.6	8.0	10.2	4.9	7.5	7.3	5.0	7.9
75–79	6.7	8.4	8.2	10.5	4.1	3.4	12.5	0.0	7.4
80–84	8.0	10.7	11.5	8.3	9.5	0.0	0.0	0.0	9.2
85+	5.4	15.0	7.6	22.2	7.1	10.0	0.0	0.0	8.4
Ages 40+									
Crude rate	7.2	9.0	8.9	11.6	4.6	10.7	8.0	4.2	8.2
ASR(A)	7.4	8.8	8.9	11.0	4.8	10.8	7.8	5.1	8.2
95% CI	7.1–7.7	8.4–9.2	8.6–9.3	10.3–11.9	4.3–5.4	9.4–12.3	6.3–9.5	3.3–7.4	8.0–8.4
Ages 50–69									
Crude rate	7.7	9.1	9.2	11.7	4.9	11.9	8.3	5.4	8.5
ASR(A)	7.6	8.8	9.1	11.0	5.0	11.8	7.8	6.3	8.3
95% CI	7.2–7.9	8.3–9.3	8.6–9.5	10.0–12.0	4.4–5.7	10.0–13.9	6.0–9.9	3.9–9.4	8.1–8.5

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 139: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 1999

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	14,353	4,965	9,542	2,530	2,344	841	602	246	35,423
	Recalled	886	346	689	290	69	70	30	9	2,389
45–49	Screened	11,908	6,092	7,300	2,880	2,514	689	631	285	32,299
	Recalled	874	479	606	366	100	76	41	10	2,552
50–54	Screened	13,267	13,528	9,379	2,334	4,756	888	756	444	45,352
	Recalled	1,022	1,197	747	260	193	84	43	12	3,558
55–59	Screened	6,220	2,623	5,263	1,012	1,334	362	236	140	17,190
	Recalled	449	230	405	92	71	42	19	5	1,313
60–64	Screened	4,780	2,056	3,943	677	862	285	137	91	12,831
	Recalled	362	175	299	71	43	22	5	1	978
65–69	Screened	3,646	1,472	3,351	479	682	195	97	48	9,970
	Recalled	249	118	272	49	29	18	6	1	742
70–74	Screened	2,238	870	1,839	302	264	119	62	28	5,722
	Recalled	158	63	118	29	13	9	7	1	398
75–79	Screened	1,570	690	1,093	204	247	95	32	12	3,943
	Recalled	123	54	74	14	16	9	3	0	293
80–84	Screened	503	228	367	49	85	23	12	5	1,272
	Recalled	39	19	37	3	6	2	0	0	106
85+	Screened	122	73	108	12	22	5	2	0	344
	Recalled	5	11	12	0	1	0	0	0	29
Ages 40+	Screened	58,607	32,597	42,185	10,479	13,110	3,502	2,567	1,299	164,346
	Recalled	4,167	2,692	3,259	1,174	541	332	154	39	12,358
Ages 50–69	Screened	27,913	19,679	21,936	4,502	7,634	1,730	1,226	723	85,343
	Recalled	2,082	1,720	1,723	472	336	166	73	19	6,591

Source: BreastScreen Australia.

Table 140: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 1999

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	6.2	7.0	7.2	11.5	2.9	8.3	5.0	3.7	6.7
45–49	7.3	7.9	8.3	12.7	4.0	11.0	6.5	3.5	7.9
50–54	7.7	8.8	8.0	11.1	4.1	9.5	5.7	2.7	7.8
55–59	7.2	8.8	7.7	9.1	5.3	11.6	8.1	3.6	7.6
60–64	7.6	8.5	7.6	10.5	5.0	7.7	3.6	1.1	7.6
65–69	6.8	8.0	8.1	10.2	4.3	9.2	6.2	2.1	7.4
70–74	7.1	7.2	6.4	9.6	4.9	7.6	11.3	3.6	7.0
75–79	7.8	7.8	6.8	6.9	6.5	9.5	9.4	0.0	7.4
80–84	7.8	8.3	10.1	6.1	7.1	8.7	0.0	0.0	8.3
85+	4.1	15.1	11.1	0.0	4.5	0.0	0.0	..	8.4
Ages 40+									
Crude rate	7.1	8.3	7.7	11.2	4.1	9.5	6.0	3.0	7.5
ASR(A)	7.3	8.2	7.7	10.5	4.5	9.5	6.4	2.7	7.6
95% CI	7.0–7.5	7.8–8.6	7.4–8.0	9.7–11.3	4.0–5.0	8.3–10.7	5.1–7.9	1.7–4.0	7.4–7.7
Ages 50–69									
Crude rate	7.5	8.7	7.9	10.5	4.4	9.6	6.0	2.6	7.7
ASR(A)	7.4	8.6	7.8	10.3	4.6	9.6	5.9	2.5	7.7
95% CI	7.0–7.7	8.1–9.1	7.5–8.2	9.3–11.3	4.1–5.2	8.1–11.3	4.4–7.8	1.3–4.1	7.5–7.9

.. Not applicable—no women in this age group were screened in 1999.

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 141: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 1998

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	17,693	5,192	11,096	2,603	2,576	1,225	577	299	41,261
	Recalled	996	379	699	284	81	86	28	15	2,568
45–49	Screened	14,864	6,699	8,999	3,763	3,021	1,067	683	411	39,507
	Recalled	1,056	556	699	405	111	89	40	17	2,973
50–54	Screened	16,510	17,374	13,928	3,491	4,710	1,304	765	723	58,805
	Recalled	1,190	1,557	1,039	379	199	152	45	25	4,586
55–59	Screened	8,057	3,242	8,584	1,601	1,371	581	280	280	23,996
	Recalled	545	263	591	150	42	56	17	10	1,674
60–64	Screened	6,464	2,502	6,564	1,219	978	384	165	158	18,434
	Recalled	439	197	472	100	50	32	9	5	1,304
65–69	Screened	5,180	1,976	6,052	920	827	380	129	127	15,591
	Recalled	364	140	400	78	37	33	5	4	1,061
70–74	Screened	3,438	1,281	2,465	515	474	173	76	42	8,464
	Recalled	224	107	188	38	16	4	2	2	581
75–79	Screened	2,096	1,048	1,290	346	431	140	46	30	5,427
	Recalled	138	93	87	38	13	11	3	2	385
80–84	Screened	630	308	471	105	149	36	10	6	1,715
	Recalled	42	26	49	14	12	2	2	0	147
85+	Screened	145	85	130	18	30	9	4	1	422
	Recalled	13	14	10	1	1	1	0	0	40
Ages 40+	Screened	75,077	39,707	59,579	14,581	14,567	5,299	2,735	2,077	213,622
	Recalled	5,007	3,332	4,234	1,487	562	466	151	80	15,319
Ages 50–69	Screened	36,211	25,094	35,128	7,231	7,886	2,649	1,339	1,288	116,826
	Recalled	2,538	2,157	2,502	707	328	273	76	44	8,625

Source: BreastScreen Australia.

Table 142: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 1998

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	5.6	7.3	6.3	10.9	3.1	7.0	4.9	5.0	6.2
45–49	7.1	8.3	7.8	10.8	3.7	8.3	5.9	4.1	7.5
50–54	7.2	9.0	7.5	10.9	4.2	11.7	5.9	3.5	7.8
55–59	6.8	8.1	6.9	9.4	3.1	9.6	6.1	3.6	7.0
60–64	6.8	7.9	7.2	8.2	5.1	8.3	5.5	3.2	7.1
65–69	7.0	7.1	6.6	8.5	4.5	8.7	3.9	3.1	6.8
70–74	6.5	8.4	7.6	7.4	3.4	2.3	2.6	4.8	6.9
75–79	6.6	8.9	6.7	11.0	3.0	7.9	6.5	6.7	7.1
80–84	6.7	8.4	10.4	13.3	8.1	5.6	20.0	0.0	8.6
85+	9.0	16.5	7.7	5.6	3.3	11.1	0.0	0.0	9.5
Ages 40+									
Crude rate	6.7	8.4	7.1	10.2	3.9	8.8	5.5	3.9	7.2
ASR(A)	6.8	8.1	7.2	9.6	4.0	8.7	5.4	3.8	7.2
95% CI	6.6–7.0	7.8–8.5	6.9–7.4	9.1–10.2	3.6–4.4	7.8–9.6	4.3–6.5	2.8–4.9	7.0–7.3
Ages 50–69									
Crude rate	7.0	8.6	7.1	9.8	4.2	10.3	5.7	3.4	7.4
ASR(A)	7.0	8.1	7.1	9.4	4.2	9.8	5.4	3.4	7.2
95% CI	6.7–7.3	7.7–8.6	6.8–7.4	8.7–10.2	3.7–4.7	8.6–11.1	4.1–7.0	2.3–4.7	7.1–7.4

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 143: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 2003

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	8,387	855	7,730	1,514	1,267	600	273	146	20,772
	Recalled	368	49	386	80	31	38	14	4	970
45–49	Screened	25,934	4,396	20,421	6,043	4,190	1,909	1,095	520	64,508
	Recalled	1,318	254	1,044	277	128	131	51	25	3,228
50–54	Screened	40,877	32,664	28,992	13,766	12,734	3,896	2,311	899	136,139
	Recalled	1,743	1,483	1,326	477	287	245	113	35	5,709
55–59	Screened	46,601	40,883	30,347	15,673	14,843	4,177	2,521	892	155,937
	Recalled	1,951	1,634	1,331	504	341	235	124	34	6,154
60–64	Screened	38,545	31,374	23,235	12,397	11,903	3,439	1,848	608	123,349
	Recalled	1,683	1,286	1,035	357	294	158	88	14	4,915
65–69	Screened	32,591	26,370	19,135	10,091	9,791	3,033	1,316	323	102,650
	Recalled	1,328	1,008	854	322	281	148	71	7	4,019
70–74	Screened	25,346	20,678	14,837	2,623	3,301	1,795	267	169	69,016
	Recalled	991	771	635	92	88	81	10	7	2,675
75–79	Screened	16,992	5,118	4,303	975	1,532	341	91	64	29,416
	Recalled	645	214	226	38	33	7	3	3	1,169
80–84	Screened	6,242	660	920	241	345	85	36	32	8,561
	Recalled	223	30	58	4	16	6	2	1	340
85+	Screened	1,404	93	222	33	48	13	3	3	1,819
	Recalled	45	6	8	0	3	1	1	0	64
Ages 40+	Screened	242,919	163,091	150,142	63,356	59,954	19,288	9,761	3,656	712,167
	Recalled	10,295	6,735	6,903	2,151	1,502	1,050	477	130	29,243
Ages 50–69	Screened	158,614	131,291	101,709	51,927	49,271	14,545	7,996	2,722	518,075
	Recalled	6,705	5,411	4,546	1,660	1,203	786	396	90	20,797

Source: BreastScreen Australia.

Table 144: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
	(Per cent)								
40–44	4.4	5.7	5.0	5.3	2.4	6.3	5.1	2.7	4.7
45–49	5.1	5.8	5.1	4.6	3.1	6.9	4.7	4.8	5.0
50–54	4.3	4.5	4.6	3.5	2.3	6.3	4.9	3.9	4.2
55–59	4.2	4.0	4.4	3.2	2.3	5.6	4.9	3.8	3.9
60–64	4.4	4.1	4.5	2.9	2.5	4.6	4.8	2.3	4.0
65–69	4.1	3.8	4.5	3.2	2.9	4.9	5.4	2.2	3.9
70–74	3.9	3.7	4.3	3.5	2.7	4.5	3.7	4.1	3.9
75–79	3.8	4.2	5.3	3.9	2.2	2.1	3.3	4.7	4.0
80–84	3.6	4.5	6.3	1.7	4.6	7.1	5.6	3.1	4.0
85+	3.2	6.5	3.6	0.0	6.3	7.7	33.3	0.0	3.5
Ages 40+									
Crude rate	4.2	4.1	4.6	3.4	2.5	5.4	4.9	3.6	4.1
ASR(A)	4.3	4.5	4.6	3.6	2.6	5.5	4.8	3.5	4.2
95% CI	4.2–4.4	4.3–4.6	4.5–4.7	3.4–3.8	2.4–2.7	5.2–5.9	4.4–5.4	2.9–4.2	4.1–4.2
Ages 50–69									
Crude rate	4.2	4.1	4.5	3.2	2.4	5.4	5.0	3.3	4.0
ASR(A)	4.2	4.2	4.5	3.2	2.4	5.5	5.0	3.2	4.0
95% CI	4.1–4.3	4.1–4.3	4.3–4.6	3.1–3.4	2.3–2.6	5.1–5.9	4.5–5.5	2.5–3.9	4.0–4.1

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 145: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 2002

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	8,973	970	7,539	1,332	1,260	630	266	130	21,100
	Recalled	379	48	356	60	38	41	16	2	940
45–49	Screened	27,503	4,801	19,972	5,175	4,504	2,325	1,268	493	66,041
	Recalled	1,235	294	1,062	241	108	151	81	22	3,194
50–54	Screened	41,223	32,555	29,282	12,051	13,378	4,051	2,808	925	136,273
	Recalled	1,722	1,363	1,397	489	335	222	154	28	5,710
55–59	Screened	44,784	36,204	29,310	13,539	13,886	4,366	2,682	805	145,576
	Recalled	1,833	1,388	1,387	494	303	239	115	34	5,793
60–64	Screened	37,154	30,226	22,636	11,096	11,027	3,366	1,797	432	117,734
	Recalled	1,551	1,136	1,069	399	282	161	96	13	4,707
65–69	Screened	31,258	25,426	17,824	9,130	9,498	2,810	1,313	235	97,494
	Recalled	1,206	912	886	331	287	153	56	9	3,840
70–74	Screened	25,853	20,854	14,136	2,538	3,349	1,524	279	143	68,676
	Recalled	968	704	618	103	95	74	11	6	2,579
75–79	Screened	16,370	5,237	3,613	974	1,612	295	117	56	28,274
	Recalled	579	188	166	38	50	11	4	3	1,039
80–84	Screened	5,506	652	801	234	319	72	30	30	7,644
	Recalled	171	26	40	9	13	2	2	0	263
85+	Screened	1,170	101	180	36	38	6	4	5	1,540
	Recalled	45	5	10	3	2	0	1	0	66
Ages 40+	Screened	239,794	157,026	145,293	56,105	58,871	19,445	10,564	3,254	690,352
	Recalled	9,689	6,064	6,991	2,167	1,513	1,054	536	117	28,131
Ages 50–69	Screened	154,419	124,411	99,052	45,816	47,789	14,593	8,600	2,397	497,077
	Recalled	6,312	4,799	4,739	1,713	1,207	775	421	84	20,050

Source: BreastScreen Australia.

Table 146: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 2002

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	4.2	4.9	4.7	4.5	3.0	6.5	6.0	1.5	4.5
45–49	4.5	6.1	5.3	4.7	2.4	6.5	6.4	4.5	4.8
50–54	4.2	4.2	4.8	4.1	2.5	5.5	5.5	3.0	4.2
55–59	4.1	3.8	4.7	3.6	2.2	5.5	4.3	4.2	4.0
60–64	4.2	3.8	4.7	3.6	2.6	4.8	5.3	3.0	4.0
65–69	3.9	3.6	5.0	3.6	3.0	5.4	4.3	3.8	3.9
70–74	3.7	3.4	4.4	4.1	2.8	4.9	3.9	4.2	3.8
75–79	3.5	3.6	4.6	3.9	3.1	3.7	3.4	5.4	3.7
80–84	3.1	4.0	5.0	3.8	4.1	2.8	6.7	0.0	3.4
85+	3.8	5.0	5.6	8.3	5.3	0.0	25.0	0.0	4.3
Ages 40+									
Crude rate	4.0	3.9	4.8	3.9	2.6	5.4	5.1	3.6	4.1
ASR(A)	4.1	4.2	4.8	4.0	2.6	5.4	5.1	3.5	4.1
95% CI	4.0–4.2	4.0–4.4	4.7–4.9	3.8–4.2	2.5–2.8	5.1–5.8	4.6–5.6	2.9–4.3	4.1–4.2
Ages 50–69									
Crude rate	4.1	3.9	4.8	3.7	2.5	5.3	4.9	3.5	4.0
ASR(A)	4.1	3.9	4.8	3.8	2.5	5.3	4.9	3.5	4.0
95% CI	4.0–4.2	3.8–4.0	4.7–4.9	3.6–4.0	2.4–2.7	4.9–5.7	4.4–5.4	2.7–4.4	4.0–4.1

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 147: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 2001

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	9,580	1,042	7,415	1,575	1,306	578	320	140	21,956
	Recalled	341	38	365	82	31	48	16	2	923
45–49	Screened	27,571	4,871	18,976	5,759	4,498	2,201	1,264	451	65,591
	Recalled	1,127	259	1,077	258	118	140	57	18	3,054
50–54	Screened	42,494	33,220	27,533	13,290	12,811	3,752	2,582	850	136,532
	Recalled	1,558	1,459	1,394	533	306	235	116	16	5,617
55–59	Screened	43,840	35,828	25,500	13,297	13,715	3,715	2,292	780	138,967
	Recalled	1,633	1,404	1,233	474	275	190	130	13	5,352
60–64	Screened	38,089	28,684	20,739	11,422	12,003	3,277	1,730	482	116,426
	Recalled	1,363	1,142	970	434	302	189	79	10	4,489
65–69	Screened	32,501	23,455	16,980	9,236	9,636	2,756	1,250	242	96,056
	Recalled	1,122	911	771	341	237	108	77	5	3,572
70–74	Screened	26,913	19,790	13,541	2,471	3,438	1,095	266	137	67,651
	Recalled	863	675	639	84	98	62	14	2	2,437
75–79	Screened	16,151	5,106	5,884	913	1,309	285	109	50	29,807
	Recalled	488	186	260	47	47	15	4	2	1,049
80–84	Screened	5,259	649	1,916	199	301	61	34	26	8,445
	Recalled	157	21	81	7	11	3	4	0	284
85+	Screened	1,147	142	429	42	38	8	4	2	1,812
	Recalled	39	5	21	2	2	1	1	0	71
Ages 40+	Screened	243,545	152,787	138,913	58,204	59,055	17,728	9,851	3,160	683,243
	Recalled	8,691	6,100	6,811	2,262	1,427	991	498	68	26,848
Ages 50–69	Screened	156,924	121,187	90,752	47,245	48,165	13,500	7,854	2,354	487,981
	Recalled	5,676	4,916	4,368	1,782	1,120	722	402	44	19,030

Source: BreastScreen Australia.

Table 148: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 2001

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	3.6	3.6	4.9	5.2	2.4	8.3	5.0	1.4	4.2
45–49	4.1	5.3	5.7	4.5	2.6	6.4	4.5	4.0	4.7
50–54	3.7	4.4	5.1	4.0	2.4	6.3	4.5	1.9	4.1
55–59	3.7	3.9	4.8	3.6	2.0	5.1	5.7	1.7	3.9
60–64	3.6	4.0	4.7	3.8	2.5	5.8	4.6	2.1	3.9
65–69	3.5	3.9	4.5	3.7	2.5	3.9	6.2	2.1	3.7
70–74	3.2	3.4	4.7	3.4	2.9	5.7	5.3	1.5	3.6
75–79	3.0	3.6	4.4	5.1	3.6	5.3	3.7	4.0	3.5
80–84	3.0	3.2	4.2	3.5	3.7	4.9	11.8	0.0	3.4
85+	3.4	3.5	4.9	4.8	5.3	12.5	25.0	0.0	3.9
Ages 40+									
Crude rate	3.6	4.0	4.9	3.9	2.4	5.6	5.1	2.2	3.9
ASR(A)	3.6	4.1	4.9	4.0	2.5	5.8	5.1	2.1	4.0
95% CI	3.5–3.7	4.0–4.3	4.8–5.0	3.8–4.2	2.3–2.6	5.4–6.2	4.6–5.6	1.6–2.8	3.9–4.0
Ages 50–69									
Crude rate	3.6	4.1	4.8	3.8	2.3	5.3	5.1	1.9	3.9
ASR(A)	3.6	4.1	4.8	3.8	2.3	5.4	5.1	1.9	3.9
95% CI	3.5–3.7	4.0–4.2	4.7–5.0	3.6–4.0	2.2–2.5	5.0–5.8	4.6–5.7	1.4–2.6	3.9–4.0

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 149: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 2000

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	9,999	1,072	7,365	1,488	1,255	821	301	147	22,448
	Recalled	381	55	370	71	24	41	10	1	953
45–49	Screened	26,793	5,164	17,711	5,155	4,512	2,678	1,395	469	63,877
	Recalled	1,138	284	920	278	107	152	82	10	2,971
50–54	Screened	40,405	31,846	25,890	13,287	11,802	4,248	2,555	863	130,896
	Recalled	1,544	1,406	1,272	627	241	247	151	20	5,508
55–59	Screened	40,587	30,594	23,035	12,042	11,308	3,715	2,121	643	124,045
	Recalled	1,626	1,302	1,151	478	257	195	112	11	5,132
60–64	Screened	35,409	27,747	18,658	10,668	10,324	3,251	1,471	332	107,860
	Recalled	1,386	1,178	963	447	209	175	60	6	4,424
65–69	Screened	30,042	23,612	15,349	8,666	8,587	2,680	983	208	90,127
	Recalled	1,058	904	712	338	191	118	52	4	3,377
70–74	Screened	25,133	19,993	11,767	2,283	3,229	622	249	142	63,418
	Recalled	882	743	502	96	78	28	15	4	2,348
75–79	Screened	13,359	4,864	5,525	820	1,130	222	94	52	26,066
	Recalled	425	199	243	32	28	13	7	0	947
80–84	Screened	3,885	610	1,740	164	241	42	13	20	6,715
	Recalled	121	30	74	8	5	0	1	1	240
85+	Screened	866	103	420	28	38	9	4	2	1,470
	Recalled	32	4	15	0	1	0	1	0	53
Ages 40+	Screened	226,478	145,605	127,460	54,601	52,426	18,288	9,186	2,878	636,922
	Recalled	8,593	6,105	6,222	2,375	1,141	969	491	57	25,953
Ages 50–69	Screened	146,443	113,799	82,932	44,663	42,021	13,894	7,130	2,046	452,928
	Recalled	5,614	4,790	4,098	1,890	898	735	375	41	18,441

Source: BreastScreen Australia.

Table 150: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 2000

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	3.8	5.1	5.0	4.8	1.9	5.0	3.3	0.7	4.2
45–49	4.2	5.5	5.2	5.4	2.4	5.7	5.9	2.1	4.7
50–54	3.8	4.4	4.9	4.7	2.0	5.8	5.9	2.3	4.2
55–59	4.0	4.3	5.0	4.0	2.3	5.2	5.3	1.7	4.1
60–64	3.9	4.2	5.2	4.2	2.0	5.4	4.1	1.8	4.1
65–69	3.5	3.8	4.6	3.9	2.2	4.4	5.3	1.9	3.7
70–74	3.5	3.7	4.3	4.2	2.4	4.5	6.0	2.8	3.7
75–79	3.2	4.1	4.4	3.9	2.5	5.9	7.4	0.0	3.6
80–84	3.1	4.9	4.3	4.9	2.1	0.0	7.7	5.0	3.6
85+	3.7	3.9	3.6	0.0	2.6	0.0	25.0	0.0	3.6
Ages 40+									
Crude rate	3.8	4.2	4.9	4.3	2.2	5.3	5.3	2.0	4.1
ASR(A)	3.8	4.4	4.9	4.4	2.2	5.2	5.3	1.9	4.1
95% CI	3.7–3.9	4.3–4.6	4.8–5.0	4.2–4.6	2.0–2.3	4.9–5.6	4.8–5.9	1.4–2.5	4.1–4.2
Ages 50–69									
Crude rate	3.8	4.2	4.9	4.2	2.1	5.3	5.3	2.0	4.1
ASR(A)	3.8	4.2	4.9	4.2	2.1	5.3	5.2	2.0	4.1
95% CI	3.7–3.9	4.1–4.3	4.8–5.1	4.1–4.4	2.0–2.3	4.9–5.7	4.7–5.8	1.4–2.7	4.0–4.1

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 151: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 1999

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	8,645	1,223	6,374	1,445	990	592	331	162	19,762
	Recalled	317	54	287	75	22	35	15	5	810
45–49	Screened	24,506	5,112	15,834	5,235	4,184	2,242	1,445	423	58,981
	Recalled	1,098	247	810	329	85	139	62	11	2,781
50–54	Screened	39,063	31,741	21,543	11,724	10,771	3,401	2,470	747	121,460
	Recalled	1,580	1,305	992	698	196	203	97	19	5,090
55–59	Screened	38,526	30,267	19,394	10,934	11,750	3,387	2,172	702	117,132
	Recalled	1,468	1,222	865	578	253	175	88	15	4,664
60–64	Screened	34,275	25,656	16,435	9,527	10,515	2,971	1,633	370	101,382
	Recalled	1,343	1,044	697	458	239	152	57	6	3,996
65–69	Screened	30,005	22,416	13,794	7,958	8,883	2,540	1,233	204	87,033
	Recalled	1,086	876	591	336	197	112	42	8	3,248
70–74	Screened	24,279	18,187	10,640	1,880	2,941	512	258	110	58,807
	Recalled	871	665	429	86	74	23	11	3	2,162
75–79	Screened	11,745	3,656	5,594	668	862	188	128	32	22,873
	Recalled	415	126	219	32	32	17	2	0	843
80–84	Screened	3,657	416	1,677	122	171	38	12	18	6,111
	Recalled	116	10	78	5	5	3	1	0	218
85+	Screened	746	92	360	21	18	2	6	0	1,245
	Recalled	19	2	12	0	0	0	0	0	33
Ages 40+	Screened	215,447	138,766	111,645	49,514	51,085	15,873	9,688	2,768	594,786
	Recalled	8,313	5,551	4,980	2,597	1,103	859	375	67	23,845
Ages 50–69	Screened	141,869	110,080	71,166	40,143	41,919	12,299	7,508	2,023	427,007
	Recalled	5,477	4,447	3,145	2,070	885	642	284	48	16,998

Source: BreastScreen Australia.

Table 152: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 1999

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	3.7	4.4	4.5	5.2	2.2	5.9	4.5	3.1	4.1
45–49	4.5	4.8	5.1	6.3	2.0	6.2	4.3	2.6	4.7
50–54	4.0	4.1	4.6	6.0	1.8	6.0	3.9	2.5	4.2
55–59	3.8	4.0	4.5	5.3	2.2	5.2	4.1	2.1	4.0
60–64	3.9	4.1	4.2	4.8	2.3	5.1	3.5	1.6	3.9
65–69	3.6	3.9	4.3	4.2	2.2	4.4	3.4	3.9	3.7
70–74	3.6	3.7	4.0	4.6	2.5	4.5	4.3	2.7	3.7
75–79	3.5	3.4	3.9	4.8	3.7	9.0	1.6	0.0	3.7
80–84	3.2	2.4	4.7	4.1	2.9	7.9	8.3	0.0	3.6
85+	2.5	2.2	3.3	0.0	0.0	0.0	0.0	..	2.7
Ages 40+									
Crude rate	3.9	4.0	4.5	5.2	2.2	5.4	3.9	2.4	4.0
ASR(A)	3.9	4.1	4.5	5.2	2.2	5.5	3.9	2.5	4.1
95% CI	3.8–4.0	4.0–4.3	4.3–4.6	5.0–5.5	2.0–2.3	5.1–5.9	3.5–4.4	1.9–3.2	4.0–4.1
Ages 50–69									
Crude rate	3.9	4.0	4.4	5.2	2.1	5.2	3.8	2.4	4.0
ASR(A)	3.9	4.0	4.4	5.2	2.1	5.3	3.8	2.5	4.0
95% CI	3.8–4.0	3.9–4.2	4.3–4.6	5.0–5.4	1.9–2.2	4.9–5.7	3.3–4.2	1.8–3.4	3.9–4.1

.. Not applicable—no women in this age group were screened in 1999.

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 153: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 1998

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	7,705	1,259	5,617	1,256	898	865	376	127	18,103
	Recalled	293	51	256	79	22	50	8	6	765
45–49	Screened	23,032	5,000	13,752	5,424	4,167	2,552	1,337	284	55,548
	Recalled	929	250	641	325	88	143	36	8	2,420
50–54	Screened	34,895	23,605	16,791	11,845	9,708	3,351	2,208	478	102,881
	Recalled	1,332	1,112	763	631	195	175	73	13	4,294
55–59	Screened	35,637	28,864	14,692	10,468	9,795	3,182	1,803	346	104,787
	Recalled	1,329	1,250	626	466	184	151	70	13	4,089
60–64	Screened	31,309	25,670	12,077	9,148	9,204	2,759	1,263	184	91,614
	Recalled	1,108	1,088	480	412	211	145	30	1	3,475
65–69	Screened	28,674	23,200	10,455	7,643	7,970	2,224	920	119	81,205
	Recalled	1,013	952	428	297	186	95	28	2	3,001
70–74	Screened	22,361	17,793	7,870	1,884	2,853	652	236	71	53,720
	Recalled	725	662	324	73	78	34	14	3	1,913
75–79	Screened	8,549	3,130	3,942	600	768	182	113	30	17,314
	Recalled	246	113	159	31	14	9	1	3	576
80–84	Screened	2,674	466	1,164	133	162	34	23	8	4,664
	Recalled	81	13	43	7	7	0	0	0	151
85+	Screened	578	92	264	18	18	6	4	0	980
	Recalled	12	2	17	1	0	1	0	0	33
Ages 40+	Screened	195,414	129,079	86,624	48,419	45,543	15,807	8,283	1,647	530,816
	Recalled	7,068	5,493	3,737	2,322	985	803	260	49	20,717
Ages 50–69	Screened	130,515	101,339	54,015	39,104	36,677	11,516	6,194	1,127	380,487
	Recalled	4,782	4,402	2,297	1,806	776	566	201	29	14,859

Source: BreastScreen Australia.

Table 154: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 1998

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	3.8	4.1	4.6	6.3	2.4	5.8	2.1	4.7	4.2
45–49	4.0	5.0	4.7	6.0	2.1	5.6	2.7	2.8	4.4
50–54	3.8	4.7	4.5	5.3	2.0	5.2	3.3	2.7	4.2
55–59	3.7	4.3	4.3	4.5	1.9	4.7	3.9	3.8	3.9
60–64	3.5	4.2	4.0	4.5	2.3	5.3	2.4	0.5	3.8
65–69	3.5	4.1	4.1	3.9	2.3	4.3	3.0	1.7	3.7
70–74	3.2	3.7	4.1	3.9	2.7	5.2	5.9	4.2	3.6
75–79	2.9	3.6	4.0	5.2	1.8	4.9	0.9	10.0	3.3
80–84	3.0	2.8	3.7	5.3	4.3	0.0	0.0	0.0	3.2
85+	2.1	2.2	6.4	5.6	0.0	16.7	0.0	..	3.4
Ages 40+									
Crude rate	3.6	4.3	4.3	4.8	2.2	5.1	3.1	3.0	3.9
ASR(A)	3.7	4.3	4.3	4.9	2.2	5.1	3.2	2.9	3.9
95% CI	3.6–3.8	4.2–4.5	4.2–4.5	4.7–5.1	2.0–2.3	4.7–5.5	2.8–3.6	2.1–3.9	3.9–4.0
Ages 50–69									
Crude rate	3.7	4.3	4.3	4.6	2.1	4.9	3.2	2.6	3.9
ASR(A)	3.7	4.4	4.3	4.6	2.1	4.9	3.2	2.3	3.9
95% CI	3.6–3.8	4.3–4.5	4.1–4.4	4.4–4.9	2.0–2.3	4.5–5.3	2.8–3.7	1.5–3.4	3.9–4.0

.. Not applicable—no women in this age group were screened in 1998.

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 155: Numbers of women screened and women recalled for assessment by age, other reasons only, first screening round, states and territories, 2003

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	12,126	4,123	10,426	2,613	2,010	898	9	194	32,399
	Recalled	18	102	264	21	0	0	0	0	405
45–49	Screened	9,141	4,714	5,996	2,862	1,930	788	34	198	25,663
	Recalled	13	73	134	16	0	0	0	0	236
50–54	Screened	11,028	12,195	6,220	4,704	3,979	671	507	284	39,588
	Recalled	8	172	86	17	0	0	0	0	283
55–59	Screened	5,904	1,988	3,049	1,111	629	368	153	122	13,324
	Recalled	5	32	38	5	0	0	0	0	80
60–64	Screened	3,640	1,087	2,040	680	294	208	96	44	8,089
	Recalled	4	19	23	0	0	0	0	0	46
65–69	Screened	2,580	753	1,384	396	192	117	47	34	5,503
	Recalled	2	11	12	1	0	0	0	0	26
70–74	Screened	1,304	406	655	154	69	41	22	6	2,657
	Recalled	1	9	6	0	0	0	0	0	16
75–79	Screened	817	261	437	112	69	28	14	9	1,747
	Recalled	0	5	6	0	0	0	0	0	11
80–84	Screened	355	123	149	57	46	12	6	0	748
	Recalled	0	1	1	0	0	0	0	0	2
85+	Screened	99	41	40	13	9	4	2	0	208
	Recalled	0	0	1	1	0	0	0	0	2
Ages 40+	Screened	46,994	25,691	30,396	12,702	9,227	3,135	890	891	129,926
	Recalled	51	424	571	61	0	0	0	0	1,107
Ages 50–69	Screened	23,152	16,023	12,693	6,891	5,094	1,364	803	484	66,504
	Recalled	19	234	159	23	0	0	0	0	435

Source: BreastScreen Australia.

Table 156: Age-specific and age-standardised recall to assessment rates, first screening round, other reasons only, states and territories, 2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	0.1	2.5	2.5	0.8	0.0	0.0	0.0	0.0	1.3
45–49	0.1	1.5	2.2	0.6	0.0	0.0	0.0	0.0	0.9
50–54	0.1	1.4	1.4	0.4	0.0	0.0	0.0	0.0	0.7
55–59	0.1	1.6	1.2	0.5	0.0	0.0	0.0	0.0	0.6
60–64	0.1	1.7	1.1	0.0	0.0	0.0	0.0	0.0	0.6
65–69	0.1	1.5	0.9	0.3	0.0	0.0	0.0	0.0	0.5
70–74	0.1	2.2	0.9	0.0	0.0	0.0	0.0	0.0	0.6
75–79	0.0	1.9	1.4	0.0	0.0	0.0	0.0	0.0	0.6
80–84	0.0	0.8	0.7	0.0	0.0	0.0	0.0	..	0.3
85+	0.0	0.0	2.5	7.7	0.0	0.0	0.0	..	1.0
Ages 40+									
Crude rate	0.1	1.7	1.9	0.5	0.0	0.0	0.0	0.0	0.9
ASR(A)	0.1	1.7	1.4	0.3	0.0	0.0	0.0	0.0	0.7
95% CI	0.1–0.1	1.4–1.9	1.3–1.6	0.2–0.5	0.0	0.0	0.0	0.0	0.6–0.8
Ages 50–69									
Crude rate	0.1	1.5	1.3	0.3	0.0	0.0	0.0	0.0	0.7
ASR(A)	0.1	1.5	1.2	0.3	0.0	0.0	0.0	0.0	0.6
95% CI	0.0–0.1	1.3–1.9	1.0–1.4	0.1–0.5	0.0	0.0	0.0	0.0	0.5–0.7

.. Not applicable—no women in this age group were screened in 2003.

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 157: Numbers of women screened and women recalled for assessment by age, other reasons only, subsequent screening rounds, states and territories, 2003

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	8,387	855	7,730	1,514	1,267	600	273	146	20,772
	Recalled	9	18	140	8	0	0	0	0	175
45–49	Screened	25,934	4,396	20,421	6,043	4,190	1,909	1,095	520	64,508
	Recalled	21	74	353	23	0	0	0	0	471
50–54	Screened	40,877	32,664	28,992	13,766	12,734	3,896	2,311	899	136,139
	Recalled	27	277	349	49	0	0	0	0	702
55–59	Screened	46,601	40,883	30,347	15,673	14,843	4,177	2,521	892	155,937
	Recalled	20	258	271	36	0	0	0	0	585
60–64	Screened	38,545	31,374	23,235	12,397	11,903	3,439	1,848	608	123,349
	Recalled	14	177	201	27	0	0	0	0	419
65–69	Screened	32,591	26,370	19,135	10,091	9,791	3,033	1,316	323	102,650
	Recalled	10	109	138	10	0	0	0	0	267
70–74	Screened	25,346	20,678	14,837	2,623	3,301	1,795	267	169	69,016
	Recalled	8	59	106	2	0	0	0	0	175
75–79	Screened	16,992	5,118	4,303	975	1,532	341	91	64	29,416
	Recalled	8	24	47	1	0	0	0	0	80
80–84	Screened	6,242	660	920	241	345	85	36	32	8,561
	Recalled	2	4	22	0	0	0	0	0	28
85+	Screened	1,404	93	222	33	48	13	3	3	1,819
	Recalled	0	1	4	0	0	0	0	0	5
Ages 40+	Screened	242,919	163,091	150,142	63,356	59,954	19,288	9,761	3,656	712,167
	Recalled	119	1,001	1,631	156	0	0	0	0	2,907
Ages 50–69	Screened	158,614	131,291	101,709	51,927	49,271	14,545	7,996	2,722	518,075
	Recalled	71	821	959	122	0	0	0	0	1,973

Source: BreastScreen Australia.

Table 158: Age-specific and age-standardised recall to assessment rates, other reasons only, subsequent screening rounds, states and territories, 2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	0.1	2.1	1.8	0.5	0.0	0.0	0.0	0.0	0.8
45–49	0.1	1.7	1.7	0.4	0.0	0.0	0.0	0.0	0.7
50–54	0.1	0.8	1.2	0.4	0.0	0.0	0.0	0.0	0.5
55–59	0.0	0.6	0.9	0.2	0.0	0.0	0.0	0.0	0.4
60–64	0.0	0.6	0.9	0.2	0.0	0.0	0.0	0.0	0.3
65–69	0.0	0.4	0.7	0.1	0.0	0.0	0.0	0.0	0.3
70–74	0.0	0.3	0.7	0.1	0.0	0.0	0.0	0.0	0.3
75–79	0.0	0.5	1.1	0.1	0.0	0.0	0.0	0.0	0.3
80–84	0.0	0.6	2.4	0.0	0.0	0.0	0.0	0.0	0.3
85+	0.0	1.1	1.8	0.0	0.0	0.0	0.0	0.0	0.3
Ages 40+									
Crude rate	0.0	0.6	1.1	0.2	0.0	0.0	0.0	0.0	0.4
ASR(A)	0.1	0.9	1.1	0.3	0.0	0.0	0.0	0.0	0.5
95% CI	0.0–0.1	0.8–1.0	1.1–1.2	0.2–0.3	0.0	0.0	0.0	0.0	0.4–0.5
Ages 50–69									
Crude rate	0.0	0.6	0.9	0.2	0.0	0.0	0.0	0.0	0.4
ASR(A)	0.0	0.6	1.0	0.2	0.0	0.0	0.0	0.0	0.4
95% CI	0.0–0.1	0.6–0.7	0.9–1.0	0.2–0.3	0.0	0.0	0.0	0.0	0.4–0.4

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Indicator 6: Rescreen rate

Table 159: Number of women screened during 2001 and number of those women who returned for screening within 27 months by age, first screening round, states and territories

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	13,614	4,369	9,697	2,505	2,141	810	567	308	34,011
	Returned	7,092	650	6,928	1,439	1,220	605	267	157	18,358
45–49	Screened	10,752	5,192	6,225	2,943	2,251	656	604	281	28,904
	Returned	5,549	2,025	4,368	1,783	1,373	473	299	135	16,005
50–54	Screened	13,275	12,946	6,971	4,529	4,261	720	672	353	43,727
	Returned	7,240	8,962	4,947	2,864	2,935	533	322	168	27,971
55–59	Screened	5,814	4,477	3,291	1,211	835	276	196	132	16,232
	Returned	3,185	2,759	2,356	714	512	189	94	42	9,851
60–64	Screened	4,364	3,602	2,279	873	411	205	107	63	11,904
	Returned	2,463	2,334	1,700	542	261	154	53	25	7,532
65–69	Screened	3,117	2,931	1,606	569	317	135	72	40	8,787
	Returned	1,696	1,863	1,199	274	141	99	24	15	5,311
70–74	Screened	1,895	1,187	921	232	171	60	33	19	4,518
	Returned	1,037	658	570	34	22	27	3	5	2,356
75–79	Screened	1,308	540	577	178	164	70	24	12	2,873
	Returned	647	46	89	29	30	10	4	1	856
80–84	Screened	556	220	200	65	59	15	7	7	1,129
	Returned	257	14	23	5	8	1	1	4	313
85+	Screened	143	75	60	26	23	7	3	0	337
	Returned	41	2	6	2	3	0	0	0	54
Ages 40+	Screened	54,838	35,539	31,827	13,131	10,633	2,954	2,285	1,215	152,422
	Returned	29,207	19,313	22,186	7,686	6,505	2,091	1,067	552	88,607
Ages 50–67	Screened	25,476	22,917	13,567	6,972	5,706	1,336	1,026	577	77,577
	Returned	14,033	15,277	9,784	4,358	3,833	975	491	247	48,998

Source: BreastScreen Australia.

Table 160: Age-specific and age-standardised rescreen rates for women screened during 2001, first screening round, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	52.1	14.9	71.4	57.4	57.0	74.7	47.1	51.0	54.0
45–49	51.6	39.0	70.2	60.6	61.0	72.1	49.5	48.0	55.4
50–54	54.5	69.2	71.0	63.2	68.9	74.0	47.9	47.6	64.0
55–59	54.8	61.6	71.6	59.0	61.3	68.5	48.0	31.8	60.7
60–64	56.4	64.8	74.6	62.1	63.5	75.1	49.5	39.7	63.3
65–69	54.4	63.6	74.7	48.2	44.5	73.3	33.3	37.5	60.4
70–74	54.7	55.4	61.9	14.7	12.9	45.0	9.1	26.3	52.1
75–79	49.5	8.5	15.4	16.3	18.3	14.3	16.7	8.3	29.8
80–84	46.2	6.4	11.5	7.7	13.6	6.7	14.3	57.1	27.7
85+	28.7	2.7	10.0	7.7	13.0	0.0	0.0	..	16.0
Ages 40+									
Crude rate	53.3	54.3	69.7	58.5	61.2	70.8	46.7	45.4	58.1
ASR(A)	54.0	54.7	68.9	53.5	54.8	68.0	41.8	39.7	58.5
95% CI	53.3–54.8	53.8–55.5	67.8–70.1	52.0–55.0	52.9–56.8	64.2–71.8	38.3–45.5	35.1–44.6	58.1–59.0
Ages 50–67									
Crude rate	55.1	66.7	72.1	62.5	67.2	73.0	47.9	42.8	63.2
ASR(A)	55.3	65.4	72.7	62.2	64.7	72.6	47.7	40.5	62.9
95% CI	54.4–56.3	64.3–66.6	71.2–74.2	60.0–64.4	61.8–67.6	67.8–77.7	42.7–53.1	34.6–46.9	62.2–63.5

.. Not applicable—no women in this age group were screened in 2001.

Note: Rates are the number of women attending for rescreening as a percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 161: Number of women screened during 2000 and number of those women who returned for screening within 27 months by age, first screening round, states and territories

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	12,586	4,503	9,192	2,246	2,337	755	525	235	32,379
	Returned	7,771	696	6,360	1,278	1,307	532	233	129	18,306
45–49	Screened	10,342	5,493	6,394	2,937	2,489	586	583	238	29,062
	Returned	6,346	2,262	4,280	1,778	1,565	380	291	143	17,045
50–54	Screened	12,156	12,300	8,439	3,199	5,184	792	656	444	43,170
	Returned	7,666	8,670	5,784	1,864	3,561	543	370	252	28,710
55–59	Screened	5,179	3,147	4,269	915	1,092	339	198	117	15,256
	Returned	3,204	2,061	3,042	542	698	224	118	59	9,948
60–64	Screened	3,986	2,434	3,136	702	628	221	126	55	11,288
	Returned	2,516	1,645	2,300	448	430	153	69	24	7,585
65–69	Screened	2,822	1,733	2,414	450	523	154	82	29	8,207
	Returned	1,763	1,125	1,767	217	224	111	33	14	5,254
70–74	Screened	1,734	850	1,291	232	242	78	41	15	4,483
	Returned	1,079	471	764	50	41	46	6	2	2,459
75–79	Screened	1,242	605	745	169	240	59	23	7	3,090
	Returned	733	41	98	23	40	11	2	3	951
80–84	Screened	457	224	234	46	65	17	11	2	1,056
	Returned	240	11	28	3	6	2	1	1	292
85+	Screened	128	56	78	9	13	10	6	1	301
	Returned	44	2	12	0	0	0	0	1	59
Ages 40+	Screened	50,632	31,345	36,192	10,905	12,813	3,011	2,251	1,143	148,292
	Returned	31,362	16,984	24,435	6,203	7,872	2,002	1,123	628	90,609
Ages 50–67	Screened	23,140	19,025	17,353	5,103	7,217	1,506	1,038	639	75,021
	Returned	14,527	13,121	12,241	3,032	4,882	1,031	586	344	49,764

Note: Rates are the number of women attending for rescreening as a percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 162: Age-specific and age-standardised rescreen rates for women screened during 2000, first screening round, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	61.7	15.5	69.2	56.9	55.9	70.5	44.4	54.9	56.5
45–49	61.4	41.2	66.9	60.5	62.9	64.8	49.9	60.1	58.7
50–54	63.1	70.5	68.5	58.3	68.7	68.6	56.4	56.8	66.5
55–59	61.9	65.5	71.3	59.2	63.9	66.1	59.6	50.4	65.2
60–64	63.1	67.6	73.3	63.8	68.5	69.2	54.8	43.6	67.2
65–69	62.5	64.9	73.2	48.2	42.8	72.1	40.2	48.3	64.0
70–74	62.2	55.4	59.2	21.6	16.9	59.0	14.6	13.3	54.9
75–79	59.0	6.8	13.2	13.6	16.7	18.6	8.7	42.9	30.8
80–84	52.5	4.9	12.0	6.5	9.2	11.8	9.1	50.0	27.7
85+	34.4	3.6	15.4	0.0	0.0	0.0	0.0	100.0	19.6
Ages 40+									
Crude rate	61.9	54.2	67.5	56.9	61.4	66.5	49.9	54.9	61.1
ASR(A)	62.1	56.4	67.1	53.1	56.2	65.4	47.4	48.9	61.8
95% CI	61.3–63.0	55.4–57.5	66.1–68.1	51.4–54.9	54.5–57.8	61.9–69.0	43.7–51.2	43.3–54.8	61.3–62.3
Ages 50–67									
Crude rate	62.8	69.0	70.5	59.4	67.6	68.5	56.5	53.8	66.3
ASR(A)	62.7	67.7	71.1	60.3	66.4	68.5	56.1	49.6	66.3
95% CI	61.6–63.8	66.3–69.1	69.8–72.5	57.9–62.9	64.0–68.9	64.1–73.1	50.9–61.6	42.9–56.8	65.6–66.9

Note: Rates are the number of women attending for rescreening as a percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 163: Number of women screened during 2001 and number of those women who returned for screening within 27 months by age, second screening round, states and territories

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	7,215	915	5,409	1,174	1,013	426	241	101	16,494
	Returned	4,520	330	4,356	808	735	345	149	65	11,308
45–49	Screened	10,152	2,803	6,700	2,394	1,906	647	471	183	25,256
	Returned	6,230	1,499	5,267	1,646	1,405	513	283	100	16,943
50–54	Screened	12,848	15,915	8,660	3,581	4,706	849	713	372	47,644
	Returned	8,178	12,320	6,843	2,438	3,674	668	412	242	34,775
55–59	Screened	6,772	3,662	5,694	1,755	1,919	455	271	137	20,665
	Returned	4,130	2,566	4,602	1,141	1,437	360	159	77	14,472
60–64	Screened	4,927	2,539	4,065	1,159	963	296	161	82	14,192
	Returned	3,189	1,879	3,370	779	712	230	95	54	10,308
65–69	Screened	3,754	1,729	3,238	851	688	214	85	48	10,607
	Returned	2,309	1,278	2,641	410	359	171	33	25	7,226
70–74	Screened	2,404	1,093	2,070	259	196	102	33	25	6,182
	Returned	1,415	638	1,444	63	46	51	5	14	3,676
75–79	Screened	1,604	410	921	189	224	71	25	7	3,451
	Returned	871	44	138	38	53	20	0	2	1,166
80–84	Screened	627	218	279	52	72	22	8	6	1,284
	Returned	280	19	35	12	15	7	0	2	370
85+	Screened	156	59	89	13	15	4	2	1	339
	Returned	45	6	11	0	0	1	0	0	63
Ages 40+	Screened	50,459	29,343	37,125	11,427	11,702	3,086	2,010	962	146,114
	Returned	31,167	20,579	28,707	7,335	8,436	2,366	1,136	581	100,307
Ages 50–67	Screened	26,915	23,225	20,394	7,030	8,028	1,814	1,194	628	89,228
	Returned	16,995	17,595	16,452	4,697	6,137	1,429	694	396	64,395

Note: Rates are the number of women attending for rescreening as a percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 164: Age-specific and age-standardised rescreen rates in women screened during 2001, second screening round, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	62.6	36.1	80.5	68.8	72.6	81.0	61.8	64.4	68.6
45–49	61.4	53.5	78.6	68.8	73.7	79.3	60.1	54.6	67.1
50–54	63.7	77.4	79.0	68.1	78.1	78.7	57.8	65.1	73.0
55–59	61.0	70.1	80.8	65.0	74.9	79.1	58.7	56.2	70.0
60–64	64.7	74.0	82.9	67.2	73.9	77.7	59.0	65.9	72.6
65–69	61.5	73.9	81.6	48.2	52.2	79.9	38.8	52.1	68.1
70–74	58.9	58.4	69.8	24.3	23.5	50.0	15.2	56.0	59.5
75–79	54.3	10.7	15.0	20.1	23.7	28.2	0.0	28.6	33.8
80–84	44.7	8.7	12.5	23.1	20.8	31.8	0.0	33.3	28.8
85+	28.8	10.2	12.4	0.0	0.0	25.0	0.0	0.0	18.6
Ages 40+									
Crude rate	61.8	70.1	77.3	64.2	72.1	76.7	56.5	60.4	68.6
ASR(A)	61.8	64.5	76.9	59.3	65.7	74.6	50.3	58.3	67.9
95% CI	61.0–62.5	63.4–65.6	75.9–77.8	57.9–60.9	64.1–67.3	71.3–78.0	46.8–54.0	52.7–64.3	67.4–68.3
Ages 50–67									
Crude rate	63.1	75.8	80.7	66.8	76.4	78.8	58.1	63.1	72.2
ASR(A)	63.1	74.2	80.9	66.4	75.3	78.7	58.2	62.4	71.9
95% CI	62.1–64.1	72.8–75.6	79.7–82.2	64.4–68.5	73.2–77.5	74.6–83.1	53.3–63.5	55.6–69.7	71.3–72.5

Note: Rates are the number of women attending for rescreening as a percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 165: Number of women screened during 2000 and number of those women who returned for screening within 27 months by age, second screening round, states and territories

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	8,014	939	5,641	1,092	1,015	602	238	104	17,645
	Returned	5,870	346	4,430	787	765	493	152	73	12,916
45–49	Screened	11,133	3,105	7,335	2,529	2,070	901	478	213	27,764
	Returned	7,946	1,574	5,679	1,800	1,588	699	313	149	19,748
50–54	Screened	14,595	17,935	11,191	3,867	4,636	1,244	803	476	54,747
	Returned	10,590	14,132	8,840	2,719	3,730	973	544	320	41,848
55–59	Screened	8,010	4,338	8,415	1,887	1,913	648	268	263	25,742
	Returned	5,660	3,151	6,733	1,273	1,495	499	152	155	19,118
60–64	Screened	6,095	2,862	6,316	1,403	1,086	405	180	124	18,471
	Returned	4,485	2,133	5,183	1,000	824	298	110	83	14,116
65–69	Screened	4,614	2,107	5,254	972	856	336	108	92	14,339
	Returned	3,318	1,550	4,236	491	482	263	50	55	10,445
70–74	Screened	3,331	1,428	3,392	333	310	96	36	53	8,979
	Returned	2,268	883	2,327	74	93	57	5	30	5,737
75–79	Screened	2,026	538	1,239	214	311	72	32	21	4,453
	Returned	1,335	71	183	40	86	15	6	14	1,750
80–84	Screened	646	223	387	41	85	19	7	5	1,413
	Returned	389	27	48	9	17	4	1	3	498
85+	Screened	141	41	121	9	10	3	0	1	326
	Returned	54	4	7	2	1	0	0	0	68
Ages 40+	Screened	58,605	33,516	49,291	12,347	12,292	4,326	2,150	1,352	173,879
	Returned	41,915	23,871	37,666	8,195	9,081	3,301	1,333	882	126,244
Ages 50–67	Screened	31,577	26,465	29,037	7,755	8,189	2,633	1,318	922	107,896
	Returned	22,812	20,398	23,276	5,406	6,461	2,033	848	595	81,829

Note: Rates are the number of women attending for rescreening as a percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 166: Age-specific and age-standardised rescreen rates in women screened during 2000, second screening round, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	73.2	36.8	78.5	72.1	75.4	81.9	63.9	70.2	73.2
45–49	71.4	50.7	77.4	71.2	76.7	77.6	65.5	70.0	71.1
50–54	72.6	78.8	79.0	70.3	80.5	78.2	67.7	67.2	76.4
55–59	70.7	72.6	80.0	67.5	78.1	77.0	56.7	58.9	74.3
60–64	73.6	74.5	82.1	71.3	75.9	73.6	61.1	66.9	76.4
65–69	71.9	73.6	80.6	50.5	56.3	78.3	46.3	59.8	72.8
70–74	68.1	61.8	68.6	22.2	30.0	59.4	13.9	56.6	63.9
75–79	65.9	13.2	14.8	18.7	27.7	20.8	18.8	66.7	39.3
80–84	60.2	12.1	12.4	22.0	20.0	21.1	14.3	60.0	35.2
85+	38.3	9.8	5.8	22.2	10.0	0.0	..	0.0	20.9
Ages 40+									
Crude rate	71.5	71.2	76.4	66.4	73.9	76.3	62.0	65.2	72.6
ASR(A)	71.5	65.4	76.1	61.5	68.9	73.6	54.9	64.3	72.0
95% CI	70.7–72.2	64.3–66.4	75.3–76.8	60.1–63.0	67.3–70.5	70.7–76.5	51.4–58.5	59.7–69.1	71.6–72.4
Ages 50–67									
Crude rate	72.2	77.1	80.2	69.7	78.9	77.2	64.3	64.5	75.8
ASR(A)	72.2	75.4	80.3	69.6	77.9	76.8	62.4	64.3	75.7
95% CI	71.3–73.2	74.1–76.7	79.2–81.3	67.7–71.6	75.8–80.1	73.3–80.3	57.6–67.5	58.7–70.2	75.2–76.3

.. Not applicable—no women in this age group were screened in 2000.

Note: Rates are the number of women attending for rescreening as a percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 167: Number of women screened during 2001 and number of those women who returned for screening within 27 months by age, third and subsequent screening rounds, states and territories

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	2,340	125	1,958	401	290	152	75	34	5,375
	Returned	1,760	77	1,716	346	242	126	62	25	4,354
45–49	Screened	17,339	2,052	12,142	3,352	2,582	1,545	782	260	40,054
	Returned	12,274	1,390	10,407	2,712	2,165	1,313	563	198	31,022
50–54	Screened	29,479	17,165	18,636	9,653	8,039	2,890	1,848	453	88,163
	Returned	21,607	14,454	16,277	7,789	6,937	2,522	1,328	355	71,269
55–59	Screened	36,798	32,005	19,591	11,473	11,711	3,239	1,989	621	117,427
	Returned	27,191	27,109	17,381	9,388	10,238	2,849	1,460	473	96,089
60–64	Screened	32,933	25,973	16,440	10,190	10,954	2,955	1,544	380	101,369
	Returned	24,712	22,309	14,674	8,540	9,650	2,653	1,166	303	84,007
65–69	Screened	28,526	21,577	13,560	8,319	8,882	2,526	1,140	185	84,715
	Returned	20,960	18,311	12,052	5,283	5,979	2,229	639	135	65,588
70–74	Screened	24,322	18,575	11,323	2,197	3,210	978	229	111	60,945
	Returned	16,874	12,776	8,569	1,004	1,620	742	61	91	41,737
75–79	Screened	14,446	4,650	4,908	706	1,062	209	81	38	26,100
	Returned	9,444	748	1,136	323	491	92	31	23	12,288
80–84	Screened	4,586	421	1,615	142	227	38	26	18	7,073
	Returned	2,648	115	334	60	86	18	4	5	3,270
85+	Screened	982	82	331	29	21	3	1	1	1,450
	Returned	430	19	68	8	7	2	1	0	535
Ages 40+	Screened	191,751	122,625	100,504	46,462	46,978	14,535	7,715	2,101	532,671
	Returned	137,900	97,308	82,614	35,453	37,415	12,546	5,315	1,608	410,159
Ages 50–67	Screened	116,782	88,466	63,202	36,453	36,201	11,610	6,103	1,579	360,396
	Returned	86,739	75,281	55,947	29,976	31,625	10,253	4,487	1,221	295,529

Source: BreastScreen Australia.

Table 168: Age-specific and age-standardised rescreen rates in women screened during 2001, third and subsequent screening rounds, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	75.2	61.6	87.6	86.3	83.4	82.9	82.7	73.5	81.0
45–49	70.8	67.7	85.7	80.9	83.8	85.0	72.0	76.2	77.5
50–54	73.3	84.2	87.3	80.7	86.3	87.3	71.9	78.4	80.8
55–59	73.9	84.7	88.7	81.8	87.4	88.0	73.4	76.2	81.8
60–64	75.0	85.9	89.3	83.8	88.1	89.8	75.5	79.7	82.9
65–69	73.5	84.9	88.9	63.5	67.3	88.2	56.1	73.0	77.4
70–74	69.4	68.8	75.7	45.7	50.5	75.9	26.6	82.0	68.5
75–79	65.4	16.1	23.1	45.8	46.2	44.0	38.3	60.5	47.1
80–84	57.7	27.3	20.7	42.3	37.9	47.4	15.4	27.8	46.2
85+	43.8	23.2	20.5	27.6	33.3	66.7	100.0	0.0	36.9
Ages 40+									
Crude rate	71.9	79.4	82.2	76.3	79.6	86.3	68.9	76.5	77.0
ASR(A)	72.8	76.8	84.2	75.2	79.0	84.6	66.3	76.0	78.0
95% CI	72.3–73.2	75.5–78.0	83.6–84.9	74.1–76.2	77.9–80.2	82.8–86.4	63.9–68.7	71.7–80.4	77.7–78.3
Ages 50–67									
Crude rate	74.3	85.1	88.5	82.2	87.4	88.3	73.5	77.3	82.0
ASR(A)	74.1	84.9	88.4	82.0	87.2	88.2	73.4	77.3	81.8
95% CI	73.6–74.6	84.3–85.6	87.7–89.2	81.1–83.0	86.2–88.2	86.4–90.0	71.3–75.6	72.8–81.9	81.5–82.1

Note: Rates are the number of women attending for rescreening as a percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 169: Number of women screened during 2000 and number of those women who returned for screening within 27 months by age, third and subsequent screening rounds, states and territories

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	1,962	132	1,726	396	228	219	60	37	4,760
	Returned	1,591	74	1,474	337	191	182	53	29	3,931
45–49	Screened	15,567	2,038	10,387	2,622	2,385	1,775	906	224	35,904
	Returned	12,318	1,385	8,787	2,131	2,006	1,486	618	181	28,912
50–54	Screened	25,618	13,787	14,720	9,382	6,990	2,988	1,713	341	75,539
	Returned	20,720	11,516	12,614	7,531	6,110	2,527	1,283	272	62,573
55–59	Screened	32,329	26,086	14,629	10,099	9,197	3,056	1,837	331	97,564
	Returned	26,424	22,339	12,775	8,268	8,112	2,607	1,389	259	82,173
60–64	Screened	29,089	24,702	12,354	9,205	9,035	2,826	1,273	188	88,672
	Returned	24,073	21,478	10,879	7,724	8,104	2,430	996	148	75,832
65–69	Screened	25,242	21,337	10,108	7,637	7,537	2,331	864	102	75,158
	Returned	20,658	18,215	8,803	4,924	5,228	1,980	483	83	60,374
70–74	Screened	21,594	18,409	8,385	1,934	2,850	520	208	79	53,979
	Returned	17,245	12,800	6,189	918	1,551	391	59	56	39,209
75–79	Screened	11,241	4,287	4,293	598	780	147	59	28	21,433
	Returned	8,522	700	906	300	400	69	20	20	10,937
80–84	Screened	3,207	380	1,354	124	147	23	6	14	5,255
	Returned	2,127	103	252	58	66	7	1	11	2,625
85+	Screened	718	61	300	19	22	6	4	0	1,130
	Returned	353	10	50	7	8	1	0	0	429
Ages 40+	Screened	166,567	111,219	78,256	42,016	39,171	13,891	6,930	1,344	459,394
	Returned	134,031	88,620	62,729	32,198	31,776	11,680	4,902	1,059	366,995
Ages 50–67	Screened	102,246	77,609	47,956	33,425	29,873	11,201	5,382	923	308,615
	Returned	83,847	66,556	41,769	27,446	26,470	9,544	4,079	735	260,446

Source: BreastScreen Australia.

Table 170: Age-specific and age-standardised rescreen rates in women screened during 2000, third and subsequent screening rounds, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	81.1	56.1	85.4	85.1	83.8	83.1	88.3	78.4	82.6
45–49	79.1	68.0	84.6	81.3	84.1	83.7	68.2	80.8	80.5
50–54	80.9	83.5	85.7	80.3	87.4	84.6	74.9	79.8	82.8
55–59	81.7	85.6	87.3	81.9	88.2	85.3	75.6	78.2	84.2
60–64	82.8	86.9	88.1	83.9	89.7	86.0	78.2	78.7	85.5
65–69	81.8	85.4	87.1	64.5	69.4	84.9	55.9	81.4	80.3
70–74	79.9	69.5	73.8	47.5	54.4	75.2	28.4	70.9	72.6
75–79	75.8	16.3	21.1	50.2	51.3	46.9	33.9	71.4	51.0
80–84	66.3	27.1	18.6	46.8	44.9	30.4	16.7	78.6	50.0
85+	49.2	16.4	16.7	36.8	36.4	16.7	0.0	..	38.0
Ages 40+									
Crude rate	80.5	79.7	80.2	76.6	81.1	84.1	70.7	78.8	79.9
ASR(A)	80.8	76.6	82.7	75.5	80.5	82.2	67.5	78.4	80.6
95% CI	80.3–81.3	75.4–77.8	82.0–83.4	74.4–76.6	79.2–81.8	80.5–84.0	64.9–70.2	73.3–83.7	80.3–81.0
Ages 50–67									
Crude rate	82.0	85.8	87.1	82.1	88.6	85.2	75.8	79.6	84.4
ASR(A)	81.8	85.3	87.0	81.9	88.4	85.2	75.7	80.3	84.2
95% CI	81.3–82.4	84.6–86.0	86.2–87.9	80.9–82.9	87.3–89.5	83.4–86.9	73.4–78.1	74.3–86.5	83.8–84.5

.. Not applicable—no women in this age group were screened in 2000.

Note: Rates are the number of women attending for rescreening as a percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Indicator 7a: Incidence of breast cancer

Table 171: Number of new cases of breast cancer in women by age, Australia, 1988–2002

Age group	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
0–4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5–9	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
10–14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
15–19	0	0	0	0	0	0	0	1	0	2	3	0	2	0	1
20–24	7	8	4	10	6	13	7	8	6	13	14	11	5	9	7
25–29	47	44	53	51	46	58	57	56	42	50	50	50	54	44	54
30–34	161	157	204	182	180	169	197	199	194	173	198	185	186	172	199
35–39	344	369	340	398	378	412	394	398	424	444	418	435	437	448	433
40–44	653	652	669	719	715	778	770	750	759	755	847	821	840	910	892
45–49	672	751	829	851	1,013	1,030	1,136	1,235	1,182	1,160	1,160	1,149	1,269	1,224	1,313
50–54	633	723	788	853	858	978	1,106	1,241	1,182	1,324	1,466	1,500	1,562	1,650	1,645
55–59	632	681	688	806	819	927	1,035	1,144	1,123	1,179	1,264	1,294	1,424	1,534	1,646
60–64	849	885	823	886	787	972	1,101	1,066	1,017	1,079	1,140	1,244	1,334	1,438	1,402
65–69	767	828	858	951	931	1,000	1,216	1,095	1,063	1,077	1,136	1,093	1,119	1,171	1,286
70–74	697	711	753	790	778	899	1,017	1,009	984	1,033	1,056	988	1,098	1,109	1,036
75–79	575	625	635	672	654	693	782	849	741	866	884	832	899	895	923
80–84	383	397	425	487	491	466	527	579	571	574	590	555	583	611	620
85+	299	326	336	371	366	394	377	417	434	446	493	491	521	561	570
All ages	6,719	7,157	7,405	8,027	8,022	8,789	9,722	10,048	9,722	10,175	10,719	10,648	11,333	11,776	12,027
Ages 50–69	2,881	3,117	3,157	3,496	3,395	3,877	4,458	4,546	4,385	4,659	5,006	5,131	5,439	5,793	5,979

Source: AIHW National Cancer Statistics Clearing House.

Table 172: Age-specific and age-standardised incidence rates for breast cancer in women, Australia, 1988–2002

Age group	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
0–4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5–9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10–14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15–19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.5	0.0	0.3	0.0	0.2
20–24	1.1	1.2	0.6	1.5	0.9	1.8	1.0	1.1	0.9	1.9	2.1	1.7	0.8	1.4	1.1
25–29	6.8	6.2	7.5	7.3	6.7	8.5	8.4	8.1	5.9	6.9	6.8	6.8	7.4	6.2	7.9
30–34	24.4	23.2	29.4	25.6	24.8	23.1	26.8	27.2	26.8	24.2	27.9	26.0	25.9	23.3	26.3
35–39	54.2	57.1	51.8	59.9	55.8	59.9	56.5	55.9	58.1	59.8	55.6	57.4	57.8	59.7	58.4
40–44	114.6	109.4	108.1	112.5	111.4	120.2	117.2	112.3	111.8	109.2	120.6	114.9	115.2	122.2	117.3
45–49	154.4	164.7	173.2	169.3	188.1	179.8	190.6	200.3	184.8	180.5	177.5	172.7	188.2	179.1	189.4
50–54	167.7	185.8	196.6	206.5	202.2	225.4	244.1	260.7	237.6	246.5	256.0	250.9	250.7	254.5	253.0
55–59	173.9	188.6	191.6	224.7	223.5	246.7	268.4	289.2	275.6	279.9	291.6	285.9	300.7	309.3	307.4
60–64	229.4	238.8	222.0	239.4	215.5	270.3	308.5	298.8	285.1	296.7	306.1	323.8	336.1	352.4	333.9
65–69	232.9	241.5	246.2	270.7	263.8	281.4	343.0	309.2	299.7	305.7	325.5	315.8	324.3	337.5	361.9
70–74	260.5	267.5	278.2	279.9	265.9	296.2	320.5	312.4	300.9	314.3	319.0	296.4	329.1	331.2	311.2
75–79	279.3	291.0	287.7	298.0	285.5	301.3	343.3	363.8	303.9	337.7	328.9	296.2	312.4	306.5	313.2
80–84	296.8	296.7	305.0	334.9	324.2	294.4	315.2	335.8	323.3	319.1	324.1	303.2	306.8	302.8	293.2
85+	299.6	315.9	318.2	337.2	316.5	323.4	295.7	310.4	306.5	298.6	314.5	295.6	297.5	306.0	299.1
All ages															
Crude rate	81.1	84.9	86.6	92.6	91.4	99.1	108.4	110.7	105.6	109.2	113.8	111.7	117.5	120.4	121.6
ASR	89.5	93.3	94.7	100.2	98.1	105.3	113.9	115.6	109.0	111.3	114.5	111.2	115.5	117.1	116.8
Ages 50–69															
Crude rate	200.0	213.0	213.4	234.1	225.0	254.3	287.6	287.3	271.3	278.3	289.8	288.1	295.8	305.0	304.9
ASR	194.3	207.9	209.6	229.9	221.7	250.7	282.1	285.1	269.0	276.7	288.6	287.5	295.5	305.0	304.3

Note: Rates are the number of cases of invasive cancers per 100,000 women and age-standardised to the Australian population at 30 June 2001.

Source: AIHW National Cancer Statistics Clearing House.

Table 173: Number of new cases of breast cancer in women by age, states and territories, 1998–2002

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
0–4	0	0	0	0	0	0	0	0	0
5–9	0	0	0	0	0	0	0	0	0
10–14	0	0	0	0	0	0	0	0	0
15–19	1	1	2	2	0	0	0	0	6
20–24	20	10	6	5	5	0	0	0	46
25–29	73	89	44	20	15	4	3	4	252
30–34	311	244	151	106	76	29	17	6	940
35–39	743	542	399	219	172	44	36	16	2,171
40–44	1,493	1,084	785	386	343	102	80	37	4,310
45–49	1,978	1,521	1,188	608	505	152	118	45	6,115
50–54	2,544	1,922	1,410	779	731	202	181	54	7,823
55–59	2,443	1,699	1,369	672	627	180	134	38	7,162
60–64	2,160	1,616	1,280	617	588	175	95	27	6,558
65–69	1,931	1,489	1,061	553	544	133	81	13	5,805
70–74	1,916	1,435	955	369	394	147	56	15	5,287
75–79	1,566	1,178	735	371	413	109	51	10	4,433
80–84	1,016	770	537	253	276	68	34	5	2,959
85+	893	711	452	226	263	64	21	6	2,636
All ages	19,088	14,311	10,374	5,186	4,952	1,409	907	276	56,503
Ages 50–69	9,078	6,726	5,120	2,621	2,490	690	491	132	27,348

Source: AIHW National Cancer Statistics Clearing House.

Table 174: Age-specific and age-standardised incidence rates for breast cancer in women, states and territories, 1998–2002

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
0–4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5–9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10–14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15–19	0.1	0.1	0.3	0.6	0.0	0.0	0.0	0.0	0.2
20–24	1.9	1.2	1.0	1.6	2.1	0.0	0.0	0.0	1.4
25–29	6.0	9.8	6.6	5.8	5.9	5.2	4.5	8.7	7.0
30–34	25.5	26.1	22.6	29.8	28.3	35.5	26.8	13.6	25.9
35–39	58.5	57.8	57.2	58.9	59.7	48.6	56.1	39.3	57.7
40–44	121.7	120.0	116.1	105.3	119.6	112.0	126.0	101.8	118.1
45–49	176.2	182.6	190.1	178.6	186.6	179.8	191.7	142.2	181.5
50–54	246.4	250.5	243.7	260.2	286.9	258.5	324.0	211.9	253.0
55–59	300.2	286.2	306.9	301.2	316.6	288.3	356.5	236.7	299.5
60–64	315.4	321.4	361.5	337.4	351.8	329.7	356.0	274.2	331.0
65–69	315.3	331.5	352.6	357.2	359.1	284.8	390.4	209.5	333.1
70–74	323.7	332.0	338.4	263.8	258.2	334.5	301.6	342.8	317.4
75–79	308.9	318.3	308.5	319.9	304.4	283.9	320.3	347.9	311.3
80–84	292.9	310.6	327.7	322.3	299.1	251.4	337.8	270.6	305.6
85+	291.5	308.9	315.3	301.6	311.3	275.7	262.3	422.8	302.3
All ages									
Crude rate	116.8	118.9	116.0	110.9	130.2	117.8	113.7	59.6	117.1
ASR(A)	113.0	115.0	118.1	114.6	118.6	110.8	126.5	98.8	115.0
95% CI	111.4–114.6	113.1–116.9	115.8–120.4	111.5–117.8	115.3–122.0	105.1–116.8	118.3–135.2	85.6–113.3	114.1–116.0
Ages 50–69									
Crude rate	288.8	290.8	304.8	304.7	322.8	287.1	348.5	229.2	297.0
ASR(A)	287.8	289.7	305.3	305.0	321.7	286.4	351.4	231.5	296.5
95% CI	281.9–293.8	282.9–296.8	297.0–313.8	293.5–316.9	309.1–334.6	265.4–308.7	320.7–384.2	192.2–276.1	292.9–300.0

Note: Rates are the number of cases of invasive cancers per 100,000 women and age-standardised to the Australian population at 30 June 2001.

Source: AIHW National Cancer Statistics Clearing House.

Table 175: Number of new cases of breast cancer in women by age, states and territories, 1993–1997

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
0–4	0	0	0	0	0	0	0	0	0
5–9	0	1	0	0	0	0	0	0	1
10–14	0	0	0	0	0	0	0	0	0
15–19	0	1	0	1	1	0	0	0	3
20–24	20	8	11	5	2	1	0	0	47
25–29	91	70	42	26	19	9	5	1	263
30–34	303	235	178	83	80	28	19	6	932
35–39	670	524	394	216	151	59	34	24	2,072
40–44	1,319	973	617	384	319	95	71	34	3,812
45–49	1,972	1,415	1,075	532	450	141	112	46	5,743
50–54	2,015	1,499	999	498	522	161	105	32	5,831
55–59	1,856	1,430	872	506	485	156	77	26	5,408
60–64	1,878	1,410	827	480	436	126	65	13	5,235
65–69	1,969	1,471	814	476	514	142	55	10	5,451
70–74	1,715	1,354	856	404	430	114	63	6	4,942
75–79	1,372	1,036	662	329	384	108	36	4	3,931
80–84	919	775	448	225	265	64	20	1	2,717
85+	676	575	363	196	193	49	15	1	2,068
All ages	16,775	12,777	8,158	4,361	4,251	1,253	677	204	48,456
Ages 50–69	7,718	5,810	3,512	1,960	1,957	585	302	81	21,925

Source: AIHW National Cancer Statistics Clearing House.

Table 176: Age-specific and age-standardised incidence rates for breast cancer in women, states and territories, 1993–1997

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
0–4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5–9	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10–14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15–19	0.0	0.1	0.0	0.3	0.4	0.0	0.0	0.0	0.1
20–24	1.7	0.9	1.7	1.5	0.8	1.2	0.0	0.0	1.3
25–29	7.8	7.8	6.7	7.8	7.1	10.8	7.8	2.3	7.6
30–34	24.6	25.6	27.6	23.6	27.8	30.3	29.4	14.4	25.6
35–39	55.6	58.6	62.1	61.3	52.4	62.9	52.8	64.3	58.0
40–44	117.9	116.3	103.2	115.1	116.8	109.3	112.5	105.0	114.0
45–49	191.4	184.0	193.8	180.9	176.4	177.7	191.5	174.4	187.2
50–54	245.7	248.8	231.2	224.4	261.3	255.4	260.8	180.7	243.2
55–59	269.3	281.1	253.6	278.4	286.8	290.3	272.0	236.1	272.4
60–64	296.6	302.6	274.2	304.9	276.9	257.2	300.0	174.9	291.9
65–69	311.0	319.6	276.2	322.5	316.2	296.9	281.3	191.8	307.8
70–74	298.6	325.0	325.6	315.6	282.1	257.4	366.3	169.3	309.0
75–79	319.5	338.2	332.9	347.5	336.2	316.6	312.2	175.0	329.9
80–84	301.7	345.7	322.6	316.3	321.4	263.6	263.7	82.6	318.0
85+	285.4	315.4	334.8	343.6	293.8	272.9	277.9	101.8	306.5
All ages									
Crude rate	108.7	111.6	100.3	101.1	114.5	104.7	88.4	48.3	106.7
ASR(A)	110.5	114.1	108.5	112.1	111.0	107.4	111.7	78.0	111.0
95% CI	108.9–112.2	112.1–116.1	106.2–110.9	108.8–115.5	107.6–114.4	101.5–113.6	103.2–120.7	66.0–91.3	110.1–112.0
Ages 50–69									
Crude rate	278.1	285.2	255.9	276.6	284.1	273.9	275.1	195.8	275.9
ASR(A)	274.6	281.6	254.4	273.6	281.2	272.4	275.9	196.1	273.0
95% CI	268.4–280.9	274.4–289.0	246.1–263.0	261.6–286.0	268.8–294.2	250.6–295.7	245.6–308.9	154.8–244.8	269.3–276.6

Note: Rates are the number of cases of invasive cancers per 100,000 women and age-standardised to the Australian population at 30 June 2001.

Source: AIHW National Cancer Statistics Clearing House.

Table 177: Number of new cases of breast cancer in women, by age and region, 1998–2002

Age group	Major cities	Inner regional	Outer regional	Remote	Very remote	Australia
0–4	0	0	0	0	0	0
5–9	0	0	0	0	0	0
10–14	0	0	0	0	0	0
15–19	4	1	1	0	0	6
20–24	37	8	1	0	0	46
25–29	176	43	24	4	5	252
30–34	673	163	84	13	7	940
35–39	1,543	405	182	32	8	2,171
40–44	2,954	849	400	79	28	4,310
45–49	4,191	1,220	582	84	38	6,115
50–54	5,362	1,601	722	94	44	7,823
55–59	4,734	1,559	759	82	29	7,162
60–64	4,265	1,525	649	95	24	6,558
65–69	3,828	1,363	543	53	18	5,805
70–74	3,491	1,269	465	39	23	5,287
75–79	2,977	1,019	388	38	11	4,433
80–84	2,020	660	250	22	7	2,959
85+	1,787	573	248	20	8	2,636
All ages	38,043	12,258	5,298	655	249	56,503
Ages 50–69	18,189	6,048	2,673	323	115	27,348

Source: AIHW National Cancer Statistics Clearing House.

Table 178: Age-specific and age-standardised incidence rates for breast cancer in women by region, 1998–2002

Age group	Major cities	Inner regional	Outer regional	Remote	Very remote	Australia
0–4	0.0	0.0	0.0	0.0	0.0	0.0
5–9	0.0	0.0	0.0	0.0	0.0	0.0
10–14	0.0	0.0	0.0	0.0	0.0	0.0
15–19	0.2	0.2	0.3	0.0	0.0	0.2
20–24	1.6	1.4	0.5	0.0	0.0	1.4
25–29	6.9	7.2	7.4	6.7	13.0	7.0
30–34	26.7	24.5	23.9	20.0	19.1	25.9
35–39	61.4	53.3	47.2	48.7	24.8	57.7
40–44	122.3	110.4	105.9	133.0	98.0	118.1
45–49	186.3	173.3	170.9	164.3	159.4	181.5
50–54	259.2	248.9	229.7	207.3	215.2	253.0
55–59	303.9	296.3	294.4	233.5	201.4	299.5
60–64	335.7	335.2	297.1	354.9	224.8	331.0
65–69	340.8	335.6	295.0	249.3	230.6	333.1
70–74	318.7	332.7	279.5	235.3	377.5	317.4
75–79	311.3	321.9	288.7	295.0	267.7	311.3
80–84	310.7	307.2	271.7	251.6	273.7	305.6
85+	302.3	303.3	303.9	261.8	304.2	302.3
All ages						
Crude rate	118.2	122.6	107.9	85.9	60.7	117.1
ASR(A)	117.3	114.1	105.4	100.7	93.8	115.0
95% CI	116.1–118.5	112.1–116.1	102.6–108.3	93.0–108.8	81.8–106.6	114.1–116.0
Ages 50–69						
Crude rate	302.1	297.8	274.3	252.1	215.6	297.0
ASR(A)	302.1	295.5	273.0	253.5	216.4	296.5
95% CI	297.7–306.5	288.1–303.1	262.8–283.6	226.6–282.8	177.6–259.1	292.9–300.0

Note: Rates are the number of cases of invasive cancers per 100,000 women and age-standardised to the Australian population at 30 June 2001.

Source: AIHW National Cancer Statistics Clearing House.

Table 179: Number of new cases of breast cancer in women, by age and region, 1993–1997

Age group	Major cities	Inner regional	Outer regional	Remote	Very remote	Australia
0–4	0	0	0	0	0	0
5–9	0	1	0	0	0	1
10–14	0	0	0	0	0	0
15–19	2	1	0	0	0	3
20–24	36	8	2	0	2	47
25–29	196	44	18	1	4	263
30–34	656	173	77	17	8	932
35–39	1,386	418	223	34	11	2,072
40–44	2,614	770	360	51	16	3,812
45–49	3,950	1,160	521	84	28	5,743
50–54	4,013	1,165	534	82	36	5,831
55–59	3,590	1,184	545	69	20	5,408
60–64	3,492	1,122	538	61	22	5,235
65–69	3,625	1,209	557	47	13	5,451
70–74	3,378	1,063	442	47	12	4,942
75–79	2,651	867	369	35	10	3,931
80–84	1,904	540	240	24	9	2,717
85+	1,442	422	183	17	4	2,068
All ages	32,937	10,147	4,609	568	195	48,456
Ages 50–69	14,721	4,681	2,174	259	91	21,925

Source: AIHW National Cancer Statistics Clearing House.

Table 180: Age-specific and age-standardised incidence rates for breast cancer in women by region, 1993–1997

Age group	Major cities	Inner regional	Outer regional	Remote	Very remote	Australia
0–4	0.0	0.0	0.0	0.0	0.0	0.0
5–9	0.0	0.1	0.0	0.0	0.0	0.0
10–14	0.0	0.0	0.0	0.0	0.0	0.0
15–19	0.1	0.1	0.0	0.0	0.0	0.1
20–24	1.4	1.3	0.5	0.0	5.3	1.3
25–29	8.0	7.4	5.3	1.4	11.2	7.6
30–34	26.8	24.8	20.4	24.1	21.1	25.6
35–39	58.8	56.9	58.7	51.3	35.6	58.0
40–44	117.1	112.7	104.5	92.1	64.2	114.1
45–49	190.2	189.8	167.9	175.1	129.0	187.2
50–54	250.5	239.3	210.0	214.8	229.8	243.2
55–59	276.3	278.8	248.2	233.1	162.4	272.4
60–64	299.7	280.2	276.8	252.0	235.7	291.9
65–69	311.2	305.2	305.2	232.6	180.5	307.8
70–74	315.2	302.8	284.6	297.0	218.7	309.0
75–79	330.3	334.3	321.8	302.6	286.5	329.9
80–84	328.4	296.7	293.2	298.7	349.4	318.0
85+	312.1	301.7	287.3	249.4	175.4	306.5
All ages						
Crude rate	109.0	109.1	97.0	74.0	48.9	106.7
ASR(A)	113.3	109.9	102.5	96.8	82.8	111.1
95% CI	112.0–114.5	107.8–112.1	99.5–105.5	88.9–105.3	70.9–96.0	110.1–112.1
Ages 50–69						
Crude rate	281.4	274.0	255.5	230.8	204.6	275.9
ASR(A)	278.8	270.4	251.5	230.8	204.4	273.0
95% CI	274.2–283.3	262.6–278.3	241.0–262.4	203.5–260.7	163.7–249.7	269.3–276.6

Note: Rates are the number of cases of invasive cancers per 100,000 women and age-standardised to the Australian population at 30 June 2001.

Source: AIHW National Cancer Statistics Clearing House.

Indicator 7b: Incidence of ductal carcinoma in situ

Table 181: Number of new cases of ductal carcinoma in situ by age, states and territories, 1997–2002

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
0–19	0	0	0	0	0	0	0	0	0
20–29	9	12	3	4	3	0	1	0	32
30–39	103	81	51	24	14	6	4	1	284
40–49	533	354	239	170	93	23	37	3	1452
50–59	797	649	409	307	218	59	49	11	2499
60–69	602	510	327	239	137	42	27	3	1887
70+ years	501	306	223	132	80	24	14	0	1280
All ages	2,545	1,912	1,252	876	545	154	132	18	7,434
Ages 50–69	1,399	1,159	736	546	355	101	76	14	4,386

Source: AIHW National Cancer Statistics Clearing House.

Table 182: Age-specific and age-standardised rates of ductal carcinoma in situ, states and territories, 1997–2002

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
0–19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20–29	0.3	0.6	0.2	0.5	0.5	0.0	0.6	0.0	0.4
30–39	3.5	3.6	3.1	2.8	2.1	2.9	2.6	1.0	3.2
40–49	19.1	17.1	15.5	20.2	14.0	11.0	24.7	3.7	17.4
50–59	36.7	40.5	34.1	50.2	40.9	35.6	44.9	22.8	38.8
60–69	38.8	44.9	42.1	59.7	35.9	35.3	48.2	16.0	42.5
70+ years	24.1	20.1	22.8	27.3	14.5	15.2	22.7	0.0	21.9
All ages									
Crude rate	13.0	13.3	11.8	15.7	12.0	10.7	13.8	3.3	12.9
ASR(A)	12.9	13.3	12.1	16.5	11.4	10.4	15.2	4.6	13.0
95% CI	12.4–13.4	12.7–13.9	11.5–12.8	15.4–17.6	10.4–12.4	8.8–12.2	12.7–18.1	2.7–7.5	12.7–13.3
Ages 50–69									
Crude rate	37.6	42.3	37.3	54.0	38.8	35.5	46.1	20.9	40.3
ASR(A)	37.5	42.2	37.3	53.9	38.9	35.5	46.2	20.1	40.3
95% CI	35.6–39.5	39.8–44.7	34.6–40.1	49.5–58.7	35.0–43.2	28.9–43.1	36.4–58.0	10.7–34.1	39.1–41.5

Note: Rates are the number of cases of DCIS per 100,000 women and age-standardised to the Australian population at 30 June 2001.

Source: AIHW National Cancer Statistics Clearing House.

Table 183: Number of new cases of ductal carcinoma in situ by age, states and territories, 1993–1998

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
0–19	0	0	1	0	0	0	0	0	1
20–29	11	9	1	4	3	0	0	0	28
30–39	85	78	44	36	18	4	3	2	270
40–49	398	324	190	126	91	29	25	8	1191
50–59	509	473	274	170	170	57	23	6	1682
60–69	416	396	214	159	132	32	14	1	1364
70+ years	328	281	152	75	88	17	11	1	953
All ages	1,747	1,561	876	570	502	139	76	18	5,489
Ages 50–69	925	869	488	329	302	89	37	7	3,046

Source: AIHW National Cancer Statistics Clearing House.

Table 184: Age-specific and age-standardised rates of ductal carcinoma in situ, states and territories, 1993–1998

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
0–19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20–29	0.4	0.4	0.1	0.5	0.5	0.0	0.0	0.0	0.3
30–39	2.9	3.6	2.8	4.2	2.6	1.8	1.9	2.1	3.1
40–49	15.3	16.7	13.6	16.5	14.3	14.4	17.1	11.1	15.3
50–59	27.5	34.7	28.5	34.1	37.6	39.9	27.0	16.7	31.2
60–69	27.4	35.6	29.7	43.1	34.5	27.5	28.0	6.4	31.8
70+ years	17.4	20.5	17.6	17.5	17.5	11.6	21.4	10.1	18.1
All ages									
Crude rate	9.4	11.3	8.9	10.9	11.2	9.7	8.2	3.5	10.0
ASR(A)	9.7	11.8	9.7	12.1	11.3	10.3	10.1	5.3	10.6
95% CI	9.2–10.2	11.2–12.4	9.1–10.4	11.1–13.2	10.3–12.3	8.7–12.2	7.9–12.7	2.8–8.9	10.3–10.9
Ages 50–69									
Crude rate	27.4	35.1	29.0	38.0	36.2	34.3	27.4	13.6	31.5
ASR(A)	27.4	35.1	29.0	37.7	36.4	35.0	27.4	12.7	31.5
95% CI	25.7–29.3	32.8–37.5	26.5–31.7	33.7–42.0	32.3–40.7	28.1–43.1	19.3–37.7	5.0–26.3	30.3–32.6

Note: Rates are the number of cases of DCIS per 100,000 women and age-standardised to the Australian population at 30 June 2001.

Source: AIHW National Cancer Statistics Clearing House.

Indicator 8: Mortality

Table 185: Number of deaths from breast cancer in women, Australia, 1989–2003

Age group	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
0–4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5–9	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
10–14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
15–19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
20–24	1	0	2	1	0	1	1	0	1	2	2	1	1	0	0
25–29	7	6	12	4	2	2	5	9	6	7	6	5	2	4	5
30–34	34	26	25	33	39	19	25	28	37	28	20	23	21	24	26
35–39	67	63	79	79	73	87	57	90	84	68	59	66	63	71	65
40–44	137	149	150	136	116	139	120	136	135	128	141	122	126	112	118
45–49	170	168	177	196	202	211	207	189	211	207	203	187	185	173	185
50–54	212	228	232	212	225	239	221	230	271	265	247	255	262	295	242
55–59	217	215	227	219	252	249	248	240	236	227	260	257	253	289	307
60–64	287	282	258	236	276	262	268	258	239	255	263	239	228	273	289
65–69	297	328	306	272	316	290	317	289	284	252	212	216	242	256	263
70–74	251	258	305	287	264	308	288	296	297	268	288	287	315	245	252
75–79	261	254	249	254	298	274	281	279	291	300	274	281	289	312	301
80–84	205	205	211	213	257	250	259	252	244	236	232	237	273	277	277
85+	238	219	229	247	268	271	280	273	273	314	298	335	325	367	383
All ages	2,384	2,401	2,462	2,389	2,589	2,602	2,577	2,569	2,609	2,557	2,505	2,511	2,585	2,698	2,713
Ages 50–69	1,013	1,053	1,023	939	1,069	1,040	1,054	1,017	1,030	999	982	967	985	1,113	1,101

Source: AIHW National Mortality Database.

Table 186: Age-specific and age-standardised mortality rates for breast cancer in women, Australia, 1989–2003

Age group	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
0–4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5–9	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10–14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15–19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20–24	0.2	0.0	0.3	0.1	0.0	0.1	0.1	0.0	0.1	0.3	0.3	0.2	0.2	0.0	0.0
25–29	1.0	0.8	1.7	0.6	0.3	0.3	0.7	1.3	0.8	1.0	0.8	0.7	0.3	0.6	0.7
30–34	5.0	3.7	3.5	4.6	5.3	2.6	3.4	3.9	5.2	3.9	2.8	3.2	2.8	3.2	3.4
35–39	10.4	9.6	11.9	11.7	10.6	12.5	8.0	12.3	11.3	9.0	7.8	8.7	8.4	9.6	8.8
40–44	23.0	24.1	23.5	21.2	17.9	21.2	18.0	20.0	19.5	18.2	19.7	16.7	16.9	14.7	15.3
45–49	37.3	35.1	35.2	36.4	35.3	35.4	33.6	29.5	32.8	31.7	30.5	27.7	27.1	25.0	26.2
50–54	54.5	56.9	56.2	50.0	51.8	52.8	46.4	46.2	50.4	46.3	41.3	40.9	40.4	45.4	36.8
55–59	60.1	59.9	63.3	59.8	67.1	64.6	62.7	58.9	56.0	52.4	57.4	54.3	51.0	54.0	53.8
60–64	77.4	76.1	69.7	64.6	76.8	73.4	75.1	72.3	65.7	68.5	68.4	60.2	55.9	65.0	67.1
65–69	86.6	94.1	87.1	77.1	88.9	81.8	89.5	81.5	80.6	72.2	61.3	62.6	69.8	72.0	71.9
70–74	94.4	95.3	108.1	98.1	87.0	97.1	89.2	90.5	90.4	80.9	86.4	86.0	94.1	73.6	76.4
75–79	121.5	115.1	110.4	110.9	129.5	120.3	120.4	114.4	113.5	111.6	97.6	97.7	99.0	105.9	100.9
80–84	153.2	147.1	145.1	140.6	162.4	149.5	150.2	142.7	135.7	129.6	126.7	124.7	135.3	131.0	125.2
85+	230.6	207.4	208.1	213.6	219.9	212.5	208.4	192.8	182.8	200.3	179.4	191.3	177.3	192.6	194.9
All ages															
Crude rate	28.3	28.1	28.4	27.2	29.2	29.0	28.4	27.9	28.0	27.2	26.3	26.0	26.4	27.3	27.1
ASR(A)	30.8	30.4	30.5	28.9	30.5	30.0	28.9	28.1	27.8	26.5	25.4	24.7	24.7	25.1	24.6
95% CI	29.6–32.1	29.2–31.6	29.3–31.7	27.7–30.0	29.3–31.7	28.9–31.2	27.8–30.1	27.0–29.2	26.8–28.9	25.5–27.6	24.4–26.4	23.7–25.7	23.8–25.7	24.2–26.1	23.7–25.6
Ages 50–69															
Crude rate	69.2	71.2	68.5	62.2	70.1	67.1	66.6	62.9	61.5	57.8	55.1	52.6	51.9	56.8	54.4
ASR(A)	66.7	68.5	66.5	60.6	67.9	65.5	64.6	61.5	60.6	57.3	55.0	52.5	51.8	56.7	54.1
95% CI	62.5–71.0	64.3–72.8	62.4–70.8	56.7–64.6	63.8–72.1	61.6–69.7	60.7–68.7	57.8–65.4	57.0–64.4	53.8–61.0	51.6–58.5	49.2–55.9	48.6–55.1	53.4–60.1	51.0–57.4

Note: Rates are the number of deaths from breast cancer per 100,000 women and age-standardised to the Australian population at 30 June 2001.

Source: AIHW National Mortality Database.

Table 187: Number of deaths from breast cancer in women by age, states and territories, 1999–2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
0–4	0	0	0	0	0	0	0	0	0
5–9	0	0	0	0	0	0	0	0	0
10–14	0	0	0	0	0	0	0	0	0
15–19	0	0	0	0	0	0	0	0	0
20–24	1	1	1	1	0	0	0	0	4
25–29	4	9	2	4	2	0	0	1	22
30–34	41	27	22	13	5	2	1	3	114
35–39	93	100	55	24	36	9	5	2	324
40–44	182	163	118	62	67	15	6	6	619
45–49	284	249	173	90	86	26	14	11	933
50–54	390	354	255	118	116	36	20	12	1,301
55–59	480	344	238	119	119	34	18	14	1,366
60–64	454	339	215	114	109	34	18	9	1,292
65–69	431	284	182	109	120	37	20	6	1,189
70–74	453	386	248	124	117	33	22	4	1,387
75–79	503	420	233	118	125	42	14	2	1,457
80–84	446	359	209	104	119	40	15	4	1,296
85+	553	485	266	160	172	54	17	1	1,708
All ages	4,315	3,520	2,217	1,160	1,193	362	170	75	13,012
Ages 50–69	1,755	1,321	890	460	464	141	76	41	5,148

Note: State refers to the state of usual residence.

Source: AIHW National Mortality Database.

Table 188: Age-specific and age-standardised mortality rates for breast cancer in women, states and territories, 1999–2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
0–4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5–9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10–14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15–19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20–24	0.1	0.1	0.2	0.3	0.0	0.0	0.0	0.0	0.1
25–29	0.3	1.0	0.3	1.2	0.8	0.0	0.0	2.2	0.6
30–34	3.3	2.8	3.2	3.6	1.9	2.5	1.6	6.7	3.1
35–39	7.4	10.7	7.9	6.5	12.7	10.2	7.9	4.9	8.7
40–44	14.6	17.7	17.0	16.6	23.1	16.3	9.4	16.3	16.6
45–49	24.9	29.5	27.1	25.9	31.6	30.4	22.8	34.0	27.3
50–54	36.9	45.0	42.6	37.9	44.6	44.9	34.9	44.9	41.0
55–59	56.1	55.0	49.8	50.3	56.9	51.7	44.6	81.2	54.0
60–64	64.8	66.0	57.8	60.1	63.9	62.2	64.4	84.9	63.3
65–69	70.1	62.8	59.3	68.8	79.2	78.8	93.2	92.4	67.6
70–74	76.8	89.6	87.2	87.6	77.6	75.2	118.0	88.0	83.3
75–79	97.4	111.0	95.5	99.1	90.7	108.4	85.0	66.2	100.2
80–84	123.9	139.1	122.1	126.9	124.1	143.8	140.2	202.1	128.6
85+	172.5	202.5	176.6	204.4	195.3	222.1	195.9	65.7	187.4
All ages									
Crude rate	26.1	28.9	24.3	24.5	31.2	30.2	21.1	16.1	26.6
ASR(A)	23.9	26.5	24.0	24.6	26.3	26.3	24.9	27.7	24.9
95% CI	23.2–24.6	25.6–27.3	23.0–25.0	23.2–26.0	24.8–27.9	23.6–29.2	21.3–29.0	20.9–35.8	24.5–25.3
Ages 50–69									
Crude rate	54.4	55.6	50.7	51.3	58.6	57.0	51.6	67.1	54.2
ASR(A)	53.9	55.4	50.8	51.5	58.2	56.5	54.2	71.6	54.0
95% CI	51.4–56.5	52.4–58.4	47.5–54.2	46.9–56.4	53.0–63.7	47.5–66.6	42.6–68.0	50.6–98.2	52.5–55.5

Notes

1. Rates are the number of deaths from breast cancer per 100,000 women and age-standardised to the Australian population at 30 June 2001.
2. State refers to the state of usual residence.

Source: AIHW National Mortality Database.

Table 189: Number of deaths from breast cancer in women by age, states and territories, 1994–1998

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
0–4	0	0	0	0	0	0	0	0	0
5–9	0	0	0	0	0	0	0	0	0
10–14	0	0	0	0	0	0	0	0	0
15–19	0	0	0	0	0	0	0	0	0
20–24	1	3	0	0	1	0	0	0	5
25–29	10	6	7	6	0	0	0	0	29
30–34	47	38	24	8	15	5	2	0	138
35–39	115	118	70	37	31	11	3	2	386
40–44	232	171	99	72	53	20	7	4	658
45–49	343	271	179	99	83	26	22	3	1,025
50–54	426	321	230	108	89	27	20	7	1,227
55–59	403	335	202	113	100	29	19	1	1,200
60–64	433	368	211	99	115	27	22	7	1,281
65–69	519	407	209	102	133	36	22	5	1,432
70–74	498	417	210	131	144	41	13	3	1,457
75–79	493	399	228	100	149	38	17	2	1,426
80–84	426	326	200	115	119	33	21	1	1,240
85+	430	409	242	132	150	34	15	1	1,412
All ages	4,374	3,589	2,110	1,120	1,181	324	181	36	12,915
Ages 50–69	1,780	1,431	852	421	436	118	82	20	5,140

Note: State refers to the state of usual residence.

Source: AIHW National Mortality Database.

Table 190: Age-specific and age-standardised mortality rates for breast cancer in women, states and territories, 1994–1998

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
0–4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5–9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10–14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15–19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20–24	0.1	0.3	0.0	0.0	0.4	0.0	0.0	0.0	0.1
25–29	0.8	0.7	1.1	1.7	0.0	0.0	0.0	0.0	0.8
30–34	3.8	4.1	3.7	2.2	5.3	5.5	3.1	0.0	3.8
35–39	9.3	13.1	10.7	10.2	10.6	11.5	4.6	5.2	10.6
40–44	20.4	20.2	16.1	21.2	19.4	22.5	11.0	11.9	19.4
45–49	32.5	34.4	31.2	32.4	31.9	31.7	36.3	10.8	32.5
50–54	49.3	50.6	49.7	45.7	42.1	40.4	45.5	36.0	48.4
55–59	57.1	64.4	56.0	59.8	57.8	52.1	63.1	8.5	58.7
60–64	68.2	78.6	69.1	61.5	72.9	54.2	97.1	88.5	70.9
65–69	82.4	89.0	70.6	68.3	83.1	74.8	110.7	92.0	81.1
70–74	85.4	98.2	78.1	100.2	93.5	93.2	72.8	80.0	89.5
75–79	111.5	126.2	110.7	101.9	126.6	107.8	136.7	83.5	115.9
80–84	136.0	142.2	139.1	158.5	140.3	130.4	257.3	74.1	141.3
85+	172.4	214.7	211.3	218.4	217.3	177.4	257.8	92.9	199.0
All ages									
Crude rate	28.0	31.1	25.4	25.5	31.7	27.0	23.4	8.3	28.1
ASR(A)	27.4	30.5	27.0	27.8	28.6	26.2	32.2	19.3	28.2
95% CI	26.6–28.2	29.5–31.5	25.9–28.2	26.2–29.5	27.0–30.3	23.4–29.2	27.6–37.3	12.6–27.7	27.8–28.7
Ages 50–69									
Crude rate	62.8	68.8	59.8	57.4	62.3	54.0	71.2	44.7	63.1
ASR(A)	61.3	67.2	59.3	56.9	60.2	52.7	73.0	50.1	61.8
95% CI	58.5–64.3	63.7–70.8	55.4–63.4	51.6–62.6	54.7–66.2	43.5–63.1	57.6–90.2	29.4–77.5	60.1–63.6

Notes

1. Rates are the number of deaths from breast cancer per 100,000 women and age-standardised to the Australian population at 30 June 2001.
2. State refers to the state of usual residence.

Source: AIHW National Mortality Database.

Table 191: Number of deaths from breast cancer in women by age and region, 1999–2003

Age group	Major cities	Inner regional	Outer regional	Remote	Very remote	Australia
0–4	0	0	0	0	0	0
5–9	0	0	0	0	0	0
10–14	0	0	0	0	0	0
15–19	0	0	0	0	0	0
20–24	2	2	0	0	0	4
25–29	16	3	1	1	1	22
30–34	67	28	14	2	4	114
35–39	211	69	37	5	3	324
40–44	384	144	75	10	6	619
45–49	609	214	91	11	8	933
50–54	845	285	149	17	4	1,301
55–59	927	263	150	20	6	1,366
60–64	844	284	143	15	6	1,292
65–69	803	249	115	13	9	1,189
70–74	905	318	140	16	8	1,387
75–79	965	345	134	12	0	1,457
80–84	882	293	108	9	4	1,296
85+	1,122	394	174	12	5	1,708
All ages	8,584	2,890	1,333	142	63	13,012
Ages 50–69	3,420	1,081	558	65	25	5,148

Note: Regions have been defined according to the ASGC Remoteness Areas classification.

Source: AIHW National Mortality Database.

Table 192: Age-specific and age-standardised mortality rates for breast cancer in women by region, 1999–2003

Age group	Major cities	Inner regional	Outer regional	Remote	Very remote	Australia
0–4	0.0	0.0	0.0	0.0	0.0	0.0
5–9	0.0	0.0	0.0	0.0	0.0	0.0
10–14	0.0	0.0	0.0	0.0	0.0	0.0
15–19	0.0	0.0	0.0	0.0	0.0	0.0
20–24	0.1	0.3	0.2	0.0	0.0	0.1
25–29	0.6	0.6	0.3	1.7	2.6	0.6
30–34	2.6	4.1	4.1	2.8	10.2	3.1
35–39	8.4	9.1	9.7	8.2	8.0	8.7
40–44	15.6	18.3	19.5	17.3	20.4	16.6
45–49	26.7	29.7	26.3	20.4	33.9	27.3
50–54	39.8	42.8	46.5	37.3	20.4	41.0
55–59	56.3	47.0	55.7	53.9	39.0	54.0
60–64	64.7	60.3	63.5	54.2	50.8	63.3
65–69	71.1	60.3	61.7	59.7	107.0	67.6
70–74	83.1	82.8	83.5	92.5	126.1	83.3
75–79	99.2	106.0	97.2	91.9	10.0	100.2
80–84	130.4	130.5	113.9	97.4	133.9	128.6
85+	181.9	198.5	204.5	145.1	193.6	187.4
All ages						
Crude rate	26.3	28.5	27.0	18.7	15.2	26.6
ASR(A)	24.9	25.0	25.4	22.5	24.1	24.9
95% CI	24.3–25.4	24.1–25.9	24.0–26.8	18.9–26.5	18.1–31.0	24.5–25.3
Ages 50–69						
Crude rate	55.1	51.3	55.6	49.1	44.1	54.2
ASR(A)	55.1	50.8	55.3	49.3	47.4	54.0
95% CI	53.3–57.0	47.8–53.9	50.8–60.1	37.9–62.7	30.3–70.2	52.5–55.5

Notes

1. Rates are the number of deaths from breast cancer per 100,000 women and age-standardised to the Australian population at 30 June 2001.
2. The Australian Standard Geographical Classification (ASGC) was used to create the above categories (ABS 2001).

Source: AIHW National Mortality Database.

Table 193: Number of deaths from breast cancer in women by age and Indigenous status, Queensland, Western Australia, South Australia, Northern Territory, 1999–2003

Age group	Indigenous	Non-Indigenous	Australia
0–4	0	0	0
5–9	0	0	0
10–14	0	0	0
15–19	0	0	0
20–24	0	2	4
25–29	2	7	22
30–34	3	40	114
35–39	5	114	324
40–44	7	241	619
45–49	10	338	933
50–54	5	494	1,301
55–59	4	484	1,366
60–64	5	442	1,292
65–69	8	400	1,189
70–74	7	472	1,387
75+	12	1,484	4,461
All ages	68	4,518	13,012
Ages 50–69	22	1,820	5,148

Notes

1. Only Queensland, Western Australia, South Australia, and the Northern Territory have Indigenous death registration data considered to be of a publishable standard; therefore data from these jurisdictions only are included in the analysis by Indigenous status. Queensland data are included from 1998 onwards.
2. 'Australia' includes all states and territories of Australia. 'Indigenous' and 'Non-Indigenous' includes Queensland, Western Australia, South Australia, and the Northern Territory.
3. Deaths in the 'not stated' category are included in the column for 'Australia', but they are not included in the other columns.

Source: AIHW National Mortality Database.

Table 194: Age-standardised and age-specific mortality rates for breast cancer in women by Indigenous status, Queensland, Western Australia, South Australia, Northern Territory, 1999–2003

Age group	Indigenous	Non-Indigenous	Australia
0–4	0.0	0.0	0.0
5–9	0.0	0.0	0.0
10–14	0.0	0.0	0.0
15–19	0.0	0.0	0.0
20–24	0.0	0.2	0.1
25–29	3.3	0.6	0.6
30–34	5.4	3.1	3.1
35–39	10.4	8.5	8.7
40–44	17.9	17.8	16.6
45–49	32.6	26.8	27.3
50–54	21.4	42.1	41.0
55–59	24.7	52.3	54.0
60–64	40.5	60.5	63.3
65–69	94.0	65.1	67.6
70–74	123.5	82.0	83.3
75+	154.4	127.3	132.3
All ages			
Crude rate	9.8	25.9	26.6
ASR(A)	25.8	24.6	25.1
95% CI	19.2–33.6	23.9–25.3	24.6–25.5
Ages 50–69			
Crude rate	36.4	52.9	54.2
ASR(A)	39.4	52.9	54.0
95% CI	24.5–59.8	50.5–55.4	52.5–55.5

Notes

1. Only Queensland, Western Australia, South Australia, and the Northern Territory have Indigenous death registration data considered to be of a publishable standard; therefore data from these jurisdictions only are included in the analysis by Indigenous status. Queensland data are included from 1998 onwards.
2. 'Australia' includes all states and territories of Australia. 'Indigenous' and 'Non-Indigenous' includes Queensland, Western Australia, South Australia, and the Northern Territory.
3. Rates are the number of deaths from breast cancer per 100,000 women and age-standardised to the Australian population at 30 June 2001.
4. Deaths in the 'not stated' category are included in the column for 'Australia', but they are not included in the other columns.

Source: AIHW National Mortality Database.

Table 195: Number of deaths from breast cancer in women by age and Indigenous status, Queensland, Western Australia, South Australia, Northern Territory, 1994–1998

Age group	Indigenous	Non-Indigenous	Australia
0–4	0	0	0
5–9	0	0	0
10–14	0	0	0
15–19	0	0	0
20–24	0	1	5
25–29	1	12	29
30–34	1	42	138
35–39	2	135	386
40–44	7	224	658
45–49	2	362	1,025
50–54	4	433	1,227
55–59	1	417	1,200
60–64	7	428	1,281
65–69	2	448	1,432
70–74	3	485	1,457
75+	7	1,439	4,079
All ages	37	4,426	12,915
Ages 50–69	14	1,726	5,140

Notes

1. Only Queensland, Western Australia, South Australia, and the Northern Territory have Indigenous death registration data considered to be of a publishable standard; therefore data from these jurisdictions only are included in the analysis by Indigenous status. Queensland data are included from 1998 onwards.
2. 'Australia' includes all states and territories of Australia. 'Indigenous' and 'Non-Indigenous' includes Queensland, Western Australia, South Australia, and the Northern Territory.
3. Deaths in the 'not stated' category are included in the column for 'Australia', but they are not included in the other columns.

Source: AIHW National Mortality Database.

Table 196: Age-standardised and age-specific mortality rates for breast cancer in women by Indigenous status, Queensland, Western Australia, South Australia, Northern Territory, 1994–1998

Age group	Indigenous	Non-Indigenous	Australia
0–4	0.0	0.0	0.0
5–9	0.0	0.0	0.0
10–14	0.0	0.0	0.0
15–19	0.0	0.0	0.0
20–24	0.0	0.1	0.1
25–29	2.8	1.6	0.8
30–34	3.2	5.4	3.8
35–39	7.7	16.9	10.6
40–44	33.9	29.6	19.4
45–49	12.7	51.9	32.5
50–54	35.3	77.3	48.4
55–59	11.0	94.3	58.7
60–64	103.0	111.8	70.9
65–69	42.7	121.3	81.1
70–74	94.1	142.3	89.5
75+	135.9	238.5	144.7
All ages			
Crude rate	9.3	44.8	28.1
ASR(A)	24.2	45.2	28.3
95% CI	16.3–34.3	43.8–46.5	27.8–28.8
Ages 50–69			
Crude rate	44.0	98.4	63.1
ASR(A)	44.8	97.1	61.8
95% CI	24.4–75.3	92.5–101.8	60.1–63.6

Notes

1. Only Queensland, Western Australia, South Australia, and the Northern Territory have Indigenous death registration data considered to be of a publishable standard; therefore data from these jurisdictions only are included in the analysis by Indigenous status. Queensland data are included from 1998 onwards.
2. 'Australia' includes all states and territories of Australia. 'Indigenous' and 'Non-Indigenous' includes Queensland, Western Australia, South Australia, and the Northern Territory.
3. Rates are the number of deaths from breast cancer per 100,000 women and age-standardised to the Australian population at 30 June 2001.
4. Deaths in the 'not stated' category are included in the column for 'Australia', but they are not included in the other columns.

Source: AIHW National Mortality Database.