

BSAM 2004–2005

Appendix B: Tables published on the Internet

Contents

List of tables.....3

Tables19

Indicator 1: Participation20

Indicator 2: Detection rate for small invasive cancers.....50

Indicator 3a: Interval cancer rate130

Indicator 3b: Program sensitivity142

Indicator 4: Ductal carcinoma in situ150

Indicator 5: Recall to assessment rate170

Indicator 6: Rescreen rate250

Indicator 7a: Incidence of breast cancer274

Indicator 7b: Incidence of ductal carcinoma in situ.....284

Indicator 8: Mortality287

List of tables

- Table 1: Number of women participating in BreastScreen Australia by age, states and territories, 2004–200520
- Table 2: Percentage of women participating in BreastScreen Australia, states and territories, 2004–200521
- Table 3: Number of women participating in BreastScreen Australia by age, states and territories, 2003–200422
- Table 4: Percentage of women participating in BreastScreen Australia, states and territories, 2003–200423
- Table 5: Number of women participating in BreastScreen Australia by age, states and territories, 2002–200324
- Table 6: Percentage of women participating in BreastScreen Australia, states and territories, 2002–200325
- Table 7: Number of women participating in BreastScreen Australia by age, states and territories, 2001–200226
- Table 8: Percentage of women participating in BreastScreen Australia, states and territories, 2001–200227
- Table 9: Number of women participating in BreastScreen Australia by age, states and territories, 2000–200128
- Table 10: Percentage of women participating in BreastScreen Australia, states and territories, 2000–200129
- Table 11: Number of women participating in BreastScreen Australia by age, states and territories, 1999–200030
- Table 12: Percentage of women participating in BreastScreen Australia, states and territories, 1999–200031
- Table 13: Number of women participating in BreastScreen Australia by age, states and territories, 1998–199932
- Table 14: Percentage of women participating in BreastScreen Australia, states and territories, 1998–199933
- Table 15: Number of women participating in BreastScreen Australia by age, states and territories, 1997–199834
- Table 16: Percentage of women participating in BreastScreen Australia, states and territories, 1997–199835
- Table 17: Number of women participating in BreastScreen Australia by age, states and territories, 1996–199736
- Table 18: Percentage of women participating in BreastScreen Australia, states and territories, 1996–199737
- Table 19: Participation in BreastScreen Australia by age and region, 2004–200538
- Table 20: Participation in BreastScreen Australia by age and region, 2002–200339
- Table 21: Participation in BreastScreen Australia by age and region, 1999–200040

Table 22: Participation in BreastScreen Australia by age and socioeconomic status, 2004–2005	41
Table 23: Participation in BreastScreen Australia by age and socioeconomic status, 2002–2003	42
Table 24: Participation in BreastScreen Australia by age and socioeconomic status, 1999–2000	43
Table 25: Participation in BreastScreen Australia by age and Indigenous status, 2004–2005	44
Table 26: Participation in BreastScreen Australia by age and Indigenous status, 2002–2003	45
Table 27: Participation in BreastScreen Australia by age and Indigenous status, 1999–2000	46
Table 28: Participation in BreastScreen Australia by age and main language spoken at home, 2004–2005	47
Table 29: Participation in BreastScreen Australia by age and main language spoken at home, 2002–2003	48
Table 30: Participation in BreastScreen Australia by age and main language spoken at home, 1999–2000	49
Table 31: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 2005	50
Table 32: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 2005	51
Table 33: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 2004	52
Table 34: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 2004	53
Table 35: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 2003	54
Table 36: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 2003	55
Table 37: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 2002	56
Table 38: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 2002	57
Table 39: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 2001	58
Table 40: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 2001	59
Table 41: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 2000	60

Table 42: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 2000.....	61
Table 43: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 1999.....	62
Table 44: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 1999.....	63
Table 45: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 1998.....	64
Table 46: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 1998.....	65
Table 47: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 1997.....	66
Table 48: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 1997.....	67
Table 49: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 1996.....	68
Table 50: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 1996.....	69
Table 51: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 2005.....	70
Table 52: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 2005.....	71
Table 53: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 2004.....	72
Table 54: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 2004.....	73
Table 55: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 2003.....	74
Table 56: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 2003.....	75
Table 57: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 2002.....	76
Table 58: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 2002.....	77

Table 59: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 2001	78
Table 60: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 2001	79
Table 61: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 2000	80
Table 62: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 2000	81
Table 63: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 1999	82
Table 64: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 1999	83
Table 65: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 1998	84
Table 66: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 1998	85
Table 67: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 1997	86
Table 68: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 1997	87
Table 69: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 1996	88
Table 70: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 1996	89
Table 71: Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 2005	90
Table 72: Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 2005	91
Table 73: Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 2004	92
Table 74: Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 2004	93
Table 75: Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 2003	94
Table 76: Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 2003	95

Table 77: Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 2002	96
Table 78: Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 2002	97
Table 79: Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 2001	98
Table 80: Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 2001	99
Table 81: Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 2000	100
Table 82: Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 2000	101
Table 83: Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 1999	102
Table 84: Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 1999	103
Table 85: Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 1998	104
Table 86: Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 1998	105
Table 87: Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 1997	106
Table 88: Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 1997	107
Table 89: Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 1996	108
Table 90: Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 1996	109
Table 91: Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 2005.....	110
Table 92: Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 2005.....	111
Table 93: Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 2004.....	112
Table 94: Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 2004.....	113
Table 95: Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 2003.....	114
Table 96: Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 2003.....	115
Table 97: Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 2002.....	116

Table 98: Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 2002.....	117
Table 99: Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 2001.....	118
Table 100: Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 2001.....	119
Table 101: Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 2000.....	120
Table 102: Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 2000.....	121
Table 103: Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 1999.....	122
Table 104: Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 1999.....	123
Table 105: Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 1998.....	124
Table 106: Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 1998.....	125
Table 107: Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 1997.....	126
Table 108: Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 1997.....	127
Table 109: Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 1996.....	128
Table 110: Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 1996.....	129
Table 111: Numbers and age-specific rates of interval cancers in women screened during 2001, 2002 and 2003, first screening round, 0-12 months, states and territories .	130
Table 112: Numbers and age-specific rates of interval cancers in women screened during 2001, 2002 and 2003, first screening round, 13-24 months, states and territories	131
Table 113: Numbers and age-specific rates of interval cancers in women screened during 2001, 2002 and 2003, first screening round, 0-24 months, states and territories .	132
Table 114: Numbers and age-specific rates of interval cancers in women screened during 1998, 1999 and 2000, first screening round, 0-12 months, states and territories .	133
Table 115: Numbers and age-specific rates of interval cancers in women screened during 1998, 1999 and 2000, first screening round, 13-24 months, states and territories	134
Table 116: Numbers and age-specific rates of interval cancers in women screened during 1998, 1999 and 2000, first screening round, 0-24 months, states and territories .	135
Table 117: Numbers and age-specific rates of interval cancers in women screened during 2001, 2002 and 2003, subsequent screening rounds, 0-12 months, states and territories.....	136

Table 118: Numbers and age-specific rates of interval cancers in women screened during 2001, 2002 and 2003, subsequent screening rounds, 13–24 months, states and territories.....	137
Table 119: Numbers and age-specific rates of interval cancers in women screened during 2001, 2002 and 2003, subsequent screening rounds, 0–24 months, states and territories.....	138
Table 120: Numbers and age-specific rates of interval cancers in women screened during 1998, 1999 and 2000, subsequent screening rounds, 0–12 months, states and territories.....	139
Table 121: Numbers and age-specific rates of interval cancers in women screened during 1998, 1999 and 2000, subsequent screening rounds, 13–24 months, states and territories.....	140
Table 122: Numbers and age-specific rates of interval cancers in women screened during 1998, 1999 and 2000, subsequent screening rounds, 0–24 months, states and territories.....	141
Table 123: Program sensitivity rates for women screened during 2001, 2002 and 2003, first screening round, 0–12 months, states and territories.....	142
Table 124: Program sensitivity rates for women screened during 2001, 2002 and 2003, first screening round, 0–24 months, states and territories.....	143
Table 125: Program sensitivity rates for women screened during 2001, 2002 and 2003, subsequent screening rounds, 0–12 months, states and territories.....	144
Table 126: Program sensitivity rates for women screened during 2001, 2002 and 2003, subsequent screening rounds, 0–24 months, states and territories.....	145
Table 127: Program sensitivity rates for women screened during 1998, 1999 and 2000, first screening round, 0–12 months, states and territories.....	146
Table 128: Program sensitivity rates for women screened during 1998, 1999 and 2000, first screening round, 0–24 months, states and territories.....	147
Table 129: Program sensitivity rates for women screened during 1998, 1999 and 2000, subsequent screening rounds, 0–12 months, states and territories.....	148
Table 130: Program sensitivity rates for women screened during 1998, 1999 and 2000, subsequent screening rounds, 0–24 months, states and territories.....	149
Table 131: Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 2005.....	150
Table 132: Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 2005.....	150
Table 133: Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 2005.....	151
Table 134: Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 2005.....	151
Table 135: Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 2004.....	152

Table 136: Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 2004	152
Table 137: Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 2004.....	153
Table 138: Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 2004.....	153
Table 139: Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 2003	154
Table 140: Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 2003	154
Table 141: Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 2003.....	155
Table 142: Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 2003.....	155
Table 143: Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 2002	156
Table 144: Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 2002	156
Table 145: Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 2002.....	157
Table 146: Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 2002.....	157
Table 147: Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 2001	158
Table 148: Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 2001	158
Table 149: Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 2001.....	159
Table 150: Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 2001.....	159
Table 151: Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 2000	160
Table 152: Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 2000	160
Table 153: Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 2000.....	161
Table 154: Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 2000.....	161
Table 155: Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 1999	162
Table 156: Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 1999	162

Table 157: Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 1999.....	163
Table 158: Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 1999.....	163
Table 159: Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 1998	164
Table 160: Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 1998	164
Table 161: Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 1998.....	165
Table 162: Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 1998.....	165
Table 163: Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 1997	166
Table 164: Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 1997	166
Table 165: Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 1997.....	167
Table 166: Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 1997.....	167
Table 167: Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 1996	168
Table 168: Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 1996	168
Table 169: Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 1996.....	169
Table 170: Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 1996.....	169
Table 171: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 2005.....	170
Table 172: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 2005.....	171
Table 173: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 2004.....	172
Table 174: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 2004.....	173
Table 175: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 2003.....	174
Table 176: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 2003.....	175
Table 177: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 2002.....	176

Table 178: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 2002.....	177
Table 179: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 2001.....	178
Table 180: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 2001.....	179
Table 181: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 2000.....	180
Table 182: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 2000.....	181
Table 183: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 1999.....	182
Table 184: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 1999.....	183
Table 185: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 1998.....	184
Table 186: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 1998.....	185
Table 187: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 1997.....	186
Table 188: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 1997.....	187
Table 189: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 1996.....	188
Table 190: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 1996.....	189
Table 191: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 2005.....	190
Table 192: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 2005.....	191
Table 193: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 2004.....	192
Table 194: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 2004.....	193
Table 195: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 2003.....	194
Table 196: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 2003.....	195

Table 197: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 2002	196
Table 198: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 2002	197
Table 199: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 2001	198
Table 200: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 2001	199
Table 201: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 2000	200
Table 202: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 2000	201
Table 203: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 1999	202
Table 204: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 1999	203
Table 205: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 1998	204
Table 206: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 1998	205
Table 207: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 1997	206
Table 208: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 1997	207
Table 209: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 1996	208
Table 210: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 1996	209
Table 211: Numbers of women screened and women recalled for assessment by age, other reasons only, first screening round, states and territories, 2005	210
Table 212: Age-specific and age-standardised recall to assessment rates, other reasons only, first screening round, states and territories, 2005	211
Table 213: Numbers of women screened and women recalled for assessment by age, other reasons only, first screening round, states and territories, 2004	212
Table 214: Age-specific and age-standardised recall to assessment rates, other reasons only, first screening round, states and territories, 2004	213

Table 215: Numbers of women screened and women recalled for assessment by age, other reasons only, first screening round, states and territories, 2003	214
Table 216: Age-specific and age-standardised recall to assessment rates, other reasons only, first screening round, states and territories, 2003	215
Table 217: Numbers of women screened and women recalled for assessment by age, other reasons only, first screening round, states and territories, 2002	216
Table 218: Age-specific and age-standardised recall to assessment rates, other reasons only, first screening round, states and territories, 2002	217
Table 219: Numbers of women screened and women recalled for assessment by age, other reasons only, first screening round, states and territories, 2001	218
Table 220: Age-specific and age-standardised recall to assessment rates, other reasons only, first screening round, states and territories, 2001	219
Table 221: Numbers of women screened and women recalled for assessment by age, other reasons only, first screening round, states and territories, 2000	220
Table 222: Age-specific and age-standardised recall to assessment rates, other reasons only, first screening round, states and territories, 2000	221
Table 223: Numbers of women screened and women recalled for assessment by age, other reasons only, first screening round, states and territories, 1999	222
Table 224: Age-specific and age-standardised recall to assessment rates, other reasons only, first screening round, states and territories, 1999	223
Table 225: Numbers of women screened and women recalled for assessment by age, other reasons only, first screening round, states and territories, 1998	224
Table 226: Age-specific and age-standardised recall to assessment rates, other reasons only, first screening round, states and territories, 1998	225
Table 227: Numbers of women screened and women recalled for assessment by age, other reasons only, first screening round, states and territories, 1997	226
Table 228: Age-specific and age-standardised recall to assessment rates, other reasons only, first screening round, states and territories, 1997	227
Table 229: Numbers of women screened and women recalled for assessment by age, other reasons only, first screening round, states and territories, 1996	228
Table 230: Age-specific and age-standardised recall to assessment rates, other reasons only, first screening round, states and territories, 1996	229
Table 231: Numbers of women screened and women recalled for assessment by age, other reasons only, subsequent screening rounds, states and territories, 2005	230
Table 232: Age-specific and age-standardised recall to assessment rates, other reasons only, subsequent screening rounds, states and territories, 2005.....	231
Table 233: Numbers of women screened and women recalled for assessment by age, other reasons only, subsequent screening rounds, states and territories, 2004	232
Table 234: Age-specific and age-standardised recall to assessment rates, other reasons only, subsequent screening rounds, states and territories, 2004.....	233
Table 235: Numbers of women screened and women recalled for assessment by age, other reasons only, subsequent screening rounds, states and territories, 2003	234

Table 236: Age-specific and age-standardised recall to assessment rates, other reasons only, subsequent screening rounds, states and territories, 2003.....	235
Table 237: Numbers of women screened and women recalled for assessment by age, other reasons only, subsequent screening rounds, states and territories, 2002	236
Table 238: Age-specific and age-standardised recall to assessment rates, other reasons only, subsequent screening rounds, states and territories, 2002.....	237
Table 239: Numbers of women screened and women recalled for assessment by age, other reasons only, subsequent screening rounds, states and territories, 2001	238
Table 240: Age-specific and age-standardised recall to assessment rates, other reasons only, subsequent screening rounds, states and territories, 2001.....	239
Table 241: Numbers of women screened and women recalled for assessment by age, other reasons only, subsequent screening rounds, states and territories, 2000	240
Table 242: Age-specific and age-standardised recall to assessment rates, other reasons only, subsequent screening rounds, states and territories, 2000.....	241
Table 243: Numbers of women screened and women recalled for assessment by age, other reasons only, subsequent screening rounds, states and territories, 1999	242
Table 244: Age-specific and age-standardised recall to assessment rates, other reasons only, subsequent screening rounds, states and territories, 1999.....	243
Table 245: Numbers of women screened and women recalled for assessment by age, other reasons only, subsequent screening rounds, states and territories, 1998	244
Table 246: Age-specific and age-standardised recall to assessment rates, other reasons only, subsequent screening rounds, states and territories, 1998.....	245
Table 247: Numbers of women screened and women recalled for assessment by age, other reasons only, subsequent screening rounds, states and territories, 1997	246
Table 248: Age-specific and age-standardised recall to assessment rates, other reasons only, subsequent screening rounds, states and territories, 1997.....	247
Table 249: Numbers of women screened and women recalled for assessment by age, other reasons only, subsequent screening rounds, states and territories, 1996	248
Table 250: Age-specific and age-standardised recall to assessment rates, other reasons only, subsequent screening rounds, states and territories, 1996.....	249
Table 251: Number of women screened during 2003 and number of those women who returned for screening within 27 months by age, first screening round, states and territories.....	250
Table 252: Age-specific and age-standardised rescreen rates for women screened during 2003, first screening round, states and territories	251
Table 253: Number of women screened during 2002 and number of those women who returned for screening within 27 months by age, first screening round, states and territories.....	252
Table 254: Age-specific and age-standardised rescreen rates for women screened during 2002, first screening round, states and territories	253

Table 255: Number of women screened during 2001 and number of those women who returned for screening within 27 months by age, first screening round, states and territories	254
Table 256: Age-specific and age-standardised rescreen rates for women screened during 2001, first screening round, states and territories	255
Table 257: Number of women screened during 2000 and number of those women who returned for screening within 27 months by age, first screening round, states and territories	256
Table 258: Age-specific and age-standardised rescreen rates for women screened during 2000, first screening round, states and territories	257
Table 259: Number of women screened during 2003 and number of those women who returned for screening within 27 months by age, second screening round, states and territories	258
Table 260: Age-specific and age-standardised rescreen rates in women screened during 2003, second screening round, states and territories	259
Table 261: Number of women screened during 2002 and number of those women who returned for screening within 27 months by age, second screening round, states and territories	260
Table 262: Age-specific and age-standardised rescreen rates in women screened during 2002, second screening round, states and territories	261
Table 263: Number of women screened during 2001 and number of those women who returned for screening within 27 months by age, second screening round, states and territories	262
Table 264: Age-specific and age-standardised rescreen rates in women screened during 2001, second screening round, states and territories	263
Table 265: Number of women screened during 2000 and number of those women who returned for screening within 27 months by age, second screening round, states and territories	264
Table 266: Age-specific and age-standardised rescreen rates in women screened during 2000, second screening round, states and territories	265
Table 267: Number of women screened during 2003 and number of those women who returned for screening within 27 months by age, third and subsequent screening rounds, states and territories.....	266
Table 268: Age-specific and age-standardised rescreen rates in women screened during 2003, third and subsequent screening rounds, states and territories.....	267
Table 269: Number of women screened during 2002 and number of those women who returned for screening within 27 months by age, third and subsequent screening rounds, states and territories.....	268
Table 270: Age-specific and age-standardised rescreen rates in women screened during 2002, third and subsequent screening rounds, states and territories.....	269
Table 271: Number of women screened during 2001 and number of those women who returned for screening within 27 months by age, third and subsequent screening rounds, states and territories.....	270

Table 272: Age-specific and age-standardised rescreen rates in women screened during 2001, third and subsequent screening rounds, states and territories	271
Table 273: Number of women screened during 2000 and number of those women who returned for screening within 27 months by age, third and subsequent screening rounds, states and territories	272
Table 274: Age-specific and age-standardised rescreen rates in women screened during 2000, third and subsequent screening rounds, states and territories	273
Table 275: Number of new cases of breast cancer in women by age, Australia, 1990–2004	274
Table 276: Age-specific and age-standardised incidence rates for breast cancer in women, Australia, 1990–2004	275
Table 277: Number of new cases of breast cancer in women by age, states and territories, 2000–2004	276
Table 278: Age-specific and age-standardised incidence rates for breast cancer in women, states and territories, 2000–2004	277
Table 279: Number of new cases of breast cancer in women by age, states and territories, 1995–1999	278
Table 280: Age-specific and age-standardised incidence rates for breast cancer in women, states and territories, 1995–1999	279
Table 281: Number of new cases of breast cancer in women, by age and region, 2000–2004	280
Table 282: Age-specific and age-standardised incidence rates for breast cancer in women by region, 2000–2004	281
Table 283: Number of new cases of breast cancer in women, by age and region, 1995–1999	282
Table 284: Age-specific and age-standardised incidence rates for breast cancer in women by region, 1995–1999	283
Table 285: Number of new cases of ductal carcinoma in situ by age, states and territories, 2000–2004	284
Table 286: Age-specific and age-standardised rates of ductal carcinoma in situ, states and territories, 2000–2004	284
Table 287: Number of new cases of ductal carcinoma in situ by age, states and territories, 1995–1999	285
Table 288: Age-specific and age-standardised rates of ductal carcinoma in situ, states and territories, 1995–1999	285
Table 289: Number of new cases of ductal carcinoma in situ, Australia, 1994–2004	286
Table 290: Age-specific and age-standardised rates of ductal carcinoma in situ, Australia, 1994–2004	286
Table 291: Number of deaths from breast cancer in women, Australia, 1990–2005	287
Table 292: Age-specific and age-standardised mortality rates for breast cancer in women, Australia, 1990–2005	288
Table 293: Number of deaths from breast cancer in women by age, states and territories, 2001–2005	289

Table 294: Age-specific and age-standardised mortality rates for breast cancer in women, states and territories, 2001–2005	290
Table 295: Number of deaths from breast cancer in women by age, states and territories, 1996–2000	291
Table 296: Age-specific and age-standardised mortality rates for breast cancer in women, states and territories, 1996–2000	292
Table 297: Number of deaths from breast cancer in women by age and region, 2001–2005..	293
Table 298: Age-specific and age-standardised mortality rates for breast cancer in women by region, 2001–2005	294
Table 299: Number of deaths from breast cancer in women by age and Indigenous status, Queensland, Western Australia, South Australia, Northern Territory, 2001–2005	295
Table 300: Age-standardised and age-specific mortality rates for breast cancer in women by Indigenous status, Queensland, Western Australia, South Australia, Northern Territory, 2001–2005	296
Table 301: Number of deaths from breast cancer in women by age and Indigenous status, Queensland, Western Australia, South Australia, Northern Territory, 1996–2000	297
Table 302: Age-standardised and age-specific mortality rates for breast cancer in women by Indigenous status, Queensland, Western Australia, South Australia, Northern Territory, 1996–2000	298

Tables

Indicator 1: Participation

Table 1: Number of women participating in BreastScreen Australia by age, states and territories, 2004–2005

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	22,777	12,152	38,526	8,593	6,286	3,688	116	525	92,663
45–49	40,484	20,676	54,233	16,543	12,203	6,054	1,463	1,174	152,830
50–54	106,120	91,815	71,879	35,353	32,527	8,912	5,323	2,213	354,142
55–59	106,351	85,535	70,967	33,167	30,671	9,687	5,886	2,025	344,289
60–64	85,107	69,253	54,748	25,317	23,982	7,421	4,037	1,267	271,132
65–69	70,147	56,097	42,755	20,468	20,092	6,026	2,906	666	219,157
70–74	28,114	42,766	30,829	5,773	6,573	4,144	804	178	119,181
75–79	18,254	11,949	9,584	2,475	3,485	816	258	78	46,899
80–84	6,577	1,762	1,936	679	887	215	84	35	12,175
85+	1,276	318	474	146	141	25	16	7	2,403
Ages 40+	485,207	392,323	375,931	148,514	136,847	46,988	20,893	8,168	1,614,871
Ages 50–69	367,725	302,700	240,349	114,305	107,272	32,046	18,152	6,171	1,188,720

Note: Period covers 1 January 2004 to 31 December 2005.

Source: AIHW analysis of BreastScreen Australia data.

Table 2: Percentage of women participating in BreastScreen Australia, states and territories, 2004–2005

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	8.9	6.4	25.6	11.1	10.8	19.7	0.9	7.0	12.0
45–49	16.9	11.5	38.7	22.3	21.6	33.4	11.8	17.4	21.0
50–54	48.3	55.8	55.8	52.3	61.1	52.2	45.9	37.5	53.0
55–59	52.9	57.1	59.7	56.5	61.4	60.9	58.7	46.7	56.6
60–64	55.2	61.5	61.6	58.5	64.3	60.4	61.4	46.1	59.2
65–69	53.4	57.9	60.6	57.3	62.4	58.6	59.0	41.8	57.1
70–74	24.7	50.8	53.5	19.7	23.2	47.8	20.9	17.1	36.4
75–79	17.2	15.3	18.5	9.7	12.5	10.5	7.5	10.9	15.5
80–84	7.9	2.9	4.9	3.5	4.0	3.5	3.2	7.3	5.2
85+	1.7	0.6	1.4	0.8	0.7	0.5	0.7	1.8	1.2
Ages 40+									
Crude rate	30.7	33.5	42.6	33.1	35.5	39.0	29.7	25.9	34.4
ASR(A)	31.2	34.1	42.9	33.1	36.3	39.4	29.2	25.7	34.9
95% CI	31.1–31.2	34.0–34.2	42.8–43.1	32.9–33.2	36.1–36.5	39.0–39.7	28.8–29.6	25.1–26.3	34.8–34.9
Ages 50–69									
Crude rate	52.1	57.8	59.0	55.7	62.1	57.7	54.8	42.3	56.1
ASR(A)	51.9	57.8	58.9	55.6	62.1	57.4	54.9	42.5	56.0
95% CI	51.8–52.1	57.6–58.0	58.7–59.2	55.3–56.0	61.7–62.5	56.8–58.1	54.1–55.8	41.5–43.7	55.9–56.1

Notes

1. Period covers 1 January 2004 to 31 December 2005.
2. Rates are the number of women screened as a percentage of the eligible female population calculated as the average of the 2004 and 2005 Australian Bureau of Statistics Estimated Resident Population and age-standardised to the Australian population at 30 June 2001.
3. BreastScreen Australia services are not provided in some remote areas of the Northern Territory. This may affect the Northern Territory's participation rate.

Source: AIHW analysis of BreastScreen Australia data.

Table 3: Number of women participating in BreastScreen Australia by age, states and territories, 2003–2004

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	35,054	10,427	35,651	7,716	5,915	3,038	344	599	98,744
45–49	62,863	18,741	51,614	16,196	11,786	5,383	1,848	1,211	169,642
50–54	99,598	93,832	68,628	35,419	32,858	8,734	5,199	2,180	346,448
55–59	100,406	84,570	67,200	32,080	30,547	9,160	5,119	1,944	331,026
60–64	79,775	66,231	51,065	24,577	23,461	7,061	3,542	1,196	256,908
65–69	66,050	54,860	40,807	19,690	19,559	5,915	2,476	616	209,973
70–74	45,988	42,711	30,467	5,440	6,567	3,796	603	298	135,870
75–79	30,987	11,346	9,267	2,231	3,275	713	214	123	58,156
80–84	11,446	1,585	1,933	645	811	197	76	59	16,752
85+	2,495	271	460	107	122	28	12	9	3,504
Ages 40+	534,662	384,574	357,092	144,101	134,901	44,025	19,433	8,235	1,627,023
Ages 50–69	345,829	299,493	227,700	111,766	106,425	30,870	16,336	5,936	1,144,355

Note: Period covers 1 January 2003 to 31 December 2004.

Source: AIHW analysis of BreastScreen Australia data.

Table 4: Percentage of women participating in BreastScreen Australia, states and territories, 2003–2004

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	13.6	5.5	23.9	10.0	10.0	16.1	2.7	7.9	12.8
45–49	26.6	10.7	37.9	22.3	21.2	30.3	15.0	18.2	23.8
50–54	45.8	57.6	54.1	53.4	61.8	52.1	44.5	37.9	52.4
55–59	51.7	58.9	59.3	57.8	63.5	60.3	53.4	47.9	56.7
60–64	53.7	60.9	60.7	59.2	65.3	59.7	56.8	46.5	58.5
65–69	51.5	58.1	60.7	57.2	62.3	59.8	52.2	41.6	56.5
70–74	39.9	50.5	53.0	18.8	22.8	43.6	16.0	29.8	41.4
75–79	29.2	14.5	18.1	8.9	11.7	9.2	6.2	17.7	19.4
80–84	14.3	2.7	5.0	3.4	3.8	3.3	3.0	12.8	7.4
85+	3.5	0.5	1.4	0.6	0.6	0.5	0.6	2.6	1.8
Ages 40+									
Crude rate	34.4	33.5	41.7	32.9	35.5	37.3	28.1	26.9	35.4
ASR(A)	34.9	34.2	42.1	33.1	36.4	37.7	27.7	27.8	36.0
95% CI	34.8–35.0	34.1–34.3	41.9–42.2	33.0–33.3	36.3–36.6	37.4–38.1	27.3–28.1	27.2–28.5	35.9–36.1
Ages 50–69									
Crude rate	50.2	58.8	58.2	56.5	63.1	57.5	50.7	42.8	55.7
ASR(A)	50.1	58.8	58.1	56.5	63.1	57.3	50.9	43.1	55.6
95% CI	49.9–50.2	58.5–59.0	57.8–58.3	56.2–56.8	62.7–63.5	56.6–57.9	50.1–51.7	41.9–44.2	55.5–55.7

Notes

1. Period covers 1 January 2003 to 31 December 2004.
2. Rates are the number of women screened as a percentage of the eligible female population calculated as the average of the 2003 and 2004 Australian Bureau of Statistics Estimated Resident Population and age-standardised to the Australian population at 30 June 2001.
3. BreastScreen Australia services are not provided in some remote areas of the Northern Territory. This may affect the Northern Territory's participation rate.

Source: AIHW analysis of BreastScreen Australia data.

Table 5: Number of women participating in BreastScreen Australia by age, states and territories, 2002–2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	41,138	10,688	34,750	7,179	6,162	2,820	554	623	103,914
45–49	70,031	19,483	50,557	15,819	12,221	5,437	2,290	1,351	177,189
50–54	102,026	89,283	68,796	34,147	33,250	8,922	5,912	2,315	344,651
55–59	98,813	81,424	63,444	29,674	29,307	8,918	5,247	1,842	318,669
60–64	79,292	64,206	48,517	23,308	22,878	6,947	3,564	1,109	249,821
65–69	65,732	53,628	38,687	18,803	19,177	5,791	2,573	605	204,996
70–74	51,048	42,469	29,620	5,175	6,722	3,253	560	331	139,178
75–79	33,242	11,076	8,423	2,070	3,269	693	236	137	59,146
80–84	11,789	1,614	1,814	551	762	180	75	64	16,849
85+	2,655	280	443	94	101	26	9	8	3,616
Ages 40+	555,766	374,151	345,051	136,820	133,849	42,987	21,020	8,385	1,618,029
Ages 50–69	345,863	288,541	219,444	105,932	104,612	30,578	17,296	5,871	1,118,137

Note: Period covers 1 January 2002 to 31 December 2003.

Source: AIHW analysis of BreastScreen Australia data.

Table 6: Percentage of women participating in BreastScreen Australia, states and territories, 2002–2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	16.1	5.7	23.9	9.4	10.4	15.1	4.3	8.3	13.6
45–49	30.1	11.3	38.3	22.2	22.2	31.2	18.7	20.5	25.3
50–54	47.2	55.4	55.3	52.3	62.9	54.3	50.5	40.7	52.7
55–59	53.2	59.8	59.7	57.0	64.0	62.2	58.0	48.7	57.6
60–64	54.9	60.5	60.8	58.2	65.3	60.8	59.7	46.1	58.7
65–69	52.6	58.2	60.3	56.9	62.6	60.5	56.5	43.3	56.9
70–74	43.6	49.8	51.5	18.0	22.9	37.0	15.0	33.8	42.0
75–79	31.7	14.3	16.8	8.4	11.7	9.0	6.9	20.9	19.9
80–84	15.3	2.9	4.9	3.1	3.7	3.1	3.2	14.7	7.8
85+	3.9	0.6	1.4	0.6	0.5	0.5	0.5	2.4	1.9
Ages 40+									
Crude rate	36.4	33.2	41.6	32.1	35.7	37.2	31.0	28.2	36.0
ASR(A)	37.0	34.0	42.1	32.5	36.9	37.9	30.7	29.5	36.7
95% CI	36.9–37.1	33.9–34.1	42.0–42.3	32.4–32.7	36.7–37.1	37.6–38.3	30.3–31.1	28.8–30.2	36.6–36.8
Ages 50–69									
Crude rate	51.5	58.2	58.6	55.6	63.7	59.1	55.3	44.2	56.1
ASR(A)	51.4	58.2	58.5	55.7	63.6	58.9	55.5	44.5	56.0
95% CI	51.2–51.6	57.9–58.4	58.3–58.8	55.3–56.0	63.3–64.0	58.3–59.6	54.7–56.4	43.3–45.7	55.9–56.2

Notes

1. Period covers 1 January 2002 to 31 December 2003.
2. Rates are the number of women screened as a percentage of the eligible female population calculated as the average of the 2002 and 2003 Australian Bureau of Statistics Estimated Resident Population and age-standardised to the Australian population at 30 June 2001.
3. BreastScreen Australia services are not provided in some remote areas of the Northern Territory. This may affect the Northern Territory's participation rate.

Source: AIHW analysis of BreastScreen Australia data.

Table 7: Number of women participating in BreastScreen Australia by age, states and territories, 2001–2002

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	43,633	11,143	33,804	7,120	6,319	2,715	1,110	739	106,583
45–49	73,014	20,467	49,549	15,591	12,821	5,572	3,000	1,369	181,383
50–54	105,523	90,635	68,253	33,318	33,523	8,877	6,325	2,371	348,825
55–59	96,051	78,801	59,061	27,338	28,378	8,420	5,074	1,750	304,873
60–64	79,441	63,968	46,527	22,299	23,007	6,792	3,504	1,011	246,549
65–69	66,116	52,864	36,934	18,032	19,120	5,579	2,536	537	201,718
70–74	53,088	42,352	28,632	5,097	6,950	2,613	573	313	139,618
75–79	32,773	11,346	10,147	2,048	3,158	683	255	127	60,537
80–84	11,057	1,708	2,885	522	735	158	75	65	17,205
85+	2,445	366	675	115	106	25	11	7	3,750
Ages 40+	563,141	373,650	336,467	131,480	134,117	41,434	22,463	8,289	1,611,041
Ages 50–69	347,131	286,268	210,775	100,987	104,028	29,668	17,439	5,669	1,101,965

Note: Period covers 1 January 2001 to 31 December 2002.

Source: AIHW analysis of BreastScreen Australia data.

Table 8: Percentage of women participating in BreastScreen Australia, states and territories, 2001–2002

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	17.3	6.0	23.9	9.5	10.8	14.7	8.6	9.9	14.2
45–49	31.9	12.1	38.5	22.2	23.5	32.5	24.5	21.0	26.4
50–54	49.0	56.4	55.7	51.9	63.2	54.5	53.7	42.5	53.7
55–59	55.1	61.9	60.3	56.8	66.4	63.1	61.0	49.6	59.1
60–64	56.0	61.6	61.2	57.7	66.8	61.1	61.3	45.6	59.6
65–69	53.9	58.6	60.1	56.7	63.7	59.7	58.2	40.4	57.4
70–74	44.9	49.1	50.0	17.8	23.1	29.8	15.4	33.0	41.8
75–79	31.5	14.8	20.6	8.5	11.4	8.8	7.6	20.8	20.6
80–84	15.0	3.2	8.2	3.1	3.7	2.8	3.4	15.6	8.3
85+	3.7	0.7	2.2	0.7	0.6	0.5	0.6	2.2	2.0
Ages 40+									
Crude rate	37.6	33.9	42.0	31.8	36.4	36.7	33.8	28.6	36.7
ASR(A)	38.3	34.7	42.6	32.4	37.8	37.6	33.6	29.9	37.5
95% CI	38.2–38.4	34.6–34.9	42.5–42.8	32.2–32.6	37.6–38.0	37.2–38.0	33.2–34.1	29.2–30.6	37.4–37.6
Ages 50–69									
Crude rate	53.1	59.4	58.9	55.3	64.9	59.2	57.8	44.8	57.1
ASR(A)	53.0	59.4	58.9	55.3	64.9	59.1	58.1	44.7	57.1
95% CI	52.8–53.2	59.2–59.6	58.6–59.1	55.0–55.7	64.5–65.3	58.5–59.8	57.2–58.9	43.5–45.9	57.0–57.2

Notes

1. Period covers 1 January 2001 to 31 December 2002.
2. Rates are the number of women screened as a percentage of the eligible female population calculated as the average of the 2001 and 2002 Australian Bureau of Statistics Estimated Resident Population and age-standardised to the Australian population at 30 June 2001.
3. BreastScreen Australia services are not provided in some remote areas of the Northern Territory. This may affect the Northern Territory's participation rate.

Source: AIHW analysis of BreastScreen Australia data.

Table 9: Number of women participating in BreastScreen Australia by age, states and territories, 2000–2001

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	44,077	11,011	32,622	7,304	6,749	2,846	1,613	827	107,049
45–49	72,513	20,690	47,701	15,729	13,278	5,900	3,652	1,392	180,855
50–54	103,993	89,896	66,737	32,229	33,213	9,249	6,111	2,480	343,908
55–59	91,073	73,666	54,095	25,541	26,188	7,789	4,546	1,655	284,553
60–64	77,894	62,105	43,731	21,808	22,590	6,693	3,209	936	238,966
65–69	64,853	51,428	35,475	17,587	18,546	5,488	2,260	517	196,154
70–74	52,701	41,590	26,857	4,982	6,973	1,795	561	316	135,775
75–79	30,237	11,107	12,342	1,983	2,815	631	235	122	59,472
80–84	9,606	1,706	3,928	460	670	135	65	53	16,623
85+	2,184	377	954	104	113	34	17	5	3,788
Ages 40+	549,131	363,576	324,442	127,727	131,135	40,560	22,269	8,303	1,567,143
Ages 50–69	337,813	277,095	200,038	97,165	100,537	29,219	16,126	5,588	1,063,581

Note: Period covers 1 January 2000 to 31 December 2001.

Source: AIHW analysis of BreastScreen Australia data.

Table 10: Percentage of women participating in BreastScreen Australia, states and territories, 2000–2001

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	17.8	6.0	23.8	9.9	11.7	15.5	12.6	11.3	14.5
45–49	32.1	12.3	37.9	22.8	24.5	34.7	29.6	21.5	26.6
50–54	49.2	57.0	56.0	52.0	63.4	57.6	52.8	46.8	54.1
55–59	55.2	61.4	59.4	56.6	65.3	61.9	59.2	49.6	58.7
60–64	56.1	61.0	60.4	58.6	66.7	61.9	58.7	46.7	59.4
65–69	53.4	57.7	59.3	56.8	62.0	59.3	54.0	41.0	56.7
70–74	44.5	47.9	47.3	17.6	22.9	20.5	15.0	35.7	40.6
75–79	29.3	14.7	25.5	8.4	10.2	8.1	7.2	21.3	20.5
80–84	13.7	3.4	11.8	2.9	3.6	2.5	3.1	13.6	8.5
85+	3.5	0.8	3.2	0.7	0.7	0.7	1.0	1.7	2.1
Ages 40+									
Crude rate	37.5	33.7	42.0	31.8	36.2	36.6	34.4	29.8	36.6
ASR(A)	38.2	34.6	42.6	32.6	37.7	37.7	34.2	31.2	37.4
95% CI	38.1–38.3	34.5–34.7	42.4–42.7	32.4–32.8	37.5–37.9	37.4–38.1	33.7–34.6	30.4–31.9	37.4–37.5
Ages 50–69									
Crude rate	53.1	59.1	58.4	55.4	64.3	60.0	55.8	46.9	56.9
ASR(A)	53.0	59.2	58.5	55.5	64.4	60.0	56.0	46.5	56.9
95% CI	52.8–53.2	58.9–59.4	58.2–58.7	55.2–55.9	64.0–64.8	59.3–60.7	55.1–56.9	45.2–47.7	56.8–57.0

Notes

1. Period covers 1 January 2000 to 31 December 2001.
2. Rates are the number of women screened as a percentage of the eligible female population calculated as the average of the 2000 and 2001 Australian Bureau of Statistics Estimated Resident Population and age-standardised to the Australian population at 30 June 2001.
3. BreastScreen Australia services are not provided in some remote areas of the Northern Territory. This may affect the Northern Territory's participation rate.

Source: AIHW analysis of BreastScreen Australia data.

Table 11: Number of women participating in BreastScreen Australia by age, states and territories, 1999–2000

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	43,969	11,758	31,433	7,260	6,671	2,853	1,659	766	106,369
45–49	70,684	21,829	45,680	15,328	13,249	5,955	3,841	1,367	177,933
50–54	100,794	89,234	63,267	28,921	31,845	8,971	6,086	2,471	331,589
55–59	86,570	66,434	50,264	23,313	24,889	7,516	4,462	1,581	265,029
60–64	74,789	57,702	41,182	20,065	21,712	6,450	3,136	852	225,888
65–69	63,158	49,027	34,097	16,365	18,251	5,358	2,273	486	189,015
70–74	50,514	39,765	24,922	4,470	6,586	1,322	589	296	128,464
75–79	26,389	9,785	12,554	1,780	2,454	556	266	104	53,888
80–84	8,046	1,478	3,877	369	561	120	47	44	14,542
85+	1,786	326	938	69	92	25	18	3	3,257
Ages 40+	526,699	347,338	308,214	117,940	126,310	39,126	22,377	7,970	1,495,974
Ages 50–69	325,311	262,397	188,810	88,664	96,697	28,295	15,957	5,390	1,011,521

Note: Period covers 1 January 1999 to 31 December 2000.

Source: AIHW analysis of BreastScreen Australia data.

Table 12: Percentage of women participating in BreastScreen Australia, states and territories, 1999–2000

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	18.1	6.6	23.6	10.0	11.7	15.8	13.1	10.7	14.7
45–49	31.7	13.2	36.9	22.7	24.5	35.4	31.1	21.7	26.6
50–54	49.3	58.9	55.6	49.4	62.9	58.0	55.0	50.1	54.3
55–59	54.7	57.7	58.6	53.9	65.2	61.9	62.0	50.5	57.2
60–64	55.2	58.0	59.7	55.9	65.4	61.8	60.2	46.3	57.8
65–69	51.9	54.9	57.5	53.6	60.3	57.7	56.2	40.4	54.7
70–74	42.6	45.8	44.4	16.1	21.4	15.0	15.8	35.4	38.5
75–79	26.0	13.3	26.5	7.7	9.0	7.2	8.4	18.5	19.0
80–84	12.0	3.1	12.3	2.5	3.2	2.3	2.4	12.6	7.8
85+	3.0	0.7	3.3	0.5	0.6	0.6	1.2	1.1	1.9
Ages 40+									
Crude rate	36.8	33.0	41.2	30.3	35.5	36.0	35.6	30.0	35.8
ASR(A)	37.5	33.9	41.9	31.2	37.2	37.3	35.6	31.4	36.7
95% CI	37.4–37.6	33.8–34.0	41.7–42.0	31.0–31.3	37.0–37.4	37.0–37.7	35.1–36.1	30.6–32.1	36.7–36.8
Ages 50–69									
Crude rate	52.5	57.6	57.6	52.7	63.5	59.8	58.0	48.5	55.9
ASR(A)	52.5	57.6	57.6	52.7	63.6	59.8	58.2	47.7	55.9
95% CI	52.3–52.7	57.4–57.9	57.4–57.9	52.4–53.1	63.2–64.0	59.1–60.5	57.3–59.1	46.3–49.0	55.8–56.0

Notes

1. Period covers 1 January 1999 to 31 December 2000.
2. Rates are the number of women screened as a percentage of the eligible female population calculated as the average of the 1999 and 2000 Australian Bureau of Statistics Estimated Resident Population and age-standardised to the Australian population at 30 June 2001.
3. BreastScreen Australia services are not provided in some remote areas of the Northern Territory. This may affect the Northern Territory's participation rate.

Source: AIHW analysis of BreastScreen Australia data.

Table 13: Number of women participating in BreastScreen Australia by age, states and territories, 1998–1999

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	46,541	12,590	31,499	7,385	6,534	3,389	1,761	791	110,490
45–49	71,407	22,617	44,363	16,381	13,432	6,279	3,857	1,335	179,671
50–54	99,551	84,775	59,662	27,984	29,335	8,676	5,864	2,330	318,177
55–59	84,496	63,879	46,341	22,657	23,728	7,280	4,205	1,432	254,018
60–64	73,211	54,858	38,017	19,315	21,042	6,171	2,990	793	216,397
65–69	64,030	48,105	32,809	16,008	18,010	5,209	2,247	492	186,910
70–74	49,535	37,556	22,162	4,406	6,431	1,450	605	251	122,396
75–79	22,626	8,458	11,544	1,755	2,272	601	311	101	47,668
80–84	7,086	1,404	3,558	398	560	131	53	37	13,227
85+	1,523	339	845	68	88	21	14	1	2,899
Ages 40+	520,006	334,581	290,800	116,357	121,432	39,207	21,907	7,563	1,451,853
Ages 50–69	321,288	251,617	176,829	85,964	92,115	27,336	15,306	5,047	975,502

Note: Period covers 1 January 1998 to 31 December 1999.

Source: AIHW analysis of BreastScreen Australia data.

Table 14: Percentage of women participating in BreastScreen Australia, states and territories, 1998–1999

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	19.5	7.2	24.3	10.3	11.7	18.9	14.1	11.2	15.6
45–49	32.5	13.8	36.5	24.9	25.0	37.7	31.2	21.9	27.2
50–54	50.5	58.2	54.9	50.5	60.4	58.2	55.9	50.5	54.4
55–59	55.6	57.6	57.3	54.8	64.6	62.2	62.3	49.8	57.3
60–64	55.5	56.6	57.8	56.0	65.1	61.1	60.3	45.2	57.2
65–69	52.1	53.5	55.4	52.9	58.7	55.6	56.7	42.5	53.8
70–74	41.8	43.4	39.9	16.1	20.8	16.5	16.4	30.9	36.8
75–79	23.1	11.9	25.2	7.9	8.6	8.0	10.4	18.5	17.3
80–84	10.8	3.0	11.6	2.7	3.2	2.5	2.9	11.5	7.2
85+	2.7	0.8	3.2	0.5	0.6	0.5	1.0	0.4	1.8
Ages 40+									
Crude rate	37.1	32.5	40.2	30.9	34.8	36.8	36.0	29.7	35.6
ASR(A)	38.0	33.5	40.9	31.8	36.6	38.2	36.2	31.1	36.6
95% CI	37.8–38.1	33.4–33.6	40.7–41.0	31.7–32.0	36.4–36.8	37.9–38.6	35.7–36.7	30.4–31.9	36.6–36.7
Ages 50–69									
Crude rate	53.2	56.7	56.2	53.2	62.1	59.3	58.5	48.5	55.6
ASR(A)	53.2	56.9	56.3	53.2	62.2	59.4	58.7	47.7	55.7
95% CI	53.0–53.4	56.6–57.1	56.0–56.5	52.9–53.6	61.8–62.6	58.7–60.1	57.7–59.6	46.4–49.1	55.5–55.8

Notes

1. Period covers 1 January 1998 to 31 December 1999.
2. Rates are the number of women screened as a percentage of the eligible female population calculated as the average of the 1998 and 1999 Australian Bureau of Statistics Estimated Resident Population and age-standardised to the Australian population at 30 June 2001.
3. BreastScreen Australia services are not provided in some remote areas of the Northern Territory. This may affect the Northern Territory's participation rate.

Source: AIHW analysis of BreastScreen Australia data.

Table 15: Number of women participating in BreastScreen Australia by age, states and territories, 1997–1998

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	45,618	12,338	29,267	7,237	5,844	3,488	1,792	850	106,434
45–49	68,528	22,560	40,599	17,176	12,295	6,308	3,930	1,351	172,747
50–54	97,045	79,902	53,370	27,757	26,796	8,303	5,457	2,323	300,953
55–59	81,818	60,380	41,402	22,263	22,127	6,998	3,904	1,391	240,283
60–64	70,611	52,049	33,980	18,674	19,548	5,859	2,764	727	204,212
65–69	63,935	46,808	30,173	15,695	17,386	5,056	2,142	475	181,670
70–74	46,727	34,288	19,330	4,573	5,550	1,453	675	188	112,784
75–79	19,439	8,035	10,084	1,812	1,981	569	309	90	42,319
80–84	6,012	1,620	3,031	451	480	122	60	21	11,797
85+	1,216	349	690	88	73	21	13	1	2,451
Ages 40+	500,949	318,329	261,926	115,726	112,080	38,177	21,046	7,417	1,375,650
Ages 50–69	313,409	239,139	158,925	84,389	85,857	26,216	14,267	4,916	927,118

Note: Period covers 1 January 1997 to 31 December 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 16: Percentage of women participating in BreastScreen Australia, states and territories, 1997–1998

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	19.5	7.1	23.1	10.3	10.5	19.6	14.3	12.2	15.3
45–49	31.7	14.0	34.1	26.8	23.2	38.3	31.9	23.0	26.7
50–54	51.7	57.8	52.1	53.5	58.1	58.4	55.8	54.1	54.2
55–59	55.7	56.0	53.8	55.9	62.1	61.5	61.2	52.7	56.2
60–64	54.8	54.8	53.8	56.3	61.7	59.2	58.6	43.5	55.5
65–69	51.3	51.7	50.7	52.1	55.7	53.4	54.3	41.9	51.8
70–74	39.6	39.8	35.3	17.1	17.9	16.5	18.5	23.8	34.2
75–79	20.7	11.9	22.9	8.6	7.9	7.8	11.2	17.4	16.1
80–84	9.3	3.5	10.1	3.0	2.8	2.4	3.4	6.7	6.5
85+	2.3	0.9	2.8	0.7	0.5	0.5	1.0	0.4	1.6
Ages 40+									
Crude rate	36.6	31.6	37.3	31.7	32.8	36.5	35.6	30.4	34.6
ASR(A)	37.5	32.7	38.1	32.8	34.6	38.0	36.1	31.4	35.7
95% CI	37.4–37.6	32.6–32.8	37.9–38.2	32.6–33.0	34.4–34.8	37.6–38.4	35.6–36.6	30.6–32.2	35.6–35.7
Ages 50–69									
Crude rate	53.3	55.4	52.6	54.4	59.4	58.3	57.5	50.5	54.5
ASR(A)	53.3	55.6	52.7	54.5	59.5	58.5	57.6	49.3	54.6
95% CI	53.2–53.5	55.4–55.8	52.4–52.9	54.1–54.9	59.1–59.9	57.8–59.2	56.6–58.5	47.9–50.7	54.5–54.7

Notes

1. Period covers 1 January 1997 to 31 December 1998.
2. Rates are the number of women screened as a percentage of the eligible female population calculated as the average of the 1997 and 1998 Australian Bureau of Statistics Estimated Resident Population and age-standardised to the Australian population at 30 June 2001.
3. BreastScreen Australia services are not provided in some remote areas of the Northern Territory. This may affect the Northern Territory's participation rate.

Source: AIHW analysis of BreastScreen Australia data.

Table 17: Number of women participating in BreastScreen Australia by age, states and territories, 1996–1997

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	39,202	11,399	24,428	6,452	5,087	3,383	1,884	755	92,590
45–49	61,519	21,365	34,480	18,536	11,346	5,793	3,889	1,122	158,050
50–54	89,295	71,651	40,281	24,752	23,333	7,046	4,910	1,725	262,993
55–59	77,406	59,144	32,716	20,869	21,195	6,300	3,597	1,123	222,350
60–64	66,111	50,719	27,053	17,352	18,078	5,293	2,602	580	187,788
65–69	62,163	47,144	24,164	14,331	16,704	4,567	2,049	368	171,490
70–74	41,112	30,132	16,092	3,971	4,159	1,187	651	126	97,430
75–79	16,046	7,549	8,384	1,433	1,396	435	296	62	35,601
80–84	4,966	1,672	2,504	369	309	107	61	11	9,999
85+	961	337	535	87	46	14	14	3	1,997
Ages 40+	458,781	301,112	210,637	108,152	101,653	34,125	19,953	5,875	1,240,288
Ages 50–69	294,975	228,658	124,214	77,304	79,310	23,206	13,158	3,796	844,621

Note: Period covers 1 January 1996 to 31 December 1997.

Source: AIHW analysis of BreastScreen Australia data.

Table 18: Percentage of women participating in BreastScreen Australia, states and territories, 1996–1997

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	17.1	6.7	19.7	9.3	9.2	19.1	15.0	11.2	13.5
45–49	28.7	13.4	29.4	29.6	21.5	35.3	31.5	19.9	24.7
50–54	50.7	55.5	42.4	51.7	54.2	52.6	55.0	43.6	50.8
55–59	54.2	56.2	44.5	54.4	60.9	56.4	59.2	46.3	53.7
60–64	52.3	54.3	44.2	54.0	58.0	54.2	57.7	36.7	52.1
65–69	49.3	51.6	40.5	47.7	52.4	48.1	52.2	33.1	48.5
70–74	35.0	35.2	29.7	15.1	13.4	13.3	18.1	16.5	29.7
75–79	17.9	11.7	19.9	7.2	5.8	6.2	11.7	12.5	14.2
80–84	7.8	3.6	8.5	2.5	1.8	2.1	3.7	3.8	5.6
85+	1.9	0.9	2.3	0.7	0.3	0.4	1.2	1.3	1.4
Ages 40+									
Crude rate	34.3	30.6	31.0	30.6	30.3	33.2	34.8	25.3	32.0
ASR(A)	35.3	31.7	31.7	31.8	32.2	34.7	35.5	26.0	33.1
95% CI	35.2–35.4	31.6–31.9	31.5–31.8	31.6–32.0	32.0–32.4	34.3–35.1	35.0–36.0	25.3–26.7	33.1–33.2
Ages 50–69									
Crude rate	51.6	54.6	42.9	52.1	56.3	53.0	56.1	41.8	51.3
ASR(A)	51.7	54.7	43.0	52.2	56.5	53.2	56.2	40.9	51.4
95% CI	51.5–51.9	54.5–55.0	42.8–43.3	51.8–52.5	56.1–56.9	52.5–53.8	55.2–57.2	39.6–42.3	51.3–51.6

Notes

1. Period covers 1 January 1996 to 31 December 1997.
2. Rates are the number of women screened as a percentage of the eligible female population calculated as the average of the 1996 and 1997 Australian Bureau of Statistics Estimated Resident Population and age-standardised to the Australian population at 30 June 2001.
3. BreastScreen Australia services are not provided in some remote areas of the Northern Territory. This may affect the Northern Territory's participation rate.

Source: AIHW analysis of BreastScreen Australia data.

Table 19: Participation in BreastScreen Australia by age and region, 2004–2005

Age group	Number/ rate	Major cities	Inner regional	Outer regional	Remote	Very remote	Australia
40–44	Number	55,464	20,380	13,342	2,316	1,161	92,663
	Rate	10.8	12.4	17.0	19.4	19.1	12.0
45–49	Number	92,078	34,088	21,399	3,627	1,638	152,830
	Rate	19.2	21.7	29.0	32.5	31.2	21.0
50–54	Number	231,270	78,087	37,657	5,106	2,021	354,142
	Rate	52.4	53.7	55.5	53.2	43.8	52.9
55–59	Number	219,317	80,066	38,272	4,898	1,736	344,289
	Rate	55.3	58.6	60.4	59.1	46.9	56.6
60–64	Number	167,005	67,676	31,373	3,852	1,225	271,132
	Rate	57.5	62.2	62.5	61.6	47.5	59.2
65–69	Number	134,069	55,621	25,802	2,831	835	219,157
	Rate	55.1	60.1	62.0	60.0	46.4	57.1
70–74	Number	71,903	31,365	13,999	1,462	452	119,181
	Rate	34.2	40.2	41.4	39.5	32.4	36.4
75–79	Number	29,486	11,268	5,342	595	209	46,899
	Rate	14.8	16.1	18.0	20.7	20.4	15.5
80–84	Number	7,843	2,744	1,350	192	46	12,175
	Rate	5.0	5.2	6.2	9.2	6.4	5.2
85+	Number	1,520	531	294	45	13	2,403
	Rate	1.1	1.2	1.5	2.3	2.1	1.2
Ages 40+	Number	1,009,956	381,826	188,830	24,923	9,336	1,614,871
	Crude rate	32.9	36.3	39.3	39.8	33.6	34.4
	ASR(A)	33.6	36.3	39.2	39.6	33.3	34.9
	95% CI	33.5–33.6	36.2–36.4	39.0–39.4	39.1–40.1	32.6–33.9	34.8–34.9
Ages 50–69	Number	751,662	281,450	133,104	16,687	5,818	1,188,720
	Crude rate	54.8	58.3	59.7	57.8	45.8	56.1
	ASR(A)	54.7	58.0	59.5	57.8	45.9	56.0
	95% CI	54.6–54.9	57.8–58.2	59.2–59.8	56.9–58.7	44.7–47.1	55.9–56.1

Notes

1. Period covers 1 January 2004 to 31 December 2005.
2. Rates are the number of women screened as a percentage of the eligible female population calculated as the average of the 2004 and 2005 Australian Bureau of Statistics Estimated Resident Population and age-standardised to the Australian population at 30 June 2001.
3. The Australian Standard Geographical Classification (ASGC) was used to create the above categories (ABS 2001).

Source: AIHW analysis of BreastScreen Australia data.

Table 20: Participation in BreastScreen Australia by age and region, 2002–2003

Age group	Number/ rate	Major cities	Inner regional	Outer regional	Remote	Very remote	Australia
40–44	Number	63,911	22,625	14,001	2,296	1,081	103,914
	Rate	12.6	13.9	17.9	18.7	18.1	13.6
45–49	Number	109,753	39,909	22,632	3,426	1,470	177,189
	Rate	23.6	26.8	32.0	32.2	29.4	25.3
50–54	Number	225,078	75,931	36,766	5,023	1,853	344,651
	Rate	51.7	54.9	55.7	52.8	41.7	52.7
55–59	Number	202,596	74,727	35,196	4,560	1,590	318,669
	Rate	56.1	60.8	60.7	58.7	48.1	57.6
60–64	Number	153,922	62,179	29,178	3,422	1,121	249,821
	Rate	56.8	62.6	62.0	59.2	47.0	58.7
65–69	Number	126,429	51,401	23,772	2,638	757	204,996
	Rate	54.9	60.2	61.5	59.5	44.8	56.9
70–74	Number	85,600	36,278	15,248	1,577	474	139,178
	Rate	39.8	46.8	45.2	43.9	36.5	42.0
75–79	Number	37,820	14,346	6,196	612	172	59,146
	Rate	19.2	21.3	21.8	22.4	18.3	19.9
80–84	Number	10,856	4,003	1,758	185	47	16,849
	Rate	7.5	8.3	8.7	9.5	7.5	7.8
85+	Number	2,291	838	426	44	17	3,616
	Rate	1.8	2.0	2.3	2.6	3.1	1.9
Ages 40+	Number	1,018,256	382,236	185,172	23,782	8,582	1,618,029
	Crude rate	34.4	38.5	40.3	39.4	32.8	36.0
	ASR(A)	35.3	38.9	40.5	39.5	32.7	36.7
	95% CI	35.3–35.4	38.7–39.0	40.3–40.7	39.0–40.0	32.0–33.4	36.6–36.8
Ages 50–69	Number	708,024	264,237	124,911	15,643	5,321	1,118,137
	Crude rate	54.5	59.3	59.6	56.9	45.0	56.1
	ASR(A)	54.5	59.1	59.4	56.9	45.1	56.0
	95% CI	54.4–54.7	58.8–59.3	59.1–59.8	56.0–57.8	43.9–46.3	55.9–56.2

Notes

1. Period covers 1 January 2002 to 31 December 2003.
2. Rates are the number of women screened as a percentage of the eligible female population calculated as the average of the 2002 and 2003 Australian Bureau of Statistics Estimated Resident Population and age-standardised to the Australian population at 30 June 2001.
3. The Australian Standard Geographical Classification (ASGC) was used to create the above categories (ABS 2001).

Source: AIHW analysis of BreastScreen Australia data.

Table 21: Participation in BreastScreen Australia by age and region, 1999–2000

Age group	Number/ rate	Major cities	Inner regional	Outer regional	Remote	Very remote	Australia
40–44	Number	63,786	24,437	14,545	2,433	1,169	106,369
	Rate	13.4	16.1	19.4	20.5	20.9	14.7
45–49	Number	110,044	40,511	22,423	3,460	1,495	177,933
	Rate	24.6	29.0	33.1	34.2	31.4	26.6
50–54	Number	216,212	73,531	35,207	4,876	1,763	331,589
	Rate	52.9	58.1	56.7	54.8	44.5	54.3
55–59	Number	166,304	63,039	30,283	4,008	1,396	265,029
	Rate	55.2	62.0	60.3	57.9	48.8	57.2
60–64	Number	139,709	55,989	26,144	3,109	938	225,888
	Rate	55.7	62.7	60.7	59.5	46.0	57.8
65–69	Number	117,184	47,511	21,222	2,392	706	189,015
	Rate	52.5	59.2	58.3	57.2	45.3	54.7
70–74	Number	81,839	31,768	13,092	1,359	405	128,464
	Rate	37.2	41.8	39.5	41.4	34.8	38.5
75–79	Number	34,094	13,306	5,695	611	182	53,888
	Rate	17.8	21.2	21.4	23.7	22.8	19.0
80–84	Number	8,940	3,670	1,689	183	61	14,542
	Rate	7.1	8.8	9.5	10.7	12.1	7.8
85+	Number	2,033	798	375	40	12	3,257
	Rate	1.8	2.2	2.3	2.6	2.5	1.9
Ages 40+	Number	940,143	354,559	170,675	22,470	8,127	1,495,974
	Crude rate	34.0	39.1	39.9	39.9	34.3	35.8
	ASR(A)	35.1	39.8	40.2	40.1	34.3	36.7
	95% CI	35.0–35.2	39.7–39.9	40.0–40.4	39.6–40.7	33.5–35.1	36.7–36.8
Ages 50–69	Number	639,408	240,069	112,856	14,385	4,803	1,011,521
	Crude rate	54.0	60.3	58.8	57.0	46.1	55.9
	ASR(A)	54.0	60.3	58.8	57.1	46.1	55.9
	95% CI	53.9–54.2	60.1–60.5	58.5–59.1	56.1–58.0	44.8–47.5	55.8–56.0

Notes

1. Period covers 1 January 1999 to 31 December 2000.
2. Rates are the number of women screened as a percentage of the eligible female population calculated as the average of the 1999 and 2000 Australian Bureau of Statistics Estimated Resident Population and age-standardised to the Australian population at 30 June 2001.
3. The Australian Standard Geographical Classification (ASGC) was used to create the above categories (ABS 2001).

Source: AIHW analysis of BreastScreen Australia data.

Table 22: Participation in BreastScreen Australia by age and socioeconomic status, 2004–2005

Age group	Number/ rate	1st quintile	2nd quintile	3rd quintile	4th quintile	5th quintile	Australia
40–44	Number	16,952	19,399	20,737	19,126	16,450	92,663
	Rate	10.6	12.4	13.3	12.6	11.1	12.0
45–49	Number	29,600	30,732	33,517	31,759	27,221	152,830
	Rate	19.1	21.0	23.0	22.2	19.8	21.0
50–54	Number	79,318	72,260	71,076	68,765	62,722	354,142
	Rate	54.3	54.5	53.7	52.5	49.7	53.0
55–59	Number	75,055	67,288	69,434	68,909	63,602	344,289
	Rate	57.0	56.7	57.9	56.3	54.9	56.6
60–64	Number	55,023	51,079	55,259	57,203	52,567	271,132
	Rate	59.5	59.3	59.4	58.8	58.9	59.2
65–69	Number	41,147	40,110	44,954	48,264	44,682	219,157
	Rate	56.4	57.9	56.8	57.1	57.5	57.1
70–74	Number	22,791	23,683	24,760	25,139	22,808	119,181
	Rate	36.7	40.1	36.5	35.1	34.4	36.4
75–79	Number	10,197	8,811	9,341	10,054	8,497	46,899
	Rate	16.9	16.0	14.8	15.6	14.5	15.5
80–84	Number	2,971	2,110	2,537	2,485	2,073	12,175
	Rate	5.8	4.8	5.2	5.2	4.8	5.2
85+	Number	582	391	480	548	402	2,403
	Rate	1.2	1.0	1.1	1.4	1.1	1.2
Ages 40+	Number	333,637	315,863	332,096	332,252	301,023	1,614,871
	Crude rate	34.0	34.8	35.0	34.9	33.5	34.4
	ASR(A)	34.7	35.6	35.7	35.0	33.6	34.9
	95% CI	34.6–34.8	35.4–35.7	35.5–35.8	34.8–35.1	33.5–33.7	34.8–34.9
Ages 50–69	Number	250,544	230,738	240,724	243,141	223,573	1,188,720
	Crude rate	56.6	56.7	56.7	55.9	54.7	56.1
	ASR(A)	56.5	56.7	56.6	55.7	54.5	56.0
	95% CI	56.3–56.8	56.5–56.9	56.4–56.8	55.5–55.9	54.2–54.7	55.9–56.1

Notes

1. Period covers 1 January 2004 to 31 December 2005.
2. Rates are the number of women screened as a percentage of the eligible female population calculated as the average of the 2004 and 2005 Australian Bureau of Statistics Estimated Resident Population and age-standardised to the Australian population at 30 June 2001.
3. The first quintile corresponds to the highest level of socioeconomic status and the fifth to the lowest.

Source: AIHW analysis of BreastScreen Australia data.

Table 23: Participation in BreastScreen Australia by age and socioeconomic status, 2002–2003

Age group	Number/rate	1st quintile	2nd quintile	3rd quintile	4th quintile	5th quintile	Australia
40–44	Number	20,225	19,227	22,890	21,964	19,608	103,914
	Rate	12.8	12.2	14.9	14.8	13.3	13.6
45–49	Number	36,003	32,114	38,244	37,202	33,626	177,189
	Rate	24.0	22.3	27.7	27.6	25.4	25.3
50–54	Number	76,373	68,916	69,921	67,270	62,171	344,651
	Rate	53.2	51.6	55.1	53.5	50.1	52.7
55–59	Number	68,571	60,734	65,513	64,450	59,401	318,669
	Rate	57.7	54.9	60.3	58.6	56.5	57.6
60–64	Number	48,975	46,106	51,438	53,402	49,900	249,821
	Rate	58.6	56.7	59.6	59.6	59.0	58.7
65–69	Number	38,006	37,219	42,352	45,648	41,770	204,996
	Rate	56.4	55.7	57.3	58.0	56.7	56.9
70–74	Number	26,463	25,799	29,594	30,118	27,204	139,178
	Rate	42.1	42.0	43.2	42.0	40.7	42.0
75–79	Number	12,904	9,663	12,300	13,091	11,189	59,146
	Rate	21.4	17.4	20.0	21.2	19.5	19.9
80–84	Number	3,926	2,572	3,535	3,743	3,073	16,849
	Rate	8.3	6.2	7.8	8.7	7.7	7.8
85+	Number	835	482	764	853	682	3,616
	Rate	1.8	1.3	1.9	2.4	2.1	1.9
Ages 40+	Number	332,282	302,830	336,552	337,741	308,624	1,618,029
	Crude rate	35.4	34.0	37.3	37.5	35.7	36.0
	ASR(A)	36.5	34.9	38.2	37.8	36.0	36.7
	95% CI	36.4–36.6	34.8–35.1	38.1–38.4	37.7–37.9	35.9–36.1	36.6–36.8
Ages 50–69	Number	231,926	212,974	229,225	230,770	213,242	1,118,137
	Crude rate	56.1	54.3	57.9	57.1	55.0	56.1
	ASR(A)	56.1	54.3	57.8	56.9	54.9	56.0
	95% CI	55.9–56.4	54.1–54.5	57.6–58.1	56.7–57.2	54.7–55.1	55.9–56.2

Notes

1. Period covers 1 January 2002 to 31 December 2003.
2. Rates are the number of women screened as a percentage of the eligible female population calculated as the average of the 2002 and 2003 Australian Bureau of Statistics Estimated Resident Population and age-standardised to the Australian population at 30 June 2001.
3. The first quintile corresponds to the highest level of socioeconomic status and the fifth to the lowest.

Source: AIHW analysis of BreastScreen Australia data.

Table 24: Participation in BreastScreen Australia by age and socioeconomic status, 1999–2000

Age group	Number/rate	1st quintile	2nd quintile	3rd quintile	4th quintile	5th quintile	Australia
40–44	Number	20,596	18,842	23,290	23,124	20,518	106,369
	Rate	13.6	12.8	16.3	16.6	14.6	14.7
45–49	Number	37,127	31,743	37,627	37,392	34,044	177,933
	Rate	25.1	23.2	29.0	29.5	26.5	26.6
50–54	Number	74,192	65,399	66,937	64,234	60,827	331,589
	Rate	53.6	53.1	57.5	55.3	52.2	54.3
55–59	Number	55,252	49,347	53,873	54,752	51,806	265,029
	Rate	55.8	54.8	59.4	59.2	57.1	57.2
60–64	Number	42,699	41,237	46,302	49,135	46,516	225,888
	Rate	55.9	56.6	58.8	59.5	58.2	57.8
65–69	Number	34,916	34,682	38,620	42,063	38,733	189,015
	Rate	53.0	54.5	54.7	56.5	54.5	54.7
70–74	Number	25,823	24,058	26,802	27,184	24,597	128,464
	Rate	39.0	39.1	38.9	38.6	37.0	38.5
75–79	Number	10,892	9,552	11,793	11,780	9,871	53,888
	Rate	18.0	17.8	20.1	20.6	18.3	19.0
80–84	Number	2,917	2,374	3,239	3,420	2,593	14,542
	Rate	6.9	6.7	8.3	9.4	7.8	7.8
85+	Number	660	485	774	734	602	3,257
	Rate	1.6	1.4	2.2	2.4	2.1	1.9
Ages 40+	Number	305,074	277,718	309,258	313,817	290,107	1,495,974
	Crude rate	34.2	34.0	37.2	38.0	35.8	35.8
	ASR(A)	35.6	35.1	38.4	38.4	36.2	36.7
	95% CI	35.5–35.7	35.0–35.3	38.2–38.5	38.3–38.6	36.1–36.3	36.7–36.8
Ages 50–69	Number	207,060	190,664	205,732	210,183	197,882	1,011,521
	Crude rate	54.5	54.5	57.7	57.5	55.2	55.9
	ASR(A)	54.6	54.6	57.8	57.5	55.2	55.9
	95% CI	54.3–54.8	54.3–54.8	57.5–58.0	57.2–57.7	55.0–55.4	55.8–56.0

Notes

1. Period covers 1 January 1999 to 31 December 2000.
2. Rates are the number of women screened as a percentage of the eligible female population calculated as the average of the 1999 and 2000 Australian Bureau of Statistics Estimated Resident Population and age-standardised to the Australian population at 30 June 2001.
3. The first quintile corresponds to the highest level of socioeconomic status and the fifth to the lowest.

Source: AIHW analysis of BreastScreen Australia data.

Table 25: Participation in BreastScreen Australia by age and Indigenous status, 2004–2005

Age group	Number/rate	Indigenous	Non-Indigenous	Australia
40–44	Number	1,499	90,816	92,663
	Rate	9.9	12.0	12.0
45–49	Number	2,000	150,050	152,830
	Rate	16.9	21.0	21.0
50–54	Number	2,907	347,806	354,142
	Rate	31.5	52.8	53.0
55–59	Number	2,366	338,649	344,289
	Rate	36.0	56.3	56.6
60–64	Number	1,755	267,558	271,132
	Rate	39.0	59.0	59.2
65–69	Number	1,243	216,663	219,157
	Rate	39.7	56.9	57.1
70–74	Number	554	118,002	119,181
	Rate	26.6	36.3	36.4
75+	Number	256	60,849	61,477
	Rate	10.6	8.2	8.3
Ages 40+	Number	12,580	1,590,393	1,614,871
	Crude rate	23.0	34.3	34.4
	ASR(A)	24.2	34.7	34.8
	95% CI	23.7–24.6	34.6–34.7	34.7–34.8
Ages 50–69	Number	8,271	1,170,676	1,188,720
	Crude rate	35.3	55.9	56.1
	ASR(A)	35.8	55.8	56.0
	95% CI	35.0–36.6	55.7–55.9	55.9–56.1

Notes

1. Rates are the number of women screened as a percentage of the eligible female population calculated as the average of the 2004 and 2005 Australian Bureau of Statistics Estimated Resident Population and age-standardised to the Australian population at 30 June 2001.
2. Period covers 1 January 2004 to 31 December 2005.
3. Women in the 'unknown' category are included in the column for 'Australia', but are not included in the other columns.

Source: AIHW analysis of BreastScreen Australia data.

Table 26: Participation in BreastScreen Australia by age and Indigenous status, 2002–2003

Age group	Number/rate	Indigenous	Non-Indigenous	Australia
40–44	Number	1,557	100,288	103,914
	Rate	11.0	13.4	13.6
45–49	Number	2,138	167,701	177,189
	Rate	19.8	24.3	25.3
50–54	Number	2,673	301,652	344,651
	Rate	31.1	46.7	52.7
55–59	Number	2,123	280,518	318,669
	Rate	36.6	51.2	57.6
60–64	Number	1,579	218,505	249,821
	Rate	36.5	51.9	58.7
65–69	Number	1,106	179,684	204,996
	Rate	37.5	50.2	56.9
70–74	Number	628	122,529	139,178
	Rate	30.6	37.2	42.0
75+	Number	225	77,781	79,611
	Rate	9.1	11.0	11.3
Ages 40+	Number	12,029	1,448,658	1,618,029
	Crude rate	23.5	32.6	36.0
	ASR(A)	24.5	33.1	36.6
	95% CI	24.0–25.0	33.1–33.2	36.5–36.7
Ages 50–69	Number	7,481	980,359	1,118,137
	Crude rate	34.5	49.7	56.1
	ASR(A)	34.8	49.7	56.0
	95% CI	34.1–35.7	49.6–49.8	55.9–56.2

Notes

1. Rates are the number of women screened as a percentage of the eligible female population calculated as the average of the 2002 and 2003 Australian Bureau of Statistics Estimated Resident Population and age-standardised to the Australian population at 30 June 2001.
2. Period covers 1 January 2002 to 31 December 2003.
3. Women in the 'unknown' category are included in the column for 'Australia', but are not included in the other columns.

Source: AIHW analysis of BreastScreen Australia data.

Table 27: Participation in BreastScreen Australia by age and Indigenous status, 1999–2000

Age group	Number/rate	Indigenous	Non-Indigenous	Australia
40–44	Number	1,463	98,949	106,369
	Rate	11.8	14.0	14.7
45–49	Number	1,887	156,473	177,933
	Rate	19.1	23.7	26.6
50–54	Number	2,228	248,478	331,589
	Rate	30.7	41.2	54.3
55–59	Number	1,728	202,635	265,029
	Rate	32.7	44.3	57.2
60–64	Number	1,211	172,593	225,888
	Rate	31.1	44.6	57.8
65–69	Number	927	145,057	189,015
	Rate	33.0	42.3	54.7
70–74	Number	418	100,507	128,464
	Rate	22.5	30.3	38.5
75+	Number	192	68,403	71,687
	Rate	7.5	10.7	11.2
Ages 40+	Number	10,054	1,193,095	1,495,974
	Crude rate	21.9	28.9	35.8
	ASR(A)	22.3	29.5	36.7
	95% CI	21.8–22.7	29.4–29.6	36.6–36.7
Ages 50–69	Number	6,094	768,763	1,011,521
	Crude rate	31.7	42.9	55.9
	ASR(A)	31.8	42.9	55.9
	95% CI	31.0–32.6	42.9–43.0	55.8–56.0

Notes

1. Rates are the number of women screened as a percentage of the eligible female population calculated as the average of the 1999 and 2000 Australian Bureau of Statistics Estimated Resident Population and age-standardised to the Australian population at 30 June 2001.
2. Period covers 1 January 1999 to 31 December 2000.
3. Women in the 'unknown' category are included in the column for 'Australia', but are not included in the other columns.

Source: AIHW analysis of BreastScreen Australia data.

Table 28: Participation in BreastScreen Australia by age and main language spoken at home, 2004–2005

Age group	Number/rate	English-speaking	Non-English-speaking	Australia
40–44	Number	81,603	10,744	92,663
	Rate	12.8	8.1	12.0
45–49	Number	133,076	19,098	152,830
	Rate	22.0	15.7	21.0
50–54	Number	308,972	43,743	354,142
	Rate	55.0	41.0	53.0
55–59	Number	300,796	42,132	344,289
	Rate	58.5	45.0	56.6
60–64	Number	235,249	34,929	271,132
	Rate	62.8	41.9	59.2
65–69	Number	185,916	32,643	219,157
	Rate	59.7	45.2	57.1
70–74	Number	103,492	15,365	119,181
	Rate	37.7	29.2	36.4
75–79	Number	42,046	4,726	46,899
	Rate	16.4	10.3	15.5
80–84	Number	11,138	1,010	12,175
	Rate	5.4	3.8	5.2
85+	Number	2,244	148	2,403
	Rate	1.2	0.7	1.2
Ages 40+	Number	1,404,532	204,538	1,614,871
	Crude rate	35.7	27.0	34.4
	ASR(A)	36.4	26.5	34.9
	95% CI	36.4–36.5	26.4–26.6	34.8–34.9
Ages 50–69	Number	1,030,933	153,447	1,188,720
	Crude rate	58.5	43.1	56.1
	ASR(A)	58.4	43.0	56.0
	95% CI	58.3–58.5	42.8–43.2	55.9–56.1

Notes

1. Period covers 1 January 2004 to 31 December 2005.
2. Rates are the number of women screened as a percentage of the eligible female population calculated as the average of the 2004 and 2005 Australian Bureau of Statistics Estimated Resident Population and age-standardised to the Australian population at 30 June 2001.
3. Women who were recorded as not stating their language spoken at home are included in the analysis for all women but excluded from the analysis by language.

Source: AIHW analysis of BreastScreen Australia data.

Table 29: Participation in BreastScreen Australia by age and main language spoken at home, 2002–2003

Age group	Number/rate	English-speaking	Non-English-speaking	Australia
40–44	Number	90,780	12,589	103,914
	Rate	14.3	9.6	13.6
45–49	Number	153,446	22,547	177,189
	Rate	26.3	19.3	25.3
50–54	Number	301,071	41,482	344,651
	Rate	54.8	39.8	52.7
55–59	Number	278,972	37,995	318,669
	Rate	59.6	44.6	57.6
60–64	Number	214,214	34,484	249,821
	Rate	61.6	44.6	58.7
65–69	Number	173,980	30,384	204,996
	Rate	59.4	44.8	56.9
70–74	Number	122,598	16,291	139,178
	Rate	44.1	30.6	42.0
75–79	Number	53,269	5,777	59,146
	Rate	21.2	12.8	19.9
80–84	Number	15,601	1,213	16,849
	Rate	8.1	5.0	7.8
85+	Number	3,431	182	3,616
	Rate	2.0	0.9	1.9
Ages 40+	Number	1,407,362	202,944	1,618,029
	Crude rate	37.3	28.0	36.0
	ASR(A)	38.3	27.6	36.7
	95% CI	38.2–38.4	27.5–27.8	36.6–36.8
Ages 50–69	Number	968,237	144,345	1,118,137
	Crude rate	58.4	43.1	56.1
	ASR(A)	58.4	43.0	56.0
	95% CI	58.2–58.5	42.8–43.2	55.9–56.2

Notes

1. Period covers 1 January 2002 to 31 December 2003.
2. Rates are the number of women screened as a percentage of the eligible female population calculated as the average of the 2002 and 2003 Australian Bureau of Statistics Estimated Resident Population and age-standardised to the Australian population at 30 June 2001.
3. Women who were recorded as not stating their language spoken at home are included in the analysis for all women but excluded from the analysis by language.

Source: AIHW analysis of BreastScreen Australia data.

Table 30: Participation in BreastScreen Australia by age and main language spoken at home, 1999–2000

Age group	Number/rate	English-speaking	Non-English-speaking	Australia
40–44	Number	93,129	12,575	106,369
	Rate	15.6	10.2	14.7
45–49	Number	155,753	20,913	177,933
	Rate	27.9	18.7	26.6
50–54	Number	290,355	38,873	331,589
	Rate	56.6	39.9	54.3
55–59	Number	230,385	33,052	265,029
	Rate	58.8	46.3	57.2
60–64	Number	192,326	32,594	225,888
	Rate	60.2	45.9	57.8
65–69	Number	162,790	25,592	189,015
	Rate	58.0	39.4	54.7
70–74	Number	114,188	13,921	128,464
	Rate	40.8	26.0	38.5
75–79	Number	49,029	4,705	53,888
	Rate	20.3	10.9	19.0
80–84	Number	13,642	851	14,542
	Rate	8.2	4.1	7.8
85+	Number	3,091	162	3,257
	Rate	2.0	0.9	1.9
Ages 40+	Number	1,304,688	183,238	1,495,974
	Crude rate	37.3	27.1	35.8
	ASR(A)	38.4	27.1	36.7
	95% CI	38.3–38.5	26.9–27.2	36.7–36.8
Ages 50–69	Number	875,856	130,111	1,011,521
	Crude rate	58.2	42.7	55.9
	ASR(A)	58.2	42.8	55.9
	95% CI	58.1–58.3	42.6–43.0	55.8–56.0

Notes

1. Period covers 1 January 1999 to 31 December 2000.
2. Rates are the number of women screened as a percentage of the eligible female population calculated as the average of the 1999 and 2000 Australian Bureau of Statistics Estimated Resident Population and age-standardised to the Australian population at 30 June 2001.
3. Women who were recorded as not stating their language spoken at home are included in the analysis for all women but excluded from the analysis by language.

Source: AIHW analysis of BreastScreen Australia data.

Indicator 2: Detection rate for small invasive cancers

Table 31: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 2005

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	5,129	5,705	13,019	3,555	2,391	1,554	6	156	31,515
	Cases	5	5	14	8	3	3	0	0	38
45–49	Screened	4,226	6,028	7,232	3,387	2,159	1,221	23	216	24,492
	Cases	13	7	20	7	2	3	0	0	52
50–54	Screened	13,168	12,782	8,352	4,925	3,907	923	721	374	45,152
	Cases	30	35	24	15	11	4	3	0	122
55–59	Screened	6,475	2,436	3,583	1,212	582	504	222	167	15,181
	Cases	24	12	16	5	4	0	1	0	62
60–64	Screened	3,644	1,037	2,223	587	323	239	78	75	8,206
	Cases	14	8	10	2	0	2	1	0	37
65–69	Screened	2,346	705	1,414	382	171	168	55	38	5,279
	Cases	12	2	5	1	0	1	1	1	23
70–74	Screened	470	291	461	133	58	40	25	9	1,487
	Cases	1	1	4	1	0	0	0	0	7
75–79	Screened	215	201	308	95	43	35	6	7	910
	Cases	2	1	6	3	1	0	0	0	13
80–84	Screened	80	104	108	27	25	7	5	1	357
	Cases	1	3	1	1	0	0	0	0	6
85+	Screened	22	26	32	14	9	1	2	0	106
	Cases	0	1	0	0	1	0	0	0	2
Ages 40+	Screened	35,775	29,315	36,732	14,317	9,668	4,692	1,143	1,043	132,685
	Cases	102	75	100	43	22	13	6	1	362
Ages 50–69	Screened	25,633	16,960	15,572	7,106	4,983	1,834	1,076	654	73,818
	Cases	80	57	55	23	15	7	6	1	244

Source: AIHW analysis of BreastScreen Australia data.

Table 32: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 2005

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	9.7	8.8	10.8	22.5	12.5	19.3	0.0	0.0	12.1
45–49	30.8	11.6	27.7	20.7	9.3	24.6	0.0	0.0	21.2
50–54	22.8	27.4	28.7	30.5	28.2	43.3	41.6	0.0	27.0
55–59	37.1	49.3	44.7	41.3	68.7	0.0	45.0	0.0	40.8
60–64	38.4	77.1	45.0	34.1	0.0	83.7	128.2	0.0	45.1
65–69	51.2	28.4	35.4	26.2	0.0	59.5	181.8	263.2	43.6
70–74	21.3	34.4	86.8	75.2	0.0	0.0	0.0	0.0	47.1
75–79	93.0	49.8	194.8	315.8	232.6	0.0	0.0	0.0	142.9
80–84	125.0	288.5	92.6	370.4	0.0	0.0	0.0	0.0	168.1
85+	0.0	384.6	0.0	0.0	1,111.1	0.0	0.0	#DIV/0!	188.7
Ages 40+									
Crude rate	28.5	25.6	27.2	30.0	22.8	27.7	52.5	9.6	27.3
ASR(A)	34.1	39.3	43.6	45.7	29.4	34.2	59.4	#DIV/0!	39.0
95% CI	26.1–43.3	27.1–53.8	32.7–56.3	25.9–70.6	12.4–52.8	12.7–66.8	10.2–150.8	#DIV/0!	33.6–44.8
Ages 50–69									
Crude rate	31.2	33.6	35.3	32.4	30.1	38.2	55.8	15.3	33.1
ASR(A)	35.5	44.2	37.7	33.2	27.0	44.2	88.9	51.2	37.8
95% CI	27.4–45.0	29.2–62.6	27.5–50.3	17.2–55.2	11.1–50.4	14.4–97.0	15.3–225.7	1.3–285.4	32.4–43.8

.. Not applicable—no women in this age group were screened in 2005.

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 33: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 2004

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	8,846	4,506	11,032	2,684	1,692	1,102	5	186	30,053
	Cases	9	2	15	3	2	2	0	1	34
45–49	Screened	7,426	5,157	6,292	2,802	1,738	869	22	170	24,476
	Cases	14	15	10	5	0	2	0	2	48
50–54	Screened	10,395	17,027	6,110	5,117	4,189	745	572	293	44,448
	Cases	31	42	21	20	10	2	3	2	131
55–59	Screened	5,560	2,170	3,077	1,233	521	370	180	133	13,244
	Cases	17	13	18	3	4	1	1	2	59
60–64	Screened	3,314	1,135	1,945	672	288	209	66	65	7,694
	Cases	20	1	13	2	1	2	0	0	39
65–69	Screened	2,222	707	1,308	398	158	119	50	20	4,982
	Cases	11	10	9	0	2	1	0	0	33
70–74	Screened	878	326	617	128	68	41	16	10	2,084
	Cases	2	1	5	0	2	0	0	0	10
75–79	Screened	498	246	396	97	47	24	7	2	1,317
	Cases	2	2	3	2	0	0	0	0	9
80–84	Screened	208	111	169	50	22	14	2	1	577
	Cases	2	1	1	0	0	0	0	0	4
85+	Screened	53	21	51	10	10	2	3	1	151
	Cases	0	0	1	0	0	0	0	0	1
Ages 40+	Screened	39,400	31,406	30,997	13,191	8,733	3,495	923	881	129,026
	Cases	108	87	96	35	21	10	4	7	368
Ages 50–69	Screened	21,491	21,039	12,440	7,420	5,156	1,443	868	511	70,368
	Cases	79	66	61	25	17	6	4	4	262

Source: AIHW analysis of BreastScreen Australia data.

Table 34: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 2004

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	10.2	4.4	13.6	11.2	11.8	18.1	0.0	53.8	11.3
45–49	18.9	29.1	15.9	17.8	0.0	23.0	0.0	117.6	19.6
50–54	29.8	24.7	34.4	39.1	23.9	26.8	52.4	68.3	29.5
55–59	30.6	59.9	58.5	24.3	76.8	27.0	55.6	150.4	44.5
60–64	60.4	8.8	66.8	29.8	34.7	95.7	0.0	0.0	50.7
65–69	49.5	141.4	68.8	0.0	126.6	84.0	0.0	0.0	66.2
70–74	22.8	30.7	81.0	0.0	294.1	0.0	0.0	0.0	48.0
75–79	40.2	81.3	75.8	206.2	0.0	0.0	0.0	0.0	68.3
80–84	96.2	90.1	59.2	0.0	0.0	0.0	0.0	0.0	69.3
85+	0.0	0.0	196.1	0.0	0.0	0.0	0.0	0.0	66.2
Ages 40+									
Crude rate	27.4	27.7	31.0	26.5	24.0	28.6	43.3	79.5	28.5
ASR(A)	34.3	45.3	49.5	26.6	65.6	40.0	21.0	60.2	40.4
95% CI	27.3–42.4	31.4–61.6	38.2–62.6	15.2–41.2	26.1–120.3	13.2–83.0	4.1–57.4	22.1–127.7	35.3–46.0
Ages 50–69									
Crude rate	36.8	31.4	49.0	33.7	33.0	41.6	46.1	78.3	37.2
ASR(A)	40.6	53.0	54.5	25.6	60.0	53.2	31.4	61.2	45.2
95% CI	31.5–51.3	34.6–75.1	40.8–71.0	14.0–41.2	22.8–113.5	16.0–122.6	6.1–85.9	15.0–160.1	38.9–52.2

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 35: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 2003

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	12,121	4,121	10,432	2,616	2,010	898	9	195	32,402
	Cases	15	2	12	1	2	1	0	1	34
45–49	Screened	9,142	4,712	5,986	2,864	1,930	787	33	198	25,652
	Cases	15	10	16	7	4	0	1	1	54
50–54	Screened	11,024	12,189	6,181	4,699	3,979	671	502	284	39,529
	Cases	29	29	18	18	11	4	1	0	110
55–59	Screened	5,905	1,984	3,014	1,110	629	368	148	121	13,279
	Cases	22	11	9	5	4	3	1	1	56
60–64	Screened	3,635	1,087	2,019	679	294	208	93	44	8,059
	Cases	11	8	7	3	2	2	0	1	34
65–69	Screened	2,577	752	1,371	395	191	117	47	33	5,483
	Cases	18	2	6	5	1	0	0	0	32
70–74	Screened	1,307	401	650	153	69	41	22	6	2,649
	Cases	10	3	7	0	2	0	1	0	23
75–79	Screened	817	261	436	111	69	28	13	9	1,744
	Cases	7	7	4	3	1	0	0	0	22
80–84	Screened	354	122	146	57	46	12	6	0	743
	Cases	5	1	0	3	0	1	0	0	10
85+	Screened	99	40	38	13	9	4	2	0	205
	Cases	1	0	1	0	0	0	0	0	2
Ages 40+	Screened	46,981	25,669	30,273	12,697	9,226	3,134	875	890	129,745
	Cases	133	73	80	45	27	11	4	4	377
Ages 50–69	Screened	23,141	16,012	12,585	6,883	5,093	1,364	790	482	66,350
	Cases	80	50	40	31	18	9	2	2	232

Source: AIHW analysis of BreastScreen Australia data.

Table 36: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	12.4	4.9	11.5	3.8	10.0	11.1	0.0	51.3	10.5
45–49	16.4	21.2	26.7	24.4	20.7	0.0	303.0	50.5	21.1
50–54	26.3	23.8	29.1	38.3	27.6	59.6	19.9	0.0	27.8
55–59	37.3	55.4	29.9	45.0	63.6	81.5	67.6	82.6	42.2
60–64	30.3	73.6	34.7	44.2	68.0	96.2	0.0	227.3	42.2
65–69	69.8	26.6	43.8	126.6	52.4	0.0	0.0	0.0	58.4
70–74	76.5	74.8	107.7	0.0	289.9	0.0	454.5	0.0	86.8
75–79	85.7	268.2	91.7	270.3	144.9	0.0	0.0	0.0	126.1
80–84	141.2	82.0	0.0	526.3	0.0	833.3	0.0	#DIV/0!	134.6
85+	101.0	0.0	263.2	0.0	0.0	0.0	0.0	#DIV/0!	97.6
Ages 40+									
Crude rate	28.3	28.4	26.4	35.4	29.3	35.1	45.7	44.9	29.1
ASR(A)	39.2	47.3	38.9	55.3	65.9	49.3	92.7	#DIV/0!	43.1
95% CI	31.9–47.5	33.8–63.5	29.0–50.7	35.8–79.7	28.6–115.8	22.5–91.6	11.7–266.2	#DIV/0!	37.9–48.8
Ages 50–69									
Crude rate	34.6	31.2	31.8	45.0	35.3	66.0	25.3	41.5	35.0
ASR(A)	38.5	43.5	33.4	58.5	50.7	61.8	24.0	71.7	40.7
95% CI	30.0–48.5	28.6–62.0	23.2–46.4	34.0–90.6	21.2–92.8	26.5–120.1	0.8–92.9	3.8–273.5	34.8–47.1

.. Not applicable—no women in this age group were screened in 2003.

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 37: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 2002

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	13,399	4,759	10,310	2,209	1,904	820	51	192	33,644
	Cases	16	4	16	1	2	2	0	0	41
45–49	Screened	10,513	5,670	6,232	2,768	2,077	604	68	219	28,151
	Cases	14	7	20	3	2	1	0	0	47
50–54	Screened	13,393	12,417	6,914	5,557	4,025	639	636	317	43,898
	Cases	31	24	20	21	12	0	3	0	111
55–59	Screened	6,373	2,847	3,213	1,311	783	298	220	86	15,131
	Cases	22	10	12	2	3	0	2	0	51
60–64	Screened	4,187	1,949	2,250	850	381	184	116	44	9,961
	Cases	17	8	14	7	5	2	0	1	54
65–69	Screened	3,028	1,457	1,542	543	229	108	58	26	6,991
	Cases	18	9	9	3	6	0	0	0	45
70–74	Screened	1,708	839	802	167	113	38	18	16	3,701
	Cases	12	6	9	1	1	0	0	0	29
75–79	Screened	1,087	492	488	113	114	37	25	8	2,364
	Cases	6	2	1	1	2	0	0	0	12
80–84	Screened	436	190	155	49	64	11	5	3	913
	Cases	2	2	1	0	2	0	0	0	7
85+	Screened	118	49	53	17	8	4	0	0	249
	Cases	2	0	1	0	0	0	0	0	3
Ages 40+	Screened	54,242	30,669	31,959	13,584	9,698	2,743	1,197	911	145,003
	Cases	140	72	103	39	35	5	5	1	400
Ages 50–69	Screened	26,981	18,670	13,919	8,261	5,418	1,229	1,030	473	75,981
	Cases	88	51	55	33	26	2	5	1	261

Source: AIHW analysis of BreastScreen Australia data.

Table 38: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 2002

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	11.9	8.4	15.5	4.5	10.5	24.4	0.0	0.0	12.2
45–49	13.3	12.3	32.1	10.8	9.6	16.6	0.0	0.0	16.7
50–54	23.1	19.3	28.9	37.8	29.8	0.0	47.2	0.0	25.3
55–59	34.5	35.1	37.3	15.3	38.3	0.0	90.9	0.0	33.7
60–64	40.6	41.0	62.2	82.4	131.2	108.7	0.0	227.3	54.2
65–69	59.4	61.8	58.4	55.2	262.0	0.0	0.0	0.0	64.4
70–74	70.3	71.5	112.2	59.9	88.5	0.0	0.0	0.0	78.4
75–79	55.2	40.7	20.5	88.5	175.4	0.0	0.0	0.0	50.8
80–84	45.9	105.3	64.5	0.0	312.5	0.0	0.0	0.0	76.7
85+	169.5	0.0	188.7	0.0	0.0	0.0	#DIV/0!	#DIV/0!	120.5
Ages 40+									
Crude rate	25.8	23.5	32.2	28.7	36.1	18.2	41.8	11.0	27.6
ASR(A)	35.6	34.7	45.8	39.6	84.1	20.1	#DIV/0!	#DIV/0!	39.8
95% CI	29.2–42.9	25.7–45.5	35.7–57.5	23.7–59.9	50.0–127.9	2.6–54.8	#DIV/0!	#DIV/0!	35.3–44.6
Ages 50–69									
Crude rate	32.6	27.3	39.5	39.9	48.0	16.3	48.5	21.1	34.4
ASR(A)	37.0	36.5	44.2	45.2	99.6	24.0	38.9	50.3	41.5
95% CI	29.2–46.2	25.5–50.0	32.6–58.4	27.2–68.5	54.8–159.8	2.9–86.8	10.4–95.1	1.3–280.0	36.0–47.5

.. Not applicable—no women in this age group were screened in 2002.

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 39: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 2001

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	13,630	4,389	9,819	2,513	2,151	810	561	315	34,188
	Cases	20	5	15	4	4	0	0	0	48
45–49	Screened	10,812	5,219	6,313	2,952	2,271	658	601	290	29,116
	Cases	17	10	10	6	5	0	0	0	48
50–54	Screened	13,357	13,039	7,087	4,557	4,284	724	667	369	44,084
	Cases	46	36	21	10	9	2	1	1	126
55–59	Screened	5,852	4,529	3,342	1,222	848	280	197	135	16,405
	Cases	22	16	14	3	2	2	1	0	60
60–64	Screened	4,401	3,649	2,330	884	415	208	108	66	12,061
	Cases	22	14	13	4	2	4	2	0	61
65–69	Screened	3,135	2,971	1,627	574	325	139	71	41	8,883
	Cases	11	14	9	2	2	2	0	0	40
70–74	Screened	1,915	1,214	943	244	172	61	32	19	4,600
	Cases	10	12	7	8	1	0	0	0	38
75–79	Screened	1,333	557	596	181	167	72	20	13	2,939
	Cases	11	6	8	0	1	1	0	0	27
80–84	Screened	561	226	205	65	60	15	8	6	1,146
	Cases	3	3	1	0	0	0	0	0	7
85+	Screened	144	79	62	26	23	7	3	0	344
	Cases	0	2	2	0	0	0	0	0	4
Ages 40+	Screened	55,140	35,872	32,324	13,218	10,716	2,974	2,268	1,254	153,766
	Cases	162	118	100	37	26	11	4	1	459
Ages 50–69	Screened	26,745	24,188	14,386	7,237	5,872	1,351	1,043	611	81,433
	Cases	101	80	57	19	15	10	4	1	287

Source: AIHW analysis of BreastScreen Australia data.

Table 40: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 2001

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	14.7	11.4	15.3	15.9	18.6	0.0	0.0	0.0	14.0
45–49	15.7	19.2	15.8	20.3	22.0	0.0	0.0	0.0	16.5
50–54	34.4	27.6	29.6	21.9	21.0	27.6	15.0	27.1	28.6
55–59	37.6	35.3	41.9	24.5	23.6	71.4	50.8	0.0	36.6
60–64	50.0	38.4	55.8	45.2	48.2	192.3	185.2	0.0	50.6
65–69	35.1	47.1	55.3	34.8	61.5	143.9	0.0	0.0	45.0
70–74	52.2	98.8	74.2	327.9	58.1	0.0	0.0	0.0	82.6
75–79	82.5	107.7	134.2	0.0	59.9	138.9	0.0	0.0	91.9
80–84	53.5	132.7	48.8	0.0	0.0	0.0	0.0	0.0	61.1
85+	0.0	253.2	322.6	0.0	0.0	0.0	0.0	#DIV/0!	116.3
Ages 40+									
Crude rate	29.4	32.9	30.9	28.0	24.3	37.0	17.6	8.0	29.9
ASR(A)	36.5	40.4	43.7	51.5	34.7	69.7	39.4	#DIV/0!	39.5
95% CI	30.4–43.3	32.7–49.3	34.3–54.5	31.4–77.2	17.3–58.1	33.0–127.6	8.1–106.5	#DIV/0!	35.5–43.9
Ages 50–69									
Crude rate	37.8	33.1	39.6	26.3	25.5	74.0	38.4	16.4	35.2
ASR(A)	38.8	35.8	43.6	30.3	35.6	98.0	59.0	8.8	38.7
95% CI	31.2–47.7	27.8–45.2	32.4–57.2	16.1–50.3	14.5–66.6	44.5–184.2	12.2–159.4	0.2–49.1	34.0–43.9

.. Not applicable—no women in this age group were screened in 2001.

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 41: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 2000

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	12,616	4,523	9,192	2,253	2,353	752	519	259	32,467
	Cases	13	6	5	2	1	0	1	0	28
45–49	Screened	10,387	5,539	6,386	2,957	2,525	590	578	263	29,225
	Cases	15	12	14	6	3	1	0	0	51
50–54	Screened	12,245	12,369	8,430	3,223	5,277	797	653	487	43,481
	Cases	38	29	21	8	23	1	1	1	122
55–59	Screened	5,226	3,179	4,257	921	1,130	341	196	131	15,381
	Cases	14	11	17	4	5	1	1	1	54
60–64	Screened	4,019	2,456	3,133	706	647	224	122	61	11,368
	Cases	11	8	19	4	5	2	2	0	51
65–69	Screened	2,848	1,753	2,411	456	553	156	80	33	8,290
	Cases	13	9	13	4	5	0	0	0	44
70–74	Screened	1,759	872	1,288	235	247	80	40	20	4,541
	Cases	10	10	8	3	1	1	0	0	33
75–79	Screened	1,261	622	743	171	244	59	23	8	3,131
	Cases	7	9	6	0	1	0	1	0	24
80–84	Screened	465	233	234	48	74	17	11	2	1,084
	Cases	3	1	3	0	2	0	0	0	9
85+	Screened	130	60	78	9	14	10	6	1	308
	Cases	1	1	1	0	0	0	0	0	3
Ages 40+	Screened	50,956	31,606	36,152	10,979	13,064	3,026	2,228	1,265	149,276
	Cases	125	96	107	31	46	6	6	2	419
Ages 50–69	Screened	24,338	19,757	18,231	5,306	7,607	1,518	1,051	712	78,520
	Cases	76	57	70	20	38	4	4	2	271

Source: AIHW analysis of BreastScreen Australia data.

Table 42: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 2000

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	10.3	13.3	5.4	8.9	4.2	0.0	19.3	0.0	8.6
45–49	14.4	21.7	21.9	20.3	11.9	16.9	0.0	0.0	17.5
50–54	31.0	23.4	24.9	24.8	43.6	12.5	15.3	20.5	28.1
55–59	26.8	34.6	39.9	43.4	44.2	29.3	51.0	76.3	35.1
60–64	27.4	32.6	60.6	56.7	77.3	89.3	163.9	0.0	44.9
65–69	45.6	51.3	53.9	87.7	90.4	0.0	0.0	0.0	53.1
70–74	56.9	114.7	62.1	127.7	40.5	125.0	0.0	0.0	72.7
75–79	55.5	144.7	80.8	0.0	41.0	0.0	434.8	0.0	76.7
80–84	64.5	42.9	128.2	0.0	270.3	0.0	0.0	0.0	83.0
85+	76.9	166.7	128.2	0.0	0.0	0.0	0.0	0.0	97.4
Ages 40+									
Crude rate	24.5	30.4	29.6	28.2	35.2	19.8	26.9	15.8	28.1
ASR(A)	31.2	41.1	40.5	46.6	49.1	33.6	51.2	17.7	37.9
95% CI	25.2–37.9	31.9–51.8	32.7–49.6	28.2–70.8	32.3–70.1	9.9–77.7	14.5–119.4	0.3–69.2	33.9–42.3
Ages 50–69									
Crude rate	31.2	28.9	38.4	37.7	50.0	26.4	38.1	28.1	34.5
ASR(A)	32.0	33.8	42.3	48.9	60.3	31.4	54.4	26.5	38.5
95% CI	24.7–40.6	24.3–45.4	32.7–53.9	27.5–78.9	37.9–88.9	7.5–82.6	11.9–145.8	0.5–103.6	33.6–43.8

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 43: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 1999

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	14,336	4,961	9,536	2,531	2,341	839	590	246	35,380
	Cases	13	6	8	2	3	0	0	2	34
45–49	Screened	11,893	6,079	7,290	2,879	2,516	687	623	286	32,253
	Cases	16	10	20	5	2	3	0	1	57
50–54	Screened	13,269	13,531	9,358	2,341	4,759	886	733	443	45,320
	Cases	30	29	29	12	7	1	4	1	113
55–59	Screened	6,210	2,626	5,253	1,004	1,331	365	227	140	17,156
	Cases	21	12	24	5	9	0	1	0	72
60–64	Screened	4,766	2,054	3,923	674	861	284	132	90	12,784
	Cases	11	7	12	2	5	0	1	0	38
65–69	Screened	3,639	1,470	3,349	479	683	195	96	46	9,957
	Cases	16	8	25	3	8	1	1	0	62
70–74	Screened	2,234	871	1,834	302	264	120	60	28	5,713
	Cases	14	3	12	4	1	1	0	0	35
75–79	Screened	1,568	689	1,089	204	247	95	32	12	3,936
	Cases	14	4	9	4	2	1	1	0	35
80–84	Screened	502	229	366	49	85	23	12	5	1,271
	Cases	2	2	6	1	1	0	0	0	12
85+	Screened	122	73	108	12	22	5	2	0	344
	Cases	0	2	1	0	0	0	0	0	3
Ages 40+	Screened	58,539	32,583	42,106	10,475	13,109	3,499	2,507	1,296	164,114
	Cases	137	83	146	38	38	7	8	4	461
Ages 50–69	Screened	27,884	19,681	21,883	4,498	7,634	1,730	1,188	719	85,217
	Cases	78	56	90	22	29	2	7	1	285

Source: AIHW analysis of BreastScreen Australia data.

Table 44: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 1999

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	9.1	12.1	8.4	7.9	12.8	0.0	0.0	81.3	9.6
45–49	13.5	16.5	27.4	17.4	7.9	43.7	0.0	35.0	17.7
50–54	22.6	21.4	31.0	51.3	14.7	11.3	54.6	22.6	24.9
55–59	33.8	45.7	45.7	49.8	67.6	0.0	44.1	0.0	42.0
60–64	23.1	34.1	30.6	29.7	58.1	0.0	75.8	0.0	29.7
65–69	44.0	54.4	74.6	62.6	117.1	51.3	104.2	0.0	62.3
70–74	62.7	34.4	65.4	132.5	37.9	83.3	0.0	0.0	61.3
75–79	89.3	58.1	82.6	196.1	81.0	105.3	312.5	0.0	88.9
80–84	39.8	87.3	163.9	204.1	117.6	0.0	0.0	0.0	94.4
85+	0.0	274.0	92.6	0.0	0.0	0.0	0.0	#DIV/0!	87.2
Ages 40+									
Crude rate	23.4	25.5	34.7	36.3	29.0	20.0	31.9	30.9	28.1
ASR(A)	30.6	33.7	42.6	53.9	47.4	24.9	53.8	#DIV/0!	37.0
95% CI	25.2–36.8	25.3–43.5	35.6–50.5	35.8–77.0	31.7–67.3	7.6–55.5	18.1–114.7	#DIV/0!	33.3–40.9
Ages 50–69									
Crude rate	28.0	28.5	41.1	48.9	38.0	11.6	58.9	13.9	33.4
ASR(A)	29.8	36.9	43.2	48.3	57.9	13.7	66.2	7.3	37.7
95% CI	23.3–37.5	26.0–50.2	34.6–53.3	28.6–75.5	37.2–85.3	0.4–52.9	18.7–150.4	0.2–40.9	33.1–42.6

.. Not applicable—no women in this age group were screened in 1999.

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 45: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 1998

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	17,687	5,190	11,085	2,602	2,577	1,225	563	298	41,227
	Cases	14	1	6	1	0	0	1	0	23
45–49	Screened	14,850	6,688	8,992	3,764	3,016	1,059	667	413	39,449
	Cases	13	11	21	4	6	0	0	1	56
50–54	Screened	16,495	17,362	13,902	3,494	4,710	1,303	747	719	58,732
	Cases	42	51	29	4	7	8	2	0	143
55–59	Screened	8,031	3,234	8,544	1,599	1,372	584	266	281	23,911
	Cases	35	10	22	3	5	4	1	1	81
60–64	Screened	6,458	2,497	6,540	1,216	979	384	158	158	18,390
	Cases	19	15	26	6	7	1	1	2	77
65–69	Screened	5,170	1,973	6,040	921	825	380	123	126	15,558
	Cases	31	9	22	9	5	2	1	0	79
70–74	Screened	3,434	1,277	2,453	515	474	172	74	43	8,442
	Cases	22	11	21	1	5	0	0	0	60
75–79	Screened	2,094	1,047	1,290	346	429	140	45	28	5,419
	Cases	21	16	9	1	2	2	0	1	52
80–84	Screened	626	309	467	105	149	36	9	6	1,707
	Cases	4	5	7	0	1	0	0	0	17
85+	Screened	142	85	130	18	30	9	3	1	418
	Cases	2	1	1	0	0	0	0	0	4
Ages 40+	Screened	74,987	39,662	59,443	14,580	14,561	5,292	2,655	2,073	213,253
	Cases	203	130	164	29	38	17	6	5	592
Ages 50–69	Screened	36,154	25,066	35,026	7,230	7,886	2,651	1,294	1,284	116,591
	Cases	127	85	99	22	24	15	5	3	380

Source: AIHW analysis of BreastScreen Australia data.

Table 46: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 1998

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	7.9	1.9	5.4	3.8	0.0	0.0	17.8	0.0	5.6
45–49	8.8	16.4	23.4	10.6	19.9	0.0	0.0	24.2	14.2
50–54	25.5	29.4	20.9	11.4	14.9	61.4	26.8	0.0	24.3
55–59	43.6	30.9	25.7	18.8	36.4	68.5	37.6	35.6	33.9
60–64	29.4	60.1	39.8	49.3	71.5	26.0	63.3	126.6	41.9
65–69	60.0	45.6	36.4	97.7	60.6	52.6	81.3	0.0	50.8
70–74	64.1	86.1	85.6	19.4	105.5	0.0	0.0	0.0	71.1
75–79	100.3	152.8	69.8	28.9	46.6	142.9	0.0	357.1	96.0
80–84	63.9	161.8	149.9	0.0	67.1	0.0	0.0	0.0	99.6
85+	140.8	117.6	76.9	0.0	0.0	0.0	0.0	0.0	95.7
Ages 40+									
Crude rate	27.1	32.8	27.6	19.9	26.1	32.1	22.6	24.1	27.8
ASR(A)	36.2	42.3	33.7	29.9	41.3	40.2	33.7	38.9	36.1
95% CI	31.1–41.9	33.9–51.8	28.5–39.6	19.3–44.0	27.9–58.5	22.6–65.7	8.6–80.2	11.0–93.9	33.0–39.4
Ages 50–69									
Crude rate	35.1	33.9	28.3	30.4	30.4	56.6	38.6	23.4	32.6
ASR(A)	37.7	39.7	29.3	38.5	41.9	53.7	48.3	37.2	35.8
95% CI	31.3–45.1	29.8–51.4	23.8–35.8	23.7–58.9	25.7–63.9	28.8–90.5	11.9–120.0	7.2–109.9	32.1–39.8

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 47: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 1997

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	14,068	4,654	8,373	2,482	1,677	818	500	372	32,944
	Cases	10	3	5	3	1	0	0	1	23
45–49	Screened	14,170	6,555	7,793	4,432	2,088	810	598	496	36,942
	Cases	18	13	12	8	4	1	1	1	58
50–54	Screened	19,895	16,829	10,174	4,967	4,216	961	714	753	58,509
	Cases	42	34	22	6	15	0	2	2	123
55–59	Screened	11,098	4,612	6,600	2,761	1,679	486	279	414	27,929
	Cases	35	24	18	8	10	0	0	1	96
60–64	Screened	8,886	3,512	5,149	2,062	1,232	322	152	218	21,533
	Cases	38	11	21	7	4	0	0	0	81
65–69	Screened	7,994	2,899	4,406	1,638	1,130	263	129	108	18,567
	Cases	35	14	23	9	6	2	2	1	92
70–74	Screened	4,921	2,147	2,421	837	552	165	102	51	11,196
	Cases	28	15	19	6	5	2	2	0	77
75–79	Screened	2,678	1,384	1,389	441	353	128	58	16	6,447
	Cases	16	8	14	2	2	1	0	0	43
80–84	Screened	852	471	409	132	87	26	10	5	1,992
	Cases	9	9	3	1	3	0	0	0	25
85+	Screened	143	95	99	36	11	5	2	0	391
	Cases	0	2	0	1	1	0	0	0	4
Ages 40+	Screened	84,705	43,158	46,813	19,788	13,025	3,984	2,544	2,433	216,450
	Cases	231	133	137	51	51	6	7	6	622
Ages 50–69	Screened	47,873	27,852	26,329	11,428	8,257	2,032	1,274	1,493	126,538
	Cases	150	83	84	30	35	2	4	4	392

Source: AIHW analysis of BreastScreen Australia data.

Table 48: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 1997

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	7.1	6.4	6.0	12.1	6.0	0.0	0.0	26.9	7.0
45–49	12.7	19.8	15.4	18.1	19.2	12.3	16.7	20.2	15.7
50–54	21.1	20.2	21.6	12.1	35.6	0.0	28.0	26.6	21.0
55–59	31.5	52.0	27.3	29.0	59.6	0.0	0.0	24.2	34.4
60–64	42.8	31.3	40.8	33.9	32.5	0.0	0.0	0.0	37.6
65–69	43.8	48.3	52.2	54.9	53.1	76.0	155.0	92.6	49.6
70–74	56.9	69.9	78.5	71.7	90.6	121.2	196.1	0.0	68.8
75–79	59.7	57.8	100.8	45.4	56.7	78.1	0.0	0.0	66.7
80–84	105.6	191.1	73.3	75.8	344.8	0.0	0.0	0.0	125.5
85+	0.0	210.5	0.0	277.8	909.1	0.0	0.0	#DIV/0!	102.3
Ages 40+									
Crude rate	27.3	30.8	29.3	25.8	39.2	15.1	27.5	24.7	28.7
ASR(A)	31.7	37.0	34.9	31.6	46.6	24.0	44.8	#DIV/0!	34.1
95% CI	27.7–36.2	30.4–44.5	29.2–41.5	23.0–42.2	33.9–62.3	7.8–54.0	14.7–98.0	#DIV/0!	31.4–37.0
Ages 50–69									
Crude rate	31.3	29.8	31.9	26.3	42.4	9.8	31.4	26.8	31.0
ASR(A)	33.0	36.4	33.3	29.6	44.5	14.8	39.3	32.9	33.7
95% CI	27.9–38.8	28.2–46.0	26.5–41.3	19.8–42.5	30.2–62.9	1.8–53.5	6.9–108.8	3.8–95.4	30.4–37.3

.. Not applicable—no women in this age group were screened in 1997.

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 49: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, first screening round, by age, states and territories, 1996

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	11,125	4,621	7,131	2,213	1,596	965	485	320	28,456
	Cases	15	3	9	2	2	1	1	0	33
45–49	Screened	13,616	7,621	6,748	7,462	2,284	1,015	692	428	39,866
	Cases	23	14	13	6	4	3	0	0	63
50–54	Screened	20,343	14,879	7,134	5,176	4,060	1,074	988	560	54,214
	Cases	51	37	20	13	9	5	2	0	137
55–59	Screened	15,774	11,245	4,664	3,525	1,969	721	570	324	38,792
	Cases	46	50	10	10	6	2	2	2	128
60–64	Screened	13,366	9,619	3,528	2,806	1,501	607	393	180	32,000
	Cases	36	35	16	10	11	1	0	0	109
65–69	Screened	12,743	9,455	3,047	1,639	1,458	533	274	132	29,281
	Cases	57	41	11	7	7	1	0	1	125
70–74	Screened	7,680	5,435	1,977	754	728	260	138	50	17,022
	Cases	38	30	13	8	1	1	1	0	92
75–79	Screened	2,806	1,858	1,036	313	362	134	87	30	6,626
	Cases	24	12	12	2	5	0	0	0	55
80–84	Screened	882	574	344	95	103	45	19	3	2,065
	Cases	7	5	3	0	0	1	0	0	16
85+	Screened	188	116	81	22	19	7	4	3	440
	Cases	1	0	1	0	0	0	0	0	2
Ages 40+	Screened	98,523	65,423	35,690	24,005	14,080	5,361	3,650	2,030	248,762
	Cases	298	227	108	58	45	15	6	3	760
Ages 50–69	Screened	62,226	45,198	18,373	13,146	8,988	2,935	2,225	1,196	154,287
	Cases	190	163	57	40	33	9	4	3	499

Source: AIHW analysis of BreastScreen Australia data.

Table 50: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, first screening round, states and territories, 1996

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	13.5	6.5	12.6	9.0	12.5	10.4	20.6	0.0	11.6
45–49	16.9	18.4	19.3	8.0	17.5	29.6	0.0	0.0	15.8
50–54	25.1	24.9	28.0	25.1	22.2	46.6	20.2	0.0	25.3
55–59	29.2	44.5	21.4	28.4	30.5	27.7	35.1	61.7	33.0
60–64	26.9	36.4	45.4	35.6	73.3	16.5	0.0	0.0	34.1
65–69	44.7	43.4	36.1	42.7	48.0	18.8	0.0	75.8	42.7
70–74	49.5	55.2	65.8	106.1	13.7	38.5	72.5	0.0	54.0
75–79	85.5	64.6	115.8	63.9	138.1	0.0	0.0	0.0	83.0
80–84	79.4	87.1	87.2	0.0	0.0	222.2	0.0	0.0	77.5
85+	53.2	0.0	123.5	0.0	0.0	0.0	0.0	0.0	45.5
Ages 40+									
Crude rate	30.2	34.7	30.3	24.2	32.0	28.0	16.4	14.8	30.6
ASR(A)	31.0	34.3	34.7	33.7	35.8	29.5	18.2	20.5	32.5
95% CI	27.6–34.8	30.0–39.1	28.1–42.2	24.8–44.7	25.8–48.2	15.9–49.5	5.4–41.8	3.5–61.9	30.2–34.9
Ages 50–69									
Crude rate	30.5	36.1	31.0	30.4	36.7	30.7	18.0	25.1	32.3
ASR(A)	30.4	36.1	31.7	31.7	40.7	29.6	15.7	30.7	32.6
95% CI	26.2–35.0	30.8–42.1	24.0–41.2	22.4–43.5	27.7–57.5	13.5–56.3	4.1–40.4	5.2–92.6	29.8–35.6

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 51: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 2005

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	1,956	1,028	8,164	1,570	1,240	618	34	104	14,714
	Cases	0	1	4	2	2	1	0	0	10
45–49	Screened	7,230	5,099	22,113	5,915	4,351	2,179	711	454	48,052
	Cases	10	7	30	11	6	1	1	0	66
50–54	Screened	45,700	30,459	30,293	13,600	12,385	3,812	2,189	830	139,268
	Cases	79	43	63	30	21	8	4	2	250
55–59	Screened	52,693	41,544	33,991	16,860	14,997	4,598	3,171	940	168,794
	Cases	136	95	92	38	46	7	6	4	424
60–64	Screened	44,368	34,605	26,397	13,371	12,336	3,745	2,316	661	137,799
	Cases	144	107	89	45	38	11	5	3	442
65–69	Screened	36,835	27,833	20,880	11,019	10,315	3,084	1,710	375	112,051
	Cases	135	103	71	44	40	18	8	1	420
70–74	Screened	6,429	20,899	15,377	3,052	3,340	2,149	455	45	51,746
	Cases	28	95	60	12	14	5	2	0	216
75–79	Screened	3,568	5,834	4,773	1,255	1,762	439	141	22	17,794
	Cases	16	29	33	7	9	2	1	0	97
80–84	Screened	1,135	856	1,010	315	447	110	45	6	3,924
	Cases	5	2	6	2	1	0	0	0	16
85+	Screened	167	156	250	75	67	13	7	1	736
	Cases	0	0	3	0	2	0	0	0	5
Ages 40+	Screened	200,081	168,313	163,248	67,032	61,240	20,747	10,779	3,438	694,878
	Cases	553	482	451	191	179	53	27	10	1,946
Ages 50–69	Screened	179,596	134,441	111,561	54,850	50,033	15,239	9,386	2,806	557,912
	Cases	494	348	315	157	145	44	23	10	1,536

Source: AIHW analysis of BreastScreen Australia data.

Table 52: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 2005

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	0.0	9.7	4.9	12.7	16.1	16.2	0.0	0.0	6.8
45–49	13.8	13.7	13.6	18.6	13.8	4.6	14.1	0.0	13.7
50–54	17.3	14.1	20.8	22.1	17.0	21.0	18.3	24.1	18.0
55–59	25.8	22.9	27.1	22.5	30.7	15.2	18.9	42.6	25.1
60–64	32.5	30.9	33.7	33.7	30.8	29.4	21.6	45.4	32.1
65–69	36.6	37.0	34.0	39.9	38.8	58.4	46.8	26.7	37.5
70–74	43.6	45.5	39.0	39.3	41.9	23.3	44.0	0.0	41.7
75–79	44.8	49.7	69.1	55.8	51.1	45.6	70.9	0.0	54.5
80–84	44.1	23.4	59.4	63.5	22.4	0.0	0.0	0.0	40.8
85+	0.0	0.0	120.0	0.0	298.5	0.0	0.0	0.0	67.9
Ages 40+									
Crude rate	27.6	28.6	27.6	28.5	29.2	25.5	25.0	29.1	28.0
ASR(A)	24.9	24.4	26.8	27.8	27.4	24.3	24.1	22.8	25.8
95% CI	22.5–27.5	21.7–27.4	24.4–29.5	23.6–32.4	23.2–32.2	17.9–32.2	14.9–36.4	10.6–42.3	24.6–27.0
Ages 50–69									
Crude rate	27.5	25.9	28.2	28.6	29.0	28.9	24.5	35.6	27.5
ASR(A)	26.6	24.6	27.8	28.2	27.8	28.6	24.7	34.1	26.7
95% CI	24.3–29.1	22.0–27.3	24.8–31.1	23.9–33.1	23.4–32.8	20.7–38.5	15.5–37.4	15.9–63.3	25.4–28.1

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 53: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 2004

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	7,207	967	7,894	1,412	1,199	562	98	113	19,452
	Cases	3	1	10	0	4	2	1	0	21
45–49	Screened	23,068	4,571	21,165	5,639	4,421	1,993	814	396	62,067
	Cases	30	5	33	9	4	4	4	0	89
50–54	Screened	41,533	32,649	30,320	14,033	12,876	3,734	2,033	813	137,991
	Cases	78	58	61	28	26	13	2	2	268
55–59	Screened	47,045	40,233	33,776	16,424	15,495	4,517	2,520	871	160,881
	Cases	133	110	82	53	39	13	10	2	442
60–64	Screened	38,427	33,184	25,546	12,899	11,748	3,444	1,743	513	127,504
	Cases	133	84	82	39	36	15	8	1	398
65–69	Screened	32,216	27,459	20,357	10,402	10,028	2,871	1,200	263	104,796
	Cases	116	90	80	41	40	10	10	2	389
70–74	Screened	21,005	21,673	15,314	2,893	3,232	2,061	320	115	66,613
	Cases	101	88	70	16	18	11	2	0	306
75–79	Screened	14,382	5,755	4,579	1,185	1,683	330	109	48	28,071
	Cases	73	30	21	6	8	2	1	0	141
80–84	Screened	5,272	703	913	340	409	87	33	27	7,784
	Cases	23	10	7	2	1	0	0	0	43
85+	Screened	1,053	120	224	54	57	9	4	5	1,526
	Cases	4	0	2	1	0	0	0	0	7
Ages 40+	Screened	231,208	167,314	160,088	65,281	61,148	19,608	8,874	3,164	716,685
	Cases	694	476	448	195	176	70	38	7	2,104
Ages 50–69	Screened	159,221	133,525	109,999	53,758	50,147	14,566	7,496	2,460	531,172
	Cases	460	342	305	161	141	51	30	7	1,497

Source: AIHW analysis of BreastScreen Australia data.

Table 54: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 2004

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	4.2	10.3	12.7	0.0	33.4	35.6	102.0	0.0	10.8
45–49	13.0	10.9	15.6	16.0	9.0	20.1	49.1	0.0	14.3
50–54	18.8	17.8	20.1	20.0	20.2	34.8	9.8	24.6	19.4
55–59	28.3	27.3	24.3	32.3	25.2	28.8	39.7	23.0	27.5
60–64	34.6	25.3	32.1	30.2	30.6	43.6	45.9	19.5	31.2
65–69	36.0	32.8	39.3	39.4	39.9	34.8	83.3	76.0	37.1
70–74	48.1	40.6	45.7	55.3	55.7	53.4	62.5	0.0	45.9
75–79	50.8	52.1	45.9	50.6	47.5	60.6	91.7	0.0	50.2
80–84	43.6	142.2	76.7	58.8	24.4	0.0	0.0	0.0	55.2
85+	38.0	0.0	89.3	185.2	0.0	0.0	0.0	0.0	45.9
Ages 40+									
Crude rate	30.0	28.4	28.0	29.9	28.8	35.7	42.8	22.1	29.4
ASR(A)	26.8	25.0	27.5	28.6	28.6	35.2	49.1	22.1	27.0
95% CI	24.7–28.9	22.1–28.1	25.0–30.2	24.4–33.2	23.9–33.8	26.9–45.2	29.1–74.4	8.0–47.1	25.8–28.3
Ages 50–69									
Crude rate	28.9	25.6	27.7	29.9	28.1	35.0	40.0	28.5	28.2
ASR(A)	28.1	24.8	27.6	29.2	27.6	35.2	39.8	33.1	27.6
95% CI	25.6–30.8	22.2–27.7	24.5–30.9	24.8–34.1	23.2–32.6	26.1–46.4	26.6–57.2	12.0–70.5	26.2–29.0

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 55: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 2003

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	8,382	853	7,747	1,514	1,267	600	271	146	20,780
	Cases	3	1	9	1	2	0	2	0	18
45–49	Screened	25,937	4,401	20,452	6,044	4,191	1,909	1,084	521	64,539
	Cases	39	4	30	9	7	2	0	1	92
50–54	Screened	40,877	32,658	29,039	13,767	12,734	3,896	2,273	898	136,142
	Cases	62	56	55	25	27	5	3	2	235
55–59	Screened	46,620	40,879	30,395	15,674	14,841	4,177	2,481	893	155,960
	Cases	121	92	100	42	41	16	6	3	421
60–64	Screened	38,549	31,371	23,277	12,394	11,907	3,439	1,807	608	123,352
	Cases	161	87	85	41	48	12	2	1	437
65–69	Screened	32,597	26,382	19,156	10,096	9,787	3,032	1,298	323	102,671
	Cases	118	84	76	30	44	9	5	0	366
70–74	Screened	25,344	20,671	14,855	2,621	3,303	1,795	262	169	69,020
	Cases	99	69	55	10	16	12	0	0	261
75–79	Screened	17,001	5,121	4,308	977	1,533	342	90	65	29,437
	Cases	85	26	23	2	8	2	1	0	147
80–84	Screened	6,242	660	925	241	344	85	36	31	8,564
	Cases	25	3	9	0	4	0	0	0	41
85+	Screened	1,403	93	224	33	48	13	3	3	1,820
	Cases	8	1	0	0	1	0	0	0	10
Ages 40+	Screened	242,952	163,089	150,378	63,361	59,955	19,288	9,605	3,657	712,285
	Cases	721	423	442	160	198	58	19	7	2,028
Ages 50–69	Screened	158,643	131,290	101,867	51,931	49,269	14,544	7,859	2,722	518,125
	Cases	462	319	316	138	160	42	16	6	1,459

Source: AIHW analysis of BreastScreen Australia data.

Table 56: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	3.6	11.7	11.6	6.6	15.8	0.0	73.8	0.0	8.7
45–49	15.0	9.1	14.7	14.9	16.7	10.5	0.0	19.2	14.3
50–54	15.2	17.1	18.9	18.2	21.2	12.8	13.2	22.3	17.3
55–59	26.0	22.5	32.9	26.8	27.6	38.3	24.2	33.6	27.0
60–64	41.8	27.7	36.5	33.1	40.3	34.9	11.1	16.4	35.4
65–69	36.2	31.8	39.7	29.7	45.0	29.7	38.5	0.0	35.6
70–74	39.1	33.4	37.0	38.2	48.4	66.9	0.0	0.0	37.8
75–79	50.0	50.8	53.4	20.5	52.2	58.5	111.1	0.0	49.9
80–84	40.1	45.5	97.3	0.0	116.3	0.0	0.0	0.0	47.9
85+	57.0	107.5	0.0	0.0	208.3	0.0	0.0	0.0	54.9
Ages 40+									
Crude rate	29.7	25.9	29.4	25.3	33.0	30.1	19.8	19.1	28.5
ASR(A)	26.1	22.9	28.7	23.6	31.6	27.1	23.0	15.5	26.0
95% CI	24.2–28.2	20.0–26.0	26.1–31.6	19.8–27.9	27.0–36.8	20.5–35.3	11.9–38.6	6.2–32.1	24.8–27.2
Ages 50–69									
Crude rate	29.1	24.3	31.0	26.6	32.5	28.9	20.4	22.0	28.2
ASR(A)	27.9	23.7	30.5	25.9	31.7	27.6	20.5	19.6	27.4
95% CI	25.4–30.6	21.2–26.5	27.2–34.0	21.8–30.7	26.9–37.1	19.8–37.3	11.6–33.5	7.1–42.8	26.0–28.8

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 57: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 2002

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	8,961	970	7,540	1,334	1,262	630	263	130	21,090
	Cases	7	0	6	0	1	2	0	0	16
45–49	Screened	27,508	4,796	19,988	5,172	4,506	2,326	1,241	496	66,033
	Cases	24	11	38	5	7	3	5	0	93
50–54	Screened	41,235	32,555	29,303	12,054	13,373	4,050	2,753	924	136,247
	Cases	88	46	56	22	27	7	2	3	251
55–59	Screened	44,782	36,207	29,332	13,539	13,887	4,366	2,640	803	145,556
	Cases	118	101	89	37	38	17	11	0	411
60–64	Screened	37,145	30,222	22,646	11,099	11,028	3,366	1,759	432	117,697
	Cases	128	93	68	34	40	13	2	1	379
65–69	Screened	31,264	25,430	17,842	9,128	9,495	2,812	1,285	235	97,491
	Cases	125	79	66	43	56	15	6	0	390
70–74	Screened	25,857	20,857	14,150	2,539	3,351	1,523	274	144	68,695
	Cases	91	74	69	7	13	7	1	1	263
75–79	Screened	16,371	5,236	3,619	974	1,612	295	112	56	28,275
	Cases	66	29	22	6	10	0	0	0	133
80–84	Screened	5,505	654	801	234	319	72	30	30	7,645
	Cases	28	4	8	2	2	1	0	0	45
85+	Screened	1,171	102	180	36	38	6	4	5	1,542
	Cases	5	0	0	2	1	0	1	0	9
Ages 40+	Screened	239,799	157,029	145,401	56,109	58,871	19,446	10,361	3,255	690,271
	Cases	680	437	422	158	195	65	28	5	1,990
Ages 50–69	Screened	154,426	124,414	99,123	45,820	47,783	14,594	8,437	2,394	496,991
	Cases	459	319	279	136	161	52	21	4	1,431

Source: AIHW analysis of BreastScreen Australia data.

Table 58: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 2002

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	7.8	0.0	8.0	0.0	7.9	31.7	0.0	0.0	7.6
45–49	8.7	22.9	19.0	9.7	15.5	12.9	40.3	0.0	14.1
50–54	21.3	14.1	19.1	18.3	20.2	17.3	7.3	32.5	18.4
55–59	26.3	27.9	30.3	27.3	27.4	38.9	41.7	0.0	28.2
60–64	34.5	30.8	30.0	30.6	36.3	38.6	11.4	23.1	32.2
65–69	40.0	31.1	37.0	47.1	59.0	53.3	46.7	0.0	40.0
70–74	35.2	35.5	48.8	27.6	38.8	46.0	36.5	69.4	38.3
75–79	40.3	55.4	60.8	61.6	62.0	0.0	0.0	0.0	47.0
80–84	50.9	61.2	99.9	85.5	62.7	138.9	0.0	0.0	58.9
85+	42.7	0.0	0.0	555.6	263.2	0.0	2,500.0	0.0	58.4
Ages 40+									
Crude rate	28.4	27.8	29.0	28.2	33.1	33.4	27.0	15.4	28.8
ASR(A)	25.9	24.6	28.5	26.5	30.9	32.3	29.4	16.3	26.5
95% CI	23.9–28.0	21.9–27.4	25.8–31.4	22.2–31.4	26.5–35.9	24.5–41.7	16.9–46.1	4.4–39.7	25.3–27.7
Ages 50–69									
Crude rate	29.7	25.6	28.1	29.7	33.7	35.6	24.9	16.7	28.8
ASR(A)	29.2	24.7	27.9	29.0	33.2	34.6	24.8	15.7	28.2
95% CI	26.5–32.0	22.0–27.6	24.7–31.4	24.3–34.3	28.2–38.7	25.8–45.5	15.1–38.1	4.1–40.5	26.8–29.7

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 59: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 2001

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	9,573	1,041	7,415	1,576	1,306	578	318	140	21,947
	Cases	6	1	10	0	0	0	1	0	18
45–49	Screened	27,578	4,873	18,985	5,761	4,498	2,202	1,246	452	65,595
	Cases	20	3	26	4	3	5	2	0	63
50–54	Screened	42,488	33,226	27,539	13,292	12,813	3,750	2,538	848	136,494
	Cases	71	69	56	36	26	9	3	2	272
55–59	Screened	43,841	35,824	25,510	13,298	13,710	3,716	2,249	780	138,928
	Cases	134	79	66	35	45	11	6	1	377
60–64	Screened	38,081	28,688	20,747	11,418	12,008	3,279	1,695	483	116,399
	Cases	112	87	76	35	49	13	8	1	381
65–69	Screened	32,514	23,467	16,990	9,238	9,635	2,754	1,224	242	96,064
	Cases	117	79	69	37	31	9	6	2	350
70–74	Screened	26,909	19,787	13,547	2,471	3,438	1,095	257	137	67,641
	Cases	109	69	58	10	18	12	2	0	278
75–79	Screened	16,149	5,107	5,887	913	1,308	285	105	50	29,804
	Cases	69	17	19	12	14	4	0	0	135
80–84	Screened	5,259	649	1,916	199	301	61	33	26	8,444
	Cases	31	6	11	4	2	0	0	0	54
85+	Screened	1,147	142	429	42	38	8	4	2	1,812
	Cases	5	0	6	0	2	1	0	0	14
Ages 40+	Screened	243,539	152,804	138,965	58,208	59,055	17,728	9,669	3,160	683,128
	Cases	674	410	397	173	190	64	28	6	1,942
Ages 50–69	Screened	156,924	121,205	90,786	47,246	48,166	13,499	7,706	2,353	487,885
	Cases	434	314	267	143	151	42	23	6	1,380

Source: AIHW analysis of BreastScreen Australia data.

Table 60: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 2001

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	6.3	9.6	13.5	0.0	0.0	0.0	31.4	0.0	8.2
45–49	7.3	6.2	13.7	6.9	6.7	22.7	16.1	0.0	9.6
50–54	16.7	20.8	20.3	27.1	20.3	24.0	11.8	23.6	19.9
55–59	30.6	22.1	25.9	26.3	32.8	29.6	26.7	12.8	27.1
60–64	29.4	30.3	36.6	30.7	40.8	39.6	47.2	20.7	32.7
65–69	36.0	33.7	40.6	40.1	32.2	32.7	49.0	82.6	36.4
70–74	40.5	34.9	42.8	40.5	52.4	109.6	77.8	0.0	41.1
75–79	42.7	33.3	32.3	131.4	107.0	140.4	0.0	0.0	45.3
80–84	58.9	92.4	57.4	201.0	66.4	0.0	0.0	0.0	64.0
85+	43.6	0.0	139.9	0.0	526.3	1,250.0	0.0	0.0	77.3
Ages 40+									
Crude rate	27.7	26.8	28.6	29.7	32.2	36.1	29.0	19.0	28.4
ASR(A)	24.6	23.5	27.7	30.2	30.4	39.1	31.6	21.1	26.0
95% CI	22.7–26.7	20.7–26.4	25.0–30.6	25.4–35.5	25.9–35.3	29.3–51.0	19.3–47.9	6.8–47.7	24.8–27.2
Ages 50–69									
Crude rate	27.7	25.9	29.4	30.3	31.3	31.1	29.8	25.5	28.3
ASR(A)	26.9	25.7	29.3	30.2	30.4	30.6	30.7	31.7	27.8
95% CI	24.4–29.5	22.9–28.8	25.9–33.1	25.4–35.6	25.7–35.7	22.0–41.4	19.4–46.2	10.2–71.5	26.4–29.4

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 61: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 2000

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	10,001	1,073	7,364	1,487	1,259	821	295	147	22,447
	Cases	6	1	6	1	0	1	0	0	15
45–49	Screened	26,798	5,168	17,734	5,160	4,509	2,677	1,377	468	63,891
	Cases	25	11	32	6	11	6	5	1	97
50–54	Screened	40,413	31,846	25,899	13,281	11,799	4,246	2,508	865	130,857
	Cases	77	64	57	30	22	8	11	2	271
55–59	Screened	40,605	30,597	23,049	12,040	11,309	3,714	2,088	643	124,045
	Cases	108	103	57	28	35	9	6	3	349
60–64	Screened	35,418	27,742	18,685	10,676	10,327	3,253	1,432	333	107,866
	Cases	87	107	78	39	38	15	6	0	370
65–69	Screened	30,049	23,610	15,363	8,664	8,584	2,679	968	207	90,124
	Cases	92	88	62	36	34	8	5	1	326
70–74	Screened	25,134	20,002	11,781	2,282	3,230	623	242	142	63,436
	Cases	101	86	48	9	14	5	1	1	265
75–79	Screened	13,361	4,869	5,535	819	1,130	222	92	52	26,080
	Cases	54	18	25	5	8	1	0	0	111
80–84	Screened	3,884	610	1,741	165	241	42	13	20	6,716
	Cases	21	2	11	0	2	0	0	1	37
85+	Screened	867	104	421	28	38	9	4	2	1,473
	Cases	4	1	2	0	0	0	0	0	7
Ages 40+	Screened	226,530	145,621	127,572	54,602	52,426	18,286	9,019	2,879	636,935
	Cases	575	481	378	154	164	53	34	9	1,848
Ages 50–69	Screened	146,485	113,795	82,996	44,661	42,019	13,892	6,996	2,048	452,892
	Cases	364	362	254	133	129	40	28	6	1,316

Source: AIHW analysis of BreastScreen Australia data.

Table 62: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 2000

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	6.0	9.3	8.1	6.7	0.0	12.2	0.0	0.0	6.7
45–49	9.3	21.3	18.0	11.6	24.4	22.4	36.3	21.4	15.2
50–54	19.1	20.1	22.0	22.6	18.6	18.8	43.9	23.1	20.7
55–59	26.6	33.7	24.7	23.3	30.9	24.2	28.7	46.7	28.1
60–64	24.6	38.6	41.7	36.5	36.8	46.1	41.9	0.0	34.3
65–69	30.6	37.3	40.4	41.6	39.6	29.9	51.7	48.3	36.2
70–74	40.2	43.0	40.7	39.4	43.3	80.3	41.3	70.4	41.8
75–79	40.4	37.0	45.2	61.1	70.8	45.0	0.0	0.0	42.6
80–84	54.1	32.8	63.2	0.0	83.0	0.0	0.0	500.0	55.1
85+	46.1	96.2	47.5	0.0	0.0	0.0	0.0	0.0	47.5
Ages 40+									
Crude rate	25.4	33.0	29.6	28.2	31.3	29.0	37.7	31.3	29.0
ASR(A)	23.2	29.4	28.8	26.9	29.6	30.9	35.5	32.3	27.0
95% CI	21.3–25.2	26.2–32.8	26.0–31.9	22.5–31.9	25.1–34.7	22.3–41.5	23.6–50.9	13.4–63.5	25.7–28.2
Ages 50–69									
Crude rate	24.8	31.8	30.6	29.8	30.7	28.8	40.0	29.3	29.1
ASR(A)	24.5	31.0	30.6	29.5	29.9	28.4	41.0	29.0	28.6
95% CI	22.0–27.1	27.9–34.4	27.0–34.7	24.7–35.0	25.0–35.6	20.3–38.7	27.0–59.6	9.1–66.1	27.1–30.2

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 63: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 1999

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	8,635	1,223	6,369	1,443	990	591	326	162	19,739
	Cases	6	1	8	3	2	0	0	0	20
45–49	Screened	24,503	5,118	15,837	5,233	4,185	2,244	1,423	423	58,966
	Cases	22	8	19	9	3	1	0	0	62
50–54	Screened	39,076	31,735	21,568	11,728	10,767	3,401	2,437	748	121,460
	Cases	54	59	34	27	17	9	5	0	205
55–59	Screened	38,554	30,263	19,405	10,933	11,747	3,386	2,138	700	117,126
	Cases	99	66	53	31	35	13	9	1	307
60–64	Screened	34,284	25,672	16,449	9,532	10,519	2,970	1,606	372	101,404
	Cases	96	81	57	41	47	8	4	2	336
65–69	Screened	30,015	22,412	13,798	7,956	8,882	2,540	1,206	206	87,015
	Cases	97	103	47	33	25	5	2	0	312
70–74	Screened	24,278	18,189	10,659	1,881	2,944	513	252	110	58,826
	Cases	96	83	43	12	9	1	3	2	249
75–79	Screened	11,751	3,658	5,602	668	862	188	126	32	22,887
	Cases	40	23	20	7	3	1	1	0	95
80–84	Screened	3,658	417	1,678	122	171	38	12	18	6,114
	Cases	11	0	10	1	0	0	0	0	22
85+	Screened	746	92	360	21	18	2	6	0	1,245
	Cases	3	0	2	0	0	0	0	0	5
Ages 40+	Screened	215,500	138,779	111,725	49,517	51,085	15,873	9,532	2,771	594,782
	Cases	524	424	293	164	141	38	24	5	1,613
Ages 50–69	Screened	141,929	110,082	71,220	40,149	41,915	12,297	7,387	2,026	427,005
	Cases	346	309	191	132	124	35	20	3	1,160

Source: AIHW analysis of BreastScreen Australia data.

Table 64: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 1999

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	6.9	8.2	12.6	20.8	20.2	0.0	0.0	0.0	10.1
45–49	9.0	15.6	12.0	17.2	7.2	4.5	0.0	0.0	10.5
50–54	13.8	18.6	15.8	23.0	15.8	26.5	20.5	0.0	16.9
55–59	25.7	21.8	27.3	28.4	29.8	38.4	42.1	14.3	26.2
60–64	28.0	31.6	34.7	43.0	44.7	26.9	24.9	53.8	33.1
65–69	32.3	46.0	34.1	41.5	28.1	19.7	16.6	0.0	35.9
70–74	39.5	45.6	40.3	63.8	30.6	19.5	119.0	181.8	42.3
75–79	34.0	62.9	35.7	104.8	34.8	53.2	79.4	0.0	41.5
80–84	30.1	0.0	59.6	82.0	0.0	0.0	0.0	0.0	36.0
85+	40.2	0.0	55.6	0.0	0.0	0.0	0.0	#DIV/0!	40.2
Ages 40+									
Crude rate	24.3	30.6	26.2	33.1	27.6	23.9	25.2	18.0	27.1
ASR(A)	22.2	26.8	25.3	34.7	25.0	22.8	29.9	#DIV/0!	25.1
95% CI	20.3–24.2	23.9–30.0	22.5–28.4	29.0–41.2	20.5–30.0	15.6–31.9	17.0–47.6	#DIV/0!	23.9–26.4
Ages 50–69									
Crude rate	24.4	28.1	26.8	32.9	29.6	28.5	27.1	14.8	27.2
ASR(A)	23.6	27.6	26.5	32.4	28.2	28.3	26.3	15.6	26.6
95% CI	21.2–26.3	24.6–30.9	22.9–30.5	27.1–38.5	23.4–33.7	19.7–39.5	16.0–40.7	3.0–46.2	25.1–28.2

.. Not applicable—no women in this age group were screened in 1999.

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 65: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 1998

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	7,699	1,263	5,618	1,257	899	864	375	127	18,102
	Cases	3	1	7	1	1	1	0	0	14
45–49	Screened	23,037	5,008	13,769	5,428	4,165	2,552	1,317	285	55,561
	Cases	34	9	18	6	4	2	0	0	73
50–54	Screened	34,929	23,598	16,808	11,839	9,706	3,352	2,176	480	102,888
	Cases	58	41	32	19	22	6	6	1	185
55–59	Screened	35,657	28,886	14,715	10,467	9,797	3,177	1,767	345	104,811
	Cases	84	75	25	29	25	7	6	1	252
60–64	Screened	31,305	25,681	12,100	9,150	9,206	2,763	1,234	183	91,622
	Cases	71	78	31	29	32	11	2	0	254
65–69	Screened	28,674	23,179	10,473	7,644	7,969	2,225	900	120	81,184
	Cases	92	85	33	31	29	7	2	1	280
70–74	Screened	22,370	17,819	7,889	1,884	2,854	654	228	71	53,769
	Cases	83	71	37	8	16	4	1	0	220
75–79	Screened	8,551	3,127	3,948	600	769	181	109	30	17,315
	Cases	40	12	16	4	3	1	0	1	77
80–84	Screened	2,677	468	1,167	133	162	34	21	8	4,670
	Cases	4	3	2	3	3	0	0	0	15
85+	Screened	577	92	265	18	18	6	3	0	979
	Cases	0	0	4	0	0	1	0	0	5
Ages 40+	Screened	195,476	129,121	86,752	48,420	45,545	15,808	8,130	1,649	530,901
	Cases	469	375	205	130	135	40	17	4	1,375
Ages 50–69	Screened	130,565	101,344	54,096	39,100	36,678	11,517	6,077	1,128	380,505
	Cases	305	279	121	108	108	31	16	3	971

Source: AIHW analysis of BreastScreen Australia data.

Table 66: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 1998

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	3.9	7.9	12.5	8.0	11.1	11.6	0.0	0.0	7.7
45–49	14.8	18.0	13.1	11.1	9.6	7.8	0.0	0.0	13.1
50–54	16.6	17.4	19.0	16.0	22.7	17.9	27.6	20.8	18.0
55–59	23.6	26.0	17.0	27.7	25.5	22.0	34.0	29.0	24.0
60–64	22.7	30.4	25.6	31.7	34.8	39.8	16.2	0.0	27.7
65–69	32.1	36.7	31.5	40.6	36.4	31.5	22.2	83.3	34.5
70–74	37.1	39.8	46.9	42.5	56.1	61.2	43.9	0.0	40.9
75–79	46.8	38.4	40.5	66.7	39.0	55.2	0.0	333.3	44.5
80–84	14.9	64.1	17.1	225.6	185.2	0.0	0.0	0.0	32.1
85+	0.0	0.0	150.9	0.0	0.0	1,666.7	0.0	#DIV/0!	51.1
Ages 40+									
Crude rate	24.0	29.0	23.6	26.8	29.6	25.3	20.9	24.3	25.9
ASR(A)	22.1	25.5	23.2	27.8	28.8	29.5	20.8	#DIV/0!	24.1
95% CI	20.1–24.2	22.5–28.8	20.1–26.7	22.6–33.7	23.7–34.6	19.5–42.2	11.0–34.9	#DIV/0!	22.8–25.4
Ages 50–69									
Crude rate	23.4	27.5	22.4	27.6	29.4	26.9	26.3	26.6	25.5
ASR(A)	22.8	26.2	22.4	27.3	28.8	26.5	25.7	30.5	24.9
95% CI	20.3–25.5	23.2–29.6	18.6–26.8	22.4–33.0	23.5–34.8	18.0–37.6	14.6–41.9	4.2–94.1	23.4–26.5

.. Not applicable—no women in this age group were screened in 1998.

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 67: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 1997

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	7,743	1,248	5,046	1,304	922	705	439	89	17,496
	Cases	4	0	1	2	2	0	0	0	9
45–49	Screened	19,047	4,373	11,292	4,344	3,416	2,105	1,492	212	46,281
	Cases	19	4	6	5	7	2	3	0	46
50–54	Screened	29,527	22,390	13,960	8,767	8,572	2,790	1,994	410	88,410
	Cases	44	44	29	12	21	4	4	0	158
55–59	Screened	30,587	23,863	12,811	8,715	9,661	2,808	1,746	375	90,566
	Cases	81	62	22	20	19	6	5	0	215
60–64	Screened	27,116	20,555	10,954	7,366	8,476	2,439	1,321	177	78,404
	Cases	82	59	36	22	16	5	3	2	225
65–69	Screened	25,319	18,937	9,949	6,402	7,736	2,229	1,056	124	71,752
	Cases	78	64	28	26	33	4	5	0	238
70–74	Screened	18,408	13,165	7,050	1,493	1,717	471	279	24	42,607
	Cases	63	59	32	7	12	3	0	0	176
75–79	Screened	7,141	2,514	3,754	473	454	124	98	16	14,574
	Cases	30	14	19	1	2	1	0	1	68
80–84	Screened	2,193	383	1,076	92	83	27	20	3	3,877
	Cases	11	2	1	1	0	0	0	0	15
85+	Screened	411	81	214	18	14	1	6	0	745
	Cases	2	1	2	1	0	0	0	0	6
Ages 40+	Screened	167,492	107,509	76,106	38,974	41,051	13,699	8,451	1,430	454,712
	Cases	414	309	176	97	112	25	20	3	1,156
Ages 50–69	Screened	112,549	85,745	47,674	31,250	34,445	10,266	6,117	1,086	329,132
	Cases	285	229	115	80	89	19	17	2	836

Source: AIHW analysis of BreastScreen Australia data.

Table 68: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 1997

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	5.2	0.0	2.0	15.3	21.7	0.0	0.0	0.0	5.1
45–49	10.0	9.1	5.3	11.5	20.5	9.5	20.1	0.0	9.9
50–54	14.9	19.7	20.8	13.7	24.5	14.3	20.1	0.0	17.9
55–59	26.5	26.0	17.2	22.9	19.7	21.4	28.6	0.0	23.7
60–64	30.2	28.7	32.9	29.9	18.9	20.5	22.7	113.0	28.7
65–69	30.8	33.8	28.1	40.6	42.7	17.9	47.3	0.0	33.2
70–74	34.2	44.8	45.4	46.9	69.9	63.7	0.0	0.0	41.3
75–79	42.0	55.7	50.6	21.1	44.1	80.6	0.0	625.0	46.7
80–84	50.2	52.2	9.3	108.7	0.0	0.0	0.0	0.0	38.7
85+	48.7	123.5	93.5	555.6	0.0	0.0	0.0	#DIV/0!	80.5
Ages 40+									
Crude rate	24.7	28.7	23.1	24.9	27.3	18.2	23.7	21.0	25.4
ASR(A)	22.6	24.7	22.4	25.9	28.6	21.2	21.4	#DIV/0!	23.6
95% CI	20.5–25.0	21.8–27.8	19.2–26.0	20.2–32.5	22.8–35.3	12.5–32.9	13.0–33.1	#DIV/0!	22.2–25.0
Ages 50–69									
Crude rate	25.3	26.7	24.1	25.6	25.8	18.5	27.8	18.4	25.4
ASR(A)	24.4	26.0	23.9	24.9	25.5	18.2	28.2	25.0	24.8
95% CI	21.6–27.4	22.8–29.7	19.8–28.8	19.7–31.0	20.4–31.5	10.9–28.5	16.4–45.2	3.0–90.2	23.1–26.5

.. Not applicable—no women in this age group were screened in 1997.

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 69: Numbers of women screened and cases of small-diameter (≤ 15 mm) invasive cancers detected in these women, subsequent screening rounds, by age, states and territories, 1996

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	7,541	915	4,652	787	1,063	988	553	17	16,516
	Cases	6	1	3	1	1	1	0	0	13
45–49	Screened	16,971	2,932	9,765	3,137	3,867	1,997	1,249	21	39,939
	Cases	18	6	14	1	4	3	1	0	47
50–54	Screened	22,715	17,890	10,185	6,951	6,571	2,238	1,337	28	67,915
	Cases	41	26	17	11	10	3	0	0	108
55–59	Screened	23,058	19,717	9,650	6,992	7,977	2,302	1,098	21	70,815
	Cases	64	53	26	18	18	2	1	0	182
60–64	Screened	19,539	17,289	8,219	6,108	6,942	1,949	800	10	60,856
	Cases	55	48	18	17	19	7	0	0	164
65–69	Screened	18,942	16,084	7,362	5,419	6,437	1,557	630	5	56,436
	Cases	68	67	22	13	18	1	2	0	191
70–74	Screened	12,003	9,527	5,102	1,006	1,171	295	145	2	29,251
	Cases	37	33	18	2	7	0	1	0	98
75–79	Screened	4,178	1,824	2,446	232	229	49	59	0	9,017
	Cases	14	5	6	0	1	0	0	0	26
80–84	Screened	1,277	254	741	57	36	10	13	0	2,388
	Cases	11	0	3	0	0	0	0	0	14
85+	Screened	250	46	158	14	2	1	2	0	473
	Cases	0	1	0	0	0	0	0	0	1
Ages 40+	Screened	126,474	86,478	58,280	30,703	34,295	11,386	5,886	104	353,606
	Cases	314	240	127	63	78	17	5	0	844
Ages 50–69	Screened	84,254	70,980	35,416	25,470	27,927	8,046	3,865	64	256,022
	Cases	228	194	83	59	65	13	3	0	645

Source: AIHW analysis of BreastScreen Australia data.

Table 70: Age-specific rates of small-diameter (≤ 15 mm) invasive cancers detected in women screened, subsequent screening rounds, states and territories, 1996

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	8.0	10.9	6.4	12.7	9.4	10.1	0.0	0.0	7.9
45–49	10.6	20.5	14.3	3.2	10.3	15.0	8.0	0.0	11.8
50–54	18.0	14.5	16.7	15.8	15.2	13.4	0.0	0.0	15.9
55–59	27.8	26.9	26.9	25.7	22.6	8.7	9.1	0.0	25.7
60–64	28.1	27.8	21.9	27.8	27.4	35.9	0.0	0.0	26.9
65–69	35.9	41.7	29.9	24.0	28.0	6.4	31.7	0.0	33.8
70–74	30.8	34.6	35.3	19.9	59.8	0.0	69.0	0.0	33.5
75–79	33.5	27.4	24.5	0.0	43.7	0.0	0.0	#DIV/0!	28.8
80–84	86.1	0.0	40.5	0.0	0.0	0.0	0.0	#DIV/0!	58.6
85+	0.0	217.4	0.0	0.0	0.0	0.0	0.0	#DIV/0!	21.1
Ages 40+									
Crude rate	24.8	27.8	21.8	20.5	22.7	14.9	8.5	0.0	23.9
ASR(A)	23.9	25.0	21.8	18.2	23.3	13.3	12.5	#DIV/0!	22.6
95% CI	21.3–26.7	21.1–29.1	18.1–26.0	13.5–23.9	17.5–30.2	7.7–21.3	2.3–32.5	#DIV/0!	21.1–24.2
Ages 50–69									
Crude rate	27.1	27.3	23.4	23.2	23.3	16.2	7.8	0.0	25.2
ASR(A)	26.3	25.9	23.1	22.6	22.3	15.8	8.5	0.0	24.4
95% CI	22.9–29.9	22.4–29.9	18.4–28.6	17.2–29.2	17.1–28.5	8.4–27.1	1.7–25.1	#DIV/0!	22.5–26.3

.. Not applicable—no women in this age group were screened in 1996.

Note: Rates are the number of women with small invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 71: Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 2005

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	5,129	5,705	13,019	3,555	2,391	1,554	6	156	31,515
	Cases	10	9	32	11	6	3	0	1	72
45–49	Screened	4,226	6,028	7,232	3,387	2,159	1,221	23	216	24,492
	Cases	25	11	37	13	5	6	0	0	97
50–54	Screened	13,168	12,782	8,352	4,925	3,907	923	721	374	45,152
	Cases	57	61	47	34	23	6	5	0	233
55–59	Screened	6,475	2,436	3,583	1,212	582	504	222	167	15,181
	Cases	37	29	25	10	6	2	2	0	111
60–64	Screened	3,644	1,037	2,223	587	323	239	78	75	8,206
	Cases	25	15	25	5	3	2	1	1	77
65–69	Screened	2,346	705	1,414	382	171	168	55	38	5,279
	Cases	23	6	8	2	1	4	2	1	47
70–74	Screened	470	291	461	133	58	40	25	9	1,487
	Cases	3	1	8	1	0	0	1	0	14
75–79	Screened	215	201	308	95	43	35	6	7	910
	Cases	5	3	10	7	1	0	1	0	27
80–84	Screened	80	104	108	27	25	7	5	1	357
	Cases	1	4	1	1	0	0	0	0	7
85+	Screened	22	26	32	14	9	1	2	0	106
	Cases	0	2	1	0	1	0	0	0	4
Ages 40+	Screened	35,775	29,315	36,732	14,317	9,668	4,692	1,143	1,043	132,685
	Cases	186	141	194	84	46	23	12	3	689
Ages 50–69	Screened	25,633	16,960	15,572	7,106	4,983	1,834	1,076	654	73,818
	Cases	142	111	105	51	33	14	10	2	468

Source: AIHW analysis of BreastScreen Australia data.

Table 72: Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 2005

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	19.5	15.8	24.6	30.9	25.1	19.3	0.0	64.1	22.8
45–49	59.2	18.2	51.2	38.4	23.2	49.1	0.0	0.0	39.6
50–54	43.3	47.7	56.3	69.0	58.9	65.0	69.3	0.0	51.6
55–59	57.1	119.0	69.8	82.5	103.1	39.7	90.1	0.0	73.1
60–64	68.6	144.6	112.5	85.2	92.9	83.7	128.2	133.3	93.8
65–69	98.0	85.1	56.6	52.4	58.5	238.1	363.6	263.2	89.0
70–74	63.8	34.4	173.5	75.2	0.0	0.0	400.0	0.0	94.1
75–79	232.6	149.3	324.7	736.8	232.6	0.0	1666.7	0.0	296.7
80–84	125.0	384.6	92.6	370.4	0.0	0.0	0.0	0.0	196.1
85+	0.0	769.2	312.5	0.0	1111.1	0.0	0.0	#DIV/0!	377.4
Ages 40+									
Crude rate	52.0	48.1	52.8	58.7	47.6	49.0	105.0	28.8	51.9
ASR(A)	64.8	79.2	82.6	88.0	66.1	72.1	181.2	#DIV/0!	75.5
95% CI	53.0–77.9	61.7–99.0	67.3–99.5	61.4–119.3	38.1–101.0	37.9–118.9	58.7–370.4	#DIV/0!	67.9–83.5
Ages 50–69									
Crude rate	55.4	65.4	67.4	71.8	66.2	76.3	92.9	30.6	63.4
ASR(A)	63.1	94.9	72.3	72.8	77.8	96.3	145.0	80.7	73.8
95% CI	52.1–75.6	72.0–121.3	57.8–89.0	48.1–103.3	41.7–124.5	47.2–169.6	45.1–306.0	7.2–299.0	66.0–82.1

. . Not applicable—no women in this age group were screened in 2005.

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 73: Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 2004

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	8,846	4,506	11,032	2,684	1,692	1,102	5	186	30,053
	Cases	15	7	24	7	3	6	0	1	63
45–49	Screened	7,426	5,157	6,292	2,802	1,738	869	22	170	24,476
	Cases	32	32	26	11	2	2	0	2	107
50–54	Screened	10,395	17,027	6,110	5,117	4,189	745	572	293	44,448
	Cases	56	74	33	36	23	2	5	3	232
55–59	Screened	5,560	2,170	3,077	1,233	521	370	180	133	13,244
	Cases	34	19	31	5	5	2	1	3	100
60–64	Screened	3,314	1,135	1,945	672	288	209	66	65	7,694
	Cases	33	4	25	6	2	3	0	0	73
65–69	Screened	2,222	707	1,308	398	158	119	50	20	4,982
	Cases	24	18	11	2	3	1	1	0	60
70–74	Screened	878	326	617	128	68	41	16	10	2,084
	Cases	8	3	10	2	2	0	0	0	25
75–79	Screened	498	246	396	97	47	24	7	2	1,317
	Cases	6	4	7	2	1	1	0	0	21
80–84	Screened	208	111	169	50	22	14	2	1	577
	Cases	7	2	4	1	1	0	0	0	15
85+	Screened	53	21	51	10	10	2	3	1	151
	Cases	0	0	1	1	1	0	0	0	3
Ages 40+	Screened	39,400	31,406	30,997	13,191	8,733	3,495	923	881	129,026
	Cases	215	163	172	73	43	17	7	9	699
Ages 50–69	Screened	21,491	21,039	12,440	7,420	5,156	1,443	868	511	70,368
	Cases	147	115	100	49	33	8	7	6	465

Source: AIHW analysis of BreastScreen Australia data.

Table 74: Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 2004

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	17.0	15.5	21.8	26.1	17.7	54.4	0.0	53.8	21.0
45–49	43.1	62.1	41.3	39.3	11.5	23.0	0.0	117.6	43.7
50–54	53.9	43.5	54.0	70.4	54.9	26.8	87.4	102.4	52.2
55–59	61.2	87.6	100.7	40.6	96.0	54.1	55.6	225.6	75.5
60–64	99.6	35.2	128.5	89.3	69.4	143.5	0.0	0.0	94.9
65–69	108.0	254.6	84.1	50.3	189.9	84.0	200.0	0.0	120.4
70–74	91.1	92.0	162.1	156.3	294.1	0.0	0.0	0.0	120.0
75–79	120.5	162.6	176.8	206.2	212.8	416.7	0.0	0.0	159.5
80–84	336.5	180.2	236.7	200.0	454.5	0.0	0.0	0.0	260.0
85+	0.0	0.0	196.1	1000.0	1000.0	0.0	0.0	0.0	198.7
Ages 40+									
Crude rate	54.6	51.9	55.5	55.3	49.2	48.6	75.8	102.2	54.2
ASR(A)	72.1	86.3	87.4	72.1	103.2	67.3	54.6	80.6	78.8
95% CI	61.3–84.0	66.5–108.5	72.3–104.4	47.2–101.6	55.9–162.6	28.9–122.7	8.7–136.0	34.4–157.0	71.4–86.7
Ages 50–69									
Crude rate	68.4	54.7	80.4	66.0	64.0	55.4	80.6	117.4	66.1
ASR(A)	76.4	94.2	88.5	62.9	95.0	70.8	81.7	91.7	81.0
95% CI	63.6–90.8	69.0–123.1	71.0–108.7	40.6–90.5	47.3–157.0	27.1–145.5	13.1–203.5	31.5–203.6	72.3–90.2

. . Not applicable—no women in this age group were screened in 2004.

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 75: Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 2003

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	12,121	4,121	10,432	2,616	2,010	898	9	195	32,402
	Cases	29	7	29	1	3	1	0	1	71
45–49	Screened	9,142	4,712	5,986	2,864	1,930	787	33	198	25,652
	Cases	30	21	29	14	9	3	1	1	108
50–54	Screened	11,024	12,189	6,181	4,699	3,979	671	502	284	39,529
	Cases	57	55	28	35	24	5	2	0	206
55–59	Screened	5,905	1,984	3,014	1,110	629	368	148	121	13,279
	Cases	39	15	23	9	6	4	1	1	98
60–64	Screened	3,635	1,087	2,019	679	294	208	93	44	8,059
	Cases	22	11	16	7	3	3	1	1	64
65–69	Screened	2,577	752	1,371	395	191	117	47	33	5,483
	Cases	24	6	12	8	3	0	1	0	54
70–74	Screened	1,307	401	650	153	69	41	22	6	2,649
	Cases	19	6	11	0	2	0	1	0	39
75–79	Screened	817	261	436	111	69	28	13	9	1,744
	Cases	9	10	9	5	1	1	0	0	35
80–84	Screened	354	122	146	57	46	12	6	0	743
	Cases	12	3	2	5	0	1	0	0	23
85+	Screened	99	40	38	13	9	4	2	0	205
	Cases	2	1	1	0	0	0	0	0	4
Ages 40+	Screened	46,981	25,669	30,273	12,697	9,226	3,134	875	890	129,745
	Cases	243	135	160	84	51	18	7	4	702
Ages 50–69	Screened	23,141	16,012	12,585	6,883	5,093	1,364	790	482	66,350
	Cases	142	87	79	59	36	12	5	2	422

Source: AIHW analysis of BreastScreen Australia data.

Table 76: Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	23.9	17.0	27.8	3.8	14.9	11.1	0.0	51.3	21.9
45–49	32.8	44.6	48.4	48.9	46.6	38.1	303.0	50.5	42.1
50–54	51.7	45.1	45.3	74.5	60.3	74.5	39.8	0.0	52.1
55–59	66.0	75.6	76.3	81.1	95.4	108.7	67.6	82.6	73.8
60–64	60.5	101.2	79.2	103.1	102.0	144.2	107.5	227.3	79.4
65–69	93.1	79.8	87.5	202.5	157.1	0.0	212.8	0.0	98.5
70–74	145.4	149.6	169.2	0.0	289.9	0.0	454.5	0.0	147.2
75–79	110.2	383.1	206.4	450.5	144.9	357.1	0.0	0.0	200.7
80–84	339.0	245.9	137.0	877.2	0.0	833.3	0.0	#DIV/0!	309.6
85+	202.0	250.0	263.2	0.0	0.0	0.0	0.0	#DIV/0!	195.1
Ages 40+									
Crude rate	51.7	52.6	52.9	66.2	55.3	57.4	80.0	44.9	54.1
ASR(A)	68.6	82.0	76.6	99.6	100.9	80.1	140.5	#DIV/0!	77.2
95% CI	59.0–79.2	63.8–102.8	62.6–92.4	73.3–130.5	56.8–155.2	42.6–133.5	38.9–320.8	#DIV/0!	70.2–84.6
Ages 50–69									
Crude rate	61.4	54.3	62.8	85.7	70.7	88.0	63.3	41.5	63.6
ASR(A)	65.4	72.2	69.1	107.4	97.5	84.3	95.6	71.7	72.8
95% CI	54.4–77.9	52.2–95.5	53.8–87.1	73.9–148.2	53.5–153.9	41.4–150.5	17.6–249.8	3.8–273.5	65.0–81.2

. . Not applicable—no women in this age group were screened in 2003.

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 77: Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 2002

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	13,399	4,759	10,310	2,209	1,904	820	51	192	33,644
	Cases	27	12	25	2	5	4	0	0	75
45–49	Screened	10,513	5,670	6,232	2,768	2,077	604	68	219	28,151
	Cases	33	17	34	8	5	1	0	1	99
50–54	Screened	13,393	12,417	6,914	5,557	4,025	639	636	317	43,898
	Cases	56	53	28	28	24	1	3	1	194
55–59	Screened	6,373	2,847	3,213	1,311	783	298	220	86	15,131
	Cases	47	16	20	6	8	3	3	0	103
60–64	Screened	4,187	1,949	2,250	850	381	184	116	44	9,961
	Cases	31	17	24	15	7	3	0	1	98
65–69	Screened	3,028	1,457	1,542	543	229	108	58	26	6,991
	Cases	27	18	16	4	6	0	0	0	71
70–74	Screened	1,708	839	802	167	113	38	18	16	3,701
	Cases	14	13	13	2	3	0	0	1	46
75–79	Screened	1,087	492	488	113	114	37	25	8	2,364
	Cases	18	4	7	4	2	0	0	0	35
80–84	Screened	436	190	155	49	64	11	5	3	913
	Cases	2	4	2	0	2	0	0	0	10
85+	Screened	118	49	53	17	8	4	0	0	249
	Cases	6	1	2	0	0	0	0	0	9
Ages 40+	Screened	54,242	30,669	31,959	13,584	9,698	2,743	1,197	911	145,003
	Cases	261	155	171	69	62	12	6	4	740
Ages 50–69	Screened	26,981	18,670	13,919	8,261	5,418	1,229	1,030	473	75,981
	Cases	161	104	88	53	45	7	6	2	466

Source: AIHW analysis of BreastScreen Australia data.

Table 78: Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 2002

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	20.2	25.2	24.2	9.1	26.3	48.8	0.0	0.0	22.3
45–49	31.4	30.0	54.6	28.9	24.1	16.6	0.0	45.7	35.2
50–54	41.8	42.7	40.5	50.4	59.6	15.6	47.2	31.5	44.2
55–59	73.7	56.2	62.2	45.8	102.2	100.7	136.4	0.0	68.1
60–64	74.0	87.2	106.7	176.5	183.7	163.0	0.0	227.3	98.4
65–69	89.2	123.5	103.8	73.7	262.0	0.0	0.0	0.0	101.6
70–74	82.0	154.9	162.1	119.8	265.5	0.0	0.0	625.0	124.3
75–79	165.6	81.3	143.4	354.0	175.4	0.0	0.0	0.0	148.1
80–84	45.9	210.5	129.0	0.0	312.5	0.0	0.0	0.0	109.5
85+	508.5	204.1	377.4	0.0	0.0	0.0	#DIV/0!	#DIV/0!	361.4
Ages 40+									
Crude rate	48.1	50.5	53.5	50.8	63.9	43.7	50.1	43.9	51.0
ASR(A)	63.2	71.4	77.5	79.7	127.2	50.9	#DIV/0!	#DIV/0!	71.9
95% CI	54.9–72.4	58.3–86.1	64.2–92.3	56.1–108.0	85.0–178.3	21.2–96.8	#DIV/0!	#DIV/0!	65.9–78.3
Ages 50–69									
Crude rate	59.7	55.7	63.2	64.2	83.1	57.0	58.3	42.3	61.3
ASR(A)	66.4	71.8	73.1	81.6	137.5	67.2	50.7	60.5	73.5
95% CI	56.0–78.2	56.1–89.9	57.8–91.0	56.7–112.2	87.0–200.5	25.8–140.7	16.2–114.7	0.0–250.0	66.3–81.3

. . Not applicable—no women in this age group were screened in 2002.

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 79: Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 2001

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	13,630	4,389	9,819	2,513	2,151	810	561	315	34,188
	Cases	29	14	21	6	5	0	0	0	75
45–49	Screened	10,812	5,219	6,313	2,952	2,271	658	601	290	29,116
	Cases	36	22	24	8	8	1	2	0	101
50–54	Screened	13,357	13,039	7,087	4,557	4,284	724	667	369	44,084
	Cases	70	57	35	19	15	4	3	2	205
55–59	Screened	5,852	4,529	3,342	1,222	848	280	197	135	16,405
	Cases	30	37	23	6	8	2	1	0	107
60–64	Screened	4,401	3,649	2,330	884	415	208	108	66	12,061
	Cases	36	33	21	5	4	4	3	0	106
65–69	Screened	3,135	2,971	1,627	574	325	139	71	41	8,883
	Cases	24	24	16	3	5	4	0	0	76
70–74	Screened	1,915	1,214	943	244	172	61	32	19	4,600
	Cases	19	22	11	9	1	0	0	0	62
75–79	Screened	1,333	557	596	181	167	72	20	13	2,939
	Cases	24	15	14	2	2	1	0	0	58
80–84	Screened	561	226	205	65	60	15	8	6	1,146
	Cases	5	5	2	0	1	0	1	0	14
85+	Screened	144	79	62	26	23	7	3	0	344
	Cases	2	2	2	0	0	0	0	0	6
Ages 40+	Screened	55,140	35,872	32,324	13,218	10,716	2,974	2,268	1,254	153,766
	Cases	275	231	169	58	49	16	10	2	810
Ages 50–69	Screened	26,745	24,188	14,386	7,237	5,872	1,351	1,043	611	81,433
	Cases	160	151	95	33	32	14	7	2	494

Source: AIHW analysis of BreastScreen Australia data.

Table 80: Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 2001

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	21.3	31.9	21.4	23.9	23.2	0.0	0.0	0.0	21.9
45–49	33.3	42.2	38.0	27.1	35.2	15.2	33.3	0.0	34.7
50–54	52.4	43.7	49.4	41.7	35.0	55.2	45.0	54.2	46.5
55–59	51.3	81.7	68.8	49.1	94.3	71.4	50.8	0.0	65.2
60–64	81.8	90.4	90.1	56.6	96.4	192.3	277.8	0.0	87.9
65–69	76.6	80.8	98.3	52.3	153.8	287.8	0.0	0.0	85.6
70–74	99.2	181.2	116.6	368.9	58.1	0.0	0.0	0.0	134.8
75–79	180.0	269.3	234.9	110.5	119.8	138.9	0.0	0.0	197.3
80–84	89.1	221.2	97.6	0.0	166.7	0.0	1250.0	0.0	122.2
85+	138.9	253.2	322.6	0.0	0.0	0.0	0.0	#DIV/0!	174.4
Ages 40+									
Crude rate	49.9	64.4	52.3	43.9	45.7	53.8	44.1	15.9	52.7
ASR(A)	63.1	81.2	73.7	72.3	74.5	96.4	74.6	#DIV/0!	70.3
95% CI	54.9–71.9	70.0–93.4	61.4–87.4	49.1–100.4	48.5–106.6	51.5–161.7	28.2–149.3	#DIV/0!	64.9–76.0
Ages 50–69									
Crude rate	59.8	62.4	66.0	45.6	54.5	103.6	67.1	32.7	60.7
ASR(A)	63.3	71.1	73.0	49.0	87.1	135.0	89.2	17.6	68.1
95% CI	53.3–74.6	59.5–84.2	58.2–90.2	30.8–72.5	52.4–132.3	69.6–232.8	27.9–197.9	2.1–63.7	61.7–74.9

. . Not applicable—no women in this age group were screened in 2001.

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 81: Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 2000

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	12,616	4,523	9,192	2,253	2,353	752	519	259	32,467
	Cases	16	12	14	6	4	0	2	0	54
45–49	Screened	10,387	5,539	6,386	2,957	2,525	590	578	263	29,225
	Cases	24	24	26	13	8	3	1	0	99
50–54	Screened	12,245	12,369	8,430	3,223	5,277	797	653	487	43,481
	Cases	66	55	35	15	32	2	5	3	213
55–59	Screened	5,226	3,179	4,257	921	1,130	341	196	131	15,381
	Cases	32	20	23	4	12	1	1	1	94
60–64	Screened	4,019	2,456	3,133	706	647	224	122	61	11,368
	Cases	22	19	31	4	11	2	2	0	91
65–69	Screened	2,848	1,753	2,411	456	553	156	80	33	8,290
	Cases	22	17	24	5	9	1	0	0	78
70–74	Screened	1,759	872	1,288	235	247	80	40	20	4,541
	Cases	16	16	19	3	3	2	0	0	59
75–79	Screened	1,261	622	743	171	244	59	23	8	3,131
	Cases	12	13	13	2	1	0	1	0	42
80–84	Screened	465	233	234	48	74	17	11	2	1,084
	Cases	7	8	6	1	4	0	0	0	26
85+	Screened	130	60	78	9	14	10	6	1	308
	Cases	2	2	2	0	0	0	0	0	6
Ages 40+	Screened	50,956	31,606	36,152	10,979	13,064	3,026	2,228	1,265	149,276
	Cases	219	186	193	53	84	11	12	4	762
Ages 50–69	Screened	24,338	19,757	18,231	5,306	7,607	1,518	1,051	712	78,520
	Cases	142	111	113	28	64	6	8	4	476

Source: AIHW analysis of BreastScreen Australia data.

Table 82: Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 2000

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	12.7	26.5	15.2	26.6	17.0	0.0	38.5	0.0	16.6
45–49	23.1	43.3	40.7	44.0	31.7	50.8	17.3	0.0	33.9
50–54	53.9	44.5	41.5	46.5	60.6	25.1	76.6	61.6	49.0
55–59	61.2	62.9	54.0	43.4	106.2	29.3	51.0	76.3	61.1
60–64	54.7	77.4	98.9	56.7	170.0	89.3	163.9	0.0	80.0
65–69	77.2	97.0	99.5	109.6	162.7	64.1	0.0	0.0	94.1
70–74	91.0	183.5	147.5	127.7	121.5	250.0	0.0	0.0	129.9
75–79	95.2	209.0	175.0	117.0	41.0	0.0	434.8	0.0	134.1
80–84	150.5	343.3	256.4	208.3	540.5	0.0	0.0	0.0	239.9
85+	153.8	333.3	256.4	0.0	0.0	0.0	0.0	0.0	194.8
Ages 40+									
Crude rate	43.0	58.8	53.4	48.3	64.3	36.4	53.9	31.6	51.0
ASR(A)	56.5	77.5	72.7	64.0	99.3	59.4	68.2	26.6	68.3
95% CI	48.4–65.4	64.9–91.6	61.9–84.6	43.2–89.6	74.1–128.9	25.0–113.7	26.8–132.3	4.3–74.4	62.9–74.0
Ages 50–69									
Crude rate	58.3	56.2	62.0	52.8	84.1	39.5	76.1	56.2	60.6
ASR(A)	60.5	66.7	68.8	60.3	116.5	48.0	74.4	39.8	67.8
95% CI	50.3–72.1	53.1–82.5	56.2–83.1	36.6–91.6	83.9–155.8	15.4–108.5	24.7–159.2	6.5–111.3	61.2–74.8

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 83: Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 1999

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	14,336	4,961	9,536	2,531	2,341	839	590	246	35,380
	Cases	22	11	20	7	4	0	0	3	67
45–49	Screened	11,893	6,079	7,290	2,879	2,516	687	623	286	32,253
	Cases	34	18	33	6	6	3	1	1	102
50–54	Screened	13,269	13,531	9,358	2,341	4,759	886	733	443	45,320
	Cases	60	59	51	20	15	2	4	1	212
55–59	Screened	6,210	2,626	5,253	1,004	1,331	365	227	140	17,156
	Cases	38	19	37	7	15	0	1	0	117
60–64	Screened	4,766	2,054	3,923	674	861	284	132	90	12,784
	Cases	17	16	25	2	7	1	1	0	69
65–69	Screened	3,639	1,470	3,349	479	683	195	96	46	9,957
	Cases	30	18	43	5	14	4	2	0	116
70–74	Screened	2,234	871	1,834	302	264	120	60	28	5,713
	Cases	20	8	16	8	3	3	0	1	59
75–79	Screened	1,568	689	1,089	204	247	95	32	12	3,936
	Cases	24	7	19	5	3	1	2	0	61
80–84	Screened	502	229	366	49	85	23	12	5	1,271
	Cases	2	4	13	1	2	1	0	0	23
85+	Screened	122	73	108	12	22	5	2	0	344
	Cases	0	4	1	0	0	0	0	0	5
Ages 40+	Screened	58,539	32,583	42,106	10,475	13,109	3,499	2,507	1,296	164,114
	Cases	247	164	258	61	69	15	11	6	831
Ages 50–69	Screened	27,884	19,681	21,883	4,498	7,634	1,730	1,188	719	85,217
	Cases	145	112	156	34	51	7	8	1	514

Source: AIHW analysis of BreastScreen Australia data.

Table 84: Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 1999

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	15.3	22.2	21.0	27.7	17.1	0.0	0.0	122.0	18.9
45–49	28.6	29.6	45.3	20.8	23.8	43.7	16.1	35.0	31.6
50–54	45.2	43.6	54.5	85.4	31.5	22.6	54.6	22.6	46.8
55–59	61.2	72.4	70.4	69.7	112.7	0.0	44.1	0.0	68.2
60–64	35.7	77.9	63.7	29.7	81.3	35.2	75.8	0.0	54.0
65–69	82.4	122.4	128.4	104.4	205.0	205.1	208.3	0.0	116.5
70–74	89.5	91.8	87.2	264.9	113.6	250.0	0.0	357.1	103.3
75–79	153.1	101.6	174.5	245.1	121.5	105.3	625.0	0.0	155.0
80–84	39.8	174.7	355.2	204.1	235.3	434.8	0.0	0.0	181.0
85+	0.0	547.9	92.6	0.0	0.0	0.0	0.0	#DIV/0!	145.3
Ages 40+									
Crude rate	42.2	50.3	61.3	58.2	52.6	42.9	43.9	46.3	50.6
ASR(A)	53.8	68.3	73.4	84.8	84.6	70.2	78.9	#DIV/0!	65.8
95% CI	46.6–61.6	55.9–82.1	64.2–83.5	61.5–113.1	62.9–110.6	36.2–120.3	32.8–151.6	#DIV/0!	60.9–71.0
Ages 50–69									
Crude rate	52.0	56.9	71.3	75.6	66.8	40.5	67.3	13.9	60.3
ASR(A)	54.5	74.0	75.1	72.7	97.3	55.1	86.5	7.3	67.5
95% CI	45.6–64.6	58.1–92.2	63.5–88.1	48.1–104.6	70.0–130.9	20.2–116.9	28.2–185.9	0.2–40.9	61.3–74.0

. . Not applicable—no women in this age group were screened in 1999.

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 85: Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 1998

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	17,687	5,190	11,085	2,602	2,577	1,225	563	298	41,227
	Cases	29	4	20	1	0	1	2	1	58
45–49	Screened	14,850	6,688	8,992	3,764	3,016	1,059	667	413	39,449
	Cases	26	19	38	10	11	2	0	2	108
50–54	Screened	16,495	17,362	13,902	3,494	4,710	1,303	747	719	58,732
	Cases	74	81	50	8	21	13	4	0	251
55–59	Screened	8,031	3,234	8,544	1,599	1,372	584	266	281	23,911
	Cases	52	18	41	6	6	4	3	2	132
60–64	Screened	6,458	2,497	6,540	1,216	979	384	158	158	18,390
	Cases	33	27	42	9	11	2	3	2	129
65–69	Screened	5,170	1,973	6,040	921	825	380	123	126	15,558
	Cases	55	22	36	13	7	2	1	1	137
70–74	Screened	3,434	1,277	2,453	515	474	172	74	43	8,442
	Cases	47	18	32	2	5	0	0	1	105
75–79	Screened	2,094	1,047	1,290	346	429	140	45	28	5,419
	Cases	30	21	18	2	6	4	0	1	82
80–84	Screened	626	309	467	105	149	36	9	6	1,707
	Cases	12	9	13	0	5	0	0	0	39
85+	Screened	142	85	130	18	30	9	3	1	418
	Cases	4	5	3	0	0	0	0	0	12
Ages 40+	Screened	74,987	39,662	59,443	14,580	14,561	5,292	2,655	2,073	213,253
	Cases	362	224	293	51	72	28	13	10	1,053
Ages 50–69	Screened	36,154	25,066	35,026	7,230	7,886	2,651	1,294	1,284	116,591
	Cases	214	148	169	36	45	21	11	5	649

Source: AIHW analysis of BreastScreen Australia data.

Table 86: Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 1998

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	16.4	7.7	18.0	3.8	0.0	8.2	35.5	33.6	14.1
45–49	17.5	28.4	42.3	26.6	36.5	18.9	0.0	48.4	27.4
50–54	44.9	46.7	36.0	22.9	44.6	99.8	53.5	0.0	42.7
55–59	64.7	55.7	48.0	37.5	43.7	68.5	112.8	71.2	55.2
60–64	51.1	108.1	64.2	74.0	112.4	52.1	189.9	126.6	70.1
65–69	106.4	111.5	59.6	141.2	84.8	52.6	81.3	79.4	88.1
70–74	136.9	141.0	130.5	38.8	105.5	0.0	0.0	232.6	124.4
75–79	143.3	200.6	139.5	57.8	139.9	285.7	0.0	357.1	151.3
80–84	191.7	291.3	278.4	0.0	335.6	0.0	0.0	0.0	228.5
85+	281.7	588.2	230.8	0.0	0.0	0.0	0.0	0.0	287.1
Ages 40+									
Crude rate	48.3	56.5	49.3	35.0	49.4	52.9	49.0	48.2	49.4
ASR(A)	63.9	76.0	58.2	49.5	65.5	59.9	72.6	80.5	62.8
95% CI	57.0–71.3	64.5–88.7	51.4–65.6	35.6–66.5	49.1–85.0	38.4–88.4	33.5–132.0	31.7–159.2	58.7–67.0
Ages 50–69									
Crude rate	59.2	59.0	48.2	49.8	57.1	79.2	85.0	38.9	55.7
ASR(A)	63.4	75.2	49.9	61.0	67.2	71.9	104.4	61.9	60.8
95% CI	54.9–72.7	61.0–91.2	42.6–58.1	42.1–85.2	46.8–92.7	42.8–112.4	46.9–195.1	19.2–146.2	56.0–66.0

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 87: Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 1997

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	14,068	4,654	8,373	2,482	1,677	818	500	372	32,944
	Cases	27	6	15	5	3	2	1	1	60
45–49	Screened	14,170	6,555	7,793	4,432	2,088	810	598	496	36,942
	Cases	36	18	24	13	10	2	2	2	107
50–54	Screened	19,895	16,829	10,174	4,967	4,216	961	714	753	58,509
	Cases	66	71	38	7	19	0	2	4	207
55–59	Screened	11,098	4,612	6,600	2,761	1,679	486	279	414	27,929
	Cases	63	39	32	14	15	0	2	2	167
60–64	Screened	8,886	3,512	5,149	2,062	1,232	322	152	218	21,533
	Cases	65	25	34	11	8	1	1	0	145
65–69	Screened	7,994	2,899	4,406	1,638	1,130	263	129	108	18,567
	Cases	50	32	33	17	12	2	3	1	150
70–74	Screened	4,921	2,147	2,421	837	552	165	102	51	11,196
	Cases	50	23	29	11	8	2	2	0	125
75–79	Screened	2,678	1,384	1,389	441	353	128	58	16	6,447
	Cases	29	15	21	4	4	1	0	0	74
80–84	Screened	852	471	409	132	87	26	10	5	1,992
	Cases	20	14	6	3	4	0	0	0	47
85+	Screened	143	95	99	36	11	5	2	0	391
	Cases	3	4	1	1	1	0	0	0	10
Ages 40+	Screened	84,705	43,158	46,813	19,788	13,025	3,984	2,544	2,433	216,450
	Cases	409	247	233	86	84	10	13	10	1,092
Ages 50–69	Screened	47,873	27,852	26,329	11,428	8,257	2,032	1,274	1,493	126,538
	Cases	244	167	137	49	54	3	8	7	669

Source: AIHW analysis of BreastScreen Australia data.

Table 88: Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 1997

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	19.2	12.9	17.9	20.1	17.9	24.4	20.0	26.9	18.2
45–49	25.4	27.5	30.8	29.3	47.9	24.7	33.4	40.3	29.0
50–54	33.2	42.2	37.4	14.1	45.1	0.0	28.0	53.1	35.4
55–59	56.8	84.6	48.5	50.7	89.3	0.0	71.7	48.3	59.8
60–64	73.1	71.2	66.0	53.3	64.9	31.1	65.8	0.0	67.3
65–69	62.5	110.4	74.9	103.8	106.2	76.0	232.6	92.6	80.8
70–74	101.6	107.1	119.8	131.4	144.9	121.2	196.1	0.0	111.6
75–79	108.3	108.4	151.2	90.7	113.3	78.1	0.0	0.0	114.8
80–84	234.7	297.2	146.7	227.3	459.8	0.0	0.0	0.0	235.9
85+	209.8	421.1	101.0	277.8	909.1	0.0	0.0	#DIV/0!	255.8
Ages 40+									
Crude rate	48.3	57.2	49.8	43.5	64.5	25.1	51.1	41.1	50.5
ASR(A)	54.9	68.8	57.4	54.8	77.4	32.1	80.7	#DIV/0!	59.0
95% CI	49.6–60.7	59.6–78.9	50.0–65.6	43.2–68.4	60.7–97.0	13.1–62.8	38.0–145.5	#DIV/0!	55.4–62.7
Ages 50–69									
Crude rate	51.0	60.0	52.0	42.9	65.4	14.8	62.8	46.9	52.9
ASR(A)	53.8	72.8	53.9	49.7	72.8	21.7	87.5	47.8	57.6
95% CI	47.2–61.1	61.0–86.1	45.2–63.8	36.6–66.0	53.8–96.1	4.5–63.3	34.0–178.9	13.2–109.1	53.2–62.3

.. Not applicable—no women in this age group were screened in 1997.

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 89: Numbers of women screened and cases of invasive cancer detected in these women, first screening round, by age, states and territories, 1996

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	11,125	4,621	7,131	2,213	1,596	965	485	320	28,456
	Cases	20	11	10	4	4	1	1	0	51
45–49	Screened	13,616	7,621	6,748	7,462	2,284	1,015	692	428	39,866
	Cases	43	26	22	16	6	4	3	0	120
50–54	Screened	20,343	14,879	7,134	5,176	4,060	1,074	988	560	54,214
	Cases	83	64	32	19	17	9	7	0	231
55–59	Screened	15,774	11,245	4,664	3,525	1,969	721	570	324	38,792
	Cases	82	77	20	14	12	3	3	2	213
60–64	Screened	13,366	9,619	3,528	2,806	1,501	607	393	180	32,000
	Cases	67	68	23	15	15	2	2	0	192
65–69	Screened	12,743	9,455	3,047	1,639	1,458	533	274	132	29,281
	Cases	98	70	15	13	13	5	0	1	215
70–74	Screened	7,680	5,435	1,977	754	728	260	138	50	17,022
	Cases	67	53	21	14	6	2	1	0	164
75–79	Screened	2,806	1,858	1,036	313	362	134	87	30	6,626
	Cases	36	23	16	2	7	1	2	0	87
80–84	Screened	882	574	344	95	103	45	19	3	2,065
	Cases	13	10	7	1	0	1	0	0	32
85+	Screened	188	116	81	22	19	7	4	3	440
	Cases	2	1	1	0	1	0	0	0	5
Ages 40+	Screened	98,523	65,423	35,690	24,005	14,080	5,361	3,650	2,030	248,762
	Cases	511	403	167	98	81	28	19	3	1,310
Ages 50–69	Screened	62,226	45,198	18,373	13,146	8,988	2,935	2,225	1,196	154,287
	Cases	330	279	90	61	57	19	12	3	851

Source: AIHW analysis of BreastScreen Australia data.

Table 90: Age-specific rates of invasive breast cancers per 10,000 women screened, first screening round, states and territories, 1996

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	18.0	23.8	14.0	18.1	25.1	10.4	20.6	0.0	17.9
45–49	31.6	34.1	32.6	21.4	26.3	39.4	43.4	0.0	30.1
50–54	40.8	43.0	44.9	36.7	41.9	83.8	70.9	0.0	42.6
55–59	52.0	68.5	42.9	39.7	60.9	41.6	52.6	61.7	54.9
60–64	50.1	70.7	65.2	53.5	99.9	32.9	50.9	0.0	60.0
65–69	76.9	74.0	49.2	79.3	89.2	93.8	0.0	75.8	73.4
70–74	87.2	97.5	106.2	185.7	82.4	76.9	72.5	0.0	96.3
75–79	128.3	123.8	154.4	63.9	193.4	74.6	229.9	0.0	131.3
80–84	147.4	174.2	203.5	105.3	0.0	222.2	0.0	0.0	155.0
85+	106.4	86.2	123.5	0.0	526.3	0.0	0.0	0.0	113.6
Ages 40+									
Crude rate	51.9	61.6	46.8	40.8	57.5	52.2	52.1	14.8	52.7
ASR(A)	53.4	61.1	54.0	55.6	65.1	58.9	52.3	20.5	56.0
95% CI	48.9–58.3	55.3–67.4	45.8–63.3	43.8–69.3	51.3–81.5	38.5–86.0	30.1–83.6	3.5–61.9	53.0–59.2
Ages 50–69									
Crude rate	53.0	61.7	49.0	46.4	63.4	64.7	53.9	25.1	55.2
ASR(A)	52.8	61.8	49.7	49.5	68.9	63.6	47.9	30.7	55.6
95% CI	47.2–58.8	54.7–69.5	39.9–61.2	37.5–64.0	51.7–89.7	38.2–99.4	24.2–84.6	5.2–92.6	52.0–59.5

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 91: Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 2005

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	1,956	1,028	8,164	1,570	1,240	618	34	104	14,714
	Cases	0	1	11	3	3	1	0	0	19
45–49	Screened	7,230	5,099	22,113	5,915	4,351	2,179	711	454	48,052
	Cases	18	11	60	14	9	7	1	1	121
50–54	Screened	45,700	30,459	30,293	13,600	12,385	3,812	2,189	830	139,268
	Cases	133	81	99	41	34	11	7	3	409
55–59	Screened	52,693	41,544	33,991	16,860	14,997	4,598	3,171	940	168,794
	Cases	195	148	136	62	56	12	10	6	625
60–64	Screened	44,368	34,605	26,397	13,371	12,336	3,745	2,316	661	137,799
	Cases	219	167	144	70	66	19	10	4	699
65–69	Screened	36,835	27,833	20,880	11,019	10,315	3,084	1,710	375	112,051
	Cases	197	149	107	75	59	23	10	2	622
70–74	Screened	6,429	20,899	15,377	3,052	3,340	2,149	455	45	51,746
	Cases	43	140	78	21	22	9	3	0	316
75–79	Screened	3,568	5,834	4,773	1,255	1,762	439	141	22	17,794
	Cases	24	38	48	10	17	3	2	0	142
80–84	Screened	1,135	856	1,010	315	447	110	45	6	3,924
	Cases	6	5	12	4	3	0	0	0	30
85+	Screened	167	156	250	75	67	13	7	1	736
	Cases	0	2	3	1	2	0	0	0	8
Ages 40+	Screened	200,081	168,313	163,248	67,032	61,240	20,747	10,779	3,438	694,878
	Cases	835	742	698	301	271	85	43	16	2,991
Ages 50–69	Screened	179,596	134,441	111,561	54,850	50,033	15,239	9,386	2,806	557,912
	Cases	744	545	486	248	215	65	37	15	2,355

Source: AIHW analysis of BreastScreen Australia data.

Table 92: Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 2005

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	0.0	9.7	13.5	19.1	24.2	16.2	0.0	0.0	12.9
45–49	24.9	21.6	27.1	23.7	20.7	32.1	14.1	22.0	25.2
50–54	29.1	26.6	32.7	30.1	27.5	28.9	32.0	36.1	29.4
55–59	37.0	35.6	40.0	36.8	37.3	26.1	31.5	63.8	37.0
60–64	49.4	48.3	54.6	52.4	53.5	50.7	43.2	60.5	50.7
65–69	53.5	53.5	51.2	68.1	57.2	74.6	58.5	53.3	55.5
70–74	66.9	67.0	50.7	68.8	65.9	41.9	65.9	0.0	61.1
75–79	67.3	65.1	100.6	79.7	96.5	68.3	141.8	0.0	79.8
80–84	52.9	58.4	118.8	127.0	67.1	0.0	0.0	0.0	76.5
85+	0.0	128.2	120.0	133.3	298.5	0.0	0.0	0.0	108.7
Ages 40+									
Crude rate	41.7	44.1	42.8	44.9	44.3	41.0	39.9	46.5	43.0
ASR(A)	38.2	37.9	41.8	43.6	41.9	39.0	38.0	37.6	40.1
95% CI	35.2–41.4	34.6–41.4	38.8–45.1	38.3–49.3	36.6–47.8	30.8–48.5	26.2–52.8	21.1–61.6	38.6–41.7
Ages 50–69									
Crude rate	41.4	40.5	43.6	45.2	43.0	42.7	39.4	53.5	42.2
ASR(A)	40.4	39.0	43.0	44.2	41.6	41.9	39.5	52.1	41.2
95% CI	37.5–43.4	35.7–42.5	39.3–47.1	38.8–50.1	36.1–47.6	32.2–53.5	27.5–54.8	28.5–86.7	39.5–42.9

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 93: Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 2004

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	7,207	967	7,894	1,412	1,199	562	98	113	19,452
	Cases	9	1	15	2	4	2	1	0	34
45–49	Screened	23,068	4,571	21,165	5,639	4,421	1,993	814	396	62,067
	Cases	54	9	50	13	7	4	5	1	143
50–54	Screened	41,533	32,649	30,320	14,033	12,876	3,734	2,033	813	137,991
	Cases	135	96	93	53	43	16	3	3	442
55–59	Screened	47,045	40,233	33,776	16,424	15,495	4,517	2,520	871	160,881
	Cases	207	165	127	78	60	20	13	2	672
60–64	Screened	38,427	33,184	25,546	12,899	11,748	3,444	1,743	513	127,504
	Cases	202	136	131	53	54	18	13	2	609
65–69	Screened	32,216	27,459	20,357	10,402	10,028	2,871	1,200	263	104,796
	Cases	182	140	117	60	57	15	10	3	584
70–74	Screened	21,005	21,673	15,314	2,893	3,232	2,061	320	115	66,613
	Cases	146	121	97	20	26	18	3	0	431
75–79	Screened	14,382	5,755	4,579	1,185	1,683	330	109	48	28,071
	Cases	108	41	33	11	17	5	3	1	219
80–84	Screened	5,272	703	913	340	409	87	33	27	7,784
	Cases	35	15	9	3	3	0	0	0	65
85+	Screened	1,053	120	224	54	57	9	4	5	1,526
	Cases	6	0	2	1	0	0	0	0	9
Ages 40+	Screened	231,208	167,314	160,088	65,281	61,148	19,608	8,874	3,164	716,685
	Cases	1,084	724	674	294	271	98	51	12	3,208
Ages 50–69	Screened	159,221	133,525	109,999	53,758	50,147	14,566	7,496	2,460	531,172
	Cases	726	537	468	244	214	69	39	10	2,307

Source: AIHW analysis of BreastScreen Australia data.

Table 94: Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 2004

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	12.5	10.3	19.0	14.2	33.4	35.6	102.0	0.0	17.5
45–49	23.4	19.7	23.6	23.1	15.8	20.1	61.4	25.3	23.0
50–54	32.5	29.4	30.7	37.8	33.4	42.8	14.8	36.9	32.0
55–59	44.0	41.0	37.6	47.5	38.7	44.3	51.6	23.0	41.8
60–64	52.6	41.0	51.3	41.1	46.0	52.3	74.6	39.0	47.8
65–69	56.5	51.0	57.5	57.7	56.8	52.2	83.3	114.1	55.7
70–74	69.5	55.8	63.3	69.1	80.4	87.3	93.8	0.0	64.7
75–79	75.1	71.2	72.1	92.8	101.0	151.5	275.2	208.3	78.0
80–84	66.4	213.4	98.6	88.2	73.3	0.0	0.0	0.0	83.5
85+	57.0	0.0	89.3	185.2	0.0	0.0	0.0	0.0	59.0
Ages 40+									
Crude rate	46.9	43.3	42.1	45.0	44.3	50.0	57.5	37.9	44.8
ASR(A)	42.5	38.2	41.3	43.8	43.3	48.8	66.2	42.2	41.4
95% CI	39.9–45.3	34.7–41.8	38.2–44.5	38.5–49.6	37.7–49.3	39.0–60.2	43.6–94.0	20.3–75.9	40.0–43.0
Ages 50–69									
Crude rate	45.6	40.2	42.5	45.4	42.7	47.4	52.0	40.7	43.4
ASR(A)	44.6	39.2	42.2	44.9	42.1	47.1	50.9	48.8	42.6
95% CI	41.4–48.0	35.9–42.7	38.5–46.3	39.4–51.0	36.6–48.2	36.5–59.8	35.9–69.9	21.9–92.1	40.9–44.4

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 95: Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 2003

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	8,382	853	7,747	1,514	1,267	600	271	146	20,780
	Cases	6	2	16	1	3	0	3	0	31
45–49	Screened	25,937	4,401	20,452	6,044	4,191	1,909	1,084	521	64,539
	Cases	58	5	45	13	12	2	1	1	137
50–54	Screened	40,877	32,658	29,039	13,767	12,734	3,896	2,273	898	136,142
	Cases	123	86	87	44	44	12	5	4	405
55–59	Screened	46,620	40,879	30,395	15,674	14,841	4,177	2,481	893	155,960
	Cases	199	144	144	75	66	23	8	5	664
60–64	Screened	38,549	31,371	23,277	12,394	11,907	3,439	1,807	608	123,352
	Cases	225	136	134	68	63	19	5	3	653
65–69	Screened	32,597	26,382	19,156	10,096	9,787	3,032	1,298	323	102,671
	Cases	186	128	113	54	67	18	11	0	577
70–74	Screened	25,344	20,671	14,855	2,621	3,303	1,795	262	169	69,020
	Cases	138	94	82	21	23	14	0	0	372
75–79	Screened	17,001	5,121	4,308	977	1,533	342	90	65	29,437
	Cases	118	36	33	6	9	2	1	0	205
80–84	Screened	6,242	660	925	241	344	85	36	31	8,564
	Cases	48	11	19	1	6	0	0	0	85
85+	Screened	1,403	93	224	33	48	13	3	3	1,820
	Cases	11	1	0	0	1	0	1	0	14
Ages 40+	Screened	242,952	163,089	150,378	63,361	59,955	19,288	9,605	3,657	712,285
	Cases	1,112	643	673	283	294	90	35	13	3,143
Ages 50–69	Screened	158,643	131,290	101,867	51,931	49,269	14,544	7,859	2,722	518,125
	Cases	733	494	478	241	240	72	29	12	2,299

Source: AIHW analysis of BreastScreen Australia data.

Table 96: Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	7.2	23.4	20.7	6.6	23.7	0.0	110.7	0.0	14.9
45–49	22.4	11.4	22.0	21.5	28.6	10.5	9.2	19.2	21.2
50–54	30.1	26.3	30.0	32.0	34.6	30.8	22.0	44.5	29.7
55–59	42.7	35.2	47.4	47.8	44.5	55.1	32.2	56.0	42.6
60–64	58.4	43.4	57.6	54.9	52.9	55.2	27.7	49.3	52.9
65–69	57.1	48.5	59.0	53.5	68.5	59.4	84.7	0.0	56.2
70–74	54.5	45.5	55.2	80.1	69.6	78.0	0.0	0.0	53.9
75–79	69.4	70.3	76.6	61.4	58.7	58.5	111.1	0.0	69.6
80–84	76.9	166.7	205.4	41.5	174.4	0.0	0.0	0.0	99.3
85+	78.4	107.5	0.0	0.0	208.3	0.0	3,333.3	0.0	76.9
Ages 40+									
Crude rate	45.8	39.4	44.8	44.7	49.0	46.7	36.4	35.5	44.1
ASR(A)	40.9	35.4	44.0	42.5	47.0	41.7	45.2	29.1	40.5
95% CI	38.4–43.5	31.6–39.5	40.7–47.5	37.2–48.2	41.3–53.2	33.4–51.5	27.1–68.4	15.4–49.9	39.0–42.0
Ages 50–69									
Crude rate	46.2	37.6	46.9	46.4	48.7	49.5	36.9	44.1	44.4
ASR(A)	44.9	36.7	46.2	45.3	47.8	48.1	38.1	39.9	43.3
95% CI	41.6–48.3	33.5–40.1	42.2–50.6	39.7–51.5	41.9–54.3	37.5–60.6	25.4–54.9	20.5–69.9	41.6–45.2

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 97: Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 2002

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	8,961	970	7,540	1,334	1,262	630	263	130	21,090
	Cases	11	0	12	1	4	4	1	0	33
45–49	Screened	27,508	4,796	19,988	5,172	4,506	2,326	1,241	496	66,033
	Cases	41	20	58	9	9	4	6	1	148
50–54	Screened	41,235	32,555	29,303	12,054	13,373	4,050	2,753	924	136,247
	Cases	131	75	97	39	45	12	3	3	405
55–59	Screened	44,782	36,207	29,332	13,539	13,887	4,366	2,640	803	145,556
	Cases	186	154	147	58	58	20	15	0	638
60–64	Screened	37,145	30,222	22,646	11,099	11,028	3,366	1,759	432	117,697
	Cases	201	130	102	50	59	19	5	2	568
65–69	Screened	31,264	25,430	17,842	9,128	9,495	2,812	1,285	235	97,491
	Cases	183	120	108	61	80	21	8	1	582
70–74	Screened	25,857	20,857	14,150	2,539	3,351	1,523	274	144	68,695
	Cases	141	113	89	15	17	9	2	1	387
75–79	Screened	16,371	5,236	3,619	974	1,612	295	112	56	28,275
	Cases	98	40	28	11	13	0	1	1	192
80–84	Screened	5,505	654	801	234	319	72	30	30	7,645
	Cases	37	5	10	2	4	2	0	0	60
85+	Screened	1,171	102	180	36	38	6	4	5	1,542
	Cases	8	1	0	2	1	0	1	0	13
Ages 40+	Screened	239,799	157,029	145,401	56,109	58,871	19,446	10,361	3,255	690,271
	Cases	1,037	658	651	248	290	91	42	9	3,026
Ages 50–69	Screened	154,426	124,414	99,123	45,820	47,783	14,594	8,437	2,394	496,991
	Cases	701	479	454	208	242	72	31	6	2,193

Source: AIHW analysis of BreastScreen Australia data.

Table 98: Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 2002

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	12.3	0.0	15.9	7.5	31.7	63.5	38.0	0.0	15.6
45–49	14.9	41.7	29.0	17.4	20.0	17.2	48.3	20.2	22.4
50–54	31.8	23.0	33.1	32.4	33.6	29.6	10.9	32.5	29.7
55–59	41.5	42.5	50.1	42.8	41.8	45.8	56.8	0.0	43.8
60–64	54.1	43.0	45.0	45.0	53.5	56.4	28.4	46.3	48.3
65–69	58.5	47.2	60.5	66.8	84.3	74.7	62.3	42.6	59.7
70–74	54.5	54.2	62.9	59.1	50.7	59.1	73.0	69.4	56.3
75–79	59.9	76.4	77.4	112.9	80.6	0.0	89.3	178.6	67.9
80–84	67.2	76.5	124.8	85.5	125.4	277.8	0.0	0.0	78.5
85+	68.3	98.0	0.0	555.6	263.2	0.0	2,500.0	0.0	84.3
Ages 40+									
Crude rate	43.2	41.9	44.8	44.2	49.3	46.8	40.5	27.6	43.8
ASR(A)	39.7	37.9	44.0	42.8	46.7	47.0	47.2	33.3	40.7
95% CI	37.2–42.3	34.5–41.5	40.7–47.6	37.1–48.9	41.0–53.0	37.2–58.5	30.7–68.1	13.9–65.2	39.2–42.2
Ages 50–69									
Crude rate	45.4	38.5	45.8	45.4	50.6	49.3	36.7	25.1	44.1
ASR(A)	44.4	37.2	45.5	44.6	50.0	48.5	36.7	29.1	43.3
95% CI	41.2–47.9	33.9–40.7	41.4–49.9	38.7–51.1	43.9–56.7	37.9–61.2	24.7–52.3	9.6–65.3	41.5–45.2

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 99: Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 2001

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	9,573	1,041	7,415	1,576	1,306	578	318	140	21,947
	Cases	11	1	17	1	2	0	1	0	33
45–49	Screened	27,578	4,873	18,985	5,761	4,498	2,202	1,246	452	65,595
	Cases	42	8	42	8	11	7	2	1	121
50–54	Screened	42,488	33,226	27,539	13,292	12,813	3,750	2,538	848	136,494
	Cases	103	104	93	51	45	9	9	3	417
55–59	Screened	43,841	35,824	25,510	13,298	13,710	3,716	2,249	780	138,928
	Cases	202	114	108	60	61	18	7	1	571
60–64	Screened	38,081	28,688	20,747	11,418	12,008	3,279	1,695	483	116,399
	Cases	181	131	118	60	70	20	8	4	592
65–69	Screened	32,514	23,467	16,990	9,238	9,635	2,754	1,224	242	96,064
	Cases	172	112	98	50	49	12	10	2	505
70–74	Screened	26,909	19,787	13,547	2,471	3,438	1,095	257	137	67,641
	Cases	153	101	83	15	25	13	4	0	394
75–79	Screened	16,149	5,107	5,887	913	1,308	285	105	50	29,804
	Cases	88	37	27	15	21	5	1	0	194
80–84	Screened	5,259	649	1,916	199	301	61	33	26	8,444
	Cases	41	9	16	4	2	1	0	0	73
85+	Screened	1,147	142	429	42	38	8	4	2	1,812
	Cases	5	1	6	0	2	1	0	0	15
Ages 40+	Screened	243,539	152,804	138,965	58,208	59,055	17,728	9,669	3,160	683,128
	Cases	998	618	608	264	288	86	42	11	2,915
Ages 50–69	Screened	156,924	121,205	90,786	47,246	48,166	13,499	7,706	2,353	487,885
	Cases	658	461	417	221	225	59	34	10	2,085

Source: AIHW analysis of BreastScreen Australia data.

Table 100: Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 2001

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	11.5	9.6	22.9	6.3	15.3	0.0	31.4	0.0	15.0
45–49	15.2	16.4	22.1	13.9	24.5	31.8	16.1	22.1	18.4
50–54	24.2	31.3	33.8	38.4	35.1	24.0	35.5	35.4	30.6
55–59	46.1	31.8	42.3	45.1	44.5	48.4	31.1	12.8	41.1
60–64	47.5	45.7	56.9	52.5	58.3	61.0	47.2	82.8	50.9
65–69	52.9	47.7	57.7	54.1	50.9	43.6	81.7	82.6	52.6
70–74	56.9	51.0	61.3	60.7	72.7	118.7	155.6	0.0	58.2
75–79	54.5	72.4	45.9	164.3	160.6	175.4	95.2	0.0	65.1
80–84	78.0	138.7	83.5	201.0	66.4	163.9	0.0	0.0	86.5
85+	43.6	70.4	139.9	0.0	526.3	1,250.0	0.0	0.0	82.8
Ages 40+									
Crude rate	41.0	40.4	43.8	45.4	48.8	48.5	43.4	34.8	42.7
ASR(A)	37.2	35.9	42.7	45.0	47.4	51.4	51.2	35.7	39.4
95% CI	34.8–39.6	32.6–39.5	39.4–46.3	39.3–51.3	41.7–53.7	40.1–64.6	34.3–72.4	16.9–65.3	37.9–40.9
Ages 50–69									
Crude rate	41.9	38.0	45.9	46.8	46.7	43.7	44.1	42.5	42.7
ASR(A)	40.6	37.8	45.8	46.3	45.7	42.3	45.9	49.2	42.1
95% CI	37.6–43.9	34.4–41.4	41.5–50.4	40.4–52.9	39.9–52.2	32.2–54.6	31.7–64.3	22.3–92.7	40.3–43.9

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 101: Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 2000

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	10,001	1,073	7,364	1,487	1,259	821	295	147	22,447
	Cases	13	1	8	2	1	1	0	0	26
45–49	Screened	26,798	5,168	17,734	5,160	4,509	2,677	1,377	468	63,891
	Cases	43	14	49	8	17	6	7	1	145
50–54	Screened	40,413	31,846	25,899	13,281	11,799	4,246	2,508	865	130,857
	Cases	123	89	88	44	44	11	15	3	417
55–59	Screened	40,605	30,597	23,049	12,040	11,309	3,714	2,088	643	124,045
	Cases	164	141	87	39	58	12	7	3	511
60–64	Screened	35,418	27,742	18,685	10,676	10,327	3,253	1,432	333	107,866
	Cases	157	162	102	54	52	18	8	0	553
65–69	Screened	30,049	23,610	15,363	8,664	8,584	2,679	968	207	90,124
	Cases	138	132	85	49	45	10	7	2	468
70–74	Screened	25,134	20,002	11,781	2,282	3,230	623	242	142	63,436
	Cases	157	124	80	11	19	7	2	1	401
75–79	Screened	13,361	4,869	5,535	819	1,130	222	92	52	26,080
	Cases	65	31	37	8	11	3	0	0	155
80–84	Screened	3,884	610	1,741	165	241	42	13	20	6,716
	Cases	28	5	13	0	2	0	0	1	49
85+	Screened	867	104	421	28	38	9	4	2	1,473
	Cases	6	1	2	0	1	0	0	0	10
Ages 40+	Screened	226,530	145,621	127,572	54,602	52,426	18,286	9,019	2,879	636,935
	Cases	894	700	551	215	250	68	46	11	2,735
Ages 50–69	Screened	146,485	113,795	82,996	44,661	42,019	13,892	6,996	2,048	452,892
	Cases	582	524	362	186	199	51	37	8	1,949

Source: AIHW analysis of BreastScreen Australia data.

Table 102: Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 2000

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	13.0	9.3	10.9	13.4	7.9	12.2	0.0	0.0	11.6
45–49	16.0	27.1	27.6	15.5	37.7	22.4	50.8	21.4	22.7
50–54	30.4	27.9	34.0	33.1	37.3	25.9	59.8	34.7	31.9
55–59	40.4	46.1	37.7	32.4	51.3	32.3	33.5	46.7	41.2
60–64	44.3	58.4	54.6	50.6	50.4	55.3	55.9	0.0	51.3
65–69	45.9	55.9	55.3	56.6	52.4	37.3	72.3	96.6	51.9
70–74	62.5	62.0	67.9	48.2	58.8	112.4	82.6	70.4	63.2
75–79	48.6	63.7	66.8	97.7	97.3	135.1	0.0	0.0	59.4
80–84	72.1	82.0	74.7	0.0	83.0	0.0	0.0	500.0	73.0
85+	69.2	96.2	47.5	0.0	263.2	0.0	0.0	0.0	67.9
Ages 40+									
Crude rate	39.5	48.1	43.2	39.4	47.7	37.2	51.0	38.2	42.9
ASR(A)	36.7	42.1	42.0	37.7	45.8	41.6	49.8	41.1	40.0
95% CI	34.2–39.2	38.5–46.0	38.5–45.7	32.4–43.5	40.0–52.1	31.1–54.1	35.0–68.4	18.8–76.2	38.5–41.6
Ages 50–69									
Crude rate	39.7	46.0	43.6	41.6	47.4	36.7	52.9	39.1	43.0
ASR(A)	39.1	44.8	43.7	41.4	46.8	36.3	54.6	42.2	42.5
95% CI	36.0–42.4	41.0–48.8	39.3–48.4	35.6–47.8	40.5–53.7	27.0–47.7	38.1–75.6	15.9–87.1	40.6–44.4

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 103: Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 1999

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	8,635	1,223	6,369	1,443	990	591	326	162	19,739
	Cases	13	1	11	3	2	0	1	1	32
45–49	Screened	24,503	5,118	15,837	5,233	4,185	2,244	1,423	423	58,966
	Cases	38	15	36	12	11	5	1	0	118
50–54	Screened	39,076	31,735	21,568	11,728	10,767	3,401	2,437	748	121,460
	Cases	90	87	59	49	30	12	11	2	340
55–59	Screened	38,554	30,263	19,405	10,933	11,747	3,386	2,138	700	117,126
	Cases	138	102	80	47	47	19	11	3	447
60–64	Screened	34,284	25,672	16,449	9,532	10,519	2,970	1,606	372	101,404
	Cases	158	123	85	61	53	10	5	2	497
65–69	Screened	30,015	22,412	13,798	7,956	8,882	2,540	1,206	206	87,015
	Cases	139	135	70	43	40	8	4	0	439
70–74	Screened	24,278	18,189	10,659	1,881	2,944	513	252	110	58,826
	Cases	136	114	60	17	14	2	4	2	349
75–79	Screened	11,751	3,658	5,602	668	862	188	126	32	22,887
	Cases	49	32	29	7	4	1	1	0	123
80–84	Screened	3,658	417	1,678	122	171	38	12	18	6,114
	Cases	19	2	13	1	1	0	1	0	37
85+	Screened	746	92	360	21	18	2	6	0	1,245
	Cases	4	0	2	0	0	0	0	0	6
Ages 40+	Screened	215,500	138,779	111,725	49,517	51,085	15,873	9,532	2,771	594,782
	Cases	784	611	445	240	202	57	39	10	2,388
Ages 50–69	Screened	141,929	110,082	71,220	40,149	41,915	12,297	7,387	2,026	427,005
	Cases	525	447	294	200	170	49	31	7	1,723

Source: AIHW analysis of BreastScreen Australia data.

Table 104: Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 1999

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	15.1	8.2	17.3	20.8	20.2	0.0	30.7	61.7	16.2
45–49	15.5	29.3	22.7	22.9	26.3	22.3	7.0	0.0	20.0
50–54	23.0	27.4	27.4	41.8	27.9	35.3	45.1	26.7	28.0
55–59	35.8	33.7	41.2	43.0	40.0	56.1	51.4	42.9	38.2
60–64	46.1	47.9	51.7	64.0	50.4	33.7	31.1	53.8	49.0
65–69	46.3	60.2	50.7	54.0	45.0	31.5	33.2	0.0	50.5
70–74	56.0	62.7	56.3	90.4	47.6	39.0	158.7	181.8	59.3
75–79	41.7	87.5	51.8	104.8	46.4	53.2	79.4	0.0	53.7
80–84	51.9	48.0	77.5	82.0	58.5	0.0	833.3	0.0	60.5
85+	53.6	0.0	55.6	0.0	0.0	0.0	0.0	..	48.2
Ages 40+									
Crude rate	36.4	44.0	39.8	48.5	39.5	35.9	40.9	36.1	40.1
ASR(A)	33.7	39.4	38.6	49.0	37.1	34.2	53.8	41.3	37.5
95% CI	31.3–36.2	35.8–43.2	35.1–42.4	42.3–56.4	31.7–43.2	25.2–45.1	33.0–80.2	17.6–79.4	36.0–39.1
Ages 50–69									
Crude rate	37.0	40.6	41.3	49.8	40.6	39.8	42.0	34.6	40.4
ASR(A)	36.0	40.0	40.9	49.4	39.3	39.6	41.3	31.7	39.6
95% CI	32.9–39.2	36.3–43.9	36.3–45.8	42.8–56.8	33.6–45.8	29.2–52.4	28.0–58.8	12.3–66.0	37.8–41.6

.. Not applicable—no women in this age group were screened in 1999.

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 105: Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 1998

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	7,699	1,263	5,618	1,257	899	864	375	127	18,102
	Cases	4	1	13	1	2	2	0	0	23
45–49	Screened	23,037	5,008	13,769	5,428	4,165	2,552	1,317	285	55,561
	Cases	55	14	24	12	10	3	0	0	118
50–54	Screened	34,929	23,598	16,808	11,839	9,706	3,352	2,176	480	102,888
	Cases	97	65	49	31	36	6	7	1	292
55–59	Screened	35,657	28,886	14,715	10,467	9,797	3,177	1,767	345	104,811
	Cases	123	107	41	40	35	13	6	1	366
60–64	Screened	31,305	25,681	12,100	9,150	9,206	2,763	1,234	183	91,622
	Cases	109	110	43	40	50	13	4	0	369
65–69	Screened	28,674	23,179	10,473	7,644	7,969	2,225	900	120	81,184
	Cases	132	113	51	45	38	10	3	1	393
70–74	Screened	22,370	17,819	7,889	1,884	2,854	654	228	71	53,769
	Cases	123	96	45	10	19	5	1	0	299
75–79	Screened	8,551	3,127	3,948	600	769	181	109	30	17,315
	Cases	51	15	24	6	3	1	0	1	101
80–84	Screened	2,677	468	1,167	133	162	34	21	8	4,670
	Cases	9	3	6	3	3	0	0	0	24
85+	Screened	577	92	265	18	18	6	3	0	979
	Cases	2	1	5	0	0	1	0	0	9
Ages 40+	Screened	195,476	129,121	86,752	48,420	45,545	15,808	8,130	1,649	530,901
	Cases	705	525	301	188	196	54	21	4	1,994
Ages 50–69	Screened	130,565	101,344	54,096	39,100	36,678	11,517	6,077	1,128	380,505
	Cases	461	395	184	156	159	42	20	3	1,420

Source: AIHW analysis of BreastScreen Australia data.

Table 106: Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 1998

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	5.2	7.9	23.1	8.0	22.2	23.1	0.0	0.0	12.7
45–49	23.9	28.0	17.4	22.1	24.0	11.8	0.0	0.0	21.2
50–54	27.8	27.5	29.2	26.2	37.1	17.9	32.2	20.8	28.4
55–59	34.5	37.0	27.9	38.2	35.7	40.9	34.0	29.0	34.9
60–64	34.8	42.8	35.5	43.7	54.3	47.1	32.4	0.0	40.3
65–69	46.0	48.8	48.7	58.9	47.7	44.9	33.3	83.3	48.4
70–74	55.0	53.9	57.0	53.1	66.6	76.5	43.9	0.0	55.6
75–79	59.6	48.0	60.8	100.0	39.0	55.2	0.0	333.3	58.3
80–84	33.6	64.1	51.4	225.6	185.2	0.0	0.0	0.0	51.4
85+	34.7	108.7	188.7	0.0	0.0	1,666.7	0.0	..	91.9
Ages 40+									
Crude rate	36.1	40.7	34.7	38.8	43.0	34.2	25.8	24.3	37.6
ASR(A)	33.4	36.0	34.2	39.3	41.6	38.3	25.7	30.6	35.2
95% CI	30.9–36.0	32.4–39.8	30.4–38.4	33.2–46.1	35.5–48.5	27.2–51.9	14.9–40.6	6.8–81.5	33.7–36.8
Ages 50–69									
Crude rate	35.3	39.0	34.0	39.9	43.4	36.5	32.9	26.6	37.3
ASR(A)	34.6	37.5	34.0	39.5	42.6	35.6	32.9	30.5	36.6
95% CI	31.5–38.0	33.8–41.5	29.3–39.3	33.6–46.3	36.2–49.8	25.6–48.1	20.0–51.0	4.2–94.1	34.7–38.6

.. Not applicable—no women in this age group were screened in 1998.

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 107: Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 1997

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	7,743	1,248	5,046	1,304	922	705	439	89	17,496
	Cases	9	0	6	2	2	1	0	0	20
45–49	Screened	19,047	4,373	11,292	4,344	3,416	2,105	1,492	212	46,281
	Cases	25	12	19	8	9	5	6	0	84
50–54	Screened	29,527	22,390	13,960	8,767	8,572	2,790	1,994	410	88,410
	Cases	70	59	54	24	32	6	6	0	251
55–59	Screened	30,587	23,863	12,811	8,715	9,661	2,808	1,746	375	90,566
	Cases	124	96	36	25	36	8	9	1	335
60–64	Screened	27,116	20,555	10,954	7,366	8,476	2,439	1,321	177	78,404
	Cases	119	84	48	28	25	6	4	2	316
65–69	Screened	25,319	18,937	9,949	6,402	7,736	2,229	1,056	124	71,752
	Cases	117	84	41	34	43	5	6	0	330
70–74	Screened	18,408	13,165	7,050	1,493	1,717	471	279	24	42,607
	Cases	93	76	43	9	16	3	1	0	241
75–79	Screened	7,141	2,514	3,754	473	454	124	98	16	14,574
	Cases	39	18	26	4	4	2	0	1	94
80–84	Screened	2,193	383	1,076	92	83	27	20	3	3,877
	Cases	16	4	3	1	0	0	0	0	24
85+	Screened	411	81	214	18	14	1	6	0	745
	Cases	3	1	2	1	1	0	0	0	8
Ages 40+	Screened	167,492	107,509	76,106	38,974	41,051	13,699	8,451	1,430	454,712
	Cases	615	434	278	136	168	36	32	4	1,703
Ages 50–69	Screened	112,549	85,745	47,674	31,250	34,445	10,266	6,117	1,086	329,132
	Cases	430	323	179	111	136	25	25	3	1,232

Source: AIHW analysis of BreastScreen Australia data.

Table 108: Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 1997

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	11.6	0.0	11.9	15.3	21.7	14.2	0.0	0.0	11.4
45–49	13.1	27.4	16.8	18.4	26.3	23.8	40.2	0.0	18.1
50–54	23.7	26.4	38.7	27.4	37.3	21.5	30.1	0.0	28.4
55–59	40.5	40.2	28.1	28.7	37.3	28.5	51.5	26.7	37.0
60–64	43.9	40.9	43.8	38.0	29.5	24.6	30.3	113.0	40.3
65–69	46.2	44.4	41.2	53.1	55.6	22.4	56.8	0.0	46.0
70–74	50.5	57.7	61.0	60.3	93.2	63.7	35.8	0.0	56.6
75–79	54.6	71.6	69.3	84.6	88.1	161.3	0.0	625.0	64.5
80–84	73.0	104.4	27.9	108.7	0.0	0.0	0.0	0.0	61.9
85+	73.0	123.5	93.5	555.6	714.3	0.0	0.0	..	107.4
Ages 40+									
Crude rate	36.7	40.4	36.5	34.9	40.9	26.3	37.9	28.0	37.5
ASR(A)	33.9	36.1	35.8	36.6	43.1	30.6	35.4	40.4	35.2
95% CI	31.2–36.8	32.4–40.1	31.7–40.3	29.9–44.3	35.7–51.3	19.9–44.3	23.7–50.8	7.1–111.9	33.5–36.9
Ages 50–69									
Crude rate	38.2	37.7	37.5	35.5	39.5	24.4	40.9	27.6	37.4
ASR(A)	36.9	36.7	37.6	35.1	39.1	24.2	40.9	31.9	36.7
95% CI	33.5–40.6	32.7–40.9	32.3–43.5	28.8–42.3	32.7–46.4	15.6–35.8	26.4–60.4	5.8–95.1	34.6–38.8

.. Not applicable—no women in this age group were screened in 1997.

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 109: Numbers of women screened and cases of invasive cancer detected in these women, subsequent screening rounds, by age, states and territories, 1996

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	7,541	915	4,652	787	1,063	988	553	17	16,516
	Cases	8	1	6	2	1	1	0	0	19
45–49	Screened	16,971	2,932	9,765	3,137	3,867	1,997	1,249	21	39,939
	Cases	29	7	20	3	7	4	4	0	74
50–54	Screened	22,715	17,890	10,185	6,951	6,571	2,238	1,337	28	67,915
	Cases	65	43	27	14	14	4	0	0	167
55–59	Screened	23,058	19,717	9,650	6,992	7,977	2,302	1,098	21	70,815
	Cases	95	72	41	24	29	2	3	0	266
60–64	Screened	19,539	17,289	8,219	6,108	6,942	1,949	800	10	60,856
	Cases	74	61	33	26	25	9	1	0	229
65–69	Screened	18,942	16,084	7,362	5,419	6,437	1,557	630	5	56,436
	Cases	90	85	29	17	28	3	2	0	254
70–74	Screened	12,003	9,527	5,102	1,006	1,171	295	145	2	29,251
	Cases	55	47	22	2	10	0	1	0	137
75–79	Screened	4,178	1,824	2,446	232	229	49	59	0	9,017
	Cases	19	7	10	0	2	1	0	0	39
80–84	Screened	1,277	254	741	57	36	10	13	0	2,388
	Cases	11	0	5	0	0	0	0	0	16
85+	Screened	250	46	158	14	2	1	2	0	473
	Cases	0	1	0	0	0	0	0	0	1
Ages 40+	Screened	126,474	86,478	58,280	30,703	34,295	11,386	5,886	104	353,606
	Cases	446	324	193	88	116	24	11	0	1,202
Ages 50–69	Screened	84,254	70,980	35,416	25,470	27,927	8,046	3,865	64	256,022
	Cases	324	261	130	81	96	18	6	0	916

Source: AIHW analysis of BreastScreen Australia data.

Table 110: Age-specific rates of invasive breast cancers per 10,000 women screened, subsequent screening rounds, by age, states and territories, 1996

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	10.6	10.9	12.9	25.4	9.4	10.1	0.0	0.0	11.5
45–49	17.1	23.9	20.5	9.6	18.1	20.0	32.0	0.0	18.5
50–54	28.6	24.0	26.5	20.1	21.3	17.9	0.0	0.0	24.6
55–59	41.2	36.5	42.5	34.3	36.4	8.7	27.3	0.0	37.6
60–64	37.9	35.3	40.2	42.6	36.0	46.2	12.5	0.0	37.6
65–69	47.5	52.8	39.4	31.4	43.5	19.3	31.7	0.0	45.0
70–74	45.8	49.3	43.1	19.9	85.4	0.0	69.0	0.0	46.8
75–79	45.5	38.4	40.9	0.0	87.3	204.1	0.0	..	43.3
80–84	86.1	0.0	67.5	0.0	0.0	0.0	0.0	..	67.0
85+	0.0	217.4	0.0	0.0	0.0	0.0	0.0	..	21.1
Ages 40+									
Crude rate	35.3	37.5	33.1	28.7	33.8	21.1	18.7	0.0	34.0
ASR(A)	34.1	33.2	33.2	25.6	34.8	24.3	20.6	0.0	32.4
95% CI	31.0–37.4	29.0–37.9	28.7–38.3	19.9–32.2	27.5–43.1	11.5–41.8	8.0–40.3	0.0–0.0	30.6–34.3
Ages 50–69									
Crude rate	38.5	36.8	36.7	31.8	34.4	22.4	15.5	0.0	35.8
ASR(A)	37.6	35.4	36.2	31.0	32.8	22.0	16.0	0.0	34.8
95% CI	33.6–42.0	31.2–40.0	30.2–43.0	24.6–38.5	26.4–40.2	13.0–34.9	5.8–35.0	0.0–0.0	32.6–37.2

.. Not applicable—no women in this age group were screened in 1996.

Note: Rates are the number of women with invasive cancers detected per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Indicator 3a: Interval cancer rate

Table 111: Numbers and age-specific rates of interval cancers in women screened during 2001, 2002 and 2003, first screening round, 0–12 months, states and territories

Age group	Number/ rate	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Number	45	26	29	7	10	3	1	0	121
	Rate	6.5	9.1	5.9	4.4	8.2	6.6	8.1	0.0	6.6
50–59	Number	33	38	20	12	9	4	1	1	118
	Rate	5.8	8.1	6.8	6.5	6.3	13.4	4.2	9.2	6.9
60–69	Number	15	7	9	1	0	3	0	0	35
	Rate	7.1	6.0	8.4	2.6	0.0	34.3	0.0	0.0	6.9
70+	Number	6	4	4	0	1	0	0	0	15
	Rate	6.3	9.3	9.4	0.0	11.8	0.0	0.0	0.0	7.3
Ages 40+	Number	99	75	62	20	20	10	2	1	289
	Crude rate	6.3	8.2	6.7	5.1	6.8	11.4	4.7	4.1	6.8
	ASR(A)	6.3	7.9	7.4	4.2	5.6	16.1	3.3	3.6	6.9
	95% CI	5.0–8.0	5.9–10.2	5.3–10.0	2.3–6.8	2.5–9.9	6.0–32.4	0.4–12.1	0.1–20.1	5.9–7.9
Ages 50–69	Number	48	45	29	13	9	7	1	1	153
	Crude rate	6.1	7.7	7.3	5.9	5.6	18.2	3.5	7.8	6.9
	ASR(A)	6.3	7.3	7.5	4.9	3.7	22.1	2.5	5.4	6.9
	95% CI	4.6–8.5	5.0–10.0	4.9–10.9	2.3–8.9	1.7–6.9	7.7–47.7	0.1–13.8	0.1–30.1	5.7–8.2

Note: Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 112: Numbers and age-specific rates of interval cancers in women screened during 2001, 2002 and 2003, first screening round, 13–24 months, states and territories

Age group	Number/ rate	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Number	64	45	39	9	14	4	0	2	177
	Rate	9.6	15.7	8.4	6.6	12.1	9.4	0.0	19.9	10.2
50–59	Number	58	52	36	18	17	6	4	1	192
	Rate	10.7	11.2	12.9	11.1	12.2	21.3	17.6	9.8	11.6
60–69	Number	18	10	24	5	0	0	0	0	57
	Rate	9.0	8.6	23.1	15.3	0.0	0.0	0.0	0.0	11.8
70+	Number	15	4	2	2	1	1	0	0	25
	Rate	16.5	9.3	4.8	22.4	11.8	34.8	0.0	0.0	12.6
Ages 40+	Number	155	111	101	34	32	11	4	3	451
	Crude rate	10.3	12.2	11.4	10.0	11.4	13.3	10.0	13.3	11.1
	ASR(A)	10.7	11.1	13.8	12.7	8.7	14.6	6.9	8.0	11.5
	95% CI	8.8–12.8	8.9–13.8	10.7–17.3	7.4–19.6	5.2–13.3	5.3–29.3	1.9–17.5	1.3–24.1	10.3–12.8
Ages 50–69	Number	76	62	60	23	17	6	4	1	249
	Crude rate	10.2	10.6	15.7	11.8	10.8	16.2	14.6	8.3	11.7
	ASR(A)	10.0	10.1	17.1	12.9	7.1	12.5	10.3	5.8	11.7
	95% CI	7.8–12.6	7.4–13.3	12.9–22.3	7.2–20.6	4.1–11.4	4.6–27.1	2.8–26.3	0.1–32.0	10.1–13.4

Note: Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 113: Numbers and age-specific rates of interval cancers in women screened during 2001, 2002 and 2003, first screening round, 0–24 months, states and territories

Age group	Number/ Rate	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Number	109	71	68	16	24	7	1	2	298
	Rate	8.0	12.4	7.1	5.4	10.1	7.9	4.2	9.4	8.4
50–59	Number	91	90	56	30	26	10	5	2	310
	Rate	8.2	9.6	9.8	8.7	9.2	17.3	10.8	9.5	9.2
60–69	Number	33	17	33	6	0	3	0	0	92
	Rate	8.0	7.3	15.6	8.5	0.0	16.9	0.0	0.0	9.3
70+	Number	21	8	6	2	2	1	0	0	40
	Rate	11.2	9.3	7.2	10.0	11.8	16.2	0.0	0.0	9.9
Ages 40+	Number	254	186	163	54	52	21	6	4	740
	Crude rate	8.3	10.2	9.0	7.4	9.1	12.3	7.3	8.5	8.9
	ASR(A)	8.5	9.5	10.5	8.1	7.1	15.1	5.1	5.7	9.1
	95% CI	7.3–9.8	8.0–11.2	8.7–12.7	5.4–11.4	4.7–10.1	8.0–24.9	1.9–11.1	1.3–14.9	8.4–9.9
Ages 50–69	Number	124	107	89	36	26	13	5	2	402
	Crude rate	8.1	9.2	11.4	8.6	8.2	17.2	8.9	8.1	9.2
	ASR(A)	8.1	8.7	12.2	8.6	5.4	17.1	6.3	5.6	9.2
	95% CI	6.7–9.7	6.9–10.7	9.7–15.2	5.5–12.5	3.5–7.8	8.4–30.3	2.0–14.7	0.7–20.1	8.3–10.3

Note: Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 114: Numbers and age-specific rates of interval cancers in women screened during 1998, 1999 and 2000, first screening round, 0–12 months, states and territories

Age group	Number/ rate	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Number	49	23	25	10	14	3	3	2	129
	Rate	6.0	7.0	4.8	5.9	9.2	5.8	8.4	11.7	6.2
50–59	Number	47	42	36	6	19	3	1	2	156
	Rate	7.6	8.1	7.3	4.8	10.3	7.0	3.5	9.5	7.7
60–69	Number	17	6	16	3	3	3	1	0	49
	Rate	6.3	5.0	6.5	6.8	6.7	18.5	13.9	0.0	6.5
70+	Number	19	6	5	1	0	0	0	0	31
	Rate	13.3	9.7	5.2	5.1	0.0	0.0	0.0	0.0	8.7
Ages 40+	Number	132	77	82	20	36	9	5	4	365
	Crude rate	7.2	7.5	6.0	5.6	8.9	7.6	6.7	9.0	7.0
	ASR(A)	7.6	7.2	6.3	5.6	7.8	9.1	7.0	6.2	7.2
	95% CI	6.3–9.2	5.4–9.2	4.9–7.9	3.0–9.4	5.1–11.3	3.5–18.3	0.6–19.5	1.6–16.0	6.4–8.0
Ages 50–69	Number	64	48	52	9	22	6	2	2	205
	Crude rate	7.2	7.5	7.0	5.3	9.6	10.2	5.6	7.7	7.4
	ASR(A)	7.1	6.8	7.0	5.7	8.8	11.8	7.8	5.6	7.2
	95% CI	5.4–9.1	4.8–9.3	5.2–9.2	2.4–11.0	5.1–14.0	4.0–26.3	0.2–30.4	0.7–20.1	6.2–8.3

Notes

1. Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.
2. Data for the index year 1998 (0–12 and 13–24 months) which were originally supplied for the *BreastScreen Australia monitoring report 2001–2002* were re-used in this report.
3. Data for the index year 1999 (0–12 and 13–24 months) which were originally supplied for the *BreastScreen Australia monitoring report 2002–2003* were re-used in this report.
4. Data for the index year 2000 (0–12 and 13–24 months) which were originally supplied for the *BreastScreen Australia monitoring report 2003–2004* were re-used in this report.

Source: AIHW analysis of BreastScreen Australia data.

Table 115: Numbers and age-specific rates of interval cancers in women screened during 1998, 1999 and 2000, first screening round, 13–24 months, states and territories

Age group	Number/ rate	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Number	83	36	62	10	23	3	2	0	219
	Rate	10.6	11.0	12.4	6.3	16.0	6.2	5.6	0.0	10.9
50–59	Number	93	72	71	13	27	6	6	4	292
	Rate	15.9	13.8	15.0	11.1	14.9	14.8	21.2	19.5	14.9
60–69	Number	22	22	41	5	4	4	1	0	99
	Rate	8.7	18.3	16.8	12.2	9.2	26.7	14.1	0.0	13.6
70+	Number	19	9	9	2	1	0	1	0	41
	Rate	15.0	14.5	9.5	11.2	4.5	0.0	32.9	0.0	12.2
Ages 40+	Number	217	139	183	30	55	13	10	4	651
	Crude rate	12.4	13.5	14.0	9.0	14.1	11.7	13.6	9.5	12.9
	ASR(A)	12.7	14.6	14.3	10.4	12.3	14.5	17.5	7.6	13.4
	95% CI	10.9–14.7	11.8–17.6	12.2–16.7	6.5–15.6	8.8–16.6	7.0–25.9	6.5–35.1	2.1–19.5	12.2–14.5
Ages 50–69	Number	115	94	112	18	31	10	7	4	391
	Crude rate	13.7	14.7	15.6	11.4	13.8	18.0	19.8	15.8	14.5
	ASR(A)	12.9	15.7	15.8	11.5	12.6	19.7	18.3	11.4	14.3
	95% CI	10.6–15.6	12.2–19.8	12.9–19.0	6.5–18.7	8.0–18.5	8.9–37.2	6.0–40.0	3.1–29.1	12.9–15.9

Notes

1. Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.
2. Data for the index year 1998 (0–12 and 13–24 months) which were originally supplied for the *BreastScreen Australia monitoring report 2001–2002* were re-used in this report.
3. Data for the index year 1999 (0–12 and 13–24 months) which were originally supplied for the *BreastScreen Australia monitoring report 2002–2003* were re-used in this report.
4. Data for the index year 2000 (0–12 and 13–24 months) which were originally supplied for the *BreastScreen Australia monitoring report 2003–2004* were re-used in this report.

Source: AIHW analysis of BreastScreen Australia data.

Table 116: Numbers and age-specific rates of interval cancers in women screened during 1998, 1999 and 2000, first screening round, 0–24 months, states and territories

Age group	Number/ Rate	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Number	132	59	87	20	37	6	5	2	348
	Rate	8.3	9.0	8.5	6.1	12.5	6.0	7.0	6.2	8.5
50–59	Number	140	114	107	19	46	9	7	6	448
	Rate	11.7	10.9	11.1	7.8	12.6	10.8	12.3	14.5	11.2
60–69	Number	39	28	57	8	7	7	2	0	148
	Rate	7.5	11.6	11.6	9.4	8.0	22.4	14.0	0.0	10.0
70+	Number	38	15	14	3	1	0	1	0	72
	Rate	14.1	12.1	7.3	8.0	2.3	0.0	16.4	0.0	10.4
Ages 40+	Number	349	216	265	50	91	22	15	8	1,016
	Crude rate	9.7	10.5	9.9	7.2	11.5	9.6	10.1	9.3	9.9
	ASR(A)	10.1	10.9	10.2	7.9	10.0	11.7	12.2	6.9	10.2
	95% CI	9.0–11.3	9.2–12.7	9.0–11.6	5.5–10.9	7.7–12.6	6.8–18.4	5.5–22.1	2.9–13.7	9.5–10.9
Ages 50–69	Number	179	142	164	27	53	16	9	6	596
	Crude rate	10.4	11.1	11.3	8.3	11.7	14.0	12.6	11.7	10.9
	ASR(A)	9.9	11.2	11.3	8.5	10.7	15.6	13.0	8.4	10.7
	95% CI	8.5–11.5	9.2–13.5	9.6–13.2	5.4–12.6	7.6–14.4	8.6–25.9	5.0–26.3	3.1–18.4	9.8–11.6

Notes

1. Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.
2. Data for the index year 1998 (0–12 and 13–24 months) which were originally supplied for the *BreastScreen Australia monitoring report 2001–2002* were re-used in this report.
3. Data for the index year 1999 (0–12 and 13–24 months) which were originally supplied for the *BreastScreen Australia monitoring report 2002–2003* were re-used in this report.
4. Data for the index year 2000 (0–12 and 13–24 months) which were originally supplied for the *BreastScreen Australia monitoring report 2003–2004* were re-used in this report.

Source: AIHW analysis of BreastScreen Australia data.

Table 117: Numbers and age-specific rates of interval cancers in women screened during 2001, 2002 and 2003, subsequent screening rounds, 0–12 months, states and territories

Age group	Number/ rate	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Number	73	23	78	22	11	5	1	2	215
	Rate	6.8	13.7	9.6	10.3	6.5	6.1	2.6	13.8	8.3
50–59	Number	188	156	130	55	57	15	9	0	610
	Rate	7.3	7.4	7.7	6.8	7.1	6.3	6.4	0.0	7.3
60–69	Number	151	103	74	39	39	15	4	1	426
	Rate	7.3	6.3	6.4	6.3	6.2	8.0	4.5	5.1	6.6
70+	Number	96	42	43	9	9	4	0	0	203
	Rate	6.6	5.4	7.6	8.4	5.9	7.2	0.0	0.0	6.5
Ages 40+	Number	508	324	325	125	116	39	14	3	1,454
	Crude rate	7.1	6.9	7.7	7.2	6.6	6.9	5.0	3.8	7.1
	ASR(A)	7.1	8.1	7.7	7.6	6.6	6.8	4.3	4.3	7.2
	95% CI	6.5–7.7	6.9–9.5	6.9–8.6	6.2–9.2	5.3–8.0	4.8–9.4	2.3–7.3	0.9–12.5	6.8–7.6
Ages 50–69	Number	339	259	204	94	96	30	13	1	1,036
	Crude rate	7.3	6.9	7.2	6.6	6.7	7.0	5.7	1.7	7.0
	ASR(A)	7.3	6.9	7.2	6.6	6.7	7.0	5.6	2.1	7.0
	95% CI	6.5–8.1	6.1–7.8	6.2–8.2	5.3–8.1	5.4–8.2	4.7–10.0	3.0–9.6	0.1–11.8	6.6–7.4

Note: Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 118: Numbers and age-specific rates of interval cancers in women screened during 2001, 2002 and 2003, subsequent screening rounds, 13–24 months, states and territories

Age group	Number/ rate	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Number	132	20	79	31	11	6	5	2	286
	Rate	13.5	11.9	10.5	19.3	7.6	8.2	15.6	22.9	12.4
50–59	Number	274	277	218	71	90	25	8	6	969
	Rate	11.7	13.2	13.8	10.8	12.0	11.4	6.4	25.0	12.4
60–69	Number	209	226	160	58	70	18	5	3	749
	Rate	11.2	13.8	14.2	11.7	12.0	10.6	6.2	23.1	12.5
70+	Number	146	73	77	4	13	4	0	0	317
	Rate	11.1	9.4	13.8	5.0	8.5	8.1	0.0	0.0	10.7
Ages 40+	Number	761	596	534	164	184	53	18	11	2,321
	Crude rate	11.7	12.7	13.3	11.8	11.3	10.4	7.1	21.8	12.2
	ASR(A)	11.8	12.6	13.2	12.1	10.6	10.1	7.4	20.9	12.2
	95% CI	11.0–12.7	11.3–14.0	12.1–14.4	10.2–14.3	9.1–12.4	7.5–13.3	4.2–12.0	10.3–37.6	11.7–12.8
Ages 50–69	Number	483	503	378	129	160	43	13	9	1,718
	Crude rate	11.5	13.5	14.0	11.2	12.0	11.1	6.3	24.3	12.5
	ASR(A)	11.5	13.5	14.0	11.2	12.0	11.1	6.3	24.2	12.5
	95% CI	10.5–12.6	12.3–14.7	12.6–15.4	9.3–13.3	10.2–14.0	8.0–14.9	3.3–10.8	10.9–46.1	11.9–13.1

Note: Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 119: Numbers and age-specific rates of interval cancers in women screened during 2001, 2002 and 2003, subsequent screening rounds, 0–24 months, states and territories

Age group	Number/ Rate	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Number	205	43	157	53	22	11	6	4	501
	Rate	10.0	12.8	10.0	14.2	7.0	7.1	8.6	17.3	10.2
50–59	Number	462	433	348	126	147	40	17	6	1,579
	Rate	9.4	10.3	10.7	8.6	9.4	8.7	6.4	9.6	9.8
60–69	Number	360	329	234	97	109	33	9	4	1,175
	Rate	9.1	10.0	10.2	8.7	9.0	9.3	5.3	12.3	9.5
70+	Number	242	115	120	13	22	8	0	0	520
	Rate	8.7	7.4	10.7	6.9	7.2	7.6	0.0	0.0	8.5
Ages 40+	Number	1,269	920	859	289	300	92	32	14	3,775
	Crude rate	9.3	9.8	10.4	9.2	8.8	8.6	6.0	10.8	9.5
	ASR(A)	9.3	10.4	10.4	9.6	8.5	8.4	5.7	10.7	9.6
	95% CI	8.8–9.9	9.5–11.4	9.7–11.1	8.4–10.9	7.5–9.6	6.7–10.3	3.8–8.2	5.8–18.1	9.3–9.9
Ages 50–69	Number	822	762	582	223	256	73	26	10	2,754
	Crude rate	9.3	10.2	10.5	8.7	9.2	9.0	6.0	10.5	9.6
	ASR(A)	9.3	10.2	10.5	8.7	9.2	8.9	5.9	10.7	9.6
	95% CI	8.6–9.9	9.5–10.9	9.6–11.4	7.6–9.9	8.1–10.5	7.0–11.2	3.9–8.7	5.1–19.8	9.3–10.0

Note: Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 120: Numbers and age-specific rates of interval cancers in women screened during 1998, 1999 and 2000, subsequent screening rounds, 0–12 months, states and territories

Age group	Number/ rate	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Number	79	13	55	21	18	4	3	1	194
	Rate	7.9	7.0	8.3	10.5	11.3	4.1	8.3	6.3	8.2
50–59	Number	187	138	100	49	61	20	24	1	580
	Rate	8.2	7.8	8.4	7.0	9.4	9.4	18.4	2.8	8.3
60–69	Number	154	107	63	34	33	11	13	1	416
	Rate	8.2	7.3	7.5	6.5	6.0	6.7	17.8	7.3	7.5
70+	Number	69	37	43	5	6	3	2	0	165
	Rate	5.9	5.4	8.9	6.1	4.9	11.9	18.3	0.0	6.4
Ages 40+	Number	489	295	261	109	118	38	42	3	1,355
	Crude rate	7.7	7.2	8.2	7.2	8.0	7.6	16.7	4.3	7.8
	ASR(A)	7.8	7.2	8.2	7.5	8.3	7.9	16.1	4.4	7.8
	95% CI	7.1–8.6	6.2–8.3	7.2–9.3	6.1–9.1	6.8–10.0	5.4–11.0	11.1–22.4	0.8–13.2	7.4–8.3
Ages 50–69	Number	341	245	163	83	94	31	37	2	996
	Crude rate	8.2	7.6	8.0	6.8	7.8	8.2	18.2	4.0	8.0
	ASR(A)	8.2	7.6	8.0	6.8	8.0	8.3	18.1	4.6	8.0
	95% CI	7.3–9.1	6.7–8.6	6.8–9.4	5.4–8.4	6.5–9.8	5.6–11.7	12.7–25.0	0.4–17.3	7.5–8.5

Notes

1. Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.
2. Data for the index year 1998 (0–12 and 13–24 months) which were originally supplied for the *BreastScreen Australia monitoring report 2001–2002* were re-used in this report.
3. Data for the index year 1999 (0–12 and 13–24 months) which were originally supplied for the *BreastScreen Australia monitoring report 2002–2003* were re-used in this report.
4. Data for the index year 2000 (0–12 and 13–24 months) which were originally supplied for the *BreastScreen Australia monitoring report 2003–2004* were re-used in this report.

Source: AIHW analysis of BreastScreen Australia data.

Table 121: Numbers and age-specific rates of interval cancers in women screened during 1998, 1999 and 2000, subsequent screening rounds, 13–24 months, states and territories

Age group	Number/ rate	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Number	109	24	79	15	14	16	5	0	262
	Rate	12.1	12.9	13.0	9.5	10.1	18.1	9.8	0.0	12.2
50–59	Number	308	216	180	71	79	32	19	7	912
	Rate	14.9	12.3	16.0	12.0	12.8	16.1	14.7	19.7	14.0
60–69	Number	210	203	131	58	70	10	5	2	689
	Rate	12.4	13.8	15.9	13.3	13.3	6.6	6.9	14.7	13.3
70+	Number	115	67	63	8	13	3	2	3	274
	Rate	11.1	9.8	13.3	12.2	10.6	13.1	18.3	67.5	11.3
Ages 40+	Number	742	510	453	152	176	61	31	12	2,137
	Crude rate	13.0	12.4	14.9	12.1	12.5	13.2	11.8	17.6	13.1
	ASR(A)	13.2	12.5	15.0	11.9	12.1	13.5	12.0	20.2	13.1
	95% CI	12.2–14.2	11.2–14.0	13.6–16.4	9.9–14.1	10.3–14.2	10.1–17.6	7.6–17.6	9.5–36.6	12.5–13.7
Ages 50–69	Number	518	419	311	129	149	42	24	9	1,601
	Crude rate	13.8	13.0	15.9	12.5	13.0	12.0	11.9	18.3	13.7
	ASR(A)	13.9	12.9	15.9	12.5	13.0	12.1	11.4	17.6	13.7
	95% CI	12.7–15.1	11.7–14.2	14.2–17.8	10.5–14.9	11.0–15.3	8.7–16.4	7.3–17.1	7.6–34.1	13.0–14.4

Notes

1. Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.
2. Data for the index year 1998 (0–12 and 13–24 months) which were originally supplied for the *BreastScreen Australia monitoring report 2001–2002* were re-used in this report.
3. Data for the index year 1999 (0–12 and 13–24 months) which were originally supplied for the *BreastScreen Australia monitoring report 2002–2003* were re-used in this report.
4. Data for the index year 2000 (0–12 and 13–24 months) which were originally supplied for the *BreastScreen Australia monitoring report 2003–2004* were re-used in this report.

Source: AIHW analysis of BreastScreen Australia data.

Table 122: Numbers and age-specific rates of interval cancers in women screened during 1998, 1999 and 2000, subsequent screening rounds, 0–24 months, states and territories

Age group	Number/ Rate	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Number	188	37	134	36	32	20	8	1	456
	Rate	9.8	9.9	10.6	10.1	10.8	10.8	9.2	3.3	10.1
50–59	Number	495	354	280	120	140	52	43	8	1,492
	Rate	11.4	10.1	12.1	9.3	11.1	12.6	16.5	11.1	11.1
60–69	Number	364	310	194	92	103	21	18	3	1,105
	Rate	10.2	10.5	11.7	9.5	9.6	6.6	12.4	10.9	10.3
70+	Number	184	104	106	13	19	6	4	3	439
	Rate	8.3	7.6	11.1	8.8	7.7	12.5	18.3	32.9	8.8
Ages 40+	Number	1,231	805	714	261	294	99	73	15	3,492
	Crude rate	10.2	9.8	11.5	9.5	10.2	10.3	14.2	10.8	10.4
	ASR(A)	10.3	9.8	11.5	9.5	10.2	10.6	14.1	12.2	10.4
	95% CI	9.8–11.0	9.0–10.7	10.7–12.4	8.3–10.8	9.0–11.5	8.5–13.0	10.7–18.1	6.4–20.7	10.0–10.7
Ages 50–69	Number	859	664	474	212	243	73	61	11	2,597
	Crude rate	10.8	10.3	11.9	9.4	10.4	10.0	15.0	11.1	10.7
	ASR(A)	10.9	10.2	11.9	9.4	10.4	10.1	14.8	11.1	10.7
	95% CI	10.2–11.6	9.5–11.1	10.9–13.0	8.2–10.8	9.2–11.8	7.9–12.8	11.3–19.0	5.3–20.2	10.3–11.2

Notes

1. Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.
2. Data for the index year 1998 (0–12 and 13–24 months) which were originally supplied for the *BreastScreen Australia monitoring report 2001–2002* were re-used in this report.
3. Data for the index year 1999 (0–12 and 13–24 months) which were originally supplied for the *BreastScreen Australia monitoring report 2002–2003* were re-used in this report.
4. Data for the index year 2000 (0–12 and 13–24 months) which were originally supplied for the *BreastScreen Australia monitoring report 2003–2004* were re-used in this report.

Source: AIHW analysis of BreastScreen Australia data.

Indicator 3b: Program sensitivity

Table 123: Program sensitivity rates for women screened during 2001, 2002 and 2003, first screening round, 0–12 months, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–49	80.3	78.2	84.8	84.8	77.8	75.0	75.0	100.0	81.4
50–59	90.1	85.8	88.7	89.5	90.4	82.6	92.9	80.0	88.5
60–69	91.6	93.9	92.1	97.7	100.0	82.4	100.0	100.0	93.0
70+	95.7	95.5	95.0	100.0	93.3	100.0	100.0	100.0	95.8
Ages 40+									
Crude rate	88.7	87.3	89.0	91.3	89.0	81.8	92.0	90.9	88.6
ASR(A)	89.2	87.7	89.6	92.1	90.8	83.1	92.0	92.2	89.2
95% CI	82.9–95.8	80.1–95.8	81.6–98.2	79.6–100.0	76.3–100.0	59.4–100.0	56.3–100.0	42.1–100.0	85.5–93.0
Ages 50–69									
Crude rate	90.6	88.2	90.0	91.7	92.6	82.5	94.7	85.7	90.0
ASR(A)	90.7	89.2	90.1	92.9	94.4	82.5	95.8	88.3	90.4
95% CI	82.6–99.4	79.6–99.5	79.5–100.0	77.6–100.0	76.2–100.0	56.8–100.0	54.5–100.0	30.1–100.0	85.6–95.4

Note: Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 124: Program sensitivity rates for women screened during 2001, 2002 and 2003, first screening round, 0–24 months, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–49	62.8	56.7	74.0	81.3	59.3	56.3	100.0	60.0	65.4
50–59	76.7	71.9	75.1	85.0	76.6	65.5	76.5	80.0	75.7
60–69	83.2	86.3	77.8	89.4	100.0	82.4	100.0	100.0	84.1
70+	86.3	91.4	95.0	93.1	87.5	75.0	100.0	100.0	89.9
Ages 40+									
Crude rate	75.4	73.5	77.8	86.1	75.7	68.2	85.2	76.9	76.3
ASR(A)	76.8	75.2	78.1	86.4	80.9	69.5	90.8	83.9	77.7
95% CI	71.4–82.6	68.6–82.2	71.1–85.5	74.8–99.3	67.4–96.0	49.9–93.9	53.8–100.0	36.3–100.0	74.4–81.1
Ages 50–69									
Crude rate	78.9	75.9	76.2	86.2	81.3	71.7	81.8	85.7	78.4
ASR(A)	79.4	77.9	76.2	86.8	86.3	72.5	86.3	88.3	79.2
95% CI	72.2–87.1	69.4–87.0	67.3–86.0	72.6–100.0	69.1–100.0	49.8–100.0	47.6–100.0	30.1–100.0	75.0–83.6

Note: Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 125: Program sensitivity rates for women screened during 2001, 2002 and 2003, subsequent screening rounds, 0–12 months, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–49	69.8	61.0	70.9	59.3	78.8	77.3	93.3	60.0	70.0
50–59	83.4	81.1	83.9	85.6	84.8	86.1	83.9	100.0	83.5
60–69	88.4	88.0	90.1	89.8	90.9	87.8	92.2	92.3	89.1
70+	90.2	91.3	90.1	90.9	93.2	92.2	100.0	100.0	90.8
Ages 40+									
Crude rate	86.1	85.5	85.6	86.4	88.3	87.2	89.5	91.9	86.2
ASR(A)	82.8	80.1	83.7	82.0	86.3	85.5	90.2	89.6	83.2
95% CI	79.4–86.3	75.0–85.4	79.8–87.7	75.5–88.8	79.5–93.5	74.2–97.9	73.7–100.0	59.9–100.0	81.2–85.2
Ages 50–69									
Crude rate	86.1	84.6	86.9	87.7	88.1	87.0	87.9	96.7	86.4
ASR(A)	85.5	84.0	86.5	87.3	87.4	86.8	87.3	96.8	85.8
95% CI	81.7–89.3	79.6–88.5	81.9–91.2	80.7–94.3	80.9–94.2	74.9–100.0	70.5–100.0	64.8–100.0	83.7–88.0

Note: Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 126: Program sensitivity rates for women screened during 2001, 2002 and 2003, subsequent screening rounds, 0–24 months, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–49	45.2	45.6	58.1	50.8	65.1	56.7	73.7	60.0	52.3
50–59	67.1	60.7	68.3	82.2	68.5	71.0	85.5	73.9	67.6
60–69	76.1	69.6	75.9	85.5	78.1	75.5	87.0	80.0	75.7
70+	78.5	79.5	78.0	95.6	84.9	88.7	100.0	100.0	80.0
Ages 40+									
Crude rate	71.3	67.4	71.3	82.8	74.4	74.2	85.6	75.6	71.8
ASR(A)	66.5	62.4	69.5	78.3	72.5	71.5	85.3	76.0	68.2
95% CI	63.9–69.1	58.5–66.4	66.3–72.8	72.2–84.6	66.8–78.5	62.4–81.5	70.0–100.0	49.4–100.0	66.7–69.8
Ages 50–69									
Crude rate	71.8	65.1	71.9	83.8	73.4	73.4	86.2	76.3	71.7
ASR(A)	70.9	64.4	71.4	83.5	72.5	72.9	86.1	76.4	71.0
95% CI	67.8–74.0	61.1–67.9	67.7–75.4	77.2–90.2	67.1–78.1	62.9–83.9	69.4–100.0	51.2–100.0	69.3–72.8

Note: Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 127: Program sensitivity rates for women screened during 1998, 1999 and 2000, first screening round, 0–12 months, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
	(Per cent)								
40–49	75.5	79.3	85.7	81.1	70.2	75.0	70.0	75.0	79.1
50–59	87.5	85.7	86.8	90.6	84.2	88.0	94.7	83.3	86.8
60–69	91.6	95.2	92.7	92.7	95.2	80.0	90.0	100.0	92.8
70+	90.2	95.0	96.8	96.0	100.0	100.0	100.0	100.0	94.3
Ages 40+									
Crude rate	86.4	88.2	90.0	89.1	86.2	85.7	88.1	84.0	87.9
ASR(A)	86.5	88.2	89.4	89.9	86.3	84.6	88.9	88.3	87.8
95% CI	80.6–92.7	80.8–96.0	83.0–96.2	76.4–100.0	75.3–98.5	63.3–100.0	61.8–100.0	50.0–100.0	84.4–91.2
Ages 50–69									
Crude rate	88.9	88.5	89.4	91.4	87.9	85.0	93.1	86.7	89.0
ASR(A)	89.2	89.7	89.2	91.5	88.7	84.7	92.8	90.3	89.3
95% CI	81.6–97.3	80.5–99.6	81.1–98.0	74.1–100.0	75.4–100.0	58.5–100.0	60.8–100.0	42.2–100.0	85.0–93.7

Notes

1. Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.
2. Data for the index year 1998 (0–12 and 0–24 months) which were originally supplied for the *BreastScreen Australia monitoring report 2001–2002* were re-used in this report.
3. Data for the index year 1999 (0–12 and 0–24 months) which were originally supplied for the *BreastScreen Australia monitoring report 2002–2003* were re-used in this report.
4. Data for the index year 2000 (0–12 and 0–24 months) which were originally supplied for the *BreastScreen Australia monitoring report 2003–2004* were re-used in this report.

Source: AIHW analysis of BreastScreen Australia data.

Table 128: Program sensitivity rates for women screened during 1998, 1999 and 2000, first screening round, 0–24 months, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–49	53.4	59.9	63.3	81.1	47.1	60.0	77.8	87.5	59.4
50–59	70.1	68.9	68.8	81.7	68.7	73.3	75.0	71.4	70.1
60–69	82.7	81.0	78.1	88.4	89.4	63.2	90.0	100.0	81.4
70+	82.2	88.5	91.6	92.3	97.0	100.0	75.0	100.0	87.9
Ages 40+									
Crude rate	70.6	72.7	73.7	84.5	71.2	72.0	78.7	81.5	72.9
ASR(A)	71.6	72.8	73.1	84.8	73.5	71.1	79.7	86.3	73.2
95% CI	66.7–76.8	66.7–79.2	67.9–78.6	72.0–99.0	64.0–84.0	53.3–92.8	55.4–100.0	48.7–100.0	70.4–76.1
Ages 50–69									
Crude rate	74.2	72.3	72.8	84.2	75.1	69.4	79.4	76.5	74.0
ASR(A)	75.3	73.9	72.7	84.5	77.3	69.1	81.2	83.3	74.8
95% CI	68.8–82.2	66.3–82.1	66.0–79.8	68.4–100.0	65.5–90.6	47.8–96.6	52.5–100.0	37.1–100.0	71.2–78.5

Notes

1. Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.
2. Data for the index year 1998 (0–12 and 0–24 months) which were originally supplied for the *BreastScreen Australia monitoring report 2001–2002* were re-used in this report.
3. Data for the index year 1999 (0–12 and 0–24 months) which were originally supplied for the *BreastScreen Australia monitoring report 2002–2003* were re-used in this report.
4. Data for the index year 2000 (0–12 and 0–24 months) which were originally supplied for the *BreastScreen Australia monitoring report 2003–2004* were re-used in this report.

Source: AIHW analysis of BreastScreen Australia data.

Table 129: Program sensitivity rates for women screened during 1998, 1999 and 2000, subsequent screening rounds, 0–12 months, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–49	66.9	78.0	71.6	63.8	70.5	81.0	75.0	75.0	70.1
50–59	79.6	80.8	80.2	83.6	80.4	78.5	72.7	92.9	80.3
60–69	84.5	87.8	87.4	89.5	89.4	86.3	72.3	83.3	86.7
70+	90.4	91.9	88.1	92.3	92.8	87.0	81.8	100.0	90.4
Ages 40+									
Crude rate	82.9	86.0	83.3	85.4	84.6	82.5	73.4	89.7	84.0
ASR(A)	79.7	83.5	81.4	82.2	82.4	82.2	74.2	87.4	81.2
95% CI	76.1–83.4	77.9–89.4	76.8–86.2	75.2–89.6	75.5–89.7	69.7–96.1	59.4–91.3	55.8–100.0	79.1–83.4
Ages 50–69									
Crude rate	82.2	84.6	83.8	86.7	84.9	82.1	72.6	90.0	83.6
ASR(A)	81.7	83.7	83.2	86.0	84.2	81.7	72.6	88.9	83.0
95% CI	77.6–85.9	79.1–88.4	77.6–89.1	78.8–93.8	77.0–91.8	68.8–96.4	58.8–88.6	51.6–100.0	80.7–85.3

Notes

1. Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.
2. Data for the index year 1998 (0–12 and 0–24 months) which were originally supplied for the *BreastScreen Australia monitoring report 2001–2002* were re-used in this report.
3. Data for the index year 1999 (0–12 and 0–24 months) which were originally supplied for the *BreastScreen Australia monitoring report 2002–2003* were re-used in this report.
4. Data for the index year 2000 (0–12 and 0–24 months) which were originally supplied for the *BreastScreen Australia monitoring report 2003–2004* were re-used in this report.

Source: AIHW analysis of BreastScreen Australia data.

Table 130: Program sensitivity rates for women screened during 1998, 1999 and 2000, subsequent screening rounds, 0–24 months, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–49	46.0	55.4	50.9	71.2	57.3	47.2	64.3	75.0	51.3
50–59	59.6	62.1	59.2	77.8	64.2	61.3	77.1	63.6	62.6
60–69	69.7	71.3	69.2	83.3	73.0	79.3	87.2	75.0	72.1
70+	77.9	80.2	75.0	88.2	80.2	76.9	81.8	62.5	78.3
Ages 40+									
Crude rate	65.9	69.3	64.5	80.7	68.8	66.8	78.9	66.7	68.1
ASR(A)	61.9	65.5	62.2	79.3	67.2	65.3	77.8	69.0	64.9
95% CI	59.2–64.6	61.3–69.8	58.7–65.8	72.2–86.7	61.6–73.2	55.9–75.9	63.0–94.8	43.3–100.0	63.2–66.5
Ages 50–69									
Crude rate	64.6	67.0	64.0	80.7	68.5	68.9	80.3	66.7	67.4
ASR(A)	63.8	65.9	63.4	80.1	67.8	68.8	81.3	68.4	66.6
95% CI	60.7–67.1	62.3–69.6	59.1–67.8	73.3–87.3	62.1–74.0	58.0–81.1	65.7–99.5	40.3–100.0	64.7–68.4

Notes

1. Rates are the number of interval cancers detected per 10,000 women-years and age-standardised to the population of women attending a BreastScreen Australia service in 1998.
2. Data for the index year 1998 (0–12 and 0–24 months) which were originally supplied for the *BreastScreen Australia monitoring report 2001–2002* were re-used in this report.
3. Data for the index year 1999 (0–12 and 0–24 months) which were originally supplied for the *BreastScreen Australia monitoring report 2002–2003* were re-used in this report.
4. Data for the index year 2000 (0–12 and 0–24 months) which were originally supplied for the *BreastScreen Australia monitoring report 2003–2004* were re-used in this report.

Source: AIHW analysis of BreastScreen Australia data.

Indicator 4: Ductal carcinoma in situ

Table 131: Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 2005

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	9,355	11,733	20,251	6,942	4,550	2,775	29	372	56,007
	Cases	7	17	12	10	2	2	0	1	51
50–59	Screened	19,643	15,218	11,935	6,137	4,489	1,427	943	541	60,333
	Cases	31	17	17	8	7	0	2	1	83
60–69	Screened	5,990	1,742	3,637	969	494	407	133	113	13,485
	Cases	10	3	3	3	0	2	0	0	21
70+	Screened	787	622	909	269	135	83	38	17	2,860
	Cases	3	4	2	1	0	0	0	0	10
Ages 40+	Screened	35,775	29,315	36,732	14,317	9,668	4,692	1,143	1,043	132,685
	Cases	51	41	34	22	9	4	2	2	165
Ages 50–69	Screened	25,633	16,960	15,572	7,106	4,983	1,834	1,076	654	73,818
	Cases	41	20	20	11	7	2	2	1	104

Source: AIHW analysis of BreastScreen Australia data.

Table 132: Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 2005

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	7.5	14.5	5.9	14.4	4.4	7.2	0.0	26.9	9.1
50–59	15.8	11.2	14.2	13.0	15.6	0.0	21.2	18.5	13.8
60–69	16.7	17.2	8.2	31.0	0.0	49.1	0.0	0.0	15.6
70+	38.1	64.3	22.0	37.2	0.0	0.0	0.0	0.0	35.0
Ages 40+									
Crude rate	14.3	14.0	9.3	15.4	9.3	8.5	17.5	19.2	12.4
ASR(A)	17.1	20.2	11.8	21.3	7.0	15.1	8.3	12.8	15.9
95% CI	11.0–24.6	11.1–31.6	6.9–18.1	8.9–38.4	3.1–13.4	1.0–45.4	1.0–29.9	1.5–46.5	12.6–19.7
Ages 50–69									
Crude rate	16.0	11.8	12.8	15.5	14.0	10.9	18.6	15.3	14.1
ASR(A)	16.2	13.7	11.8	20.5	9.1	20.4	12.4	10.8	14.5
95% CI	11.2–22.4	6.0–24.5	6.8–18.6	7.4–41.2	3.7–18.8	2.5–73.8	1.5–44.8	0.3–60.2	11.4–18.1

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 133: Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 2005

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	9,186	6,127	30,277	7,486	5,591	2,797	745	558	62,767
	Cases	6	4	21	4	2	0	1	0	38
50–59	Screened	98,393	72,003	64,284	30,459	27,382	8,410	5,360	1,770	308,061
	Cases	79	78	50	49	25	12	6	4	303
60–69	Screened	81,203	62,438	47,277	24,390	22,651	6,829	4,026	1,036	249,850
	Cases	93	78	60	46	27	6	4	4	318
70+	Screened	11,299	27,745	21,410	4,697	5,616	2,711	648	74	74,200
	Cases	13	39	28	10	5	5	1	0	101
Ages 40+	Screened	200,081	168,313	163,248	67,032	61,240	20,747	10,779	3,438	694,878
	Cases	191	199	159	109	59	23	12	8	760
Ages 50–69	Screened	179,596	134,441	111,561	54,849	50,033	15,239	9,386	2,806	557,911
	Cases	172	156	110	95	52	18	10	8	621

Source: AIHW analysis of BreastScreen Australia data.

Table 134: Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 2005

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	6.5	6.5	6.9	5.3	3.6	0.0	13.4	0.0	6.1
50–59	8.0	10.8	7.8	16.1	9.1	14.3	11.2	22.6	9.8
60–69	11.5	12.5	12.7	18.9	11.9	8.8	9.9	38.6	12.7
70+	11.5	14.1	13.1	21.3	8.9	18.4	15.4	0.0	13.6
Ages 40+									
Crude rate	9.5	11.8	9.7	16.3	9.6	11.1	11.1	23.3	10.9
ASR(A)	9.1	10.8	9.6	15.3	8.7	10.3	11.8	19.5	10.3
95% CI	7.5–10.9	9.0–12.8	8.2–11.2	12.4–18.6	6.5–11.4	6.5–15.5	5.0–22.4	8.4–38.6	9.6–11.1
Ages 50–69									
Crude rate	9.6	11.6	9.9	17.3	10.4	11.8	10.7	28.5	11.1
ASR(A)	9.5	11.5	9.8	17.2	10.3	12.0	10.7	29.3	11.0
95% CI	8.1–11.0	9.8–13.5	8.1–11.8	13.9–21.1	7.7–13.5	7.1–19.0	5.1–19.6	12.6–57.8	10.2–11.9

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 135: Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 2004

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	16,272	9,663	17,324	5,486	3,430	1,971	27	356	54,529
	Cases	10	13	12	5	3	5	0	1	49
50–59	Screened	15,955	19,197	9,187	6,350	4,710	1,115	752	426	57,692
	Cases	17	25	15	14	10	3	1	2	87
60–69	Screened	5,536	1,842	3,253	1,070	446	328	116	85	12,676
	Cases	12	8	10	4	1	0	0	0	35
70+	Screened	1,637	704	1,233	285	147	81	28	14	4,129
	Cases	1	1	2	4	1	0	0	0	9
Ages 40+	Screened	39,400	31,406	30,997	13,191	8,733	3,495	923	881	129,026
	Cases	40	47	39	27	15	8	1	3	180
Ages 50–69	Screened	21,491	21,039	12,440	7,420	5,156	1,443	868	511	70,368
	Cases	29	33	25	18	11	3	1	2	122

Source: AIHW analysis of BreastScreen Australia data.

Table 136: Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 2004

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	6.1	13.5	6.9	9.1	8.7	25.4	0.0	28.1	9.0
50–59	10.7	13.0	16.3	22.0	21.2	26.9	13.3	46.9	15.1
60–69	21.7	43.4	30.7	37.4	22.4	0.0	0.0	0.0	27.6
70+	6.1	14.2	16.2	140.4	68.0	0.0	0.0	0.0	21.8
Ages 40+									
Crude rate	10.2	15.0	12.6	20.5	17.2	22.9	10.8	34.1	14.0
ASR(A)	12.2	21.7	18.4	38.4	24.8	15.8	5.2	24.2	18.1
95% CI	8.3–17.2	13.0–32.5	12.1–26.4	19.8–63.1	6.2–52.2	5.3–33.6	0.1–28.9	4.6–71.5	14.9–21.8
Ages 50–69									
Crude rate	13.5	15.7	20.1	24.3	21.3	20.8	11.5	39.1	17.3
ASR(A)	15.2	25.7	22.3	28.4	21.7	15.7	7.8	27.4	20.3
95% CI	9.9–22.3	13.9–40.9	14.0–33.6	13.7–49.4	4.9–48.2	3.2–45.9	0.2–43.3	3.3–99.1	16.2–24.9

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 137: Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 2004

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	30,275	5,538	29,059	7,051	5,620	2,555	912	509	81,519
	Cases	25	4	26	3	4	1	1	0	64
50–59	Screened	88,578	72,882	64,096	30,457	28,371	8,251	4,553	1,684	298,872
	Cases	80	70	60	34	24	10	3	2	283
60–69	Screened	70,643	60,643	45,903	23,301	21,776	6,315	2,943	776	232,300
	Cases	86	57	68	27	26	10	3	1	278
70+	Screened	41,712	28,251	21,030	4,472	5,381	2,487	466	195	103,994
	Cases	55	39	24	6	7	4	0	0	135
Ages 40+	Screened	231,208	167,314	160,088	65,281	61,148	19,608	8,874	3,164	716,685
	Cases	246	170	178	70	61	25	7	3	760
Ages 50–69	Screened	159,221	133,525	109,999	53,758	50,147	14,566	7,496	2,460	531,172
	Cases	166	127	128	61	50	20	6	3	561

Source: AIHW analysis of BreastScreen Australia data.

Table 138: Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 2004

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	8.3	7.2	8.9	4.3	7.1	3.9	11.0	0.0	7.9
50–59	9.0	9.6	9.4	11.2	8.5	12.1	6.6	11.9	9.5
60–69	12.2	9.4	14.8	11.6	11.9	15.8	10.2	12.9	12.0
70+	13.2	13.8	11.4	13.4	13.0	16.1	0.0	0.0	13.0
Ages 40+									
Crude rate	10.6	10.2	11.1	10.7	10.0	12.7	7.9	9.5	10.6
ASR(A)	10.3	9.6	11.0	10.1	9.7	11.9	7.7	8.2	10.3
95% CI	9.0–11.7	7.7–11.6	9.5–12.8	7.7–13.0	7.3–12.7	7.7–17.7	2.7–16.6	1.5–24.4	9.5–11.0
Ages 50–69									
Crude rate	10.4	9.5	11.6	11.3	10.0	13.7	8.0	12.2	10.6
ASR(A)	10.3	9.5	11.6	11.3	9.9	13.7	8.1	12.3	10.5
95% CI	8.8–12.0	7.9–11.3	9.7–13.8	8.7–14.6	7.4–13.1	8.3–21.1	3.0–17.6	2.3–36.5	9.7–11.4

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 139: Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 2003

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	21,263	8,833	16,418	5,480	3,940	1,685	42	393	58,054
	Cases	16	12	15	7	3	1	0	0	54
50–59	Screened	16,928	14,173	9,195	5,809	4,608	1,039	650	405	52,807
	Cases	20	28	16	11	2	1	0	0	78
60–69	Screened	6,212	1,839	3,390	1,074	485	325	140	77	13,542
	Cases	11	6	3	5	0	1	0	0	26
70+	Screened	2,577	824	1,270	334	193	85	43	15	5,341
	Cases	8	1	2	1	0	0	0	0	12
Ages 40+	Screened	46,980	25,669	30,273	12,697	9,226	3,134	875	890	129,744
	Cases	55	47	36	24	5	3	0	0	170
Ages 50–69	Screened	23,140	16,012	12,585	6,883	5,093	1,364	790	482	66,349
	Cases	31	34	19	16	2	2	0	0	104

Source: AIHW analysis of BreastScreen Australia data.

Table 140: Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	7.5	13.6	9.1	12.8	7.6	5.9	0.0	0.0	9.3
50–59	11.8	19.8	17.4	18.9	4.3	9.6	0.0	0.0	14.8
60–69	17.7	32.6	8.8	46.6	0.0	30.8	0.0	0.0	19.2
70+	31.0	12.1	15.7	29.9	0.0	0.0	0.0	0.0	22.5
Ages 40+									
Crude rate	11.7	18.3	11.9	18.9	5.4	9.6	0.0	0.0	13.1
ASR(A)	15.0	21.1	13.1	26.7	3.3	13.5	0.0	0.0	15.8
95% CI	10.8–20.1	13.2–30.9	8.3–19.2	13.8–44.2	1.0–7.8	0.6–44.9	0.0	0.0	13.0–19.0
Ages 50–69									
Crude rate	13.4	21.2	15.1	23.2	3.9	14.7	0.0	0.0	15.7
ASR(A)	14.3	25.1	13.8	30.4	2.5	18.4	0.0	0.0	16.6
95% CI	9.4–20.6	14.4–38.9	8.1–22.0	14.5–53.6	0.3–9.2	1.0–70.0	0.0–0.0	0.0–0.0	13.2–20.6

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 141: Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 2003

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	34,319	5,254	28,199	7,558	5,458	2,509	1,355	667	85,319
	Cases	21	2	12	5	2	3	1	1	47
50–59	Screened	87,498	73,537	59,434	29,441	27,575	8,073	4,754	1,791	292,103
	Cases	68	70	62	42	22	13	6	1	284
60–69	Screened	71,146	57,753	42,433	22,490	21,694	6,471	3,105	931	226,023
	Cases	68	54	54	41	23	8	6	0	254
70+	Screened	49,990	26,545	20,312	3,872	5,228	2,235	391	268	108,841
	Cases	70	37	31	12	8	4	1	0	163
Ages 40+	Screened	242,953	163,089	150,378	63,361	59,955	19,288	9,605	3,657	712,286
	Cases	227	163	159	100	55	28	14	2	748
Ages 50–69	Screened	158,644	131,290	101,867	51,931	49,269	14,544	7,859	2,722	518,126
	Cases	136	124	116	83	45	21	12	1	538

Source: AIHW analysis of BreastScreen Australia data.

Table 142: Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	6.1	3.8	4.3	6.6	3.7	12.0	7.4	15.0	5.5
50–59	7.8	9.5	10.4	14.3	8.0	16.1	12.6	5.6	9.7
60–69	9.6	9.4	12.7	18.2	10.6	12.4	19.3	0.0	11.2
70+	14.0	13.9	15.3	31.0	15.3	17.9	25.6	0.0	15.0
Ages 40+									
Crude rate	9.3	10.0	10.6	15.8	9.2	14.5	14.6	5.5	10.5
ASR(A)	8.7	8.8	10.4	15.9	8.7	14.4	15.0	5.3	9.9
95% CI	7.6–10.0	7.2–10.6	8.8–12.1	12.6–19.6	6.4–11.5	9.5–21.0	7.2–26.7	0.6–19.3	9.2–10.7
Ages 50–69									
Crude rate	8.6	9.4	11.4	16.0	9.1	14.4	15.3	3.7	10.4
ASR(A)	8.5	9.4	11.4	15.9	9.1	14.5	15.4	3.3	10.4
95% CI	7.1–10.1	7.9–11.3	9.4–13.7	12.7–19.7	6.6–12.1	9.0–22.3	8.0–26.9	0.1–18.2	9.5–11.3

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 143: Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 2002

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	23,912	10,429	16,542	4,978	3,981	1,424	119	411	61,796
	Cases	17	13	11	6	4	2	0	0	53
50–59	Screened	19,766	15,264	10,127	6,868	4,808	937	856	403	59,029
	Cases	30	20	18	19	12	2	2	1	104
60–69	Screened	7,215	3,406	3,792	1,393	610	292	174	70	16,952
	Cases	21	9	3	10	3	0	0	0	46
70+	Screened	3,349	1,570	1,498	346	299	90	48	27	7,227
	Cases	9	3	5	0	2	0	0	0	19
Ages 40+	Screened	54,242	30,669	31,959	13,585	9,698	2,743	1,197	911	145,004
	Cases	77	45	37	35	21	4	2	1	222
Ages 50–69	Screened	26,981	18,670	13,919	8,261	5,418	1,229	1,030	473	75,981
	Cases	51	29	21	29	15	2	2	1	150

Source: AIHW analysis of BreastScreen Australia data.

Table 144: Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 2002

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	7.1	12.5	6.6	12.1	10.0	14.0	0.0	0.0	8.6
50–59	15.2	13.1	17.8	27.7	25.0	21.3	23.4	24.8	17.6
60–69	29.1	26.4	7.9	71.8	49.2	0.0	0.0	0.0	27.1
70+	26.9	19.1	33.4	0.0	66.9	0.0	0.0	0.0	26.3
Ages 40+									
Crude rate	14.2	14.7	11.6	25.8	21.7	14.6	16.7	11.0	15.3
ASR(A)	18.8	17.4	14.7	33.2	33.8	11.2	9.1	9.7	19.5
95% CI	14.4–24.0	11.8–24.5	9.6–21.1	20.9–49.1	15.9–58.7	2.2–30.7	1.1–32.9	0.2–54.0	16.6–22.7
Ages 50–69									
Crude rate	18.9	15.5	15.1	35.1	27.7	16.3	19.4	21.1	19.7
ASR(A)	21.0	18.6	13.7	46.0	35.0	12.5	13.7	14.5	21.6
95% CI	15.3–27.9	11.5–28.1	8.3–21.2	28.0–69.8	13.7–66.5	1.5–45.0	1.7–49.3	0.4–80.8	17.9–25.7

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 145: Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 2002

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	36,469	5,766	27,528	6,505	5,768	2,956	1,504	626	87,122
	Cases	20	4	13	9	3	1	0	0	50
50–59	Screened	86,017	68,762	58,635	25,593	27,260	8,416	5,393	1,727	281,803
	Cases	74	50	50	31	29	8	8	2	252
60–69	Screened	68,409	55,652	40,488	20,227	20,523	6,178	3,044	667	215,188
	Cases	58	53	46	35	13	5	4	0	214
70+	Screened	48,904	26,849	18,750	3,783	5,320	1,896	420	235	106,157
	Cases	56	24	15	11	16	5	0	0	127
Ages 40+	Screened	239,799	157,029	145,401	56,108	58,871	19,446	10,361	3,255	690,270
	Cases	208	131	124	86	61	19	12	2	643
Ages 50–69	Screened	154,426	124,414	99,123	45,820	47,783	14,594	8,437	2,394	496,991
	Cases	132	103	96	66	42	13	12	2	466

Source: AIHW analysis of BreastScreen Australia data.

Table 146: Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 2002

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	5.5	6.9	4.7	13.8	5.2	3.4	0.0	0.0	5.7
50–59	8.6	7.3	8.5	12.1	10.6	9.5	14.8	11.6	8.9
60–69	8.5	9.5	11.4	17.3	6.3	8.1	13.1	0.0	9.9
70+	11.5	8.9	8.0	29.1	30.1	26.4	0.0	0.0	12.0
Ages 40+									
Crude rate	8.7	8.3	8.5	15.3	10.4	9.8	11.6	6.1	9.3
ASR(A)	8.3	8.0	8.5	16.0	10.7	9.9	9.4	4.5	8.9
95% CI	7.2–9.5	6.3–10.0	7.0–10.1	12.6–20.1	8.1–14.0	5.9–15.6	4.8–16.5	0.5–16.3	8.2–9.7
Ages 50–69									
Crude rate	8.5	8.3	9.7	14.4	8.8	8.9	14.2	8.4	9.4
ASR(A)	8.6	8.2	9.7	14.3	8.8	8.9	14.1	6.8	9.4
95% CI	7.2–10.1	6.7–10.0	7.9–11.9	11.0–18.2	6.4–12.0	4.7–15.3	7.3–24.7	0.8–24.4	8.5–10.2

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 147: Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 2001

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	24,442	9,608	16,132	5,465	4,422	1,468	1,162	605	63,304
	Cases	20	6	8	7	9	1	2	0	53
50–59	Screened	19,209	17,568	10,429	5,779	5,132	1,004	864	504	60,489
	Cases	25	35	16	16	4	0	1	0	97
60–69	Screened	7,536	6,620	3,957	1,458	740	347	179	107	20,944
	Cases	9	21	10	7	1	1	0	0	49
70+	Screened	3,953	2,076	1,806	516	422	155	63	38	9,029
	Cases	9	4	6	4	0	0	0	0	23
Ages 40+	Screened	55,140	35,872	32,324	13,218	10,716	2,974	2,268	1,254	153,766
	Cases	63	66	40	34	14	2	3	0	222
Ages 50–69	Screened	26,745	24,188	14,386	7,237	5,872	1,351	1,043	611	81,433
	Cases	34	56	26	23	5	1	1	0	146

Source: AIHW analysis of BreastScreen Australia data.

Table 148: Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 2001

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	8.2	6.2	5.0	12.8	20.4	6.8	17.2	0.0	8.4
50–59	13.0	19.9	15.3	27.7	7.8	0.0	11.6	0.0	16.0
60–69	11.9	31.7	25.3	48.0	13.5	28.8	0.0	0.0	23.4
70+	22.8	19.3	33.2	77.5	0.0	0.0	0.0	0.0	25.5
Ages 40+									
Crude rate	11.4	18.4	12.4	25.7	13.1	6.7	13.2	0.0	14.4
ASR(A)	12.9	20.3	18.2	36.5	11.0	9.4	8.1	0.0	17.7
95% CI	9.6–17.0	15.4–26.2	12.4–25.5	22.9–53.9	3.7–21.9	-0.7–39.4	1.0–25.3	0.0–0.0	15.2–20.4
Ages 50–69									
Crude rate	12.7	23.2	18.1	31.8	8.5	7.4	9.6	0.0	17.9
ASR(A)	12.6	24.8	19.5	36.1	10.2	12.0	6.8	0.0	19.1
95% CI	8.5–17.8	18.4–32.6	12.4–29.0	21.1–56.7	1.0–28.2	0.3–66.8	0.2–37.7	0.0–0.0	15.9–22.7

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 149: Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 2001

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	37,151	5,914	26,400	7,337	5,804	2,780	1,564	592	87,542
	Cases	20	6	9	6	5	2	3	0	51
50–59	Screened	86,329	69,050	53,049	26,590	26,523	7,466	4,787	1,628	275,422
	Cases	86	59	43	21	29	5	7	2	252
60–69	Screened	70,595	52,155	37,737	20,656	21,643	6,033	2,919	725	212,463
	Cases	68	64	38	39	24	7	7	1	248
70+	Screened	49,464	25,685	21,779	3,625	5,085	1,449	399	215	107,701
	Cases	60	22	27	7	8	2	1	0	127
Ages 40+	Screened	243,539	152,804	138,965	58,208	59,055	17,728	9,669	3,160	683,128
	Cases	234	151	117	73	66	16	18	3	678
Ages 50–69	Screened	156,924	121,205	90,786	47,246	48,166	13,499	7,706	2,353	487,885
	Cases	154	123	81	60	53	12	14	3	500

Source: AIHW analysis of BreastScreen Australia data.

Table 150: Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 2001

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	5.4	10.1	3.4	8.2	8.6	7.2	19.2	0.0	5.8
50–59	10.0	8.5	8.1	7.9	10.9	6.7	14.6	12.3	9.1
60–69	9.6	12.3	10.1	18.9	11.1	11.6	24.0	13.8	11.7
70+	12.1	8.6	12.4	19.3	15.7	13.8	25.1	0.0	11.8
Ages 40+									
Crude rate	9.6	9.9	8.4	12.5	11.2	9.0	18.6	9.5	9.9
ASR(A)	9.2	9.9	8.2	12.4	11.1	9.0	19.5	8.6	9.5
95% CI	8.0–10.5	7.9–12.2	6.8–9.8	9.5–15.9	8.4–14.3	5.1–14.9	10.7–32.0	1.6–25.7	8.8–10.2
Ages 50–69									
Crude rate	9.8	10.1	8.9	12.7	11.0	8.9	18.2	12.7	10.2
ASR(A)	9.8	10.1	8.9	12.5	11.0	8.7	18.5	12.9	10.2
95% CI	8.3–11.5	8.4–12.0	7.1–11.1	9.5–16.0	8.2–14.4	4.5–15.3	10.1–31.1	2.4–38.4	9.3–11.1

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 151: Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 2000

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	23,003	10,062	15,578	5,210	4,878	1,342	1,097	522	61,692
	Cases	18	19	11	7	1	1	3	0	60
50–59	Screened	17,471	15,548	12,687	4,144	6,407	1,138	849	618	58,862
	Cases	14	20	15	14	9	2	0	0	74
60–69	Screened	6,867	4,209	5,544	1,162	1,200	380	202	94	19,658
	Cases	10	9	7	1	2	0	0	1	30
70+	Screened	3,615	1,787	2,343	463	579	166	80	31	9,064
	Cases	7	6	4	1	3	0	0	0	21
Ages 40+	Screened	50,956	31,606	36,152	10,979	13,064	3,026	2,228	1,265	149,276
	Cases	49	54	37	23	15	3	3	1	185
Ages 50–69	Screened	24,338	19,757	18,231	5,306	7,607	1,518	1,051	712	78,520
	Cases	24	29	22	15	11	2	0	1	104

Source: AIHW analysis of BreastScreen Australia data.

Table 152: Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 2000

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	7.8	18.9	7.1	13.4	2.1	7.5	27.3	0.0	9.7
50–59	8.0	12.9	11.8	33.8	14.0	17.6	0.0	0.0	12.6
60–69	14.6	21.4	12.6	8.6	16.7	0.0	0.0	106.4	15.3
70+	19.4	33.6	17.1	21.6	51.8	0.0	0.0	0.0	23.2
Ages 40+									
Crude rate	9.6	17.1	10.2	20.9	11.5	9.9	13.5	7.9	12.4
ASR(A)	11.2	19.1	11.7	21.1	17.0	8.4	5.7	29.5	14.0
95% CI	7.9–15.3	13.6–25.7	7.9–16.6	12.0–33.4	7.9–30.3	1.4–25.4	1.2–16.6	0.7–164.6	11.8–16.5
Ages 50–69									
Crude rate	9.9	14.7	12.1	28.3	14.5	13.2	0.0	14.0	13.2
ASR(A)	10.7	16.4	12.2	23.3	15.1	10.3	0.0	44.2	13.7
95% CI	6.7–16.2	10.3–24.4	7.5–18.6	12.4–39.3	5.8–29.8	1.2–37.1	0.0–0.0	1.1–246.4	11.0–16.8

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 153: Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 2000

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	36,799	6,241	25,098	6,647	5,768	3,498	1,672	615	86,338
	Cases	32	6	8	3	5	2	1	1	58
50–59	Screened	81,018	62,443	48,948	25,321	23,108	7,960	4,596	1,508	254,902
	Cases	72	58	49	30	35	9	7	1	261
60–69	Screened	65,467	51,352	34,048	19,340	18,911	5,932	2,400	540	197,990
	Cases	52	50	40	32	23	8	2	2	209
70+	Screened	43,246	25,585	19,478	3,294	4,639	896	351	216	97,705
	Cases	47	33	26	6	10	1	1	0	124
Ages 40+	Screened	226,530	145,621	127,572	54,602	52,426	18,286	9,019	2,879	636,935
	Cases	203	147	123	71	73	20	11	4	652
Ages 50–69	Screened	146,485	113,795	82,996	44,661	42,019	13,892	6,996	2,048	452,892
	Cases	124	108	89	62	58	17	9	3	470

Source: AIHW analysis of BreastScreen Australia data.

Table 154: Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 2000

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	8.7	9.6	3.2	4.5	8.7	5.7	6.0	16.3	6.7
50–59	8.9	9.3	10.0	11.8	15.1	11.3	15.2	6.6	10.2
60–69	7.9	9.7	11.7	16.5	12.2	13.5	8.3	37.0	10.6
70+	10.9	12.9	13.3	18.2	21.6	11.2	28.5	0.0	12.7
Ages 40+									
Crude rate	9.0	10.1	9.6	13.0	13.9	10.9	12.2	13.9	10.2
ASR(A)	8.8	9.9	9.5	12.4	13.8	10.7	13.0	16.2	9.9
95% CI	7.6–10.2	7.9–12.2	7.9–11.3	9.5–15.9	10.6–17.5	6.3–17.0	5.3–25.3	4.0–42.5	9.1–10.7
Ages 50–69									
Crude rate	8.5	9.5	10.7	13.9	13.8	12.2	12.9	14.6	10.4
ASR(A)	8.5	9.5	10.7	13.8	13.9	12.2	12.4	19.3	10.4
95% CI	7.1–10.1	7.8–11.4	8.6–13.2	10.6–17.7	10.6–18.0	7.1–19.6	5.6–23.6	3.4–57.8	9.5–11.4

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 155: Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 1999

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	26,229	11,040	16,826	5,410	4,857	1,526	1,213	532	67,633
	Cases	17	11	6	2	6	2	3	0	47
50–59	Screened	19,479	16,157	14,611	3,345	6,090	1,251	960	583	62,476
	Cases	30	31	11	6	4	2	1	0	85
60–69	Screened	8,405	3,524	7,272	1,153	1,544	479	228	136	22,741
	Cases	15	3	19	1	2	0	0	0	40
70+	Screened	4,426	1,862	3,397	567	618	243	106	45	11,264
	Cases	11	4	4	0	5	1	0	0	25
Ages 40+	Screened	58,539	32,583	42,106	10,475	13,109	3,499	2,507	1,296	164,114
	Cases	73	49	40	9	17	5	4	0	197
Ages 50–69	Screened	27,884	19,681	21,883	4,498	7,634	1,730	1,188	719	85,217
	Cases	45	34	30	7	6	2	1	0	125

Source: AIHW analysis of BreastScreen Australia data.

Table 156: Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 1999

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	6.5	10.0	3.6	3.7	12.4	13.1	24.7	0.0	6.9
50–59	15.4	19.2	7.5	17.9	6.6	16.0	10.4	0.0	13.6
60–69	17.8	8.5	26.1	8.7	13.0	0.0	0.0	0.0	17.6
70+	24.9	21.5	11.8	0.0	80.9	41.2	0.0	0.0	22.2
Ages 40+									
Crude rate	12.5	15.0	9.5	8.6	13.0	14.3	16.0	0.0	12.0
ASR(A)	15.4	14.6	12.4	10.2	18.8	14.1	9.2	0.0	14.4
95% CI	11.8–19.7	10.2–20.0	8.7–17.1	4.0–20.4	9.4–32.3	3.5–35.0	1.9–24.9	0.0–0.0	12.3–16.8
Ages 50–69									
Crude rate	16.1	17.3	13.7	15.6	7.9	11.6	8.4	0.0	14.7
ASR(A)	16.4	14.7	15.3	14.1	9.2	9.3	6.1	0.0	15.3
95% CI	11.8–22.1	9.6–21.4	10.2–21.9	5.2–29.8	2.6–21.5	1.1–33.7	0.2–33.9	0.0–0.0	12.6–18.3

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 157: Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 1999

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	33,138	6,341	22,206	6,676	5,175	2,835	1,749	585	78,705
	Cases	13	3	14	10	5	1	1	0	47
50–59	Screened	77,630	61,998	40,973	22,661	22,514	6,787	4,575	1,448	238,586
	Cases	50	40	33	25	20	14	8	0	190
60–69	Screened	64,299	48,084	30,247	17,488	19,401	5,510	2,812	578	188,419
	Cases	66	51	33	17	19	5	2	0	193
70+	Screened	40,433	22,356	18,299	2,692	3,995	741	396	160	89,072
	Cases	36	18	19	5	5	2	1	0	86
Ages 40+	Screened	215,500	138,779	111,725	49,517	51,085	15,873	9,532	2,771	594,782
	Cases	165	112	99	57	49	22	12	0	516
Ages 50–69	Screened	141,929	110,082	71,220	40,149	41,915	12,297	7,387	2,026	427,005
	Cases	116	91	66	42	39	19	10	0	383

Source: AIHW analysis of BreastScreen Australia data.

Table 158: Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 1999

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	3.9	4.7	6.3	15.0	9.7	3.5	5.7	0.0	6.0
50–59	6.4	6.5	8.1	11.0	8.9	20.6	17.5	0.0	8.0
60–69	10.3	10.6	10.9	9.7	9.8	9.1	7.1	0.0	10.2
70+	8.9	8.1	10.4	18.6	12.5	27.0	25.3	0.0	9.7
Ages 40+									
Crude rate	7.7	8.1	8.9	11.5	9.6	13.9	12.6	0.0	8.7
ASR(A)	7.3	7.4	8.8	12.4	9.7	14.7	13.1	0.0	8.4
95% CI	6.2–8.5	5.9–9.3	7.1–10.7	9.1–16.4	7.0–13.2	8.6–23.0	5.8–24.4	0.0–0.0	7.7–9.2
Ages 50–69									
Crude rate	8.2	8.3	9.3	10.5	9.3	15.5	13.5	0.0	9.0
ASR(A)	8.0	8.2	9.2	10.5	9.3	15.8	13.2	0.0	8.9
95% CI	6.6–9.6	6.6–10.0	7.1–11.8	7.6–14.2	6.6–12.7	9.5–24.7	6.3–24.2	0.0–0.0	8.0–9.9

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 159: Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 1998

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	32,537	11,878	20,077	6,366	5,593	2,284	1,230	711	80,676
	Cases	24	9	11	6	3	2	1	0	56
50–59	Screened	24,526	20,596	22,446	5,093	6,082	1,887	1,013	1,000	82,643
	Cases	39	26	13	11	8	1	1	3	102
60–69	Screened	11,628	4,470	12,580	2,137	1,804	764	281	284	33,948
	Cases	16	9	17	1	2	2	0	0	47
70+	Screened	6,296	2,718	4,340	984	1,082	357	131	78	15,986
	Cases	12	5	7	2	1	0	1	0	28
Ages 40+	Screened	74,987	39,662	59,443	14,580	14,561	5,292	2,655	2,073	213,253
	Cases	91	49	48	20	14	5	3	3	233
Ages 50–69	Screened	36,154	25,066	35,026	7,230	7,886	2,651	1,294	1,284	116,591
	Cases	55	35	30	12	10	3	1	3	149

Source: AIHW analysis of BreastScreen Australia data.

Table 160: Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 1998

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	7.4	7.6	5.5	9.4	5.4	8.8	8.1	0.0	6.9
50–59	15.9	12.6	5.8	21.6	13.2	5.3	9.9	30.0	12.3
60–69	13.8	20.1	13.5	4.7	11.1	26.2	0.0	0.0	13.8
70+	19.1	18.4	16.1	20.3	9.2	0.0	76.3	0.0	17.5
Ages 40+									
Crude rate	12.1	12.4	8.1	13.7	9.6	9.4	11.3	14.5	10.9
ASR(A)	13.9	14.4	9.2	14.2	10.5	11.2	15.0	11.7	12.3
95% CI	11.0–17.3	10.0–19.8	6.6–12.3	8.2–22.6	5.2–18.4	2.6–28.1	0.8–49.7	2.4–34.2	10.6–14.1
Ages 50–69									
Crude rate	15.2	14.0	8.6	16.6	12.7	11.3	7.7	23.4	12.8
ASR(A)	15.0	15.7	9.0	14.6	12.3	14.0	5.8	17.5	13.0
95% CI	11.2–19.6	10.1–23.0	6.1–12.9	7.4–25.6	5.3–23.6	2.6–41.6	0.1–32.1	3.6–51.2	10.9–15.3

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 161: Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 1998

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	30,736	6,271	19,387	6,685	5,064	3,416	1,692	412	73,663
	Cases	18	7	8	5	9	0	2	0	49
50–59	Screened	70,586	52,484	31,523	22,306	19,503	6,529	3,943	825	207,699
	Cases	52	40	22	22	21	6	1	1	165
60–69	Screened	59,979	48,860	22,573	16,794	17,175	4,988	2,134	303	172,806
	Cases	56	48	20	18	23	8	3	0	176
70+	Screened	34,175	21,506	13,269	2,635	3,803	875	361	109	76,733
	Cases	33	19	14	2	4	2	1	0	75
Ages 40+	Screened	195,476	129,121	86,752	48,420	45,545	15,808	8,130	1,649	530,901
	Cases	159	114	64	47	57	16	7	1	465
Ages 50–69	Screened	130,565	101,344	54,096	39,100	36,678	11,517	6,077	1,128	380,505
	Cases	108	88	42	40	44	14	4	1	341

Source: AIHW analysis of BreastScreen Australia data.

Table 162: Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 1998

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	5.9	11.2	4.1	7.5	17.8	0.0	11.8	0.0	6.7
50–59	7.4	7.6	7.0	9.9	10.8	9.2	2.5	12.1	7.9
60–69	9.3	9.8	8.9	10.7	13.4	16.0	14.1	0.0	10.2
70+	9.7	8.8	10.6	7.6	10.5	22.9	27.7	0.0	9.8
Ages 40+									
Crude rate	8.1	8.8	7.4	9.7	12.5	10.1	8.6	6.1	8.8
ASR(A)	7.9	9.1	7.4	9.3	12.9	10.9	10.8	4.7	8.5
95% CI	6.7–9.2	7.1–11.5	5.7–9.4	6.7–12.6	9.6–17.0	5.8–18.2	3.6–23.6	0.1–26.4	7.8–9.4
Ages 50–69									
Crude rate	8.3	8.7	7.8	10.2	12.0	12.2	6.6	8.9	9.0
ASR(A)	8.2	8.5	7.8	10.2	11.9	12.0	7.3	7.1	8.9
95% CI	6.7–9.9	6.8–10.5	5.6–10.5	7.3–13.9	8.6–15.9	6.6–20.2	2.0–18.8	0.2–39.5	8.0–9.9

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 163: Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 1997

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	28,238	11,209	16,166	6,914	3,765	1,628	1,098	868	69,886
	Cases	25	7	6	5	4	2	0	0	49
50–59	Screened	30,994	21,441	16,774	7,728	5,895	1,447	993	1,167	86,439
	Cases	38	24	12	7	7	3	2	1	94
60–69	Screened	16,879	6,411	9,555	3,700	2,362	585	281	326	40,099
	Cases	25	7	8	7	5	1	0	1	54
70+	Screened	8,594	4,097	4,318	1,446	1,003	324	172	72	20,026
	Cases	21	6	3	3	6	1	0	1	41
Ages 40+	Screened	84,705	43,158	46,813	19,788	13,025	3,984	2,544	2,433	216,450
	Cases	109	44	29	22	22	7	2	3	238
Ages 50–69	Screened	47,873	27,852	26,329	11,428	8,257	2,032	1,274	1,493	126,538
	Cases	63	31	20	14	12	4	2	2	148

Source: AIHW analysis of BreastScreen Australia data.

Table 164: Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 1997

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	8.9	6.2	3.7	7.2	10.6	12.3	0.0	0.0	7.0
50–59	12.3	11.2	7.2	9.1	11.9	20.7	20.1	8.6	10.9
60–69	14.8	10.9	8.4	18.9	21.2	17.1	0.0	30.7	13.5
70+	24.4	14.6	6.9	20.7	59.8	30.9	0.0	138.9	20.5
Ages 40+									
Crude rate	12.9	10.2	6.2	11.1	16.9	17.6	7.9	12.3	11.0
ASR(A)	13.8	10.5	6.8	12.9	20.2	19.2	7.9	29.2	12.0
95% CI	11.2–16.7	7.4–14.4	4.5–9.8	7.8–19.9	12.2–31.1	6.7–41.4	1.0–28.4	2.3–94.3	10.5–13.7
Ages 50–69									
Crude rate	13.2	11.1	7.6	12.3	14.5	19.7	15.7	13.4	11.7
ASR(A)	13.3	11.1	7.7	13.2	15.7	19.2	11.8	17.8	12.0
95% CI	10.2–17.1	7.2–16.2	4.7–11.9	7.1–22.2	7.8–28.0	4.7–50.3	1.4–42.5	0.7–68.4	10.1–14.1

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 165: Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 1997

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	26,790	5,621	16,338	5,648	4,338	2,810	1,931	301	63,777
	Cases	18	3	4	1	4	2	3	0	35
50–59	Screened	60,113	46,253	26,771	17,482	18,233	5,598	3,740	785	178,975
	Cases	30	26	7	9	20	7	3	1	103
60–69	Screened	52,436	39,492	20,903	13,768	16,212	4,668	2,377	301	150,157
	Cases	44	33	12	11	17	8	1	0	126
70+	Screened	28,153	16,143	12,094	2,076	2,268	623	403	43	61,803
	Cases	21	14	6	0	2	0	1	0	44
Ages 40+	Screened	167,492	107,509	76,106	38,974	41,051	13,699	8,451	1,430	454,712
	Cases	113	76	29	21	43	17	8	1	308
Ages 50–69	Screened	112,549	85,745	47,674	31,250	34,445	10,266	6,117	1,086	329,132
	Cases	74	59	19	20	37	15	4	1	229

Source: AIHW analysis of BreastScreen Australia data.

Table 166: Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 1997

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	6.7	5.3	2.4	1.8	9.2	7.1	15.5	0.0	5.5
50–59	5.0	5.6	2.6	5.1	11.0	12.5	8.0	12.7	5.8
60–69	8.4	8.4	5.7	8.0	10.5	17.1	4.2	0.0	8.4
70+	7.5	8.7	5.0	0.0	8.8	0.0	24.8	0.0	7.1
Ages 40+									
Crude rate	6.7	7.1	3.8	5.4	10.5	12.4	9.5	7.0	6.8
ASR(A)	6.6	6.7	3.7	4.6	10.2	11.1	10.6	5.0	6.6
95% CI	5.4–8.0	5.0–8.7	2.5–5.4	2.8–7.1	7.1–14.1	6.5–17.8	3.9–22.1	0.1–27.7	5.9–7.4
Ages 50–69									
Crude rate	6.6	6.9	4.0	6.4	10.7	14.6	6.5	9.2	7.0
ASR(A)	6.4	6.8	3.9	6.3	10.8	14.4	6.4	7.4	6.9
95% CI	5.0–8.0	5.1–8.7	2.4–6.1	3.9–9.8	7.6–14.9	8.1–23.8	1.7–16.5	0.2–41.5	6.0–7.8

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 167: Number of women screened and cases of DCIS detected in these women by age, states and territories, first screening round, 1996

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	24,741	12,242	13,879	9,675	3,880	1,980	1,177	748	68,322
	Cases	12	11	3	10	4	3	2	0	45
50–59	Screened	36,117	26,124	11,798	8,700	6,029	1,795	1,558	884	93,005
	Cases	40	27	12	11	10	5	4	0	109
60–69	Screened	26,109	19,074	6,575	4,445	2,959	1,140	667	312	61,281
	Cases	19	37	9	4	5	3	0	1	78
70+	Screened	11,555	7,983	3,438	1,184	1,212	446	248	86	26,152
	Cases	16	15	5	5	6	0	1	0	48
Ages 40+	Screened	98,522	65,423	35,690	24,004	14,080	5,361	3,650	2,030	248,760
	Cases	87	90	29	30	25	11	7	1	280
Ages 50–69	Screened	62,226	45,198	18,373	13,145	8,988	2,935	2,225	1,196	154,286
	Cases	59	64	21	15	15	8	4	1	187

Source: AIHW analysis of BreastScreen Australia data.

Table 168: Age-specific rate of DCIS detected in women screened, states and territories, first screening round, 1996

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	4.9	9.0	2.2	10.3	10.3	15.2	17.0	0.0	6.6
50–59	11.1	10.3	10.2	12.6	16.6	27.9	25.7	0.0	11.7
60–69	7.3	19.4	13.7	9.0	16.9	26.3	0.0	32.1	12.7
70+	13.8	18.8	14.5	42.2	49.5	0.0	40.3	0.0	18.4
Ages 40+									
Crude rate	8.8	13.8	8.1	12.5	17.8	20.5	19.2	4.9	11.3
ASR(A)	9.1	13.6	10.0	14.8	19.5	21.3	18.6	8.9	11.8
95% CI	7.3–11.2	11.0–16.8	6.6–14.5	9.3–22.2	12.4–29.0	10.2–38.8	6.7–39.7	0.2–49.6	10.4–13.2
Ages 50–69									
Crude rate	9.5	14.2	11.4	11.4	16.7	27.3	18.0	8.4	12.1
ASR(A)	9.5	14.1	11.6	11.1	16.7	27.2	15.0	13.3	12.1
95% CI	7.2–12.2	10.9–18.0	7.2–17.8	6.2–18.4	9.2–27.8	11.7–53.7	4.1–38.4	0.3–74.2	10.5–14.0

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 169: Number of women screened and cases of DCIS detected in these women by age, states and territories, subsequent screening rounds, 1996

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	24,512	3,847	14,417	3,924	4,930	2,985	1,802	38	56,455
	Cases	10	2	4	1	1	1	1	0	20
50–59	Screened	45,773	37,607	19,835	13,944	14,548	4,540	2,435	49	138,731
	Cases	29	17	6	11	21	5	2	0	91
60–69	Screened	38,481	33,373	15,581	11,527	13,379	3,506	1,430	15	117,292
	Cases	34	23	10	10	18	3	0	0	98
70+	Screened	17,709	11,651	8,447	1,309	1,438	355	219	2	41,130
	Cases	17	9	6	3	4	0	1	0	40
Ages 40+	Screened	126,475	86,478	58,280	30,704	34,295	11,386	5,886	104	353,608
	Cases	90	51	26	25	44	9	4	0	249
Ages 50–69	Screened	84,254	70,980	35,416	25,471	27,927	8,046	3,865	64	256,023
	Cases	63	40	16	21	39	8	2	0	189

Source: AIHW analysis of BreastScreen Australia data.

Table 170: Age-specific rate of DCIS detected in women screened, states and territories, subsequent screening rounds, 1996

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	4.1	5.2	2.8	2.5	2.0	3.4	5.5	0.0	3.5
50–59	6.3	4.5	3.0	7.9	14.4	11.0	8.2	0.0	6.6
60–69	8.8	6.9	6.4	8.7	13.5	8.6	0.0	0.0	8.4
70+	9.6	7.7	7.1	22.9	27.8	0.0	45.7	0.0	9.7
Ages 40+									
Crude rate	7.1	5.9	4.5	8.1	12.8	7.9	6.8	0.0	7.0
ASR(A)	7.0	5.7	4.4	8.9	13.3	7.4	10.0	0.0	6.8
95% CI	5.6–8.6	3.9–8.0	2.9–6.5	5.2–13.9	9.0–18.6	3.4–14.0	1.0–29.5	0.0–0.0	6.0–7.7
Ages 50–69									
Crude rate	7.5	5.6	4.5	8.2	14.0	9.9	5.2	0.0	7.4
ASR(A)	7.4	5.5	4.4	8.2	14.0	10.0	4.8	0.0	7.3
95% CI	5.7–9.4	3.9–7.5	2.5–7.2	5.1–12.6	9.9–19.2	4.3–19.7	0.6–17.3	0.0–0.0	6.3–8.4

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Indicator 5: Recall to assessment rate

Table 171: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 2005

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	5,133	5,705	13,019	3,555	2,391	1,554	6	156	31,519
	Recalled	404	570	1,072	351	114	156	0	23	2,690
45–49	Screened	4,222	6,028	7,232	3,387	2,159	1,221	23	216	24,488
	Recalled	416	681	718	394	130	152	2	29	2,522
50–54	Screened	13,168	12,782	8,352	4,925	3,907	923	721	374	45,152
	Recalled	1,310	1,553	867	587	277	110	42	53	4,799
55–59	Screened	6,475	2,436	3,583	1,212	582	504	222	167	15,181
	Recalled	570	296	346	103	31	42	14	20	1,422
60–64	Screened	3,646	1,037	2,223	587	323	239	78	75	8,208
	Recalled	332	109	267	52	23	20	4	10	817
65–69	Screened	2,344	705	1,414	382	171	168	55	38	5,277
	Recalled	197	87	135	31	10	12	3	3	478
70–74	Screened	470	291	461	133	58	40	25	9	1,487
	Recalled	41	24	46	11	2	5	1	0	130
75–79	Screened	215	201	308	95	43	35	6	7	910
	Recalled	23	27	34	13	2	2	1	1	103
80–84	Screened	80	104	108	27	25	7	5	1	357
	Recalled	8	21	14	2	0	1	0	1	47
85+	Screened	22	26	32	14	9	1	2	0	106
	Recalled	0	5	1	0	1	0	0	0	7
Ages 40+	Screened	35,775	29,315	36,732	14,317	9,668	4,692	1,143	1,043	132,685
	Recalled	3,301	3,373	3,500	1,544	590	500	67	140	13,015
Ages 50–69	Screened	25,633	16,960	15,572	7,106	4,983	1,834	1,076	654	73,818
	Recalled	2,409	2,045	1,615	773	341	184	63	86	7,516

Source: BreastScreen Australia.

Table 172: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 2005

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	7.9	10.0	8.2	9.9	4.8	10.0	0.0	14.7	8.5
45–49	9.9	11.3	9.9	11.6	6.0	12.4	8.7	13.4	10.3
50–54	9.9	12.1	10.4	11.9	7.1	11.9	5.8	14.2	10.6
55–59	8.8	12.2	9.7	8.5	5.3	8.3	6.3	12.0	9.4
60–64	9.1	10.5	12.0	8.9	7.1	8.4	5.1	13.3	10.0
65–69	8.4	12.3	9.5	8.1	5.8	7.1	5.5	7.9	9.1
70–74	8.7	8.2	10.0	8.3	3.4	12.5	4.0	0.0	8.7
75–79	10.7	13.4	11.0	13.7	4.7	5.7	16.7	14.3	11.3
80–84	10.0	20.2	13.0	7.4	0.0	14.3	0.0	100.0	13.2
85+	0.0	19.2	3.1	0.0	11.1	0.0	0.0	0.0	6.6
Ages 40+									
Crude rate	9.2	11.5	9.5	10.8	6.1	10.7	5.9	13.4	9.8
ASR(A)	9.1	11.4	10.2	9.9	5.9	9.9	5.8	12.3	9.8
95% CI	8.7–9.6	10.8–12.1	9.7–10.6	9.1–10.7	5.0–6.8	8.5–11.4	3.6–8.4	9.5–15.5	9.5–10.0
Ages 50–69									
Crude rate	9.4	12.1	10.4	10.9	6.8	10.0	5.9	13.1	10.2
ASR(A)	9.2	11.8	10.4	9.6	6.4	9.3	5.7	12.2	9.8
95% CI	8.8–9.6	11.1–12.6	9.8–11.0	8.7–10.6	5.3–7.6	7.8–10.9	3.9–7.9	9.2–15.7	9.6–10.1

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 173: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 2004

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	8,847	4,506	11,032	2,684	1,692	1,102	5	186	30,054
	Recalled	720	410	951	283	91	125	1	25	2,606
45–49	Screened	7,426	5,157	6,292	2,802	1,738	869	22	170	24,476
	Recalled	715	574	672	344	88	120	1	20	2,534
50–54	Screened	10,395	17,027	6,110	5,117	4,189	745	572	293	44,448
	Recalled	1,081	1,810	651	532	241	106	49	51	4,521
55–59	Screened	5,560	2,170	3,077	1,233	521	370	180	133	13,244
	Recalled	557	260	314	93	34	40	15	18	1,331
60–64	Screened	3,315	1,135	1,945	672	288	209	66	65	7,695
	Recalled	309	112	216	59	20	20	8	7	751
65–69	Screened	2,222	707	1,308	398	158	119	50	20	4,982
	Recalled	197	87	124	30	10	5	2	4	459
70–74	Screened	878	326	617	128	68	41	16	10	2,084
	Recalled	67	31	63	12	4	6	0	1	184
75–79	Screened	498	246	396	97	47	24	7	2	1,317
	Recalled	35	24	31	8	5	4	0	0	107
80–84	Screened	208	111	169	50	22	14	2	1	577
	Recalled	24	10	17	4	1	0	0	0	56
85+	Screened	53	21	51	10	10	2	3	1	151
	Recalled	4	6	6	3	2	0	0	0	21
Ages 40+	Screened	39,402	31,406	30,997	13,191	8,733	3,495	923	881	129,028
	Recalled	3,709	3,324	3,045	1,368	496	426	76	126	12,570
Ages 50–69	Screened	21,492	21,039	12,440	7,420	5,156	1,443	868	511	70,369
	Recalled	2,144	2,269	1,305	714	305	171	74	80	7,062

Source: BreastScreen Australia.

Table 174: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 2004

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	8.1	9.1	8.6	10.5	5.4	11.3	20.0	13.4	8.7
45–49	9.6	11.1	10.7	12.3	5.1	13.8	4.5	11.8	10.4
50–54	10.4	10.6	10.7	10.4	5.8	14.2	8.6	17.4	10.2
55–59	10.0	12.0	10.2	7.5	6.5	10.8	8.3	13.5	10.0
60–64	9.3	9.9	11.1	8.8	6.9	9.6	12.1	10.8	9.8
65–69	8.9	12.3	9.5	7.5	6.3	4.2	4.0	20.0	9.2
70–74	7.6	9.5	10.2	9.4	5.9	14.6	0.0	10.0	8.8
75–79	7.0	9.8	7.8	8.2	10.6	16.7	0.0	0.0	8.1
80–84	11.5	9.0	10.1	8.0	4.5	0.0	0.0	0.0	9.7
85+	7.5	28.6	11.8	30.0	20.0	0.0	0.0	0.0	13.9
Ages 40+									
Crude rate	9.4	10.6	9.8	10.4	5.7	12.2	8.2	14.3	9.7
ASR(A)	9.4	10.8	10.2	9.4	6.2	11.3	7.8	13.7	9.7
95% CI	9.0–9.7	10.2–11.4	9.7–10.7	8.6–10.2	5.2–7.2	9.7–13.0	4.3–12.0	10.2–17.7	9.5–9.9
Ages 50–69									
Crude rate	10.0	10.8	10.5	9.6	5.9	11.9	8.5	15.7	10.0
ASR(A)	9.8	11.1	10.4	8.7	6.3	10.4	8.4	15.4	9.9
95% CI	9.3–10.2	10.4–11.9	9.8–11.0	7.9–9.6	5.2–7.6	8.7–12.2	6.0–11.2	10.9–20.8	9.6–10.1

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 175: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 2003

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	12,121	4,121	10,432	2,616	2,010	898	9	195	32,402
	Recalled	1,015	368	938	266	100	74	1	9	2,771
45–49	Screened	9,143	4,712	5,986	2,864	1,930	787	33	198	25,653
	Recalled	849	488	636	357	103	103	5	10	2,551
50–54	Screened	11,024	12,189	6,181	4,699	3,979	671	502	284	39,529
	Recalled	1,020	1,232	675	514	228	90	49	17	3,825
55–59	Screened	5,905	1,984	3,014	1,110	629	368	148	121	13,279
	Recalled	568	218	286	121	30	40	13	12	1,288
60–64	Screened	3,635	1,087	2,019	679	294	208	93	44	8,059
	Recalled	342	101	188	50	21	27	7	2	738
65–69	Screened	2,577	752	1,371	395	191	117	47	33	5,483
	Recalled	218	57	132	34	10	14	4	0	469
70–74	Screened	1,307	401	650	153	69	41	22	6	2,649
	Recalled	116	48	60	13	5	5	1	0	248
75–79	Screened	817	261	436	111	69	28	13	9	1,744
	Recalled	57	40	38	13	6	3	2	0	159
80–84	Screened	354	122	146	57	46	12	6	0	743
	Recalled	34	16	8	8	0	2	0	0	68
85+	Screened	99	40	38	13	9	4	2	0	205
	Recalled	6	4	4	0	1	1	0	0	16
Ages 40+	Screened	46,982	25,669	30,273	12,697	9,226	3,134	875	890	129,746
	Recalled	4,225	2,572	2,965	1,376	504	359	82	50	12,133
Ages 50–69	Screened	23,141	16,012	12,585	6,883	5,093	1,364	790	482	66,350
	Recalled	2,148	1,608	1,281	719	289	171	73	31	6,320

Source: BreastScreen Australia.

Table 176: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	8.4	8.9	9.0	10.2	5.0	8.2	11.1	4.6	8.6
45–49	9.3	10.4	10.6	12.5	5.3	13.1	15.2	5.1	9.9
50–54	9.3	10.1	10.9	10.9	5.7	13.4	9.8	6.0	9.7
55–59	9.6	11.0	9.5	10.9	4.8	10.9	8.8	9.9	9.7
60–64	9.4	9.3	9.3	7.4	7.1	13.0	7.5	4.5	9.2
65–69	8.5	7.6	9.6	8.6	5.2	12.0	8.5	0.0	8.6
70–74	8.9	12.0	9.2	8.5	7.2	12.2	4.5	0.0	9.4
75–79	7.0	15.3	8.7	11.7	8.7	10.7	15.4	0.0	9.1
80–84	9.6	13.1	5.5	14.0	0.0	16.7	0.0	..	9.2
85+	6.1	10.0	10.5	0.0	11.1	25.0	0.0	..	7.8
Ages 40+									
Crude rate	9.0	10.0	9.8	10.8	5.5	11.5	9.4	5.6	9.4
ASR(A)	9.1	10.1	9.8	10.1	5.8	12.1	9.5	4.7	9.4
95% CI	8.7–9.4	9.5–10.7	9.4–10.3	9.3–10.9	4.9–6.7	10.4–14.0	6.6–13.0	3.3–6.5	9.1–9.6
Ages 50–69									
Crude rate	9.3	10.0	10.2	10.4	5.7	12.5	9.2	6.4	9.5
ASR(A)	9.2	9.7	9.9	9.7	5.7	12.4	8.8	5.5	9.3
95% CI	8.8–9.7	9.0–10.4	9.4–10.5	8.8–10.7	4.7–6.8	10.4–14.6	6.4–11.6	3.5–8.2	9.1–9.6

.. Not applicable—no women in this age group were screened in 2003.

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 177: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 2002

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	13,401	4,759	10,310	2,210	1,904	820	51	192	33,647
	Recalled	933	374	870	248	74	79	4	12	2,594
45–49	Screened	10,513	5,670	6,232	2,768	2,077	604	68	219	28,151
	Recalled	863	498	673	331	113	60	5	11	2,554
50–54	Screened	13,393	12,417	6,914	5,557	4,025	639	636	317	43,898
	Recalled	1,174	1,167	712	633	248	85	59	14	4,092
55–59	Screened	6,373	2,847	3,213	1,311	783	298	220	86	15,131
	Recalled	565	228	301	106	50	26	18	5	1,299
60–64	Screened	4,187	1,949	2,250	850	381	184	116	44	9,961
	Recalled	332	154	214	95	26	25	7	4	857
65–69	Screened	3,028	1,457	1,542	543	229	108	58	26	6,991
	Recalled	252	118	133	55	16	14	3	0	591
70–74	Screened	1,708	839	802	167	113	38	18	16	3,701
	Recalled	126	57	63	13	11	5	3	1	279
75–79	Screened	1,087	492	488	113	114	37	25	8	2,364
	Recalled	95	22	49	10	6	3	0	0	185
80–84	Screened	436	190	155	49	64	11	5	3	913
	Recalled	31	9	19	5	6	1	0	1	72
85+	Screened	118	49	53	17	8	4	0	0	249
	Recalled	16	6	6	3	1	1	0	0	33
Ages 40+	Screened	54,244	30,669	31,959	13,585	9,698	2,743	1,197	911	145,006
	Recalled	4,387	2,633	3,040	1,499	551	299	99	48	12,556
Ages 50–69	Screened	26,981	18,670	13,919	8,261	5,418	1,229	1,030	473	75,981
	Recalled	2,323	1,667	1,360	889	340	150	87	23	6,839

Source: BreastScreen Australia.

Table 178: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 2002

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	7.0	7.9	8.4	11.2	3.9	9.6	7.8	6.3	7.7
45–49	8.2	8.8	10.8	12.0	5.4	9.9	7.4	5.0	9.1
50–54	8.8	9.4	10.3	11.4	6.2	13.3	9.3	4.4	9.3
55–59	8.9	8.0	9.4	8.1	6.4	8.7	8.2	5.8	8.6
60–64	7.9	7.9	9.5	11.2	6.8	13.6	6.0	9.1	8.6
65–69	8.3	8.1	8.6	10.1	7.0	13.0	5.2	0.0	8.5
70–74	7.4	6.8	7.9	7.8	9.7	13.2	16.7	6.3	7.5
75–79	8.7	4.5	10.0	8.8	5.3	8.1	0.0	0.0	7.8
80–84	7.1	4.7	12.3	10.2	9.4	9.1	0.0	33.3	7.9
85+	13.6	12.2	11.3	17.6	12.5	25.0	13.3
Ages 40+									
Crude rate	8.1	8.6	9.5	11.0	5.7	10.9	8.3	5.3	8.7
ASR(A)	8.3	8.2	9.5	10.3	6.4	11.6	8.0	5.3	8.6
95% CI	8.0–8.6	7.8–8.6	9.1–10.0	9.6–11.1	5.6–7.3	9.8–13.5	5.8–10.5	3.3–7.7	8.4–8.8
Ages 50–69									
Crude rate	8.6	8.9	9.8	10.8	6.3	12.2	8.4	4.9	9.0
ASR(A)	8.5	8.5	9.6	10.2	6.5	12.1	7.5	5.0	8.8
95% CI	8.2–8.9	8.0–9.0	9.0–10.1	9.4–11.1	5.5–7.6	10.0–14.5	5.6–9.7	2.7–8.0	8.6–9.0

.. Not applicable—no women in this age group were screened in 2002.

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 179: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 2001

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	13,630	4,389	9,819	2,513	2,151	810	561	315	34,188
	Recalled	827	344	810	255	84	93	24	19	2,456
45–49	Screened	10,813	5,219	6,313	2,952	2,271	658	601	290	29,117
	Recalled	795	463	621	381	121	85	57	14	2,537
50–54	Screened	13,357	13,039	7,087	4,557	4,284	724	667	369	44,084
	Recalled	1,090	1,207	758	528	200	91	64	15	3,953
55–59	Screened	5,853	4,529	3,342	1,222	848	280	197	135	16,406
	Recalled	450	418	306	122	43	27	24	4	1,394
60–64	Screened	4,401	3,649	2,330	884	415	208	108	66	12,061
	Recalled	329	321	220	84	26	27	13	3	1,023
65–69	Screened	3,135	2,972	1,627	574	325	139	71	41	8,884
	Recalled	198	239	144	59	18	12	6	4	680
70–74	Screened	1,915	1,214	943	244	172	61	32	19	4,600
	Recalled	131	114	75	31	9	4	3	2	369
75–79	Screened	1,333	557	596	181	167	72	20	13	2,939
	Recalled	111	44	49	14	8	6	2	1	235
80–84	Screened	561	226	205	65	60	15	8	6	1,146
	Recalled	30	18	22	3	1	2	1	0	77
85+	Screened	144	79	62	26	23	7	3	0	344
	Recalled	9	7	8	1	0	1	0	0	26
Ages 40+	Screened	55,142	35,873	32,324	13,218	10,716	2,974	2,268	1,254	153,769
	Recalled	3,970	3,175	3,013	1,478	510	348	194	62	12,750
Ages 50–69	Screened	26,746	24,189	14,386	7,237	5,872	1,351	1,043	611	81,435
	Recalled	2,067	2,185	1,428	793	287	157	107	26	7,050

Source: BreastScreen Australia.

Table 180: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 2001

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	6.1	7.8	8.2	10.1	3.9	11.5	4.3	6.0	7.2
45–49	7.4	8.9	9.8	12.9	5.3	12.9	9.5	4.8	8.7
50–54	8.2	9.3	10.7	11.6	4.7	12.6	9.6	4.1	9.0
55–59	7.7	9.2	9.2	10.0	5.1	9.6	12.2	3.0	8.5
60–64	7.5	8.8	9.4	9.5	6.3	13.0	12.0	4.5	8.5
65–69	6.3	8.0	8.9	10.3	5.5	8.6	8.5	9.8	7.7
70–74	6.8	9.4	8.0	12.7	5.2	6.6	9.4	10.5	8.0
75–79	8.3	7.9	8.2	7.7	4.8	8.3	10.0	7.7	8.0
80–84	5.3	8.0	10.7	4.6	1.7	13.3	12.5	0.0	6.7
85+	6.3	8.9	12.9	3.8	0.0	14.3	0.0	..	7.6
Ages 40+									
Crude rate	7.2	8.9	9.3	11.2	4.8	11.7	8.6	4.9	8.3
ASR(A)	7.3	8.8	9.4	10.8	5.1	10.9	9.8	5.5	8.3
95% CI	7.1–7.6	8.5–9.2	9.0–9.8	10.1–11.5	4.5–5.8	9.5–12.5	7.9–11.9	3.6–7.9	8.2–8.5
Ages 50–69									
Crude rate	7.7	9.0	9.9	11.0	4.9	11.6	10.3	4.3	8.7
ASR(A)	7.5	8.9	9.7	10.5	5.3	11.1	10.6	5.0	8.5
95% CI	7.2–7.9	8.5–9.3	9.1–10.2	9.6–11.4	4.5–6.2	9.3–13.2	8.2–13.3	2.8–7.9	8.3–8.7

.. Not applicable—no women in this age group were screened in 2001.

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 181: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 2000

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	12,616	4,523	9,192	2,253	2,353	752	519	259	32,467
	Recalled	762	354	712	256	88	67	41	8	2,288
45–49	Screened	10,387	5,539	6,386	2,957	2,525	590	578	263	29,225
	Recalled	756	539	606	352	109	68	45	5	2,480
50–54	Screened	12,245	12,369	8,430	3,223	5,277	797	653	488	43,482
	Recalled	978	1,177	801	408	258	99	54	23	3,798
55–59	Screened	5,226	3,179	4,257	921	1,130	341	196	131	15,381
	Recalled	392	291	387	95	52	34	21	9	1,281
60–64	Screened	4,019	2,456	3,133	706	647	224	122	61	11,368
	Recalled	290	189	271	80	31	30	9	5	905
65–69	Screened	2,848	1,753	2,411	456	553	156	80	33	8,290
	Recalled	193	143	200	39	33	18	3	2	631
70–74	Screened	1,759	872	1,288	235	247	80	40	20	4,541
	Recalled	130	75	103	24	12	6	3	1	354
75–79	Screened	1,261	622	743	171	244	59	23	8	3,131
	Recalled	86	52	59	18	10	2	3	0	230
80–84	Screened	465	233	234	48	74	17	11	2	1,084
	Recalled	37	25	26	4	7	0	0	0	99
85+	Screened	130	60	78	9	14	10	6	1	308
	Recalled	7	9	6	2	1	1	0	0	26
Ages 40+	Screened	50,956	31,606	36,152	10,979	13,064	3,026	2,228	1,266	149,277
	Recalled	3,631	2,854	3,171	1,278	601	325	179	53	12,092
Ages 50–69	Screened	24,338	19,757	18,231	5,306	7,607	1,518	1,051	713	78,521
	Recalled	1,853	1,800	1,659	622	374	181	87	39	6,615

Source: BreastScreen Australia.

Table 182: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 2000

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	6.0	7.8	7.7	11.4	3.7	8.9	7.9	3.1	7.0
45–49	7.3	9.7	9.5	11.9	4.3	11.5	7.8	1.9	8.5
50–54	8.0	9.5	9.5	12.7	4.9	12.4	8.3	4.7	8.7
55–59	7.5	9.2	9.1	10.3	4.6	10.0	10.7	6.9	8.3
60–64	7.2	7.7	8.6	11.3	4.8	13.4	7.4	8.2	8.0
65–69	6.8	8.2	8.3	8.6	6.0	11.5	3.8	6.1	7.6
70–74	7.4	8.6	8.0	10.2	4.9	7.5	7.5	5.0	7.8
75–79	6.8	8.4	7.9	10.5	4.1	3.4	13.0	0.0	7.3
80–84	8.0	10.7	11.1	8.3	9.5	0.0	0.0	0.0	9.1
85+	5.4	15.0	7.7	22.2	7.1	10.0	0.0	0.0	8.4
Ages 40+									
Crude rate	7.1	9.0	8.8	11.6	4.6	10.7	8.0	4.2	8.1
ASR(A)	7.3	8.8	8.8	11.0	4.8	10.8	7.9	5.1	8.1
95% CI	7.0–7.6	8.4–9.2	8.5–9.2	10.2–11.9	4.3–5.4	9.4–12.3	6.4–9.6	3.3–7.4	7.9–8.3
Ages 50–69									
Crude rate	7.6	9.1	9.1	11.7	4.9	11.9	8.3	5.5	8.4
ASR(A)	7.5	8.8	9.0	11.0	5.0	11.8	7.8	6.3	8.2
95% CI	7.1–7.8	8.3–9.2	8.5–9.4	10.0–12.0	4.4–5.7	10.0–13.9	6.0–10.0	3.9–9.4	8.0–8.5

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 183: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 1999

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	14,337	4,961	9,536	2,531	2,341	839	590	246	35,381
	Recalled	885	355	686	290	68	70	27	9	2,390
45–49	Screened	11,893	6,079	7,290	2,879	2,516	687	623	286	32,253
	Recalled	870	488	603	367	100	76	40	10	2,554
50–54	Screened	13,269	13,531	9,358	2,341	4,759	886	733	443	45,320
	Recalled	1,010	1,213	741	261	194	84	41	11	3,555
55–59	Screened	6,210	2,626	5,253	1,004	1,331	365	227	140	17,156
	Recalled	447	231	404	91	71	42	18	5	1,309
60–64	Screened	4,766	2,054	3,923	674	861	284	132	90	12,784
	Recalled	355	178	293	70	43	22	5	1	967
65–69	Screened	3,639	1,470	3,349	479	683	195	96	46	9,957
	Recalled	244	120	270	49	29	18	6	1	737
70–74	Screened	2,234	871	1,834	302	264	120	60	28	5,713
	Recalled	157	65	117	29	13	9	7	1	398
75–79	Screened	1,568	689	1,089	204	247	95	32	12	3,936
	Recalled	119	57	73	14	16	9	3	0	291
80–84	Screened	502	229	366	49	85	23	12	5	1,271
	Recalled	41	19	37	3	6	2	0	0	108
85+	Screened	122	73	108	12	22	5	2	0	344
	Recalled	5	11	12	0	1	0	0	0	29
Ages 40+	Screened	58,540	32,583	42,106	10,475	13,109	3,499	2,507	1,296	164,115
	Recalled	4,133	2,737	3,236	1,174	541	332	147	38	12,338
Ages 50–69	Screened	27,884	19,681	21,883	4,498	7,634	1,730	1,188	719	85,217
	Recalled	2,056	1,742	1,708	471	337	166	70	18	6,568

Source: BreastScreen Australia.

Table 184: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 1999

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	6.2	7.2	7.2	11.5	2.9	8.3	4.6	3.7	6.8
45–49	7.3	8.0	8.3	12.7	4.0	11.1	6.4	3.5	7.9
50–54	7.6	9.0	7.9	11.1	4.1	9.5	5.6	2.5	7.8
55–59	7.2	8.8	7.7	9.1	5.3	11.5	7.9	3.6	7.6
60–64	7.4	8.7	7.5	10.4	5.0	7.7	3.8	1.1	7.6
65–69	6.7	8.2	8.1	10.2	4.2	9.2	6.3	2.2	7.4
70–74	7.0	7.5	6.4	9.6	4.9	7.5	11.7	3.6	7.0
75–79	7.6	8.3	6.7	6.9	6.5	9.5	9.4	0.0	7.4
80–84	8.2	8.3	10.1	6.1	7.1	8.7	0.0	0.0	8.5
85+	4.1	15.1	11.1	0.0	4.5	0.0	0.0	..	8.4
Ages 40+									
Crude rate	7.1	8.4	7.7	11.2	4.1	9.5	5.9	2.9	7.5
ASR(A)	7.2	8.4	7.7	10.5	4.5	9.5	6.4	2.6	7.6
95% CI	6.9–7.5	8.0–8.8	7.4–8.0	9.7–11.3	4.1–5.0	8.3–10.7	5.1–7.9	1.6–4.0	7.4–7.7
Ages 50–69									
Crude rate	7.4	8.9	7.8	10.5	4.4	9.6	5.9	2.5	7.7
ASR(A)	7.3	8.7	7.8	10.3	4.6	9.6	5.9	2.4	7.6
95% CI	7.0–7.6	8.2–9.2	7.4–8.2	9.3–11.3	4.1–5.3	8.1–11.3	4.4–7.8	1.2–4.1	7.4–7.8

.. Not applicable—no women in this age group were screened in 1999.

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 185: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 1998

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	17,689	5,190	11,085	2,602	2,577	1,225	563	298	41,229
	Recalled	1,001	392	696	283	81	86	22	15	2,576
45–49	Screened	14,850	6,688	8,992	3,764	3,016	1,060	667	413	39,450
	Recalled	1,048	569	695	405	111	89	32	18	2,967
50–54	Screened	16,495	17,362	13,902	3,494	4,710	1,303	747	719	58,732
	Recalled	1,185	1,578	1,036	380	199	152	40	24	4,594
55–59	Screened	8,033	3,234	8,544	1,599	1,372	584	266	281	23,913
	Recalled	536	262	589	151	42	56	14	10	1,660
60–64	Screened	6,458	2,497	6,540	1,216	979	384	158	158	18,390
	Recalled	435	199	467	99	50	32	9	5	1,296
65–69	Screened	5,170	1,973	6,040	921	825	380	123	126	15,558
	Recalled	359	143	397	78	37	33	5	4	1,056
70–74	Screened	3,434	1,278	2,453	515	474	172	74	43	8,443
	Recalled	223	108	190	38	16	4	2	2	583
75–79	Screened	2,094	1,047	1,290	346	429	140	45	28	5,419
	Recalled	137	97	87	38	13	11	3	2	388
80–84	Screened	626	309	467	105	149	36	9	6	1,707
	Recalled	38	30	49	14	12	2	2	0	147
85+	Screened	142	85	130	18	30	9	3	1	418
	Recalled	11	15	10	1	1	1	0	0	39
Ages 40+	Screened	74,991	39,663	59,443	14,580	14,561	5,293	2,655	2,073	213,259
	Recalled	4,973	3,393	4,216	1,487	562	466	129	80	15,306
Ages 50–69	Screened	36,156	25,066	35,026	7,230	7,886	2,651	1,294	1,284	116,593
	Recalled	2,515	2,182	2,489	708	328	273	68	43	8,606

Source: BreastScreen Australia.

Table 186: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 1998

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	5.7	7.6	6.3	10.9	3.1	7.0	3.9	5.0	6.2
45–49	7.1	8.5	7.7	10.8	3.7	8.4	4.8	4.4	7.5
50–54	7.2	9.1	7.5	10.9	4.2	11.7	5.4	3.3	7.8
55–59	6.7	8.1	6.9	9.4	3.1	9.6	5.3	3.6	6.9
60–64	6.7	8.0	7.1	8.1	5.1	8.3	5.7	3.2	7.0
65–69	6.9	7.2	6.6	8.5	4.5	8.7	4.1	3.2	6.8
70–74	6.5	8.5	7.7	7.4	3.4	2.3	2.7	4.7	6.9
75–79	6.5	9.3	6.7	11.0	3.0	7.9	6.7	7.1	7.2
80–84	6.1	9.7	10.5	13.3	8.1	5.6	22.2	0.0	8.6
85+	7.7	17.6	7.7	5.6	3.3	11.1	0.0	0.0	9.3
Ages 40+									
Crude rate	6.6	8.6	7.1	10.2	3.9	8.8	4.9	3.9	7.2
ASR(A)	6.8	8.3	7.2	9.6	4.0	8.7	5.0	3.8	7.2
95% CI	6.6–7.0	7.9–8.6	6.9–7.4	9.1–10.2	3.6–4.4	7.8–9.6	4.0–6.2	2.8–4.9	7.0–7.3
Ages 50–69									
Crude rate	7.0	8.7	7.1	9.8	4.2	10.3	5.3	3.3	7.4
ASR(A)	6.9	8.2	7.1	9.4	4.2	9.8	5.2	3.3	7.2
95% CI	6.6–7.2	7.8–8.7	6.8–7.4	8.7–10.2	3.7–4.7	8.6–11.1	3.8–6.7	2.3–4.6	7.1–7.4

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 187: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 1997

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	14,069	4,654	8,373	2,482	1,677	818	500	372	32,945
	Recalled	762	331	524	233	41	49	21	10	1,971
45–49	Screened	14,170	6,555	7,793	4,432	2,088	810	598	496	36,942
	Recalled	885	546	607	420	75	73	24	20	2,650
50–54	Screened	19,895	16,829	10,174	4,967	4,216	961	714	753	58,509
	Recalled	1,285	1,427	716	405	162	84	38	31	4,148
55–59	Screened	11,099	4,612	6,600	2,761	1,679	486	279	414	27,930
	Recalled	722	368	447	191	59	32	20	24	1,863
60–64	Screened	8,888	3,512	5,149	2,062	1,232	322	152	218	21,535
	Recalled	549	270	336	121	50	23	7	11	1,367
65–69	Screened	7,995	2,899	4,406	1,638	1,130	263	129	108	18,568
	Recalled	417	205	259	119	50	12	10	7	1,079
70–74	Screened	4,921	2,147	2,421	837	552	165	102	51	11,196
	Recalled	295	155	164	73	29	11	4	4	735
75–79	Screened	2,678	1,384	1,389	441	353	128	58	16	6,447
	Recalled	154	102	89	32	16	8	2	0	403
80–84	Screened	853	471	409	132	87	26	10	5	1,993
	Recalled	66	44	28	16	7	1	1	0	163
85+	Screened	143	95	99	36	11	5	2	0	391
	Recalled	15	10	6	4	2	0	0	0	37
Ages 40+	Screened	84,711	43,158	46,813	19,788	13,025	3,984	2,544	2,433	216,456
	Recalled	5,150	3,458	3,176	1,614	491	293	127	107	14,416
Ages 50–69	Screened	47,877	27,852	26,329	11,428	8,257	2,032	1,274	1,493	126,542
	Recalled	2,973	2,270	1,758	836	321	151	75	73	8,457

Source: BreastScreen Australia.

Table 188: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 1997

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	5.4	7.1	6.3	9.4	2.4	6.0	4.2	2.7	6.0
45–49	6.2	8.3	7.8	9.5	3.6	9.0	4.0	4.0	7.2
50–54	6.5	8.5	7.0	8.2	3.8	8.7	5.3	4.1	7.1
55–59	6.5	8.0	6.8	6.9	3.5	6.6	7.2	5.8	6.7
60–64	6.2	7.7	6.5	5.9	4.1	7.1	4.6	5.0	6.3
65–69	5.2	7.1	5.9	7.3	4.4	4.6	7.8	6.5	5.8
70–74	6.0	7.2	6.8	8.7	5.3	6.7	3.9	7.8	6.6
75–79	5.8	7.4	6.4	7.3	4.5	6.3	3.4	0.0	6.3
80–84	7.7	9.3	6.8	12.1	8.0	3.8	10.0	0.0	8.2
85+	10.5	10.5	6.1	11.1	18.2	0.0	0.0	..	9.5
Ages 40+									
Crude rate	6.1	8.0	6.8	8.2	3.8	7.4	5.0	4.4	6.7
ASR(A)	6.1	7.8	6.8	7.8	4.0	7.1	5.5	4.9	6.6
95% CI	5.9–6.3	7.5–8.1	6.5–7.0	7.4–8.2	3.6–4.3	6.2–8.1	4.4–6.7	3.8–6.1	6.5–6.7
Ages 50–69									
Crude rate	6.2	8.2	6.7	7.3	3.9	7.4	5.9	4.9	6.7
ASR(A)	6.2	7.9	6.6	7.2	3.9	7.0	6.1	5.2	6.6
95% CI	5.9–6.4	7.5–8.3	6.3–7.0	6.7–7.7	3.5–4.4	5.9–8.3	4.7–7.9	3.9–6.8	6.4–6.7

.. Not applicable—no women in this age group were screened in 1997.

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 189: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 1996

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	11,125	4,621	7,131	2,213	1,596	965	485	320	28,456
	Recalled	564	269	439	144	48	63	12	14	1,553
45–49	Screened	13,616	7,621	6,748	7,463	2,284	1,015	692	428	39,867
	Recalled	798	522	492	589	67	72	23	20	2,583
50–54	Screened	20,345	14,879	7,134	5,175	4,060	1,074	988	560	54,215
	Recalled	1,268	1,064	505	363	141	74	37	22	3,474
55–59	Screened	15,774	11,245	4,664	3,525	1,969	721	570	324	38,792
	Recalled	884	684	293	215	78	48	14	14	2,230
60–64	Screened	13,369	9,619	3,528	2,807	1,501	607	393	180	32,004
	Recalled	741	545	207	159	62	38	13	9	1,774
65–69	Screened	12,744	9,455	3,047	1,639	1,458	533	274	132	29,282
	Recalled	674	510	169	75	54	33	6	3	1,524
70–74	Screened	7,680	5,435	1,977	754	728	260	138	50	17,022
	Recalled	429	309	133	53	33	16	3	5	981
75–79	Screened	2,806	1,858	1,036	313	362	134	87	30	6,626
	Recalled	175	106	79	17	16	6	4	1	404
80–84	Screened	882	574	344	95	103	45	19	3	2,065
	Recalled	62	36	24	9	1	5	1	0	138
85+	Screened	188	116	81	22	19	7	4	3	440
	Recalled	16	7	5	4	1	0	0	0	33
Ages 40+	Screened	98,529	65,423	35,690	24,006	14,080	5,361	3,650	2,030	248,769
	Recalled	5,611	4,052	2,346	1,628	501	355	113	88	14,694
Ages 50–69	Screened	62,232	45,198	18,373	13,146	8,988	2,935	2,225	1,196	154,293
	Recalled	3,567	2,803	1,174	812	335	193	70	48	9,002

Source: BreastScreen Australia.

Table 190: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 1996

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	5.1	5.8	6.2	6.5	3.0	6.5	2.5	4.4	5.5
45–49	5.9	6.8	7.3	7.9	2.9	7.1	3.3	4.7	6.5
50–54	6.2	7.2	7.1	7.0	3.5	6.9	3.7	3.9	6.4
55–59	5.6	6.1	6.3	6.1	4.0	6.7	2.5	4.3	5.7
60–64	5.5	5.7	5.9	5.7	4.1	6.3	3.3	5.0	5.5
65–69	5.3	5.4	5.5	4.6	3.7	6.2	2.2	2.3	5.2
70–74	5.6	5.7	6.7	7.0	4.5	6.2	2.2	10.0	5.8
75–79	6.2	5.7	7.6	5.4	4.4	4.5	4.6	3.3	6.1
80–84	7.0	6.3	7.0	9.5	1.0	11.1	5.3	0.0	6.7
85+	8.5	6.0	6.2	18.2	5.3	0.0	0.0	0.0	7.5
Ages 40+									
Crude rate	5.7	6.2	6.6	6.8	3.6	6.6	3.1	4.3	5.9
ASR(A)	5.7	6.2	6.5	6.4	3.7	6.6	3.0	4.5	5.9
95% CI	5.6–5.9	6.0–6.4	6.2–6.8	6.1–6.8	3.3–4.0	5.8–7.3	2.4–3.7	3.4–5.8	5.8–6.0
Ages 50–69									
Crude rate	5.7	6.2	6.4	6.2	3.7	6.6	3.1	4.0	5.8
ASR(A)	5.7	6.2	6.3	6.0	3.8	6.6	3.0	3.9	5.8
95% CI	5.5–5.9	6.0–6.4	5.9–6.7	5.6–6.4	3.4–4.2	5.7–7.6	2.3–3.8	2.8–5.3	5.7–5.9

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 191: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 2005

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	1,956	1,028	8,164	1,570	1,240	618	34	104	14,714
	Recalled	94	84	374	83	36	41	1	9	722
45–49	Screened	7,230	5,099	22,113	5,916	4,351	2,179	711	454	48,053
	Recalled	412	353	997	273	123	158	21	33	2,370
50–54	Screened	45,700	30,459	30,293	13,599	12,385	3,812	2,189	830	139,267
	Recalled	2,068	1,635	1,276	450	277	227	72	44	6,049
55–59	Screened	52,693	41,544	33,991	16,860	14,997	4,598	3,171	940	168,794
	Recalled	1,990	1,859	1,208	461	343	255	119	47	6,282
60–64	Screened	44,369	34,605	26,397	13,371	12,336	3,745	2,316	661	137,800
	Recalled	1,817	1,544	1,041	370	298	169	63	33	5,335
65–69	Screened	36,834	27,833	20,880	11,019	10,315	3,084	1,710	375	112,050
	Recalled	1,365	1,239	817	308	259	115	52	11	4,166
70–74	Screened	6,429	20,899	15,377	3,052	3,340	2,149	455	45	51,746
	Recalled	279	884	578	82	102	87	20	2	2,034
75–79	Screened	3,568	5,834	4,773	1,255	1,762	439	141	22	17,794
	Recalled	148	251	223	38	62	29	6	0	757
80–84	Screened	1,135	856	1,010	315	447	110	45	6	3,924
	Recalled	44	41	41	12	17	3	1	1	160
85+	Screened	167	156	250	75	67	13	7	1	736
	Recalled	1	8	12	1	7	0	0	0	29
Ages 40+	Screened	200,081	168,313	163,248	67,032	61,240	20,747	10,779	3,438	694,878
	Recalled	8,218	7,898	6,567	2,078	1,524	1,084	355	180	27,904
Ages 50–69	Screened	179,596	134,441	111,561	54,849	50,033	15,239	9,386	2,806	557,911
	Recalled	7,240	6,277	4,342	1,589	1,177	766	306	135	21,832

Source: BreastScreen Australia.

Table 192: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 2005

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	4.8	8.2	4.6	5.3	2.9	6.6	2.9	8.7	4.9
45–49	5.7	6.9	4.5	4.6	2.8	7.3	3.0	7.3	4.9
50–54	4.5	5.4	4.2	3.3	2.2	6.0	3.3	5.3	4.3
55–59	3.8	4.5	3.6	2.7	2.3	5.5	3.8	5.0	3.7
60–64	4.1	4.5	3.9	2.8	2.4	4.5	2.7	5.0	3.9
65–69	3.7	4.5	3.9	2.8	2.5	3.7	3.0	2.9	3.7
70–74	4.3	4.2	3.8	2.7	3.1	4.0	4.4	4.4	3.9
75–79	4.1	4.3	4.7	3.0	3.5	6.6	4.3	0.0	4.3
80–84	3.9	4.8	4.1	3.8	3.8	2.7	2.2	16.7	4.1
85+	0.6	5.1	4.8	1.3	10.4	0.0	0.0	0.0	3.9
Ages 40+									
Crude rate	4.1	4.7	4.0	3.1	2.5	5.2	3.3	5.2	4.0
ASR(A)	4.4	5.2	4.1	3.3	2.6	5.4	3.3	5.3	4.2
95% CI	4.2–4.5	5.1–5.4	4.0–4.2	3.2–3.5	2.4–2.7	5.1–5.8	2.7–3.9	4.3–6.3	4.1–4.2
Ages 50–69									
Crude rate	4.0	4.7	3.9	2.9	2.4	5.0	3.3	4.8	3.9
ASR(A)	4.1	4.8	3.9	2.9	2.3	5.1	3.2	4.7	4.0
95% CI	4.0–4.2	4.6–4.9	3.8–4.0	2.8–3.1	2.2–2.5	4.7–5.5	2.9–3.6	3.9–5.6	3.9–4.0

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 193: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 2004

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	7,206	967	7,894	1,412	1,199	562	98	113	19,451
	Recalled	377	68	364	77	29	44	3	4	966
45–49	Screened	23,068	4,572	21,165	5,639	4,421	1,993	814	396	62,068
	Recalled	1,276	294	1,115	262	118	149	54	35	3,303
50–54	Screened	41,533	32,648	30,320	14,033	12,876	3,734	2,033	813	137,990
	Recalled	1,958	1,590	1,304	480	305	271	81	27	6,016
55–59	Screened	47,045	40,233	33,776	16,424	15,495	4,517	2,520	871	160,881
	Recalled	2,118	1,664	1,271	457	332	284	107	21	6,254
60–64	Screened	38,426	33,184	25,546	12,899	11,748	3,444	1,743	513	127,503
	Recalled	1,741	1,329	1,041	312	278	190	63	11	4,965
65–69	Screened	32,216	27,459	20,357	10,402	10,028	2,871	1,200	263	104,796
	Recalled	1,405	1,049	849	280	238	148	49	15	4,033
70–74	Screened	21,005	21,673	15,314	2,893	3,232	2,061	320	115	66,613
	Recalled	918	854	620	84	91	90	14	1	2,672
75–79	Screened	14,382	5,755	4,579	1,185	1,683	330	109	48	28,071
	Recalled	613	246	199	36	56	17	7	2	1,176
80–84	Screened	5,272	703	913	340	409	87	33	27	7,784
	Recalled	206	43	34	10	12	5	1	1	312
85+	Screened	1,053	120	224	54	57	9	4	5	1,526
	Recalled	42	3	10	3	0	0	0	1	59
Ages 40+	Screened	231,206	167,314	160,088	65,281	61,148	19,608	8,874	3,164	716,683
	Recalled	10,654	7,140	6,807	2,001	1,459	1,198	379	118	29,756
Ages 50–69	Screened	159,220	133,524	109,999	53,758	50,147	14,566	7,496	2,460	531,170
	Recalled	7,222	5,632	4,465	1,529	1,153	893	300	74	21,268

Source: BreastScreen Australia.

Table 194: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 2004

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	5.2	7.0	4.6	5.5	2.4	7.8	3.1	3.5	5.0
45–49	5.5	6.4	5.3	4.6	2.7	7.5	6.6	8.8	5.3
50–54	4.7	4.9	4.3	3.4	2.4	7.3	4.0	3.3	4.4
55–59	4.5	4.1	3.8	2.8	2.1	6.3	4.2	2.4	3.9
60–64	4.5	4.0	4.1	2.4	2.4	5.5	3.6	2.1	3.9
65–69	4.4	3.8	4.2	2.7	2.4	5.2	4.1	5.7	3.8
70–74	4.4	3.9	4.0	2.9	2.8	4.4	4.4	0.9	4.0
75–79	4.3	4.3	4.3	3.0	3.3	5.2	6.4	4.2	4.2
80–84	3.9	6.1	3.7	2.9	2.9	5.7	3.0	3.7	4.0
85+	4.0	2.5	4.5	5.6	0.0	0.0	0.0	20.0	3.9
Ages 40+									
Crude rate	4.6	4.3	4.3	3.1	2.4	6.1	4.3	3.7	4.2
ASR(A)	4.7	4.8	4.3	3.3	2.4	6.3	4.3	3.9	4.3
95% CI	4.6–4.8	4.6–4.9	4.2–4.4	3.2–3.5	2.3–2.6	5.9–6.7	3.8–4.9	3.2–4.7	4.2–4.3
Ages 50–69									
Crude rate	4.5	4.2	4.1	2.8	2.3	6.1	4.0	3.0	4.0
ASR(A)	4.6	4.3	4.1	2.9	2.3	6.2	4.0	3.3	4.0
95% CI	4.4–4.7	4.2–4.4	4.0–4.2	2.7–3.0	2.2–2.4	5.8–6.6	3.5–4.5	2.5–4.2	4.0–4.1

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 195: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 2003

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	8,382	853	7,747	1,514	1,267	600	271	146	20,780
	Recalled	369	48	388	80	31	38	14	4	972
45–49	Screened	25,936	4,401	20,452	6,044	4,191	1,909	1,084	521	64,538
	Recalled	1,323	252	1,045	277	128	131	51	25	3,232
50–54	Screened	40,877	32,658	29,039	13,767	12,734	3,896	2,273	898	136,142
	Recalled	1,747	1,476	1,326	478	287	245	111	35	5,705
55–59	Screened	46,620	40,879	30,395	15,674	14,841	4,177	2,481	893	155,960
	Recalled	1,960	1,634	1,332	504	341	235	122	34	6,162
60–64	Screened	38,549	31,371	23,277	12,394	11,907	3,439	1,807	608	123,352
	Recalled	1,693	1,280	1,038	357	294	158	85	14	4,919
65–69	Screened	32,597	26,382	19,156	10,096	9,787	3,032	1,298	323	102,671
	Recalled	1,323	1,004	857	322	281	147	71	7	4,012
70–74	Screened	25,344	20,671	14,855	2,621	3,303	1,795	262	169	69,020
	Recalled	994	772	636	92	88	82	10	7	2,681
75–79	Screened	17,001	5,121	4,308	977	1,533	342	90	65	29,437
	Recalled	646	213	227	38	33	7	3	3	1,170
80–84	Screened	6,242	660	925	241	344	85	36	31	8,564
	Recalled	224	30	58	4	16	6	2	1	341
85+	Screened	1,403	93	224	33	48	13	3	3	1,820
	Recalled	43	6	9	0	3	1	1	0	63
Ages 40+	Screened	242,951	163,089	150,378	63,361	59,955	19,288	9,605	3,657	712,284
	Recalled	10,322	6,715	6,916	2,152	1,502	1,050	470	130	29,257
Ages 50–69	Screened	158,643	131,290	101,867	51,931	49,269	14,544	7,859	2,722	518,125
	Recalled	6,723	5,394	4,553	1,661	1,203	785	389	90	20,798

Source: BreastScreen Australia.

Table 196: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	4.4	5.6	5.0	5.3	2.4	6.3	5.2	2.7	4.7
45–49	5.1	5.7	5.1	4.6	3.1	6.9	4.7	4.8	5.0
50–54	4.3	4.5	4.6	3.5	2.3	6.3	4.9	3.9	4.2
55–59	4.2	4.0	4.4	3.2	2.3	5.6	4.9	3.8	4.0
60–64	4.4	4.1	4.5	2.9	2.5	4.6	4.7	2.3	4.0
65–69	4.1	3.8	4.5	3.2	2.9	4.8	5.5	2.2	3.9
70–74	3.9	3.7	4.3	3.5	2.7	4.6	3.8	4.1	3.9
75–79	3.8	4.2	5.3	3.9	2.2	2.0	3.3	4.6	4.0
80–84	3.6	4.5	6.3	1.7	4.7	7.1	5.6	3.2	4.0
85+	3.1	6.5	4.0	0.0	6.3	7.7	33.3	0.0	3.5
Ages 40+									
Crude rate	4.2	4.1	4.6	3.4	2.5	5.4	4.9	3.6	4.1
ASR(A)	4.3	4.4	4.6	3.6	2.6	5.5	4.9	3.5	4.2
95% CI	4.2–4.4	4.3–4.6	4.5–4.7	3.4–3.8	2.4–2.7	5.2–5.9	4.4–5.4	2.9–4.2	4.1–4.2
Ages 50–69									
Crude rate	4.2	4.1	4.5	3.2	2.4	5.4	4.9	3.3	4.0
ASR(A)	4.2	4.1	4.5	3.2	2.4	5.5	5.0	3.2	4.0
95% CI	4.1–4.3	4.0–4.3	4.3–4.6	3.1–3.4	2.3–2.6	5.1–5.9	4.5–5.5	2.5–3.9	4.0–4.1

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 197: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 2002

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	8,960	970	7,540	1,333	1,262	630	263	130	21,088
	Recalled	384	47	356	60	38	41	16	2	944
45–49	Screened	27,507	4,796	19,988	5,172	4,506	2,326	1,241	496	66,032
	Recalled	1,267	288	1,065	241	108	151	77	23	3,220
50–54	Screened	41,235	32,555	29,303	12,054	13,373	4,050	2,753	924	136,247
	Recalled	1,755	1,362	1,399	489	335	222	149	28	5,739
55–59	Screened	44,783	36,207	29,332	13,539	13,887	4,366	2,640	803	145,557
	Recalled	1,870	1,388	1,388	494	303	239	115	34	5,831
60–64	Screened	37,144	30,222	22,646	11,099	11,028	3,366	1,759	432	117,696
	Recalled	1,585	1,136	1,070	399	282	161	90	13	4,736
65–69	Screened	31,264	25,430	17,842	9,128	9,495	2,812	1,285	235	97,491
	Recalled	1,226	911	885	331	287	153	55	9	3,857
70–74	Screened	25,858	20,857	14,150	2,539	3,351	1,523	274	144	68,696
	Recalled	989	704	619	103	95	74	10	6	2,600
75–79	Screened	16,370	5,236	3,619	974	1,612	295	112	56	28,274
	Recalled	589	188	166	38	50	11	4	3	1,049
80–84	Screened	5,505	654	801	234	319	72	30	30	7,645
	Recalled	179	26	40	9	13	2	2	0	271
85+	Screened	1,171	102	180	36	38	6	4	5	1,542
	Recalled	47	5	10	3	2	0	1	0	68
Ages 40+	Screened	239,797	157,029	145,401	56,108	58,871	19,446	10,361	3,255	690,268
	Recalled	9,891	6,055	6,998	2,167	1,513	1,054	519	118	28,315
Ages 50–69	Screened	154,426	124,414	99,123	45,820	47,783	14,594	8,437	2,394	496,991
	Recalled	6,436	4,797	4,742	1,713	1,207	775	409	84	20,163

Source: BreastScreen Australia.

Table 198: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 2002

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	4.3	4.8	4.7	4.5	3.0	6.5	6.1	1.5	4.5
45–49	4.6	6.0	5.3	4.7	2.4	6.5	6.2	4.6	4.9
50–54	4.3	4.2	4.8	4.1	2.5	5.5	5.4	3.0	4.2
55–59	4.2	3.8	4.7	3.6	2.2	5.5	4.4	4.2	4.0
60–64	4.3	3.8	4.7	3.6	2.6	4.8	5.1	3.0	4.0
65–69	3.9	3.6	5.0	3.6	3.0	5.4	4.3	3.8	4.0
70–74	3.8	3.4	4.4	4.1	2.8	4.9	3.6	4.2	3.8
75–79	3.6	3.6	4.6	3.9	3.1	3.7	3.6	5.4	3.7
80–84	3.3	4.0	5.0	3.8	4.1	2.8	6.7	0.0	3.5
85+	4.0	4.9	5.6	8.3	5.3	0.0	25.0	0.0	4.4
Ages 40+									
Crude rate	4.1	3.9	4.8	3.9	2.6	5.4	5.0	3.6	4.1
ASR(A)	4.2	4.2	4.8	4.0	2.6	5.4	5.0	3.6	4.2
95% CI	4.1–4.3	4.0–4.3	4.7–4.9	3.8–4.2	2.5–2.8	5.1–5.8	4.5–5.6	2.9–4.3	4.1–4.2
Ages 50–69									
Crude rate	4.2	3.9	4.8	3.7	2.5	5.3	4.8	3.5	4.1
ASR(A)	4.2	3.9	4.8	3.8	2.5	5.3	4.9	3.5	4.1
95% CI	4.1–4.3	3.8–4.0	4.7–4.9	3.6–3.9	2.4–2.7	4.9–5.7	4.4–5.4	2.7–4.4	4.0–4.1

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 199: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 2001

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	9,573	1,041	7,415	1,576	1,306	578	318	140	21,947
	Recalled	346	38	365	82	31	48	16	2	928
45–49	Screened	27,578	4,873	18,985	5,761	4,498	2,202	1,246	452	65,595
	Recalled	1,140	259	1,076	258	118	140	57	18	3,066
50–54	Screened	42,488	33,226	27,539	13,292	12,813	3,750	2,538	848	136,494
	Recalled	1,580	1,461	1,393	533	307	235	115	15	5,639
55–59	Screened	43,839	35,824	25,510	13,298	13,710	3,716	2,249	780	138,926
	Recalled	1,661	1,404	1,234	475	274	190	128	13	5,379
60–64	Screened	38,081	28,688	20,747	11,418	12,008	3,279	1,695	483	116,399
	Recalled	1,388	1,143	970	434	302	189	76	10	4,512
65–69	Screened	32,514	23,466	16,990	9,238	9,635	2,754	1,224	242	96,063
	Recalled	1,145	909	773	341	237	108	73	5	3,591
70–74	Screened	26,909	19,787	13,547	2,471	3,438	1,095	257	137	67,641
	Recalled	888	676	639	84	98	62	14	2	2,463
75–79	Screened	16,149	5,107	5,887	913	1,308	285	105	50	29,804
	Recalled	508	186	260	47	47	15	4	2	1,069
80–84	Screened	5,259	649	1,916	199	301	61	33	26	8,444
	Recalled	160	21	81	7	11	3	4	0	287
85+	Screened	1,147	142	429	42	38	8	4	2	1,812
	Recalled	39	5	21	2	2	1	1	0	71
Ages 40+	Screened	243,537	152,803	138,965	58,208	59,055	17,728	9,669	3,160	683,125
	Recalled	8,855	6,102	6,812	2,263	1,427	991	488	67	27,005
Ages 50–69	Screened	156,922	121,204	90,786	47,246	48,166	13,499	7,706	2,353	487,882
	Recalled	5,774	4,917	4,370	1,783	1,120	722	392	43	19,121

Source: BreastScreen Australia.

Table 200: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 2001

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	3.6	3.7	4.9	5.2	2.4	8.3	5.0	1.4	4.2
45–49	4.1	5.3	5.7	4.5	2.6	6.4	4.6	4.0	4.7
50–54	3.7	4.4	5.1	4.0	2.4	6.3	4.5	1.8	4.1
55–59	3.8	3.9	4.8	3.6	2.0	5.1	5.7	1.7	3.9
60–64	3.6	4.0	4.7	3.8	2.5	5.8	4.5	2.1	3.9
65–69	3.5	3.9	4.5	3.7	2.5	3.9	6.0	2.1	3.7
70–74	3.3	3.4	4.7	3.4	2.9	5.7	5.4	1.5	3.6
75–79	3.1	3.6	4.4	5.1	3.6	5.3	3.8	4.0	3.6
80–84	3.0	3.2	4.2	3.5	3.7	4.9	12.1	0.0	3.4
85+	3.4	3.5	4.9	4.8	5.3	12.5	25.0	0.0	3.9
Ages 40+									
Crude rate	3.6	4.0	4.9	3.9	2.4	5.6	5.0	2.1	4.0
ASR(A)	3.7	4.1	4.9	4.0	2.5	5.8	5.1	2.1	4.0
95% CI	3.6–3.8	4.0–4.3	4.8–5.0	3.8–4.2	2.3–2.6	5.4–6.2	4.6–5.7	1.6–2.7	4.0–4.1
Ages 50–69									
Crude rate	3.7	4.1	4.8	3.8	2.3	5.3	5.1	1.8	3.9
ASR(A)	3.7	4.1	4.8	3.8	2.3	5.4	5.1	1.9	3.9
95% CI	3.6–3.8	4.0–4.2	4.7–5.0	3.6–4.0	2.2–2.5	5.0–5.8	4.6–5.6	1.3–2.5	3.9–4.0

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 201: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 2000

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	10,001	1,073	7,364	1,487	1,259	821	295	147	22,447
	Recalled	377	55	365	72	24	41	10	1	945
45–49	Screened	26,798	5,168	17,734	5,160	4,509	2,677	1,377	468	63,891
	Recalled	1,128	285	913	278	107	152	82	10	2,955
50–54	Screened	40,413	31,846	25,899	13,281	11,799	4,246	2,508	864	130,856
	Recalled	1,527	1,406	1,260	627	242	247	149	20	5,478
55–59	Screened	40,605	30,597	23,049	12,040	11,309	3,714	2,088	643	124,045
	Recalled	1,613	1,302	1,141	478	256	195	110	11	5,106
60–64	Screened	35,418	27,742	18,685	10,676	10,327	3,253	1,432	333	107,866
	Recalled	1,372	1,181	956	447	209	175	57	6	4,403
65–69	Screened	30,049	23,610	15,363	8,664	8,584	2,679	968	207	90,124
	Recalled	1,051	904	709	338	191	118	51	4	3,366
70–74	Screened	25,134	20,002	11,781	2,282	3,230	623	242	142	63,436
	Recalled	871	743	501	96	78	28	14	4	2,335
75–79	Screened	13,361	4,869	5,535	819	1,130	222	92	52	26,080
	Recalled	422	199	243	32	28	13	7	0	944
80–84	Screened	3,884	610	1,741	165	241	42	13	20	6,716
	Recalled	121	30	72	8	5	0	1	1	238
85+	Screened	867	104	421	28	38	9	4	2	1,473
	Recalled	32	4	14	0	1	0	1	0	52
Ages 40+	Screened	226,530	145,621	127,572	54,602	52,426	18,286	9,019	2,878	636,934
	Recalled	8,514	6,109	6,174	2,376	1,141	969	482	57	25,822
Ages 50–69	Screened	146,485	113,795	82,996	44,661	42,019	13,892	6,996	2,047	452,891
	Recalled	5,563	4,793	4,066	1,890	898	735	367	41	18,353

Source: BreastScreen Australia.

Table 202: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 2000

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	3.8	5.1	5.0	4.8	1.9	5.0	3.4	0.7	4.2
45–49	4.2	5.5	5.1	5.4	2.4	5.7	6.0	2.1	4.6
50–54	3.8	4.4	4.9	4.7	2.1	5.8	5.9	2.3	4.2
55–59	4.0	4.3	5.0	4.0	2.3	5.3	5.3	1.7	4.1
60–64	3.9	4.3	5.1	4.2	2.0	5.4	4.0	1.8	4.1
65–69	3.5	3.8	4.6	3.9	2.2	4.4	5.3	1.9	3.7
70–74	3.5	3.7	4.3	4.2	2.4	4.5	5.8	2.8	3.7
75–79	3.2	4.1	4.4	3.9	2.5	5.9	7.6	0.0	3.6
80–84	3.1	4.9	4.1	4.8	2.1	0.0	7.7	5.0	3.5
85+	3.7	3.8	3.3	0.0	2.6	0.0	25.0	0.0	3.5
Ages 40+									
Crude rate	3.8	4.2	4.8	4.4	2.2	5.3	5.3	2.0	4.1
ASR(A)	3.8	4.4	4.9	4.4	2.2	5.2	5.3	1.9	4.1
95% CI	3.7–3.9	4.3–4.6	4.7–5.0	4.2–4.6	2.0–2.3	4.9–5.6	4.8–5.9	1.4–2.5	4.0–4.1
Ages 50–69									
Crude rate	3.8	4.2	4.9	4.2	2.1	5.3	5.2	2.0	4.1
ASR(A)	3.8	4.2	4.9	4.2	2.1	5.3	5.2	2.0	4.1
95% CI	3.7–3.9	4.1–4.3	4.7–5.0	4.1–4.4	2.0–2.3	4.9–5.7	4.7–5.8	1.4–2.7	4.0–4.1

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 203: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 1999

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	8,634	1,223	6,369	1,443	990	591	326	162	19,738
	Recalled	314	55	285	75	22	35	15	5	806
45–49	Screened	24,503	5,118	15,837	5,233	4,185	2,244	1,423	423	58,966
	Recalled	1,096	250	807	329	86	139	62	11	2,780
50–54	Screened	39,076	31,735	21,568	11,728	10,767	3,401	2,437	748	121,460
	Recalled	1,578	1,325	986	698	195	203	95	19	5,099
55–59	Screened	38,554	30,263	19,405	10,933	11,747	3,386	2,138	700	117,126
	Recalled	1,463	1,232	862	579	254	175	84	15	4,664
60–64	Screened	34,284	25,672	16,449	9,532	10,519	2,970	1,606	372	101,404
	Recalled	1,341	1,052	694	458	239	152	55	6	3,997
65–69	Screened	30,015	22,412	13,798	7,956	8,882	2,540	1,206	206	87,015
	Recalled	1,083	879	588	337	197	112	40	8	3,244
70–74	Screened	24,278	18,189	10,659	1,881	2,944	513	252	110	58,826
	Recalled	867	671	425	86	74	23	10	3	2,159
75–79	Screened	11,751	3,658	5,602	668	862	188	126	32	22,887
	Recalled	407	129	217	32	32	17	1	0	835
80–84	Screened	3,658	417	1,678	122	171	38	12	18	6,114
	Recalled	114	10	75	5	5	3	1	0	213
85+	Screened	746	92	360	21	18	2	6	0	1,245
	Recalled	20	3	11	0	0	0	0	0	34
Ages 40+	Screened	215,499	138,779	111,725	49,517	51,085	15,873	9,532	2,771	594,781
	Recalled	8,283	5,606	4,950	2,599	1,104	859	363	67	23,831
Ages 50–69	Screened	141,929	110,082	71,220	40,149	41,915	12,297	7,387	2,026	427,005
	Recalled	5,465	4,488	3,130	2,072	885	642	274	48	17,004

Source: BreastScreen Australia.

Table 204: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 1999

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	3.6	4.5	4.5	5.2	2.2	5.9	4.6	3.1	4.1
45–49	4.5	4.9	5.1	6.3	2.1	6.2	4.4	2.6	4.7
50–54	4.0	4.2	4.6	6.0	1.8	6.0	3.9	2.5	4.2
55–59	3.8	4.1	4.4	5.3	2.2	5.2	3.9	2.1	4.0
60–64	3.9	4.1	4.2	4.8	2.3	5.1	3.4	1.6	3.9
65–69	3.6	3.9	4.3	4.2	2.2	4.4	3.3	3.9	3.7
70–74	3.6	3.7	4.0	4.6	2.5	4.5	4.0	2.7	3.7
75–79	3.5	3.5	3.9	4.8	3.7	9.0	0.8	0.0	3.6
80–84	3.1	2.4	4.5	4.1	2.9	7.9	8.3	0.0	3.5
85+	2.7	3.3	3.1	0.0	0.0	0.0	0.0	..	2.7
Ages 40+									
Crude rate	3.8	4.0	4.4	5.2	2.2	5.4	3.8	2.4	4.0
ASR(A)	3.9	4.2	4.4	5.3	2.2	5.5	3.8	2.5	4.0
95% CI	3.8–4.0	4.0–4.3	4.3–4.6	5.0–5.5	2.0–2.3	5.1–5.9	3.4–4.3	1.9–3.2	4.0–4.1
Ages 50–69									
Crude rate	3.9	4.1	4.4	5.2	2.1	5.2	3.7	2.4	4.0
ASR(A)	3.9	4.1	4.4	5.2	2.1	5.3	3.7	2.5	4.0
95% CI	3.8–4.0	4.0–4.2	4.2–4.6	5.0–5.4	1.9–2.2	4.9–5.7	3.3–4.2	1.8–3.4	3.9–4.1

.. Not applicable—no women in this age group were screened in 1999.

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 205: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 1998

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	7,699	1,263	5,618	1,257	899	864	375	127	18,102
	Recalled	297	52	254	79	22	50	7	6	767
45–49	Screened	23,035	5,008	13,769	5,428	4,165	2,552	1,317	285	55,559
	Recalled	933	258	636	325	88	143	32	8	2,423
50–54	Screened	34,929	23,598	16,808	11,839	9,706	3,351	2,176	480	102,887
	Recalled	1,342	1,128	759	630	195	174	64	13	4,305
55–59	Screened	35,656	28,886	14,715	10,467	9,797	3,177	1,767	345	104,810
	Recalled	1,326	1,260	625	467	184	151	67	13	4,093
60–64	Screened	31,304	25,681	12,100	9,150	9,206	2,763	1,234	183	91,621
	Recalled	1,096	1,091	479	413	211	145	29	1	3,465
65–69	Screened	28,674	23,179	10,473	7,644	7,969	2,225	900	120	81,184
	Recalled	1,009	954	426	296	186	95	25	2	2,993
70–74	Screened	22,370	17,818	7,889	1,884	2,854	654	228	71	53,768
	Recalled	715	667	323	73	78	34	13	3	1,906
75–79	Screened	8,551	3,127	3,948	600	769	181	109	30	17,315
	Recalled	243	114	157	31	14	9	1	3	572
80–84	Screened	2,677	468	1,167	133	162	34	21	8	4,670
	Recalled	80	16	43	7	7	0	0	0	153
85+	Screened	577	92	265	18	18	6	3	0	979
	Recalled	12	2	17	1	0	1	0	0	33
Ages 40+	Screened	195,472	129,120	86,752	48,420	45,545	15,807	8,130	1,649	530,895
	Recalled	7,053	5,542	3,719	2,322	985	802	238	49	20,710
Ages 50–69	Screened	130,563	101,344	54,096	39,100	36,678	11,516	6,077	1,128	380,502
	Recalled	4,773	4,433	2,289	1,806	776	565	185	29	14,856

Source: BreastScreen Australia.

Table 206: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 1998

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	3.9	4.1	4.5	6.3	2.4	5.8	1.9	4.7	4.2
45–49	4.1	5.2	4.6	6.0	2.1	5.6	2.4	2.8	4.4
50–54	3.8	4.8	4.5	5.3	2.0	5.2	2.9	2.7	4.2
55–59	3.7	4.4	4.2	4.5	1.9	4.8	3.8	3.8	3.9
60–64	3.5	4.2	4.0	4.5	2.3	5.2	2.4	0.5	3.8
65–69	3.5	4.1	4.1	3.9	2.3	4.3	2.8	1.7	3.7
70–74	3.2	3.7	4.1	3.9	2.7	5.2	5.7	4.2	3.5
75–79	2.8	3.6	4.0	5.2	1.8	5.0	0.9	10.0	3.3
80–84	3.0	3.4	3.7	5.3	4.3	0.0	0.0	0.0	3.3
85+	2.1	2.2	6.4	5.6	0.0	16.7	0.0	..	3.4
Ages 40+									
Crude rate	3.6	4.3	4.3	4.8	2.2	5.1	2.9	3.0	3.9
ASR(A)	3.7	4.4	4.3	4.9	2.2	5.1	3.0	2.9	3.9
95% CI	3.6–3.8	4.2–4.6	4.1–4.4	4.7–5.1	2.0–2.3	4.7–5.5	2.6–3.4	2.1–3.9	3.9–4.0
Ages 50–69									
Crude rate	3.7	4.4	4.2	4.6	2.1	4.9	3.0	2.6	3.9
ASR(A)	3.7	4.4	4.2	4.6	2.1	4.9	3.0	2.3	3.9
95% CI	3.6–3.8	4.3–4.6	4.1–4.4	4.4–4.9	2.0–2.3	4.5–5.3	2.6–3.5	1.5–3.4	3.9–4.0

.. Not applicable—no women in this age group were screened in 1998.

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 207: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 1997

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	7,742	1,248	5,046	1,304	922	705	439	89	17,495
	Recalled	290	63	216	67	20	28	8	1	693
45–49	Screened	19,049	4,373	11,292	4,344	3,416	2,105	1,492	212	46,283
	Recalled	771	230	526	229	73	95	45	9	1,978
50–54	Screened	29,526	22,390	13,960	8,767	8,572	2,790	1,994	410	88,409
	Recalled	1,062	968	646	383	178	113	61	10	3,421
55–59	Screened	30,585	23,863	12,811	8,715	9,661	2,808	1,746	375	90,564
	Recalled	1,002	919	462	336	215	98	46	10	3,088
60–64	Screened	27,114	20,555	10,954	7,366	8,476	2,439	1,321	177	78,402
	Recalled	894	765	424	251	190	76	32	11	2,643
65–69	Screened	25,318	18,937	9,949	6,402	7,736	2,229	1,056	124	71,751
	Recalled	774	650	375	214	172	66	27	4	2,282
70–74	Screened	18,408	13,165	7,050	1,493	1,717	471	279	24	42,607
	Recalled	552	448	258	55	46	20	10	1	1,390
75–79	Screened	7,141	2,514	3,754	473	454	124	98	16	14,574
	Recalled	222	78	156	22	16	6	3	1	504
80–84	Screened	2,192	383	1,076	92	83	27	20	3	3,876
	Recalled	54	14	25	7	5	0	1	0	106
85+	Screened	411	81	214	18	14	1	6	0	745
	Recalled	8	2	4	1	1	0	0	0	16
Ages 40+	Screened	167,486	107,509	76,106	38,974	41,051	13,699	8,451	1,430	454,706
	Recalled	5,629	4,137	3,092	1,565	916	502	233	47	16,121
Ages 50–69	Screened	112,543	85,745	47,674	31,250	34,445	10,266	6,117	1,086	329,126
	Recalled	3,732	3,302	1,907	1,184	755	353	166	35	11,434

Source: BreastScreen Australia.

Table 208: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 1997

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	3.7	5.0	4.3	5.1	2.2	4.0	1.8	1.1	4.0
45–49	4.0	5.3	4.7	5.3	2.1	4.5	3.0	4.2	4.3
50–54	3.6	4.3	4.6	4.4	2.1	4.1	3.1	2.4	3.9
55–59	3.3	3.9	3.6	3.9	2.2	3.5	2.6	2.7	3.4
60–64	3.3	3.7	3.9	3.4	2.2	3.1	2.4	6.2	3.4
65–69	3.1	3.4	3.8	3.3	2.2	3.0	2.6	3.2	3.2
70–74	3.0	3.4	3.7	3.7	2.7	4.2	3.6	4.2	3.3
75–79	3.1	3.1	4.2	4.7	3.5	4.8	3.1	6.3	3.5
80–84	2.5	3.7	2.3	7.6	6.0	0.0	5.0	0.0	2.7
85+	1.9	2.5	1.9	5.6	7.1	0.0	0.0	..	2.1
Ages 40+									
Crude rate	3.4	3.8	4.1	4.0	2.2	3.7	2.8	3.3	3.5
ASR(A)	3.4	4.1	4.1	4.2	2.3	3.7	2.8	3.5	3.6
95% CI	3.3–3.5	3.9–4.3	3.9–4.2	3.9–4.4	2.1–2.5	3.4–4.1	2.4–3.2	2.4–4.9	3.6–3.7
Ages 50–69									
Crude rate	3.3	3.9	4.0	3.8	2.2	3.4	2.7	3.2	3.5
ASR(A)	3.3	3.9	4.0	3.8	2.2	3.5	2.7	3.5	3.5
95% CI	3.2–3.5	3.8–4.0	3.8–4.2	3.6–4.0	2.0–2.3	3.1–3.9	2.3–3.2	2.4–4.9	3.4–3.6

.. Not applicable—no women in this age group were screened in 1997.

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 209: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 1996

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	7,541	915	4,652	787	1,063	988	553	17	16,516
	Recalled	255	44	216	37	18	39	4	2	615
45–49	Screened	16,971	2,932	9,765	3,136	3,867	1,997	1,249	21	39,938
	Recalled	595	109	478	124	69	92	27	0	1,494
50–54	Screened	22,713	17,890	10,185	6,953	6,571	2,238	1,337	28	67,915
	Recalled	745	684	443	255	112	92	21	0	2,352
55–59	Screened	23,058	19,717	9,650	6,991	7,977	2,302	1,098	21	70,814
	Recalled	732	668	393	247	171	78	22	1	2,312
60–64	Screened	19,536	17,289	8,219	6,107	6,942	1,949	800	10	60,852
	Recalled	559	585	307	178	128	59	6	0	1,822
65–69	Screened	18,941	16,084	7,362	5,419	6,437	1,557	630	5	56,435
	Recalled	554	454	238	148	137	45	8	0	1,584
70–74	Screened	12,003	9,527	5,102	1,006	1,171	295	145	2	29,251
	Recalled	356	312	167	23	31	5	6	0	900
75–79	Screened	4,178	1,824	2,446	232	229	49	59	0	9,017
	Recalled	123	55	70	8	9	3	2	0	270
80–84	Screened	1,277	254	741	57	36	10	13	0	2,388
	Recalled	34	4	18	3	0	0	0	0	59
85+	Screened	250	46	158	14	2	1	2	0	473
	Recalled	6	4	4	0	1	0	0	0	15
Ages 40+	Screened	126,468	86,478	58,280	30,702	34,295	11,386	5,886	104	353,599
	Recalled	3,959	2,919	2,334	1,023	676	413	96	3	11,423
Ages 50–69	Screened	84,248	70,980	35,416	25,470	27,927	8,046	3,865	64	256,016
	Recalled	2,590	2,391	1,381	828	548	274	57	1	8,070

Source: BreastScreen Australia.

Table 210: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 1996

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	3.4	4.8	4.6	4.7	1.7	3.9	0.7	11.8	3.7
45–49	3.5	3.7	4.9	4.0	1.8	4.6	2.2	0.0	3.7
50–54	3.3	3.8	4.3	3.7	1.7	4.1	1.6	0.0	3.5
55–59	3.2	3.4	4.1	3.5	2.1	3.4	2.0	4.8	3.3
60–64	2.9	3.4	3.7	2.9	1.8	3.0	0.8	0.0	3.0
65–69	2.9	2.8	3.2	2.7	2.1	2.9	1.3	0.0	2.8
70–74	3.0	3.3	3.3	2.3	2.6	1.7	4.1	0.0	3.1
75–79	2.9	3.0	2.9	3.4	3.9	6.1	3.4	..	3.0
80–84	2.7	1.6	2.4	5.3	0.0	0.0	0.0	..	2.5
85+	2.4	8.7	2.5	0.0	50.0	0.0	0.0	..	3.2
Ages 40+									
Crude rate	3.1	3.4	4.0	3.3	2.0	3.6	1.6	2.9	3.2
ASR(A)	3.1	3.5	4.0	3.4	2.1	3.5	1.7	1.8	3.3
95% CI	3.0–3.2	3.4–3.7	3.8–4.2	3.2–3.7	1.8–2.4	3.1–4.0	1.4–2.2	0.3–5.3	3.2–3.3
Ages 50–69									
Crude rate	3.1	3.4	3.9	3.3	2.0	3.4	1.5	1.6	3.2
ASR(A)	3.1	3.4	3.9	3.3	1.9	3.4	1.4	1.2	3.2
95% CI	3.0–3.2	3.3–3.6	3.7–4.1	3.1–3.5	1.8–2.1	3.0–3.9	1.1–1.9	0.0–6.9	3.1–3.3

.. Not applicable—no women in this age group were screened in 1996.

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 211: Numbers of women screened and women recalled for assessment by age, other reasons only, first screening round, states and territories, 2005

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	5,129	5,705	13,019	3,555	2,391	1,554	6	156	31,515
	Recalled	6	115	313	27	0	0	0	0	461
45–49	Screened	4,226	6,028	7,232	3,387	2,159	1,221	23	216	24,492
	Recalled	4	87	169	18	0	0	0	0	278
50–54	Screened	13,168	12,782	8,352	4,925	3,907	923	721	374	45,152
	Recalled	19	109	110	19	0	0	0	0	257
55–59	Screened	6,475	2,436	3,583	1,212	582	504	222	167	15,181
	Recalled	1	27	43	3	0	0	0	0	74
60–64	Screened	3,644	1,037	2,223	587	323	239	78	75	8,206
	Recalled	4	9	20	1	0	0	0	0	34
65–69	Screened	2,346	705	1,414	382	171	168	55	38	5,279
	Recalled	3	14	12	0	0	0	0	0	29
70–74	Screened	470	291	461	133	58	40	25	9	1,487
	Recalled	0	8	5	0	0	0	0	0	13
75–79	Screened	215	201	308	95	43	35	6	7	910
	Recalled	0	4	2	0	0	0	0	0	6
80–84	Screened	80	104	108	27	25	7	5	1	357
	Recalled	0	0	5	0	0	0	0	0	5
85+	Screened	22	26	32	14	9	1	2	0	106
	Recalled	0	0	0	0	0	0	0	0	0
Ages 40+	Screened	35,775	29,315	36,732	14,317	9,668	4,692	1,143	1,043	132,685
	Recalled	37	373	679	68	0	0	0	0	1,157
Ages 50–69	Screened	25,633	16,960	15,572	7,106	4,983	1,834	1,076	654	73,818
	Recalled	27	159	185	23	0	0	0	0	394

Source: BreastScreen Australia.

Table 212: Age-specific and age-standardised recall to assessment rates, other reasons only, first screening round, states and territories, 2005

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	0.1	2.0	2.4	0.8	0.0	0.0	0.0	0.0	1.5
45–49	0.1	1.4	2.3	0.5	0.0	0.0	0.0	0.0	1.1
50–54	0.1	0.9	1.3	0.4	0.0	0.0	0.0	0.0	0.6
55–59	0.0	1.1	1.2	0.2	0.0	0.0	0.0	0.0	0.5
60–64	0.1	0.9	0.9	0.2	0.0	0.0	0.0	0.0	0.4
65–69	0.1	2.0	0.8	0.0	0.0	0.0	0.0	0.0	0.5
70–74	0.0	2.7	1.1	0.0	0.0	0.0	0.0	0.0	0.9
75–79	0.0	2.0	0.6	0.0	0.0	0.0	0.0	0.0	0.7
80–84	0.0	0.0	4.6	0.0	0.0	0.0	0.0	0.0	1.4
85+	0.0	0.0	0.0	0.0	0.0	0.0	0.0	..	0.0
Ages 40+									
Crude rate	0.1	1.3	1.8	0.5	0.0	0.0	0.0	0.0	0.9
ASR(A)	0.1	1.4	1.4	0.3	0.0	0.0	0.0	0.0	0.7
95% CI	0.1–0.1	1.2–1.7	1.2–1.5	0.2–0.4	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.6–0.8
Ages 50–69									
Crude rate	0.1	0.9	1.2	0.3	0.0	0.0	0.0	0.0	0.5
ASR(A)	0.1	1.1	1.1	0.2	0.0	0.0	0.0	0.0	0.5
95% CI	0.1–0.2	0.9–1.4	0.9–1.3	0.1–0.4	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.4–0.6

.. Not applicable—no women in this age group were screened in 2005.

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 213: Numbers of women screened and women recalled for assessment by age, other reasons only, first screening round, states and territories, 2004

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	8,847	4,506	11,032	2,684	1,692	1,102	5	186	30,054
	Recalled	3	111	288	22	0	0	0	0	424
45–49	Screened	7,426	5,157	6,292	2,802	1,738	869	22	170	24,476
	Recalled	2	91	135	12	0	0	0	0	240
50–54	Screened	10,395	17,027	6,110	5,117	4,189	745	572	293	44,448
	Recalled	5	162	94	11	0	0	1	0	273
55–59	Screened	5,560	2,170	3,077	1,233	521	370	180	133	13,244
	Recalled	3	23	65	3	0	0	0	0	94
60–64	Screened	3,315	1,135	1,945	672	288	209	66	65	7,695
	Recalled	1	4	28	3	0	0	0	0	36
65–69	Screened	2,222	707	1,308	398	158	119	50	20	4,982
	Recalled	1	2	18	0	0	0	0	0	21
70–74	Screened	878	326	617	128	68	41	16	10	2,084
	Recalled	2	3	8	0	0	0	0	0	13
75–79	Screened	498	246	396	97	47	24	7	2	1,317
	Recalled	1	2	5	0	0	0	0	0	8
80–84	Screened	208	111	169	50	22	14	2	1	577
	Recalled	0	2	5	0	0	0	0	0	7
85+	Screened	53	21	51	10	10	2	3	1	151
	Recalled	0	1	2	0	0	0	0	0	3
Ages 40+	Screened	39,402	31,406	30,997	13,191	8,733	3,495	923	881	129,028
	Recalled	18	401	648	51	0	0	1	0	1,119
Ages 50–69	Screened	21,492	21,039	12,440	7,420	5,156	1,443	868	511	70,369
	Recalled	10	191	205	17	0	0	1	0	424

Source: BreastScreen Australia.

Table 214: Age-specific and age-standardised recall to assessment rates, other reasons only, first screening round, states and territories, 2004

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	0.0	2.5	2.6	0.8	0.0	0.0	0.0	0.0	1.4
45–49	0.0	1.8	2.1	0.4	0.0	0.0	0.0	0.0	1.0
50–54	0.0	1.0	1.5	0.2	0.0	0.0	0.2	0.0	0.6
55–59	0.1	1.1	2.1	0.2	0.0	0.0	0.0	0.0	0.7
60–64	0.0	0.4	1.4	0.4	0.0	0.0	0.0	0.0	0.5
65–69	0.0	0.3	1.4	0.0	0.0	0.0	0.0	0.0	0.4
70–74	0.2	0.9	1.3	0.0	0.0	0.0	0.0	0.0	0.6
75–79	0.2	0.8	1.3	0.0	0.0	0.0	0.0	0.0	0.6
80–84	0.0	1.8	3.0	0.0	0.0	0.0	0.0	0.0	1.2
85+	0.0	4.8	3.9	0.0	0.0	0.0	0.0	0.0	2.0
Ages 40+									
Crude rate	0.0	1.3	2.1	0.4	0.0	0.0	0.1	0.0	0.9
ASR(A)	0.1	1.0	1.8	0.3	0.0	0.0	0.0	0.0	0.7
95% CI	0.0–0.1	0.9–1.2	1.6–1.9	0.2–0.4	0.0	0.0	0.0–0.2	0.0	0.6–0.8
Ages 50–69									
Crude rate	0.0	0.9	1.6	0.2	0.0	0.0	0.1	0.0	0.6
ASR(A)	0.0	0.7	1.6	0.2	0.0	0.0	0.1	0.0	0.6
95% CI	0.0–0.1	0.6–0.9	1.4–1.9	0.1–0.4	0.0	0.0	0.0–0.3	0.0	0.5–0.6

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 215: Numbers of women screened and women recalled for assessment by age, other reasons only, first screening round, states and territories, 2003

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	12,121	4,121	10,432	2,616	2,010	898	9	195	32,402
	Recalled	22	103	264	21	0	0	0	0	410
45–49	Screened	9,143	4,712	5,986	2,864	1,930	787	33	198	25,653
	Recalled	13	72	134	16	0	0	0	0	235
50–54	Screened	11,024	12,189	6,181	4,699	3,979	671	502	284	39,529
	Recalled	8	165	85	17	0	0	0	0	275
55–59	Screened	5,905	1,984	3,014	1,110	629	368	148	121	13,279
	Recalled	5	31	37	5	0	0	0	0	78
60–64	Screened	3,635	1,087	2,019	679	294	208	93	44	8,059
	Recalled	4	19	23	0	0	0	0	0	46
65–69	Screened	2,577	752	1,371	395	191	117	47	33	5,483
	Recalled	2	11	12	1	0	0	0	0	26
70–74	Screened	1,307	401	650	153	69	41	22	6	2,649
	Recalled	1	9	5	0	0	0	0	0	15
75–79	Screened	817	261	436	111	69	28	13	9	1,744
	Recalled	0	4	6	0	0	0	0	0	10
80–84	Screened	354	122	146	57	46	12	6	0	743
	Recalled	0	1	1	0	0	0	0	0	2
85+	Screened	99	40	38	13	9	4	2	0	205
	Recalled	0	0	1	1	0	0	0	0	2
Ages 40+	Screened	46,982	25,669	30,273	12,697	9,226	3,134	875	890	129,746
	Recalled	55	415	568	61	0	0	0	0	1,099
Ages 50–69	Screened	23,141	16,012	12,585	6,883	5,093	1,364	790	482	66,350
	Recalled	19	226	157	23	0	0	0	0	425

Source: BreastScreen Australia.

Table 216: Age-specific and age-standardised recall to assessment rates, other reasons only, first screening round, states and territories, 2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	0.2	2.5	2.5	0.8	0.0	0.0	0.0	0.0	1.3
45–49	0.1	1.5	2.2	0.6	0.0	0.0	0.0	0.0	0.9
50–54	0.1	1.4	1.4	0.4	0.0	0.0	0.0	0.0	0.7
55–59	0.1	1.6	1.2	0.5	0.0	0.0	0.0	0.0	0.6
60–64	0.1	1.7	1.1	0.0	0.0	0.0	0.0	0.0	0.6
65–69	0.1	1.5	0.9	0.3	0.0	0.0	0.0	0.0	0.5
70–74	0.1	2.2	0.8	0.0	0.0	0.0	0.0	0.0	0.6
75–79	0.0	1.5	1.4	0.0	0.0	0.0	0.0	0.0	0.6
80–84	0.0	0.8	0.7	0.0	0.0	0.0	0.0	..	0.3
85+	0.0	0.0	2.6	7.7	0.0	0.0	0.0	..	1.0
Ages 40+									
Crude rate	0.1	1.6	1.9	0.5	0.0	0.0	0.0	0.0	0.8
ASR(A)	0.1	1.6	1.4	0.3	0.0	0.0	0.0	0.0	0.7
95% CI	0.1–0.1	1.4–1.9	1.2–1.6	0.2–0.5	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.6–0.7
Ages 50–69									
Crude rate	0.1	1.4	1.2	0.3	0.0	0.0	0.0	0.0	0.6
ASR(A)	0.1	1.5	1.2	0.3	0.0	0.0	0.0	0.0	0.6
95% CI	0.0–0.1	1.2–1.8	1.0–1.4	0.1–0.5	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.5–0.7

.. Not applicable—no women in this age group were screened in 2003.

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 217: Numbers of women screened and women recalled for assessment by age, other reasons only, first screening round, states and territories, 2002

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	13,401	4,759	10,310	2,210	1,904	820	51	192	33,647
	Recalled	24	132	241	29	0	0	0	0	426
45–49	Screened	10,513	5,670	6,232	2,768	2,077	604	68	219	28,151
	Recalled	11	123	148	46	0	0	0	0	328
50–54	Screened	13,393	12,417	6,914	5,557	4,025	639	636	317	43,898
	Recalled	10	196	108	41	0	0	0	0	355
55–59	Screened	6,373	2,847	3,213	1,311	783	298	220	86	15,131
	Recalled	0	53	55	10	0	0	0	0	118
60–64	Screened	4,187	1,949	2,250	850	381	184	116	44	9,961
	Recalled	2	27	19	5	0	0	0	0	53
65–69	Screened	3,028	1,457	1,542	543	229	108	58	26	6,991
	Recalled	3	25	18	3	0	0	0	0	49
70–74	Screened	1,708	839	802	167	113	38	18	16	3,701
	Recalled	3	5	11	1	0	0	0	0	20
75–79	Screened	1,087	492	488	113	114	37	25	8	2,364
	Recalled	0	5	6	1	0	0	0	0	12
80–84	Screened	436	190	155	49	64	11	5	3	913
	Recalled	1	2	4	0	0	0	0	0	7
85+	Screened	118	49	53	17	8	4	0	0	249
	Recalled	1	0	0	0	0	0	0	0	1
Ages 40+	Screened	54,244	30,669	31,959	13,585	9,698	2,743	1,197	911	145,006
	Recalled	55	568	610	136	0	0	0	0	1,369
Ages 50–69	Screened	26,981	18,670	13,919	8,261	5,418	1,229	1,030	473	75,981
	Recalled	15	301	200	59	0	0	0	0	575

Source: BreastScreen Australia.

Table 218: Age-specific and age-standardised recall to assessment rates, other reasons only, first screening round, states and territories, 2002

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	0.2	2.8	2.3	1.3	0.0	0.0	0.0	0.0	1.3
45–49	0.1	2.2	2.4	1.7	0.0	0.0	0.0	0.0	1.2
50–54	0.1	1.6	1.6	0.7	0.0	0.0	0.0	0.0	0.8
55–59	0.0	1.9	1.7	0.8	0.0	0.0	0.0	0.0	0.8
60–64	0.0	1.4	0.8	0.6	0.0	0.0	0.0	0.0	0.5
65–69	0.1	1.7	1.2	0.6	0.0	0.0	0.0	0.0	0.7
70–74	0.2	0.6	1.4	0.6	0.0	0.0	0.0	0.0	0.5
75–79	0.0	1.0	1.2	0.9	0.0	0.0	0.0	0.0	0.5
80–84	0.2	1.1	2.6	0.0	0.0	0.0	0.0	0.0	0.8
85+	0.8	0.0	0.0	0.0	0.0	0.0	0.4
Ages 40+									
Crude rate	0.1	1.9	1.9	1.0	0.0	0.0	0.0	0.0	0.9
ASR(A)	0.1	1.7	1.6	0.8	0.0	0.0	0.0	0.0	0.8
95% CI	0.1–0.1	1.5–1.9	1.4–1.7	0.7–1.1	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.7–0.9
Ages 50–69									
Crude rate	0.1	1.6	1.4	0.7	0.0	0.0	0.0	0.0	0.8
ASR(A)	0.1	1.6	1.4	0.7	0.0	0.0	0.0	0.0	0.7
95% CI	0.0–0.1	1.4–1.9	1.2–1.6	0.5–0.9	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.7–0.8

.. Not applicable—no women in this age group were screened in 2002.

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 219: Numbers of women screened and women recalled for assessment by age, other reasons only, first screening round, states and territories, 2001

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	13,630	4,389	9,819	2,513	2,151	810	561	315	34,188
	Recalled	22	95	282	9	0	0	0	0	408
45–49	Screened	10,813	5,219	6,313	2,952	2,271	658	601	290	29,117
	Recalled	13	94	164	10	0	0	0	0	281
50–54	Screened	13,357	13,039	7,087	4,557	4,284	724	667	369	44,084
	Recalled	11	240	131	10	0	0	0	0	392
55–59	Screened	5,853	4,529	3,342	1,222	848	280	197	135	16,406
	Recalled	3	92	47	1	0	0	0	0	143
60–64	Screened	4,401	3,649	2,330	884	415	208	108	66	12,061
	Recalled	1	52	31	3	0	0	0	0	87
65–69	Screened	3,135	2,972	1,627	574	325	139	71	41	8,884
	Recalled	2	21	19	0	0	0	0	0	42
70–74	Screened	1,915	1,214	943	244	172	61	32	19	4,600
	Recalled	1	12	8	0	0	0	0	0	21
75–79	Screened	1,333	557	596	181	167	72	20	13	2,939
	Recalled	0	5	8	0	0	0	0	0	13
80–84	Screened	561	226	205	65	60	15	8	6	1,146
	Recalled	1	1	3	0	0	0	0	0	5
85+	Screened	144	79	62	26	23	7	3	0	344
	Recalled	0	2	0	0	0	0	0	0	2
Ages 40+	Screened	55,142	35,873	32,324	13,218	10,716	2,974	2,268	1,254	153,769
	Recalled	54	614	693	33	0	0	0	0	1,394
Ages 50–69	Screened	26,746	24,189	14,386	7,237	5,872	1,351	1,043	611	81,435
	Recalled	17	405	228	14	0	0	0	0	664

Source: BreastScreen Australia.

Table 220: Age-specific and age-standardised recall to assessment rates, other reasons only, first screening round, states and territories, 2001

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	0.2	2.2	2.9	0.4	0.0	0.0	0.0	0.0	1.2
45–49	0.1	1.8	2.6	0.3	0.0	0.0	0.0	0.0	1.0
50–54	0.1	1.8	1.8	0.2	0.0	0.0	0.0	0.0	0.9
55–59	0.1	2.0	1.4	0.1	0.0	0.0	0.0	0.0	0.9
60–64	0.0	1.4	1.3	0.3	0.0	0.0	0.0	0.0	0.7
65–69	0.1	0.7	1.2	0.0	0.0	0.0	0.0	0.0	0.5
70–74	0.1	1.0	0.8	0.0	0.0	0.0	0.0	0.0	0.5
75–79	0.0	0.9	1.3	0.0	0.0	0.0	0.0	0.0	0.4
80–84	0.2	0.4	1.5	0.0	0.0	0.0	0.0	0.0	0.4
85+	0.0	2.5	0.0	0.0	0.0	0.0	0.0	..	0.6
Ages 40+									
Crude rate	0.1	1.7	2.1	0.2	0.0	0.0	0.0	0.0	0.9
ASR(A)	0.1	1.6	1.7	0.2	0.0	0.0	0.0	0.0	0.8
95% CI	0.1–0.1	1.4–1.7	1.5–1.8	0.1–0.3	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.7–0.8
Ages 50–69									
Crude rate	0.1	1.7	1.6	0.2	0.0	0.0	0.0	0.0	0.8
ASR(A)	0.1	1.6	1.5	0.2	0.0	0.0	0.0	0.0	0.8
95% CI	0.0–0.1	1.4–1.8	1.3–1.7	0.1–0.3	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.7–0.8

.. Not applicable—no women in this age group were screened in 2001.

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 221: Numbers of women screened and women recalled for assessment by age, other reasons only, first screening round, states and territories, 2000

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	12,616	4,523	9,192	2,253	2,353	752	519	259	32,467
	Recalled	24	93	233	0	0	0	0	0	350
45–49	Screened	10,387	5,539	6,386	2,957	2,525	590	578	263	29,225
	Recalled	16	107	155	0	0	0	0	0	278
50–54	Screened	12,245	12,369	8,430	3,223	5,277	797	653	488	43,482
	Recalled	14	196	112	0	0	0	0	0	322
55–59	Screened	5,226	3,179	4,257	921	1,130	341	196	131	15,381
	Recalled	6	53	57	0	0	0	0	0	116
60–64	Screened	4,019	2,456	3,133	706	647	224	122	61	11,368
	Recalled	6	23	32	0	0	0	0	0	61
65–69	Screened	2,848	1,753	2,411	456	553	156	80	33	8,290
	Recalled	2	18	32	0	0	0	0	0	52
70–74	Screened	1,759	872	1,288	235	247	80	40	20	4,541
	Recalled	1	8	10	0	0	0	0	0	19
75–79	Screened	1,261	622	743	171	244	59	23	8	3,131
	Recalled	0	5	11	0	0	0	0	0	16
80–84	Screened	465	233	234	48	74	17	11	2	1,084
	Recalled	0	1	7	0	0	0	0	0	8
85+	Screened	130	60	78	9	14	10	6	1	308
	Recalled	0	0	2	0	0	0	0	0	2
Ages 40+	Screened	50,956	31,606	36,152	10,979	13,064	3,026	2,228	1,266	149,277
	Recalled	69	504	651	0	0	0	0	0	1,224
Ages 50–69	Screened	24,338	19,757	18,231	5,306	7,607	1,518	1,051	713	78,521
	Recalled	28	290	233	0	0	0	0	0	551

Source: BreastScreen Australia.

Table 222: Age-specific and age-standardised recall to assessment rates, other reasons only, first screening round, states and territories, 2000

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	0.2	2.1	2.5	0.0	0.0	0.0	0.0	0.0	1.1
45–49	0.2	1.9	2.4	0.0	0.0	0.0	0.0	0.0	1.0
50–54	0.1	1.6	1.3	0.0	0.0	0.0	0.0	0.0	0.7
55–59	0.1	1.7	1.3	0.0	0.0	0.0	0.0	0.0	0.8
60–64	0.1	0.9	1.0	0.0	0.0	0.0	0.0	0.0	0.5
65–69	0.1	1.0	1.3	0.0	0.0	0.0	0.0	0.0	0.6
70–74	0.1	0.9	0.8	0.0	0.0	0.0	0.0	0.0	0.4
75–79	0.0	0.8	1.5	0.0	0.0	0.0	0.0	0.0	0.5
80–84	0.0	0.4	3.0	0.0	0.0	0.0	0.0	0.0	0.7
85+	0.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.6
Ages 40+									
Crude rate	0.1	1.6	1.8	0.0	0.0	0.0	0.0	0.0	0.8
ASR(A)	0.1	1.4	1.5	0.0	0.0	0.0	0.0	0.0	0.7
95% CI	0.1–0.2	1.3–1.6	1.4–1.6	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.7–0.8
Ages 50–69									
Crude rate	0.1	1.5	1.3	0.0	0.0	0.0	0.0	0.0	0.7
ASR(A)	0.1	1.4	1.3	0.0	0.0	0.0	0.0	0.0	0.7
95% CI	0.1–0.2	1.2–1.6	1.1–1.4	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.6–0.7

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 223: Numbers of women screened and women recalled for assessment by age, other reasons only, first screening round, states and territories, 1999

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	14,337	4,961	9,536	2,531	2,341	839	590	246	35,381
	Recalled	17	87	254	0	0	0	0	0	358
45–49	Screened	11,893	6,079	7,290	2,879	2,516	687	623	286	32,253
	Recalled	19	115	190	0	0	0	0	0	324
50–54	Screened	13,269	13,531	9,358	2,341	4,759	886	733	443	45,320
	Recalled	12	192	162	0	0	0	0	0	366
55–59	Screened	6,210	2,626	5,253	1,004	1,331	365	227	140	17,156
	Recalled	5	39	61	0	0	0	0	0	105
60–64	Screened	4,766	2,054	3,923	674	861	284	132	90	12,784
	Recalled	5	24	41	0	0	0	0	0	70
65–69	Screened	3,639	1,470	3,349	479	683	195	96	46	9,957
	Recalled	2	6	27	0	0	0	0	0	35
70–74	Screened	2,234	871	1,834	302	264	120	60	28	5,713
	Recalled	0	4	16	0	0	0	0	0	20
75–79	Screened	1,568	689	1,089	204	247	95	32	12	3,936
	Recalled	1	8	9	0	0	0	0	0	18
80–84	Screened	502	229	366	49	85	23	12	5	1,271
	Recalled	0	3	6	0	0	0	0	0	9
85+	Screened	122	73	108	12	22	5	2	0	344
	Recalled	0	1	3	0	0	0	0	0	4
Ages 40+	Screened	58,540	32,583	42,106	10,475	13,109	3,499	2,507	1,296	164,115
	Recalled	61	479	769	0	0	0	0	0	1,309
Ages 50–69	Screened	27,884	19,681	21,883	4,498	7,634	1,730	1,188	719	85,217
	Recalled	24	261	291	0	0	0	0	0	576

Source: BreastScreen Australia.

Table 224: Age-specific and age-standardised recall to assessment rates, other reasons only, first screening round, states and territories, 1999

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	0.1	1.8	2.7	0.0	0.0	0.0	0.0	0.0	1.0
45–49	0.2	1.9	2.6	0.0	0.0	0.0	0.0	0.0	1.0
50–54	0.1	1.4	1.7	0.0	0.0	0.0	0.0	0.0	0.8
55–59	0.1	1.5	1.2	0.0	0.0	0.0	0.0	0.0	0.6
60–64	0.1	1.2	1.0	0.0	0.0	0.0	0.0	0.0	0.5
65–69	0.1	0.4	0.8	0.0	0.0	0.0	0.0	0.0	0.4
70–74	0.0	0.5	0.9	0.0	0.0	0.0	0.0	0.0	0.4
75–79	0.1	1.2	0.8	0.0	0.0	0.0	0.0	0.0	0.5
80–84	0.0	1.3	1.6	0.0	0.0	0.0	0.0	0.0	0.7
85+	0.0	1.4	2.8	0.0	0.0	0.0	0.0	..	1.2
Ages 40+									
Crude rate	0.1	1.5	1.8	0.0	0.0	0.0	0.0	0.0	0.8
ASR(A)	0.1	1.3	1.5	0.0	0.0	0.0	0.0	0.0	0.7
95% CI	0.1–0.1	1.1–1.4	1.4–1.6	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.6–0.7
Ages 50–69									
Crude rate	0.1	1.3	1.3	0.0	0.0	0.0	0.0	0.0	0.7
ASR(A)	0.1	1.2	1.3	0.0	0.0	0.0	0.0	0.0	0.6
95% CI	0.1–0.1	1.0–1.4	1.1–1.4	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.6–0.7

.. Not applicable—no women in this age group were screened in 1999.

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 225: Numbers of women screened and women recalled for assessment by age, other reasons only, first screening round, states and territories, 1998

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	17,689	5,190	11,085	2,602	2,577	1,225	563	298	41,229
	Recalled	15	86	304	0	0	0	6	0	411
45–49	Screened	14,850	6,688	8,992	3,764	3,016	1,060	667	413	39,450
	Recalled	13	119	256	0	0	0	8	0	396
50–54	Screened	16,495	17,362	13,902	3,494	4,710	1,303	747	719	58,732
	Recalled	7	281	191	0	0	0	3	0	482
55–59	Screened	8,033	3,234	8,544	1,599	1,372	584	266	281	23,913
	Recalled	5	54	99	0	0	0	3	0	161
60–64	Screened	6,458	2,497	6,540	1,216	979	384	158	158	18,390
	Recalled	5	19	49	0	0	0	0	0	73
65–69	Screened	5,170	1,973	6,040	921	825	380	123	126	15,558
	Recalled	3	14	52	0	0	0	0	0	69
70–74	Screened	3,434	1,278	2,453	515	474	172	74	43	8,443
	Recalled	2	7	33	0	0	0	0	0	42
75–79	Screened	2,094	1,047	1,290	346	429	140	45	28	5,419
	Recalled	0	6	15	0	0	0	0	0	21
80–84	Screened	626	309	467	105	149	36	9	6	1,707
	Recalled	3	1	7	0	0	0	0	0	11
85+	Screened	142	85	130	18	30	9	3	1	418
	Recalled	0	1	3	0	0	0	0	0	4
Ages 40+	Screened	74,991	39,663	59,443	14,580	14,561	5,293	2,655	2,073	213,259
	Recalled	53	588	1,009	0	0	0	20	0	1,670
Ages 50–69	Screened	36,156	25,066	35,026	7,230	7,886	2,651	1,294	1,284	116,593
	Recalled	20	368	391	0	0	0	6	0	785

Source: BreastScreen Australia.

Table 226: Age-specific and age-standardised recall to assessment rates, other reasons only, first screening round, states and territories, 1998

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	0.1	1.7	2.7	0.0	0.0	0.0	1.1	0.0	1.0
45–49	0.1	1.8	2.8	0.0	0.0	0.0	1.2	0.0	1.0
50–54	0.0	1.6	1.4	0.0	0.0	0.0	0.4	0.0	0.8
55–59	0.1	1.7	1.2	0.0	0.0	0.0	1.1	0.0	0.7
60–64	0.1	0.8	0.7	0.0	0.0	0.0	0.0	0.0	0.4
65–69	0.1	0.7	0.9	0.0	0.0	0.0	0.0	0.0	0.4
70–74	0.1	0.5	1.3	0.0	0.0	0.0	0.0	0.0	0.5
75–79	0.0	0.6	1.2	0.0	0.0	0.0	0.0	0.0	0.4
80–84	0.5	0.3	1.5	0.0	0.0	0.0	0.0	0.0	0.6
85+	0.0	1.2	2.3	0.0	0.0	0.0	0.0	0.0	1.0
Ages 40+									
Crude rate	0.1	1.5	1.7	0.0	0.0	0.0	0.8	0.0	0.8
ASR(A)	0.1	1.3	1.5	0.0	0.0	0.0	0.5	0.0	0.7
95% CI	0.0–0.1	1.1–1.4	1.4–1.6	0.0–0.0	0.0–0.0	0.0–0.0	0.3–0.9	0.0–0.0	0.6–0.7
Ages 50–69									
Crude rate	0.1	1.5	1.1	0.0	0.0	0.0	0.5	0.0	0.7
ASR(A)	0.1	1.3	1.1	0.0	0.0	0.0	0.4	0.0	0.6
95% CI	0.0–0.1	1.1–1.4	1.0–1.2	0.0–0.0	0.0–0.0	0.0–0.0	0.1–1.0	0.0–0.0	0.6–0.7

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 227: Numbers of women screened and women recalled for assessment by age, other reasons only, first screening round, states and territories, 1997

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	14,069	4,654	8,373	2,482	1,677	818	500	372	32,945
	Recalled	20	99	246	0	0	0	8	0	373
45–49	Screened	14,170	6,555	7,793	4,432	2,088	810	598	496	36,942
	Recalled	18	122	220	0	0	0	2	0	362
50–54	Screened	19,895	16,829	10,174	4,967	4,216	961	714	753	58,509
	Recalled	18	250	172	0	0	0	3	0	443
55–59	Screened	11,099	4,612	6,600	2,761	1,679	486	279	414	27,930
	Recalled	10	56	96	0	0	0	2	0	164
60–64	Screened	8,888	3,512	5,149	2,062	1,232	322	152	218	21,535
	Recalled	10	24	65	0	0	0	0	0	99
65–69	Screened	7,995	2,899	4,406	1,638	1,130	263	129	108	18,568
	Recalled	5	22	39	0	0	0	0	0	66
70–74	Screened	4,921	2,147	2,421	837	552	165	102	51	11,196
	Recalled	6	11	26	0	0	0	0	0	43
75–79	Screened	2,678	1,384	1,389	441	353	128	58	16	6,447
	Recalled	2	8	16	0	0	0	0	0	26
80–84	Screened	853	471	409	132	87	26	10	5	1,993
	Recalled	2	5	7	0	0	0	0	0	14
85+	Screened	143	95	99	36	11	5	2	0	391
	Recalled	0	0	1	0	0	0	0	0	1
Ages 40+	Screened	84,711	43,158	46,813	19,788	13,025	3,984	2,544	2,433	216,456
	Recalled	91	597	888	0	0	0	15	0	1,591
Ages 50–69	Screened	47,877	27,852	26,329	11,428	8,257	2,032	1,274	1,493	126,542
	Recalled	43	352	372	0	0	0	5	0	772

Source: BreastScreen Australia.

Table 228: Age-specific and age-standardised recall to assessment rates, other reasons only, first screening round, states and territories, 1997

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	0.1	2.1	2.9	0.0	0.0	0.0	1.6	0.0	1.1
45–49	0.1	1.9	2.8	0.0	0.0	0.0	0.3	0.0	1.0
50–54	0.1	1.5	1.7	0.0	0.0	0.0	0.4	0.0	0.8
55–59	0.1	1.2	1.5	0.0	0.0	0.0	0.7	0.0	0.6
60–64	0.1	0.7	1.3	0.0	0.0	0.0	0.0	0.0	0.5
65–69	0.1	0.8	0.9	0.0	0.0	0.0	0.0	0.0	0.4
70–74	0.1	0.5	1.1	0.0	0.0	0.0	0.0	0.0	0.4
75–79	0.1	0.6	1.2	0.0	0.0	0.0	0.0	0.0	0.4
80–84	0.2	1.1	1.7	0.0	0.0	0.0	0.0	0.0	0.7
85+	0.0	0.0	1.0	0.0	0.0	0.0	0.0	..	0.3
Ages 40+									
Crude rate	0.1	1.4	1.9	0.0	0.0	0.0	0.6	0.0	0.7
ASR(A)	0.1	1.2	1.7	0.0	0.0	0.0	0.4	0.0	0.6
95% CI	0.1–0.1	1.1–1.3	1.5–1.8	0.0–0.0	0.0–0.0	0.0–0.0	0.2–0.7	0.0–0.0	0.6–0.7
Ages 50–69									
Crude rate	0.1	1.3	1.4	0.0	0.0	0.0	0.4	0.0	0.6
ASR(A)	0.1	1.1	1.4	0.0	0.0	0.0	0.3	0.0	0.6
95% CI	0.1–0.1	1.0–1.2	1.2–1.5	0.0–0.0	0.0–0.0	0.0–0.0	0.1–0.8	0.0–0.0	0.5–0.6

.. Not applicable—no women in this age group were screened in 1997.

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 229: Numbers of women screened and women recalled for assessment by age, other reasons only, first screening round, states and territories, 1996

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	11,125	4,621	7,131	2,213	1,596	965	485	320	28,456
	Recalled	15	125	249	0	0	0	8	0	397
45–49	Screened	13,616	7,621	6,748	7,463	2,284	1,015	692	428	39,867
	Recalled	14	171	167	0	0	0	9	0	361
50–54	Screened	20,345	14,879	7,134	5,175	4,060	1,074	988	560	54,215
	Recalled	18	219	139	0	0	0	6	0	382
55–59	Screened	15,774	11,245	4,664	3,525	1,969	721	570	324	38,792
	Recalled	2	106	71	0	0	0	1	0	180
60–64	Screened	13,369	9,619	3,528	2,807	1,501	607	393	180	32,004
	Recalled	6	60	45	0	0	0	0	0	111
65–69	Screened	12,744	9,455	3,047	1,639	1,458	533	274	132	29,282
	Recalled	7	37	52	0	0	0	0	0	96
70–74	Screened	7,680	5,435	1,977	754	728	260	138	50	17,022
	Recalled	1	25	21	0	0	0	0	0	47
75–79	Screened	2,806	1,858	1,036	313	362	134	87	30	6,626
	Recalled	1	11	14	0	0	0	0	0	26
80–84	Screened	882	574	344	95	103	45	19	3	2,065
	Recalled	1	4	9	0	0	0	0	0	14
85+	Screened	188	116	81	22	19	7	4	3	440
	Recalled	0	1	3	0	0	0	0	0	4
Ages 40+	Screened	98,529	65,423	35,690	24,006	14,080	5,361	3,650	2,030	248,769
	Recalled	65	759	770	0	0	0	24	0	1,618
Ages 50–69	Screened	62,232	45,198	18,373	13,146	8,988	2,935	2,225	1,196	154,293
	Recalled	33	422	307	0	0	0	7	0	769

Source: BreastScreen Australia.

Table 230: Age-specific and age-standardised recall to assessment rates, other reasons only, first screening round, states and territories, 1996

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	0.1	2.7	3.5	0.0	0.0	0.0	1.6	0.0	1.4
45–49	0.1	2.2	2.5	0.0	0.0	0.0	1.3	0.0	0.9
50–54	0.1	1.5	1.9	0.0	0.0	0.0	0.6	0.0	0.7
55–59	0.0	0.9	1.5	0.0	0.0	0.0	0.2	0.0	0.5
60–64	0.0	0.6	1.3	0.0	0.0	0.0	0.0	0.0	0.3
65–69	0.1	0.4	1.7	0.0	0.0	0.0	0.0	0.0	0.3
70–74	0.0	0.5	1.1	0.0	0.0	0.0	0.0	0.0	0.3
75–79	0.0	0.6	1.4	0.0	0.0	0.0	0.0	0.0	0.4
80–84	0.1	0.7	2.6	0.0	0.0	0.0	0.0	0.0	0.7
85+	0.0	0.9	3.7	0.0	0.0	0.0	0.0	0.0	0.9
Ages 40+									
Crude rate	0.1	1.2	2.2	0.0	0.0	0.0	0.7	0.0	0.7
ASR(A)	0.1	1.2	1.9	0.0	0.0	0.0	0.5	0.0	0.6
95% CI	0.0–0.1	1.1–1.3	1.7–2.0	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.6–0.6
Ages 50–69									
Crude rate	0.1	0.9	1.7	0.0	0.0	0.0	0.3	0.0	0.5
ASR(A)	0.1	0.9	1.6	0.0	0.0	0.0	0.2	0.0	0.5
95% CI	0.0–0.1	0.8–1.0	1.5–1.8	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.5–0.5

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 231: Numbers of women screened and women recalled for assessment by age, other reasons only, subsequent screening rounds, states and territories, 2005

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	1,956	1,028	8,164	1,570	1,240	618	34	104	14,714
	Recalled	1	16	136	8	0	0	0	0	161
45–49	Screened	7,230	5,099	22,113	5,916	4,351	2,179	711	454	48,053
	Recalled	13	66	342	27	0	0	0	0	448
50–54	Screened	45,700	30,459	30,293	13,599	12,385	3,812	2,189	830	139,267
	Recalled	24	161	325	33	0	0	0	0	543
55–59	Screened	52,693	41,544	33,991	16,860	14,997	4,598	3,171	940	168,794
	Recalled	27	175	299	35	0	0	0	0	536
60–64	Screened	44,369	34,605	26,397	13,371	12,336	3,745	2,316	661	137,800
	Recalled	15	113	236	16	0	0	0	0	380
65–69	Screened	36,834	27,833	20,880	11,019	10,315	3,084	1,710	375	112,050
	Recalled	4	90	145	12	0	0	1	0	252
70–74	Screened	6,429	20,899	15,377	3,052	3,340	2,149	455	45	51,746
	Recalled	3	72	99	4	0	0	0	0	178
75–79	Screened	3,568	5,834	4,773	1,255	1,762	439	141	22	17,794
	Recalled	1	23	41	3	0	0	0	0	68
80–84	Screened	1,135	856	1,010	315	447	110	45	6	3,924
	Recalled	1	6	29	0	0	0	0	0	36
85+	Screened	167	156	250	75	67	13	7	1	736
	Recalled	0	0	10	1	0	0	0	0	11
Ages 40+	Screened	200,081	168,313	163,248	67,032	61,240	20,747	10,779	3,438	694,878
	Recalled	89	722	1,662	139	0	0	1	0	2,613
Ages 50–69	Screened	179,596	134,441	111,561	54,849	50,033	15,239	9,386	2,806	557,911
	Recalled	70	539	1,005	96	0	0	1	0	1,711

Source: BreastScreen Australia.

Table 232: Age-specific and age-standardised recall to assessment rates, other reasons only, subsequent screening rounds, states and territories, 2005

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	0.1	1.6	1.7	0.5	0.0	0.0	0.0	0.0	1.1
45–49	0.2	1.3	1.5	0.5	0.0	0.0	0.0	0.0	0.9
50–54	0.1	0.5	1.1	0.2	0.0	0.0	0.0	0.0	0.4
55–59	0.1	0.4	0.9	0.2	0.0	0.0	0.0	0.0	0.3
60–64	0.0	0.3	0.9	0.1	0.0	0.0	0.0	0.0	0.3
65–69	0.0	0.3	0.7	0.1	0.0	0.0	0.1	0.0	0.2
70–74	0.0	0.3	0.6	0.1	0.0	0.0	0.0	0.0	0.3
75–79	0.0	0.4	0.9	0.2	0.0	0.0	0.0	0.0	0.4
80–84	0.1	0.7	2.9	0.0	0.0	0.0	0.0	0.0	0.9
85+	0.0	0.0	4.0	1.3	0.0	0.0	0.0	0.0	1.5
Ages 40+									
Crude rate	0.0	0.4	1.0	0.2	0.0	0.0	0.0	0.0	0.4
ASR(A)	0.1	0.6	1.1	0.2	0.0	0.0	0.0	0.0	0.5
95% CI	0.0–0.1	0.5–0.7	1.0–1.1	0.2–0.3	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.4–0.5
Ages 50–69									
Crude rate	0.0	0.4	0.9	0.2	0.0	0.0	0.0	0.0	0.3
ASR(A)	0.0	0.4	0.9	0.2	0.0	0.0	0.0	0.0	0.3
95% CI	0.0–0.1	0.4–0.5	0.9–1.0	0.1–0.2	0.0–0.0	0.0–0.0	0.0–0.1	0.0–0.0	0.3–0.3

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 233: Numbers of women screened and women recalled for assessment by age, other reasons only, subsequent screening rounds, states and territories, 2004

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	7,206	967	7,894	1,412	1,199	562	98	113	19,451
	Recalled	8	7	143	8	0	0	0	0	166
45–49	Screened	23,068	4,572	21,165	5,639	4,421	1,993	814	396	62,068
	Recalled	16	65	352	15	0	0	0	0	448
50–54	Screened	41,533	32,648	30,320	14,033	12,876	3,734	2,033	813	137,990
	Recalled	26	204	338	26	0	0	0	0	594
55–59	Screened	47,045	40,233	33,776	16,424	15,495	4,517	2,520	871	160,881
	Recalled	25	170	340	34	0	0	0	0	569
60–64	Screened	38,426	33,184	25,546	12,899	11,748	3,444	1,743	513	127,503
	Recalled	8	127	250	24	0	0	0	0	409
65–69	Screened	32,216	27,459	20,357	10,402	10,028	2,871	1,200	263	104,796
	Recalled	12	71	159	15	0	0	0	0	257
70–74	Screened	21,005	21,673	15,314	2,893	3,232	2,061	320	115	66,613
	Recalled	5	67	111	4	0	0	0	0	187
75–79	Screened	14,382	5,755	4,579	1,185	1,683	330	109	48	28,071
	Recalled	3	24	60	3	0	0	0	0	90
80–84	Screened	5,272	703	913	340	409	87	33	27	7,784
	Recalled	1	3	17	0	0	0	0	0	21
85+	Screened	1,053	120	224	54	57	9	4	5	1,526
	Recalled	0	1	5	0	0	0	0	0	6
Ages 40+	Screened	231,206	167,314	160,088	65,281	61,148	19,608	8,874	3,164	716,683
	Recalled	104	739	1,775	129	0	0	0	0	2,747
Ages 50–69	Screened	159,220	133,524	109,999	53,758	50,147	14,566	7,496	2,460	531,170
	Recalled	71	572	1,087	99	0	0	0	0	1,829

Source: BreastScreen Australia.

Table 234: Age-specific and age-standardised recall to assessment rates, other reasons only, subsequent screening rounds, states and territories, 2004

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	0.1	0.7	1.8	0.6	0.0	0.0	0.0	0.0	0.9
45–49	0.1	1.4	1.7	0.3	0.0	0.0	0.0	0.0	0.7
50–54	0.1	0.6	1.1	0.2	0.0	0.0	0.0	0.0	0.4
55–59	0.1	0.4	1.0	0.2	0.0	0.0	0.0	0.0	0.4
60–64	0.0	0.4	1.0	0.2	0.0	0.0	0.0	0.0	0.3
65–69	0.0	0.3	0.8	0.1	0.0	0.0	0.0	0.0	0.2
70–74	0.0	0.3	0.7	0.1	0.0	0.0	0.0	0.0	0.3
75–79	0.0	0.4	1.3	0.3	0.0	0.0	0.0	0.0	0.3
80–84	0.0	0.4	1.9	0.0	0.0	0.0	0.0	0.0	0.3
85+	0.0	0.8	2.2	0.0	0.0	0.0	0.0	0.0	0.4
Ages 40+									
Crude rate	0.0	0.4	1.1	0.2	0.0	0.0	0.0	0.0	0.4
ASR(A)	0.1	0.6	1.1	0.2	0.0	0.0	0.0	0.0	0.4
95% CI	0.0–0.1	0.5–0.7	1.1–1.2	0.2–0.3	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.4–0.4
Ages 50–69									
Crude rate	0.0	0.4	1.0	0.2	0.0	0.0	0.0	0.0	0.3
ASR(A)	0.0	0.4	1.0	0.2	0.0	0.0	0.0	0.0	0.4
95% CI	0.0–0.1	0.4–0.5	0.9–1.1	0.1–0.2	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.3–0.4

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 235: Numbers of women screened and women recalled for assessment by age, other reasons only, subsequent screening rounds, states and territories, 2003

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	8,382	853	7,747	1,514	1,267	600	271	146	20,780
	Recalled	8	18	140	8	0	0	0	0	174
45–49	Screened	25,936	4,401	20,452	6,044	4,191	1,909	1,084	521	64,538
	Recalled	20	73	357	23	0	0	0	0	473
50–54	Screened	40,877	32,658	29,039	13,767	12,734	3,896	2,273	898	136,142
	Recalled	27	272	350	49	0	0	0	0	698
55–59	Screened	46,620	40,879	30,395	15,674	14,841	4,177	2,481	893	155,960
	Recalled	18	254	276	37	0	0	0	0	585
60–64	Screened	38,549	31,371	23,277	12,394	11,907	3,439	1,807	608	123,352
	Recalled	11	170	199	26	0	0	0	0	406
65–69	Screened	32,597	26,382	19,156	10,096	9,787	3,032	1,298	323	102,671
	Recalled	15	108	137	10	0	0	0	0	270
70–74	Screened	25,344	20,671	14,855	2,621	3,303	1,795	262	169	69,020
	Recalled	8	58	108	2	0	0	0	0	176
75–79	Screened	17,001	5,121	4,308	977	1,533	342	90	65	29,437
	Recalled	6	24	47	1	0	0	0	0	78
80–84	Screened	6,242	660	925	241	344	85	36	31	8,564
	Recalled	2	4	22	0	0	0	0	0	28
85+	Screened	1,403	93	224	33	48	13	3	3	1,820
	Recalled	1	1	4	0	0	0	0	0	6
Ages 40+	Screened	242,951	163,089	150,378	63,361	59,955	19,288	9,605	3,657	712,284
	Recalled	116	982	1,640	156	0	0	0	0	2,894
Ages 50–69	Screened	158,643	131,290	101,867	51,931	49,269	14,544	7,859	2,722	518,125
	Recalled	71	804	962	122	0	0	0	0	1,959

Source: BreastScreen Australia.

Table 236: Age-specific and age-standardised recall to assessment rates, other reasons only, subsequent screening rounds, states and territories, 2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	0.1	2.1	1.8	0.5	0.0	0.0	0.0	0.0	0.8
45–49	0.1	1.7	1.7	0.4	0.0	0.0	0.0	0.0	0.7
50–54	0.1	0.8	1.2	0.4	0.0	0.0	0.0	0.0	0.5
55–59	0.0	0.6	0.9	0.2	0.0	0.0	0.0	0.0	0.4
60–64	0.0	0.5	0.9	0.2	0.0	0.0	0.0	0.0	0.3
65–69	0.0	0.4	0.7	0.1	0.0	0.0	0.0	0.0	0.3
70–74	0.0	0.3	0.7	0.1	0.0	0.0	0.0	0.0	0.3
75–79	0.0	0.5	1.1	0.1	0.0	0.0	0.0	0.0	0.3
80–84	0.0	0.6	2.4	0.0	0.0	0.0	0.0	0.0	0.3
85+	0.1	1.1	1.8	0.0	0.0	0.0	0.0	0.0	0.3
Ages 40+									
Crude rate	0.0	0.6	1.1	0.2	0.0	0.0	0.0	0.0	0.4
ASR(A)	0.1	0.8	1.1	0.3	0.0	0.0	0.0	0.0	0.5
95% CI	0.0–0.1	0.8–0.9	1.1–1.2	0.2–0.3	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.4–0.5
Ages 50–69									
Crude rate	0.0	0.6	0.9	0.2	0.0	0.0	0.0	0.0	0.4
ASR(A)	0.0	0.6	1.0	0.2	0.0	0.0	0.0	0.0	0.4
95% CI	0.0–0.1	0.6–0.7	0.9–1.0	0.2–0.3	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.4–0.4

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 237: Numbers of women screened and women recalled for assessment by age, other reasons only, subsequent screening rounds, states and territories, 2002

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	8,960	970	7,540	1,333	1,262	630	263	130	21,088
	Recalled	7	19	151	11	0	0	0	0	188
45–49	Screened	27,507	4,796	19,988	5,172	4,506	2,326	1,241	496	66,032
	Recalled	16	80	328	37	0	0	0	0	461
50–54	Screened	41,235	32,555	29,303	12,054	13,373	4,050	2,753	924	136,247
	Recalled	21	378	384	59	0	0	0	0	842
55–59	Screened	44,783	36,207	29,332	13,539	13,887	4,366	2,640	803	145,557
	Recalled	21	386	334	53	0	0	0	0	794
60–64	Screened	37,144	30,222	22,646	11,099	11,028	3,366	1,759	432	117,696
	Recalled	17	208	212	29	0	0	1	0	467
65–69	Screened	31,264	25,430	17,842	9,128	9,495	2,812	1,285	235	97,491
	Recalled	15	107	183	26	0	0	0	0	331
70–74	Screened	25,858	20,857	14,150	2,539	3,351	1,523	274	144	68,696
	Recalled	2	84	108	6	0	0	0	0	200
75–79	Screened	16,370	5,236	3,619	974	1,612	295	112	56	28,274
	Recalled	5	23	53	3	0	0	0	0	84
80–84	Screened	5,505	654	801	234	319	72	30	30	7,645
	Recalled	2	5	19	1	0	0	0	0	27
85+	Screened	1,171	102	180	36	38	6	4	5	1,542
	Recalled	0	1	4	1	0	0	0	0	6
Ages 40+	Screened	239,797	157,029	145,401	56,108	58,871	19,446	10,361	3,255	690,268
	Recalled	106	1,291	1,776	226	0	0	1	0	3,400
Ages 50–69	Screened	154,426	124,414	99,123	45,820	47,783	14,594	8,437	2,394	496,991
	Recalled	74	1,079	1,113	167	0	0	1	0	2,434

Source: BreastScreen Australia.

Table 238: Age-specific and age-standardised recall to assessment rates, other reasons only, subsequent screening rounds, states and territories, 2002

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	0.1	2.0	2.0	0.8	0.0	0.0	0.0	0.0	0.9
45–49	0.1	1.7	1.6	0.7	0.0	0.0	0.0	0.0	0.7
50–54	0.1	1.2	1.3	0.5	0.0	0.0	0.0	0.0	0.6
55–59	0.0	1.1	1.1	0.4	0.0	0.0	0.0	0.0	0.5
60–64	0.0	0.7	0.9	0.3	0.0	0.0	0.1	0.0	0.4
65–69	0.0	0.4	1.0	0.3	0.0	0.0	0.0	0.0	0.3
70–74	0.0	0.4	0.8	0.2	0.0	0.0	0.0	0.0	0.3
75–79	0.0	0.4	1.5	0.3	0.0	0.0	0.0	0.0	0.3
80–84	0.0	0.8	2.4	0.4	0.0	0.0	0.0	0.0	0.4
85+	0.0	1.0	2.2	2.8	0.0	0.0	0.0	0.0	0.4
Ages 40+									
Crude rate	0.0	0.8	1.2	0.4	0.0	0.0	0.0	0.0	0.5
ASR(A)	0.0	1.0	1.3	0.4	0.0	0.0	0.0	0.0	0.5
95% CI	0.0–0.1	0.9–1.1	1.2–1.3	0.4–0.5	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.5–0.5
Ages 50–69									
Crude rate	0.0	0.9	1.1	0.4	0.0	0.0	0.0	0.0	0.5
ASR(A)	0.0	0.9	1.1	0.4	0.0	0.0	0.0	0.0	0.5
95% CI	0.0–0.1	0.8–0.9	1.1–1.2	0.3–0.4	0.0–0.0	0.0–0.0	0.0–0.1	0.0–0.0	0.5–0.5

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 239: Numbers of women screened and women recalled for assessment by age, other reasons only, subsequent screening rounds, states and territories, 2001

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	9,573	1,041	7,415	1,576	1,306	578	318	140	21,947
	Recalled	12	29	143	7	0	0	0	0	191
45–49	Screened	27,578	4,873	18,985	5,761	4,498	2,202	1,246	452	65,595
	Recalled	18	89	356	13	0	0	0	0	476
50–54	Screened	42,488	33,226	27,539	13,292	12,813	3,750	2,538	848	136,494
	Recalled	17	422	433	12	0	0	0	0	884
55–59	Screened	43,839	35,824	25,510	13,298	13,710	3,716	2,249	780	138,926
	Recalled	17	363	347	7	0	0	0	0	734
60–64	Screened	38,081	28,688	20,747	11,418	12,008	3,279	1,695	483	116,399
	Recalled	13	184	243	11	0	0	0	0	451
65–69	Screened	32,514	23,466	16,990	9,238	9,635	2,754	1,224	242	96,063
	Recalled	8	103	166	2	0	0	0	0	279
70–74	Screened	26,909	19,787	13,547	2,471	3,438	1,095	257	137	67,641
	Recalled	9	74	96	0	0	0	0	0	179
75–79	Screened	16,149	5,107	5,887	913	1,308	285	105	50	29,804
	Recalled	2	22	60	1	0	0	0	0	85
80–84	Screened	5,259	649	1,916	199	301	61	33	26	8,444
	Recalled	1	2	21	0	0	0	0	0	24
85+	Screened	1,147	142	429	42	38	8	4	2	1,812
	Recalled	0	4	7	0	0	0	0	0	11
Ages 40+	Screened	243,537	152,803	138,965	58,208	59,055	17,728	9,669	3,160	683,125
	Recalled	97	1,292	1,872	53	0	0	0	0	3,314
Ages 50–69	Screened	156,922	121,204	90,786	47,246	48,166	13,499	7,706	2,353	487,882
	Recalled	55	1,072	1,189	32	0	0	0	0	2,348

Source: BreastScreen Australia.

Table 240: Age-specific and age-standardised recall to assessment rates, other reasons only, subsequent screening rounds, states and territories, 2001

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	0.1	2.8	1.9	0.4	0.0	0.0	0.0	0.0	0.9
45–49	0.1	1.8	1.9	0.2	0.0	0.0	0.0	0.0	0.7
50–54	0.0	1.3	1.6	0.1	0.0	0.0	0.0	0.0	0.6
55–59	0.0	1.0	1.4	0.1	0.0	0.0	0.0	0.0	0.5
60–64	0.0	0.6	1.2	0.1	0.0	0.0	0.0	0.0	0.4
65–69	0.0	0.4	1.0	0.0	0.0	0.0	0.0	0.0	0.3
70–74	0.0	0.4	0.7	0.0	0.0	0.0	0.0	0.0	0.3
75–79	0.0	0.4	1.0	0.1	0.0	0.0	0.0	0.0	0.3
80–84	0.0	0.3	1.1	0.0	0.0	0.0	0.0	0.0	0.3
85+	0.0	2.8	1.6	0.0	0.0	0.0	0.0	0.0	0.6
Ages 40+									
Crude rate	0.0	0.8	1.3	0.1	0.0	0.0	0.0	0.0	0.5
ASR(A)	0.0	1.1	1.4	0.1	0.0	0.0	0.0	0.0	0.5
95% CI	0.0–0.1	1.0–1.2	1.3–1.4	0.1–0.2	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.5–0.5
Ages 50–69									
Crude rate	0.0	0.9	1.3	0.1	0.0	0.0	0.0	0.0	0.5
ASR(A)	0.0	0.9	1.3	0.1	0.0	0.0	0.0	0.0	0.5
95% CI	0.0–0.0	0.8–1.0	1.2–1.4	0.0–0.1	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.5–0.5

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 241: Numbers of women screened and women recalled for assessment by age, other reasons only, subsequent screening rounds, states and territories, 2000

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	10,001	1,073	7,364	1,487	1,259	821	295	147	22,447
	Recalled	12	18	132	0	0	0	0	0	162
45–49	Screened	26,798	5,168	17,734	5,160	4,509	2,677	1,377	468	63,891
	Recalled	26	70	346	0	0	0	0	0	442
50–54	Screened	40,413	31,846	25,899	13,281	11,799	4,246	2,508	864	130,856
	Recalled	23	363	361	0	0	0	0	0	747
55–59	Screened	40,605	30,597	23,049	12,040	11,309	3,714	2,088	643	124,045
	Recalled	22	291	264	0	0	0	0	0	577
60–64	Screened	35,418	27,742	18,685	10,676	10,327	3,253	1,432	333	107,866
	Recalled	14	181	193	0	0	0	0	0	388
65–69	Screened	30,049	23,610	15,363	8,664	8,584	2,679	968	207	90,124
	Recalled	7	108	145	0	0	0	0	0	260
70–74	Screened	25,134	20,002	11,781	2,282	3,230	623	242	142	63,436
	Recalled	11	52	88	0	0	0	0	0	151
75–79	Screened	13,361	4,869	5,535	819	1,130	222	92	52	26,080
	Recalled	5	20	46	0	0	0	0	0	71
80–84	Screened	3,884	610	1,741	165	241	42	13	20	6,716
	Recalled	2	9	21	0	0	0	0	0	32
85+	Screened	867	104	421	28	38	9	4	2	1,473
	Recalled	0	0	3	0	0	0	0	0	3
Ages 40+	Screened	226,530	145,621	127,572	54,602	52,426	18,286	9,019	2,878	636,934
	Recalled	122	1,112	1,599	0	0	0	0	0	2,833
Ages 50–69	Screened	146,485	113,795	82,996	44,661	42,019	13,892	6,996	2,047	452,891
	Recalled	66	943	963	0	0	0	0	0	1,972

Source: BreastScreen Australia.

Table 242: Age-specific and age-standardised recall to assessment rates, other reasons only, subsequent screening rounds, states and territories, 2000

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	0.1	1.7	1.8	0.0	0.0	0.0	0.0	0.0	0.7
45–49	0.1	1.4	2.0	0.0	0.0	0.0	0.0	0.0	0.7
50–54	0.1	1.1	1.4	0.0	0.0	0.0	0.0	0.0	0.6
55–59	0.1	1.0	1.1	0.0	0.0	0.0	0.0	0.0	0.5
60–64	0.0	0.7	1.0	0.0	0.0	0.0	0.0	0.0	0.4
65–69	0.0	0.5	0.9	0.0	0.0	0.0	0.0	0.0	0.3
70–74	0.0	0.3	0.7	0.0	0.0	0.0	0.0	0.0	0.2
75–79	0.0	0.4	0.8	0.0	0.0	0.0	0.0	0.0	0.3
80–84	0.1	1.5	1.2	0.0	0.0	0.0	0.0	0.0	0.5
85+	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.2
Ages 40+									
Crude rate	0.1	0.8	1.3	0.0	0.0	0.0	0.0	0.0	0.4
ASR(A)	0.1	0.9	1.3	0.0	0.0	0.0	0.0	0.0	0.5
95% CI	0.0–0.1	0.8–1.0	1.2–1.3	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.5–0.5
Ages 50–69									
Crude rate	0.0	0.8	1.2	0.0	0.0	0.0	0.0	0.0	0.4
ASR(A)	0.0	0.9	1.2	0.0	0.0	0.0	0.0	0.0	0.4
95% CI	0.0–0.1	0.8–0.9	1.1–1.2	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.4–0.5

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 243: Numbers of women screened and women recalled for assessment by age, other reasons only, subsequent screening rounds, states and territories, 1999

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	8,634	1,223	6,369	1,443	990	591	326	162	19,738
	Recalled	7	18	126	0	0	0	0	0	151
45–49	Screened	24,503	5,118	15,837	5,233	4,185	2,244	1,423	423	58,966
	Recalled	22	81	345	0	0	0	0	0	448
50–54	Screened	39,076	31,735	21,568	11,728	10,767	3,401	2,437	748	121,460
	Recalled	21	365	328	0	0	0	0	0	714
55–59	Screened	38,554	30,263	19,405	10,933	11,747	3,386	2,138	700	117,126
	Recalled	21	273	240	0	0	0	0	0	534
60–64	Screened	34,284	25,672	16,449	9,532	10,519	2,970	1,606	372	101,404
	Recalled	12	141	185	0	0	0	0	0	338
65–69	Screened	30,015	22,412	13,798	7,956	8,882	2,540	1,206	206	87,015
	Recalled	9	85	136	0	0	0	0	0	230
70–74	Screened	24,278	18,189	10,659	1,881	2,944	513	252	110	58,826
	Recalled	7	47	63	0	0	0	0	0	117
75–79	Screened	11,751	3,658	5,602	668	862	188	126	32	22,887
	Recalled	5	19	47	0	0	0	0	0	71
80–84	Screened	3,658	417	1,678	122	171	38	12	18	6,114
	Recalled	3	2	19	0	0	0	0	0	24
85+	Screened	746	92	360	21	18	2	6	0	1,245
	Recalled	1	1	2	0	0	0	0	0	4
Ages 40+	Screened	215,499	138,779	111,725	49,517	51,085	15,873	9,532	2,771	594,781
	Recalled	108	1,032	1,491	0	0	0	0	0	2,631
Ages 50–69	Screened	141,929	110,082	71,220	40,149	41,915	12,297	7,387	2,026	427,005
	Recalled	63	864	889	0	0	0	0	0	1,816

Source: BreastScreen Australia.

Table 244: Age-specific and age-standardised recall to assessment rates, other reasons only, subsequent screening rounds, states and territories, 1999

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	0.1	1.5	2.0	0.0	0.0	0.0	0.0	0.0	0.8
45–49	0.1	1.6	2.2	0.0	0.0	0.0	0.0	0.0	0.8
50–54	0.1	1.2	1.5	0.0	0.0	0.0	0.0	0.0	0.6
55–59	0.1	0.9	1.2	0.0	0.0	0.0	0.0	0.0	0.5
60–64	0.0	0.5	1.1	0.0	0.0	0.0	0.0	0.0	0.3
65–69	0.0	0.4	1.0	0.0	0.0	0.0	0.0	0.0	0.3
70–74	0.0	0.3	0.6	0.0	0.0	0.0	0.0	0.0	0.2
75–79	0.0	0.5	0.8	0.0	0.0	0.0	0.0	0.0	0.3
80–84	0.1	0.5	1.1	0.0	0.0	0.0	0.0	0.0	0.4
85+	0.1	1.1	0.6	0.0	0.0	0.0	0.0	..	0.3
Ages 40+									
Crude rate	0.1	0.7	1.3	0.0	0.0	0.0	0.0	0.0	0.4
ASR(A)	0.1	0.9	1.4	0.0	0.0	0.0	0.0	0.0	0.5
95% CI	0.0–0.1	0.8–1.0	1.3–1.4	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.5–0.5
Ages 50–69									
Crude rate	0.0	0.8	1.2	0.0	0.0	0.0	0.0	0.0	0.4
ASR(A)	0.0	0.8	1.3	0.0	0.0	0.0	0.0	0.0	0.4
95% CI	0.0–0.1	0.8–0.9	1.2–1.3	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.0	0.4–0.5

.. Not applicable—no women in this age group were screened in 1999.

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 245: Numbers of women screened and women recalled for assessment by age, other reasons only, subsequent screening rounds, states and territories, 1998

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	7,699	1,263	5,618	1,257	899	864	375	127	18,102
	Recalled	3	25	125	0	0	0	1	0	154
45–49	Screened	23,035	5,008	13,769	5,428	4,165	2,552	1,317	285	55,559
	Recalled	10	74	301	0	0	0	3	0	388
50–54	Screened	34,929	23,598	16,808	11,839	9,706	3,351	2,176	480	102,887
	Recalled	13	295	274	0	0	0	5	0	587
55–59	Screened	35,656	28,886	14,715	10,467	9,797	3,177	1,767	345	104,810
	Recalled	12	227	196	0	0	0	3	0	438
60–64	Screened	31,304	25,681	12,100	9,150	9,206	2,763	1,234	183	91,621
	Recalled	9	111	166	0	0	0	0	0	286
65–69	Screened	28,674	23,179	10,473	7,644	7,969	2,225	900	120	81,184
	Recalled	8	76	107	0	0	0	1	0	192
70–74	Screened	22,370	17,818	7,889	1,884	2,854	654	228	71	53,768
	Recalled	1	39	78	0	0	0	1	0	119
75–79	Screened	8,551	3,127	3,948	600	769	181	109	30	17,315
	Recalled	0	7	36	0	0	0	0	0	43
80–84	Screened	2,677	468	1,167	133	162	34	21	8	4,670
	Recalled	0	6	9	0	0	0	0	0	15
85+	Screened	577	92	265	18	18	6	3	0	979
	Recalled	0	4	0	0	0	0	0	0	4
Ages 40+	Screened	195,472	129,120	86,752	48,420	45,545	15,807	8,130	1,649	530,895
	Recalled	56	864	1,292	0	0	0	14	0	2,226
Ages 50–69	Screened	130,563	101,344	54,096	39,100	36,678	11,516	6,077	1,128	380,502
	Recalled	42	709	743	0	0	0	9	0	1,503

Source: BreastScreen Australia.

Table 246: Age-specific and age-standardised recall to assessment rates, other reasons only, subsequent screening rounds, states and territories, 1998

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	0.0	2.0	2.2	0.0	0.0	0.0	0.3	0.0	0.9
45–49	0.0	1.5	2.2	0.0	0.0	0.0	0.2	0.0	0.7
50–54	0.0	1.3	1.6	0.0	0.0	0.0	0.2	0.0	0.6
55–59	0.0	0.8	1.3	0.0	0.0	0.0	0.2	0.0	0.4
60–64	0.0	0.4	1.4	0.0	0.0	0.0	0.0	0.0	0.3
65–69	0.0	0.3	1.0	0.0	0.0	0.0	0.1	0.0	0.2
70–74	0.0	0.2	1.0	0.0	0.0	0.0	0.4	0.0	0.2
75–79	0.0	0.2	0.9	0.0	0.0	0.0	0.0	0.0	0.2
80–84	0.0	1.3	0.8	0.0	0.0	0.0	0.0	0.0	0.3
85+	0.0	4.3	0.0	0.0	0.0	0.0	0.0	..	0.4
Ages 40+									
Crude rate	0.0	0.7	1.5	0.0	0.0	0.0	0.2	0.0	0.4
ASR(A)	0.0	0.9	1.5	0.0	0.0	0.0	0.2	0.0	0.5
95% CI	0.0–0.0	0.8–1.0	1.4–1.6	0.0–0.0	0.0–0.0	0.0–0.0	0.1–0.3	0.0–0.0	0.4–0.5
Ages 50–69									
Crude rate	0.0	0.7	1.4	0.0	0.0	0.0	0.1	0.0	0.4
ASR(A)	0.0	0.8	1.4	0.0	0.0	0.0	0.1	0.0	0.4
95% CI	0.0–0.0	0.7–0.8	1.3–1.5	0.0–0.0	0.0–0.0	0.0–0.0	0.1–0.3	0.0–0.0	0.4–0.4

.. Not applicable—no women in this age group were screened in 1998.

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 247: Numbers of women screened and women recalled for assessment by age, other reasons only, subsequent screening rounds, states and territories, 1997

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	7,742	1,248	5,046	1,304	922	705	439	89	17,495
	Recalled	6	17	129	0	0	0	4	0	156
45–49	Screened	19,049	4,373	11,292	4,344	3,416	2,105	1,492	212	46,283
	Recalled	7	71	264	0	0	1	9	0	352
50–54	Screened	29,526	22,390	13,960	8,767	8,572	2,790	1,994	410	88,409
	Recalled	11	251	262	0	0	0	3	0	527
55–59	Screened	30,585	23,863	12,811	8,715	9,661	2,808	1,746	375	90,564
	Recalled	5	181	203	0	0	1	0	0	390
60–64	Screened	27,114	20,555	10,954	7,366	8,476	2,439	1,321	177	78,402
	Recalled	4	97	134	0	0	0	0	0	235
65–69	Screened	25,318	18,937	9,949	6,402	7,736	2,229	1,056	124	71,751
	Recalled	8	57	107	0	0	0	3	0	175
70–74	Screened	18,408	13,165	7,050	1,493	1,717	471	279	24	42,607
	Recalled	2	33	79	0	0	0	0	0	114
75–79	Screened	7,141	2,514	3,754	473	454	124	98	16	14,574
	Recalled	2	10	38	0	0	0	0	0	50
80–84	Screened	2,192	383	1,076	92	83	27	20	3	3,876
	Recalled	0	6	11	0	0	0	0	0	17
85+	Screened	411	81	214	18	14	1	6	0	745
	Recalled	0	1	6	0	0	0	0	0	7
Ages 40+	Screened	167,486	107,509	76,106	38,974	41,051	13,699	8,451	1,430	454,706
	Recalled	45	724	1,233	0	0	2	19	0	2,023
Ages 50–69	Screened	112,543	85,745	47,674	31,250	34,445	10,266	6,117	1,086	329,126
	Recalled	28	586	706	0	0	1	6	0	1,327

Source: BreastScreen Australia.

Table 248: Age-specific and age-standardised recall to assessment rates, other reasons only, subsequent screening rounds, states and territories, 1997

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	0.1	1.4	2.6	0.0	0.0	0.0	0.9	0.0	0.9
45–49	0.0	1.6	2.3	0.0	0.0	0.0	0.6	0.0	0.8
50–54	0.0	1.1	1.9	0.0	0.0	0.0	0.2	0.0	0.6
55–59	0.0	0.8	1.6	0.0	0.0	0.0	0.0	0.0	0.4
60–64	0.0	0.5	1.2	0.0	0.0	0.0	0.0	0.0	0.3
65–69	0.0	0.3	1.1	0.0	0.0	0.0	0.3	0.0	0.2
70–74	0.0	0.3	1.1	0.0	0.0	0.0	0.0	0.0	0.3
75–79	0.0	0.4	1.0	0.0	0.0	0.0	0.0	0.0	0.3
80–84	0.0	1.6	1.0	0.0	0.0	0.0	0.0	0.0	0.4
85+	0.0	1.2	2.8	0.0	0.0	0.0	0.0	..	0.9
Ages 40+									
Crude rate	0.0	0.7	1.6	0.0	0.0	0.0	0.2	0.0	0.4
ASR(A)	0.0	0.8	1.6	0.0	0.0	0.0	0.2	0.0	0.5
95% CI	0.0–0.0	0.8–0.9	1.6–1.7	0.0–0.0	0.0–0.0	0.0–0.0	0.1–0.3	0.0–0.0	0.5–0.5
Ages 50–69									
Crude rate	0.0	0.7	1.5	0.0	0.0	0.0	0.1	0.0	0.4
ASR(A)	0.0	0.7	1.5	0.0	0.0	0.0	0.1	0.0	0.4
95% CI	0.0–0.0	0.7–0.8	1.4–1.6	0.0–0.0	0.0–0.0	0.0–0.1	0.0–0.2	0.0–0.0	0.4–0.4

.. Not applicable—no women in this age group were screened in 1997.

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 249: Numbers of women screened and women recalled for assessment by age, other reasons only, subsequent screening rounds, states and territories, 1996

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	7,541	915	4,652	787	1,063	988	553	17	16,516
	Recalled	7	19	140	0	0	0	3	0	169
45–49	Screened	16,971	2,932	9,765	3,136	3,867	1,997	1,249	21	39,938
	Recalled	12	54	260	0	0	0	10	0	336
50–54	Screened	22,713	17,890	10,185	6,953	6,571	2,238	1,337	28	67,915
	Recalled	21	206	223	0	0	0	2	0	452
55–59	Screened	23,058	19,717	9,650	6,991	7,977	2,302	1,098	21	70,814
	Recalled	24	158	172	0	0	0	1	0	355
60–64	Screened	19,536	17,289	8,219	6,107	6,942	1,949	800	10	60,852
	Recalled	12	85	132	0	0	0	0	0	229
65–69	Screened	18,941	16,084	7,362	5,419	6,437	1,557	630	5	56,435
	Recalled	12	82	91	0	0	0	0	0	185
70–74	Screened	12,003	9,527	5,102	1,006	1,171	295	145	2	29,251
	Recalled	4	34	66	0	0	0	0	0	104
75–79	Screened	4,178	1,824	2,446	232	229	49	59	0	9,017
	Recalled	0	13	26	0	0	0	0	0	39
80–84	Screened	1,277	254	741	57	36	10	13	0	2,388
	Recalled	0	5	6	0	0	0	0	0	11
85+	Screened	250	46	158	14	2	1	2	0	473
	Recalled	0	2	2	0	0	0	0	0	4
Ages 40+	Screened	126,468	86,478	58,280	30,702	34,295	11,386	5,886	104	353,599
	Recalled	92	658	1,118	0	0	0	16	0	1,884
Ages 50–69	Screened	84,248	70,980	35,416	25,470	27,927	8,046	3,865	64	256,016
	Recalled	69	531	618	0	0	0	3	0	1,221

Source: BreastScreen Australia.

Table 250: Age-specific and age-standardised recall to assessment rates, other reasons only, subsequent screening rounds, states and territories, 1996

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	0.1	2.1	3.0	0.0	0.0	0.0	0.5	0.0	1.0
45–49	0.1	1.8	2.7	0.0	0.0	0.0	0.8	0.0	0.8
50–54	0.1	1.2	2.2	0.0	0.0	0.0	0.1	0.0	0.7
55–59	0.1	0.8	1.8	0.0	0.0	0.0	0.1	0.0	0.5
60–64	0.1	0.5	1.6	0.0	0.0	0.0	0.0	0.0	0.4
65–69	0.1	0.5	1.2	0.0	0.0	0.0	0.0	0.0	0.3
70–74	0.0	0.4	1.3	0.0	0.0	0.0	0.0	0.0	0.4
75–79	0.0	0.7	1.1	0.0	0.0	0.0	0.0	..	0.4
80–84	0.0	2.0	0.8	0.0	0.0	0.0	0.0	..	0.5
85+	0.0	4.3	1.3	0.0	0.0	0.0	0.0	..	0.8
Ages 40+									
Crude rate	0.1	0.8	1.9	0.0	0.0	0.0	0.3	0.0	0.5
ASR(A)	0.1	1.0	1.9	0.0	0.0	0.0	0.2	0.0	0.6
95% CI	0.1–0.1	0.9–1.1	1.8–2.0	0.0–0.0	0.0–0.0	0.0–0.0	0.1–0.3	0.0–0.0	0.5–0.6
Ages 50–69									
Crude rate	0.1	0.7	1.7	0.0	0.0	0.0	0.1	0.0	0.5
ASR(A)	0.1	0.8	1.8	0.0	0.0	0.0	0.1	0.0	0.5
95% CI	0.1–0.1	0.7–0.9	1.6–1.9	0.0–0.0	0.0–0.0	0.0–0.0	0.0–0.2	0.0–0.0	0.5–0.5

.. Not applicable—no women in this age group were screened in 1996.

Note: Rates are the number of women recalled for assessment as the percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Indicator 6: Rescreen rate

Table 251: Number of women screened during 2003 and number of those women who returned for screening within 27 months by age, first screening round, states and territories

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	12,086	4,094	10,400	2,611	2,001	896	11	188	32,287
	Returned	1,576	724	7,069	1,384	1,175	404	9	101	12,442
45–49	Screened	9,103	4,663	5,944	2,847	1,918	784	27	195	25,481
	Returned	2,789	1,794	3,884	1,508	1,158	613	23	109	11,878
50–54	Screened	10,952	12,016	6,133	4,655	3,947	665	473	279	39,120
	Returned	6,200	7,932	4,080	2,672	2,565	519	378	150	24,496
55–59	Screened	5,860	1,938	2,969	1,100	619	364	165	111	13,126
	Returned	3,106	1,139	2,012	626	368	310	120	46	7,727
60–64	Screened	3,609	1,045	1,991	667	289	204	85	42	7,932
	Returned	1,943	650	1,443	412	167	172	64	16	4,867
65–69	Screened	2,547	728	1,350	386	186	117	54	30	5,398
	Returned	1,052	420	1,011	180	85	100	29	10	2,887
70–74	Screened	1,283	382	637	153	66	41	23	5	2,590
	Returned	160	194	375	31	11	45	12	1	829
75–79	Screened	806	244	425	105	67	27	13	9	1,696
	Returned	103	31	67	21	15	9	2	1	249
80–84	Screened	342	117	144	52	45	11	6	0	717
	Returned	31	7	17	8	4	1	0	0	68
85+	Screened	97	37	37	13	9	3	2	0	198
	Returned	9	3	8	1	3	2	0	0	26
Ages 40+	Screened	46,685	25,264	30,030	12,589	9,147	3,112	859	859	128,545
	Returned	16,969	12,894	19,966	6,843	5,551	2,175	637	434	65,469
Ages 50–67	Screened	22,074	15,496	11,970	6,657	4,982	1,317	762	452	63,710
	Returned	12,162	10,002	8,195	3,849	3,170	902	586	219	39,085

Source: BreastScreen Australia.

Table 252: Age-specific and age-standardised rescreen rates for women screened during 2003, first screening round, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	13.0	17.7	68.0	53.0	58.7	45.1	81.8	53.7	38.5
45–49	30.6	38.5	65.3	53.0	60.4	78.2	85.2	55.9	46.6
50–54	56.6	66.0	66.5	57.4	65.0	78.0	79.9	53.8	62.6
55–59	53.0	58.8	67.8	56.9	59.5	85.2	72.7	41.4	58.9
60–64	53.8	62.2	72.5	61.8	57.8	84.3	75.3	38.1	61.4
65–69	41.3	57.7	74.9	46.6	45.7	85.5	53.7	33.3	53.5
70–74	12.5	50.8	58.9	20.3	16.7	109.8	52.2	20.0	32.0
75–79	12.8	12.7	15.8	20.0	22.4	33.3	15.4	11.1	14.7
80–84	9.1	6.0	11.8	15.4	8.9	9.1	0.0	..	9.5
85+	9.3	8.1	21.6	7.7	33.3	66.7	0.0	..	13.1
Ages 40+									
Crude rate	36.3	51.0	66.5	54.4	60.7	69.9	74.2	50.5	50.9
ASR(A)	41.3	52.2	65.9	50.9	53.5	79.2	70.3	42.2	52.1
95% CI	40.6–42.0	50.8–53.6	64.7–67.2	49.2–52.7	51.1–55.9	74.6–84.0	62.3–78.8	0.0–0.0	51.6–52.6
Ages 50–67									
Crude rate	55.1	64.5	68.5	57.8	63.6	68.5	76.9	48.5	61.3
ASR(A)	54.8	61.9	69.4	58.5	60.4	56.4	74.4	44.2	60.5
95% CI	53.7–55.8	60.1–63.7	67.8–71.0	56.1–61.0	57.2–63.8	52.9–60.1	67.5–81.9	37.2–51.8	59.8–61.2

.. Not applicable—no women in this age group were screened in 2003.

Note: Rates are the number of women attending for rescreening as a percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 253: Number of women screened during 2002 and number of those women who returned for screening within 27 months by age, first screening round, states and territories

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	13,354	4,737	10,280	2,206	1,895	816	52	190	33,530
	Returned	5,938	751	6,992	1,286	1,110	611	17	107	16,812
45–49	Screened	10,467	5,645	6,193	2,758	2,064	602	69	210	28,008
	Returned	5,088	2,248	4,077	1,700	1,263	409	34	93	14,912
50–54	Screened	13,298	12,332	6,890	5,514	3,982	635	627	314	43,592
	Returned	7,371	8,459	4,598	3,534	2,585	454	282	170	27,453
55–59	Screened	6,317	2,823	3,203	1,303	769	295	215	79	15,004
	Returned	3,517	1,722	2,134	759	456	197	102	29	8,916
60–64	Screened	4,139	1,924	2,230	829	369	181	115	42	9,829
	Returned	2,360	1,197	1,549	519	241	131	52	20	6,069
65–69	Screened	2,990	1,430	1,530	535	223	107	58	25	6,898
	Returned	1,600	897	1,088	251	111	77	26	10	4,060
70–74	Screened	1,690	820	788	165	107	38	17	13	3,638
	Returned	751	445	489	32	15	20	4	3	1,759
75–79	Screened	1,058	486	481	109	112	37	25	8	2,316
	Returned	444	64	75	19	19	2	2	3	628
80–84	Screened	430	185	153	49	61	11	5	3	897
	Returned	130	12	27	10	9	0	0	2	190
85+	Screened	111	45	50	17	7	4	0	0	234
	Returned	21	2	9	4	2	1	0	0	39
Ages 40+	Screened	53,854	30,427	31,798	13,485	9,589	2,726	1,183	884	143,946
	Returned	27,220	15,797	21,038	8,114	5,811	1,902	519	437	80,838
Ages 50–67	Screened	25,682	17,974	13,315	7,997	5,343	1,182	996	451	72,940
	Returned	14,348	11,950	9,008	5,028	3,393	832	459	227	45,245

Source: BreastScreen Australia.

Table 254: Age-specific and age-standardised rescreen rates for women screened during 2002, first screening round, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	44.5	15.9	68.0	58.3	58.6	74.9	32.7	56.3	50.1
45–49	48.6	39.8	65.8	61.6	61.2	67.9	49.3	44.3	53.2
50–54	55.4	68.6	66.7	64.1	64.9	71.5	45.0	54.1	63.0
55–59	55.7	61.0	66.6	58.3	59.3	66.8	47.4	36.7	59.4
60–64	57.0	62.2	69.5	62.6	65.3	72.4	45.2	47.6	61.7
65–69	53.5	62.7	71.1	46.9	49.8	72.0	44.8	40.0	58.9
70–74	44.4	54.3	62.1	19.4	14.0	52.6	23.5	23.1	48.4
75–79	42.0	13.2	15.6	17.4	17.0	5.4	8.0	37.5	27.1
80–84	30.2	6.5	17.6	20.4	14.8	0.0	0.0	66.7	21.2
85+	18.9	4.4	18.0	23.5	28.6	25.0	16.7
Ages 40+									
Crude rate	50.5	51.9	66.2	60.2	60.6	69.8	43.9	49.4	56.2
ASR(A)	52.1	54.2	65.2	54.2	54.8	66.4	41.6	44.1	56.6
95% CI	51.4–52.8	53.1–55.2	64.1–66.4	52.7–55.8	52.7–57.1	62.3–70.6	0.0–0.0	0.0–0.0	56.1–57.1
Ages 50–67									
Crude rate	55.9	66.5	67.7	62.9	63.5	70.4	46.1	50.3	62.0
ASR(A)	56.1	64.3	68.2	61.8	61.5	70.2	47.5	47.2	61.6
95% CI	55.1–57.1	62.9–65.8	66.7–69.7	59.6–64.0	58.6–64.4	65.1–75.6	42.3–53.1	39.2–55.9	60.9–62.2

.. Not applicable—no women in this age group were screened in 2002.

Note: Rates are the number of women attending for rescreening as a percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 255: Number of women screened during 2001 and number of those women who returned for screening within 27 months by age, first screening round, states and territories

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	13,614	4,369	9,697	2,505	2,141	810	567	308	34,011
	Returned	7,092	650	6,928	1,439	1,220	605	267	157	18,358
45–49	Screened	10,752	5,192	6,225	2,943	2,251	656	604	281	28,904
	Returned	5,549	2,025	4,368	1,783	1,373	473	299	135	16,005
50–54	Screened	13,275	12,946	6,971	4,529	4,261	720	672	353	43,727
	Returned	7,240	8,962	4,947	2,864	2,935	533	322	168	27,971
55–59	Screened	5,814	4,477	3,291	1,211	835	276	196	132	16,232
	Returned	3,185	2,759	2,356	714	512	189	94	42	9,851
60–64	Screened	4,364	3,602	2,279	873	411	205	107	63	11,904
	Returned	2,463	2,334	1,700	542	261	154	53	25	7,532
65–69	Screened	3,117	2,931	1,606	569	317	135	72	40	8,787
	Returned	1,696	1,863	1,199	274	141	99	24	15	5,311
70–74	Screened	1,895	1,187	921	232	171	60	33	19	4,518
	Returned	1,037	658	570	34	22	27	3	5	2,356
75–79	Screened	1,308	540	577	178	164	70	24	12	2,873
	Returned	647	46	89	29	30	10	4	1	856
80–84	Screened	556	220	200	65	59	15	7	7	1,129
	Returned	257	14	23	5	8	1	1	4	313
85+	Screened	143	75	60	26	23	7	3	0	337
	Returned	41	2	6	2	3	0	0	0	54
Ages 40+	Screened	54,838	35,539	31,827	13,131	10,633	2,954	2,285	1,215	152,422
	Returned	29,207	19,313	22,186	7,686	6,505	2,091	1,067	552	88,607
Ages 50–67	Screened	25,476	22,917	13,567	6,972	5,706	1,336	1,026	577	77,577
	Returned	14,033	15,277	9,784	4,358	3,833	975	491	247	48,998

Note: Rates are the number of women attending for rescreening as a percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 256: Age-specific and age-standardised rescreen rates for women screened during 2001, first screening round, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	52.1	14.9	71.4	57.4	57.0	74.7	47.1	51.0	54.0
45–49	51.6	39.0	70.2	60.6	61.0	72.1	49.5	48.0	55.4
50–54	54.5	69.2	71.0	63.2	68.9	74.0	47.9	47.6	64.0
55–59	54.8	61.6	71.6	59.0	61.3	68.5	48.0	31.8	60.7
60–64	56.4	64.8	74.6	62.1	63.5	75.1	49.5	39.7	63.3
65–69	54.4	63.6	74.7	48.2	44.5	73.3	33.3	37.5	60.4
70–74	54.7	55.4	61.9	14.7	12.9	45.0	9.1	26.3	52.1
75–79	49.5	8.5	15.4	16.3	18.3	14.3	16.7	8.3	29.8
80–84	46.2	6.4	11.5	7.7	13.6	6.7	14.3	57.1	27.7
85+	28.7	2.7	10.0	7.7	13.0	0.0	0.0	..	16.0
Ages 40+									
Crude rate	53.3	54.3	69.7	58.5	61.2	70.8	46.7	45.4	58.1
ASR(A)	54.0	54.7	68.9	53.5	54.8	68.0	41.8	39.7	58.5
95% CI	53.3–54.8	53.8–55.5	67.8–70.1	52.0–55.0	52.9–56.8	64.2–71.8	38.3–45.5	35.1–44.6	58.1–59.0
Ages 50–67									
Crude rate	55.1	66.7	72.1	62.5	67.2	73.0	47.9	42.8	63.2
ASR(A)	55.3	65.4	72.7	62.2	64.7	72.6	47.7	40.5	62.9
95% CI	54.4–56.3	64.3–66.6	71.2–74.2	60.0–64.4	61.8–67.6	67.8–77.7	42.7–53.1	34.6–46.9	62.2–63.5

.. Not applicable—no women in this age group were screened in 2001.

Note: Rates are the number of women attending for rescreening as a percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 257: Number of women screened during 2000 and number of those women who returned for screening within 27 months by age, first screening round, states and territories

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	12,586	4,503	9,192	2,246	2,337	755	525	235	32,379
	Returned	7,771	696	6,360	1,278	1,307	532	233	129	18,306
45–49	Screened	10,342	5,493	6,394	2,937	2,489	586	583	238	29,062
	Returned	6,346	2,262	4,280	1,778	1,565	380	291	143	17,045
50–54	Screened	12,156	12,300	8,439	3,199	5,184	792	656	444	43,170
	Returned	7,666	8,670	5,784	1,864	3,561	543	370	252	28,710
55–59	Screened	5,179	3,147	4,269	915	1,092	339	198	117	15,256
	Returned	3,204	2,061	3,042	542	698	224	118	59	9,948
60–64	Screened	3,986	2,434	3,136	702	628	221	126	55	11,288
	Returned	2,516	1,645	2,300	448	430	153	69	24	7,585
65–69	Screened	2,822	1,733	2,414	450	523	154	82	29	8,207
	Returned	1,763	1,125	1,767	217	224	111	33	14	5,254
70–74	Screened	1,734	850	1,291	232	242	78	41	15	4,483
	Returned	1,079	471	764	50	41	46	6	2	2,459
75–79	Screened	1,242	605	745	169	240	59	23	7	3,090
	Returned	733	41	98	23	40	11	2	3	951
80–84	Screened	457	224	234	46	65	17	11	2	1,056
	Returned	240	11	28	3	6	2	1	1	292
85+	Screened	128	56	78	9	13	10	6	1	301
	Returned	44	2	12	0	0	0	0	1	59
Ages 40+	Screened	50,632	31,345	36,192	10,905	12,813	3,011	2,251	1,143	148,292
	Returned	31,362	16,984	24,435	6,203	7,872	2,002	1,123	628	90,609
Ages 50–67	Screened	23,140	19,025	17,353	5,103	7,217	1,506	1,038	639	75,021
	Returned	14,527	13,121	12,241	3,032	4,882	1,031	586	344	49,764

Note: Rates are the number of women attending for rescreening as a percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 258: Age-specific and age-standardised rescreen rates for women screened during 2000, first screening round, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	61.7	15.5	69.2	56.9	55.9	70.5	44.4	54.9	56.5
45–49	61.4	41.2	66.9	60.5	62.9	64.8	49.9	60.1	58.7
50–54	63.1	70.5	68.5	58.3	68.7	68.6	56.4	56.8	66.5
55–59	61.9	65.5	71.3	59.2	63.9	66.1	59.6	50.4	65.2
60–64	63.1	67.6	73.3	63.8	68.5	69.2	54.8	43.6	67.2
65–69	62.5	64.9	73.2	48.2	42.8	72.1	40.2	48.3	64.0
70–74	62.2	55.4	59.2	21.6	16.9	59.0	14.6	13.3	54.9
75–79	59.0	6.8	13.2	13.6	16.7	18.6	8.7	42.9	30.8
80–84	52.5	4.9	12.0	6.5	9.2	11.8	9.1	50.0	27.7
85+	34.4	3.6	15.4	0.0	0.0	0.0	0.0	100.0	19.6
Ages 40+									
Crude rate	61.9	54.2	67.5	56.9	61.4	66.5	49.9	54.9	61.1
ASR(A)	62.1	56.4	67.1	53.1	56.2	65.4	47.4	48.9	61.8
95% CI	61.3–63.0	55.4–57.5	66.1–68.1	51.4–54.9	54.5–57.8	61.9–69.0	43.7–51.2	43.3–54.8	61.3–62.3
Ages 50–67									
Crude rate	62.8	69.0	70.5	59.4	67.6	68.5	56.5	53.8	66.3
ASR(A)	62.7	67.7	71.1	60.3	66.4	68.5	56.1	49.6	66.3
95% CI	61.6–63.8	66.3–69.1	69.8–72.5	57.9–62.9	64.0–68.9	64.1–73.1	50.9–61.6	42.9–56.8	65.6–66.9

Note: Rates are the number of women attending for rescreening as a percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 259: Number of women screened during 2003 and number of those women who returned for screening within 27 months by age, second screening round, states and territories

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	6,066	730	5,532	1,111	940	422	162	114	15,077
	Returned	1,111	291	4,367	741	704	332	147	76	7,769
45–49	Screened	8,215	2,380	6,039	2,368	1,597	600	395	202	21,796
	Returned	2,925	1,238	4,471	1,495	1,186	464	326	132	12,237
50–54	Screened	10,646	14,320	6,785	4,436	4,530	787	514	294	42,312
	Returned	7,143	10,691	5,144	2,854	3,349	592	443	187	30,403
55–59	Screened	6,362	4,364	3,839	1,801	1,354	360	274	135	18,489
	Returned	4,036	2,996	2,828	1,102	908	261	229	71	12,431
60–64	Screened	3,963	3,380	2,465	987	492	246	106	57	11,696
	Returned	2,472	2,391	1,923	640	343	177	85	30	8,061
65–69	Screened	2,949	2,698	1,763	718	334	156	67	39	8,724
	Returned	1,406	1,898	1,350	334	168	127	43	15	5,341
70–74	Screened	1,720	1,549	1,051	158	119	75	21	17	4,710
	Returned	274	953	698	47	40	41	8	3	2,064
75–79	Screened	1,072	191	345	119	110	49	23	9	1,918
	Returned	154	31	64	32	17	10	4	2	314
80–84	Screened	491	108	89	33	47	16	10	3	797
	Returned	54	18	23	5	12	1	2	1	116
85+	Screened	137	19	28	12	11	3	0	1	211
	Returned	11	4	9	3	4	0	0	0	31
Ages 40+	Screened	41,621	29,739	27,936	11,743	9,534	2,714	1,572	871	125,730
	Returned	19,586	20,511	20,877	7,253	6,731	2,005	1,287	517	78,767
Ages 50–67	Screened	22,937	23,785	14,258	7,690	6,591	1,494	936	511	78,202
	Returned	14,876	17,311	10,797	4,887	4,741	1,116	788	301	54,817

Note: Rates are the number of women attending for rescreening as a percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 260: Age-specific and age-standardised rescreen rates in women screened during 2003, second screening round, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	18.3	39.9	78.9	66.7	74.9	78.7	90.7	66.7	51.5
45–49	35.6	52.0	74.0	63.1	74.3	77.3	82.5	65.3	56.1
50–54	67.1	74.7	75.8	64.3	73.9	75.2	86.2	63.6	71.9
55–59	63.4	68.7	73.7	61.2	67.1	72.5	83.6	52.6	67.2
60–64	62.4	70.7	78.0	64.8	69.7	72.0	80.2	52.6	68.9
65–69	47.7	70.3	76.6	46.5	50.3	81.4	64.2	38.5	61.2
70–74	15.9	61.5	66.4	29.7	33.6	54.7	38.1	17.6	43.8
75–79	14.4	16.2	18.6	26.9	15.5	20.4	17.4	22.2	16.4
80–84	11.0	16.7	25.8	15.2	25.5	6.3	20.0	33.3	14.6
85+	8.0	21.1	32.1	25.0	36.4	0.0	..	0.0	14.7
Ages 40+									
Crude rate	47.1	69.0	74.7	61.8	70.6	73.9	81.9	59.4	62.6
ASR(A)	48.9	63.3	72.8	57.1	63.5	71.5	75.0	51.8	61.0
95% CI	48.1–49.6	62.3–64.4	71.7–74.0	55.5–58.7	61.5–65.6	67.9–75.2	0.0–0.0	46.4–57.5	60.5–61.4
Ages 50–67									
Crude rate	64.9	72.8	75.7	63.6	71.9	74.7	84.2	58.9	70.1
ASR(A)	64.3	71.6	75.9	63.3	69.9	74.9	82.4	56.4	69.5
95% CI	63.3–65.4	70.5–72.9	74.4–77.4	61.3–65.4	67.2–72.7	70.3–79.8	75.8–89.4	49.2–64.3	68.8–70.1

.. Not applicable—no women in this age group were screened in 2003.

Note: Rates are the number of women attending for rescreening as a percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 261: Number of women screened during 2002 and number of those women who returned for screening within 27 months by age, second screening round, states and territories

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	6,224	839	5,263	951	903	410	194	98	14,882
	Returned	3,564	315	4,061	685	671	314	107	74	9,791
45–49	Screened	8,730	2,654	6,208	1,941	1,849	535	419	185	22,521
	Returned	4,952	1,369	4,572	1,314	1,372	400	199	122	14,300
50–54	Screened	10,813	14,411	7,975	3,447	4,938	736	700	358	43,378
	Returned	6,979	11,153	5,991	2,431	3,853	561	379	229	31,576
55–59	Screened	6,140	4,062	5,027	1,470	1,847	453	279	151	19,429
	Returned	3,841	2,894	3,779	957	1,331	333	145	78	13,358
60–64	Screened	4,034	2,546	3,390	840	705	208	164	61	11,948
	Returned	2,483	1,919	2,630	578	483	157	86	42	8,378
65–69	Screened	2,934	1,784	2,476	589	509	165	94	32	8,583
	Returned	1,672	1,343	1,915	293	234	120	44	14	5,635
70–74	Screened	1,882	1,022	1,548	185	159	112	26	9	4,943
	Returned	891	633	1,031	46	46	72	9	3	2,731
75–79	Screened	1,166	283	422	154	176	58	20	2	2,281
	Returned	525	44	107	33	45	14	1	2	771
80–84	Screened	506	146	92	36	51	27	3	3	864
	Returned	211	17	26	8	8	3	0	2	275
85+	Screened	117	30	29	7	6	1	0	1	191
	Returned	35	3	5	2	1	0	0	0	46
Ages 40+	Screened	42,546	27,777	32,430	9,620	11,143	2,705	1,899	900	129,020
	Returned	25,153	19,690	24,117	6,347	8,044	1,974	970	566	86,861
Ages 50–67	Screened	22,900	22,153	17,930	6,152	7,999	1,512	1,211	594	80,451
	Returned	14,478	16,821	13,588	4,222	5,901	1,138	650	362	57,160

Note: Rates are the number of women attending for rescreening as a percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 262: Age-specific and age-standardised rescreen rates in women screened during 2002, second screening round, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	57.3	37.5	77.2	72.0	74.3	76.6	55.2	75.5	65.8
45–49	56.7	51.6	73.6	67.7	74.2	74.8	47.5	65.9	63.5
50–54	64.5	77.4	75.1	70.5	78.0	76.2	54.1	64.0	72.8
55–59	62.6	71.2	75.2	65.1	72.1	73.5	52.0	51.7	68.8
60–64	61.6	75.4	77.6	68.8	68.5	75.5	52.4	68.9	70.1
65–69	57.0	75.3	77.3	49.7	46.0	72.7	46.8	43.8	65.7
70–74	47.3	61.9	66.6	24.9	28.9	64.3	34.6	33.3	55.2
75–79	45.0	15.5	25.4	21.4	25.6	24.1	5.0	100.0	33.8
80–84	41.7	11.6	28.3	22.2	15.7	11.1	0.0	66.7	31.8
85+	29.9	10.0	17.2	28.6	16.7	0.0	..	0.0	24.1
Ages 40+									
Crude rate	59.1	70.9	74.4	66.0	72.2	73.0	51.1	62.9	67.3
ASR(A)	58.9	65.4	73.0	60.6	64.3	71.7	48.1	59.5	65.9
95% CI	58.1–59.7	64.3–66.5	72.0–74.0	58.9–62.3	62.5–66.1	68.2–75.4	48.1–48.1	52.1–67.5	65.4–66.4
Ages 50–67									
Crude rate	63.2	75.9	75.8	68.6	73.8	75.3	53.7	60.9	71.0
ASR(A)	62.9	74.9	76.0	67.9	70.0	75.2	53.7	60.4	70.3
95% CI	61.8–63.9	73.6–76.3	74.7–77.3	65.6–70.2	67.8–72.2	70.6–80.0	49.1–58.6	53.0–68.4	69.7–71.0

.. Not applicable—no women in this age group were screened in 2002.

Note: Rates are the number of women attending for rescreening as a percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 263: Number of women screened during 2001 and number of those women who returned for screening within 27 months by age, second screening round, states and territories

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	7,215	915	5,409	1,174	1,013	426	241	101	16,494
	Returned	4,520	330	4,356	808	735	345	149	65	11,308
45–49	Screened	10,152	2,803	6,700	2,394	1,906	647	471	183	25,256
	Returned	6,230	1,499	5,267	1,646	1,405	513	283	100	16,943
50–54	Screened	12,848	15,915	8,660	3,581	4,706	849	713	372	47,644
	Returned	8,178	12,320	6,843	2,438	3,674	668	412	242	34,775
55–59	Screened	6,772	3,662	5,694	1,755	1,919	455	271	137	20,665
	Returned	4,130	2,566	4,602	1,141	1,437	360	159	77	14,472
60–64	Screened	4,927	2,539	4,065	1,159	963	296	161	82	14,192
	Returned	3,189	1,879	3,370	779	712	230	95	54	10,308
65–69	Screened	3,754	1,729	3,238	851	688	214	85	48	10,607
	Returned	2,309	1,278	2,641	410	359	171	33	25	7,226
70–74	Screened	2,404	1,093	2,070	259	196	102	33	25	6,182
	Returned	1,415	638	1,444	63	46	51	5	14	3,676
75–79	Screened	1,604	410	921	189	224	71	25	7	3,451
	Returned	871	44	138	38	53	20	0	2	1,166
80–84	Screened	627	218	279	52	72	22	8	6	1,284
	Returned	280	19	35	12	15	7	0	2	370
85+	Screened	156	59	89	13	15	4	2	1	339
	Returned	45	6	11	0	0	1	0	0	63
Ages 40+	Screened	50,459	29,343	37,125	11,427	11,702	3,086	2,010	962	146,114
	Returned	31,167	20,579	28,707	7,335	8,436	2,366	1,136	581	100,307
Ages 50–67	Screened	26,915	23,225	20,394	7,030	8,028	1,814	1,194	628	89,228
	Returned	16,995	17,595	16,452	4,697	6,137	1,429	694	396	64,395

Note: Rates are the number of women attending for rescreening as a percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 264: Age-specific and age-standardised rescreen rates in women screened during 2001, second screening round, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	62.6	36.1	80.5	68.8	72.6	81.0	61.8	64.4	68.6
45–49	61.4	53.5	78.6	68.8	73.7	79.3	60.1	54.6	67.1
50–54	63.7	77.4	79.0	68.1	78.1	78.7	57.8	65.1	73.0
55–59	61.0	70.1	80.8	65.0	74.9	79.1	58.7	56.2	70.0
60–64	64.7	74.0	82.9	67.2	73.9	77.7	59.0	65.9	72.6
65–69	61.5	73.9	81.6	48.2	52.2	79.9	38.8	52.1	68.1
70–74	58.9	58.4	69.8	24.3	23.5	50.0	15.2	56.0	59.5
75–79	54.3	10.7	15.0	20.1	23.7	28.2	0.0	28.6	33.8
80–84	44.7	8.7	12.5	23.1	20.8	31.8	0.0	33.3	28.8
85+	28.8	10.2	12.4	0.0	0.0	25.0	0.0	0.0	18.6
Ages 40+									
Crude rate	61.8	70.1	77.3	64.2	72.1	76.7	56.5	60.4	68.6
ASR(A)	61.8	64.5	76.9	59.3	65.7	74.6	50.3	58.3	67.9
95% CI	61.0–62.5	63.4–65.6	75.9–77.8	57.9–60.9	64.1–67.3	71.3–78.0	46.8–54.0	52.7–64.3	67.4–68.3
Ages 50–67									
Crude rate	63.1	75.8	80.7	66.8	76.4	78.8	58.1	63.1	72.2
ASR(A)	63.1	74.2	80.9	66.4	75.3	78.7	58.2	62.4	71.9
95% CI	62.1–64.1	72.8–75.6	79.7–82.2	64.4–68.5	73.2–77.5	74.6–83.1	53.3–63.5	55.6–69.7	71.3–72.5

Note: Rates are the number of women attending for rescreening as a percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 265: Number of women screened during 2000 and number of those women who returned for screening within 27 months by age, second screening round, states and territories

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	8,014	939	5,641	1,092	1,015	602	238	104	17,645
	Returned	5,870	346	4,430	787	765	493	152	73	12,916
45–49	Screened	11,133	3,105	7,335	2,529	2,070	901	478	213	27,764
	Returned	7,946	1,574	5,679	1,800	1,588	699	313	149	19,748
50–54	Screened	14,595	17,935	11,191	3,867	4,636	1,244	803	476	54,747
	Returned	10,590	14,132	8,840	2,719	3,730	973	544	320	41,848
55–59	Screened	8,010	4,338	8,415	1,887	1,913	648	268	263	25,742
	Returned	5,660	3,151	6,733	1,273	1,495	499	152	155	19,118
60–64	Screened	6,095	2,862	6,316	1,403	1,086	405	180	124	18,471
	Returned	4,485	2,133	5,183	1,000	824	298	110	83	14,116
65–69	Screened	4,614	2,107	5,254	972	856	336	108	92	14,339
	Returned	3,318	1,550	4,236	491	482	263	50	55	10,445
70–74	Screened	3,331	1,428	3,392	333	310	96	36	53	8,979
	Returned	2,268	883	2,327	74	93	57	5	30	5,737
75–79	Screened	2,026	538	1,239	214	311	72	32	21	4,453
	Returned	1,335	71	183	40	86	15	6	14	1,750
80–84	Screened	646	223	387	41	85	19	7	5	1,413
	Returned	389	27	48	9	17	4	1	3	498
85+	Screened	141	41	121	9	10	3	0	1	326
	Returned	54	4	7	2	1	0	0	0	68
Ages 40+	Screened	58,605	33,516	49,291	12,347	12,292	4,326	2,150	1,352	173,879
	Returned	41,915	23,871	37,666	8,195	9,081	3,301	1,333	882	126,244
Ages 50–67	Screened	31,577	26,465	29,037	7,755	8,189	2,633	1,318	922	107,896
	Returned	22,812	20,398	23,276	5,406	6,461	2,033	848	595	81,829

Note: Rates are the number of women attending for rescreening as a percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 266: Age-specific and age-standardised rescreen rates in women screened during 2000, second screening round, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	73.2	36.8	78.5	72.1	75.4	81.9	63.9	70.2	73.2
45–49	71.4	50.7	77.4	71.2	76.7	77.6	65.5	70.0	71.1
50–54	72.6	78.8	79.0	70.3	80.5	78.2	67.7	67.2	76.4
55–59	70.7	72.6	80.0	67.5	78.1	77.0	56.7	58.9	74.3
60–64	73.6	74.5	82.1	71.3	75.9	73.6	61.1	66.9	76.4
65–69	71.9	73.6	80.6	50.5	56.3	78.3	46.3	59.8	72.8
70–74	68.1	61.8	68.6	22.2	30.0	59.4	13.9	56.6	63.9
75–79	65.9	13.2	14.8	18.7	27.7	20.8	18.8	66.7	39.3
80–84	60.2	12.1	12.4	22.0	20.0	21.1	14.3	60.0	35.2
85+	38.3	9.8	5.8	22.2	10.0	0.0	..	0.0	20.9
Ages 40+									
Crude rate	71.5	71.2	76.4	66.4	73.9	76.3	62.0	65.2	72.6
ASR(A)	71.5	65.4	76.1	61.5	68.9	73.6	54.9	64.3	72.0
95% CI	70.7–72.2	64.3–66.4	75.3–76.8	60.1–63.0	67.3–70.5	70.7–76.5	51.4–58.5	59.7–69.1	71.6–72.4
Ages 50–67									
Crude rate	72.2	77.1	80.2	69.7	78.9	77.2	64.3	64.5	75.8
ASR(A)	72.2	75.4	80.3	69.6	77.9	76.8	62.4	64.3	75.7
95% CI	71.3–73.2	74.1–76.7	79.2–81.3	67.7–71.6	75.8–80.1	73.3–80.3	57.6–67.5	58.7–70.2	75.2–76.3

.. Not applicable—no women in this age group were screened in 2000.

Note: Rates are the number of women attending for rescreening as a percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 267: Number of women screened during 2003 and number of those women who returned for screening within 27 months by age, third and subsequent screening rounds, states and territories

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	2,308	117	2,200	401	324	178	39	27	5,594
	Returned	763	70	1,872	315	279	144	39	23	3,505
45–49	Screened	17,645	1,986	14,362	3,662	2,579	1,304	588	303	42,429
	Returned	8,381	1,431	11,985	2,756	2,117	1,055	526	239	28,490
50–54	Screened	30,087	18,094	22,158	9,275	8,140	3,094	1,571	572	92,991
	Returned	21,482	14,777	18,761	6,977	6,761	2,598	1,420	431	73,207
55–59	Screened	40,012	36,153	26,396	13,772	13,398	3,783	2,188	728	136,430
	Returned	29,381	30,137	22,820	10,176	11,209	3,168	1,986	564	109,441
60–64	Screened	34,328	27,649	20,668	11,315	11,333	3,173	1,750	528	110,744
	Returned	25,418	23,518	18,166	8,714	9,802	2,713	1,561	395	90,287
65–69	Screened	29,423	23,413	17,262	9,309	9,368	2,853	1,276	268	93,172
	Returned	16,160	19,646	14,992	5,710	6,298	2,394	973	166	66,339
70–74	Screened	23,447	18,909	13,708	2,436	3,154	1,700	347	146	63,847
	Returned	4,844	13,041	9,900	1,176	1,698	1,150	186	12	32,007
75–79	Screened	15,790	4,863	3,923	846	1,411	291	84	52	27,260
	Returned	2,727	910	1,156	425	670	124	49	4	6,065
80–84	Screened	5,693	540	819	207	291	69	30	25	7,674
	Returned	829	147	359	95	129	23	13	0	1,595
85+	Screened	1,254	72	196	21	36	10	4	1	1,594
	Returned	127	19	85	10	13	3	1	0	258
Ages 40+	Screened	199,987	131,796	121,692	51,244	50,034	16,455	7,877	2,650	581,735
	Returned	110,112	103,696	100,096	36,354	38,976	13,372	6,754	1,834	411,194
Ages 50–67	Screened	122,824	96,721	80,099	40,280	38,907	11,874	6,368	2,014	399,087
	Returned	89,784	80,992	69,257	30,407	32,896	10,018	5,728	1,541	320,623

Source: BreastScreen Australia.

Table 268: Age-specific and age-standardised rescreen rates in women screened during 2003, third and subsequent screening rounds, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	33.1	59.8	85.1	78.6	86.1	80.9	100.0	85.2	62.7
45–49	47.5	72.1	83.4	75.3	82.1	80.9	89.5	78.9	67.1
50–54	71.4	81.7	84.7	75.2	83.1	84.0	90.4	75.3	78.7
55–59	73.4	83.4	86.5	73.9	83.7	83.7	90.8	77.5	80.2
60–64	74.0	85.1	87.9	77.0	86.5	85.5	89.2	74.8	81.5
65–69	54.9	83.9	86.8	61.3	67.2	83.9	76.3	61.9	71.2
70–74	20.7	69.0	72.2	48.3	53.8	67.6	53.6	8.2	50.1
75–79	17.3	18.7	29.5	50.2	47.5	42.6	58.3	7.7	22.2
80–84	14.6	27.2	43.8	45.9	44.3	33.3	43.3	0.0	20.8
85+	10.1	26.4	43.4	47.6	36.1	30.0	25.0	0.0	16.2
Ages 40+									
Crude rate	55.1	78.7	82.3	70.9	77.9	81.3	85.7	69.2	70.7
ASR(A)	57.4	76.2	82.5	70.4	77.8	80.4	84.5	66.7	70.9
95% CI	57.0–57.8	74.9–77.5	81.9–83.0	69.4–71.4	76.7–78.9	78.7–82.1	81.3–87.8	62.7–70.7	70.7–71.2
Ages 50–67									
Crude rate	73.1	83.7	86.5	75.5	84.6	84.4	89.9	76.5	80.3
ASR(A)	72.9	83.3	86.3	75.5	84.3	84.3	90.0	76.6	80.1
95% CI	72.4–73.4	82.7–84.0	85.6–86.9	74.6–76.4	83.3–85.3	82.6–86.0	87.6–92.4	72.7–80.6	79.8–80.4

Note: Rates are the number of women attending for rescreening as a percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 269: Number of women screened during 2002 and number of those women who returned for screening within 27 months by age, third and subsequent screening rounds, states and territories

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	2,716	130	2,266	382	354	217	67	30	6,162
	Returned	1,863	71	1,913	325	305	179	54	22	4,732
45–49	Screened	18,670	2,121	13,703	3,216	2,638	1,787	810	298	43,243
	Returned	12,463	1,481	11,442	2,600	2,199	1,489	565	223	32,462
50–54	Screened	30,157	18,024	21,199	8,558	8,367	3,302	2,051	545	92,203
	Returned	21,882	15,022	18,047	6,970	7,114	2,813	1,351	418	73,617
55–59	Screened	38,252	31,959	24,133	11,990	11,959	3,893	2,345	625	125,156
	Returned	28,112	27,080	20,884	9,663	10,328	3,296	1,569	467	101,399
60–64	Screened	32,708	27,515	19,120	10,192	10,245	3,140	1,573	362	104,855
	Returned	24,466	23,714	16,725	8,311	8,986	2,703	1,081	263	86,249
65–69	Screened	27,916	23,486	15,231	8,462	8,898	2,619	1,180	195	87,987
	Returned	19,504	19,978	13,277	5,356	5,967	2,275	638	144	67,139
70–74	Screened	23,567	19,694	12,503	2,333	3,164	1,399	247	125	63,032
	Returned	14,245	13,643	9,115	1,151	1,634	1,012	91	69	40,960
75–79	Screened	14,871	4,913	3,161	805	1,417	236	92	52	25,547
	Returned	8,199	860	991	347	676	102	27	26	11,228
80–84	Screened	4,834	500	698	196	263	43	26	23	6,583
	Returned	2,351	142	304	93	107	14	3	11	3,025
85+	Screened	1,002	70	150	27	31	5	3	3	1,291
	Returned	371	17	81	8	11	2	0	1	491
Ages 40+	Screened	194,693	128,412	112,164	46,161	47,336	16,641	8,394	2,258	556,059
	Returned	133,456	102,008	92,779	34,824	37,327	13,885	5,379	1,644	421,302
Ages 50–67	Screened	118,601	92,116	73,945	36,118	39,469	11,928	6,752	1,654	380,583
	Returned	87,465	78,347	63,988	29,242	32,395	10,213	4,549	1,246	307,445

Source: BreastScreen Australia.

Table 270: Age-specific and age-standardised rescreen rates in women screened during 2002, third and subsequent screening rounds, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	68.6	54.6	84.4	85.1	86.2	82.5	80.6	73.3	76.8
45–49	66.8	69.8	83.5	80.8	83.4	83.3	69.8	74.8	75.1
50–54	72.6	83.3	85.1	81.4	85.0	85.2	65.9	76.7	79.8
55–59	73.5	84.7	86.5	80.6	86.4	84.7	66.9	74.7	81.0
60–64	74.8	86.2	87.5	81.5	87.7	86.1	68.7	72.7	82.3
65–69	69.9	85.1	87.2	63.3	67.1	86.9	54.1	73.8	76.3
70–74	60.4	69.3	72.9	49.3	51.6	72.3	36.8	55.2	65.0
75–79	55.1	17.5	31.4	43.1	47.7	43.2	29.3	50.0	44.0
80–84	48.6	28.4	43.6	47.4	40.7	32.6	11.5	47.8	46.0
85+	37.0	24.3	54.0	29.6	35.5	40.0	0.0	33.3	38.0
Ages 40+									
Crude rate	68.5	79.4	82.7	75.4	78.9	83.4	64.1	72.8	75.8
ASR(A)	69.8	76.4	82.6	74.9	78.8	82.1	62.5	71.9	76.4
95% CI	69.4–70.3	75.3–77.6	82.1–83.2	73.9–76.0	77.7–79.9	80.5–83.7	60.1–64.9	67.8–76.2	76.1–76.7
Ages 50–67									
Crude rate	73.7	85.1	86.5	81.0	82.1	85.6	67.4	75.3	80.8
ASR(A)	73.6	84.7	86.4	81.0	83.7	85.6	67.4	75.6	80.7
95% CI	73.1–74.1	84.1–85.4	85.7–87.1	80.1–82.0	82.8–84.7	83.9–87.3	65.4–69.4	71.4–80.1	80.4–81.0

Note: Rates are the number of women attending for rescreening as a percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 271: Number of women screened during 2001 and number of those women who returned for screening within 27 months by age, third and subsequent screening rounds, states and territories

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	2,340	125	1,958	401	290	152	75	34	5,375
	Returned	1,760	77	1,716	346	242	126	62	25	4,354
45–49	Screened	17,339	2,052	12,142	3,352	2,582	1,545	782	260	40,054
	Returned	12,274	1,390	10,407	2,712	2,165	1,313	563	198	31,022
50–54	Screened	29,479	17,165	18,636	9,653	8,039	2,890	1,848	453	88,163
	Returned	21,607	14,454	16,277	7,789	6,937	2,522	1,328	355	71,269
55–59	Screened	36,798	32,005	19,591	11,473	11,711	3,239	1,989	621	117,427
	Returned	27,191	27,109	17,381	9,388	10,238	2,849	1,460	473	96,089
60–64	Screened	32,933	25,973	16,440	10,190	10,954	2,955	1,544	380	101,369
	Returned	24,712	22,309	14,674	8,540	9,650	2,653	1,166	303	84,007
65–69	Screened	28,526	21,577	13,560	8,319	8,882	2,526	1,140	185	84,715
	Returned	20,960	18,311	12,052	5,283	5,979	2,229	639	135	65,588
70–74	Screened	24,322	18,575	11,323	2,197	3,210	978	229	111	60,945
	Returned	16,874	12,776	8,569	1,004	1,620	742	61	91	41,737
75–79	Screened	14,446	4,650	4,908	706	1,062	209	81	38	26,100
	Returned	9,444	748	1,136	323	491	92	31	23	12,288
80–84	Screened	4,586	421	1,615	142	227	38	26	18	7,073
	Returned	2,648	115	334	60	86	18	4	5	3,270
85+	Screened	982	82	331	29	21	3	1	1	1,450
	Returned	430	19	68	8	7	2	1	0	535
Ages 40+	Screened	191,751	122,625	100,504	46,462	46,978	14,535	7,715	2,101	532,671
	Returned	137,900	97,308	82,614	35,453	37,415	12,546	5,315	1,608	410,159
Ages 50–67	Screened	116,782	88,466	63,202	36,453	36,201	11,610	6,103	1,579	360,396
	Returned	86,739	75,281	55,947	29,976	31,625	10,253	4,487	1,221	295,529

Source: BreastScreen Australia.

Table 272: Age-specific and age-standardised rescreen rates in women screened during 2001, third and subsequent screening rounds, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	75.2	61.6	87.6	86.3	83.4	82.9	82.7	73.5	81.0
45–49	70.8	67.7	85.7	80.9	83.8	85.0	72.0	76.2	77.5
50–54	73.3	84.2	87.3	80.7	86.3	87.3	71.9	78.4	80.8
55–59	73.9	84.7	88.7	81.8	87.4	88.0	73.4	76.2	81.8
60–64	75.0	85.9	89.3	83.8	88.1	89.8	75.5	79.7	82.9
65–69	73.5	84.9	88.9	63.5	67.3	88.2	56.1	73.0	77.4
70–74	69.4	68.8	75.7	45.7	50.5	75.9	26.6	82.0	68.5
75–79	65.4	16.1	23.1	45.8	46.2	44.0	38.3	60.5	47.1
80–84	57.7	27.3	20.7	42.3	37.9	47.4	15.4	27.8	46.2
85+	43.8	23.2	20.5	27.6	33.3	66.7	100.0	0.0	36.9
Ages 40+									
Crude rate	71.9	79.4	82.2	76.3	79.6	86.3	68.9	76.5	77.0
ASR(A)	72.8	76.8	84.2	75.2	79.0	84.6	66.3	76.0	78.0
95% CI	72.3–73.2	75.5–78.0	83.6–84.9	74.1–76.2	77.9–80.2	82.8–86.4	63.9–68.7	71.7–80.4	77.7–78.3
Ages 50–67									
Crude rate	74.3	85.1	88.5	82.2	87.4	88.3	73.5	77.3	82.0
ASR(A)	74.1	84.9	88.4	82.0	87.2	88.2	73.4	77.3	81.8
95% CI	73.6–74.6	84.3–85.6	87.7–89.2	81.1–83.0	86.2–88.2	86.4–90.0	71.3–75.6	72.8–81.9	81.5–82.1

... Not applicable—no women in this age group were screened in 2001.

Note: Rates are the number of women attending for rescreening as a percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Table 273: Number of women screened during 2000 and number of those women who returned for screening within 27 months by age, third and subsequent screening rounds, states and territories

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	1,962	132	1,726	396	228	219	60	37	4,760
	Returned	1,591	74	1,474	337	191	182	53	29	3,931
45–49	Screened	15,567	2,038	10,387	2,622	2,385	1,775	906	224	35,904
	Returned	12,318	1,385	8,787	2,131	2,006	1,486	618	181	28,912
50–54	Screened	25,618	13,787	14,720	9,382	6,990	2,988	1,713	341	75,539
	Returned	20,720	11,516	12,614	7,531	6,110	2,527	1,283	272	62,573
55–59	Screened	32,329	26,086	14,629	10,099	9,197	3,056	1,837	331	97,564
	Returned	26,424	22,339	12,775	8,268	8,112	2,607	1,389	259	82,173
60–64	Screened	29,089	24,702	12,354	9,205	9,035	2,826	1,273	188	88,672
	Returned	24,073	21,478	10,879	7,724	8,104	2,430	996	148	75,832
65–69	Screened	25,242	21,337	10,108	7,637	7,537	2,331	864	102	75,158
	Returned	20,658	18,215	8,803	4,924	5,228	1,980	483	83	60,374
70–74	Screened	21,594	18,409	8,385	1,934	2,850	520	208	79	53,979
	Returned	17,245	12,800	6,189	918	1,551	391	59	56	39,209
75–79	Screened	11,241	4,287	4,293	598	780	147	59	28	21,433
	Returned	8,522	700	906	300	400	69	20	20	10,937
80–84	Screened	3,207	380	1,354	124	147	23	6	14	5,255
	Returned	2,127	103	252	58	66	7	1	11	2,625
85+	Screened	718	61	300	19	22	6	4	0	1,130
	Returned	353	10	50	7	8	1	0	0	429
Ages 40+	Screened	166,567	111,219	78,256	42,016	39,171	13,891	6,930	1,344	459,394
	Returned	134,031	88,620	62,729	32,198	31,776	11,680	4,902	1,059	366,995
Ages 50–67	Screened	102,246	77,609	47,956	33,425	29,873	11,201	5,382	923	308,615
	Returned	83,847	66,556	41,769	27,446	26,470	9,544	4,079	735	260,446

Source: BreastScreen Australia.

Table 274: Age-specific and age-standardised rescreen rates in women screened during 2000, third and subsequent screening rounds, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
(Per cent)									
40–44	81.1	56.1	85.4	85.1	83.8	83.1	88.3	78.4	82.6
45–49	79.1	68.0	84.6	81.3	84.1	83.7	68.2	80.8	80.5
50–54	80.9	83.5	85.7	80.3	87.4	84.6	74.9	79.8	82.8
55–59	81.7	85.6	87.3	81.9	88.2	85.3	75.6	78.2	84.2
60–64	82.8	86.9	88.1	83.9	89.7	86.0	78.2	78.7	85.5
65–69	81.8	85.4	87.1	64.5	69.4	84.9	55.9	81.4	80.3
70–74	79.9	69.5	73.8	47.5	54.4	75.2	28.4	70.9	72.6
75–79	75.8	16.3	21.1	50.2	51.3	46.9	33.9	71.4	51.0
80–84	66.3	27.1	18.6	46.8	44.9	30.4	16.7	78.6	50.0
85+	49.2	16.4	16.7	36.8	36.4	16.7	0.0	0.0	38.0
Ages 40+									
Crude rate	80.5	79.7	80.2	76.6	81.1	84.1	70.7	78.8	79.9
ASR(A)	80.8	76.6	82.7	75.5	80.5	82.2	67.5	78.4	80.6
95% CI	80.3–81.3	75.4–77.8	82.0–83.4	74.4–76.6	79.2–81.8	80.5–84.0	64.9–70.2	0.0–0.0	80.3–81.0
Ages 50–67									
Crude rate	82.0	85.8	87.1	82.1	88.6	85.2	75.8	79.6	84.4
ASR(A)	81.8	85.3	87.0	81.9	88.4	85.2	75.7	80.3	84.2
95% CI	81.3–82.4	84.6–86.0	86.2–87.9	80.9–82.9	87.3–89.5	83.4–86.9	73.4–78.1	74.3–86.5	83.8–84.5

... Not applicable—no women in this age group were screened in 2000.

Note: Rates are the number of women attending for rescreening as a percentage of women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Source: AIHW analysis of BreastScreen Australia data.

Indicator 7a: Incidence of breast cancer

Table 275: Number of new cases of breast cancer in women by age, Australia, 1990–2004

Age group	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0–4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5–9	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
10–14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
15–19	0	0	0	0	0	1	0	2	3	0	2	0	1	1	0
20–24	4	10	6	14	7	8	6	13	15	12	5	8	7	7	10
25–29	53	51	47	55	58	57	44	51	51	49	54	44	54	45	55
30–34	204	181	181	171	196	200	196	178	197	187	189	171	204	185	207
35–39	345	400	382	411	401	397	422	444	422	441	443	450	430	480	422
40–44	662	721	720	783	779	755	764	760	849	817	847	919	903	914	892
45–49	834	858	1,013	1,025	1,136	1,230	1,186	1,163	1,166	1,152	1,271	1,222	1,320	1,311	1,342
50–54	778	851	861	979	1,109	1,250	1,182	1,327	1,466	1,505	1,557	1,654	1,631	1,508	1,616
55–59	696	800	814	935	1,031	1,141	1,125	1,176	1,261	1,281	1,427	1,527	1,650	1,674	1,722
60–64	820	893	790	966	1,109	1,063	1,018	1,084	1,143	1,245	1,329	1,445	1,411	1,405	1,442
65–69	860	953	934	994	1,214	1,093	1,059	1,079	1,133	1,090	1,119	1,165	1,281	1,202	1,251
70–74	754	796	781	906	1,016	1,024	986	1,029	1,061	992	1,097	1,102	1,041	937	1,015
75–79	633	668	646	692	777	829	739	863	875	836	901	901	928	902	879
80–84	421	487	490	466	532	578	574	578	596	553	579	617	616	700	673
85+	335	370	365	390	374	415	432	444	492	494	520	563	582	550	600
All ages	7,399	8,039	8,030	8,787	9,739	10,042	9,733	10,191	10,730	10,654	11,340	11,788	12,059	11,821	12,126
Ages 50–69	3,154	3,497	3,399	3,874	4,463	4,547	4,384	4,666	5,003	5,121	5,432	5,791	5,973	5,789	6,031

Source: AIHW National Cancer Statistics Clearing House.

Table 276: Age-specific and age-standardised incidence rates for breast cancer in women, Australia, 1990–2004

Age group	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0–4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5–9	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10–14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15–19	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.5	0.0	0.3	0.0	0.1	0.1	0.0
20–24	0.6	1.5	0.9	2.0	1.0	1.1	0.9	1.9	2.3	1.9	0.8	1.2	1.1	1.0	1.5
25–29	7.5	7.3	6.8	8.1	8.5	8.3	6.2	7.0	7.0	6.7	7.4	6.2	7.8	6.6	8.1
30–34	29.4	25.4	25.0	23.4	26.7	27.4	27.1	24.9	27.8	26.3	26.3	23.1	26.9	24.1	26.9
35–39	52.6	60.2	56.4	59.7	57.5	55.7	57.9	59.8	56.1	58.2	58.6	59.9	57.8	65.1	57.1
40–44	107.0	112.8	112.2	121.0	118.6	113.1	112.5	109.9	120.9	114.4	116.2	123.4	118.6	118.3	114.6
45–49	174.2	170.7	188.1	178.9	190.6	199.5	185.4	181.0	178.4	173.2	188.5	178.8	190.0	185.0	185.3
50–54	194.1	206.0	203.0	225.6	244.8	262.6	237.6	247.0	256.0	251.7	249.9	255.2	251.5	230.1	243.4
55–59	193.8	223.1	222.2	248.8	267.3	288.5	276.0	279.2	290.9	283.0	301.4	307.9	307.9	293.5	289.9
60–64	221.2	241.3	216.3	268.6	310.7	297.9	285.4	298.1	306.9	324.0	334.9	354.1	336.6	326.5	321.7
65–69	246.7	271.3	264.6	279.7	342.5	308.6	298.5	306.3	324.6	314.9	324.3	335.8	361.2	330.5	334.1
70–74	278.6	282.0	267.0	298.5	320.2	317.1	301.5	313.1	320.5	297.6	328.8	329.1	313.4	285.1	311.6
75–79	286.8	296.2	282.0	300.8	341.1	355.2	303.1	336.5	325.5	297.6	313.1	308.6	315.4	303.5	293.8
80–84	302.2	334.9	323.5	294.4	318.2	335.2	325.0	321.4	327.4	302.1	304.7	305.7	292.2	318.1	294.1
85+	317.2	336.3	315.6	320.1	293.3	308.9	305.1	297.3	313.9	297.4	296.9	307.1	307.9	284.6	304.2
All ages															
Crude rate	86.5	92.7	91.5	99.1	108.6	110.6	105.8	109.4	113.9	111.8	117.5	120.5	121.8	118.0	119.7
ASR(A)	94.6	100.4	98.2	105.3	114.1	115.5	109.1	111.4	114.6	111.2	115.6	117.2	117.2	112.2	112.8
95% CI	92.4–96.8	98.1–102.6	96.1–100.4	103.1–107.6	111.8–116.4	113.3–117.8	106.9–111.3	109.3–113.6	112.4–116.8	109.1–113.4	113.4–117.7	115.1–119.3	115.1–119.3	110.2–114.3	110.8–114.8
Ages 50–69															
Crude rate	213.2	234.2	225.3	254.1	287.9	287.3	271.2	278.7	289.6	287.5	295.5	304.9	305.0	286.6	289.9
ASR(A)	209.3	229.8	221.9	250.7	282.4	285.3	269.0	277.1	288.5	286.9	295.1	304.9	304.4	285.6	288.8
95% CI	201.9–216.9	222.1–237.7	214.4–229.7	242.8–258.8	274.1–290.9	277.0–293.8	261.0–277.1	269.2–285.2	280.5–296.6	279.1–294.9	287.3–303.1	297.1–312.8	296.7–312.2	278.3–293.0	281.6–296.2

Note: Rates are the number of cases of invasive cancers per 100,000 women and age-standardised to the Australian population at 30 June 2001.

Source: AIHW National Cancer Statistics Clearing House.

Table 277: Number of new cases of breast cancer in women by age, states and territories, 2000–2004

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
0–4	0	0	0	0	0	0	0	0	0
5–9	0	0	0	0	0	0	0	0	0
10–14	0	0	0	0	0	0	0	0	0
15–19	1	1	0	2	0	0	0	0	4
20–24	16	9	4	2	5	1	0	0	37
25–29	81	79	39	23	22	4	2	2	252
30–34	317	244	171	102	68	21	25	8	956
35–39	767	572	404	208	182	45	30	17	2,225
40–44	1,521	1,119	842	404	352	112	91	34	4,475
45–49	2,082	1,612	1,276	672	473	163	132	56	6,466
50–54	2,570	1,943	1,447	853	725	191	175	62	7,966
55–59	2,695	1,889	1,530	763	713	206	159	45	8,000
60–64	2,388	1,673	1,375	662	604	194	102	34	7,032
65–69	2,019	1,495	1,119	576	554	151	91	13	6,018
70–74	1,891	1,342	941	396	397	151	63	11	5,192
75–79	1,648	1,164	741	361	402	118	68	9	4,511
80–84	1,177	793	527	288	282	79	34	5	3,185
85+	964	764	468	246	273	66	30	4	2,815
All ages	20,137	14,699	10,884	5,558	5,052	1,502	1,002	300	59,134
Ages 50–69	9,672	7,000	5,471	2,854	2,596	742	527	154	29,016

Source: AIHW National Cancer Statistics Clearing House.

Table 278: Age-specific and age-standardised incidence rates for breast cancer in women, states and territories, 2000–2004

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
0–4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5–9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10–14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15–19	0.1	0.1	0.0	0.6	0.0	0.0	0.0	0.0	0.1
20–24	1.5	1.1	0.6	0.6	2.1	1.4	0.0	0.0	1.1
25–29	6.8	9.0	5.9	6.9	9.1	5.6	3.1	4.6	7.2
30–34	25.1	25.3	24.3	28.1	25.3	25.8	38.2	17.6	25.5
35–39	61.6	60.9	57.5	56.3	65.1	52.3	47.5	41.8	59.7
40–44	120.1	119.7	117.4	106.9	120.0	120.5	141.2	90.3	118.2
45–49	180.0	187.6	194.1	189.8	171.6	187.9	213.9	168.2	185.5
50–54	240.1	242.9	234.9	266.2	274.6	233.5	301.1	221.1	245.9
55–59	300.9	287.0	298.9	303.8	322.7	296.6	368.2	241.4	299.7
60–64	333.3	318.0	351.2	337.1	345.4	343.8	348.9	295.4	334.4
65–69	325.8	327.3	353.6	355.2	362.5	316.7	410.4	188.3	337.2
70–74	324.4	313.8	329.0	277.3	267.5	344.9	337.3	231.3	313.7
75–79	316.9	304.5	297.5	297.9	289.4	303.1	405.5	283.3	306.8
80–84	315.2	293.4	293.7	334.7	281.5	274.8	298.7	243.3	302.9
85+	292.4	312.0	298.8	305.6	302.2	261.8	328.6	267.2	300.1
All ages									
Crude rate	120.9	119.2	116.5	115.7	131.3	124.6	123.0	63.2	119.5
ASR(A)	114.8	113.5	115.7	115.8	116.9	113.2	132.5	93.0	115.0
95% CI	113.2–116.4	111.6–115.3	113.5–117.9	112.8–118.9	113.6–120.2	107.6–119.2	124.3–141.1	81.2–105.8	114.0–115.9
Ages 50–69									
Crude rate	292.9	286.8	298.0	306.8	319.4	290.6	345.1	236.6	296.2
ASR(A)	291.6	285.9	298.1	307.3	318.3	288.8	348.7	236.6	295.5
95% CI	285.8–297.5	279.2–292.6	290.3–306.1	296.2–318.8	306.2–330.8	268.4–310.4	319.3–380.0	199.5–278.4	292.2–299.0

Note: Rates are the number of cases of invasive cancers per 100,000 women and age-standardised to the Australian population at 30 June 2001.

Source: AIHW National Cancer Statistics Clearing House.

Table 279: Number of new cases of breast cancer in women by age, states and territories, 1995–1999

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
0–4	0	0	0	0	0	0	0	0	0
5–9	0	1	0	0	0	0	0	0	1
10–14	0	0	0	0	0	0	0	0	0
15–19	0	1	2	2	1	0	0	0	6
20–24	22	12	8	7	4	1	0	0	54
25–29	76	77	39	27	19	7	4	3	252
30–34	313	246	173	90	90	25	16	5	958
35–39	696	510	398	228	171	59	40	24	2,126
40–44	1,342	1,019	675	387	319	90	76	37	3,945
45–49	1,998	1,489	1,072	572	493	124	107	42	5,897
50–54	2,271	1,735	1,167	604	611	182	126	34	6,730
55–59	2,068	1,496	1,046	563	529	159	95	28	5,984
60–64	1,919	1,434	967	538	474	129	73	19	5,553
65–69	1,891	1,497	903	487	480	122	64	10	5,454
70–74	1,831	1,360	901	390	426	110	63	11	5,092
75–79	1,463	1,071	700	343	410	113	35	7	4,142
80–84	949	796	506	248	289	62	27	2	2,879
85+	722	639	400	203	238	54	18	3	2,277
All ages	17,561	13,383	8,957	4,689	4,554	1,237	744	225	51,350
Ages 50–69	8,149	6,162	4,083	2,192	2,094	592	358	91	23,721

Source: AIHW National Cancer Statistics Clearing House.

Table 280: Age-specific and age-standardised incidence rates for breast cancer in women, states and territories, 1995–1999

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
0–4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5–9	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10–14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15–19	0.0	0.1	0.3	0.6	0.4	0.0	0.0	0.0	0.2
20–24	2.0	1.4	1.3	2.1	1.6	1.3	0.0	0.0	1.6
25–29	6.3	8.4	5.9	7.8	7.1	8.5	6.1	6.4	7.0
30–34	25.8	27.0	26.7	25.7	32.5	28.8	25.2	11.9	26.7
35–39	55.7	55.5	59.4	62.6	58.4	62.2	61.6	61.5	57.5
40–44	115.8	118.5	107.8	111.3	115.2	101.5	120.9	108.6	114.2
45–49	185.9	185.8	182.0	181.0	186.4	151.0	175.0	146.1	183.3
50–54	249.8	259.5	236.7	240.9	274.1	263.5	269.2	164.5	251.0
55–59	284.6	280.3	277.4	288.0	299.2	281.4	303.7	218.9	283.6
60–64	298.7	302.9	308.0	326.8	299.3	260.4	314.1	233.5	302.8
65–69	302.8	329.2	304.3	324.1	304.5	258.2	325.2	179.3	310.5
70–74	311.5	317.5	330.4	293.1	275.1	248.0	348.8	286.6	309.9
75–79	318.0	323.7	325.8	333.3	333.4	314.9	263.2	275.9	322.8
80–84	297.2	343.3	341.9	336.7	337.0	243.4	318.1	138.4	322.0
85+	274.7	319.7	329.2	318.6	326.2	271.3	290.2	257.5	304.4
All ages									
Crude rate	111.2	114.9	105.8	105.1	121.5	103.3	95.6	51.1	110.3
ASR(A)	111.0	114.7	112.0	113.6	114.9	102.8	115.0	85.9	112.3
95% CI	109.4–112.7	112.8–116.7	109.7–114.3	110.4–116.9	111.5–118.3	97.1–108.7	106.7–123.7	73.1–100.0	111.4–113.3
Ages 50–69									
Crude rate	280.8	289.2	275.7	288.0	292.6	266.2	295.9	192.9	283.0
ASR(A)	279.0	286.8	274.9	286.8	291.6	266.6	298.0	196.4	281.4
95% CI	273.0–285.2	279.7–294.1	266.5–283.5	274.9–299.0	279.2–304.4	245.5–289.1	267.8–330.7	157.0–242.4	277.9–285.1

Note: Rates are the number of cases of invasive cancers per 100,000 women and age-standardised to the Australian population at 30 June 2001.

Source: AIHW National Cancer Statistics Clearing House.

Table 281: Number of new cases of breast cancer in women, by age and region, 2000–2004

Age group	Major cities	Inner regional	Outer regional	Remote	Very remote	Australia
0–4	0	0	0	0	0	0
5–9	0	0	0	0	0	0
10–14	0	0	0	0	0	0
15–19	3	0	1	0	0	4
20–24	29	6	2	0	0	37
25–29	179	46	16	5	6	252
30–34	680	159	100	13	5	956
35–39	1,575	414	197	27	12	2,225
40–44	3,070	874	422	78	30	4,475
45–49	4,406	1,305	624	88	43	6,466
50–54	5,378	1,707	729	107	45	7,966
55–59	5,339	1,746	783	98	34	8,000
60–64	4,534	1,670	712	92	24	7,032
65–69	3,897	1,437	618	50	16	6,018
70–74	3,376	1,283	466	48	20	5,192
75–79	3,015	1,062	397	24	13	4,511
80–84	2,179	717	260	26	3	3,185
85+	1,896	612	277	21	9	2,815
All ages	39,555	13,038	5,606	678	257	59,134
Ages 50–69	19,148	6,560	2,843	347	118	29,016

Source: AIHW National Cancer Statistics Clearing House.

Table 282: Age-specific and age-standardised incidence rates for breast cancer in women by region, 2000–2004

Age group	Major cities	Inner regional	Outer regional	Remote	Very remote	Australia
0–4	0.0	0.0	0.0	0.0	0.0	0.0
5–9	0.0	0.0	0.0	0.0	0.0	0.0
10–14	0.0	0.0	0.0	0.0	0.0	0.0
15–19	0.1	0.0	0.3	0.0	0.0	0.1
20–24	1.2	1.1	0.8	0.4	0.0	1.1
25–29	7.2	7.9	5.4	8.8	16.2	7.2
30–34	26.0	23.3	28.4	20.5	12.5	25.5
35–39	62.8	55.7	53.2	42.6	36.6	59.7
40–44	122.8	109.3	108.8	129.3	101.6	118.2
45–49	190.7	176.9	177.3	166.7	170.8	185.5
50–54	248.8	248.9	222.5	228.2	205.6	245.9
55–59	306.4	294.4	277.5	257.4	208.3	299.7
60–64	338.0	340.7	306.9	323.1	204.7	334.4
65–69	340.1	339.2	323.1	227.3	188.5	337.2
70–74	312.7	332.1	277.0	271.7	310.6	313.7
75–79	306.8	318.4	282.4	179.6	276.1	306.8
80–84	307.6	305.1	262.8	273.1	94.0	302.9
85+	296.2	294.9	311.9	249.7	335.2	300.1
All ages						
Crude rate	120.0	126.5	112.8	88.9	61.8	119.5
ASR(A)	116.7	114.4	106.5	99.1	88.3	115.0
95% CI	115.6–117.9	112.4–116.4	103.7–109.3	91.7–107.0	77.3–100.2	114.0–115.9
Ages 50–69						
Crude rate	299.6	299.2	275.1	256.2	203.7	296.2
ASR(A)	299.6	296.9	273.2	256.2	203.1	295.5
95% CI	295.4–303.9	289.7–304.2	263.3–283.5	229.9–284.7	167.3–242.9	292.2–299.0

Note: Rates are the number of cases of invasive cancers per 100,000 women and age-standardised to the Australian population at 30 June 2001.

Source: AIHW National Cancer Statistics Clearing House.

Table 283: Number of new cases of breast cancer in women, by age and region, 1995–1999

Age group	Major cities	Inner regional	Outer regional	Remote	Very remote	Australia
0–4	0	0	0	0	0	0
5–9	0	1	0	0	0	1
10–14	0	0	0	0	0	0
15–19	3	2	1	0	0	6
20–24	44	8	2	0	0	54
25–29	180	44	22	2	5	252
30–34	694	166	78	13	7	958
35–39	1,439	424	221	32	10	2,126
40–44	2,711	794	359	58	23	3,945
45–49	4,042	1,204	531	90	30	5,897
50–54	4,659	1,331	611	91	38	6,730
55–59	3,964	1,299	634	61	27	5,984
60–64	3,626	1,274	565	68	20	5,553
65–69	3,618	1,244	528	48	16	5,454
70–74	3,421	1,146	465	43	18	5,092
75–79	2,784	926	384	40	8	4,142
80–84	1,995	590	258	24	11	2,879
85+	1,569	481	202	20	5	2,277
All ages	34,749	10,934	4,860	588	219	51,350
Ages 50–69	15,867	5,148	2,338	267	101	23,721

Source: AIHW National Cancer Statistics Clearing House.

Table 284: Age-specific and age-standardised incidence rates for breast cancer in women by region, 1995–1999

Age group	Major cities	Inner regional	Outer regional	Remote	Very remote	Australia
0–4	0.0	0.0	0.0	0.0	0.0	0.0
5–9	0.0	0.1	0.0	0.0	0.0	0.0
10–14	0.0	0.0	0.0	0.0	0.0	0.0
15–19	0.1	0.3	0.3	0.0	0.0	0.2
20–24	1.8	1.4	0.5	0.0	0.0	1.6
25–29	7.1	7.2	6.4	2.6	12.7	7.0
30–34	28.3	24.6	21.5	18.9	19.7	26.7
35–39	58.8	55.8	56.6	47.5	31.9	57.5
40–44	118.1	110.5	100.2	102.1	88.1	114.2
45–49	186.3	184.4	163.8	183.5	132.9	183.3
50–54	259.7	242.2	219.4	221.3	215.7	251.0
55–59	287.8	284.9	272.5	194.3	205.8	283.6
60–64	305.8	308.3	281.7	273.5	210.5	302.8
65–69	315.8	311.3	288.4	234.9	213.3	310.5
70–74	312.2	313.5	290.0	266.8	326.0	309.9
75–79	322.2	329.0	314.9	328.3	215.7	322.8
80–84	330.6	304.3	300.9	295.1	453.7	322.0
85+	308.0	304.6	284.7	266.5	213.5	304.4
All ages						
Crude rate	112.2	114.2	100.9	77.1	54.4	110.3
ASR(A)	114.5	111.6	103.5	96.9	89.6	112.3
95% CI	113.3–115.7	109.5–113.7	100.6–106.5	89.1–105.1	77.5–102.9	111.4–113.3
Ages 50–69						
Crude rate	288.3	283.1	261.3	227.4	211.6	283.0
ASR(A)	287.1	280.1	259.2	227.8	211.5	281.4
95% CI	282.6–291.6	272.4–287.9	248.8–270.0	201.1–256.6	172.0–257.2	277.9–285.1

Note: Rates are the number of cases of invasive cancers per 100,000 women and age-standardised to the Australian population at 30 June 2001.

Source: AIHW National Cancer Statistics Clearing House.

Indicator 7b: Incidence of ductal carcinoma in situ

Table 285: Number of new cases of ductal carcinoma in situ by age, states and territories, 2000–2004

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
0–19	0	0	0	1	0	0	0	0	1
20–29	3	10	3	3	1	0	0	0	20
30–39	86	64	43	20	15	3	5	0	236
40–49	466	300	253	151	69	17	29	5	1290
50–59	732	615	466	320	190	60	49	11	2443
60–69	579	461	377	248	118	37	30	5	1855
70+ years	491	288	225	132	82	28	10	0	1256
All ages	2,357	1,738	1,367	875	475	145	123	21	7,101
Ages 50–69	1,311	1,076	843	568	308	97	79	16	4,298

Source: AIHW National Cancer Statistics Clearing House.

Table 286: Age-specific and age-standardised rates of ductal carcinoma in situ, states and territories, 2000–2004

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
0–19	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
20–29	0.1	0.6	0.2	0.5	0.2	0.0	0.0	0.0	0.3
30–39	3.4	3.4	3.1	2.7	2.7	1.8	3.9	0.0	3.2
40–49	19.2	16.7	18.4	20.6	12.1	9.5	23.0	7.0	17.7
50–59	37.2	42.2	41.3	56.0	39.2	39.7	48.4	23.6	41.3
60–69	43.3	46.9	53.2	69.2	36.0	35.5	58.4	27.2	47.7
70+ years	27.2	21.7	25.8	30.7	17.2	20.5	17.9	0.0	24.6
All ages									
Crude rate	14.1	14.1	14.6	18.2	12.3	12.0	15.1	4.4	14.4
ASR(A)	13.6	13.7	14.6	18.3	11.2	11.0	15.8	5.9	14.0
95% CI	13.0–14.2	13.0–14.3	13.8–15.4	17.1–19.6	10.2–12.3	9.3–12.9	13.1–18.9	3.6–9.2	13.6–14.3
Ages 50–69									
Crude rate	39.7	44.1	45.9	61.1	37.9	38.0	51.7	24.6	43.9
ASR(A)	39.6	44.0	46.0	61.2	37.9	38.0	52.3	25.0	43.9
95% CI	37.5–41.8	41.4–46.8	43.0–49.2	56.3–66.4	33.8–42.4	30.8–46.4	41.3–65.3	13.9–41.0	42.6–45.2

Note: Rates are the number of cases of DCIS per 100,000 women and age-standardised to the Australian population at 30 June 2001.

Source: AIHW National Cancer Statistics Clearing House.

Table 287: Number of new cases of ductal carcinoma in situ by age, states and territories, 1995–1999

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
0–19	0	0	1	0	0	0	0	0	1
20–29	11	9	2	2	2	0	1	0	27
30–39	67	72	31	25	8	4	2	2	211
40–49	369	287	157	122	63	22	25	3	1,048
50–59	509	458	242	177	130	56	28	3	1,603
60–69	413	371	188	134	96	33	14	0	1,249
70+ years	334	265	139	85	55	17	11	0	906
All ages	1,703	1,462	760	545	354	132	81	8	5,045
Ages 50–69	922	829	430	311	226	89	42	3	2,852

Source: AIHW National Cancer Statistics Clearing House.

Table 288: Age-specific and age-standardised rates of ductal carcinoma in situ, states and territories, 1995–1999

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
0–19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20–29	0.5	0.5	0.2	0.3	0.4	0.0	0.7	0.0	0.4
30–39	2.7	3.9	2.4	3.5	1.4	2.2	1.6	2.5	2.9
40–49	16.5	17.3	12.9	18.4	11.6	12.9	20.2	4.8	15.7
50–59	31.1	38.1	27.8	39.7	32.5	44.6	35.9	9.0	33.5
60–69	32.6	40.0	30.8	42.6	30.4	34.1	32.6	0.0	34.8
70+ years	20.5	22.3	18.4	22.8	12.6	13.5	23.9	0.0	19.8
All ages									
Crude rate	10.8	12.6	9.0	12.2	9.4	11.0	10.4	1.8	10.8
ASR(A)	11.0	12.8	9.6	13.3	9.3	11.4	12.2	2.1	11.3
95% CI	10.5–11.5	12.2–13.5	9.0–10.3	12.2–14.5	8.4–10.4	9.5–13.5	9.7–15.3	0.9–4.3	11.0–11.6
Ages 50–69									
Crude rate	31.8	38.9	29.0	40.9	31.6	40.0	34.7	6.4	34.0
ASR(A)	31.7	38.8	29.0	40.8	31.7	40.5	34.6	5.4	34.0
95% CI	29.7–33.8	36.2–41.6	26.3–31.9	36.4–45.6	27.7–36.1	32.5–49.8	24.9–46.8	1.1–15.9	32.7–35.3

Note: Rates are the number of cases of DCIS per 100,000 women and age-standardised to the Australian population at 30 June 2001.

Source: AIHW National Cancer Statistics Clearing House.

Table 289: Number of new cases of ductal carcinoma in situ, Australia, 1994–2004

Age group	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0–19	0	0	0	1	0	0	0	0	0	1	0
20–29	2	5	2	10	6	4	2	5	4	4	5
30–39	40	47	38	45	42	39	53	42	57	38	46
40–49	152	163	199	225	232	229	238	260	253	255	284
50–59	207	266	266	320	351	400	454	492	485	486	526
60–69	175	195	221	249	295	289	309	389	362	382	413
70+ years	98	178	164	160	215	189	242	248	227	271	268
All ages	674	854	890	1,010	1,141	1,150	1,298	1,436	1,388	1,437	1,542
Ages 50–69	382	461	487	569	646	689	763	881	847	868	939

Source: AIHW National Cancer Statistics Clearing House.

Table 290: Age-specific and age-standardised rates of ductal carcinoma in situ, Australia, 1994–2004

Age group	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
0–19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20–29	0.1	0.4	0.1	0.7	0.4	0.3	0.1	0.4	0.3	0.3	0.4
30–39	2.8	3.3	2.6	3.1	2.9	2.7	3.6	2.8	3.8	2.5	3.0
40–49	12.1	12.7	15.1	16.9	17.1	16.6	17.0	18.2	17.4	17.2	18.9
50–59	24.7	30.5	29.4	33.4	34.9	38.1	41.4	43.0	41.0	39.6	41.8
60–69	24.6	27.4	31.1	34.8	40.9	39.6	41.6	51.5	46.8	48.1	50.2
70+ years	11.7	20.6	18.4	17.5	22.9	19.6	24.5	24.5	22.1	26.1	25.5
All ages											
Crude rate	7.5	9.4	9.7	10.8	12.1	12.1	13.5	14.7	14.0	14.3	15.2
ASR(A)	8.1	10.0	10.2	11.3	12.4	12.2	13.4	14.5	13.7	13.8	14.4
95% CI	7.5–			10.6–	11.7–	11.5–	12.7–	13.7–	12.9–	13.1–	13.7–
	8.8	9.4–10.7	9.5–10.9	12.0	13.1	13.0	14.2	15.2	14.4	14.5	15.2
Ages 50–69											
Crude rate	24.6	29.1	30.1	34.0	37.4	38.7	41.5	46.4	43.3	43.0	45.1
ASR(A)	24.6	29.3	30.1	33.9	37.3	38.7	41.5	46.4	43.3	43.0	45.1
95% CI	22.2–	26.7–	27.4–	31.2–	34.4–	35.8–	38.6–	43.4–	40.4–	40.2–	42.3–
	27.3	32.1	32.9	36.9	40.2	41.7	44.6	49.5	46.3	45.9	48.1

Note: Rates are the number of cases of DCIS per 100,000 women and age-standardised to the Australian population at 30 June 2001.

Source: AIHW National Cancer Statistics Clearing House.

Indicator 8: Mortality

Table 291: Number of deaths from breast cancer in women, Australia, 1990–2005

Age group	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
0–4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5–9	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
10–14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
15–19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
20–24	0	2	1	0	1	1	0	1	2	2	1	1	0	0	0	0
25–29	6	12	4	2	2	5	9	6	7	6	5	2	4	5	5	4
30–34	26	25	33	39	19	25	28	37	28	20	23	21	24	26	24	26
35–39	63	79	79	74	87	57	90	84	68	59	66	63	71	65	50	51
40–44	149	150	136	116	139	120	136	135	128	141	122	126	112	118	109	132
45–49	168	177	196	202	211	207	189	211	207	203	187	185	173	185	191	192
50–54	228	232	212	225	239	221	230	271	265	247	255	262	295	242	230	267
55–59	215	227	219	252	249	248	240	236	227	260	257	253	289	307	301	293
60–64	282	258	236	276	262	268	258	239	255	263	239	228	273	289	254	303
65–69	328	306	272	316	290	317	289	284	252	212	216	242	256	263	285	254
70–74	258	305	287	264	308	288	296	297	268	288	287	315	245	252	256	234
75–79	254	249	254	298	274	281	279	291	300	274	281	289	312	301	287	283
80–84	205	211	213	257	250	259	252	244	236	232	237	273	277	277	288	304
85+	219	229	247	268	271	280	273	273	314	298	335	325	367	383	361	375
All ages	2,400	2,463	2,389	2,588	2,602	2,576	2,571	2,609	2,557	2,505	2,511	2,585	2,698	2,713	2,641	2,719
Ages 50–69	1,054	1,023	939	1,069	1,040	1,054	1,017	1,030	999	982	967	985	1,113	1,101	1,070	1,117

Source: AIHW National Mortality Database.

Table 292: Age-specific and age-standardised mortality rates for breast cancer in women, Australia, 1990–2005

Age group	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
0–4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5–9	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10–14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15–19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
20–24	0.0	0.3	0.1	0.0	0.1	0.1	0.0	0.1	0.3	0.3	0.2	0.2	0.0	0.0	0.0	0.0
25–29	0.8	1.7	0.6	0.3	0.3	0.7	1.2	0.8	1.0	0.8	0.7	0.3	0.6	0.7	0.7	0.6
30–34	3.8	3.6	4.6	5.4	2.5	3.5	3.9	5.2	3.9	2.8	3.2	2.8	3.2	3.4	3.1	3.4
35–39	9.6	12.0	11.7	10.7	12.5	8.0	12.4	11.3	9.0	7.8	8.7	8.4	9.6	8.8	6.8	6.8
40–44	24.1	23.5	21.2	17.9	21.2	17.9	20.1	19.5	18.2	19.7	16.7	16.9	14.7	15.3	14.0	17.0
45–49	35.0	35.3	36.4	35.2	35.4	33.5	29.6	32.8	31.7	30.5	27.7	27.1	24.9	26.1	26.4	26.0
50–54	57.0	56.2	49.9	51.9	52.8	46.5	46.3	50.4	46.3	41.3	40.9	40.4	45.5	36.9	34.6	39.6
55–59	59.8	63.4	59.6	67.0	64.5	62.7	58.9	56.0	52.4	57.4	54.3	51.0	53.9	53.8	50.7	47.5
60–64	76.1	69.6	64.7	76.9	73.3	75.0	72.3	65.7	68.5	68.4	60.2	55.9	65.1	67.2	56.7	64.5
65–69	94.2	87.0	77.2	88.8	81.8	89.4	81.5	80.6	72.2	61.3	62.6	69.8	72.2	72.3	76.1	66.0
70–74	95.2	108.0	98.2	86.8	97.0	89.2	90.5	90.4	80.9	86.4	86.0	94.1	73.8	76.7	78.6	72.0
75–79	115.0	110.4	110.8	129.5	120.5	120.5	114.6	113.5	111.6	97.6	97.7	99.0	106.1	101.3	95.9	94.4
80–84	147.0	144.9	140.4	162.2	149.5	150.0	142.6	135.7	129.6	126.7	124.7	135.3	131.4	125.9	125.8	129.3
85+	206.9	208.4	213.6	219.6	212.9	208.6	193.1	182.8	200.3	179.4	191.3	177.3	194.1	198.2	183.1	182.0
All ages																
Crude rate	28.1	28.4	27.2	29.2	29.0	28.4	27.9	28.0	27.2	26.3	26.0	26.4	27.3	27.1	26.1	26.5
ASR(A)	30.4	30.5	28.9	30.5	30.0	28.9	28.1	27.8	26.5	25.4	24.7	24.7	25.2	24.7	23.5	23.7
95% CI	29.1–31.6	29.3–31.7	27.7–30.0	29.3–31.7	28.9–31.2	27.8–30.0	27.0–29.2	26.8–28.9	25.5–27.6	24.4–26.4	23.7–25.7	23.8–25.7	24.2–26.1	23.8–25.7	22.6–24.5	22.8–24.6
Ages 50–69																
Crude rate	71.2	68.5	62.2	70.1	67.1	66.6	62.9	61.5	57.8	55.1	52.6	51.9	56.8	54.5	51.4	52.1
ASR(A)	68.5	66.5	60.5	67.9	65.5	64.6	61.5	60.6	57.3	55.0	52.5	51.8	56.7	54.2	51.1	51.8
95% CI	64.3–72.8	62.4–70.8	56.7–64.6	63.8–72.1	61.5–69.7	60.7–68.7	57.8–65.5	57.0–64.4	53.8–61.0	51.6–58.5	49.2–55.9	48.6–55.1	53.4–60.2	51.1–57.5	48.0–54.2	48.8–54.9

Note: Rates are the number of deaths from breast cancer per 100,000 women and age-standardised to the Australian population at 30 June 2001.

Source: AIHW National Mortality Database.

Table 293: Number of deaths from breast cancer in women by age, states and territories, 2001–2005

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
0–4	0	0	0	0	0	0	0	0	0
5–9	0	0	0	0	0	0	0	0	0
10–14	0	0	0	0	0	0	0	0	0
15–19	1	0	0	0	0	0	0	0	1
20–24	0	1	0	0	0	0	0	0	1
25–29	6	8	2	2	1	0	0	1	20
30–34	33	40	22	13	6	2	1	4	121
35–39	101	83	47	21	36	8	2	2	300
40–44	190	158	118	47	57	14	10	3	597
45–49	295	242	177	91	73	29	14	5	926
50–54	408	352	238	109	120	42	20	7	1,296
55–59	507	365	247	119	137	37	20	11	1,443
60–64	459	320	262	126	109	41	24	6	1,347
65–69	463	311	234	119	126	29	13	5	1,300
70–74	441	341	224	128	111	34	20	3	1,302
75–79	531	408	236	117	125	38	12	5	1,472
80–84	459	398	234	128	140	43	15	2	1,419
85+	620	488	300	148	195	46	14	0	1,811
All ages	4,514	3,515	2,341	1,168	1,236	363	165	54	13,356
Ages 50–69	1,837	1,348	981	473	492	149	77	29	5,386

Note: State refers to the state of usual residence.

Source: AIHW National Mortality Database.

Table 294: Age-specific and age-standardised mortality rates for breast cancer in women, states and territories, 2001–2005

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
0–4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5–9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10–14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15–19	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20–24	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25–29	0.5	0.9	0.3	0.6	0.4	0.0	0.0	2.3	0.6
30–34	2.6	4.1	3.0	3.6	2.2	2.5	1.5	8.8	3.2
35–39	8.2	8.8	6.6	5.7	13.0	9.5	3.2	4.9	8.1
40–44	14.9	16.7	16.0	12.3	19.4	15.0	15.5	7.9	15.6
45–49	25.1	27.7	26.2	25.2	26.2	32.9	22.6	14.7	26.1
50–54	37.7	43.4	37.7	33.2	45.1	50.5	34.2	24.0	39.4
55–59	54.2	52.7	45.3	44.6	58.9	50.5	43.6	54.8	51.3
60–64	62.4	59.2	63.4	61.8	60.6	70.2	78.3	48.0	61.9
65–69	73.6	66.9	71.2	71.1	81.1	59.5	56.5	68.1	71.2
70–74	76.4	80.4	77.8	88.9	76.0	77.8	106.5	60.6	79.1
75–79	101.8	105.9	93.2	94.8	89.8	97.5	70.9	148.8	99.3
80–84	118.4	140.9	124.6	142.2	133.9	144.7	124.0	93.2	129.4
85+	182.3	193.8	183.6	177.8	209.6	176.5	145.2	0.0	186.9
All ages									
Crude rate	26.9	28.2	24.5	24.0	31.9	29.9	20.1	11.2	26.7
ASR(A)	24.1	25.3	23.6	23.4	26.1	25.5	22.5	19.3	24.4
95% CI	23.4–24.8	24.5–26.2	22.6–24.5	22.1–24.8	24.6–27.6	22.9–28.3	19.1–26.2	13.7–26.1	23.9–24.8
Ages 50–69									
Crude rate	54.3	53.7	51.1	48.9	59.0	56.5	48.7	42.0	53.3
ASR(A)	53.8	53.5	51.2	49.2	58.5	56.4	50.2	45.2	53.1
95% CI	51.4–56.3	50.7–56.4	48.1–54.6	44.8–53.8	53.5–64.0	47.7–66.2	39.5–62.8	29.7–65.7	51.7–54.5

Notes

1. Rates are the number of deaths from breast cancer per 100,000 women and age-standardised to the Australian population at 30 June 2001.
2. State refers to the state of usual residence.

Source: AIHW National Mortality Database.

Table 295: Number of deaths from breast cancer in women by age, states and territories, 1996–2000

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
0–4	0	0	0	0	0	0	0	0	0
5–9	0	0	0	0	0	0	0	0	0
10–14	0	0	0	0	0	0	0	0	0
15–19	0	0	0	0	0	0	0	0	0
20–24	2	2	1	1	0	0	0	0	6
25–29	10	9	7	6	1	0	0	0	33
30–34	59	30	24	6	14	3	1	0	136
35–39	103	114	63	35	31	14	5	3	367
40–44	206	179	108	83	56	19	7	5	662
45–49	335	257	167	100	85	21	23	10	997
50–54	395	345	260	117	90	31	19	13	1,268
55–59	400	338	217	103	104	33	19	7	1,220
60–64	438	357	196	93	113	28	20	9	1,254
65–69	452	347	173	98	119	36	23	5	1,253
70–74	493	409	234	111	126	39	18	5	1,436
75–79	507	386	222	102	141	44	21	3	1,425
80–84	420	323	190	95	116	34	19	3	1,201
85+	454	431	240	156	148	43	19	2	1,493
All ages	4,272	3,528	2,102	1,104	1,145	344	193	65	12,753
Ages 50–69	1,684	1,387	847	409	426	128	81	34	4,995

Note: State refers to the state of usual residence.

Source: AIHW National Mortality Database.

Table 296: Age-specific and age-standardised mortality rates for breast cancer in women, states and territories, 1996–2000

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
0–4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5–9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10–14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15–19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20–24	0.2	0.2	0.2	0.3	0.0	0.0	0.0	0.0	0.2
25–29	0.8	1.0	1.0	1.7	0.4	0.0	0.0	0.0	0.9
30–34	4.9	3.3	3.7	1.7	5.1	3.5	1.6	0.0	3.8
35–39	8.1	12.3	9.2	9.5	10.5	14.8	7.7	7.5	9.8
40–44	17.5	20.5	16.8	23.3	19.9	21.1	11.0	14.3	18.8
45–49	30.6	31.6	27.8	30.6	31.7	25.3	37.2	33.5	30.4
50–54	41.4	48.9	49.7	43.7	38.2	42.7	37.7	58.3	44.8
55–59	53.2	61.4	54.7	50.4	57.4	56.6	57.2	50.5	55.8
60–64	67.0	74.2	60.5	54.5	70.0	55.3	81.9	104.8	66.9
65–69	73.0	76.9	58.2	64.5	76.9	76.5	115.1	86.2	71.7
70–74	83.5	95.0	84.9	82.3	81.8	87.9	98.3	123.8	86.8
75–79	105.9	111.6	99.2	94.4	110.3	118.9	146.7	113.5	106.5
80–84	128.9	137.3	125.0	127.9	133.6	130.5	210.7	188.1	131.7
85+	163.8	205.6	186.6	231.0	193.0	204.3	280.9	160.0	189.3
All ages									
Crude rate	26.7	30.0	24.4	24.3	30.4	28.7	24.6	14.4	27.1
ASR(A)	25.5	28.6	25.2	25.6	26.7	26.7	31.7	30.5	26.5
95% CI	24.7–26.3	27.7–29.6	24.1–26.3	24.1–27.2	25.2–28.3	23.9–29.7	27.3–36.6	22.2–40.0	26.0–26.9
Ages 50–69									
Crude rate	56.6	63.4	54.9	51.7	58.1	56.0	63.3	67.3	57.8
ASR(A)	55.7	62.7	54.9	51.5	57.0	55.2	66.2	71.3	57.3
95% CI	53.0–58.4	59.4–66.1	51.2–58.7	46.6–56.8	51.7–62.8	45.9–65.6	52.4–82.4	47.8–99.6	55.7–58.9

Notes

1. Rates are the number of deaths from breast cancer per 100,000 women and age-standardised to the Australian population at 30 June 2001.
2. State refers to the state of usual residence.

Source: AIHW National Mortality Database.

Table 297: Number of deaths from breast cancer in women by age and region, 2001–2005

Age group	Major cities	Inner regional	Outer regional	Remote	Very remote	Australia
0–4	0	0	0	0	0	0
5–9	0	0	0	0	0	0
10–14	0	0	0	0	0	0
15–19	1	0	0	0	0	1
20–24	1	0	0	0	0	1
25–29	12	5	1	1	1	20
30–34	79	23	15	1	4	121
35–39	194	67	35	2	2	300
40–44	402	124	58	10	3	597
45–49	598	221	92	8	6	926
50–54	844	291	143	14	4	1,296
55–59	964	310	146	19	5	1,443
60–64	852	317	151	21	5	1,347
65–69	857	288	129	15	11	1,300
70–74	830	311	138	16	7	1,302
75–79	957	373	128	11	2	1,472
80–84	959	324	125	8	2	1,419
85+	1,202	410	178	16	5	1,811
All ages	8,753	3,065	1,340	141	57	13,356
Ages 50–69	3,517	1,206	570	69	25	5,386

Note: Regions have been defined according to the ASGC Remoteness Areas classification.

Source: AIHW National Mortality Database.

Table 298: Age-specific and age-standardised mortality rates for breast cancer in women by region, 2001–2005

Age group	Major cities	Inner regional	Outer regional	Remote	Very remote	Australia
0–4	0.0	0.0	0.0	0.0	0.0	0.0
5–9	0.0	0.0	0.0	0.0	0.0	0.0
10–14	0.0	0.0	0.0	0.0	0.0	0.0
15–19	0.0	0.0	0.0	0.0	0.0	0.0
20–24	0.0	0.0	0.0	0.0	0.0	0.0
25–29	0.5	0.8	0.4	1.8	2.7	0.6
30–34	3.0	3.3	4.2	1.0	9.7	3.2
35–39	7.8	9.1	9.5	2.5	6.2	8.1
40–44	15.9	15.3	14.8	15.7	9.9	15.6
45–49	25.5	29.3	25.7	15.7	23.2	26.1
50–54	38.6	41.4	42.9	30.1	18.3	39.4
55–59	52.4	49.2	49.4	47.6	28.9	51.3
60–64	61.6	62.2	63.1	72.1	40.6	61.9
65–69	73.2	65.9	65.6	65.7	124.6	71.2
70–74	77.5	80.0	81.9	89.1	111.0	79.1
75–79	97.0	109.9	89.1	80.7	47.1	99.3
80–84	129.5	131.8	121.4	82.2	74.6	129.4
85+	181.2	189.2	192.3	176.3	186.3	186.9
All ages						
Crude rate	26.3	29.3	26.8	18.5	13.7	26.7
ASR(A)	24.2	24.9	24.2	21.4	21.3	24.4
95% CI	23.7–24.7	24.0–25.8	22.9–25.5	18.0–25.3	15.9–27.8	23.9–24.8
Ages 50–69						
Crude rate	53.4	52.9	53.4	49.8	40.9	53.3
ASR(A)	53.4	52.3	53.0	50.2	44.9	53.1
95% CI	51.6–55.2	49.4–55.4	48.8–57.6	38.9–63.3	28.6–66.5	51.7–54.5

Notes

1. Rates are the number of deaths from breast cancer per 100,000 women and age-standardised to the Australian population at 30 June 2001.
2. The Australian Standard Geographical Classification (ASGC) was used to create the above categories (ABS 2001).

Source: AIHW National Mortality Database.

Table 299: Number of deaths from breast cancer in women by age and Indigenous status, Queensland, Western Australia, South Australia, Northern Territory, 2001–2005

Age group	Indigenous	Non-Indigenous	Australia
0–4	0	0	0
5–9	0	0	0
10–14	0	0	0
15–19	0	0	1
20–24	0	0	1
25–29	2	4	20
30–34	3	42	121
35–39	4	101	300
40–44	7	216	597
45–49	10	332	926
50–54	5	463	1,296
55–59	4	507	1,443
60–64	9	491	1,347
65–69	9	466	1,300
70–74	9	450	1,302
75+	11	1,602	4,702
All ages	73	4,674	13,356
Ages 50–69	27	1,927	5,386

Notes

1. Only Queensland, Western Australia, South Australia, and the Northern Territory have Indigenous death registration data considered to be of a publishable standard; therefore data from these jurisdictions only are included in the analysis by Indigenous status.
2. 'Australia' includes all states and territories of Australia. 'Indigenous' and 'Non-Indigenous' includes Queensland, Western Australia, South Australia, and the Northern Territory.
3. Deaths in the 'not stated' category are included in the column for 'Australia', but they are not included in the other columns.

Source: AIHW National Mortality Database.

Table 300: Age-standardised and age-specific mortality rates for breast cancer in women by Indigenous status, Queensland, Western Australia, South Australia, Northern Territory, 2001–2005

Age group	Indigenous	Non-Indigenous	Australia
0–4	0.0	0.0	0.0
5–9	0.0	0.0	0.0
10–14	0.0	0.0	0.0
15–19	0.0	0.0	0.0
20–24	0.0	0.0	0.0
25–29	3.4	0.3	0.6
30–34	5.1	3.1	3.2
35–39	7.9	7.5	8.1
40–44	16.5	15.3	15.6
45–49	30.5	25.2	26.1
50–54	19.3	37.7	39.4
55–59	22.9	48.4	51.3
60–64	68.8	61.6	61.9
65–69	100.4	71.7	71.2
70–74	149.8	78.0	79.1
75+	143.8	129.5	132.5
All ages			
Crude rate	10.1	25.9	26.7
ASR(A)	26.7	23.9	24.6
95% CI	20.1–34.6	23.3–24.6	24.1–25.0
Ages 50–69			
Crude rate	41.3	51.8	53.3
ASR(A)	45.4	51.8	53.1
95% CI	29.8–66.3	49.5–54.1	51.7–54.5

Notes

1. Only Queensland, Western Australia, South Australia, and the Northern Territory have Indigenous death registration data considered to be of a publishable standard; therefore data from these jurisdictions only are included in the analysis by Indigenous status.
2. 'Australia' includes all states and territories of Australia. 'Indigenous' and 'Non-Indigenous' includes Queensland, Western Australia, South Australia, and the Northern Territory.
3. Rates are the number of deaths from breast cancer per 100,000 women and age-standardised to the Australian population at 30 June 2001.
4. Deaths in the 'not stated' category are included in the column for 'Australia', but they are not included in the other columns.

Source: AIHW National Mortality Database.

Table 301: Number of deaths from breast cancer in women by age and Indigenous status, Queensland, Western Australia, South Australia, Northern Territory, 1996–2000

Age group	Indigenous	Non-Indigenous	Australia
0–4	0	0	0
5–9	0	0	0
10–14	0	0	0
15–19	0	0	0
20–24	0	2	6
25–29	1	13	33
30–34	1	42	136
35–39	5	126	367
40–44	9	240	662
45–49	6	352	997
50–54	7	470	1,268
55–59	4	425	1,220
60–64	8	399	1,254
65–69	5	388	1,253
70–74	3	467	1,436
75+	10	1,397	4,120
All ages	59	4,321	12,753
Ages 50–69	24	1,682	4,995

Notes

1. Only Queensland, Western Australia, South Australia, and the Northern Territory have Indigenous death registration data considered to be of a publishable standard; therefore data from these jurisdictions only are included in the analysis by Indigenous status. Queensland data are included from 1998 onwards.
2. 'Australia' includes all states and territories of Australia. 'Indigenous' and 'Non-Indigenous' includes Queensland, Western Australia, South Australia, and the Northern Territory.
3. Deaths in the 'not stated' category are included in the column for 'Australia', but they are not included in the other columns.

Source: AIHW National Mortality Database.

Table 302: Age-standardised and age-specific mortality rates for breast cancer in women by Indigenous status, Queensland, Western Australia, South Australia, Northern Territory, 1996–2000

Age group	Indigenous	Non-Indigenous	Australia
0–4	0.0	0.0	0.0
5–9	0.0	0.0	0.0
10–14	0.0	0.0	0.0
15–19	0.0	0.0	0.0
20–24	0.0	0.2	0.2
25–29	2.0	1.3	0.9
30–34	2.4	4.1	3.8
35–39	13.7	11.6	9.8
40–44	31.5	23.2	18.8
45–49	26.2	36.4	30.4
50–54	43.7	55.8	44.8
55–59	32.0	66.7	55.8
60–64	86.9	75.0	66.9
65–69	75.7	80.2	71.7
70–74	71.3	102.1	86.8
75+	153.9	163.3	135.6
All ages			
Crude rate	11.0	32.1	27.1
ASR(A)	27.7	31.6	26.6
95% CI	20.4–36.7	30.6–32.5	26.1–27.1
Ages 50–69			
Crude rate	54.2	67.4	57.8
ASR(A)	55.7	67.2	57.3
95% CI	35.6–82.9	64.0–70.5	55.7–58.9

Notes

1. Only Queensland, Western Australia, South Australia, and the Northern Territory have Indigenous death registration data considered to be of a publishable standard; therefore data from these jurisdictions only are included in the analysis by Indigenous status. Queensland data are included from 1998 onwards.
2. 'Australia' includes all states and territories of Australia. 'Indigenous' and 'Non-Indigenous' includes Queensland, Western Australia, South Australia, and the Northern Territory.
3. Rates are the number of deaths from breast cancer per 100,000 women and age-standardised to the Australian population at 30 June 2001.
4. Deaths in the 'not stated' category are included in the column for 'Australia', but they are not included in the other columns.

Source: AIHW National Mortality Database.