Appendix 2: List of figures

| Hospitals at a glance |
|--------------------------------------------------------------------------------------------------------------------------------------|
| Figure 1: Separations per 1,000 population, Australia, 1993–94 to 2002–03x |
| Figure 2: Patient days per 1,000 population, public acute and private hospitals, Australia, 1993–94 to 2002–03x |
| Figure 3: Average length of stay, Australia, 1993–94 to 2002–03x |
| Figure 4: Average length of stay for overnight separations, Australia, 1993–94 to 2002–03 xi |
| Figure 5: Separations per 1,000 population by age group and sex, 2002–03 xi |
| Figure 6: Average length of stay by age group and sex, 2002–03xi |
| Figure 7: Separations per 1,000 population by Indigenous status and age group, 2002–03 xii |
| Figure 8: Separations per 1,000 population by Remoteness Area of usual residence and hospital sector, 2002–03xii |
| Figure 9: Separations for medical, surgical and other AR-DRGs version 5.0, public hospitals, Australia, 1998-99 to 2002-03xii |
| Figure 10: Separations for medical, surgical and other AR-DRGs version 5.0, private hospitals, Australia, 1998–99 to 2002–03xiii |
| Figure 11: Separations ('000) by selected principal diagnosis, 2002–03 ix |
| Figure 12: Selected potentially preventable hospitalisations, 1993–94 to 2002–03xiv |
| Figure 13: Separations for selected procedures, 2002–03xiv |
| Figure 14: Separations for coronary artery bypass graft and the proportion of separations in private hospitals, 1993–94 to 2002–03xv |
| Figure 15: Median waiting time by specialty of surgeon, 2002–03xv |
| Figure 16: Average annual change in the number of hospitals, Australia, 1993–94 to 2002-03xvi |
| Figure 17: Average annual change in the number of available beds, Australia, 1993–94 to 2002–03xvi |
| Figure 18: Average full-time equivalent staff, public acute and psychiatric hospitals, 1993–94 to 2002–03xvii |
| Figure 19: Recurrent expenditure, public acute and psychiatric hospitals, 2002–03xvii |
| Figure 20: Cost per casemix adjusted separation, 1996–97 to 2002–03, by recurrent expenditure type |
| 5 Waiting times for elective surgery |
| Figure 5.1: Interrelationships of a specialty of surgeon (ear, nose and throat) with other data elements, all hospitals, 2002–03 |

| 6 Admir | nistrative data for admitted patients |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Figure 6.1: | Elective separations, by month of admission and sector, states and territories, 2002–03 |
| Figure 6.2: | Emergency separations, by month of admission and sector, states and territories, 2002–03 |
| 7 Demogra | aphic profile for admitted patients |
| Figure 7.1: | Separations per 1,000 population, by age group and sex, public hospitals, Australia, 2002–03140 |
| Figure 7.2: | Separations per 1,000 population, by age group and sex, private hospitals, Australia, 2002–03140 |
| Figure 7.3: | Patient days per 1,000 population, by age group and sex, public hospitals, Australia, 2002–03141 |
| Figure 7.4: | Patient days per 1,000 population, by age group and sex, private hospitals, Australia, 2002–03141 |
| Figure 7.5: | Average length of stay per 1,000 population, by age group and sex, public hospitals, Australia, 2002–03142 |
| Figure 7.6: | Average length of stay per 1,000 population, by age group and sex, private hospitals, Australia, 2002–03142 |
| Figure 7.7: | Separations per 1,000 population, by age group, sex and reported Indigenous status, all hospitals, Australia, 2002–03 |
| Figure 7.8: | Separations per 1,000 population, by Statistical Division of usual residence, public hospitals, Australia, 2002–03 |
| Figure 7.9: | Separations per 1,000 population, by Statistical Division of usual residence, private hospitals, Australia, 2002–03 |
| 8 Princi | pal diagnoses for admitted patients |
| Figure 8.1: | Interrelationships of a principal diagnosis (J35 Chronic disease of tonsils and adenoids) with other data elements, all hospitals, Australia, 2002-03164 |
| Figure 8.2: | Separations, by principal diagnosis in ICD-10-AM chapter groupings and hospital sector, Australia, 2002-03 |
| Figure 8.3: | Patient days, by principal diagnosis in ICD-10-AM chapter groupings and hospital sector, Australia, 2002-03 |
| 9 Procedui | res for admitted patients |
| Figure 9.1: | Interrelationships of a procedure (Block 412 Tonsillectomy or adenoidectomy) with other data elements, all hospitals, Australia, 2002–03196 |
| Figure 9.2: | Separations by procedure, in ICD-10-AM chapter groupings, and hospital sector, Australia, 2002–03 |
| Figure 9.3: | Patient days by procedure, in ICD-10-AM chapter groupings, and hospital sector, |

| Figure 9.4: Proportion of separations with a procedure reported, by principal diagnosis and Indigenous status, all hospitals, Australia, 2002–03 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 10 External causes for admitted patients |
| Figure 10.1: Interrelationship of an external cause (W20-W64 Exposure to mechanical force) with other data elements, all hospitals, Australia, 2002–0323 |
| 11 Australian Refined Diagnosis Related Groups for admitted patients |
| Figure 11.1: Interrelationships of an AR-DRG (AR-DRG D11Z Tonsillectomy and/or Adenoidectomy) with other data elements, all hospitals, Australia, 2002–0324 |
| Figure 11.2: Separations by Major Diagnostic Category version 5.0 and hospital sector, Australia, 2002–03 |
| Figure 11.3: Patient days by Major Diagnostic Category version 5.0 and hospital sector, Australia, 2002–03 |
| Appendix 3: Technical notes |
| Figure A3.1: Total cost per casemix-adjusted separation, 2001–0229 |
| Figure A3.2: Error AR-DRGs as a percentage of all separations, states and territories, 2002–03 |
| Appendix 4: Hospitals contributing to this report and public hospital peer groups |
| Figure A4.1: Flow chart for assignment of public hospital peer groups31 |