### RURAL HEALTH SERIES Number 2

# Rural, regional and remote health

A study on mortality

October 2003

Australian Institute of Health and Welfare Canberra

AIHW cat. no. PHE 45

#### © Australian Institute of Health and Welfare 2003

This work is copyright. Apart from any use as permitted under the Copyright Act 1968, no part may be reproduced without prior written permission from the Australian Institute of Health and Welfare. Requests and enquiries concerning reproduction and rights should be directed to the Head, Media and Publishing, Australian Institute of Health and Welfare, GPO Box 570, Canberra ACT 2601.

This publication is part of the Australian Institute of Health and Welfare's Rural Health Series. A complete list of the Institute's publications is available from the Publications Unit, Australian Institute of Health and Welfare, GPO Box 570, Canberra ACT 2601, or via the Institute's web site (http://www.aihw.gov.au).

ISSN 1448-9775 ISBN 1740243196

### Suggested citation

AIHW (Australian Institute of Health and Welfare) 2003. Rural, regional and remote health: a study on mortality. AIHW cat. no. PHE 45. Canberra: AIHW (Rural Health Series no. 2).

### Australian Institute of Health and Welfare

**Board Chair** Dr Sandra Hacker

Director Dr Richard Madden

Any enquiries about or comments on this publication should be directed to:

Andrew Phillips Australian Institute of Health and Welfare GPO Box 570 Canberra ACT 2601

Phone: (02) 6244 1027

Email: andrew.phillips@aihw.gov.au

Published by Australian Institute of Health and Welfare Printed by Pirion

# **Contents**

Lis	st of tables	vi
Lis	st of figures	xiv
Ac	knowledgments	xix
Ab	breviations	xxi
Syı	mbols used in the tables and figures	xxii
Bac	ckground	1
	Data quality and analytical methods	1
	Report structure	2
	Context	3
Ke	y points	5
	Demography	5
	Overall death rates	5
	Life expectancy	7
	Changes in death rates, 1992–1999	7
	Broad causes of death	8
	Specific causes of death	8
	Comments on the findings	13
1	Introduction	15
	1.1 Characteristics of rural and remote populations	16
2	Technical notes	21
	2.1 Indigenous data quality issues	21
	2.2 Population data and calculation of death rates	22
	2.3 Effect of Indigenous data quality on reporting non-Indigenous deaths in the report	
	2.4 Statistical methods	25
	2.5 Geographic classification	29
	2.6 Cause of deaths	30
	2.7 Notes on data presentation	32

3	All	cause mortality	33
	3.1	Overview	39
	3.2	Trends in mortality	40
	3.3	Death rates	43
	3.4	Variation within areas	46
	3.5	Variation by age group	48
	3.6	'Excess' deaths	56
	3.7	Life expectancy	66
	3.8	Mortality due to specific causes	71
4	Cir	culatory disease	75
	4.1	Overview – circulatory diseases	79
	4.2	Ischaemic heart disease	95
	4.3	Stroke	100
	4.4	Rheumatic heart disease	105
	4.5	'Other' diseases of the circulatory system	109
5	Ne	oplasms	114
	5.1	Overview – neoplasms	119
	5.2	Lung cancer	136
	5.3	Colorectal cancer	141
	5.4	Breast cancer	146
	5.5	Cervical cancer	150
	5.6	Prostate cancer	154
	5.7	Melanoma	158
	5.8	'Other' neoplasms	163
6	Res	spiratory disease	168
	6.1	Overview – respiratory diseases	172
	6.2	Chronic obstructive pulmonary disease	190
	6.3	Pneumonia	195
	6.4	Asthma	200
	6.5	Influenza	205
	66	'Other' respiratory diseases	210

7	Inj	ury	215
	7.1	Overview – injury	220
	7.2	Motor vehicle accidents	237
	7.3	Suicide	242
	7.4	Interpersonal violence	247
	7.5	Accidental shooting	252
	7.6	'Other' injury	256
8	'Ot	her' diseases	261
	8.1	Overall mortality due to 'all other causes'	266
	8.2	Diabetes	270
	8.3	Specified renal disease	276
	8.4	All other causes of death not elsewhere described	281
Ref	erer	ices	286
Ap	peno	lices	288
	Ap	pendix A: Standardised mortality ratios	288
	Ap	pendix B: 'Excess' deaths	306
	Ap	pendix C: Age-specific death rates	325
	Ap	pendix D: ICD-9 and ICD-10 codes	335
	Ap	pendix E: Population tables	336

# **List of tables**

Table 1:	Leading specific causes of 'excess' deaths, 1997–1999	.10
Table 1.1:	Comparison of selected characteristics of Indigenous and non-Indigenous people	.15
Table 1.2:	Indigenous and total populations within each ASGC Remoteness area, 2001	.18
Table 1.3:	Male to female population ratio, by ASGC Remoteness area, 2001	.20
Table 2.1:	Comparison of the size of the over-estimates in non-Indigenous death rate predicted in each of the four models	.25
Table 2.2:	Remoteness classifications, 1996 population estimates	.30
Table 3.1:	The ratio of observed deaths to those expected if Major Cities rates applied to the relevant population in each of the four ASGC Remoteness areas outside Major Cities, 1997–1999	.34
Table 3.2:	Annual numbers of deaths and 'excess' deaths, 1997–1999	.35
Table 3.3:	Summary table of deaths due to broad cause for all persons, 1997–1999	.36
Table 3.4:	The ratio of observed deaths to those expected if Major Cities rates applied in each ASGC Remoteness area, 1997–1999	.37
Table 3.5:	Average annual deaths, 1997-1999	.39
Table 3.6:	Percentage of the decrease in the total number of 'excess' deaths that result from changes in mortality of each broad cause, 1992–1999	.43
Table 3.7:	Variation in the SMR in Statistical Local Areas (SLAs) within each ASGC Remoteness area, 1993–1999	.47
Table 3.8:	The ratio of observed deaths to those expected if Major Cities rates applied in each area, males and females, 1997–1999	.49
Table 3.9:	The ratio of observed deaths to those expected if Major Cities non-Indigenous rates applied to the non-Indigenous population in each area and to the Indigenous population, 1997–1999	.53
Table 3.10:	The annual number of 'excess' deaths outside Major Cities as a result of each major group of causes, and the percentage of all 'excess' deaths attributable to that cause, 1997–1999	.57
Table 3.11:	Annual 'excess' deaths by age group, all persons, 1997–1999	.60
Table 3.12:	Annual 'excess' deaths by age group, non-Indigenous persons, 1997–1999	.63
Table 3.13:	Life expectancy for persons, Australia, 1997–1999	.68
Table 3.14:	Life expectancy for non-Indigenous persons, Australia, 1997–1999	.70
Table 3.15:	Key for Figures 3.19 and 3.20	.71
Table 4.1:	Summary table of deaths due to circulatory diseases for all persons, 1997–1999	.77

Table 4.2:	The ratio of observed deaths from circulatory diseases to those expected if Major Cities rates applied in each ASGC Remoteness area, 1997–199978
Table 4.3:	Average annual deaths due to circulatory diseases, 1997–199979
Table 4.4:	The ratio of observed deaths to those expected if Major Cities rates applied in each ASGC Remoteness area, circulatory disease, males and females, 1997–1999
Table 4.5:	The ratio of observed deaths to those expected as a result of circulatory disease if Major Cities non-Indigenous rates applied to the non-Indigenous population in each ASGC Remoteness area and to the Indigenous population, 1997–1999
Table 4.6:	The ratio of observed deaths to those expected if Major Cities rates applied in each ASGC Remoteness area, ischaemic heart disease, males and females, 1997–1999
Table 4.7:	The ratio of observed deaths to those expected as a result of ischaemic heart disease if Major Cities non-Indigenous rates applied to the non-Indigenous population in each ASGC Remoteness area and to the Indigenous population, 1997–1999
Table 4.8:	The ratio of observed deaths to those expected if Major Cities rates applied in each ASGC Remoteness area, stroke, males and females, 1997–1999102
Table 4.9:	The ratio of observed deaths to those expected as a result of stroke if Major Cities non-Indigenous rates applied to the non-Indigenous population in each ASGC Remoteness area and to the Indigenous population, 1997–1999103
Table 4.10:	The ratio of observed deaths to those expected if Major Cities rates applied in each ASGC Remoteness area, rheumatic heart disease, males and females, 1997–1999
Table 4.11:	The ratio of observed deaths to those expected as a result of rheumatic heart disease if Major Cities non-Indigenous rates applied to the non-Indigenous population in each ASGC Remoteness area and to the Indigenous population, 1997–1999
Table 4.12:	The ratio of observed deaths to those expected if Major Cities rates applied in each ASGC Remoteness area, 'other' circulatory disease, males and females, 1997–1999
Table 4.13:	The ratio of observed deaths to those expected as a result of 'other' circulatory disease if Major Cities non-Indigenous rates applied to the non-Indigenous population in each ASGC Remoteness area, and to the Indigenous population, 1997–1999
Table 5.1:	Summary table of deaths due to neoplasms for all persons, 1997–1999116
Table 5.2:	The ratio of observed deaths from neoplasms to those expected if Major Cities rates applied in each ASGC Remoteness area, 1997–1999117
Table 5.3:	Average annual deaths due to neoplasms, 1997–1999119
Table 5.4:	The ratio of observed deaths to those expected if Major Cities rates applied in each ASGC Remoteness area, neoplasms, males and females, 1997–1999125

Table 5.5:	Major Cities non-Indigenous rates applied to the non-Indigenous population in each ASGC Remoteness area and to the Indigenous population, 1997–1999	129
Table 5.6:	The ratio of observed deaths to those expected if Major Cities rates applied in each ASGC Remoteness area, lung cancer, males and females, 1997–19991	138
Table 5.7:	The ratio of observed deaths to those expected as a result of lung cancer if Major Cities non-Indigenous rates applied to the non-Indigenous population in each ASGC Remoteness area and to the Indigenous population, 1997–1999	139
Table 5.8:	The ratio of observed deaths to those expected if Major Cities rates applied in each ASGC Remoteness area, colorectal cancer, males and females, 1997–1999	143
Table 5.9:	The ratio of observed deaths to those expected as a result of colorectal cancer if Major Cities non-Indigenous rates applied to the non-Indigenous population in each ASGC Remoteness area and to the Indigenous population, 1997–1999	144
Table 5.10:	The ratio of observed deaths to those expected if Major Cities rates applied in each ASGC Remoteness area, breast cancer, females, 1997–1999	148
Table 5.11:	The ratio of observed deaths to those expected as a result of breast cancer if Major Cities non-Indigenous rates applied to the non-Indigenous female population in each ASGC Remoteness area and to the Indigenous female population in SA, WA, NT and Qld, 1997–1999	149
Table 5.12:	The ratio of observed deaths to those expected if Major Cities rates applied in each ASGC Remoteness area, cervical cancer, females, 1997–1999	152
Table 5.13:	The ratio of observed deaths to those expected as a result of cervical cancer if Major Cities non-Indigenous rates applied to the non-Indigenous female population in each ASGC Remoteness area and to the Indigenous female population in SA, WA, NT and Qld, 1997–1999	153
Table 5.14:	The ratio of observed deaths to those expected if Major Cities rates applied in each ASGC Remoteness area, prostate cancer, males, 1997–1999	156
Table 5.15:	The ratio of observed deaths to those expected as a result of prostate cancer if Major Cities non-Indigenous rates applied to the non-Indigenous male population in each ASGC Remoteness area and to the Indigenous male population in SA, WA, NT and Qld, 1997–1999	157
Table 5.16:	The ratio of observed deaths to those expected if Major Cities rates applied in each ASGC Remoteness area, melanoma, males and females, 1997–1999	160
Table 5.17:	The ratio of observed deaths to those expected as a result of melanoma if Major Cities non-Indigenous rates applied to the non-Indigenous population in each ASGC Remoteness area and to the Indigenous population, 1997–1999	161
Table 5.18:	The ratio of observed deaths to those expected if Major Cities rates applied in each ASGC Remoteness area, 'other' neoplasms, males and females,	165

Table 5.19:	The ratio of observed deaths to those expected as a result of 'other' neoplasms if Major Cities non-Indigenous rates applied to the non-Indigenous population in each ASGC Remoteness area and to the Indigenous population, 1997–1999
Table 6.1:	Summary table of deaths due to respiratory disease for all persons,  1997–1999
Table 6.2:	The ratio of observed deaths from respiratory diseases to those expected if Major Cities rates applied in each ASGC Remoteness area, 1997–1999171
Table 6.3:	Average annual deaths due to respiratory diseases, 1997–1999172
Table 6.4:	The ratio of observed deaths to those expected if Major Cities rates applied in each ASGC Remoteness area, respiratory disease, males and females, 1997–1999
Table 6.5:	The ratio of observed deaths to those expected as a result of respiratory disease if Major Cities non-Indigenous rates applied to the non-Indigenous population in each ASGC Remoteness area and to the Indigenous population, 1997–1999
Table 6.6:	The ratio of observed deaths to those expected if Major Cities rates applied in each ASGC Remoteness area, COPD, males and females, 1997–1999192
Table 6.7:	The ratio of observed deaths to those expected as a result of COPD if Major Cities non-Indigenous rates applied to the non-Indigenous population in each ASGC Remoteness area and to the Indigenous population, 1997–1999193
Table 6.8:	The ratio of observed deaths to those expected if Major Cities rates applied in each ASGC Remoteness area, pneumonia, males and females, 1997–1999197
Table 6.9:	The ratio of observed deaths to those expected as a result of pneumonia if Major Cities non-Indigenous rates applied to the non-Indigenous population in each ASGC Remoteness area and to the Indigenous population, 1997–1999
Table 6.10:	The ratio of observed deaths to those expected if Major Cities rates applied in each ASGC Remoteness area, asthma, males and females, 1997–1999202
Table 6.11:	The ratio of observed deaths to those expected as a result of asthma if Major Cities non-Indigenous rates applied to the non-Indigenous population in each ASGC Remoteness area and to the Indigenous population, 1997–1999203
Table 6.12:	The ratio of observed deaths to those expected if Major Cities rates applied in each ASGC Remoteness area, influenza, males and females, 1997–1999207
Table 6.13:	The ratio of observed deaths to those expected as a result of influenza if Major Cities non-Indigenous rates applied to the non-Indigenous population in each ASGC Remoteness area and to the Indigenous population, 1997–1999208
Table 6.14:	The ratio of observed deaths to those expected if Major Cities rates applied in each ASGC Remoteness area, 'other' respiratory disease, males and females, 1997–1999

Table 6.15:	The ratio of observed deaths to those expected as a result of 'other' respiratory disease if Major Cities non-Indigenous rates applied to the non-Indigenous population in each ASGC Remoteness area and to the Indigenous population, 1997–1999	213
Table 7.1:	Summary table of deaths due to injury and poisoning for all persons,  1997–1999	217
Table 7.2:	The ratio of observed deaths from injury and poisoning to those expected if Major Cities rates applied in each ASGC Remoteness area, 1997–1999	218
Table 7.3:	Average annual deaths due to injury and poisoning, 1997–1999	220
Table 7.4:	The ratio of observed deaths to those expected if Major Cities rates applied in each ASGC Remoteness area, injury and poisoning, males and females, 1997–1999	229
Table 7.5:	The ratio of observed deaths to those expected as a result of injury and poisoning if Major Cities non-Indigenous rates applied to the non-Indigenous population in each ASGC Remoteness area and to the Indigenous population, 1997–1999	232
Table 7.6:	The ratio of observed deaths to those expected if Major Cities rates applied in each ASGC Remoteness area, motor vehicle accidents, males and females, 1997–1999	239
Table 7.7:	The ratio of observed deaths to those expected as a result of motor vehicle accidents if Major Cities non-Indigenous rates applied to the non-Indigenous population in each ASGC Remoteness area and to the Indigenous population, 1997–1999	240
Table 7.8:	The ratio of observed deaths to those expected if Major Cities rates applied in each ASGC Remoteness area, suicide, males and females, 1997–1999	244
Table 7.9:	The ratio of observed deaths to those expected as a result of suicide if Major Cities non-Indigenous rates applied to the non-Indigenous population in each ASGC Remoteness area and to the Indigenous population, 1997–1999	245
Table 7.10:	The ratio of observed deaths to those expected if Major Cities rates applied in each ASGC Remoteness area, interpersonal violence, males and females, 1997–1999	249
Table 7.11:	The ratio of observed deaths to those expected as a result of interpersonal violence if Major Cities non-Indigenous rates applied to the non-Indigenous population in each ASGC Remoteness area and to the Indigenous population, 1997–1999	250
Table 7.12:	The ratio of observed deaths of males to those expected if Major Cities rates applied in each ASGC Remoteness area, accidental shooting, 1997–1999	253
Table 7.13:	The ratio of observed deaths to those expected as a result of accidental shooting if Major Cities non-Indigenous rates applied to the non-Indigenous male population in each ASGC Remoteness area and to the Indigenous male population, 1997–1999	254
Table 7.14:	The ratio of observed deaths to those expected if Major Cities rates applied in each ASGC Remoteness area, 'other' injury, males and females, 1997–1999	258

Table 7.15:	Major Cities non-Indigenous rates applied to the non-Indigenous population in each ASGC Remoteness area and to the Indigenous population, 1997–1999	59
Table 8.1:	Summary table of deaths due to all other causes for all persons, 1997–199926	63
Table 8.2:	The ratio of observed deaths from all other causes to those expected if Major Cities rates applied in each ASGC Remoteness area, 1997–199926	64
Table 8.3:	The ratio of observed deaths to those expected if Major Cities rates applied in each ASGC Remoteness area, all other causes (including diabetes and renal disease), males and females, 1997–1999	67
Table 8.4:	The ratio of observed deaths to those expected as a result of all other causes (including diabetes and renal disease), if Major Cities non-Indigenous rates applied to the non-Indigenous population in each ASGC Remoteness area and to the Indigenous population, 1997–1999	68
Table 8.5:	The ratio of observed deaths to those expected if Major Cities rates applied in each ASGC Remoteness area, diabetes as the underlying cause of death, males and females, 1997–1999	73
Table 8.6:	The ratio of observed deaths to those expected as a result of diabetes as the underlying cause of death if Major Cities non-Indigenous rates applied to the non-Indigenous population in each ASGC Remoteness area and to the Indigenous population, 1997–1999.	74
Table 8.7:	The ratio of observed deaths to those expected if Major Cities rates applied in each ASGC Remoteness area, specified renal disease, males and females, 1997–1999	78
Table 8.8:	The ratio of observed deaths to those expected as a result of specified renal disease if Major Cities non-Indigenous rates applied to the non-Indigenous population in each ASGC Remoteness area and to the Indigenous population, 1997–1999	79
Table 8.9:	The ratio of observed deaths to those expected if Major Cities rates applied in each ASGC Remoteness area, other causes not elsewhere described (and excludes diabetes and renal disease), males and females, 1997–199928	83
Table 8.10:	The ratio of observed deaths to those expected as a result of other causes not elsewhere described (and excludes diabetes and renal disease), if Major Cities non-Indigenous rates applied to the non-Indigenous population in each ASGC Remoteness area and to the Indigenous population, 1997–199928	84
Table A1:	Standardised mortality ratio by cause, in regional and remote areas, by sex 1997–1999	89
Table A2:	Standardised mortality ratio by cause, in regional and remote areas, non-Indigenous persons, by sex, 1997–1999	92
Table A3:	SMR by cause for Indigenous people in SA, WA, NT and Qld, 1997–199929	95
Table A4.1:	Standardised mortality ratio by ICD-10 chapter, in regional and remote areas, by sex, 1997–1999	96

	Standardised mortality ratio by ICD-10 chapter, in regional and remote areas, non-Indigenous persons, by sex, 1997–1999	297
Table A5.1:	Trends in all-cause mortality, 1992–1999	298
Table A5.2:	Trends in mortality due to diseases of the circulatory system, 1992–1999	298
Table A5.3:	Trends in mortality due to neoplasms, 1992–1999	299
Table A5.4:	Trends in mortality due to diseases of the respiratory system, 1992–1999	299
Table A5.5:	Trends in mortality due to injury, 1992–1999	300
Table A6.1:	The ratio of observed deaths to those expected if Major Cities rates applied in each ASGC Remoteness area, diabetes as an associated cause of death, males and females, 1997–1999	302
Table A6.2:	The ratio of observed deaths to those expected as a result of diabetes as an associated cause of death if Major Cities non-Indigenous rates applied to the non-Indigenous population in each ASGC Remoteness area and to the Indigenous population, 1997–1999	303
Table A6.3:	The average annual number of observed deaths where diabetes is mentioned on the death certificate as an associated cause of death, in each ASGC Remoteness area, 1997–1999	304
Table A6.4:	The average annual number of observed deaths where diabetes is mentioned on the death certificate as an associated cause of death, in the non-Indigenous population in each ASGC Remoteness area and in the Indigenous population in SA, WA, NT and Qld, 1997–1999	304
Table A6.5:	The average annual number of deaths in 'excess' of those expected where diabetes is mentioned on the death certificate as an associated cause of death in each ASGC Remoteness area (that is, in the total population), 1997–1999	305
Table A6.6:	The average annual number of deaths in 'excess' of those expected, where diabetes is mentioned on the death certificate as an associated cause of death in the non-Indigenous population in each ASGC Remoteness area and in the Indigenous population in SA, WA, NT and Qld, 1997–1999	305
Table B1:	Annual number of 'excess' deaths	307
Table B2:	Annual number of 'excess' deaths of non-Indigenous people	315
Table B3:	Annual number of 'excess' deaths of Indigenous persons in SA, WA, NT and Qld	3 <b>2</b> 3
Table C1.1:	Age-specific death rates for males and females, all causes, 1997–1999	325
Table C1.2:	Age-specific death rates for males and females, circulatory diseases, 1997–1999	326
Table C1.3:	Age-specific death rates for males and females, neoplasms, 1997–1999	327
Table C1.4:	Age-specific death rates for males and females, respiratory diseases, 1997–1999	3 <b>2</b> 8
Table C1.5:	Age-specific death rates for males and females, injury and poisoning, 1997–1999	3 <b>2</b> 9

Table C2.1:	Age-specific death rates for Indigenous and non-Indigenous males and females, all causes, 1997–1999	330
Table C2.2:	Age-specific death rates for Indigenous and non-Indigenous males and females, circulatory diseases, 1997–1999	331
Table C2.3:	Age-specific death rates for Indigenous and non-Indigenous males and females, neoplasms, 1997–1999	332
Table C2.4:	Age-specific death rates for Indigenous and non-Indigenous males and females, respiratory diseases, 1997–1999	333
Table C2.5:	Age-specific death rates for Indigenous and non-Indigenous males and females, injury and poisoning, 1997–1999	334
Table D1:	ICD-9 and ICD-10 chapter and cause codes for mortality data	335
Table E1:	Population distribution in each ASGC Remoteness area, persons, 2001	336
Table E2:	Percentage of the population in each ASGC Remoteness area who are Indigenous, by state, 2001	336
Table E3:	Distribution of non-Indigenous and Indigenous populations by state and ASGC Remoteness area, 2001	337

# **List of figures**

Figure 1.1:	Population distribution in Australia, by ASGC Remoteness area, 2001	.18
Figure 1.2:	Age distribution, by ASGC Remoteness area, 2001	.19
Figure 1.3:	Age distribution for persons living in Major Cities, Inner Regional and Very Remote areas, 2001	.20
Figure 2.1:	The percentage of Indigenous deaths assumed to be correctly identified under each model	
Figure 2.2:	Remoteness areas of Australia	.31
Figure 3.1:	Annual percentage change in the ratio of observed to expected deaths, males and females, 1992–1999	.40
Figure 3.2:	Trends for SMRs, all causes of death, males and females, 1992–1999	.41
Figure 3.3:	Percentage of the decrease in the total number of 'excess' deaths that result from changes in mortality due to each broad cause, 1992–1999	.42
Figure 3.4:	SMRs for all, Indigenous and non-Indigenous persons, by sex, 1997–1999	.44
Figure 3.5:	SMRs for Indigenous and non-Indigenous persons aged 0–64 years, by sex, 1997–1999	.46
Figure 3.6:	Intra-zonal variation of death rates: 5th and 95th, 25th and 75th percentiles of the SMRs calculated for each Statistical Local Area within each ASGC Remoteness area, 1993–1999.	.48
Figure 3.7:	Age-specific death rates, by ASGC Remoteness area for males, 1997–1999	.50
Figure 3.8:	Age-specific death rates, by ASGC Remoteness area for females, 1997–1999	.51
Figure 3.9:	Age-specific death rates, by ASGC Remoteness area for non-Indigenous males and in SA, WA, NT and Qld for Indigenous males, 1997–1999	.54
Figure 3.10:	Age-specific death rates, by ASGC Remoteness area for non-Indigenous females and in SA, WA, NT and Qld for Indigenous females, 1997–1999	.55
Figure 3.11:	'Excess' deaths by age group, persons, males and females, 1997–1999	.58
Figure 3.12:	Average annual deaths in 'excess' of those expected if Major Cities rates for non- Indigenous people applied to the population of Indigenous males and females living in SA, WA, NT and Qld, 1997–1999	.61
Figure 3.13:	'Excess' deaths by age group, non-Indigenous males, females and persons, 1997–1999	.64
Figure 3.14:	Percentage of 'excess' deaths outside Major Cities due to each major cause, non-Indigenous people, 1997–1999	.65
Figure 3.15:	Life expectancy, by sex, Australia, 1997–1999	.67
Figure 3.16:	Probability of living to age 65 years, by sex, Australia, 1997–1999	.67
Figure 3.17:	Life expectancy for non-Indigenous persons, Australia, 1997–1999	.69

Figure 3.18:	Probability of living to age 65 years for non-Indigenous persons, Australia, 1997–1999
Figure 3.19:	Percentage of deaths attributed to each ICD-10 chapter, 1997–19997
Figure 3.20:	Percentage of deaths attributed to each ICD-10 chapter by ASGC Remoteness area, males and females, 1997–1999
Figure 3.21:	Percentage of deaths attributed to the main causes in each ASGC Remoteness area, 1997–1999
Figure 3.22:	Percentage of 'excess' deaths attributed to the main causes in each ASGC Remoteness area, 1997–1999
Figure 4.1:	Annual percentage change in the ratio of observed to expected deaths due to circulatory diseases, males and females, 1992–1999
Figure 4.2:	Trends in SMRs, circulatory disease, males and females, 1992–199983
Figure 4.3:	Circulatory disease SMRs for all, Indigenous and non-Indigenous persons, by sex, 1997–1999
Figure 4.4:	Circulatory disease SMRs for Indigenous and non-Indigenous persons aged 0–64 years, by sex, 1997–1999
Figure 4.5:	Age-specific death rates due to circulatory diseases, by ASGC Remoteness area, for males, 1997–1999
Figure 4.6:	Age-specific death rates due to circulatory diseases, by ASGC Remoteness area, for females, 1997–1999
Figure 4.7:	Age-specific death rates due to circulatory diseases, by ASGC Remoteness area, for non-Indigenous males and for SA, WA, NT and Qld Indigenous males, 1997–1999
Figure 4.8:	Age-specific death rates due to circulatory diseases, by ASGC Remoteness area, for non-Indigenous females and for SA, WA, NT and Qld Indigenous females, 1997–1999
Figure 4.9:	Annual 'excess' deaths by age group, circulatory disease, males and females, 1997–1999
Figure 4.10:	Average annual deaths due to circulatory disease in 'excess' of those expected if Major Cities rates for non-Indigenous people applied to the population of Indigenous males and females living in SA, WA, NT and Qld, 1997–1999
Figure 4.11:	'Excess' deaths by age group, circulatory disease, non-Indigenous males and females, 1997–199994
Figure 4.12:	Ischaemic heart disease SMRs for all, Indigenous and non-Indigenous persons, by sex, 1997–1999
Figure 4.13:	Stroke SMRs for all, Indigenous and non-Indigenous persons, by sex, 1997–1999
Figure 4.14:	Rheumatic heart disease SMRs for all, Indigenous and non-Indigenous persons, by sex, 1997–1999

Figure 4.15:	persons, by sex, 1997–1999	.110
0	Annual percentage change in the ratio of observed to expected deaths due to neoplasms, males and females, 1992–1999	.120
Figure 5.2:	Trends in SMRs, neoplasms, males and females, 1992–1999	.121
Figure 5.3:	Neoplasm SMRs for all, Indigenous and non-Indigenous persons, by sex, 1997–1999	.122
Figure 5.4:	Neoplasm SMRs for Indigenous and non-Indigenous persons aged 0-64 years, by sex, 1997-1999	.124
Figure 5.5:	Age-specific death rates due to neoplasms, by ASGC Remoteness area for males, 1997–1999	.126
Figure 5.6:	Age-specific death rates due to neoplasms, by ASGC Remoteness area for females, 1997–1999	.127
Figure 5.7:	Age-specific death rates due to neoplasms, by ASGC Remoteness area for non-Indigenous males and for SA, WA, NT and Qld Indigenous males, 1997–1999	.130
Figure 5.8:	Age-specific death rates due to neoplasms, by ASGC Remoteness area for non-Indigenous females and for SA, WA, NT and Qld Indigenous females, 1997–1999	.131
Figure 5.9:	Numbers of 'excess' deaths by age group, neoplasms, males and females, 1997–1999	.133
Figure 5.10:	Average annual deaths due to neoplasms in 'excess' of those expected if Major Cities rates for non-Indigenous people applied to the population of Indigenous males and females living in SA, WA, NT and Qld, 1997–1999	.134
Figure 5.11:	'Excess' deaths from neoplasms, non-Indigenous persons, by age group and sex, 1997–1999	.135
Figure 5.12:	Lung cancer SMRs for all, Indigenous and non-Indigenous persons, by sex, 1997–1999	.137
Figure 5.13:	Colorectal cancer SMRs for all, Indigenous and non-Indigenous persons, by sex, 1997–1999	.142
Figure 5.14:	Breast cancer SMRs for all, Indigenous and non-Indigenous females, 1997–1999	.147
Figure 5.15:	Cervical cancer SMRs for all, Indigenous and non-Indigenous females, 1997–1999	.151
Figure 5.16:	Prostate cancer SMRs for all, Indigenous and non-Indigenous males, 1997–1999	.155
Figure 5.17:	Melanoma SMRs for all, Indigenous and non-Indigenous persons, by sex, 1997–1999	.159
Figure 5.18:	'Other' neoplasm SMRs for all, Indigenous and non-Indigenous persons, by	164

-	Annual percentage change in the ratio of observed to expected deaths due to respiratory diseases, males and females, 1992–1999	.173
Figure 6.2:	Trends in SMRs, respiratory disease, males and females, 1992–1999	.174
_	Respiratory disease SMRs for all, Indigenous and non-Indigenous persons, by sex, 1997–1999	.176
Figure 6.4:	Respiratory disease SMRs for Indigenous and non-Indigenous persons aged 0–64 years, by sex, 1997–1999	.178
Figure 6.5:	Age-specific death rates due to respiratory diseases, by ASGC Remoteness area for males, 1997–1999.	.180
Figure 6.6:	Age-specific death rates due to respiratory diseases, by ASGC Remoteness area for females, 1997–1999	.181
Figure 6.7:	Age-specific death rates due to respiratory diseases, by ASGC Remoteness area for non-Indigenous males and for SA, WA, NT and Qld Indigenous males, 1997–1999	.184
Figure 6.8:	Age-specific death rates due to respiratory diseases, by ASGC Remoteness area for non-Indigenous females and for SA, WA, NT and Qld Indigenous females, 1997–1999	.185
Figure 6.9:	'Excess' deaths by age group, respiratory disease, males and females, 1997–1999	.186
Figure 6.10:	Average annual deaths due to respiratory disease in 'excess' of those expected if Major Cities rates for non-Indigenous people applied to the population of Indigenous males and females living in SA, WA, NT and Qld, 1997–1999	.187
Figure 6.11:	'Excess' deaths by age group, respiratory disease, non-Indigenous males and females, 1997–1999	.188
Figure 6.12:	COPD SMRs for all, Indigenous and non-Indigenous persons, by sex, 1997–1999	.191
Figure 6.13:	Pneumonia SMRs for all, Indigenous and non-Indigenous persons, by sex, 1997–1999	.196
Figure 6.14:	Asthma SMRs for all, Indigenous and non-Indigenous persons, by sex, 1997–1999	.201
Figure 6.15:	Influenza SMRs for all, Indigenous and non-Indigenous persons, by sex, 1997–1999	.206
Figure 6.16:	'Other' respiratory SMRs for all, Indigenous and non-Indigenous persons, by sex, 1997–1999	.211
Figure 7.1:	Annual percentage change in the ratio of observed to expected deaths due to injury and poisoning, males and females, 1992–1999	.221
Figure 7.2:	Trends in SMRs, injury and poisoning, males and females, 1992–1999	.222
Figure 7.3:	Injury and poisoning SMRs for all, Indigenous and non-Indigenous persons, by sex, 1997–1999	.223

	Injury and poisoning SMRs for Indigenous and non-Indigenous persons aged 0-64 years, by sex, 1997-1999	.225
Figure 7.5:	Age-specific death rates due to injury and poisoning, by ASGC Remoteness area for males, 1997–1999	.226
Figure 7.6:	Age-specific death rates due to injury and poisoning, by ASGC Remoteness area for females, 1997–1999	.227
Figure 7.7:	Age-specific death rates due to injury and poisoning, by ASGC Remoteness area for non-Indigenous males and for SA, WA, NT and Qld Indigenous males, 1997–1999	.230
Figure 7.8:	Age-specific death rates due to injury and poisoning, by ASGC Remoteness area for non-Indigenous females and for SA, WA, NT and Qld Indigenous females, 1997–1999	.231
Figure 7.9:	'Excess' deaths by age group, injury, males and females, 1997–1999	.234
Figure 7.10:	Average annual deaths due to injury and poisoning in 'excess' of those expected if Major Cities rates for non-Indigenous people applied to the population of Indigenous males and females living in SA, WA, NT and Qld, 1997–1999	.235
Figure 7.11:	'Excess' deaths by age group, injury, non-Indigenous males and non-Indigenous females, 1997–1999	.236
Figure 7.12:	Motor vehicle accident SMRs for all, Indigenous and non-Indigenous persons, by sex, 1997–1999	.238
Figure 7.13:	Suicide SMRs for all, Indigenous and non-Indigenous persons, by sex, 1997–1999	.243
Figure 7.14:	Interpersonal violence SMRs for all, Indigenous and non-Indigenous persons, by sex, 1997–1999	.248
Figure 7.15:	Accidental shooting SMRs for all, Indigenous and non-Indigenous males, 1997–1999	.253
Figure 7.16:	'Other' injury SMRs for all, Indigenous and non-Indigenous persons, by sex, 1997–1999	.257
Figure 8.1:	SMRs for 'all other causes' for all, Indigenous and non-Indigenous persons, by sex, 1997–1999	.266
Figure 8.2:	SMRs for diabetes as the underlying cause of death for all, Indigenous and non-Indigenous persons, by sex, 1997–1999	.272
Figure 8.3:	Specified renal disease SMRs for all, Indigenous and non-Indigenous persons, by sex, 1997–1999	.277
Figure 8.4:	SMRs for all other causes (excluding diabetes and renal disease) for all, Indigenous and non-Indigenous persons, by sex, 1997–1999	.282

# **Acknowledgments**

This report was commissioned by the Office of Rural Health (ORH) in the Department of Health and Ageing.

This work has been guided by the members of the Rural Health Information Advisory Committee (RHIAC):

Richard Eccles, previous Chair, RHIAC and National Manager, ORH, DoHA Joanna Davidson, previous Chair, RHIAC and National Manager, ORH, DoHA

Andrew Benson, Director, Research and Data Section, OATSIH, DoHA

Kim Boyer, National Health and Medical Research Council

Norma Briscoe, Health Section, ABS

Alan Browne, previous Assistant Director, Information and Communication Section, ORH, DoHA

Gemma Duffy, previous Director, Information and Communication Section, ORH, DoHA

Joy Eshpeter, Director, Public Health Information Development Section, National Population Health Planning Branch, Population Health Division, DoHA

Lyn Fragar, Director, Australian Centre for Agricultural Health and Safety, University of Sydney

Bob Gibberd, Health Services Research Group, The University of Newcastle

Gordon Gregory, Executive Director, National Rural Health Alliance

John Humphreys, Monash University

Jill Kurr, Director, Information and Communication Section, Rural Health and Palliative Care Branch, DoHA

Rochelle Lenane, Health Capacity Development Branch, Workforce, Education and Training Section, Health Industry and Investment Division, DoHA

Joanne Llewellyn, Assistant Director, Information and Communications Section, Rural Health and Palliative Care Branch, DoHA

Marelle Rawson, Director, Health Section, ABS

Janis Shaw, Director, National Centre for Aboriginal and Torres Strait Islander Statistics, ABS

Ross Spark, Manager, Tropical Public Health Unit Network, Queensland Health

Laga Van Beek, previous Assistant Director, Information and Communication Section, ORH, DoHA

David Wilkinson, Director, South Australian Centre for Rural and Remote Health, University of South Australia (Whyalla Campus)

Jonathan Wraith, Director, Workforce Development Section, General Practice Branch, Health Services Division, DoHA

Other people who contributed to the work include:

Barbara Gray (National Centre for Aboriginal and Torres Strait Islander Statistics, ABS)

Kirrily Harrison (OATSIH, DoHA)

Phil Trickett (AIHW)

Terry Neeman (AIHW)

Richard Franklin, Australian Centre for Agricultural Health and Safety

David Lyle, The University of Sydney, Department of Rural Health

Michael Roden and John Paice, Demography Section, ABS

Frank Blanchfield, Geography Section, ABS

AIHW National Injury Surveillance Unit

This document was developed and written by Andrew Phillips. In developing this second in a series of AIHW rural health reports, he was assisted by Brendan Brady and Toni O'Brien. The work was conducted under the editorial guidance of Glenice Taylor and the stewardship of Dr Anny Stuer.

## **Abbreviations**

ABS Australian Bureau of Statistics

AIHW Australian Institute of Health and Welfare

ARIA Accessibility/Remoteness Index of Australia

ASGC Australian Standard Geographical Classification

COPD chronic obstructive pulmonary disease

DoHA Department of Health and Ageing

DPIE Department of Primary Industries and Energy

ICD-10 International Classification of Diseases, 10th revision

ICD-9 International Classification of Diseases, 9th revision

IHD ischaemic heart disease

MVA motor vehicle accidents

NHMRC National Health and Medical Research Council

OATSIH Office for Aboriginal and Torres Strait Islander Health

ORH Office of Rural Health

RHD rheumatic heart disease

RHIAC Rural Health Information Advisory Committee

RRMA Rural, Remote and Metropolitan Areas (Classification)

SLA Statistical Local Area

SMR Standardised mortality ratio

WHO World Health Organisation

### Abbreviations of places

ACT Australian Capital Territory

Aust Australia

NSW New South Wales

NT Northern Territory

Qld Queensland

SA South Australia

Tas Tasmania

Vic Victoria

WA Western Australia

### Accessibility/Remoteness Index of Australia

HA Highly Accessible

A Accessible

MA Moderately Accessible

R Remote

VR Very Remote

### **ASGC Remoteness structure**

MC Major Cities

IR Inner Regional

OR Outer Regional

R Remote

VR Very Remote

### Symbols used in the tables and figures

nil or rounded to zero

.. not applicable

n.a. not available

n.p. not published in this report

n.e.d. not elsewhere described