References

Abrams P, Cardozo L, Fall M, Griffiths D, Rosier P, Ulmstem U et al. 2002a. The standardisation of terminology of lower urinary tract function: report from the Standardisation Sub-committee of the International Continence Society. Neurourology and Urodynamics 21:167–78.

Abrams P, Andersson KE, Artibani W, Brubaker L, Cardozo L, Castro D et al. 2002b. Recommendations of the International Scientific Committee: evaluation and treatment of urinary incontinence, pelvic organ prolapse and faecal incontinence. Viewed 4 July 2005, http://www.continet.org/documents/ici_pdfs/MENUS/INDEX.PDF.

ABS (Australian Bureau of Statistics) 1999. Disability, ageing and carers: summary of findings. Cat. no. 4430.0. Canberra: ABS.

ABS 2002. National health survey, summary of results, 2001. Cat. no. 4364.0. Canberra: ABS.

ABS 2003. National health survey: user's guide, 2001. Cat. no. 4363.0.55.001. Canberra: ABS.

ABS 2004a. Disability, ageing and carers, Australia: User guide, 2003. Cat. no. 4431.0. Canberra: ABS.

ABS 2004b. Disability, ageing and carers: summary of findings. Cat. no. 4430.0. Canberra: ABS.

AIHW (Australian Institute of Health and Welfare) 2002a. Diabetes: Australian facts, 2002. AIHW cat. no. CVD 20. Canberra: AIHW.

AIHW 2002b. Data sources available for analysis of the management and treatment of incontinence. Unpublished report prepared for the Australian Government Department of Health and Ageing.

AIHW 2003a. National community services data dictionary. AIHW cat. no. HWI 65. Version 3.0. Canberra: AIHW.

AIHW 2003b. ICF Australian user guide. Version 1.0. AIHW cat. no. DIS 33. AIHW cat. no. HWI 63SET. Canberra: AIHW.

AIHW 2004a. Children with disabilities in Australia. AIHW cat. no. DIS 38. Canberra: AIHW.

AIHW 2004b. National health data dictionary. AIHW cat. no. HWI 76. Version 12. Canberra: AIHW.

AIHW 2004c. The comparability of dependency information across three aged and community care programs. AIHW cat. no. AGE 36. Canberra: AIHW.

AIHW 2005a. Australia's welfare 2005. Canberra: AIHW.

AIHW 2005b. Australian hospital statistics 2003-04. AIHW cat. no. HSE 37. Canberra: AIHW.

AIHW (forthcoming). A functioning and related health outcomes module: the development of a data capture tool for health information systems.

AIHW: Mathers C, Vos T & Stevenson C 1999. The burden of disease and injury in Australia. AIHW cat. no. PHW 17. Canberra: AIHW.

Avery JC, Gill TK, MacLennan AH, Chittleborough CR, Grant JF & Taylor AW 2004a. The impact of incontinence on health-related quality of life in a South Australian population sample. Australian and New Zealand Journal of Public Health 28(2):173–9.

Avery J, Taylor A & Gill T 2004b. Incontinence in South Australia: prevalence, risk and priorities. Adelaide: Population Research and Outcomes Studies Unit, South Australian Department of Health.

Avery K, Donovan J, Peters TJ, Shaw C, Gotoh M & Abrams P 2004. ICIQ: a brief and robust measure for evaluating the symptoms and impact of urinary incontinence. Neurourology and Urodynamics 23(4):322–30.

Bergner M, Bobbitt RA, Carter WB & Gilson BS 1981. The sickness impact profile: development and final revision of a health status measure. Medical Care 19(8):787–805.

Borrie MJ & Davidson HA 1992. Incontinence in institutions: costs and contributing factors. Canadian Medical Association Journal 147(3):322–8.

Brown JS, Grady D, Ouslander JG, Herzog AR, Varner RE & Posner SF 1999. Prevalence of urinary incontinence and associated risk factors in postmenopausal women. Obstetrics and Gynecology 94(1):66–70.

Campbell AJ, Reinken J & McCosh L 1985. Incontinence in the elderly: prevalence and prognosis. Age and Ageing 14(2):65–70.

Catalona WJ, Carvalhal GF, Mager DE & Smith DS 1999. Potency, continence and complication rates in 1870 consecutive radical retropubic prostatectomies. Journal of Urology 162(2):433–7.

Chassagne P, Jego A, Gloc P, Capet C, Trivalle C, Doucet J et al. 2000. Does treatment of constipation improve faecal incontinence in institutionalized elderly patients? Age and Ageing 29(2):158–64.

Chassagne P, Landrin I, Neveu C, Czernichow P, Bouaniche M, Doucet J et al. 1999. Fecal incontinence in the institutionalized elderly: incidence, risk factors, and prognosis. The American Journal of Medicine 106(2):185–9.

Cheater FM & Castleden CM 2000. Epidemiology and classification of urinary incontinence. Ballière's Clinical Obstetrics and Gynaecology 14(2):183–205.

Chiarelli P, Bower W, Wilson A, Attia J & Sibbritt D 2005. Estimating the prevalence of urinary and faecal incontinence in Australia: systematic review. Australasian Journal on Ageing 24(1):19–27.

Chiarelli P & Brown W 1999. Urinary incontinence in Australian women: prevalence and associated conditions. Women and Health 29(1):1–14.

Chiarelli P, Brown W & McElduff P 1999. Leaking urine: prevalence and associated factors in Australian women. Neurourology and Urodynamics 18(6):567–77.

CHSD (Centre for Health Service Development) 2005. Ongoing needs identification in Queensland Community Care: why use the Tier 1 screening and referral tools—evidence and explanations. Unpublished report.

Cummins RA 2003. Normative life satisfaction: measurement issues and a homeostatic model. Social Indicators Research 64(2):225–56.

Diokno AC, Brock BM, Brown MB & Herzog AR 1986. Prevalence of urinary incontinence and other urological symptoms in the noninstutionalized elderly. Journal of Urology 136(5):1022–5.

Diokno AC, Brock B, Herzog AM & Bromberg J 1990. Medical correlates of urinary incontinence in the elderly. Urology 36(2):129–38.

Donovan JL, Abrams P, Peters TJ, Kay HE, Reynard C, Chapple C et al. 1996. The ICS-'BPH' study: the psychometric validity and reliability of the ICS*male* questionnaire. British Journal of Urology 77(4):554–62.

Doran CM, Chiarelli P & Cockburn J 2001. Economic cost of urinary incontinence in community-dwelling Australian women. Medical Journal of Australia 174(9):456–8

Dowell CJ, Bryant CM, Moore KH & Simons AM 1999. Calculating the direct cost of urinary incontinence: a new test instrument. British Journal of Urology 83(6):596–606.

Edwards NI & Jones D 2001. The prevalence of faecal incontinence in older people living at home. Age and Ageing 30(6):503–7.

Foldspang A & Mommsen S 1997. The International Continence Society (ICS) incontinence definition: is the social and hygienic aspect appropriate for etiologic research? Journal of Clinical Epidemiology 50(9):1055–60.

Foldspang A, Mommsen S, Lam GW & Elving L 1992. Parity as a correlate of adult female urinary incontinence prevalence. Journal of Epidemiology and Community Health 46(6):595–600.

Fonda D 1990. Improving management of urinary incontinence in geriatric centres and nursing homes. Australian Clinical Review 10(2):66–71.

Fultz NH & Herzog AR 2001. Self-reported social and emotional impact of urinary incontinence. Journal of the American Geriatrics Society 49(7):892–9.

Giebel GD, Lefering R, Troidl H & Blochl H 1998. Prevalence of faecal incontinence: what can be expected? International Journal of Colorectal Diseases 13(2):73–7.

Goode PS, Burgio KL, Halli AD, Jones RW, Richter HE, Redden DT et al. 2005. Prevalence and correlates of fecal incontinence in community-dwelling older adults. Journal of the American Geriatrics Society 53(4):629–35.

Hampel C, Wienhold D, Benken N, Eggersmann C & Thuroff JW 1997. Definition of overactive bladder and epidemiology of urinary incontinence. Urology 50(6A Suppl):4–14.

Handa VL & Massof RW 2004. Measuring the severity of stress urinary incontinence using the incontinence impact questionnaire. Neurourology and Urodynamics 23(1):27–32.

Hannestad YS, Rortveit G, Sandvik H & Hunskaar S 2000. A community-based epidemiological survey of female urinary incontinence: the Norwegian EPINCONT study. Journal of Clinical Epidemiology 53(11):1150–7.

Hawthorne G, Richardson J & Day N 2000. Using the Assessment of Quality of Life (AQOL). Version 1.0. Technical Report 12. Viewed 15 February 2005,

http://www.buseco.monash.edu.au/centres/che/pubs/tr12.pdf>.

Hawthorne G & Sansoni J 2004. Incontinence and quality of life in Australia. Paper presented at the Australian Health Outcomes Collaboration, July 2004, Canberra.

Health Utilities Incorporated 2004. Multi-attribute health classification system: Health Utilities Index Mark 3 (HUI3). Viewed 15 February 2005, http://www.healthutilities.com/hui3.htm.

Hendrix SL, Cochrane BB, Nygaard IE, Handa VL, Barnabei VM, Iglesia C et al. 2005. Effects of estrogen with and without progestin on urinary incontinence. Journal of the American Medical Association 293(8):935–48.

Herzog RA & Fultz NH 1990. Prevalence and incidence of urinary incontinence in community-dwelling populations. Journal of the American Geriatric Society 38:273–81.

Hunskaar S, Burgio K, Diokno AC, Herzog AR, Hjälmås K & Lapitan MC 2002. Epidemiology and natural history of urinary incontinence. In: Abrams P, Cardozo L, Khoury S & Wein A (eds). Incontinence (2nd edition). Viewed 8 February 2005, http://www.continet.org/documents/ici_pdfs/MENUS/INDEX.PDF.

Intouch 2005. Continence aids assistance scheme, annual report, July 2003 to June 2004. Unpublished report.

Johanson JF & Lafferty J 1996. Epidemiology of fecal incontinence: the silent affliction. American Journal of Gastroenterology 91(1):33–6.

Kalantar JS, Howell S & Talley NJ 2002. Prevalence of faecal incontinence and associated risk factors. The Medical Journal of Australia 176(2):54–7.

Kelleher CJ, Cardozo LD, Khullar V & Salvatore S 1997. A new questionnaire to assess the quality of life of urinary incontinent women. British Journal of Obstetrics and Gynaecology 104(12):1374–9.

Lam L, Kennedy M & Chen F 1999. Prevalence of faecal incontinence: obstetric and constipation risk factors: a population based study. Colorectal Disorders 1:197–203.

Lubeck DP, Prebil LE, Peeples P & Brown JS 1999. A health related quality of life measure for use in patients with urge urinary incontinence: a validation study. Quality of Life Research 8(4):337–44.

Lubowski D, Swash M, Nicholls RJ & Henry MM 1988. Increases in pudendal nerve terminal motor latency with defaecation straining. British Journal of Surgery 75:1095–7.

Lynch AC, Dobbs BR, Keating J & Frizelle FA 2001. The prevalence of faecal incontinence and constipation in a general New Zealand population: a postal survey. New Zealand Journal of Medicine 114(1142):474–7.

MacLennan AH, Taylor AW, Wilson DH & Wilson D 2000. The prevalence of pelvic floor disorders and their relationship to gender, age, parity, and mode of delivery. British Journal of Obstetrics and Gynaecology 107(12):1460–70.

Macmillan AK, Merrie AE, Marshall RJ & Parry BR 2004. The prevalence of fecal incontinence in community-dwelling adults: a systematic review of the literature. Diseases of the Colon & Rectum 47(8):1341–9.

Madoff RD, Williams JG & Caushaj PF 1992. Current concepts: fecal incontinence. New England Journal of Medicine 326(15):1002–7.

Millard RJ 1998. The prevalence of incontinence in Australia: a demographic survey conducted in Sydney 1983. Australian Continence Journal 4:92–9.

Miller YD, Brown WJ, Russell A & Chiarelli P 2003. Urinary incontinence across the lifespan. Neurourology and Urodynamics 22(6):550–7.

Milsom I, Ekelund P, Molander U, Arvidsson L & Areskoug B 1993. The influence of age, parity, oral contraception, hysterectomy and menopause on the prevalence of urinary incontinence in women. Journal of Urology 149(6):1459–62.

Mittmann N, Trakas K, Risebrough N & Lui BA 1999. Utility scores for chronic conditions in a community-dwelling population. Pharmacoeconomics 15(4):369–76.

Moore KH, Ho MT, Lapsley H, Brown I, Smoker I, Morris A, et al. 2005. Development of a framework for economic and cost evaluation for continence conditions. Canberra: Australian Government Department of Health and Ageing/ University of New South Wales.

Naughton MJ, Donovan J, Badia X, Corcos J, Gotoh M & Kelleher C et al. 2004. Symptom severity and QOL scales for urinary incontinence. Gastroenterology 126(Suppl 1):S114–23.

Nelson RL 2004. Dimensions of the problem: Prevalence and impact: epidemiology of fecal incontinence. Gastroenterology 126(Suppl 1):S3–7.

Nelson RL, Norton N, Cautley E & Furner S 1995. Community-based prevalence of anal incontinence. Journal of the American Medical Association 274(7):559–62.

Norton C, Christiansen J, Butler U, Harari D, Nelson RL, Pemberton J et al. 2002. Anal incontinence. In: Abrams P, Cardozo L, Khoury S & Wein A (eds). Incontinence (2nd edition). Viewed 8 February 2005,

http://www.continet.org/documents/ici_pdfs/MENUS/INDEX.PDF>.

Nuotio M, Tammela TLJ, Luukkaala T & Jylhä M 2003. Predictors of institutionalization in an older population during a 13 year period: the effect of urge incontinence. The Journals of Gerontology 58A(8):756-62.

Nygaard IE & Lemke J 1996. Urinary incontinence in rural older women: prevalence, incidence and remission. Journal of the American Gerontological Association 44(9):1049–54.

O'Brien BJ, Goeree R, Bernard L, Rosner A & Williamson T 2001. Cost-effectiveness of tolterodine for patients with urge incontinence who discontinue initial therapy with oxybutynin: a Canadian perspective. Clinical Therapies 23(12):2038–48.

Ouslander J 1994. Incontinence. In: Kane R, Ouslander J & Abrass I (eds). Essentials of clinical geriatrics (3rd edition). New York: McGraw-Hill.

Ouslander J & Fowler E 1985. Management of urinary incontinence in Veteran Administration nursing homes. Journal of the American Geriatrics Society 33:33–40.

Ouslander J, Kane RL & Abrass IB 1982. Urinary incontinence in elderly nursing home patients. Journal of the American Medical Association 248:1194–8.

Paillard M & Resnick N 1984. Natural history of nosocomial urinary incontinence. Gerontologist 24:212–4.

Pearson J (J Pearson & Associates) 2003. Incidence of incontinence as a factor in admission to aged care homes. Prepared for the Department of Health and Ageing. Canberra: Australian Government Department of Health and Ageing.

Peet SM, Castleden CM & McGrother CW 1995. Prevalence of urinary and faecal incontinence in hospitals and nursing homes for older people. British Medical Journal 311(7012):1063–4.

Perry S, Shaw C, McGrother C, Matthews RJ, Assassa RP, Dallosso H et al. 2002. Prevalence of faecal incontinence in adults aged 40 years or more living in the community. Gut 50(4):480–4.

Resnick NM, Yalla SV & Laurino E 1989. The pathophysiology of urinary incontinence among institutionalized elderly persons. New England Journal of Medicine 320(1):1–7.

Roberts RO, Jacobsen SJ, Reilly WT, Pemberton JH, Lieber MM & Talley NJ 1999. Prevalence of combined fecal and urinary incontinence: a community-based study. Journal of the American Geriatric Society 47(7):837–41.

Robinson JP & Shea JA 2002. Development and testing of a measure of health-related quality of life for men with urinary incontinence. Journal of the American Geriatrics Society 50(5):935–45.

Salmon JA, Murray CJL, Ustan B & Chatterji S 2002. Health state valuations in summary measures of population health. Research paper no. 01.21. Harvard Burden of Disease Unit.

Sandvik H 2003. The epidemiology of female urinary incontinence. Viewed 22 February 2005, http://www.uib.no/isf/people/doc/epidem.htm.>.

Sandvik H, Hunskaar S, Seim A, Hermstad R, Vanvik A & Bratt H 1993. Validation of a severity index in female urinary incontinence and its implementation in an epidemiological survey. Journal of Epidemiology and Community Health 47(6):497–9.

Schultz SE & Kopec JA 2003. Impact of chronic conditions. Health Reports 14(4):41–53.

Shaw C, Matthews RJ, Perry SI, Assassa RP, McGrother C, Dallosso H et al. 2004. Validity and reliability of a questionnaire to measure the impact of lower urinary tract symptoms on quality of life: the Leicester Impact Scale. Neurourology and Urodynamics 23(3):229–36.

Sladden MJ, Hughes AM, Hirst GH & Ward JE 2000. A community study of lower urinary tract symptoms in older men in Sydney, Australia. Australian and New Zealand Journal of Surgery 70(5):322–8.

Thom D 1998. Variation in estimates of urinary incontinence prevalence in the community: effects of differences in definition, population characteristics, and study type. Journal of the American Geriatric Society 46(4):473–80.

Thom D, Haan M & Van Den Eeden SK 1997. Medically recognized urinary incontinence and risks of hospitalisation, nursing home admission and mortality. Age and Ageing 26:367–74.

Thomas S, Nay R, Moore K, Fonda D, Hawthorne G, Marosszeky N et al. 2005. Continence outcomes measurement suite project (final report). Canberra: Department of Health and Ageing.

Thomas TM, Egan M, Walgrove A & Meade TW 1984. The prevalence of fecal and double incontinence. Community Medicine 6(3):216–20.

Thomas TM, Plymat KR, Blannin J & Meade TW 1980. Prevalence of urinary incontinence. British Medical Journal 281(6250):1243–5.

Thompson W, Irvine E, Pare P, Ferrazzi S & Rance L 2002. Functional gastrointestinal disorders in Canada. First population-based survey using Rome II criteria with suggestions for improving the questionnaire. Digestive Diseases and Science 47(1):225–35.

Tobin GW & Brocklehurst JC 1986. The management of urinary incontinence in local authority residential homes for the elderly. Age and Ageing 15(5):292–8.

Ueda T, Tamaki M & Kageyama S 2000. Urinary incontinence among community-dwelling people aged 40 years or older in Japan: prevalence, risk factors, knowledge and self-perception. International Journal of Urology 7(3):95–103.

Vaizey CJ, Carapeti E, Cahill JA & Kamm MA 1999. Prospective comparison of faecal incontinence grading systems. Gut 44:77–80.

van der Vaart CH, de Leeuw JRJ, Roovers J-P & Heintz APM 2003. Measuring health-related quality of life in women with urogenital dysfunction: the Urogenital Distress Inventory and Incontinence Impact Questionnaire revisited. Neurourology and Urodynamics 22(2):97–104.

WHO (World Health Organization) 2001. International classification of functioning disability & health. Geneva: World Health Organization.

Wilson D, Wakefield M & Taylor A 1992. The South Australian health omnibus survey. Health Promotion Journal of Australia 2(3):47–9.