

Cancer Series

Number 33

# **Cervical screening in Australia**

## **2003–2004**

**The Australian Institute of Health and Welfare  
and  
Australian Government Department of Health and Ageing  
for the  
National Cervical Screening Program**

**August 2006**

Australian Institute of Health and Welfare  
Canberra

AIHW cat. no. CAN 28

© Australian Institute of Health and Welfare 2006

This work is copyright. Apart from any use as permitted under the *Copyright Act 1968*, no part may be reproduced without prior written permission from the Australian Institute of Health and Welfare. Requests and enquiries concerning reproduction and rights should be directed to the Head, Business Promotion and Media, Australian Institute of Health and Welfare, GPO Box 570, Canberra ACT 2601.

This publication is part of the Australian Institute of Health and Welfare's Cancer Series. A complete list of the Institute's publications is available from the Publications Unit, Australian Institute of Health and Welfare, GPO Box 570, Canberra ACT 2601, or via the Institute's website <[www.aihw.gov.au](http://www.aihw.gov.au)>.

ISSN 1039-3307

ISBN 1 74024 603 9

### **Suggested citation**

Australian Institute of Health and Welfare (AIHW) 2006. *Cervical Screening in Australia 2003–2004*. AIHW cat. no. 28. Canberra: AIHW. Cancer Series no. 33.

### **Australian Institute of Health and Welfare**

Board Chair

Hon. Peter Collins, AM, QC

Director

Penny Allbon

Any enquiries about or comments on this publication should be directed to:

Mr John Harding

Australian Institute of Health and Welfare

GPO Box 570

Canberra ACT 2601

Phone: (02) 6244 1140

Published by Australian Institute of Health and Welfare

# Contents

List of tables..... iv

Acknowledgments..... x

Introduction..... xi

National cervical screening monitoring indicators..... 1

Tables..... 5

Appendixes..... 90

    Appendix A: Cervical cancer – symptoms, detection and treatment ..... 90

    Appendix B: Data sources and limitations ..... 92

    Appendix C: Methods..... 94

    Appendix D: Population data..... 96

    Appendix E: National Cervical Screening Programs contact list ..... 98

    Appendix F: NHMRC guidelines for the management of women with screen-detected  
        abnormalities (valid to 3 July 2006) ..... 100

Abbreviations..... 102

Glossary ..... 103

References ..... 106

# List of tables

Table 1:	Proportion of women participating in the National Cervical Screening Program in Australia by age, 1997–1998 to 2003–2004 .....	5
Table 2:	Proportion of women participating in the National Cervical Screening Program by age, states and territories, 1997–1998 to 2003–2004 .....	6
Table 3:	Number of women participating in the National Cervical Screening Program by age, states and territories, 2003–2004 .....	7
Table 4:	Proportion of women participating in the National Cervical Screening Program by age, states and territories, 2003–2004 .....	8
Table 5:	Number of women participating in the National Cervical Screening Program by age, states and territories, 2002–2003 .....	9
Table 6:	Proportion of women participating in the National Cervical Screening Program by age, states and territories, 2002–2003 .....	10
Table 7:	Number of women participating in the National Cervical Screening Program by age, states and territories, 2001–2002 .....	11
Table 8:	Proportion of women participating in the National Cervical Screening Program by age, states and territories, 2001–2002 .....	12
Table 9:	Number of women participating in the National Cervical Screening Program by age, states and territories, 2000–2001 .....	13
Table 10:	Proportion of women participating in the National Cervical Screening Program by age, states and territories, 2000–2001 .....	14
Table 11:	Number of women participating in the National Cervical Screening Program by age, states and territories, 1999–2000 .....	15
Table 12:	Proportion of women participating in the National Cervical Screening Program by age, states and territories, 1999–2000 .....	16
Table 13:	Number of women participating in the National Cervical Screening Program by age, states and territories, 1998–1999 .....	17
Table 14:	Proportion of women participating in the National Cervical Screening Program by age, states and territories, 1998–1999 .....	18
Table 15:	Number of women participating in the National Cervical Screening Program by age, states and territories, 1997–1998 .....	19
Table 16:	Proportion of women participating in the National Cervical Screening Program by age, states and territories, 1997–1998 .....	20
Table 17:	Number of women participating in the National Cervical Screening Program by age, states and territories, 1996–1997 .....	21
Table 18:	Proportion of women participating in the National Cervical Screening Program by age, states and territories, 1996–1997 .....	22

Table 19:	Number of women with repeat screenings following a normal Pap smear in Australian cohorts from 1996 to 2003 .....	23
Table 20:	Percentage of women with repeat screenings following a normal Pap smear in Australian cohorts from 1996 to 2003 .....	23
Table 21:	Number of women with repeat screenings in the 21 months following a normal Pap smear in the 2003 cohort, by states and territories and Australia .....	24
Table 22:	Percentage of women with repeat screenings in the 21 months following a normal Pap smear in the 2003 cohort, by states and territories and Australia .....	24
Table 23:	Number of women with repeat screenings in the 21 months following a normal Pap smear in the 2002 cohort, by states and territories and Australia .....	25
Table 24:	Percentage of women with repeat screenings in the 21 months following a normal Pap smear in the 2002 cohort, by states and territories and Australia .....	25
Table 25:	Number of women with repeat screenings in the 21 months following a normal Pap smear in the 2001 cohort, by states and territories and Australia .....	26
Table 26:	Percentage of women with repeat screenings in the 21 months following a normal Pap smear in the 2001 cohort, by states and territories and Australia .....	26
Table 27:	Number of women with repeat screenings in the 21 months following a normal Pap smear in the 2000 cohort, by states and territories and Australia .....	27
Table 28:	Percentage of women with repeat screenings in the 21 months following a normal Pap smear in the 2000 cohort, by states and territories and Australia .....	27
Table 29:	Number of women with repeat screenings in the 21 months following a normal Pap smear in the 1999 cohort, by states and territories and Australia .....	28
Table 30:	Percentage of women with repeat screenings in the 21 months following a normal Pap smear in the 1999 cohort, by states and territories and Australia .....	28
Table 31:	Number of women with repeat screenings in the 24 months following a normal Pap smear in the 1998 cohort, by states and territories and Australia .....	29
Table 32:	Percentage of women with repeat screenings in the 24 months following a normal Pap smear in the 1998 cohort, by states and territories and Australia .....	29
Table 33:	Number of women with repeat screenings in the 24 months following a normal Pap smear in the 1997 cohort, by states and territories and Australia .....	30

Table 34:	Percentage of women with repeat screenings in the 24 months following a normal Pap smear in the 1997 cohort, by states and territories and Australia .....	30
Table 35:	Number of women with repeat screenings in the 24 months following a normal Pap smear in the 1996 cohort, by states and territories and Australia .....	31
Table 36:	Percentage of women with repeat screenings in the 24 months following a normal Pap smear in the 1996 cohort, by states and territories and Australia .....	31
Table 37:	Number of low- and high-grade abnormalities on histology for women aged 20–60 years, Australia, 1997–2004 .....	32
Table 38:	Number of low- and high-grade abnormalities on histology for women aged 20–69 years, states and territories, 2004 .....	32
Table 39:	Number of low- and high-grade abnormalities on histology for women aged 20–69 years, states and territories, 2003 .....	33
Table 40:	Number of low- and high-grade abnormalities on histology for women aged 20–69 years, states and territories, 2002 .....	33
Table 41:	Number of low- and high-grade abnormalities on histology for women aged 20–69 years, states and territories, 2001 .....	34
Table 42:	Number of low- and high-grade abnormalities on histology for women aged 20–69 years, states and territories, 2000 .....	34
Table 43:	Number of low- and high-grade abnormalities on histology for women aged 20–69 years, states and territories, 1999 .....	35
Table 44:	Number of low- and high-grade abnormalities on histology for women aged 20–69 years, states and territories, 1998 .....	35
Table 45:	Number of low- and high-grade abnormalities on histology for women aged 20–69 years, states and territories, 1997 .....	36
Table 46:	Rate of histologically confirmed high-grade abnormalities per 1,000 women screened in Australia by age, 1997–2004 .....	37
Table 47:	Rate of histologically confirmed high-grade abnormalities per 1,000 women screened by age, states and territories, 2004 .....	38
Table 48:	Rate of histologically confirmed high-grade abnormalities per 1,000 women screened by age, states and territories, 2003 .....	39
Table 49:	Rate of histologically confirmed high-grade abnormalities per 1,000 women screened by age, states and territories, 2002 .....	40
Table 50:	Rate of histologically confirmed high-grade abnormalities per 1,000 women screened by age, states and territories, 2001 .....	41
Table 51:	Rate of histologically confirmed high-grade abnormalities per 1,000 women screened by age, states and territories, 2000 .....	42
Table 52:	Rate of histologically confirmed high-grade abnormalities per 1,000 women screened by age, states and territories, 1999 .....	43

Table 53:	Rate of histologically confirmed high-grade abnormalities per 1,000 women screened by age, states and territories, 1998 .....	44
Table 54:	Rate of histologically confirmed high-grade abnormalities per 1,000 women screened by age, states and territories, 1997 .....	45
Table 55:	Number of histologically confirmed high-grade abnormalities in Australia by age, 1997–2004.....	46
Table 56:	Number of histologically confirmed high-grade abnormalities by age, states and territories, 2004 .....	47
Table 57:	Number of histologically confirmed high-grade abnormalities by age, states and territories, 2003 .....	48
Table 58:	Number of histologically confirmed high-grade abnormalities by age, states and territories, 2002 .....	49
Table 59:	Number of histologically confirmed high-grade abnormalities by age, states and territories, 2001 .....	50
Table 60:	Number of histologically confirmed high-grade abnormalities by age, states and territories, 2000 .....	51
Table 61:	Number of histologically confirmed high-grade abnormalities by age, states and territories, 1999 .....	52
Table 62:	Number of histologically confirmed high-grade abnormalities by age, states and territories, 1998 .....	53
Table 63:	Number of histologically confirmed high-grade abnormalities by age, states and territories, 1997 .....	54
Table 64:	Number of women screened in Australia by age, 1997–2004.....	55
Table 65:	Number of women screened by age, states and territories, 2004.....	56
Table 66:	Number of women screened by age, states and territories, 2003.....	57
Table 67:	Number of women screened by age, states and territories, 2002.....	58
Table 68:	Number of women screened by age, states and territories, 2001.....	59
Table 69:	Number of women screened by age, states and territories, 2000.....	60
Table 70:	Number of women screened by age, states and territories, 1999.....	61
Table 71:	Number of women screened by age, states and territories, 1998.....	62
Table 72:	Number of women screened by age, states and territories, 1997.....	63
Table 73:	Age-standardised high-grade abnormality rate on histology, per 1,000 women screened in Australia aged 20–69 years, 1997–2004.....	64
Table 74:	Age-standardised high-grade abnormality rate on histology, per 1,000 women screened aged 20–69 years, states and territories, 2004.....	64
Table 75:	Age-standardised high-grade abnormality rate on histology, per 1,000 women screened aged 20–69 years, states and territories, 2003.....	65
Table 76:	Age-standardised high-grade abnormality rate on histology, per 1,000 women screened aged 20–69 years, states and territories, 2002.....	65

Table 77:	Age-standardised high-grade abnormality rate on histology, per 1,000 women screened aged 20–69 years, states and territories, 2001.....	66
Table 78:	Age-standardised high-grade abnormality rate on histology, per 1,000 women screened aged 20–69 years, states and territories, 2000.....	66
Table 79:	Age-standardised high-grade abnormality rate on histology, per 1,000 women screened aged 20–69 years, states and territories, 1999.....	67
Table 80:	Age-standardised high-grade abnormality rate on histology, per 1,000 women screened aged 20–69 years, states and territories, 1998.....	67
Table 81:	Age-standardised high-grade abnormality rate on histology, per 1,000 women screened aged 20–69 years, states and territories, 1997.....	68
Table 82:	New cases of micro-invasive cervical cancer by age, Australia, 1991–2002 .....	69
Table 83:	Age-specific and age-standardised incidence rates of micro-invasive cervical cancer by age, Australia, 1991–2002.....	70
Table 84:	New cases of cervical cancer by age, Australia, 1991–2002 .....	71
Table 85:	Age-specific and age-standardised incidence rates of cervical cancer by age, Australia, 1991–2002.....	72
Table 86:	New cases of cervical cancer by age, states and territories, 1995–1998.....	73
Table 87:	Age-specific and age-standardised incidence rates of cervical cancer, states and territories, 1995–1998 .....	74
Table 88:	Number of new cases of cervical cancer by age, states and territories, 1999–2002 .....	75
Table 89:	Age-specific and age-standardised incidence rates of cervical cancer, states and territories, 1999–2002 .....	76
Table 90:	New cases of cervical cancer by histological type for women aged 20–69 years, Australia, 1991–2002.....	77
Table 91:	Age-standardised incidence rates for cervical cancer by histological type for women aged 20–69 years, Australia, 1991–2002.....	77
Table 92:	New cases of cervical cancer by histological type for women, all ages, Australia, 1991–2002.....	78
Table 93:	Age-standardised incidence rates for cervical cancer by histological type for women, all ages, Australia, 1991–2002.....	78
Table 94:	New cases of cervical cancer by age and location, 1995–1998 and 1998–2002.....	79
Table 95:	Age-specific and age-standardised incidence rates for cervical cancer by age and location, 1995–1998 and 1999–2002.....	80
Table 96:	Deaths from cervical cancer by age, Australia, 1984–2004.....	81
Table 97:	Age-specific and age-standardised death rates for cervical cancer by age, Australia, 1984–2004 .....	82
Table 98:	Deaths from cervical cancer by age, states and territories, 1997–2000 .....	83



Table 99:	Age-specific and age-standardised death rates for cervical cancer by age, states and territories, 1997–2000 .....	84
Table 100:	Deaths from cervical cancer by age, states and territories, 2001–2004 .....	85
Table 101:	Age-specific and age-standardised death rates for cervical cancer by age, states and territories, 2001–2004 .....	86
Table 102:	Deaths from cervical cancer by age and location, 1997–2000 and 2001–2004.....	87
Table 103:	Age-specific and age-standardised death rates for cervical cancer by age and location, 1997–2000 and 2001–2004.....	88
Table 104:	Number of deaths and age-specific and age-standardised death rates for cervical cancer by age and Indigenous status, Queensland, South Australia, Western Australia and Northern Territory, 2001–2004.....	89
Table B1:	Cervical cancer screening indicators data sources .....	92
Table D1:	Australian Standard Population and WHO World Standard Population.....	96
Table D2:	Hysterectomy fractions for women aged 15–80+ years, Australia, 2001 .....	97

# Acknowledgments

The financial support and professional assistance of the Cancer Screening Section of the Australian Government Department of Health and Ageing is gratefully acknowledged.

The authors of this report are Ms Janet Markey and Mr John Harding from the Australian Institute of Health and Welfare. The authors extend their gratitude to those people working in the National Cervical Screening Program who provided data and comments for this report. The authors also acknowledge the input of the members of the Monitoring and Evaluation Working Group of the former Australian Screening Advisory Committee, and the Australasian Association of Cancer Registries.

## National Cervical Screening Program

### New South Wales

Ms Jane McQueen  
Ms Clare Banks  
Ms Jayne Ross  
Mr Hassan Mamoon

### Victoria

Ms Vikki Sinnott  
Ms Cathy Burrows  
Dr Heather Mitchell  
Mr Rory Wilby

### Queensland

Ms Jennifer Muller  
Mr Nathan Dunn

### Western Australia

Ms Gillian Mangan  
Ms Nerida Steele  
Ms Kathleen O'Connor  
Ms Shamila Kumar

### South Australia

Ms Bernadette Kenny  
Mr Russell Diehl

### Tasmania

Ms Gail Raw  
Ms Deborah Fulton  
Mr Paul Chandler

### Australian Capital Territory

Ms Helen Sutherland  
Mr Peter Couvee  
Ms Coral Swan

### Northern Territory

Ms Chris Tyzack  
Mr Guillermo Encisco

### Australian Government Department of Health and Ageing

Ms Julianne Quaine  
Ms Maryellen Moore  
Ms Andriana Koukari