7 Rural medical labour force

There were 7,972 medical practitioners in the rural medical workforce in 1995:

- 7,544 (94.6%) worked in a rural or remote area in their main job, and
- 428 (5.4%) worked in a metropolitan area in their main job and a rural or remote area in their second or third jobs.

The geographic classification is based on the *Rural, Remote and Metropolitan Areas Classification* of the Department of Health and Family Services.

The 7,544 medical practitioners who worked in a rural or remote area in their main job made up 15.4% of all medical practitioners. This contrasts with the overall population distribution of 29.3% living in rural and remote areas in 1995. Features of these medical practitioners included the following:

Geographic distribution

- 2,840 (37.6%) worked in a large rural centre; 1,873 (24.8%) worked in a small rural centre; 2,222 (29.5%) worked in other rural areas; and the remaining 609 (8.1%) worked in remote areas.
- In 1995, there were 142.4 practising medical practitioners per 100,000 population in rural and remote areas compared with 324.7 per 100,000 population in major urban centres. This provision varied across geographic region—261.0 per 100,000 population in large rural centres; 156.4 in small rural centres; 90.5 in other rural areas; and 109.4 in remote areas. It also varied across States and Territories, from a high of 206.8 in the Northern Territory to a low of 111.3 in Western Australia.
- In 1995, there were 87.5 primary care practitioners per 100,000 population (1 practitioner per 1,142 population) in rural and remote areas, compared to 128.6 primary care practitioners per 100,000 population (1 practitioner per 778 population) in major urban centres.

Sex

• 1,706 (22.6%) of medical practitioners in the rural medical workforce were female. This proportion was similar across the different geographic regions and across States and Territories, although relatively high in remote areas (29.1%) and in the Northern Territory (31.1%).

Occupation

- Most (61.5%) practitioners working mainly in rural and remote areas were employed in primary care; 24.6% were specialists; 7.7% were hospital non-specialists; 2.1% were specialists-in-training; and the remaining 4.1% were non-clinicians. In comparison, 43.0% of all medical practitioners were working in primary care; 31.2% were specialists; 10.8% were hospital non-specialists; 9.2% were specialists-in-training; and 5.8% were non-clinicians.
- The distribution of rural practitioners across occupation differed between males and females. Most males (59.0%) were employed in primary care and 29.1% were specialists; while 70.1% of females were employed in primary care, 12.8% were hospital non-specialists, and 9.4% were specialists.

Age

• The average age of medical practitioners employed in rural and remote areas was 45.4 years in 1995. This average age was lower in remote areas (41.4 years). This compares with an average age of 44.7 years for medical practitioners employed in major urban centres.

Work setting

• 76.6% of medical practitioners employed in rural and remote areas worked in private rooms; 17.6% worked in acute care hospitals; and the remaining 5.8% were employed in other work settings. This distribution varied across geographic regions—in other rural areas, 91.5% worked in private rooms, whereas in remote areas, 52.5% worked in private rooms, 25.2% worked in acute care hospitals and 11.8% worked in Aboriginal health services.

Hours worked

• Average hours worked by medical practitioners employed in rural and remote areas was 49.9 hours per week. This average was higher in remote areas (52.4 hours). Some 83.1% were working 35 hours or more per week.

Overseas graduates

- 22.2% of rural medical practitioners in 1995 had gained their initial qualification overseas—59.3% had qualified in the United Kingdom or Ireland, 16.7% qualified in Asia, 8.4% qualified in New Zealand, and the remaining 15.6% qualified in other countries. A greater proportion of rural practitioners working in remote areas had gained an initial qualification overseas (26.1%) and a greater proportion of these had gained an initial qualification from the United Kingdom or Ireland (66.0%).
- 98.8% of medical practitioners working in rural and remote areas were permanent residents of Australia in 1995.

Features of the 428 medical practitioners with a second or third job in a rural or remote area included the following:

• 88 (20.6%) worked in a large rural centre; 134 (31.3%) worked in a small rural centre; 168 (39.3%) worked in other rural areas; and 38 (8.9%) worked in remote areas.




Figure 12: Medical practitioners whose main job is in a rural area: region and occupation, Australia, 1995

Table 64: Medical practitioners whose main job is in a rural area: region, occupation, sex and States and Territories, 1995

| Region/occupation of main job | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Total | % |
|---------------------------------------|-----------------|------------------|-----------------|---------------|-----------------|----------------|---------------|---------------|-------------|---------------------|
| • | | | | | Male | | | | | |
| Large rural centres | | | | | war | | | | | |
| Clinician | 614 | 379 | 885 | | 25 | 184 | | | 2,087 | 95.8 |
| Primary care practitioner | 229 | 138 | 354 | | 14 | 81 | | | 816 | 37.5 |
| Hospital non-specialist | 43 | 33 | 92 | | 0 | 9 | | | 177 | 8.1 |
| Specialist | 326 | 198 | 396 | | 11 | 80 | | | 1,011 | 46.4 |
| Specialist-in-training | 16 | 10 | 43 | | 0 | 14 | | | 83 | 3.8 |
| Non-clinician | 23 | 27 | 36 | | 0 | 5 | | | 91 | 4.2 |
| Administrator | 14 | 8 | 13 | | 0 | 0 | | | 35 | 1.6 |
| Teacher/educator | 2 | 0 | 0 | | 0 | 1 | | | 3 | 0.1 |
| Researcher | 0 | 2 | 0 | | 0 | 0 | | | 2 | 0.1 |
| Public health physician | 1 | 2 | 9 | | 0 | 1 | | | 13 | 0.6 |
| Occupational health physician | | 0 | 3 | | 0 | 1 | | | 4 | 0.2 |
| Other | 6 | 15 | 11 | | 0 | 2 | | | 34 | 1.6 |
| Total | 637 | 406 | 921 | | 25 | 189 | | | 2,178 | 100.0 |
| Small rural centres | | | | | | | | | | |
| Clinician | 513 | 392 | 205 | 145 | 96 | 78 | | | 1,429 | 96.3 |
| Primary care practitioner | 313 | 197 | 141 | 83 | 77 | 44 | | | 855 | 57.6 |
| Hospital non-specialist | 33 | 21 | 21 | 0 | 0 | 4 | | | 79 | 5.3 |
| Specialist | 164 | 170 | 43 | 59 | 19 | 28 | | | 483 | 32.5 |
| Specialist-in-training | 3 | 4 | 0 | 3 | 0 | 2 | | | 12 | 0.8 |
| Non-clinician | 23 | 22 | 4 | 2 | 4 | 0 | | | 55 | 3.7 |
| Administrator | 8 | 15 | 0 | 0 | 2 | 0 | | | 25 | 1.7 |
| Teacher/educator | 2 | 0 | 0 | 0 | 0 | 0 | | | 2 | 0.1 |
| Researcher | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 | 0.0 |
| Public health physician | 7 | 2 | 0 | 2 | 0 | 0 | | | 11 | 0.7 |
| Occupational health | 0 | 0 | 3 | 0 | 0 | 0 | | | 3 | 0.2 |
| Other | 6 | 5 | 1 | 0 | 2 | 0 | | | 14 | 0.9 |
| Total | 536 | 414 | 209 | 147 | 100 | 78 | | | 1,484 | 100.0 |
| Other rural areas | | | | | | | | _ | | |
| Clinician | 550 | 409 | 271 | 112 | 239 | 98 | 0 | 5 | 1,684 | 96.6 |
| Primary care practitioner | 479 | 368 | 228 | 103 | 226 | 83 | 0 | 5 | 1,492 | 85.6 |
| Hospital non-specialist | 8 | 6 | 26 | 0 | 0 | 1 | 0 | 0 | 41 | 2.4 |
| Specialist | 58 | 35 | 17 | 9 | 13 | 14 | 0 | 0 | 146 | 8.4 |
| Specialist-in-training | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0.3 |
| Non-clinician | 13 | 37 | 6 | 2 | 2 | 0 | 0 | 0 | 60 | 3.4 |
| Administrator | 6 | 22 | 2 | 0 | 0 | 0 | 0 | 0 | 30 | 1.7 |
| Teacher/educator | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0.2 |
| Researcher | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Public health physician | 1 | 2 | 1 | 2 | 0 | 0 | 0 | 0 | 6 | 0.3 |
| Occupational health physician | | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 0.1 |
| Other <i>Total</i> | 3 <i>563</i> | 13 <i>446</i> | 1 <i>277</i> | 0 114 | 2 241 | 0 <i>98</i> | 0 <i>0</i> | 0 <i>5</i> | 19 1,744 | 1.1 <i>100.0</i> |
| | 505 | 770 | 211 | 114 | 241 | 30 | O | 3 | 1,744 | 700.0 |
| Remote areas Clinician | 27 | a | 103 | 137 | 21 | 1 | | 123 | 421 | 97.5 |
| Primary care practitioner | 27 26 | <i>9</i> 9 | 69 | 103 | <i>21</i> 18 | 1 | | 53 | 421 279 | 97.5 64.6 |
| | 26 1 | 9 | 23 | 103 | 0 | 0 | • • | 31 | 279 68 | 15.7 |
| Hospital non-specialist Specialist | 0 | 0 | ∠3 11 | 16 | 0 | 0 | • • | 30 | 57 | 13.2 |
| • | 0 | 0 | 0 | | 3 | 0 | • • | | 57 17 | 3.9 |
| Specialist-in-training Non-clinician | 1 | 0 2 | 1 | 5 <i>0</i> | 0 | 0 | • • | 9 <i>7</i> | 17 | 3.9 2.5 |
| Administrator | 0 | 0 | 1 | 0 | 0 | 0 | • • | 2 | 3 | 2.5 0.7 |
| | | | | | | | • • | | | |
| Teacher/educator | 0 | 0 | 0 | 0 | 0 | 0 | • • | 0 | 0 | 0.0 |
| Researcher | 0 | 0 | 0 | 0 | 0 | 0 | • • | 0 | 0 | 0.0 |
| Public health physician | 1 | 0 | 0 | 0 | 0 | 0 | • • | 3 | 4 | 0.9 |
| Occupational health | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0.0 |
| Other | 0 | 2 | 0 | 0 | 0 | 0 | • • | 2 | 4 | 0.9 |
| Total | 28 | 11 | 104 | 137 | 21 | 1 | | 130 | 432 | 100.0 |

Table 64 (continued): Medical practitioners whose main job is in a rural area: region, occupation, sex and States and Territories, 1995

| Region/occupation of main job | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Total | % |
|--|---------------|---|----------|-----------------|-----------------|----------|-----|--------|-------------------|--------------|
| | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | Fema | les | | | | |
| Large rural centres | | | | | | | | | | |
| Clinician | 180 | 94 | 288 | | 0 | 46 | | | 608 | 91.8 |
| Primary care practitioner | 106 | 56 | 145 | | 0 | 36 | | | 343 | 51.8 |
| Hospital non-specialist | 34 | 19 | 86 | | 0 | 5 | | | 144 | 21.8 |
| Specialist | 36 | 10 | 41 | | 0 | 5 | | | 92 | 13.9 |
| Specialist-in-training | 4 | 9 | 16 | | 0 | 0 | | | 29 | 4.4 |
| Non-clinician | 18 | 10 | 22 | | 0 | 4 | | | 54 | 8.2 |
| Administrator | 7 | 5 | 7 | | 0 | 0 | | | 19 | 2.9 |
| Teacher/educator | 0 | 0 | 0 | | 0 | 0 | | | 0 | 0.0 |
| Researcher | 0 | 0 | 0 | | 0 | 0 | | | 0 | 0.0 |
| Public health physician | 5 | 2 | 8 | | 0 | 1 | | | 16 | 2.4 |
| Occupational health physician | | 0 | 0 | | 0 | 2 | • • | | 2 | 0.3 |
| Other | 6 | 3 | 7 | | 0 | 1 | | | 17 | 2.6 |
| Total | 198 | 104 | 310 | | 0 | 50 | • • | | 662 | 100.0 |
| Small rural centres Clinician | 142 | 92 | 61 | 20 | 26 | 27 | | | 276 | 96.7 |
| Primary care practitioner | 112 | <i>82</i> 64 | 61 52 | <i>38</i> 22 | <i>26</i> 25 | 27 18 | • • | • • | <i>376</i> 293 | 96.7 75.3 |
| | 112 | 8 | 8 | 0 | 0 | 4 | • • | • • | 293 31 | 8.0 |
| Hospital non-specialist Specialist | 19 | 6 | 1 | 14 | 1 | 4 | • • | | 45 | 11.6 |
| Specialist-in-training | 0 | 4 | 0 | 2 | 0 | 1 | • • | • • | 7 | 1.8 |
| Non-clinician | 6 | 2 | 3 | 0 | 2 | 0 | | • • | 13 | 3.3 |
| Administrator | 2 | 0 | 0 | 0 | 0 | 0 | • • | | 2 | 0.5 |
| Teacher/educator | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 | 0.0 |
| Researcher | 1 | 0 | 0 | 0 | 0 | 0 | • • | | 1 | 0.3 |
| Public health physician | 3 | 0 | 1 | 0 | 0 | 0 | | | 4 | 1.0 |
| Occupational health | 0 | 0 | 0 | 0 | Ö | 0 | | | 0 | 0.0 |
| Other | 0 | 2 | 2 | 0 | 2 | 0 | | | 6 | 1.5 |
| Total | 148 | 84 | 64 | 38 | 28 | 27 | | | 389 | 100.0 |
| Other rural areas | | | | | | | | | | |
| Clinician | 112 | 122 | 93 | 34 | 66 | 39 | 0 | 0 | 466 | 97.5 |
| Primary care practitioner | 106 | 112 | 84 | 34 | 66 | 36 | 0 | 0 | 438 | 91.6 |
| Hospital non-specialist | 1 | 4 | 9 | 0 | 0 | 0 | 0 | 0 | 14 | 2.9 |
| Specialist | 5 | 4 | 0 | 0 | 0 | 3 | 0 | 0 | 12 | 2.5 |
| Specialist-in-training | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0.4 |
| Non-clinician | 0 | 2 | 4 | 0 | 6 | 0 | 0 | 0 | 12 | 2.5 |
| Administrator | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0.4 |
| Teacher/educator | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Researcher | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Public health physician | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 0.4 |
| Occupational health physician | | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 2 | 0.4 |
| Other | 0 | 0 | 2 | 0 | 4 | 0 | 0 | 0 | 6 | 1.3 |
| Total | 112 | 124 | 97 | 34 | 72 | 39 | 0 | 0 | 478 | 100.0 |
| Remote areas | _ | 0 | 45 | 47 | | | | | 404 | 20.7 |
| Clinician | 5 | 3 | 45 | 47 | 8 | 1 | | 55 | 164 | 92.7 |
| Primary care practitioner | 4 | 3 | 33 | 32 | 8 | 1 | • • | 41 | 122 | 68.9 |
| Hospital non-specialist | 1 | 0 | 9 | 10 | 0 | 0 | | 10 | 30 | 16.9 |
| Specialist | 0 | 0 | 3 | 5 | 0 | 0 | | 4 | 12 | 6.8 |
| Specialist-in-training | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0.0 |
| Non-clinician | <i>0</i> 0 | 0 | 0 | <i>5</i> | 2 | 0 | | 6 | 13 | 7.3 |
| Administrator Teacher/educator | | 0 | 0 | 3 | 0 | 0 | | 2 | 5 | 2.8 |
| Teacher/educator | 0 | 0 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0.0 |
| Researcher | 0 0 | 0 | 0 0 | 0 2 | 0 2 | 0 0 | | 2 2 | 2 6 | 1.1 3.4 |
| Public health physician | | 0 | 0 | 0 | 0 | 0 | | | 0 | |
| Occupational health physician Other | 0 0 | 0 | 0 | 0 | 0 | 0 | | 0 0 | 0 | 0.0 |
| | | | | | | | | | | ()() |

Table 64 (continued): Medical practitioners whose main job is in a rural area: region, occupation, sex and States and Territories, 1995

| Region/occupation of main job | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Total | % |
|-------------------------------|-----------------|------------------|-----------------|----------|----------|----------|---------------|---------------|--------------------|---------------------|
| | | | | | Perso | ns | | | | |
| Large rural centres | | | | | | | | | | |
| Clinician | 794 | 473 | 1,173 | | 25 | 230 | | | 2,695 | 94.9 |
| Primary care practitioner | 335 | 194 | 499 | | 14 | 117 | | | 1,159 | 40.8 |
| Hospital non-specialist | 77 | 52 | 178 | | 0 | 14 | | | 321 | 11.3 |
| Specialist | 362 | 208 | 437 | | 11 | 85 | | | 1,103 | 38.8 |
| Specialist-in-training | 20 | 19 | 59 | | 0 | 14 | | | 112 | 3.9 |
| Non-clinician | 41 | 37 | 58 | | 0 | 9 | | | 145 | 5.1 |
| Administrator | 21 | 13 | 20 | | 0 | 0 | | | 54 | 1.9 |
| Teacher/educator | 2 | 0 | 0 | | 0 | 1 | | | 3 | 0.1 |
| Researcher | 0 | 2 | 0 | | 0 | 0 | | | 2 | 0.1 |
| Public health physician | 6 | 4 | 17 | | 0 | 2 | | | 29 | 1.0 |
| Occupational health physician | n 0 | 0 | 3 | | 0 | 3 | | | 6 | 0.2 |
| Other | 12 | 18 | 18 | | 0 | 3 | | | 51 | 1.8 |
| Total | 835 | 510 | 1,231 | | 25 | 239 | | | 2,840 | 100.0 |
| Small rural centres | | | | | | | | | | |
| Clinician | 655 | 474 | 266 | 183 | 122 | 105 | | | 1,805 | 96.4 |
| Primary care practitioner | 425 | 261 | 193 | 105 | 102 | 62 | | | 1,148 | 61.3 |
| Hospital non-specialist | 44 | 29 | 29 | 0 | 0 | 8 | | | 110 | 5.9 |
| Specialist | 183 | 176 | 44 | 73 | 20 | 32 | | | 528 | 28.2 |
| Specialist-in-training | 3 | 8 | 0 | 5 | 0 | 3 | | | 19 | 1.0 |
| Non-clinician | 29 | 24 | 7 | 2 | 6 | 0 | | | 68 | 3.6 |
| Administrator | 10 | 15 | 0 | 0 | 2 | 0 | | | 27 | 1.4 |
| Teacher/educator | 2 | 0 | 0 | 0 | 0 | 0 | | | 2 | 0.1 |
| Researcher | 1 | 0 | 0 | 0 | 0 | 0 | | | 1 | 0.1 |
| Public health physician | 10 | 2 | 1 | 2 | 0 | 0 | | | 15 | 0.8 |
| Occupational health physician | | 0 | 3 | 0 | 0 | 0 | | | 3 | 0.2 |
| Other | 6 | 7 | 3 | 0 | 4 | 0 | | | 20 | 1.1 |
| Total | 684 | 498 | 273 | 185 | 128 | 105 | | | 1,873 | 100.0 |
| Other rural areas | 000 | 504 | 004 | 4.40 | 005 | 407 | 0 | _ | 0.450 | 00.0 |
| Clinician | 662 | 531 | 364 | 146 | 305 | 137 | 0 | 5 | 2,150 | 96.8 |
| Primary care practitioner | 585 | 480 | 312 | 137 | 292 | 119 | 0 | 5 | 1,930 | 86.9 |
| Hospital non-specialist | 9 | 10 | 35 | 0 | 0 | 1 | 0 | 0 | 55 | 2.5 |
| Specialist | 63 | 39 | 17 | 9 | 13 | 17 | 0 | 0 | 158 | 7.1 |
| Specialist-in-training | 5 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 0.3 |
| Non-clinician | 13 | 39 | 10 | 2 | 8 | 0 | 0 | 0 | 72 | 3.2 |
| Administrator | 6 | 24 | 2 | 0 | 0 | 0 | 0 | 0 | 32 | 1.4 |
| Teacher/educator | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0.1 |
| Researcher | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Public health physician | 1 | 2 | 3 | 2 | 0 | 0 | 0 | 0 | 8 | 0.4 |
| Occupational health physician | | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 4 | 0.2 |
| Other <i>Total</i> | 3 <i>675</i> | 13 <i>570</i> | 3 <i>374</i> | 0 148 | 6 313 | 0 137 | 0 <i>0</i> | 0 <i>5</i> | 25 <i>2,222</i> | 1.1 <i>100.0</i> |
| Remote areas | | • | <i></i> | | 0 | | Č | ū | _,_ _ _ | |
| Clinician | 32 | 12 | 148 | 184 | 29 | 2 | | 178 | 585 | 96.1 |
| Primary care practitioner | 32 30 | 12 | 102 | 135 | 29 26 | 2 | | 94 | 401 | 65.8 |
| Hospital non-specialist | 30 2 | 0 | 32 | 23 | 26 0 | 0 | | 94 41 | 98 | 16.1 |
| Specialist | 0 | 0 | 32 14 | 23 21 | 0 | 0 | • • | 34 | 96 69 | 11.3 |
| Specialist-in-training | 0 | 0 | 0 | 5 | 3 | 0 | • • | 34 9 | 17 | 2.8 |
| Non-clinician | 1 | 2 | 1 | 5 5 | 3 2 | 0 | | 13 | 24 | 2.6 3.9 |
| Administrator | 0 | 0 | 1 | 3 | 0 | 0 | | 4 | 24 8 | 1.3 |
| Teacher/educator | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0.0 |
| Researcher | 0 1 | 0 0 | 0 0 | 0 2 | 0 | 0 | | 2 | 2 10 | 0.3 |
| Public health physician | | | _ | | 2 | 0 | • • | 5 | 10 | 1.6 |
| Occupational health physician | | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0.0 |
| Other <i>Total</i> | 0 | 2 | 0 | 0 | 0 | 0 | | 2 | 600 | 0.7 |
| i i i i di | 33 | 14 | 149 | 189 | 31 | 2 | | 191 | 609 | 100.0 |

Table 64 (continued): Medical practitioners whose main job is in a rural area: region, occupation, sex and States and Territories, 1995

| Region/occupation of | | | | | | _ | | | | • |
|----------------------------|--------|-------|-------|----------|-------|-----|-----|-----|-------|-------|
| main job | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Total | % |
| | | | | | Male | es | | | | |
| All rural areas | | | | | | | | | | |
| Clinician | 1,704 | 1,189 | 1,464 | 394 | 381 | 361 | 0 | 128 | 5,621 | 96.3 |
| Primary care practitioner | 1,047 | 712 | 792 | 289 | 335 | 209 | 0 | 58 | 3,442 | 59.0 |
| Hospital non-specialist | 85 | 60 | 162 | 13 | 0 | 14 | 0 | 31 | 365 | 6.3 |
| Specialist | 548 | 403 | 467 | 84 | 43 | 122 | 0 | 30 | 1,697 | 29.1 |
| Specialist-in-training | 24 | 14 | 43 | 8 | 3 | 16 | 0 | 9 | 117 | 2.0 |
| Non-clinician | 60 | 88 | 47 | 4 | 6 | 5 | 0 | 7 | 217 | 3.7 |
| Administrator | 28 | 45 | 16 | 0 | 2 | 0 | 0 | 2 | 93 | 1.6 |
| Teacher/educator | 7 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 8 | 0.1 |
| Researcher | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0.0 |
| Public health physician | 10 | 6 | 10 | 4 | 0 | 1 | 0 | 3 | 34 | 0.6 |
| Occupational health physic | | 0 | 8 | 0 | 0 | 1 | 0 | 0 | 9 | 0.2 |
| Other | 15 | 35 | 13 | 0 | 4 | 2 | 0 | 2 | 71 | 1.2 |
| Total | 1,764 | 1,277 | 1,511 | 398 | 387 | 366 | 0 | 135 | 5,838 | 100.0 |
| All rural areas | | | | | Fema | les | | | | |
| Clinician | 439 | 301 | 487 | 119 | 100 | 113 | 0 | 55 | 1,614 | 94.6 |
| Primary care practitioner | 328 | 235 | 314 | 88 | 99 | 91 | 0 | 41 | 1,196 | 70.1 |
| Hospital non-specialist | 47 | 31 | 112 | 10 | 0 | 9 | 0 | 10 | 219 | 12.8 |
| Specialist | 60 | 20 | 45 | 19 | 1 | 12 | 0 | 4 | 161 | 9.4 |
| Specialist-in-training | 4 | 15 | 16 | 2 | 0 | 1 | 0 | 0 | 38 | 2.2 |
| Non-clinician | 24 | 14 | 29 | <i>5</i> | 10 | 4 | 0 | 6 | 92 | 5.4 |
| Administrator | 9 | 7 | 7 | 3 | 0 | 0 | 0 | 2 | 28 | 1.6 |
| Teacher/educator | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Researcher | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 3 | 0.0 |
| Public health physician | 8 | 2 | 11 | 2 | 2 | 1 | 0 | 2 | 28 | 1.6 |
| Occupational health physic | _ | 0 | 0 | 0 | 2 | 2 | 0 | 0 | 4 | 0.2 |
| Other | 6 | 5 | 11 | 0 | 6 | 1 | 0 | 0 | 29 | 1.7 |
| Total | 463 | 315 | 516 | 124 | 110 | 117 | 0 | 61 | 1,706 | 100.0 |
| | | | | | Perso | ns | | | | |
| All rural areas | | | | | | | | | | |
| Clinician | 2,143 | 1,490 | 1,951 | 513 | 481 | 474 | 0 | 183 | 7,235 | 95.9 |
| Primary care practitioner | 1,375 | 947 | 1,106 | 377 | 434 | 300 | 0 | 99 | 4,638 | 61.5 |
| Hospital non-specialist | 132 | 91 | 274 | 23 | 0 | 23 | 0 | 41 | 584 | 7.7 |
| Specialist | 608 | 423 | 512 | 103 | 44 | 134 | 0 | 34 | 1,858 | 24.6 |
| Specialist-in-training | 28 | 29 | 59 | 10 | 3 | 17 | 0 | 9 | 155 | 2.1 |
| Non-clinician | 84 | 102 | 76 | 9 | 16 | 9 | 0 | 13 | 309 | 4.1 |
| Administrator | 37 | 52 | 23 | 3 | 2 | 0 | 0 | 4 | 121 | 1.6 |
| Teacher/educator | 7 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 8 | 0.1 |
| Researcher | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 5 | 0.1 |
| Public health physician | 18 | 8 | 21 | 6 | 2 | 2 | 0 | 5 | 62 | 0.8 |
| Occupational health physic | cian 0 | 0 | 8 | 0 | 2 | 3 | 0 | 0 | 13 | 0.2 |
| Other | 21 | 40 | 24 | 0 | 10 | 3 | 0 | 2 | 100 | 1.3 |
| Total | 2,227 | 1,592 | 2,027 | 522 | 497 | 483 | 0 | 196 | 7,544 | 100.0 |

Table 65: Medical practitioners whose main job is in a rural area per 100,000 population: region, occupation and States and Territories, 1995

| Occupation of main job | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Tota |
|---|-------------------|-------------------|-------------------|------------|------------|------------|-----|------------|----------------|
| | | | | Large | rural cer | ntres | | | |
| Clinician | 258.3 | 215.5 | 259.8 | | 103.2 | 268.2 | | | 247.6 |
| Primary care practitioner | 109.0 | 88.4 | 110.5 | | 57.8 | 136.4 | | | 106.5 |
| Hospital non-specialist | 25.0 | 23.7 | 39.4 | | 0.0 | 16.3 | | | 29.5 |
| Specialist | 117.7 | 94.8 | 96.8 | | 45.4 | 99.1 | | | 92.1 |
| Specialist-in-training | 6.5 | 8.7 | 13.1 | | 0.0 | 16.3 | | | 10.3 |
| Non-clinician | 13.3 | 16.9 | 12.8 | | 0.0 | 10.5 | | | 13.3 |
| Administrator | 6.8 | 5.9 | 4.4 | | 0.0 | 0.0 | | | 5.0 |
| Teacher/educator | 0.7 | 0.0 | 0.0 | | 0.0 | 1.2 | | | 0. |
| Researcher | 0.0 | 0.9 | 0.0 | | 0.0 | 0.0 | | | 0.: |
| Public health physician | 2.0 | 1.8 | 3.8 | | 0.0 | 2.3 | | | 2. |
| Occupational health | 0.0 | 0.0 | 0.7 | | 0.0 | 3.5 | | | 0. |
| Other | 3.9 | 8.2 | 4.0 | | 0.0 | 3.5 | | | 4. |
| Total | 271.6 | 232.4 | 272.7 | | 103.2 | 278.7 | | | 261. |
| | | | | Small | rural cer | ntres | | | |
| Clinician | 138.8 | 176.8 | 138.3 | 144.9 | 151.6 | 180.0 | | | 150. |
| Primary care practitioner | 90.0 | 97.4 | 100.4 | 83.1 | 126.8 | 106.3 | | | 95. |
| Hospital non-specialist | 9.3 | 10.8 | 15.1 | 0.0 | 0.0 | 13.7 | | | 9. |
| Specialist | 38.8 | 65.6 | 22.9 | 57.8 | 24.9 | 54.8 | | | 44. |
| Specialist-in-training | 0.6 | 3.0 | 0.0 | 4.0 | 0.0 | 5.1 | | | 1. |
| Non-clinician | 6.1 | 9.0 | 3.6 | 1.6 | 7.5 | 0.0 | | | 5. |
| Administrator | 2.1 | 5.6 | 0.0 | 0.0 | 2.5 | 0.0 | | | 2. |
| Teacher/educator | 0.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | | | 0. |
| Researcher | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | | | 0. |
| Public health physician | 2.1 | 0.7 | 0.5 | 1.6 | 0.0 | 0.0 | | | 1. |
| Occupational health | 0.0 | 0.0 | 1.6 | 0.0 | 0.0 | 0.0 | | | 0. |
| Other | 1.3 | 2.6 | 1.6 | 0.0 | 5.0 | 0.0 | | | 1. |
| Total | 144.9 | 185.8 | 142.0 | 146.4 | 159.1 | 180.0 | | | 156. |
| | | | | Othe | r rural ar | eas | | | |
| Clinician | 91.7 | 84.1 | 69.0 | 86.5 | 116.8 | 104.2 | 0.0 | 37.7 | 87. |
| Primary care practitioner | 81.1 | 76.0 | 59.2 | 81.2 | 111.8 | 90.5 | 0.0 | 37.7 | 78. |
| Hospital non-specialist | 1.2 | 1.6 | 6.6 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 2. |
| Specialist | 8.7 | 6.2 | 3.2 | 5.3 | 5.0 | 12.9 | 0.0 | 0.0 | 6 |
| Specialist-in-training | 0.7 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0 |
| Non-clinician | 1.8 | 6.2 | 1.9 | 1.2 | 3.1 | 0.0 | 0.0 | 0.0 | 2 |
| Administrator | 0.8 | 3.8 | 0.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1. |
| Teacher/educator | 0.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0 |
| Researcher | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0 |
| Public health physician | 0.1 | 0.3 | 0.6 | 1.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0. |
| Occupational health | 0.0 | 0.0 | 0.4 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0. |
| Other | 0.4 | 2.1 | 0.6 | 0.0 | 2.3 | 0.0 | 0.0 | 0.0 | 1. |
| Total | 93.5 | 90.2 | 70.9 | 87.7 | 119.9 | 104.2 | 0.0 | 37.7 | 90. |
| | | | | Rer | note area | as | | | |
| Clinician | 55.4 | 98.9 | 73.5 | 105.7 | 106.8 | 72.6 | | 218.3 | 105. |
| Primary care practitioner | 51.9 | 98.9 | 50.7 | 77.6 | 95.7 | 72.6 | | 115.3 | 72. |
| Hospital non-specialist | 3.5 | 0.0 | 15.9 | 13.2 | 0.0 | 0.0 | | 50.3 | 17. |
| Specialist | 0.0 | 0.0 | 7.0 | 12.1 | 0.0 | 0.0 | | 41.7 | 12. |
| Specialist-in-training | 0.0 | 0.0 | 0.0 | 2.9 | 11.0 | 0.0 | | 11.0 | 3 |
| Opcolation in training | 1.7 | 16.5 | 0.5 | 2.9 | 7.4 | 0.0 | | 15.9 | 4. |
| | | | 0.5 | 1.7 | 0.0 | 0.0 | | 4.9 | 1. |
| | 0.0 | 0.0 | | | | | | | 0 |
| lon-clinician | 0.0 0.0 | 0.0 0.0 | | 0.0 | 0.0 | 0.0 | | 0.0 | (J |
| Non-clinician Administrator Teacher/educator | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 0.0 | 0.0 0.0 | | 0.0 2.5 | |
| Non-clinician Administrator Teacher/educator Researcher | 0.0 0.0 | 0.0 0.0 | 0.0 0.0 | 0.0 | 0.0 | 0.0 | | 2.5 | 0 |
| Non-clinician Administrator Teacher/educator Researcher Public health physician | 0.0 0.0 1.7 | 0.0 0.0 0.0 | 0.0 0.0 0.0 | 0.0 1.1 | 0.0 7.4 | 0.0 0.0 | | 2.5 6.1 | 0. 1. |
| Non-clinician Administrator Teacher/educator Researcher | 0.0 0.0 | 0.0 0.0 | 0.0 0.0 | 0.0 | 0.0 | 0.0 | | 2.5 | 0. 1. 0. |

Table 65 (continued): Medical practitioners whose main job is in a rural area per 100,000 population: region, occupation and States and Territories, 1995

| Occupation of main job | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Total |
|---------------------------|-------|-------|-------|-------|-----------|-------|-----|-------|-------|
| | | | | All | rural are | as | | | |
| Clinician | 137.5 | 131.7 | 142.2 | 109.3 | 122.4 | 170.3 | 0.0 | 193.0 | 136.6 |
| Primary care practitioner | 88.2 | 83.7 | 80.6 | 80.4 | 110.4 | 107.8 | 0.0 | 104.4 | 87.5 |
| Hospital non-specialist | 8.5 | 8.0 | 20.0 | 4.9 | 0.0 | 8.3 | 0.0 | 43.2 | 11.0 |
| Specialist | 39.0 | 37.4 | 37.3 | 22.0 | 11.2 | 48.1 | 0.0 | 35.9 | 35.1 |
| Specialist-in-training | 1.8 | 2.6 | 4.3 | 2.1 | 0.8 | 6.1 | 0.0 | 9.5 | 2.9 |
| Non-clinician | 5.4 | 9.0 | 5.5 | 1.9 | 4.1 | 3.2 | 0.0 | 13.7 | 5.8 |
| Administrator | 2.4 | 4.6 | 1.7 | 0.6 | 0.5 | 0.0 | 0.0 | 4.2 | 2.3 |
| Teacher/educator | 0.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.0 | 0.0 | 0.2 |
| Researcher | 0.1 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | 0.1 |
| Public health physician | 1.2 | 0.7 | 1.5 | 1.3 | 0.5 | 0.7 | 0.0 | 5.3 | 1.2 |
| Occupational health | 0.0 | 0.0 | 0.6 | 0.0 | 0.5 | 1.1 | 0.0 | 0.0 | 0.2 |
| Other | 1.3 | 3.5 | 1.7 | 0.0 | 2.5 | 1.1 | 0.0 | 2.1 | 1.9 |
| Total | 142.9 | 140.7 | 147.7 | 111.3 | 126.5 | 173.5 | 0.0 | 206.8 | 142.4 |




Figure 13: Medical practitioners whose main job is in a rural area per 100,000 population: States and Territories, 1995

Table 66: Medical practitioners whose main job is in a rural area: region, age and States and Territories, 1995

| Region of main j | | \ <i>C</i> - | 01.1 | 14/4 | 0.4 | T | 4.07 | NT | T-4-1 | 0/ |
|------------------|-------|--------------|-------|------|-----|----------|------|-----|-------|-------|
| age (years) | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Total | % |
| Large rural cent | res | | | | | | | | | |
| <25 | 0 | 8 | 28 | | 0 | 0 | | | 36 | 1.3 |
| 25-34 | 141 | 82 | 284 | | 0 | 49 | | | 557 | 19.6 |
| 35-44 | 275 | 198 | 399 | | 5 | 84 | | | 961 | 33.9 |
| 45-54 | 231 | 133 | 295 | | 9 | 52 | | | 720 | 25.4 |
| 55-64 | 109 | 49 | 134 | | 11 | 28 | | | 331 | 11.6 |
| 65-74 | 61 | 40 | 72 | | 0 | 25 | | | 198 | 7.0 |
| 75+ | 18 | 0 | 18 | | 0 | 0 | | | 36 | 1.3 |
| Total | 835 | 510 | 1,231 | | 25 | 239 | | | 2,840 | 100.0 |
| Small rural cent | res | | | | | | | | | |
| <25 | 0 | 0 | 2 | 0 | 0 | 0 | | | 2 | 0.1 |
| 25-34 | 100 | 77 | 65 | 28 | 30 | 14 | | | 313 | 16.8 |
| 35-44 | 238 | 192 | 79 | 71 | 45 | 28 | | | 654 | 35.0 |
| 45-54 | 180 | 136 | 56 | 37 | 34 | 18 | | | 461 | 24.7 |
| 55-64 | 93 | 52 | 30 | 30 | 15 | 35 | | | 255 | 13.6 |
| 65-74 | 58 | 27 | 28 | 15 | 3 | 6 | | | 137 | 7.3 |
| 75+ | 16 | 13 | 13 | 3 | 0 | 4 | | | 48 | 2.6 |
| Total | 684 | 498 | 273 | 185 | 128 | 105 | | | 1,873 | 100.0 |
| Other rural | | | | | | | | | | |
| <25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| 25-34 | 80 | 127 | 100 | 19 | 77 | 18 | 0 | 0 | 420 | 18.9 |
| 35-44 | 244 | 201 | 140 | 80 | 118 | 57 | 0 | 2 | 842 | 37.9 |
| 45-54 | 166 | 110 | 70 | 27 | 60 | 28 | 0 | 2 | 462 | 20.8 |
| 55-64 | 101 | 69 | 34 | 17 | 31 | 20 | 0 | 2 | 273 | 12.3 |
| 65–74 | 72 | 54 | 30 | 2 | 18 | 8 | 0 | 0 | 184 | 8.3 |
| 75+ | 15 | 9 | 0 | 3 | 8 | 6 | 0 | 0 | 41 | 1.9 |
| Total | 675 | 570 | 374 | 148 | 313 | 137 | 0 | 6 | 2,222 | 100.0 |
| Remote areas | | | | | | | | | | |
| <25 | 0 | 0 | 3 | 0 | 0 | 0 | | 0 | 3 | 0.6 |
| 25-34 | 9 | 2 | 50 | 66 | 5 | 0 | | 62 | 194 | 31.9 |
| 35-44 | 10 | 4 | 47 | 81 | 11 | 1 | | 56 | 211 | 34.7 |
| 45-54 | 7 | 3 | 26 | 23 | 6 | 1 | | 38 | 105 | 17.2 |
| 55-64 | 4 | 4 | 15 | 15 | 5 | 0 | | 28 | 71 | 11.8 |
| 65–74 | 3 | 0 | 7 | 0 | 3 | 0 | | 5 | 18 | 2.9 |
| 75+ | 0 | 0 | 3 | 3 | 0 | 0 | | 0 | 5 | 0.9 |
| Total | 33 | 14 | 149 | 189 | 31 | 2 | | 191 | 609 | 100.0 |
| Total | | | | | | | | | | |
| <25 | 0 | 8 | 33 | 0 | 0 | 0 | 0 | 0 | 41 | 0.5 |
| 25–34 | 330 | 288 | 499 | 113 | 111 | 81 | 0 | 62 | 1,485 | 19.7 |
| 35–44 | 767 | 596 | 665 | 232 | 179 | 171 | 0 | 58 | 2,669 | 35.4 |
| 45–54 | 584 | 382 | 447 | 88 | 109 | 99 | 0 | 40 | 1,748 | 23.2 |
| 55-64 | 307 | 174 | 213 | 63 | 61 | 83 | 0 | 30 | 930 | 12.3 |
| 65–74 | 193 | 121 | 136 | 17 | 25 | 39 | 0 | 5 | 537 | 7.1 |
| 75+ | 49 | 22 | 34 | 9 | 8 | 10 | 0 | 0 | 131 | 1.7 |
| Total | 2,227 | 1,592 | 2,027 | 522 | 497 | 483 | 0 | 196 | 7,544 | 100.0 |

Table 67: Medical practitioners whose main job is in a rural area: region, work setting and States and Territories, 1995

| Region/work setting of main job | | Vic | Qld | WA | SA | Tas | ACT | NT | Total | % |
|---------------------------------|-------|-------|-------|-----|-----|-----|-----|-----|-------|-------|
| Large rural centres | | | | | | | | | | |
| Private rooms | 592 | 356 | 782 | | 21 | 177 | | | 1,926 | 67.8 |
| Acute care hospital | 208 | 128 | 389 | | 3 | 45 | | | 773 | 27.2 |
| Residential | 0 | 6 | 0 | | 1 | 0 | | | 8 | 0.3 |
| Aboriginal health service | 1 | 2 | 6 | | 0 | 0 | | | 9 | 0.3 |
| Non-residential facility | 13 | 14 | 32 | | 0 | 8 | | | 67 | 2.3 |
| Educational | 2 | 2 | 2 | | 0 | 6 | | | 12 | 0.4 |
| Defence forces | 6 | 2 | 0 | | 0 | 0 | | | 8 | 0.3 |
| Other | 12 | 2 | 21 | | 0 | 3 | | | 38 | 1.3 |
| Total | 835 | 510 | 1,231 | | 25 | 239 | | | 2,840 | 100.0 |
| Small rural centres | | | | | | | | | | |
| Private rooms | 539 | 404 | 228 | 145 | 108 | 76 | | | 1,500 | 80.1 |
| Acute care hospital | 112 | 75 | 40 | 23 | 12 | 20 | | | 282 | 15.0 |
| Residential | 0 | 1 | 0 | 0 | 0 | 0 | | | 1 | 0.1 |
| Aboriginal health service | 4 | 1 | 0 | 2 | 3 | 0 | | | 10 | 0.5 |
| Non-residential facility | 11 | 6 | 4 | 8 | 3 | 8 | | | 40 | 2.1 |
| Educational | 0 | 4 | 0 | 0 | 0 | 0 | | | 4 | 0.2 |
| Defence forces | 5 | 0 | 0 | 0 | 0 | 0 | | | 5 | 0.2 |
| Other | 14 | 6 | 0 | 8 | 2 | 2 | | | 31 | 1.6 |
| Total | 684 | 498 | 273 | 185 | 128 | 105 | | | 1,873 | 100.0 |
| Other rural areas | | | | | | | | | | |
| Private rooms | 627 | 528 | 317 | 138 | 303 | 116 | 0 | 5 | 2,034 | 91.5 |
| Acute care hospital | 30 | 19 | 47 | 2 | 5 | 19 | 0 | 0 | 123 | 5.5 |
| Residential | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Aboriginal health service | 5 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 8 | 0.3 |
| Non-residential facility | 9 | 17 | 6 | 6 | 5 | 0 | 0 | 0 | 43 | 1.9 |
| Educational | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Defence forces | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 3 | 0.1 |
| Other | 3 | 5 | 0 | 2 | 0 | 1 | 0 | 0 | 12 | 0.5 |
| Total | 675 | 570 | 374 | 148 | 313 | 137 | 0 | 5 | 2,222 | 100.0 |
| Remote areas | | | | | | | | | | |
| Private rooms | 25 | 14 | 97 | 100 | 22 | 0 | | 60 | 320 | 52.5 |
| Acute care hospital | 3 | 0 | 44 | 37 | 2 | 0 | | 66 | 153 | 25.2 |
| Residential | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0.0 |
| Aboriginal health service | | 0 | 3 | 26 | 7 | 0 | | 35 | 72 | 11.8 |
| Non-residential facility | 1 | 0 | 3 | 10 | 0 | 2 | | 19 | 34 | 5.7 |
| Educational | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0.0 |
| Defence forces | 0 | 0 | 0 | 0 | 0 | 0 | | 2 | 2 | 0.3 |
| Other | 2 | 0 | 1 | 16 | 0 | 0 | | 8 | 28 | 4.5 |
| Total | 33 | 14 | 149 | 189 | 31 | 2 | | 191 | 609 | 100.0 |
| Total | | | | | | | | | | |
| Private rooms | 1,783 | 1,302 | 1,424 | 383 | 454 | 369 | 0 | 65 | 5,780 | 76.6 |
| Acute care hospital | 354 | 221 | 521 | 63 | 22 | 85 | 0 | 66 | 1,331 | 17.6 |
| Residential | 0 | 8 | 0 | 0 | 1 | 0 | 0 | 0 | 9 | 0.1 |
| Aboriginal health service | | 3 | 12 | 28 | 10 | 0 | 0 | 35 | 98 | 1.3 |
| Non-residential facility | 34 | 37 | 45 | 23 | 9 | 17 | 0 | 19 | 184 | 2.4 |
| Educational | 2 | 6 | 2 | 0 | 0 | 6 | 0 | 0 | 16 | 0.2 |
| Defence forces | 11 | 3 | 1 | 0 | 0 | 0 | 0 | 2 | 17 | 0.2 |
| Other | 32 | 12 | 23 | 25 | 2 | 6 | 0 | 8 | 108 | 1.4 |
| Total | 2,227 | 1,592 | 2,027 | 522 | 497 | 483 | 0 | 196 | 7,544 | 100.0 |

Table 68: Medical practitioners whose main job is in a rural area: region, occupation, age and sex, Australia, 1995

| | | Α | ge (years) | | | | |
|---------------------------------------|----------|-----------|-------------|----------|----------|------------|--------------|
| Region/occupation of main | <35 | 35–44 | 45–54 | 55-64 | 65+ | Total | % |
| Laws word asstract | | | | Males | | | |
| Large rural centres | 240 | 600 | 507 | 070 | 200 | 0.007 | 05.0 |
| Clinician | 340 | 689 | <i>587</i> | 273 | 200 | 2,087 | 95.8 |
| Primary care practitioner | 86 | 310 25 | 207 12 | 104 5 | 109 5 | 816 177 | 37.5 8.1 |
| Hospital non-specialist Specialist | 131 | 25 340 | 367 | 5 164 | 86 | 1,011 | 6. i 46.4 |
| • | 55 67 | 340 14 | 30 <i>1</i> | 0 | 0 | 83 | 3.8 |
| Specialist-in-training Non-clinician | 6 | 23 | 26 | 17 | 20 | 91 | 3.6 4.2 |
| Administrator | 2 | 23 11 | ∠o 11 | 6 | 20 4 | 35 | 1.6 |
| Teacher/educator | 0 | 0 | 1 | 0 | 2 | 3 | 0.2 |
| Researcher | 0 | 2 | 0 | 0 | 0 | 2 | 0.2 |
| Public health physician | 5 | 1 | 4 | 2 | 1 | 13 | 0.1 |
| | 0 | 0 | 1 | 3 | 0 | 4 | 0.6 |
| Occupational health Other | 0 | 8 | 9 | 5 6 | 13 | 34 | 1.6 |
| Total | 346 | 711 | 614 | 290 | 220 | 2,178 | 100.0 |
| Small rural centres | | | | | | _, | |
| Clinician | 181 | 469 | 396 | 214 | 165 | 1,429 | 96.3 |
| Primary care practitioner | 122 | 310 | 208 | 111 | 104 | 855 | 57.6 |
| Hospital non-specialist | 35 | 21 | 11 | 10 | 2 | 79 | 5.3 |
| Specialist | 18 | 135 | 176 | 93 | 59 | 483 | 32.5 |
| Specialist-in-training | 6 | 3 | 1 | 0 | 0 | 12 | 0.8 |
| Non-clinician | 2 | 15 | 14 | 11 | 12 | 55 | 3.7 |
| Administrator | 0 | 7 | 7 | 5 | 5 | 25 | 1.7 |
| Teacher/educator | 0 | 2 | 0 | 0 | 0 | 2 | 0.1 |
| Researcher | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Public health physician | 2 | 5 | 3 | 1 | 0 | 11 | 0.7 |
| Occupational health | 0 | 0 | 0 | 0 | 3 | 3 | 0.2 |
| Other | 0 | 1 | 4 | 5 | 4 | 14 | 1.0 |
| Total | 183 | 485 | 410 | 225 | 177 | 1,484 | 100.0 |
| Other rural areas | | | | | | | |
| Clinician | 255 | 618 | 389 | 237 | 189 | 1,684 | 96.6 |
| Primary care practitioner | 231 | 578 | 332 | 185 | 167 | 1,492 | 85.6 |
| Hospital non-specialist | 18 | 17 | 4 | 3 | 0 | 41 | 2.4 |
| Specialist | 2 | 21 | 52 | 49 | 22 | 146 | 8.4 |
| Specialist-in-training | 3 | 1 | 0 | 0 | 0 | 5 | 0.3 |
| Non-clinician | 16 | 16 | 11 | 6 | 12 | 60 | 3.4 |
| Administrator | 11 | 6 | 3 | 6 | 3 | 30 | 1.7 |
| Teacher/educator | 3 | 0 | 0 | 0 | 0 | 3 | 0.2 |
| Researcher | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Public health physician | 1 | 0 | 2 | 0 | 4 | 6 | 0.3 |
| Occupational health | 0 | 0 | 0 | 0 | 2 | 2 | 0.1 |
| Other | 0 | 10 | 6 | 0 | 4 | 19 | 1.1 |
| Total | 270 | 634 | 400 | 243 | 201 | 1,744 | 100.0 |
| Remote areas | | | | | | | |
| Clinician | 114 | 141 | 89 | 59 | 20 | 421 | 97.4 |
| Primary care practitioner | 64 | 110 | 63 | 28 | 14 | 279 | 64.5 |
| Hospital non-specialist | 33 | 14 | 14 | 6 | 3 | 68 | 15.7 |
| Specialist | 2 | 15 | 12 | 25 | 3 | 57 | 13.3 |
| Specialist-in-training | 15 | 2 | 0 | 0 | 0 | 17 | 3.8 |
| Non-clinician | 3 | 5 | 3 | 0 | 0 | 11 | 2.6 |
| Administrator | 0 | 2 | 1 | 0 | 0 | 3 | 0.8 |
| Teacher/educator | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Researcher | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Public health physician | 3 | 1 | 0 | 0 | 0 | 4 | 1.0 |
| Occupational health | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Other | 0 | 2 | 2 | 0 | 0 | 4 | 0.8 |
| Total | 117 | 146 | 92 | 59 | 20 | 432 | 100.0 |

Table 68 (continued): Medical practitioners whose main job is in a rural area: region, occupation, age and sex, 1995

| | | Α | ge (years) | | | | |
|---------------------------|-----|-------|------------|-----------|-----|-------|-------|
| Region/occupation of main | <35 | 35–44 | 45–54 | 55–64 | 65+ | Total | % |
| | | | | Females | | | |
| Large rural centres | | | | | | | |
| Clinician | 234 | 234 | 95 | <i>35</i> | 9 | 608 | 91.8 |
| Primary care practitioner | 87 | 165 | 61 | 23 | 7 | 343 | 51.8 |
| Hospital non-specialist | 112 | 19 | 9 | 3 | 0 | 144 | 21.7 |
| Specialist | 11 | 46 | 23 | 9 | 2 | 92 | 13.9 |
| Specialist-in-training | 24 | 4 | 1 | 0 | 0 | 29 | 4.4 |
| Non-clinician | 14 | 16 | 12 | 6 | 6 | 54 | 8.2 |
| Administrator | 3 | 7 | 2 | 3 | 4 | 19 | 2.9 |
| Teacher/educator | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Researcher | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Public health physician | 5 | 3 | 4 | 2 | 2 | 16 | 2.4 |
| Occupational health | 2 | 0 | 0 | 0 | 0 | 2 | 0.3 |
| Other | 4 | 6 | 5 | 2 | 0 | 17 | 2.6 |
| Total | 248 | 250 | 107 | 41 | 15 | 662 | 100.0 |
| Small rural centres | | | | | | | |
| Clinician | 132 | 162 | 48 | 29 | 7 | 376 | 96.8 |
| Primary care practitioner | 93 | 139 | 34 | 23 | 6 | 293 | 75.3 |
| Hospital non-specialist | 25 | 5 | 1 | 0 | 0 | 31 | 8.0 |
| Specialist | 10 | 16 | 12 | 6 | 1 | 45 | 11.6 |
| Specialist-in-training | 4 | 2 | 1 | 0 | 0 | 7 | 1.9 |
| Non-clinician | 0 | 7 | 3 | 1 | 2 | 13 | 3.6 |
| Administrator | 0 | 1 | 0 | 1 | 0 | 2 | 0.6 |
| Teacher/educator | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Researcher | 0 | 0 | 1 | 0 | 0 | 1 | 0.3 |
| Public health physician | 0 | 3 | 1 | 0 | 0 | 4 | 1.1 |
| Occupational health | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Other | 0 | 3 | 0 | 0 | 2 | 6 | 1.5 |
| Total | 132 | 169 | 51 | 30 | 9 | 389 | 100.4 |
| Other rural areas | | | | | | | |
| Clinician | 141 | 208 | 61 | 30 | 26 | 466 | 97.6 |
| Primary care practitioner | 129 | 204 | 56 | 25 | 24 | 438 | 91.7 |
| Hospital non-specialist | 10 | 3 | 2 | 0 | 0 | 14 | 2.9 |
| Specialist | 0 | 1 | 4 | 5 | 2 | 12 | 2.5 |
| Specialist-in-training | 2 | 0 | 0 | 0 | 0 | 2 | 0.5 |
| Non-clinician | 9 | 0 | 2 | 0 | 0 | 12 | 2.3 |
| Administrator | 2 | 0 | 0 | 0 | 0 | 2 | 0.4 |
| Teacher/educator | 0 | 0 | 0 | 0 | 0 | 0 | 0.4 |
| Researcher | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Public health physician | 2 | 0 | 0 | 0 | 0 | 2 | 0.0 |
| Occupational health | 0 | 0 | 2 | 0 | 0 | 2 | 0.3 |
| Other | 5 | 0 | 0 | 0 | 0 | 6 | 1.3 |
| Total | | | | | | | |
| | 150 | 208 | 63 | 30 | 26 | 478 | 99.9 |
| Remote areas | | | | | | | |
| Clinician | 77 | 62 | 10 | 13 | 3 | 164 | 92.6 |
| Primary care practitioner | 61 | 44 | 8 | 7 | 3 | 122 | 69.0 |
| Hospital non-specialist | 14 | 13 | 2 | 2 | 0 | 30 | 17.0 |
| Specialist | 2 | 5 | 0 | 4 | 0 | 12 | 6.6 |
| Specialist-in-training | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Non-clinician | 4 | 4 | 4 | 0 | 0 | 13 | 7.4 |
| Administrator | 0 | 3 | 2 | 0 | 0 | 5 | 2.8 |
| Teacher/educator | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Researcher | 0 | 0 | 2 | 0 | 0 | 2 | 1.1 |
| Public health physician | 4 | 2 | 0 | 0 | 0 | 6 | 3.4 |
| Occupational health | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Other | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Total | 81 | 66 | 13 | 13 | 3 | 177 | 100.0 |

Table 68 (continued): Medical practitioners whose main job is in a rural area: region, occupation, age and sex, 1995

| _ | | Α | ge (years) | | | | |
|---------------------------|--------|--------|------------|---------|--------|--------|------------|
| Region/occupation of main | <35 | 35–44 | 45–54 | 55-64 | 65+ | Total | % |
| | | | | Persons | | | |
| Large rural centres | 570 | 222 | 000 | 222 | 000 | 0.005 | |
| Clinician | 573 | 923 | 682 | 308 | 209 | 2,695 | 94.9 |
| Primary care practitioner | 173 | 476 | 268 | 127 | 116 | 1,159 | 40.8 |
| Hospital non-specialist | 243 | 44 | 21 | 8 | 5 | 321 | 11.3 |
| Specialist | 66 | 386 | 390 | 173 | 88 | 1,103 | 38.8 |
| Specialist-in-training | 92 | 17 | 3 | 0 | 0 | 112 | 3.9 |
| Non-clinician | 21 | 39 | 38 | 22 | 25 | 145 | 5.1 |
| Administrator | 5 | 18 | 14 | 9 | 8 | 54 | 1.9 |
| Teacher/educator | 0 | 0 | 1 | 0 | 2 | 3 | 0.1 |
| Researcher | 0 | 2 | 0 | 0 | 0 | 2 | 0.1 |
| Public health physician | 10 | 4 | 9 | 3 | 3 | 29 | 1.0 |
| Occupational health | 2 | 0 | 1 | 3 | 0 | 6 | 0.2 |
| Other | 4 | 14 | 14 | 7 | 13 | 51 | 1.8 |
| Total | 594 | 961 | 720 | 331 | 234 | 2,840 | 100.0 |
| Small rural centres | | | | | | | |
| Clinician | 314 | 631 | 444 | 243 | 172 | 1,805 | 96.4 |
| Primary care practitioner | 215 | 449 | 242 | 134 | 110 | 1,148 | 61.3 |
| Hospital non-specialist | 60 | 26 | 12 | 10 | 2 | 110 | 5.9 |
| Specialist | 28 | 151 | 188 | 99 | 60 | 528 | 28.2 |
| Specialist-in-training | 11 | 5 | 2 | 0 | 0 | 19 | 1.0 |
| Non-clinician | 2 | 23 | 17 | 12 | 13 | 68 | 3.6 |
| Administrator | 0 | 9 | 7 | 6 | 5 | 27 | 1.4 |
| Teacher/educator | 0 | 2 | 0 | 0 | 0 | 2 | 0.1 |
| Researcher | 0 | 0 | 1 | 0 | 0 | 1 | 0.1 |
| Public health physician | 2 | 8 | 4 | 1 | 0 | 15 | 0.8 |
| Occupational health | 0 | 0 | 0 | 0 | 3 | 3 | 0.2 |
| Other | 0 | 5 | 4 | 5 | 5 | 19 | 1.0 |
| Total | 315 | 654 | 461 | 255 | 185 | 1,873 | 100.0 |
| Other rural areas | | | | | | | |
| Clinician | 396 | 826 | 450 | 266 | 215 | 2,150 | 96.8 |
| Primary care practitioner | 361 | 782 | 388 | 210 | 191 | 1,930 | 86.9 |
| Hospital non-specialist | 27 | 20 | 6 | 3 | 0 | 55 | 2.5 |
| Specialist | 2 | 23 | 56 | 54 | 24 | 158 | 7.1 |
| Specialist-in-training | 6 | 1 | 0 | 0 | 0 | 7 | 0.3 |
| Non-clinician | 25 | 16 | 12 | 6 | 12 | 72 | 3.2 |
| Administrator | 13 | 6 | 3 | 6 | 3 | 32 | 1.4 |
| Teacher/educator | 3 | 0 | 0 | 0 | 0 | 3 | 0.1 |
| Researcher | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Public health physician | 3 | 0 | 2 | 0 | 4 | 8 | 0.4 |
| Occupational health | 0 | 0 | 2 | 0 | 2 | 4 | 0.2 |
| Other | 5 | 10 | 6 | 0 | 4 | 25 | 1.1 |
| Total | 420 | 842 | 462 | 272 | 227 | 2,222 | 100.0 |
| Remote areas | | | | | | | |
| Clinician | 191 | 203 | 99 | 72 | 23 | 585 | 96.0 |
| Primary care practitioner | 125 | 154 | 71 | 35 | 17 | 401 | 65.8 |
| Hospital non-specialist | 47 | 27 | 16 | 8 | 3 | 98 | 16.1 |
| Specialist | 4 | 21 | 12 | 29 | 3 | 69 | 11.3 |
| Specialist-in-training | 15 | 2 | 0 | 0 | 0 | 17 | 2.7 |
| Non-clinician | 7 | 9 | 6 | 0 | 0 | 24 | 3.8 |
| Administrator | 0 | 5 | 3 | 0 | 0 | 8 | 1.3 |
| Teacher/educator | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Researcher | 0 | 0 | 2 | 0 | 0 | 2 | 0.0 |
| | 7 | 3 | 0 | 0 | 0 | 10 | |
| Public health physician | | | | | | | 1.6 |
| Occupational health | 0 0 | 0 2 | 0 2 | 0 0 | 0 0 | 0 4 | 0.0 0.6 |
| Other | | | | | | | |

Table 68 (continued): Medical practitioners whose main job is in a rural area: region, occupation, age and sex, 1995

| | | A | ge (years) | | | | |
|-------------------------------|-------|-------|------------|---------|-----|-------|-------|
| Region/occupation of main job | <35 | 35–44 | 45–54 | 55-64 | 65+ | Total | % |
| | | | | Males | | | |
| All rural areas | | | | | | | |
| Clinician | 889 | 1,917 | 1,461 | 782 | 574 | 5,621 | 96.3 |
| Primary care practitioner | 503 | 1,308 | 810 | 428 | 394 | 3,442 | 59.0 |
| Hospital non-specialist | 217 | 77 | 41 | 24 | 9 | 365 | 6.3 |
| Specialist | 77 | 511 | 607 | 331 | 170 | 1,697 | 29.1 |
| Specialist-in-training | 92 | 20 | 3 | 0 | 0 | 117 | 2.0 |
| Non-clinician | 27 | 59 | 54 | 34 | 43 | 217 | 3.7 |
| Administrator | 13 | 27 | 23 | 17 | 11 | 93 | 1.6 |
| Teacher/educator | 3 | 2 | 1 | 0 | 2 | 8 | 0.1 |
| Researcher | 0 | 2 | 0 | 0 | 0 | 2 | 0.0 |
| Public health physician | 11 | 8 | 9 | 3 | 5 | 34 | 0.6 |
| Occupational health | 0 | Ö | 1 | 3 | 5 | 9 | 0.2 |
| Other | 0 | 21 | 20 | 11 | 21 | 71 | 1.2 |
| Total | 916 | 1,976 | 1,516 | 816 | 617 | 5,838 | 100.0 |
| | | | | Females | | | |
| All rural areas | | | | | | | |
| Clinician | 584 | 666 | 214 | 106 | 45 | 1,614 | 94.6 |
| Primary care practitioner | 370 | 552 | 160 | 77 | 40 | 1,196 | 70.1 |
| Hospital non-specialist | 161 | 40 | 13 | 5 | 0 | 219 | 12.8 |
| Specialist | 23 | 69 | 39 | 24 | 5 | 161 | 9.4 |
| Specialist-in-training | 31 | 6 | 2 | 0 | 0 | 38 | 2.2 |
| Non-clinician | 27 | 27 | 19 | 7 | 7 | 92 | 5.4 |
| Administrator | 5 | 10 | 4 | 4 | 4 | 28 | 1.6 |
| Teacher/educator | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Researcher | 0 | 0 | 3 | 0 | 0 | 3 | 0.2 |
| Public health physician | 11 | 7 | 6 | 2 | 2 | 28 | 1.6 |
| Occupational health | 2 | 0 | 2 | 0 | 0 | 4 | 0.2 |
| Other | 9 | 10 | 5 | 2 | 2 | 29 | 1.7 |
| Total | 612 | 693 | 234 | 114 | 52 | 1,706 | 100.0 |
| | | | | Persons | | , | |
| All rural areas | | | | | | | |
| Clinician | 1,474 | 2,583 | 1,675 | 889 | 619 | 7,235 | 95.9 |
| Primary care practitioner | 874 | 1,860 | 970 | 505 | 434 | 4,638 | 61.5 |
| Hospital non-specialist | 377 | 117 | 55 | 29 | 9 | 584 | 7.7 |
| Specialist | 99 | 580 | 646 | 355 | 176 | 1,858 | 24.6 |
| Specialist-in-training | 123 | 25 | 5 | 0 | 0 | 155 | 2.1 |
| Non-clinician | 54 | 86 | 74 | 41 | 50 | 309 | 4.1 |
| Administrator | 18 | 37 | 27 | 21 | 15 | 121 | 1.6 |
| Teacher/educator | 3 | 2 | 1 | 0 | 2 | 8 | 0.1 |
| Researcher | 0 | 2 | 3 | 0 | 0 | 5 | 0.1 |
| Public health physician | 22 | 15 | 15 | 5 | 6 | 62 | 0.8 |
| Occupational health | 2 | 0 | 3 | 3 | 5 | 13 | 0.2 |
| Other | 9 | 30 | 25 | 12 | 22 | 100 | 1.3 |
| Total | 1,527 | 2,669 | 1,749 | 929 | 669 | 7,544 | 100.0 |

 $\begin{tabular}{ll} Table \ 69: Medical \ practitioners \ whose \ main \ job \ is \ in \ a \ rural \ area: \ region \ and \ selected \ characteristics, \ Australia, \ 1995 \end{tabular}$

| Selected characteristics | Large rural centre | Small rural centre | Other rural area | Remote area | Total | % |
|-----------------------------|--------------------|--------------------|------------------|-------------|-------|-------|
| Sex | | | | | | |
| Male | 2,178 | 1,484 | 1,744 | 432 | 5,838 | 77.4 |
| Female | 662 | 389 | 478 | 177 | 1,706 | 22.6 |
| % female | 23.3 | 20.8 | 21.5 | 29.1 | 22.6 | |
| Age (years) | | | | | | |
| Average age | 45.0 | 46.5 | 46.0 | 41.4 | 45.4 | |
| <35 | 594 | 315 | 420 | 198 | 1,527 | 20.2 |
| 35–44 | 961 | 654 | 842 | 213 | 2,669 | 35.4 |
| 45–54 | 720 | 461 | 462 | 105 | 1,749 | 23.2 |
| 55–64 | 331 | 255 | 272 | 72 | 929 | 12.3 |
| 65+ | 234 | 185 | 227 | 23 | 669 | 8.9 |
| % aged 65+ | 8.2 | 9.9 | 10.2 | 3.8 | 8.9 | |
| Hours worked per week | | | | | | |
| Average hours worked | 49.7 | 49.6 | 50.0 | 52.4 | 49.9 | |
| <20 | 191 | 146 | 169 | 34 | 541 | 7.2 |
| 20–34 | 261 | 192 | 244 | 39 | 736 | 9.8 |
| 35–49 | 714 | 500 | 510 | 157 | 1,881 | 24.9 |
| 50–64 | 1,230 | 677 | 866 | 254 | 3,027 | 40.1 |
| 65–79 | 321 | 236 | 278 | 76 | 910 | 12.1 |
| 80+ | 123 | 121 | 155 | 49 | 449 | 6.0 |
| % employed full-time | 84.1 | 81.9 | 81.4 | 88.1 | 83.1 | |
| Work setting | | | | | | |
| Private rooms | 1,926 | 1,500 | 2,034 | 320 | 5,780 | 76.6 |
| Acute care hospital | 773 | 282 | 123 | 153 | 1,331 | 17.6 |
| Residential | 8 | 1 | 0 | 0 | 9 | 0.1 |
| Aboriginal health service | 9 | 10 | 8 | 72 | 98 | 1.3 |
| Non-residential facility | 67 | 40 | 43 | 34 | 184 | 2.4 |
| Educational institution | 12 | 4 | 0 | 0 | 16 | 0.2 |
| Defence forces | 8 | 5 | 3 | 2 | 17 | 0.2 |
| Other | 38 | 31 | 12 | 28 | 108 | 1.4 |
| Country of initial | | | | | | |
| Australia | 2,270 | 1,399 | 1,752 | 450 | 5,871 | 77.8 |
| New Zealand | 70 | 39 | 17 | 14 | 140 | 1.9 |
| United Kingdom/Ireland | 333 | 266 | 289 | 105 | 993 | 13.2 |
| Asia | 79 | 88 | 89 | 24 | 280 | 3.7 |
| Other countries | 88 | 82 | 74 | 16 | 260 | 3.4 |
| Residency status | | | | | | |
| Australian | | | | | | |
| citizen/permanent | 2,806 | 1,853 | 2,206 | 586 | 7,452 | 98.8 |
| Not a permanent resident | 34 | 20 | 16 | 23 | 92 | 1.2 |
| Rural medical practitioners | | | | | | |
| per 100,000 population | 261.0 | 156.4 | 90.5 | 109.4 | 142.4 | |
| Total | 2,840 | 1,873 | 2,222 | 609 | 7,544 | 100.0 |

Table 70: Metropolitan medical practitioners with a second or third job in a rural area: region, occupation and States and Territories, 1995

| Region(a)/occupation(b) | NSW | Vic | Qld | WA | SA | Tas | ACT | NT | Total | % |
|-------------------------------|-----|-----|-----|----|----|-----|-----|----|-------|-------|
| Large rural centres | | | | | | | | | | |
| Clinician | 36 | 21 | 7 | 0 | 4 | 0 | 4 | 0 | 71 | 80.2 |
| Primary care practitioner | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 6.5 |
| Hospital non-specialist | 5 | 3 | 0 | 0 | 0 | 0 | 2 | 0 | 10 | 11.4 |
| Specialist | 25 | 15 | 7 | 0 | 4 | 0 | 2 | 0 | 52 | 59.4 |
| Specialist-in-training | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 2.9 |
| Non clinician | 3 | 10 | 3 | 2 | 0 | 0 | 0 | 0 | 18 | 19.8 |
| Administrator | 1 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 4 | 4.4 |
| Teacher/educator | 1 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 3 | 3.9 |
| Researcher | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 3 | 3.0 |
| Public health physician | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1.6 |
| Occupational health physician | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Other | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 7.0 |
| Total | 39 | 30 | 10 | 2 | 4 | 0 | 4 | 0 | 88 | 100.0 |
| Small rural centres | | | | | | | | | | |
| Clinician | 42 | 46 | 2 | 7 | 11 | 8 | 5 | 0 | 121 | 90.2 |
| Primary care practitioner | 10 | 10 | 2 | 0 | 6 | 0 | 0 | 0 | 28 | 20.7 |
| Hospital non-specialist | 2 | 0 | 0 | 0 | 0 | 8 | 0 | 0 | 9 | 6.9 |
| Specialist | 30 | 35 | 0 | 7 | 6 | 0 | 5 | 0 | 84 | 62.6 |
| Specialist-in-training | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Non clinician | 5 | 4 | 1 | 0 | 2 | 0 | 1 | 0 | 13 | 9.8 |
| Administrator | 3 | 3 | 0 | 0 | 0 | 0 | 1 | 0 | 8 | 5.8 |
| Teacher/educator | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 2 | 1.8 |
| Researcher | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.4 |
| Public health physician | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Occupational health physician | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.7 |
| Other | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1.1 |
| Total | 47 | 50 | 3 | 7 | 13 | 8 | 6 | 0 | 134 | 100.0 |
| Other rural areas | | | | | | | | | | |
| Clinician | 41 | 58 | 13 | 8 | 23 | 3 | 8 | 0 | 154 | 91.4 |
| Primary care practitioner | 14 | 18 | 13 | 8 | 7 | 3 | 2 | 0 | 66 | 39.4 |
| Hospital non-specialist | 6 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 12 | 7.0 |
| Specialist | 19 | 30 | 0 | 0 | 15 | 0 | 6 | 0 | 70 | 41.3 |
| Specialist-in-training | 2 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 3.8 |
| Non clinician | 1 | 10 | 0 | 0 | 3 | 0 | 1 | 0 | 14 | 8.6 |
| Administrator | 0 | 3 | 0 | 0 | 2 | 0 | 1 | 0 | 6 | 3.5 |
| Teacher/educator | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.8 |
| Researcher | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.3 |
| Public health physician | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Occupational health physician | | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 2.2 |
| Other | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1.8 |
| Total | 41 | 68 | 13 | 8 | 25 | 3 | 9 | 0 | 168 | 100.0 |
| Remote areas | | | | | | | | | | |
| Clinician | 6 | 0 | 2 | 6 | 7 | 0 | 0 | 8 | 29 | 75.0 |
| Primary care practitioner | 0 | 0 | 0 | 4 | 2 | 0 | 0 | 0 | 6 | 16.8 |
| Hospital non-specialist | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 4 | 11.5 |
| Specialist | 4 | 0 | 0 | 1 | 5 | 0 | 0 | 3 | 13 | 33.9 |
| Specialist-in-training | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 5 | 12.7 |
| Non clinician | 3 | 0 | 2 | 1 | 2 | 0 | 0 | 2 | 10 | 25.0 |
| Administrator | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 3 | 8.7 |
| Teacher/educator | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 2 | 4.4 |
| Researcher | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Public health physician | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 6.0 |
| Occupational health physician | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| Other | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 2 | 5.9 |
| Total | 8 | 0 | 4 | 6 | 9 | 0 | 0 | 10 | 38 | 100.0 |

⁽a) If a medical practitioner has a second and third job in a rural area, region is for second job.

⁽b) For clinicians working in a rural area, occupation refers to their main job as a clinician and not necessarily to all their occupations within a rural area. For example, a medical practitioner in a rural area may be a primary care practitioner in their main job but also work as a non-specialist at the local hospital. For non-clinicians, occupation refers to their principal job in a rural area.

Table 71: Total rural labour force: region and occupation, Australia, 1995

| - | | | | Region of main job | | | |
|---------------|---|--|---|--|---|--|--|
| Rural area | Major urban area | Total | Rural area | Major urban area | Tota | | |
| | (number) | | | (per cent) | | | |
| | | | | | | | |
| 2,695 | 71 | 2,766 | 94.9 | 80.2 | 94.5 | | |
| 1,159 | 6 | 1,165 | 40.8 | 6.5 | 39.8 | | |
| 321 | 10 | 331 | 11.3 | 11.4 | 11.3 | | |
| 1,103 | 52 | 1,155 | 38.8 | 59.4 | 39.5 | | |
| 112 | 3 | 115 | 3.9 | 2.9 | 3. | | |
| 145 | 18 | 163 | 5.1 | 19.8 | 5. | | |
| 54 | 4 | 58 | 1.9 | 4.4 | 2. | | |
| 3 | 3 | 6 | 0.1 | 3.9 | 0. | | |
| 2 | 3 | 5 | 0.1 | 3.0 | 0. | | |
| 29 | | | 1.0 | | 1. | | |
| | | | | | 0. | | |
| _ | | | _ | | 2. | | |
| | | | | | 100. | | |
| _, | | _, | | | | | |
| 1 205 | 191 | 1 026 | 06.4 | an 2 | 96. | | |
| - | | • | | | 58. | | |
| • | | | | | 5. | | |
| | | | | | | | |
| | _ | _ | | | 30. | | |
| | | | | | 0. | | |
| | | - | | | 4. | | |
| | | | | | 1. | | |
| | | | | | 0. | | |
| - | | | | | 0. | | |
| | | _ | | | 0. | | |
| | | | | | 0. | | |
| - | | | | | 1. <i>100.</i> | | |
| • | | , | | | | | |
| 2,150 | 154 | 2.304 | 96.8 | 91.4 | 96. | | |
| | 66 | | 86.9 | 39.4 | 83. | | |
| | 12 | | 2.5 | 7.0 | 2. | | |
| | 70 | | | | 9. | | |
| | | | | | 0. | | |
| 72 | | | | | 3. | | |
| 32 | 6 | | 1.4 | | 1. | | |
| | | | | | 0. | | |
| | | | | | 0. | | |
| - | · · | - | | | 0. | | |
| | | | | | 0. | | |
| | | | | | 1. | | |
| 2,222 | 168 | 2,390 | 100.0 | 100.0 | 100. | | |
| | | | | | | | |
| 585 | 29 | 614 | 96.1 | 75.0 | 94. | | |
| 401 | 6 | 407 | 65.8 | 16.8 | 63. | | |
| | 4 | | | | 15. | | |
| | | | | | 12. | | |
| 17 | | 22 | | | 3. | | |
| | | | | | 5. | | |
| | | | | | 1. | | |
| | | | | | 0. | | |
| | | | | | 0. | | |
| | | | | | | | |
| | | | | | 1. | | |
| | | | | | 0. | | |
| | | | | | 1. <i>100.</i> | | |
| | 2,695 1,159 321 1,103 112 145 54 3 2 29 6 51 2,840 1,805 1,148 110 528 19 68 27 2 1 15 3 20 1,873 2,150 1,930 555 158 7 72 32 3 0 8 4 25 2,222 585 401 98 69 | (number) 2,695 71 1,159 6 321 10 1,103 52 112 3 145 18 54 4 3 3 3 2 3 29 1 6 0 51 6 2,840 88 1,805 121 1,148 28 110 9 528 84 19 0 68 13 27 8 2 2 2 1 1 1 15 0 3 1 1 20 1 1,873 134 2,150 154 1,930 66 55 12 158 70 7 6 72 14 32 6 3 1 0 1 8 0 4 4 25 3 2,222 168 585 29 401 6 98 4 69 13 17 5 24 10 8 3 0 2 2 0 10 2 0 4 2 | (number) 2,695 71 2,766 1,159 6 1,165 321 10 331 1,103 52 1,155 112 3 115 145 18 163 54 4 58 3 3 3 6 2 3 5 29 1 30 6 0 6 51 6 57 2,840 88 2,928 1,805 121 1,926 1,148 28 1,176 110 9 119 528 84 612 19 0 19 68 13 81 27 8 35 2 2 4 1 1 1 2 15 0 15 3 1 4 20 1 1 21 1,873 134 2,007 2,150 154 2,304 1,930 66 1,996 55 12 67 158 70 228 7 6 13 72 14 86 32 6 38 3 1 4 0 1 1 1 8 0 8 4 4 4 8 25 3 28 2,222 168 2,390 585 29 614 401 6 407 98 4 102 69 13 82 17 5 22 24 10 34 8 3 11 0 2 2 2 2 0 2 10 0 0 0 4 2 6 | (number) 2,695 71 2,766 94.9 1,159 6 1,165 40.8 321 10 331 11.3 1,103 52 1,155 38.8 112 3 115 3.9 145 18 163 5.1 54 4 58 1.9 3 3 6 0.1 2 3 5 0.1 29 1 30 1.0 6 0 6 0.2 51 6 57 1.8 2,840 88 2,928 100.0 1,805 121 1,926 96.4 1,148 28 1,176 61.3 110 9 119 5.9 528 84 612 28.2 19 0 19 1.0 68 13 81 3.6 27 8 35 1.4 2 2 2 4 0.1 1 1 2 0.1 15 0 15 0.8 3 1 4 0.2 20 1 21 1,873 134 2,007 100.0 2,150 154 2,304 96.8 1,930 66 1,996 86.9 55 12 67 2.5 158 70 228 7.1 7 6 13 0.3 72 14 86 3.2 32 6 38 1.4 0 1 0 1 1 0.0 0 1 1 1 0.0 0 2 2 2 0.0 0 2 0.3 10 2 2 2 0.0 0 2 0.3 10 2 12 1.6 0 0 0 0 0.0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | (number) (per cent) 2,695 71 2,766 94.9 80.2 1,159 6 1,165 40.8 6.5 321 10 331 11.3 11.4 1,103 52 1,155 38.8 59.4 112 3 115 3.9 2.9 145 18 163 5.1 19.8 54 4 58 1.9 4.4 3 3 3 6 0.1 3.9 2 2 3 5 0.1 3.0 29 1 30 1.0 1.6 6 0 6 0.2 0.0 51 6 57 1.8 7.0 2,840 88 2,928 100.0 100.0 1,805 121 1,926 96.4 90.2 1,148 28 1,176 61.3 20.7 110 9 119 5.9 6.9 528 84 612 28.2 62.6 19 0 19 1.0 0.0 68 13 81 3.6 9.8 27 8 35 1.4 5.8 1 1 1 2 0.1 0.4 15 0 15 0.8 0.0 2 2 2 4 0.1 1.8 1 1 1 2 0.1 0.4 15 0 15 0.8 0.0 2 1 1,873 134 2,007 100.0 100.0 2,150 154 2,304 96.8 91.4 1,930 66 1,996 86.9 39.4 55 12 67 2.5 7.0 158 70 228 7.1 41.3 7 6 13 0.3 3.8 72 14 86 3.2 86 32 6 38 1.4 5.8 3 1 4 0.2 0.7 20 1 1 21 1.1 1.1 1.1 1,873 134 2,007 100.0 100.0 2,150 154 2,304 96.8 91.4 1,930 66 1,996 86.9 39.4 55 12 67 2.5 7.0 25 3 28 1.1 1.8 26 32 66 38 1.4 3.5 3 1 4 0.2 0.7 27 14 86 3.2 86 32 6 38 1.4 3.5 3 1 4 0.1 0.8 3 1 4 0.1 0.8 3 1 4 0.1 0.8 4 4 4 8 0.2 2.2 25 3 28 1.1 1.8 98 4 102 16.1 11.5 69 13 82 11.3 33.9 17 5 22 2.8 12.7 24 10 34 3.9 25.0 8 3 11 1.3 33.9 17 5 22 2.8 12.7 24 10 34 3.9 25.0 8 3 11 1.3 33.9 17 5 22 2.8 12.7 24 10 34 3.9 25.0 8 8 3 11 1.3 33.9 17 5 22 2.8 12.7 24 10 34 3.9 25.0 8 8 3 11 1.3 33.9 17 5 22 2.8 12.7 24 10 34 3.9 25.0 8 8 3 11 1.3 33.9 | | |

⁽a) Region of main job in a rural area.

⁽b) For clinicians working in a rural area, occupation refers to their main job as a clinician and not necessarily to all their occupations within a rural area. For example, a medical practitioner in a rural area may be a primary care practitioner in their main job but also work as a non-specialist at the local hospital. For non-clinicians, occupation refers to their principal job in a rural area.