




INTERVIEWER TO COMPLETE:		14 & OVER		ROTATION: 21	
Form Number:	<input type="text"/>			M <input type="checkbox"/>	F <input type="checkbox"/>
SA1 & Ref No.	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> / <input type="text"/> <input type="text"/> <input type="text"/>			Age:	<input type="text"/> <input type="text"/>
Date:	<input type="text"/> <input type="text"/> / <input type="text"/> <input type="text"/> / 2019	No. 14+ in HH:		<input type="text"/> <input type="text"/>	
				Placement attempt: 1st <input type="checkbox"/> 3rd <input type="checkbox"/> 2nd <input type="checkbox"/> Oth <input type="checkbox"/>	
				QR Code 	
Day		Month		Year	



Australian Government

Australian Institute of
Health and Welfare



ROY
MORGAN



Australian Government

Department of Health

2019 National Drug Strategy Household Survey

How do I complete the survey?

- The survey can be completed on paper, online or by telephone. Instructions for completing this hard copy form are provided on the next page.
- To complete online, please go to the link <https://drugs2019.roymorgan.com>, and enter the form number on the top-left of this page to log on. This form number is unique, so please do not share it with others.
- Alternatively, you can scan the QR code on the top-right of this page on your mobile or tablet.
- If you would like to complete by telephone please call 1800 000 293.

What is the National Drug Strategy Household Survey?

- The 2019 National Drug Strategy Household Survey collects information on tobacco, alcohol and other drug use, attitudes and beliefs.
- The survey is conducted about every three years and started in 1985.
- It is managed by the Australian Institute of Health and Welfare (AIHW) on behalf of the Australian Government Department of Health.

How confidential is the information I give you?

- All answers** you provide will be **treated confidentially**.
- The research is carried out in compliance with the *Privacy Act 1988* and the information is only used for research purposes.
- The survey is conducted under the *AIHW Act 1987*, which **prohibits the release of information about individuals collected in the survey**.

How will my answers be used?

- Your answers will be used by researchers to help in understanding what people think about tobacco, alcohol and other drugs and how widely these drugs are used.
- The answers you give will not be released to anyone (including the police).

STATUS:

Do I have to participate in the survey?

- Participation in this survey is entirely voluntary.
- If there are any questions you do not want to answer for any reason, please leave that question blank. It is important that you **complete this questionnaire by yourself** and be as honest and accurate as possible

Are you 14 – 17 years old?

- It is important that our younger respondents know that your **answers will not be shown to anyone**, this includes your parents.
- Please don't be afraid or embarrassed to give honest answers.
- Your answers will simply become part of a bigger pool of answers and no one will know who you are.

What do I do when I've completed the paper survey?

- Once you have completed the paper survey, seal it in the envelope provided and a Roy Morgan fieldworker will return to collect it.
- The fieldworker will then return the sealed envelope to the survey team for processing.
- Only the survey team will have access to your form and once the survey data is compiled your form will be destroyed.
- Your name and address will never be linked with any of the information you provide.

OFFICE
USE ONLY

INT
☐

RP
☐



* 1 2 3 4 5 6 7 8 *





How is the information processed?

- All survey forms are coded so the researchers will not know who you are. Your answers will be grouped with the answers of over 21,000 other people before the researchers get to see them.
- Researchers will use all these answers to show things like 'most young people do not smoke' or 'three quarters of women drink alcohol'.
- When released in late-2020, the results of the survey will be available on the AIHW's website (www.aihw.gov.au).

How to complete this form:

- Please complete this form carefully using black ballpoint pen (not felt).

Most questions only require you to answer by marking the appropriate box or boxes with a cross like this:

Right



Wrong



Please do not mark any areas outside the box.

- Other questions will require a numeric answer and can be filled in like this:

2 4

or

6

Please do not cross the number 7. Please make sure to write only one number in each box. Always round up to whole numbers, unless otherwise indicated.

- Other questions will ask you to write your answer in the box provided. Please ensure that you print your answers like this:

Last year I travelled to Bali on a Holiday

- If you need to change an answer, completely fill in the wrong box and put a cross in the box you want to answer, like this:

Wrong box

Right box

- If you see an instruction like this (**Skip to**), you should follow the direction exactly. For example (Skip to Y1) means that you should miss all the questions after the one you have just answered, until you come to the question marked Y1. If you do not see the (Skip to), just answer the next question.
- Please answer each section and then follow the Skips as required.

FOR THIS SURVEY THE TERMS ILLICIT DRUG AND ILLEGAL DRUG ARE USED INTERCHANGEABLY TO DESCRIBE EACH OF THE FOLLOWING:

- Any drug which is illegal to possess or use;
- Any legal drug used in an illegal manner, for example:
 - A drug obtained on prescription but given or sold to another person to use;
 - Glue or petrol which is sold legally, but is used in a manner that is not intended, such as inhaling fumes; or
 - Stolen pharmaceuticals sold on the black market (e.g. Morphine).

SA1

OFFICE USE ONLY

21



Start Here

Demographics

1. What is your sex?

Male ☐

Female ☐

Other (Please write in):

☐

2. What is your current age? (i.e. the age you turned at your last birthday)

Age in years:

3. Which one of the following best describes your present marital status? (Mark one response only)

Never married ☐

Widowed ☐

Divorced ☐

Separated but not divorced ☐

Married (including de facto,
or living with life partner) ☐

4. Are you of Aboriginal or Torres Strait Islander origin? (Mark one response only)

No ☐

Yes, Aboriginal ☐

Yes, Torres Strait Islander ☐

Yes, both Aboriginal and
Torres Strait Islander ☐

5. Which category best describes this household? (Mark one response only)

Person living alone ☐

Couple:

Couple living alone ☐

Couple with non-dependent child(ren) ☐

Couple with dependent child(ren) ☐

Couple with dependent and
non-dependent child(ren) ☐

Single Parent:

Single parent with non-dependent child(ren) ☐

Single parent with dependent child(ren) ☐

Single parent with dependent
and non-dependent child(ren) ☐

Non-related adults sharing
house/apartment/flat ☐

Other household type ☐



+

+

+

6a. How many people aged 14 and over live in this household, including yourself?

6b. Are there any dependent children in this household?

(Dependent children are defined as children aged 0 – 14, or older children who are still financially dependent, such as full-time students)

Yes ☐ (Continue)

No ☐ (Skip to A1)

6c. For how many of these children are you the parent or guardian?

7. Of all the dependent children, how many are in each of these age categories?

0 – 2 years old

9 – 11 years old

3 – 5 years old

12 – 14 years old

6 – 8 years old

15 years and over

Section A – Perceptions

A1. When people talk about “a drug problem”, which is the first drug you think of?

(Mark only one drug category)

Alcohol

☐

Tobacco

☐

Marijuana/Cannabis

☐

(e.g. Pot, Grass, Weed, Reefer, Joint, MaryJane, Acapulco gold, Rope, Mull, Cone, Spliff, Dope, Hydro, Bhang, Ganja, Hash, Chronic)

Meth/amphetamine

☐

(e.g. Speed, Base, Ice, Crystal, Meth, Glass, Shard, Shabu, Tina, Paste, Skates, Uppers, Goey, Whizz, Zip)

Cocaine

☐

(e.g. Coke, Crack, Nose candy, Flake, Snow, White lady/girl, Happy dust, Gold dust, White dust, Stardust, Toot, Scotty, Charlie, Cecil, C, Blow, Freebase)

Ecstasy

☐

(e.g. MDMA, Molly, XTC, E, Ex, Ecce, E and C, Adam, Eve, Pills, Pingers)

Heroin

☐

(e.g. Hammer, Smack, Horse, H, Boy, Junk, Gear, the Dragon, Black tar)

Pain-killers/Pain-relievers and Opioids

☐

(e.g. Oxycodone, OxyContin, Endone, Morphine, Pethidine, Fentanyl, Durogesic, Tramadol, Codeine products such as Panadeine Forte)

Methadone/Buprenorphine

☐

(e.g. Done, Junk, Jungle juice, Bupe, B, Subutex, Suboxone, Sub)

Steroids

☐

(e.g. Roids, Juice, Gear, Andriol, Halotestin)

Drugs other than listed

☐

None/Can't think of any

☐

Reminder: Your answers are completely confidential and are protected by law. Your responses are used for research purposes only. You and your household will never be identified. Your accurate and honest responses to this survey are important and appreciated.

Reminder:

Are you using a **black ballpoint pen**?

+

+



A2. Which ONE of these drugs do you think directly or indirectly causes the most deaths in Australia?

(Mark one response only)

- Alcohol ☐
- Tobacco ☐
- Marijuana/Cannabis ☐
- Meth/amphetamine ☐
- Cocaine ☐
- Ecstasy ☐
- Heroin ☐
- Pain-killers/Pain-relievers and Opioids
(e.g. Oxycodone, Morphine, Codeine products
such as Panadeine Forte) ☐
- Methadone/Buprenorphine ☐
- Steroids ☐
- Other ☐

A3. Which ONE of these forms of drug use do you think is the most serious concern for the general community?

(Mark one response only)

- Excessive drinking of alcohol ☐
- Tobacco smoking ☐
- Marijuana/Cannabis ☐
- Non-medical use of Meth/amphetamine ☐
- Cocaine ☐
- Ecstasy ☐
- Heroin ☐
- Non-medical use of Pain-killers/Pain-relievers and
Opioids (e.g. Oxycodone, Morphine, Codeine products
such as Panadeine Forte) ☐
- Non-medical use of Methadone/Buprenorphine ☐
- Non-medical use of Steroids ☐
- None of these ☐

THIS SURVEY COVERS 3 SORTS OF SUBSTANCES:

1. Illicit drugs, such as heroin and cocaine;
2. Licit (legal) drugs, such as tobacco and alcohol; and
3. Pharmaceuticals used for non-medical purposes
"Pharmaceuticals" includes prescription pharmaceuticals
(such as sleeping pills, Ritalin, methadone, Endone or
Panadeine Forte) wherever and however they are obtained.

"NON-MEDICAL PURPOSES" MEANS DRUGS USED:

1. by itself to induce a drug experience or feeling;
2. with other drugs in order to enhance a drug experience;
3. for performance enhancement (e.g. athletic); or
4. for cosmetic purposes (e.g. body shaping).

A4. For each of the drugs listed below, do you personally approve or disapprove of their regular use by an adult?

(Mark one response for each drug type below)

	Strongly approve	Approve	Neither approve nor disapprove	Disapprove	Strongly disapprove	Don't know enough to say
Alcohol	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tobacco	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Non-medical use of Tranquillisers, Sleeping pills	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Non-medical use of Prescription Pain-killers/Pain-relievers and Opioids (e.g. Oxycodone, Morphine, Codeine products such as Panadeine Forte)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Non-medical use of Steroids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sniffing Petrol/Glue/Aerosols/Solvents	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Marijuana/Cannabis	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hallucinogens/LSD/Magic Mushrooms	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Non-medical use of Methadone/Buprenorphine	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Non-medical use of Meth/amphetamine	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heroin	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cocaine/Crack	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ecstasy	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
GHB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ketamine	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Kava	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>





A5. What SINGLE action best describes what you think should happen to anyone found in possession of small quantities of the following drugs for personal use?

(Mark one response only for each drug type i.e. each column)

	Marijuana/ Cannabis	Ecstasy	Heroin	Meth/ amphetamine for non-medical use	Hallucinogens
No action	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
A caution or warning only	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Referral to drug education program	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Referral to treatment	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Something similar to a parking fine, up to \$200	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
A substantial fine, around \$1,000	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
A community service order	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Weekend detention	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
A prison sentence	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Some other arrangement	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Don't know	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

A6. Do you think the possession of small quantities of Marijuana/Cannabis for personal use should be a criminal offence, that is, should offenders get a criminal record?

Yes ☐

No ☐

Unsure/Don't know ☐

A7. If Marijuana/Cannabis were legal to use, would you . . . ?

(Mark one response only)

Not use it, even if it were legal and available ☐

Try it ☐

Use it about as often as you do now ☐

Use it more often than you do now ☐

Use it less often than you do now ☐

Don't know ☐


Reminder:

Are you filling in the boxes correctly?

RIGHT



WRONG



Are you shading the boxes fully for any mistakes?

Wrong box

Right box





Section B - General Health

B1. In general, would you say your health is. . . ?
(Mark one response only)

- Excellent ☐
Very good ☐
Good ☐
Fair ☐
Poor ☐

B2. Have you ever used someone else's medication when you were feeling unwell? (e.g. you used medications originally prescribed or recommended by a health professional for someone else, when you had similar symptoms)

Yes ☐ (Continue) No ☐ (Skip to B4)

B3. Which medications originally prescribed or recommended for someone else have you used in the last 12 months when you were feeling unwell?
(Mark all that apply)

- Prescription Pain-killers/Pain-relievers and Opioids ☐
Antibiotics ☐
Anti-depressants ☐
Tranquillisers/Sleeping pills ☐
Methadone/Buprenorphine ☐
Ritalin ☐
Asthma medications ☐
Herbal and alternative medicines, vitamin and mineral supplements, etc. ☐
Others ☐
None in the last 12 months ☐

ALL PLEASE ANSWER

B4. In the last 12 months have you been diagnosed or treated for. . . ?
(Mark relevant boxes for each condition)

	No	Yes Diagnosed	Yes Treated
Insulin dependent diabetes	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Non-insulin dependent diabetes	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heart disease	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hypertension (high blood pressure)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Low iron (iron deficiency or anaemia)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Asthma	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Depression	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Anxiety disorder	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Schizophrenia	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Bi-polar disorder	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other form of psychosis	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
An eating disorder	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
A sexually transmitted infection (e.g. chlamydia, genital herpes)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Chronic pain	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hepatitis B or C	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cancer (Please write in type): <div></div>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other <u>major</u> illness (Please write in type): <div></div>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Reminder:

Are you using a **black ballpoint pen**?

OFFICE
USE
ONLY

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------	----------------------





B5. In the past 4 weeks, about how often did you feel tired out for no good reason?

(Mark one response only)

- None of the time ☐
- A little of the time ☐
- Some of the time ☐
- Most of the time ☐
- All of the time ☐

B6. In the past 4 weeks, about how often did you feel nervous?

(Mark one response only)

- None of the time ☐
- A little of the time ☐
- Some of the time ☐
- Most of the time ☐
- All of the time ☐

B7. In the past 4 weeks, about how often did you feel so nervous that nothing could calm you down?

(Mark one response only)

- None of the time ☐
- A little of the time ☐
- Some of the time ☐
- Most of the time ☐
- All of the time ☐

B8. In the past 4 weeks, about how often did you feel hopeless?

(Mark one response only)

- None of the time ☐
- A little of the time ☐
- Some of the time ☐
- Most of the time ☐
- All of the time ☐

B9. In the past 4 weeks, about how often did you feel restless or fidgety?

(Mark one response only)

- None of the time ☐
- A little of the time ☐
- Some of the time ☐
- Most of the time ☐
- All of the time ☐

B10. In the past 4 weeks, about how often did you feel so restless you could not sit still?

(Mark one response only)

- None of the time ☐
- A little of the time ☐
- Some of the time ☐
- Most of the time ☐
- All of the time ☐

B11. In the past 4 weeks, about how often did you feel depressed?

(Mark one response only)

- None of the time ☐
- A little of the time ☐
- Some of the time ☐
- Most of the time ☐
- All of the time ☐

B12. In the past 4 weeks, about how often did you feel that everything was an effort?

(Mark one response only)

- None of the time ☐
- A little of the time ☐
- Some of the time ☐
- Most of the time ☐
- All of the time ☐

B13. In the past 4 weeks, about how often did you feel so sad that nothing could cheer you up?

(Mark one response only)

- None of the time ☐
- A little of the time ☐
- Some of the time ☐
- Most of the time ☐
- All of the time ☐

B14. In the past 4 weeks, about how often did you feel worthless?

(Mark one response only)

- None of the time ☐
- A little of the time ☐
- Some of the time ☐
- Most of the time ☐
- All of the time ☐

Please ensure that you read the first few questions of each section to check if you will need to answer the remaining questions in that section.

In most cases you will need to answer at least one or two questions in every section, even those dealing with illicit drugs.





There is no Section C

Section D – Tobacco

For Questions D1 to D22, smoking cigarettes or other forms of tobacco includes manufactured (packet) cigarettes, roll-your own cigarettes, cigars and tobacco in pipes and waterpipes, that can be lit, and the smoke inhaled. Please exclude electronic cigarettes (e-cigarettes) and other personal vaporising devices (where users inhale vapour rather than smoke).

D1. In the last 12 months, have you or any other member of your household smoked at least one cigarette, cigar or pipe of tobacco per day in the home?

(Mark one response only)

Yes, inside the home ☐

No, only smoke outside the home ☐

No-one at home regularly smokes ☐

D2. Have you personally ever tried smoking cigarettes or other forms of tobacco?

Yes ☐ (Continue)

No ☐ (Skip to D23 on page 9)

D3. Have you ever smoked a full cigarette?

Yes ☐ (Continue)

No ☐ (Skip to D23 on page 9)

D4. About what age were you when you smoked your first full cigarette?

Age in years:

D5. Would you have smoked at least 100 cigarettes (manufactured or roll-your-own), or the equivalent amount of tobacco in your life?

Yes ☐

No ☐

D6. Have you ever smoked on a daily basis?

(Mark one response only)

Yes, I smoke daily now ☐ (Skip to D8)

Yes, I used to smoke daily, but not now ☐ (Continue)

No, never smoked daily ☐ (Skip to D9)

D7. About what age were you when you stopped smoking daily?

Age in years:

D8. At what age did you first start smoking daily?

Age in years: (If now smoke daily skip to D11 after answering D8)

D9. How often do you now smoke cigarettes, pipes or other tobacco products?

(Mark one response only)

Daily ☐

At least weekly (but not daily) ☐ (Skip to D11)

Less often than weekly ☐

Not at all, but I have smoked in the last 12 months ☐ (Skip to D16 on page 8)

Not at all and I have not smoked in the last 12 months ☐ (Continue)

D10. About what age were you when you last smoked?

Age in years: (If not smoked in last 12 months skip to D23 on page 9 after answering D10)

D11. Where did you obtain the cigarettes or other tobacco products you are currently smoking?

(Mark one response only)

Got them from a friend/relative ☐

Stole them ☐

Purchased them myself from:

Major supermarket chain (e.g. Coles, Woolworths, Costco, IGA) ☐

Local convenience or grocery store/milk bar/deli ☐

Petrol station ☐

Tobacconist ☐

Newsagent/news stand ☐

Entertainment establishment (e.g. bar, pub, restaurant, casino, gaming room) ☐

Bottle shop or liquor store ☐

Internet ☐

From person selling tobacco independently (e.g. not at a store, shop or other establishment, possibly at local markets, delivery service, door-to-door, in a pub, or just in the street) ☐

Other (e.g. vending machine) ☐

Don't know ☐

D12. How often, if at all, do you now smoke manufactured cigarettes?

Daily ☐ → How many per day?

or

At least weekly (but not daily) ☐ → How many per week?

or

Less often than weekly ☐ → How many per month?

or

Not at all ☐





D13. How often, if at all, do you now smoke roll-your-own cigarettes?

Daily ☐ → How many per day?

or

At least weekly (but not daily) ☐ → How many per week?

or

Less often than weekly ☐ → How many per month?

or

Not at all ☐

D14. How often, if at all, do you now smoke the following tobacco products?
(Mark one response only for each product, i.e. each row)

	Daily	At least weekly (but not daily)	Less often than weekly	Not at all
Cigarillos	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cigars (not including cigarillos)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water pipe tobacco (e.g. shisha, hookah, nargillas)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pipe tobacco	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

D15. During the last 12 months, did you find that you couldn't stop or cut down on your smoking, even though you wanted to or tried to?

Yes ☐ No ☐

D16. In the last 12 months, have you....?
(Mark all that apply)

Successfully given up smoking (for more than a month) ☐

Tried to give up unsuccessfully ☐

Changed to a brand with lower tar or nicotine content ☐

Tried to change to a brand with lower tar or nicotine content, but were unsuccessful ☐

Reduced the amount of tobacco you smoke in a day ☐

Tried to reduce the amount of tobacco smoked in a day, but were unsuccessful ☐

None of these ☐ (Skip to D19)

Reminder:

Are you using a **black ballpoint pen**?

D17. Which of the following motivated you to try quitting or giving up smoking?
(Mark all that apply)

Health warnings on tobacco packets ☐

Government advertisements on TV ☐

Advertising for products to help you quit smoking (e.g. nicotine gum/patches/inhaler/sprays, etc.) ☐

I wanted to get fit ☐

I was pregnant or planning to start a family ☐

I think it was affecting my health or fitness ☐

My doctor advised me to give up ☐

Family and/or friends asked me to quit ☐

I was worried it was affecting the health of those around me ☐

Poor health or death of a family member/friend due to smoking ☐

It was costing too much ☐

Smoking restrictions in public areas (e.g. restaurants, sporting venues, public transport etc.) ☐

Smoking restrictions in the work place ☐

Internet websites, pamphlets or brochures on how to quit ☐

Quit smoking App ☐

Other ☐

D18. In the last 12 months, on average how much do you think you have cut down on your cigarette smoking?
(Mark one response only)

Have not cut down ☐

By about 1 to 5 cigarettes per day ☐

By about 6 to 10 cigarettes per day ☐

By about 11 to 15 cigarettes per day ☐

By about 16 to 20 cigarettes per day ☐

By more than 20 cigarettes per day ☐

Don't smoke cigarettes ☐

D19. Are you planning on giving up smoking?
(Mark one response only)

No, I have already given up ☐

Yes, within 30 days ☐

Yes, after 30 days, but within the next 3 months ☐

Yes, but not within the next 3 months ☐

No, I am not planning to give up ☐ (Continue)

(Skip to D22 on page 9)



**D20. Why don't you intend to quit?**(Mark all that apply)

- I enjoy smoking ☐
Smoking relaxes me ☐
I am addicted to nicotine ☐
Smoking is not as bad for my health as people say ☐
Smoking helps me manage my weight ☐
I've tried to quit before but it hasn't worked ☐
Other (Please write in):

D21. What factors would motivate you to quit smoking?(Mark all that apply)

- Advice from my doctor ☐
Family/partner/parents ☐
Affecting my fitness ☐
Ill health ☐
Pregnancy ☐
Children in the home ☐
Increase in cost ☐
More restrictions on where I can smoke ☐
Other (Please write in):

Nothing would motivate me to quit ☐**D22. During the last 12 months, have you done any of the following?**(Mark all that apply)

- Discussed smoking and health at home ☐
Contacted the Quitline ☐
Asked your doctor for help to quit ☐
Used nicotine gum, patch, inhaler or spray ☐
Used a smoking cessation pill (e.g. Zyban or Champix) ☐
Used e-cigarettes to help cut down on smoking regular tobacco cigarettes ☐
Used e-cigarettes to help quit smoking regular tobacco cigarettes ☐
Bought a product (other than nicotine gum/patch/inhaler/spray, cessation pills or e-cigarettes) to help you quit ☐
Read information on the internet or a brochure on how to quit ☐
Tried to quit smoking by going cold turkey ☐
Used Quit smoking App ☐
Done something else to help you quit ☐
None of the above ☐

**ALL PLEASE ANSWER****D23. At the present time, do you consider yourself. . . ?**
(Mark one response only)

- A non-smoker ☐
An ex-smoker ☐
An occasional smoker ☐
A light smoker ☐
A social smoker ☐
A heavy smoker ☐
A chain smoker ☐

D24. Do you avoid places where you may be exposed to other people's cigarette smoke?

- Yes, always ☐
Yes, sometimes ☐
No, never ☐

D25. Which, if any, of the following products have you ever used and which have you used in the last 12 months?(Mark one response for each product, i.e. each row)

	Never used	Used but <u>not</u> in last 12 months	Used in <u>last 12 months</u>
Chewing tobacco	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Snuff	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Snus	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Shishas/Hookas/Nargillas	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Bidis	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Electronic cigarettes or e-cigarettes are personal vaporising devices where users inhale vapour rather than smoke. The vapours usually contain flavourings and may contain nicotine as well.

D26. How often, if at all, do you currently use electronic cigarettes?(Mark one response only)

- Daily ☐
At least weekly (but not daily) ☐
At least monthly (but not weekly) ☐
Less than monthly ☐
I used to use them, but no longer use ☐
I only tried them once or twice ☐
Never used ☐ (Skip to D31 on page 10)

D27. At the time you first used an electronic cigarette, would you say that you were...

- A never smoker ☐
An ex-smoker ☐
A social smoker ☐
An occasional smoker ☐
A regular smoker ☐





D28. About what age were you when you first tried/used an electronic cigarette?

Age in years:

D29. What was/were your main reason(s) for using electronic cigarettes?

(Mark all that apply)

- To help me quit smoking ☐
- To try to cut down on the number of cigarettes I smoke/smoked ☐
- To try to stop me going back to smoking regular cigarettes ☐
- I think they are less harmful than regular cigarettes ☐
- They are cheaper than regular cigarettes ☐
- I think they taste better than regular cigarettes ☐
- You can smoke in places where regular cigarettes are banned (e.g. inside restaurants, pubs or bars) ☐
- They seem more acceptable than regular cigarettes ☐
- Out of curiosity ☐
- Other ☐

D30. Where do you usually obtain your electronic cigarettes?

(Mark one response only)

- From the Internet - Australian retailer ☐
- From the Internet - Overseas retailers ☐
- From the Internet - unsure of the origin of the retailer ☐
- Friend or family member ☐
- Tobacco retail outlet ☐
- Pharmacy/chemist ☐
- Other retail outlet ☐

D31. In the last 3 months, have you seen any tobacco products in Australia which do not have the plain packaging/graphic health warning?

Yes ☐ (Continue) No ☐ (Skip to D34)

D32. Approximately how many of these packets have you purchased in the last 3 months?

(Mark one response only)

- Have seen it, but not purchased ☐ (Skip to D34)
- Purchased 1 – 2 packets ☐
- Purchased 3 – 5 packets ☐
- Purchased 6 – 9 packets ☐
- Purchased 10 – 14 packets ☐
- Purchased 15 or more packets ☐

D33. In the last 3 months, from what kind of outlet did you usually purchase cigarettes that did not have the plain packaging/graphic health warning? (Mark one response only)

- A supermarket, convenience or grocery store ☐
- A tobacconist ☐
- A person selling tobacco independently (e.g. a local market, in the street, from their car or van) ☐
- Over the Internet ☐
- Other (Please write in):
-
- Don't know ☐

D34. Have you seen or heard of unbranded tobacco (also called 'chop chop') usually sold loose in plastic bags either as tobacco or rolled into cigarettes?

Yes ☐ (Continue) No ☐ (Skip to E1 on page 11)

D35. Have you ever smoked it?

Yes ☐ (Continue) No ☐ (Skip to E1 on page 11)

D36. How often do you smoke this type of tobacco? (Mark one response only)

- Every day ☐
- Some days ☐
- Only occasionally ☐
- No longer use it ☐ (Skip to E1 on page 11)

D37. Would you say that when you smoke, you. . . ? (Mark one response only)

- Only smoke this type of tobacco ☐
- Mainly smoke this type of tobacco ☐
- Smoke this type of tobacco about half of the time ☐
- Smoke this type of tobacco less than half of the time ☐
- Occasionally smoke this type of tobacco ☐

D38. During the last 12 months when you smoked unbranded tobacco (also called 'chop chop') was that. . . ?

(Mark one response only)

- Usually unbranded loose tobacco rather than loose cigarettes ☐
- Usually unbranded loose cigarettes rather than loose tobacco ☐
- Sometimes unbranded loose tobacco and sometimes unbranded loose cigarettes ☐





Section E – Alcohol

E1. Have you ever tried alcohol?

Yes ☐ (Continue)

No ☐ (Skip to E26 on page 17)

E2. Have you ever had a full serve of alcohol? (e.g. a glass of wine, a whole shot/nip of spirits, a glass of beer, etc.)

Yes ☐ (Continue)

No ☐ (Skip to E26 on page 17)

E3. About what age were you when you had your first full serve of alcohol?

Age in years:

E4. Who supplied you with the first glass of alcohol you consumed?

(Mark one response only)

Friend or acquaintance ☐

Brother or sister ☐

Parent ☐

Spouse or partner ☐

Other relative ☐

Stole it ☐

Purchased it myself from retailer
(e.g. pub, bottleshop) ☐

Other ☐

Can't recall ☐

E5. Have you had an alcoholic drink of any kind in the last 12 months?

Yes ☐ (Skip to E7)

No ☐ (Continue)

E6. About what age were you when you last had an alcoholic drink?

Age in years:

(If non-drinker in last 12 months skip to E26 on page 17, after answering E6)

E7. In the last 12 months, how often did you have an alcoholic drink of any kind?

(Mark one response only)

Every day ☐

5 to 6 days a week ☐

3 to 4 days a week ☐

1 to 2 days a week ☐

2 to 3 days a month ☐

About 1 day a month ☐

Less often ☐

No longer drink ☐ (Skip to E11 on page 12)

E8a. What type of alcohol is your main drink, the one you drink most often?

(Mark one response only)

E8b. What other types of alcohol do you usually drink?

(Mark all that apply)

PLEASE ANSWER	E8a. Main drink	AND	E8b. Usual others
Cask wine	<input type="checkbox"/>		<input type="checkbox"/>
Bottled wine	<input type="checkbox"/>		<input type="checkbox"/>
Regular strength beer (greater than 4% Alc/Vol)	<input type="checkbox"/>		<input type="checkbox"/>
Mid strength beer (3% to 3.9% Alc/Vol)	<input type="checkbox"/>		<input type="checkbox"/>
Low alcohol beer (1% to 2.9% Alc/Vol)	<input type="checkbox"/>		<input type="checkbox"/>
Home-brewed beer	<input type="checkbox"/>		<input type="checkbox"/>
Pre-mixed spirits in a can (e.g. UDL, Jim Beam & Cola, Woodstock)	<input type="checkbox"/>		<input type="checkbox"/>
Bottled spirits and liqueurs (e.g. scotch, brandy, vodka, rum, Kahlua, Midori, Baileys, etc.)	<input type="checkbox"/>		<input type="checkbox"/>
Pre-mixed spirits in a bottle (e.g. Bacardi Breezer, Vodka Cruiser, Smirnoff Ice)	<input type="checkbox"/>		<input type="checkbox"/>
Cider	<input type="checkbox"/>		<input type="checkbox"/>
Fortified wine, port, vermouth, sherry, etc.	<input type="checkbox"/>		<input type="checkbox"/>
Other pre-mixed drinks (e.g. beer and wine based)	<input type="checkbox"/>		<input type="checkbox"/>
Other	<input type="checkbox"/>		<input type="checkbox"/>
No other type of alcohol			<input type="checkbox"/>

E9. Where do you usually drink alcohol?

(Mark all that apply)

In my own/spouse's/partner's home ☐

At a friend's house ☐

At a party at someone's house ☐

At raves/dance parties ☐

At restaurants/café's ☐

At licensed premises (e.g. pubs, clubs) ☐

At School, TAFE, University, etc. ☐

At my workplace ☐

In public places (e.g. parks, beaches) ☐

In a car or other vehicle ☐

Somewhere else ☐

E10. Where do you usually obtain your alcohol?

(Mark one response only)

Friend or acquaintance ☐

Brother or sister ☐

Parent ☐

Spouse or partner ☐

Other relative ☐

Get stranger/someone not known to me to get it ☐

Steal it ☐

Purchase it myself to take away and
drink elsewhere ☐

Purchase it myself to drink at that venue (e.g. pub, café) ☐

Brew it myself ☐

Other ☐





E11. In the last 12 months have you. . . ?

(Mark all that apply)

- Reduced the amount of alcohol
you drink at any one time ☐
- Reduced the number of times you drink ☐
- Switched to drinking more low-alcoholic
drinks than you used to ☐
- Stopped drinking alcohol ☐
- Changed your main drink ☐
- None of the above ☐ (Skip to E13)

E12. What were the reasons for doing that?

(Mark all that apply)

- Health reasons
(e.g. weight, diabetes, avoid hangover) ☐
- Life style reasons
(e.g. work/study commitments,
less opportunity, young family) ☐
- Social reasons
(e.g. believe in moderation, concerned
about violence, avoid getting drunk) ☐
- Pregnant and/or breastfeeding ☐
- Taste/enjoyment
(e.g. prefer low alcohol beer, don't get drunk) ☐
- Drink driving regulations ☐
- Financial reasons ☐
- Adult/parent pressure ☐
- Peer pressure ☐
- The price of the alcohol I drink/drank has increased ☐
- Other ☐

E13. At the present time do you consider yourself. . . ?

(Mark one response only)

- A non-drinker ☐
- An ex-drinker ☐
- An occasional drinker ☐
- A light drinker ☐
- A social drinker ☐
- A heavy drinker ☐
- A binge drinker ☐

If you no longer drink alcohol (at E7) – Skip to E16 on page 13

E14. On a day that you have an alcoholic drink, how many standard drinks do you usually have? (see the coloured “Standard Drinks/Instruction Card” provided to you, or the chart on page 14).

(Mark one response only)

- 20 or more standard drinks ☐
- 16 – 19 standard drinks ☐
- 13 – 15 standard drinks ☐
- 11 – 12 standard drinks ☐
- 9 – 10 standard drinks ☐
- 7 – 8 standard drinks ☐
- 5 – 6 standard drinks ☐
- 3 – 4 standard drinks ☐
- 2 standard drinks ☐
- 1 standard drink ☐
- Half a standard drink ☐

Reminder:

Are you filling in the boxes correctly?

RIGHT



WRONG



Are you shading the boxes fully for any mistakes?

Wrong box

Right box





E15. When you have an alcoholic drink, how often do you do any of the following?

(Mark one response for each row below)

	Always	Most of the time	Sometimes	Rarely	Never
Count the number of drinks you have	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Deliberately alternate between alcoholic and non-alcoholic drinks	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Make a point of eating while consuming alcohol	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Quench your thirst by having a non-alcoholic drink before having alcohol	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Only drink low-alcohol drinks	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Limit the number of drinks you have in an evening (e.g. when driving)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Refuse an alcoholic drink you are offered because you really don't want it	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

E16. Please record how often in the last 12 months you have had each of the following number of standard drinks in a day?

(Mark one response for each row below. Please ensure that you have marked a response for each amount, even if your answer is "Never" for that row.)

	Every day	5 – 6 days a week	3 – 4 days a week	1 – 2 days a week	2 – 3 days a month	About 1 day a month	Less often	Never
20 or more standard drinks a day	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11 – 19 standard drinks a day	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7 – 10 standard drinks a day	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5 – 6 standard drinks a day	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3 – 4 standard drinks a day	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
1 – 2 standard drinks a day	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Some alcohol but less than 1 standard drink a day	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
None, i.e. no alcohol at all in a day	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Not asked Online or Telephone

E17. Please mark the day of the week that is today.

(Mark one response only)

Monday <input type="checkbox"/>	Friday <input type="checkbox"/>
Tuesday <input type="checkbox"/>	Saturday <input type="checkbox"/>
Wednesday <input type="checkbox"/>	Sunday <input type="checkbox"/>
Thursday <input type="checkbox"/>	

E18. When did you most recently have an alcoholic drink?

(Mark one response only)

Yesterday <input type="checkbox"/>	5 days ago <input type="checkbox"/>
2 days ago <input type="checkbox"/>	6 days ago <input type="checkbox"/>
3 days ago <input type="checkbox"/>	7 days ago <input type="checkbox"/>
4 days ago <input type="checkbox"/>	Over a week ago <input type="checkbox"/> (Skip to E21 on page 17)

Not asked Telephone

E19. How many standard drinks did you have when you most recently had an alcoholic drink (i.e. the day marked on E18)?

Number of standard drinks:

If less than 1, please indicate to the nearest fraction:

$\frac{1}{4}$ ☐

$\frac{1}{2}$ ☐

$\frac{3}{4}$ ☐





Standard Drinks Guide

The numbers in **red** are the approximate number of 'standard drinks' in some typical alcohol containers.

BEER



1.1

285ml Pot/Middy*
Full Strength
(4.8% Alc. Vol)

0.8

285ml Pot/Middy*
Mid Strength
(3.5% Alc. Vol)

0.6

285ml Pot/Middy*
Low Strength
(2.7% Alc. Vol)



1.6

425ml Schooner**
Full Strength
(4.8% Alc. Vol)

1.2

425ml Schooner**
Mid Strength
(3.5% Alc. Vol)

0.9

425ml Schooner**
Low Strength
(2.7% Alc. Vol)



1.4

375ml
Full Strength
(4.8% Alc. Vol)

1.0

375ml
Mid Strength
(3.5% Alc. Vol)

0.8

375ml
Low Strength
(2.7% Alc. Vol)



34

24 x 375ml (carton)
Full Strength
(4.8% Alc. Vol)

24

24 x 375ml
Mid Strength
(3.5% Alc. Vol)

19

24 x 375ml
Low Strength
(2.7% Alc. Vol)

* NSW, ACT, WA = Middy; VIC, QLD, TAS = Pot; NT = Handle; SA = Schooner ** SA = Pint

WINE



1.6

150ml
Average
Restaurant Serving
of Red Wine
(13.5% Alc. Vol)

1.0

100ml
Standard Serve
of Red Wine
(13.5% Alc. Vol)

8.0

750ml
Bottle of Red Wine
(13.5% Alc. Vol)



1.4

150ml
Average
Restaurant Serving
of White Wine
(11.5% Alc. Vol)

1.0

100ml
Standard Serve
of White Wine
(11.5% Alc. Vol)

7.5

750ml
Bottle of White Wine
(12.5% Alc. Vol)



43

4 Litres
Cask Red Wine
(13.5% Alc. Vol)

21

2 Litres
Cask Red Wine
(13.5% Alc. Vol)

39

4 Litres
Cask White Wine
(12.5% Alc. Vol)

19.5

2 Litres
Cask White Wine
(12.5% Alc. Vol)



0.9

60ml
Standard Serve
of Port
(18% Alc. Vol)

28

2 Litres
Cask of Port
(17.5% Alc. Vol)



1.4

150ml
Average Restaurant
Serve of Champagne
(12% Alc. Vol)

7.5

750ml
Bottle of Champagne
(12.5% Alc. Vol)

SPIRITS



1.0

30ml
High Strength
Spirit Shot/Nip
(40% Alc. Vol)

22

700ml
High Strength
Bottle of Spirits
(40% Alc. Vol)



1.1

275ml
Full Strength
RTD#
(5% Alc. Vol)

1.2

330ml
Full Strength
RTD
(5% Alc. Vol)

2.6

660ml
Full Strength
RTD
(5% Alc. Vol)



1.5

275ml
High Strength
RTD
(7% Alc. Vol)

1.8

330ml
High Strength
RTD
(7% Alc. Vol)

3.6

660ml
High Strength
RTD
(7% Alc. Vol)



1.0

250ml
Full Strength Pre-mix Spirits
(5% Alc. Vol)

1.2

300ml
Full Strength Pre-mix Spirits
(5% Alc. Vol)

1.5

375ml
Full Strength Pre-mix Spirits
(5% Alc. Vol)

1.7

440ml
Full Strength Pre-mix Spirits
(5% Alc. Vol)



1.4-1.9

250ml
High Strength Pre-mix Spirits
(7%-10% Alc. Vol)

1.6

300ml
High Strength Pre-mix Spirits
(7% Alc. Vol)

2.1

375ml
High Strength Pre-mix Spirits
(7% Alc. Vol)

2.4

440ml
High Strength Pre-mix Spirits
(7% Alc. Vol)

Ready-to-drink





The question on the next page asks how many cans, bottles, glasses or shots/nips of alcohol did you drink yesterday.

HERE IS AN EXAMPLE OF HOW TO ANSWER THE QUESTION ON THE NEXT PAGE:

BEER	Beer Cans (375-440 mL)	Small Beer Bottles (330- 375 mL)	Large Beer Bottles (Approx. 750 mL)	Small Beer Glass (210 mL)	Medium Beer Glass (285 mL)*	Large Beer Glass (425 mL)	Other size (write in) English Pint Glass
Home-brewed beer							
Regular strength beer (greater than 4% Alc/Vol)						2	
Mid strength beer (3% to 3.9% Alc/Vol)							
Low alcohol beer (1% to 2.9% Alc/Vol)		1					2

*NSW, WA, ACT = Middy; VIC, QLD, TAS = Pot; NT = Handle; SA = Schooner.

Yesterday, this person had 2 large beer glasses of regular strength beer, 1 small bottle of Low Alcohol Beer and 2 English pints of Low Alcohol Beer.

Notes -

- Small Beer Bottles (330-375 mL) - e.g. Stubbies, echos, half bottles of wine, pre-mixed spirit bottles, cider bottles, etc.
- Large Beer Glass (425 mL) - e.g. 15 oz, schooners in NSW, pints in SA, etc.
- Medium Beer Glass (285 mL) - e.g. 10 oz, middies in NSW, pots in VIC and QLD, schooners in SA, handles in NT, etc.
- Small Beer Glass (210 mL) - e.g. small beer glass (7 oz, butchers, ponies) etc.

	1	2	3	4	5	6	7	8
OFFICE USE ONLY								





E20. On your most recent drinking occasion (i.e. the day marked on E18, page 13), how many bottles, glasses, cans or shots/nips of alcohol did you drink? Please write in the number for each drink type below:

Not asked Online or Telephone

BEER	Beer Cans (375-440 mL)	Small Beer Bottles (330- 375 mL)	Large Beer Bottles (Approx. 750 mL)	Small Beer Glass (210 mL)	Medium Beer Glass (285 mL)*	Large Beer Glass (425 mL)	Other size (write in):	1
Home-brewed beer								
Regular strength beer (greater than 4% Alc/Vol)								
Mid strength beer (3% to 3.9% Alc/Vol)								
Low alcohol beer (1% to 2.9% Alc/Vol)								
*NSW, WA, ACT = Middy; VIC, QLD, TAS = Pot; NT = Handle; SA = Schooner.								
WINE		Small Wine Bottles (375 mL)	Large Wine Bottles (750 mL)	Small Glass (100 mL)	Average restaurant serve (150 mL)	Large Glass (200 mL)	Other size (write in):	2
Cask wine								
Bottled wine								
CIDER	Cans (375- 440 mL)	Small Bottles (330- 375 mL)	Medium Bottles (500 mL)	Small glass (210 mL)	Medium glass (285 mL)*	Large glass (425 mL)	Other size (write in):	3
Cider								
PRE-MIXED DRINKS		Pre-mixed Drink Cans (250- 300 mL)	Pre-mixed Drink Cans (375- 440 mL)	Pre-mixed Drink Bottles (Approx 250 mL)	Pre-mixed Drink Bottles (275-350mL)	Large Pre-mixed Drink Bottles (Approx. 650 mL)	Other size (write in):	4
Pre-mixed alcoholic beverages — already mixed in a can or bottle (e.g. Alcopops, UDL, Vodka Cruiser)								
Other pre-mixed drinks (e.g. beer or wine based)								
STRAIGHT SPIRITS (NOT PRE-MIXED)	Mini Spirit Bottles (50 mL)	Small Spirit Bottles (Approx. 350 mL)	Large Spirit Bottles (700 mL)	Single measure or one shot/nip (30 mL)	Double measure or two shots/ nips (60 mL)	Triple measure or three shots/ nips (90 mL)	Other size (write in):	5
Bottled spirits and liqueurs (e.g. gin, vodka, rum, Kahlua)								
FORTIFIED WINE		Small Bottles (375 mL)	Large Bottles (750 mL)	Small Glass (60 mL)	Medium Glass (120 mL)	Large Glass (180 mL)	Other size (write in):	6
Port, vermouth, sherry, etc.								
OTHER	Cans (375 mL)	Small Bottles (375 mL)	Large Bottles (750 mL)	Small Glass (60 mL)	Medium Glass (120 mL)	Large Glass (180 mL)	Other size (write in):	7
Other (please write in):								





E21. During the **last 3 months**, have you tried to cut down, control your drinking or stop drinking but were unsuccessful?

Yes ☐

No ☐

E22. During the **last 3 months**, has anyone expressed concern about your drinking?

Yes ☐

No ☐

E23. In the **last 12 months**, did you undertake any of the following activities while under the influence of or affected by **alcohol**?

(Mark all that apply)

Went to work ☐

Went swimming ☐

Operated a boat ☐

Drove a motor vehicle ☐

Operated hazardous machinery ☐

Created a public disturbance or nuisance ☐

Caused damage to property ☐

Stole money, goods or property ☐

Verbally abused someone ☐

Physically abused someone ☐

None of the above ☐

E24. In the **last 12 months**, have any of the following happened to you while under the influence of or affected by **alcohol**?

(Mark all that apply)

Injury requiring medical attention ☐

Injury requiring admission to hospital ☐

Intoxication requiring medical attention ☐

Intoxication requiring admission to hospital ☐

None of the above ☐

E25. Has someone else, been injured because of your drinking?

(Mark one response only)

Yes, in the last 12 months ☐

Yes, but not in the last 12 months ☐

No ☐

Reminder: Your answers are completely confidential and are protected by law. Your responses are used for research purposes only. You and your household will never be identified. Your accurate and honest responses to this survey are important and appreciated.

ALL PLEASE ANSWER

E26. Before today, had you **ever** heard of a "standard drink" of alcohol?

Yes ☐ (Continue)

No ☐ (Skip to E28)

E27. As far as you know, is the number of "standard drinks" shown on cans and bottles of alcoholic beverages?

Yes ☐

No ☐

Don't know ☐

E28. How many "standard drinks" do you believe an **adult male** could drink every day for many years without adversely affecting his health?

(Write in whole number e.g. 0, 3, 10, etc)

Number of drinks per day:

Don't know ☐

E29. How many "standard drinks" do you believe an **adult female** could drink every day for many years without adversely affecting her health?

(Write in whole number e.g. 0, 3, 10, etc)

Number of drinks per day:

Don't know ☐

E30. Again thinking in terms of "standard drinks", how many drinks do you believe an **adult male** could drink in a six hour period before he puts **his health** at risk?

(Write in whole number e.g. 0, 3, 10, etc)

Number of drinks in a six hour period:

Don't know ☐

E31. Again thinking in terms of "standard drinks", how many drinks do you believe an **adult female** could drink in a six hour period before she puts **her health** at risk?

(Write in whole number e.g. 0, 3, 10, etc)

Number of drinks in a six hour period:

Don't know ☐

E32. How harmful or beneficial do you think **your** current alcohol consumption, including not drinking any alcohol, is to **your** health?

(Mark one response only)

Very harmful ☐

Somewhat harmful ☐

Neither harmful nor beneficial ☐

Somewhat beneficial ☐

Very beneficial ☐

Don't know ☐



Section F – Pain-killers/ Pain-relievers and Opioids

FOR THIS SURVEY, THE TERM "NON-MEDICAL PURPOSES" MEANS DRUGS USED:

1. by itself to induce a drug experience or feeling;
2. with other drugs in order to enhance a drug experience;
3. for performance enhancement (e.g. athletic); or
4. for cosmetic purposes (e.g. body shaping).

This section asks about the use of Pain-killers, Pain-relievers and Opioids (e.g. Oxycodone, Morphine, Codeine products such as Panadeine Forte).

This does not include the use of paracetamol, aspirin and ibuprofen where these drugs are the only active ingredients.

F1. Have you ever used Pain-killers/Pain-relievers and Opioids?

Yes ☐ (Continue) No ☐ (Skip to G1 on page 19)

F2. Have you ever used Pain-killers/Pain-relievers and Opioids for non-medical purposes?

Yes ☐ (Continue) No ☐ (Skip to G1 on page 19)

F3. About what age were you when you first used Pain-killers/Pain-relievers and Opioids for non-medical purposes?

Age in years:

F4a. Have you used Pain-killers/Pain-relievers and Opioids for non-medical purposes in the last 12 months?

Yes ☐ (Continue) No ☐ (Skip to G1 on page 19)

F4b. In the last 12 months, which of the following Pain-killers/Pain-relievers and Opioids have you used for non-medical purposes? (Mark all that apply)

Codeine (e.g. Panadeine Forte) ☐

Morphine (e.g. MS Contin) ☐

Fentanyl (e.g. Duragesic) ☐

Tramadol (e.g. Tramal) ☐

Oxycodone (OxyContin, Endone) ☐

Gabapentinoids (e.g. Lyrica) ☐

Other prescription Pain-killers/Pain-relievers and Opioids ☐

F5. During the last 12 months, did you find that you couldn't stop or cut down on your non-medical use of Pain-killers/Pain-relievers and Opioids for non-medical purposes, even though you wanted to or tried to?

Yes, in the last 3 months ☐

Yes, in the last 12 months, but not in the last 3 months ☐

No ☐

F6. Have you used Pain-killers/Pain-relievers and Opioids for non-medical purposes in the last month?

Yes ☐ (Continue) No ☐ (Skip to F8)

F7. Have you used Pain-killers/Pain-relievers and Opioids for non-medical purposes in the last week?

Yes ☐ No ☐

F8. In the last 12 months, how often did you use Pain-killers/Pain-relievers and Opioids for non-medical purposes? (Mark one response only)

Every day ☐

Once a week or more ☐

About once a month ☐

Every few months ☐

Once or twice a year ☐

F9a. Where did you first obtain Pain-killers/Pain-relievers and Opioids for non-medical purposes? (Mark one response only in First column)

F9b. Where do/did you usually obtain Pain-killers/Pain-relievers and Opioids for non-medical purposes? (Mark one response only in Usually column)

PLEASE ANSWER	F9a. First	AND	F9b. Usually
Friend	<input type="checkbox"/>		<input type="checkbox"/>
Relative	<input type="checkbox"/>		<input type="checkbox"/>
Partner	<input type="checkbox"/>		<input type="checkbox"/>
Dealer	<input type="checkbox"/>		<input type="checkbox"/>
Doctor shopping/forged script	<input type="checkbox"/>		<input type="checkbox"/>
Prescription for medical condition	<input type="checkbox"/>		<input type="checkbox"/>
Internet	<input type="checkbox"/>		<input type="checkbox"/>
Stole/Steal it	<input type="checkbox"/>		<input type="checkbox"/>
Other	<input type="checkbox"/>		<input type="checkbox"/>



F10. Where do/did you usually use Pain-killers/Pain-relievers and Opioids for non-medical purposes?
(Mark all that apply)

- In my own/spouse's/partner's home ☐
- At a friend's house ☐
- At a party at someone's house ☐
- At raves/dance parties ☐
- At restaurants/café's ☐
- At licensed premises (e.g. pubs, clubs) ☐
- At school, TAFE, university, etc. ☐
- At my workplace ☐
- In public places (e.g. parks, beaches) ☐
- In a car or other vehicle ☐
- Somewhere else ☐

F11. Which of the following did you use at the same time, on at least one occasion that you used Pain-killers/Pain-relievers and Opioids for non-medical purposes?
(Mark all that apply)

- Alcohol ☐
- Tobacco ☐
- Tranquillisers, Sleeping pills for non-medical purposes ☐
- Steroids for non-medical purposes ☐
- Sniffing Petrol/Glue/Aerosols/Solvents ☐
- Marijuana/Cannabis ☐
- Hallucinogens/LSD/Magic Mushrooms ☐
- Meth/amphetamine for non-medical purposes ☐
- Heroin ☐
- Cocaine/Crack ☐
- Ecstasy ☐
- GHB ☐
- Ketamine ☐
- Kava ☐
- Other ☐
- Not used any of the above at the same time as Pain-killers/Pain-relievers and Opioids for non-medical purposes ☐

F12. During the last 3 months, has anyone expressed concern about your non-medical use of Pain-killers/Pain-relievers and Opioids?

Yes ☐

No ☐

Section G – Tranquillisers/Sleeping pills

This section asks about the use of Tranquillisers and Sleeping pills (e.g. Sleepers, Benzos, Tranks, Temazzies, Temaze, Rivotril, Serepax, Serries, Xanax, Xannies, Stilnox, Rohypnol, Rowies, Valium).

G1. Have you ever used Tranquillisers/Sleeping pills?

Yes ☐ (Continue)

No ☐ (Skip to H1 on page 20)

G2. Have you ever used Tranquillisers/Sleeping pills for non-medical purposes?

Yes ☐ (Continue)

No ☐ (Skip to H1 on page 20)

G3. About what age were you when you first used Tranquillisers/Sleeping pills for non-medical purposes?

Age in years:

G4. Have you used Tranquillisers/Sleeping pills for non-medical purposes in the last 12 months?

Yes ☐ (Continue)

No ☐ (Skip to H1 on page 20)

G5. During the last 12 months, did you find that you couldn't stop or cut down on your use of Tranquillisers/Sleeping pills for non-medical purposes, even though you wanted to or tried to?

Yes ☐

No ☐

G6. Have you used Tranquillisers/Sleeping pills for non-medical purposes in the last month?

Yes ☐ (Continue)

No ☐ (Skip to G8 on page 20)

G7. Have you used Tranquillisers/Sleeping pills for non-medical purposes in the last week?

Yes ☐

No ☐

Reminder:

Are you filling in the boxes correctly?

RIGHT



WRONG



Are you shading the boxes fully for any mistakes?

Wrong box

Right box





G8. In the last 12 months, how often did you use Tranquillisers/Sleeping pills for non-medical purposes?

(Mark one response only)

- Every day ☐
 Once a week or more ☐
 About once a month ☐
 Every few months ☐
 Once or twice a year ☐

G9a. Where did you first obtain Tranquillisers/Sleeping pills for non-medical purposes?

(Mark one response only in First column)

G9b. Where do/did you usually obtain Tranquillisers/Sleeping pills for non-medical purposes?
 (Mark one response only in Usually column)

PLEASE ANSWER **G9a.** **AND** **G9b.**
 First **Usually**

- | | | |
|------------------------------------|--------------------------|--------------------------|
| Friend | <input type="checkbox"/> | <input type="checkbox"/> |
| Relative | <input type="checkbox"/> | <input type="checkbox"/> |
| Partner | <input type="checkbox"/> | <input type="checkbox"/> |
| Dealer | <input type="checkbox"/> | <input type="checkbox"/> |
| Doctor shopping/forged script | <input type="checkbox"/> | <input type="checkbox"/> |
| Prescription for medical condition | <input type="checkbox"/> | <input type="checkbox"/> |
| Internet | <input type="checkbox"/> | <input type="checkbox"/> |
| Stole/Steal it | <input type="checkbox"/> | <input type="checkbox"/> |
| Other | <input type="checkbox"/> | <input type="checkbox"/> |

G10. Where do/did you usually use Tranquillisers/Sleeping pills for non-medical purposes?

(Mark all that apply)

- In my own/spouse's/partner's home ☐
 At a friend's house ☐
 At a party at someone's house ☐
 At raves/dance parties ☐
 At restaurants/café's ☐
 At licensed premises (e.g. pubs, clubs) ☐
 At school, TAFE, university, etc. ☐
 At my workplace ☐
 In public places (e.g. parks, beaches) ☐
 In a car or other vehicle ☐
 Somewhere else ☐

Reminder:

Are you using a **black ballpoint pen**?

Section H – Steroids

This section asks about the use of Steroids (e.g. Roids, Juice, Gear, Andriol, Halotestin, Proviron, Sustanon, Testomet).

H1. Have you ever used Steroids?

- Yes ☐ (Continue) No ☐ (Skip to K1a on page 21)

H2. Have you ever used Steroids for non-medical purposes?

- Yes ☐ (Continue) No ☐ (Skip to K1a on page 21)

H3. About what age were you when you first used Steroids for non-medical purposes?

Age in years:

H4. Have you used Steroids for non-medical purposes in the last 12 months?

- Yes ☐ (Continue) No ☐ (Skip to K1a on page 21)

H5. During the last 12 months, did you find that you couldn't stop or cut down on your use of Steroids for non-medical purposes, even though you wanted to or tried to?

- Yes ☐ No ☐

H6. Have you used Steroids for non-medical purposes in the last month?

- Yes ☐ (Continue) No ☐ (Skip to H8)

H7. Have you used Steroids for non-medical purposes in the last week?

- Yes ☐ No ☐

H8. In the last 12 months, how often did you use Steroids for non-medical purposes?

(Mark one response only)

- Every day ☐
 Once a week or more ☐
 About once a month ☐
 Every few months ☐
 Once or twice a year ☐

There are no Sections I or J



Section K – Meth/amphetamine

This section asks about the use of Meth/amphetamine (e.g. Speed, Ice, Crystal, Whizz, Ritalin, Pseudoephedrine based cold and flu tablets)

K1a. In the last 12 months, have you been offered or had the opportunity to use Meth/amphetamine?

Yes ☐

No ☐

K1b. About what proportion of your friends and acquaintances currently use Meth/amphetamine?
(Mark one response only)

All ☐

Most ☐

About half ☐

A few ☐

None ☐

Don't know ☐

K1c. Have you ever used Meth/amphetamine?

Yes ☐ (Continue)

No ☐ (Skip to L1a on page 23)

K1d. Have you ever used Meth/amphetamine for non-medical purposes?

Yes ☐ (Continue)

No ☐ (Skip to L1a on page 23)

K2. About what age were you when you first used Meth/amphetamine for non-medical purposes?

Age in years:

K3. Have you used Meth/amphetamine for non-medical purposes in the last 12 months?

Yes ☐ (Continue)

No ☐ (Skip to L1a on page 23)

K4. During the last 12 months, did you find that you couldn't stop or cut down on your use of Meth/amphetamine for non-medical purposes, even though you wanted to or tried to?

Yes ☐

No ☐

K5. Have you used Meth/amphetamine for non-medical purposes in the last month?

Yes ☐ (Continue)

No ☐ (Skip to K7)

K6. Have you used Meth/amphetamine for non-medical purposes in the last week?

Yes ☐

No ☐

K7. In the last 12 months, how often did you use Meth/amphetamine for non-medical purposes?
(Mark one response only)

Every day ☐

Once a week or more ☐

About once a month ☐

Every few months ☐

Once or twice a year ☐

K8a. Where did you first obtain Meth/amphetamine for non-medical purposes?

(Mark one response only in First column)

K8b. Where do/did you usually obtain Meth/amphetamine for non-medical purposes?

(Mark one response only in Usually column)

PLEASE ANSWER	K8a. <u>First</u>	AND	K8b. <u>Usually</u>
Friend	<input type="checkbox"/>		<input type="checkbox"/>
Relative	<input type="checkbox"/>		<input type="checkbox"/>
Partner	<input type="checkbox"/>		<input type="checkbox"/>
Dealer	<input type="checkbox"/>		<input type="checkbox"/>
Doctor shopping/forged script	<input type="checkbox"/>		<input type="checkbox"/>
Prescription for medical condition	<input type="checkbox"/>		<input type="checkbox"/>
Internet	<input type="checkbox"/>		<input type="checkbox"/>
Stole/Steal it	<input type="checkbox"/>		<input type="checkbox"/>
Other	<input type="checkbox"/>		<input type="checkbox"/>

K9. Where do/did you usually use Meth/amphetamine for non-medical purposes?

(Mark all that apply)

In my own/spouse's/partner's home ☐

At a friend's house ☐

At a party at someone's house ☐

At raves/dance parties ☐

At restaurants/café's ☐

At licensed premises (e.g. pubs, clubs) ☐

At school, TAFE, university, etc. ☐

At my workplace ☐

In public places (e.g. parks, beaches) ☐

In a car or other vehicle ☐

Somewhere else ☐



K10. On a day you use Meth/amphetamine for non-medical purposes, on average how many points, grams or tablets/pills/capsules do you normally have?

Number of points	Number of grams	Number of tablets/pills/capsules
<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>

If less than 1, indicate to the nearest fraction:

points	grams	tablets/pills/capsules
$\frac{1}{4}$ <input type="checkbox"/>	$\frac{1}{4}$ <input type="checkbox"/>	$\frac{1}{4}$ <input type="checkbox"/>
$\frac{1}{2}$ <input type="checkbox"/>	$\frac{1}{2}$ <input type="checkbox"/>	$\frac{1}{2}$ <input type="checkbox"/>
$\frac{3}{4}$ <input type="checkbox"/>	$\frac{3}{4}$ <input type="checkbox"/>	$\frac{3}{4}$ <input type="checkbox"/>

K11a. What forms of Meth/amphetamine have you ever used?
(Mark all that apply)

- Powder/Speed ☐
- Liquid ☐
- Crystal, Ice ☐
- Base/Paste/Pure ☐
- Tablet/Pill ☐
- Prescription Amphetamine for non-medical purposes ☐
- Capsules ☐
- Other ☐

K11b. In the last 12 months what are all the forms of Meth/amphetamine that you have used?
(Mark all that apply)

- Powder/Speed ☐
- Liquid ☐
- Crystal, Ice ☐
- Base/Paste/Pure ☐
- Tablet/Pill ☐
- Prescription Amphetamine for non-medical purposes ☐
- Capsules ☐
- Other ☐

K11c. In the last 12 months, what was the main form of Meth/amphetamine that you used?
(Mark one response only)

- Powder/Speed ☐
- Liquid ☐
- Crystal, Ice ☐
- Base/Paste/Pure ☐
- Tablet/Pill ☐
- Prescription Amphetamine for non-medical purposes ☐
- Capsules ☐
- Other ☐

K12. In the last 12 months, what was the main way that you used Meth/amphetamine for non-medical purposes?
(Mark one response only)

- Smoked ☐
- Snorted ☐
- Swallowed ☐
- Injected ☐
- Other ☐

K13. Which of the following did you use at the same time, on at least one occasion that you used Meth/amphetamine for non-medical purposes?
(Mark all that apply)

- Alcohol ☐
- Tobacco ☐
- Tranquillisers, Sleeping pills for non-medical use ☐
- Pain-killers/Pain-relievers and Opioids (e.g. Oxycodone, Morphine, or Codeine products such as Panadeine Forte) for non-medical use ☐
- Steroids for non-medical use ☐
- Sniffing Petrol/Glue/Aerosols/Solvents ☐
- Marijuana/Cannabis ☐
- Hallucinogens/LSD/Magic Mushrooms ☐
- Methadone/Buprenorphine for non-medical use ☐
- Heroin ☐
- Cocaine/Crack ☐
- Ecstasy ☐
- GHB ☐
- Ketamine ☐
- Kava ☐
- Other ☐
- Not used any of the above at the same time as Meth/amphetamine for non-medical purposes ☐

K14. During the last 3 months, has anyone expressed concern about your use of Meth/amphetamine for non-medical purposes?

Yes ☐ No ☐





Section L – Marijuana/Cannabis

L1a. In the last 12 months, have you been offered or had the opportunity to use Marijuana/Cannabis?

Yes ☐

No ☐

L1b. About what proportion of your friends and acquaintances currently use Marijuana/Cannabis?
(Mark one response only)

All ☐

Most ☐

About half ☐

A few ☐

None ☐

Don't know ☐

L1c. Have you ever used Marijuana/Cannabis?

Yes ☐ (Continue)

No ☐ (Skip to M1 on
page 25)

L2. About what age were you when you first used Marijuana/Cannabis?

Age in years:

--	--

L3. Have you used Marijuana/Cannabis in the last 12 months?

Yes ☐ (Continue)

No ☐ (Skip to M1 on
page 25)

L4. During the last 12 months, did you find that you couldn't stop or cut down on your use of Marijuana/Cannabis, even though you wanted to or tried to?

Yes ☐

No ☐

L5. Have you used Marijuana/Cannabis in the last month?

Yes ☐ (Continue)

No ☐ (Skip to L7)

L6. Have you used Marijuana/Cannabis in the last week?

Yes ☐

No ☐

L7. In the last 12 months, how often did you use Marijuana/Cannabis?

(Mark one response only)

Every day ☐

Once a week or more ☐

About once a month ☐

Every few months ☐

Once or twice a year ☐

L7a. During the last 3 months, have you had a strong craving, desire or urge to use Marijuana/Cannabis?
(Mark one response only)

Yes, had a craving/desire/urge to use
every week or more often ☐

Yes, had a craving/desire/urge to use
but not as often as weekly ☐

No, have not had a craving/desire/urge to use
in the last 3 months ☐

L7b. During the last 3 months, has anyone expressed concern about your use of Marijuana/Cannabis?

Yes ☐

No ☐

L8a. Where did you first obtain Marijuana/Cannabis?
(Mark one response only in **First** column)

L8b. Where do/did you usually obtain Marijuana/Cannabis?

(Mark one response only in **Usually** column)

PLEASE ANSWER	L8a. <u>First</u>	AND	L8b. <u>Usually</u>
Friend	<input type="checkbox"/>		<input type="checkbox"/>
Relative	<input type="checkbox"/>		<input type="checkbox"/>
Partner	<input type="checkbox"/>		<input type="checkbox"/>
Dealer	<input type="checkbox"/>		<input type="checkbox"/>
Prescription for medical condition	<input type="checkbox"/>		<input type="checkbox"/>
Internet	<input type="checkbox"/>		<input type="checkbox"/>
Grew/grow my own (made/make it myself)	<input type="checkbox"/>		<input type="checkbox"/>
Stole/Steal it	<input type="checkbox"/>		<input type="checkbox"/>
Other	<input type="checkbox"/>		<input type="checkbox"/>

Reminder:

Are you filling in the boxes correctly?

RIGHT



WRONG



Are you shading the boxes fully for any mistakes?

Wrong box

Right box





L9. Where do/did you usually use Marijuana/Cannabis?
(Mark all that apply)

- In my own/spouse's/partner's home ☐
At a friend's house ☐
At a party at someone's house ☐
At raves/dance parties ☐
At restaurants/cafés ☐
At licensed premises (e.g. pubs, clubs) ☐
At school, TAFE, university, etc. ☐
At my workplace ☐
In public places (e.g. parks, beaches) ☐
In a car or other vehicle ☐
Somewhere else ☐

L10. On a day you use Marijuana/Cannabis, on average how many cones, bongs or joints do you normally have?

Number of
cones or bongs

--	--

Number of
joints

--	--

If less than 1, indicate to the nearest fraction:

cones or bongs

- $\frac{1}{4}$ ☐
 $\frac{1}{2}$ ☐
 $\frac{3}{4}$ ☐

joints

- $\frac{1}{4}$ ☐
 $\frac{1}{2}$ ☐
 $\frac{3}{4}$ ☐

L11. What form of Marijuana/Cannabis do you use?
(Mark all that apply)

- Leaf ☐
Head ☐
Resin (including Hash) ☐
Oil (including Hash oil) ☐
Other ☐

L12. How have you used Marijuana/Cannabis?
(Mark all that apply)

- Smoked as joints (e.g. reefers, spliffs) ☐
Smoked from a bong or pipe ☐
Inhaled through a vaporising device ☐
By eating it (e.g. Hash cookies) ☐
Marijuana/Cannabis and tobacco mixed ☐
Other ☐

L13. Which of the following did you use at the same time, on at least one occasion that you used Marijuana/Cannabis?
(Mark all that apply)

- Alcohol ☐
Tobacco ☐
Tranquillisers, Sleeping pills for non-medical use ☐
Pain-killers/Pain-relievers and Opioids
(e.g. Oxycodone, Morphine, or Codeine products
such as Panadeine Forte) for non-medical use ☐
Steroids for non-medical use ☐
Sniffing Petrol/Glue/Aerosols/Solvents ☐
Hallucinogens/LSD/Magic Mushrooms ☐
Methadone/Buprenorphine for non-medical use ☐
Meth/amphetamine for non-medical use ☐
Heroin ☐
Cocaine/Crack ☐
Ecstasy ☐
GHB ☐
Ketamine ☐
Kava ☐
Other ☐
Not used any of the above at the
same time as Marijuana/Cannabis ☐

L14. Have you used Marijuana/Cannabis for medical purposes in the last 12 months?
(Mark one response only)

- Yes, only for medical purposes ☐
Yes, but sometimes for medical
purposes and sometimes for
other reasons ☐ *Continue*
No, have not used it for medical purposes ☐ *(Skip to M1
on page 25)*

L15. Was the medical Marijuana/Cannabis prescribed by a doctor?
(Mark one response only)

- Yes, always prescribed by a doctor ☐
Yes, sometimes prescribed by a doctor ☐
No, was not prescribed by a doctor ☐

Reminder: Your answers are completely confidential and are protected by law. Your responses are used for research purposes only. You and your household will never be identified. Your accurate and honest responses to this survey are important and appreciated.





Section M – Heroin

M1. Have you ever used Heroin?

Yes ☐ (Continue) No ☐ (Skip to N1)

M2. About what age were you when you first used Heroin?

Age in years:

M3. Have you used Heroin in the last 12 months?

Yes ☐ (Continue) No ☐ (Skip to N1)

M4. During the last 12 months, did you find that you couldn't stop or cut down on your use of Heroin, even though you wanted to or tried to?

Yes, in the last 3 months ☐
Yes, in the last 12 months,
but not in the last 3 months ☐
No ☐

M5. Have you used Heroin in the last month?

Yes ☐ (Continue) No ☐ (Skip to M7)

M6. Have you used Heroin in the last week?

Yes ☐ No ☐

M7. In the last 12 months, how often did you use Heroin?
(Mark one response only)

Every day ☐
Once a week or more ☐
About once a month ☐
Every few months ☐
Once or twice a year ☐

M8. On a day you use Heroin, on average how many grams do you normally have?

Number of grams:

If less than 1, indicate to the nearest fraction:

grams
 $\frac{1}{4}$ ☐
 $\frac{1}{2}$ ☐
 $\frac{3}{4}$ ☐

M9. During the last 3 months, has anyone expressed concern about your use of Heroin?

Yes ☐ No ☐



Section N – Methadone or Buprenorphine

This section asks about the use of Methadone (e.g. Done, Junk, Jungle juice) and/or Buprenorphine (e.g. Bupe, Sub).

N1. Have you ever used Methadone or Buprenorphine?

Yes ☐ (Continue) No ☐ (Skip to O1a on page 26)

N2. Have you ever used Methadone or Buprenorphine (not supplied to you medically)?

Yes ☐ (Continue) No ☐ (Skip to O1a on page 26)

N3. About what age were you when you first used Methadone or Buprenorphine (not supplied to you medically)?

Age in years:

N4. Have you used Methadone or Buprenorphine (not supplied to you medically) in the last 12 months?

Yes ☐ (Continue) No ☐ (Skip to O1a on page 26)

N5. During the last 12 months, did you find that you couldn't stop or cut down on your use of Methadone or Buprenorphine (not supplied to you medically), even though you wanted to or tried to?

Yes ☐ No ☐

N6. Have you used Methadone or Buprenorphine (not supplied to you medically) in the last month?

Yes ☐ (Continue) No ☐ (Skip to O1a on page 26)

N7. Have you used Methadone or Buprenorphine (not supplied to you medically) in the last week?

Yes ☐ No ☐

Reminder:

Are you using a **black ballpoint pen**?





Section O – Cocaine

O1a. In the last 12 months, have you been offered or had the opportunity to use Cocaine?

Yes ☐

No ☐

O1b. About what proportion of your friends and acquaintances currently use Cocaine?
(Mark one response only)

All ☐

Most ☐

About half ☐

A few ☐

None ☐

Don't know ☐

O1c. Have you ever used Cocaine?

Yes ☐ (Continue)

No ☐ (Skip to P1 on page 27)

O2. About what age were you when you first used Cocaine?

Age in years:

O3. Have you used Cocaine in the last 12 months?

Yes ☐ (Continue)

No ☐ (Skip to P1 on page 27)

O4. During the last 12 months, did you find that you couldn't stop or cut down on your use of Cocaine, even though you wanted to or tried to?

Yes ☐

No ☐

O5. Have you used Cocaine in the last month?

Yes ☐ (Continue)

No ☐ (Skip to O7)

O6. Have you used Cocaine in the last week?

Yes ☐

No ☐

O7. In the last 12 months, how often did you use Cocaine?
(Mark one response only)

Every day ☐

Once a week or more ☐

About once a month ☐

Every few months ☐

Once or twice a year ☐

O8a. Where did you first obtain Cocaine?
(Mark one response only in First column)

O8b. Where do/did you usually obtain Cocaine?
(Mark one response only in Usually column)

PLEASE ANSWER	O8a. <u>First</u>	AND	O8b. <u>Usually</u>
Friend	<input type="checkbox"/>		<input type="checkbox"/>
Relative	<input type="checkbox"/>		<input type="checkbox"/>
Partner	<input type="checkbox"/>		<input type="checkbox"/>
Dealer	<input type="checkbox"/>		<input type="checkbox"/>
Internet	<input type="checkbox"/>		<input type="checkbox"/>
Stole/Steal it	<input type="checkbox"/>		<input type="checkbox"/>
Other	<input type="checkbox"/>		<input type="checkbox"/>

O9. Where do/did you usually use Cocaine?
(Mark all that apply)

In my own/spouse's/partner's home ☐

At a friend's house ☐

At a party at someone's house ☐

At raves/dance parties ☐

At restaurants/café's ☐

At licensed premises (e.g. pubs, clubs) ☐

At school, TAFE, university, etc. ☐

At my workplace ☐

In public places (e.g. parks, beaches) ☐

In a car or other vehicle ☐

Somewhere else ☐

O10. On a day you use Cocaine, on average how many grams, points or lines do you normally have?

Number of
grams

Number of
points

Number of
lines

If less than 1, indicate to the nearest fraction:

grams

$\frac{1}{4}$ ☐

$\frac{1}{2}$ ☐

$\frac{3}{4}$ ☐

points

$\frac{1}{4}$ ☐

$\frac{1}{2}$ ☐

$\frac{3}{4}$ ☐

lines

$\frac{1}{4}$ ☐

$\frac{1}{2}$ ☐

$\frac{3}{4}$ ☐





O11a. What forms of Cocaine have you ever used?

(Mark all that apply in **Ever** column)

O11b. In the last 12 months, what was the main form of Cocaine that you used?

(Mark one response only in **Main** column)

PLEASE ANSWER	O11a. Forms Ever Used	AND	O11b. Main Form Used
Cocaine powder	<input type="checkbox"/>		<input type="checkbox"/>
Crack Cocaine (smokeable crystal)	<input type="checkbox"/>		<input type="checkbox"/>
Other	<input type="checkbox"/>		<input type="checkbox"/>

O12. In the last 12 months, what was the main way that you used Cocaine?

(Mark one response only)

- Smoked ☐
Snorted ☐
Swallowed ☐
Injected ☐
Other ☐

O13. Which of the following did you use at the same time, on at least one occasion that you used Cocaine?

(Mark all that apply)

- Alcohol ☐
Tobacco ☐
Tranquillisers, Sleeping pills for non-medical use ☐
Pain-killers/Pain-relievers and Opioids
(e.g. Oxycodone, Morphine, or Codeine products
such as Panadeine Forte) for non-medical use ☐
Steroids for non-medical use ☐
Sniffing Petrol/Glue/Aerosols/Solvents ☐
Marijuana/Cannabis ☐
Hallucinogens/LSD/Magic Mushrooms ☐
Methadone/Buprenorphine for non-medical use ☐
Meth/amphetamine for non-medical use ☐
Heroin ☐
Ecstasy ☐
GHB ☐
Ketamine ☐
Kava ☐
Other ☐
Not used any of the above at the
same time as Cocaine ☐

Section P – Hallucinogens

This section asks about the use of Hallucinogens (e.g. Acid, Trips, LSD, Mushies, Magic mushrooms, Angel dust, DMT, Mescaline, Peyote).

P1. Have you ever used any Hallucinogens?

Yes ☐ (Continue)

No ☐ (Skip to Q1a
on page 28)

P2. About what age were you when you first used Hallucinogens?

Age in years:

P3. Have you used Hallucinogens in the last 12 months?

Yes ☐ (Continue)

No ☐ (Skip to Q1a
on page 28)

P4. During the last 12 months, did you find that you couldn't stop or cut down on your use of Hallucinogens, even though you wanted to or tried to?

Yes ☐

No ☐

P5. Have you used Hallucinogens in the last month?

Yes ☐ (Continue)

No ☐ (Skip to P7)

P6. Have you used Hallucinogens in the last week?

Yes ☐

No ☐

P7. In the last 12 months, how often did you use Hallucinogens?

(Mark one response only)

- Every day ☐
Once a week or more ☐
About once a month ☐
Every few months ☐
Once or twice a year ☐

P8. In the last 12 months, what forms of Hallucinogens have you used?

(Mark all that apply)

- LSD/Acid/Tabs ☐
Mushrooms/Psilocybin ☐
DMT ☐
Mescaline (e.g. Peyote Cactus, San Pedro Cactus) ☐
PCP/Angel dust ☐
Other forms (Please write in):





Section Q – Ecstasy

Q1a. In the last 12 months, have you been offered or had the opportunity to use Ecstasy?

Yes ☐

No ☐

Q1b. About what proportion of your friends and acquaintances currently use Ecstasy?

(Mark one response only)

All ☐

Most ☐

About half ☐

A few ☐

None ☐

Don't know ☐

Q1c. Have you ever used Ecstasy?

Yes ☐ (Continue)

No ☐ (Skip to R1 on page 29)

Q2. About what age were you when you first used Ecstasy?

Age in years:

--	--

Q3. Have you used Ecstasy in the last 12 months?

Yes ☐ (Continue)

No ☐ (Skip to R1 on page 29)

Q4. During the last 12 months, did you find that you couldn't stop or cut down on your use of Ecstasy, even though you wanted to or tried to?

Yes ☐

No ☐

Q5. Have you used Ecstasy in the last month?

Yes ☐ (Continue)

No ☐ (Skip to Q7)

Q6. Have you used Ecstasy in the last week?

Yes ☐

No ☐

OFFICE USE ONLY

--	--

Q7. In the last 12 months, how often did you use Ecstasy?

(Mark one response only)

Every day ☐

Once a week or more ☐

About once a month ☐

Every few months ☐

Once or twice a year ☐

Q8a. Where did you first obtain Ecstasy?

(Mark one response only in First column)

Q8b. Where do/did you usually obtain Ecstasy?

(Mark one response only in Usually column)

PLEASE ANSWER	Q8a. <u>First</u>	AND	Q8b. <u>Usually</u>
Friend	<input type="checkbox"/>		<input type="checkbox"/>
Relative	<input type="checkbox"/>		<input type="checkbox"/>
Partner	<input type="checkbox"/>		<input type="checkbox"/>
Dealer	<input type="checkbox"/>		<input type="checkbox"/>
Internet	<input type="checkbox"/>		<input type="checkbox"/>
Stole/steal it	<input type="checkbox"/>		<input type="checkbox"/>
Other	<input type="checkbox"/>		<input type="checkbox"/>

Q9. Where do/did you usually use Ecstasy?

(Mark all that apply)

In my own/spouse's/partner's home ☐

At a friend's house ☐

At a party at someone's house ☐

At raves/dance parties ☐

At restaurants/café's ☐

At licensed premises (e.g. pubs, clubs) ☐

At school, TAFE, university, etc. ☐

At my workplace ☐

In public places (e.g. parks, beaches) ☐

In a car or other vehicle ☐

Somewhere else ☐

Q10a. What forms of Ecstasy have you ever used?

(Mark all that apply in Ever column)

Q10b. In the last 12 months, what was the main form of Ecstasy that you used?

(Mark one response only in Main column)

PLEASE ANSWER	Q10a. Forms <u>Ever</u> Used	AND	Q10b. <u>Main</u> Form Used
Pills/Tablets	<input type="checkbox"/>		<input type="checkbox"/>
Capsules	<input type="checkbox"/>		<input type="checkbox"/>
Crystals/Rock	<input type="checkbox"/>		<input type="checkbox"/>
Powder	<input type="checkbox"/>		<input type="checkbox"/>





Q11. On a day you use Ecstasy, on average how many tablets/pills/capsules or grams do you normally have?

Number of
tablets/pills

Number of
capsules

Number of
grams

If less than 1, indicate to the nearest fraction:

tablets/pills

- $\frac{1}{4}$ ☐
 $\frac{1}{2}$ ☐
 $\frac{3}{4}$ ☐

capsules

- $\frac{1}{4}$ ☐
 $\frac{1}{2}$ ☐
 $\frac{3}{4}$ ☐

grams

- $\frac{1}{4}$ ☐
 $\frac{1}{2}$ ☐
 $\frac{3}{4}$ ☐

Q12. Which of the following did you use at the same time, on at least one occasion that you used Ecstasy?

(Mark all that apply)

- Alcohol ☐
Tobacco ☐
Tranquillisers, Sleeping pills for non-medical use ☐
Pain-killers/Pain-relievers and Opioids
(e.g. Oxycodone, Morphine, or Codeine products
such as Panadeine Forte) for non-medical use ☐
Steroids for non-medical use ☐
Sniffing Petrol/Glue/Aerosols/Solvents ☐
Marijuana/Cannabis ☐
Hallucinogens/LSD/Magic Mushrooms ☐
Methadone/Buprenorphine for non-medical use ☐
Meth/amphetamine for non-medical use ☐
Heroin ☐
Cocaine/Crack ☐
GHB ☐
Ketamine ☐
Kava ☐
Other ☐
Not used any of the above at the
same time as Ecstasy ☐

Section R – Ketamine

R1. Have you ever used Ketamine?

Yes ☐ (Continue)

No ☐ (Skip to S1)

R2. About what age were you when you first used Ketamine?

Age in years:

R3. Have you used Ketamine in the last 12 months?

Yes ☐ (Continue)

No ☐ (Skip to S1)

R4. Have you used Ketamine in the last month?

Yes ☐ (Continue)

No ☐ (Skip to R6)

R5. Have you used Ketamine in the last week?

Yes ☐

No ☐

R6. In the last 12 months, how often did you use Ketamine?

(Mark one response only)

- Every day ☐
Once a week or more ☐
About once a month ☐
Every few months ☐
Once or twice a year ☐

Section S – GHB

S1. Have you ever used GHB?

Yes ☐ (Continue)

No ☐ (Skip to T1
on page 30)

S2. About what age were you when you first used GHB?

Age in years:

S3. Have you used GHB in the last 12 months?

Yes ☐ (Continue)

No ☐ (Skip to T1
on page 30)

S4. Have you used GHB in the last month?

Yes ☐ (Continue)

No ☐ (Skip to S6)

S5. Have you used GHB in the last week?

Yes ☐

No ☐

S6. In the last 12 months, how often did you use GHB?
(Mark one response only)

- Every day ☐
Once a week or more ☐
About once a month ☐
Every few months ☐
Once or twice a year ☐





Section T – Synthetic Cannabis

T1. Have you ever used Synthetic Cannabis/Cannabinoids (e.g. K2, Spice, Kronic)?

Yes ☐ (Continue)

No ☐ (Skip to TT1)

T2. Have you used Synthetic Cannabis/Cannabinoids in the last 12 months?

Yes ☐

No ☐

Section TT – Other Synthetic Drugs

Other synthetic drugs, also known as Emerging Psychoactive Substances, are drugs that often mimic the effects of more established illegal drugs. These are sometimes referred to as research chemicals, analogues, or bath salts. Some of the more well-known substances include Mephedrone, NBOMe, Methylone, Flakka, MDPV, 2C-I, BZP, Carfentanyl and Krokodil.

TT1. Have you ever used any Other Synthetic Drugs/Emerging Psychoactive Substances?

Yes ☐ (Continue)

No ☐ (Skip to U1)

TT2. Have you used any Other Synthetic Drugs/Emerging Psychoactive Substances in the last 12 months?

Yes ☐

No ☐

TT3. In the last 12 months, what types of Other Synthetic Drugs/Emerging Psychoactive Substances have you used?
(Please write in)



OFFICE USE ONLY

Section U – Inhalants

This section asks about the use of Inhalants (e.g. Chroming, Sniffing, Solvents, Aerosols, Glue, Petrol, Laughing gas, Whippits, Nitrous, Snappers, Poppers, Pearlers, Rushamines, Locker room, Bolt, Bullet, Rush, Climax, Red gold, Amyl, Bulbs).

Nasal sprays, inhalers or puffers used for asthma and similar conditions should not be included here.

U1. Have you ever used Inhalants?

Yes ☐ (Continue)

No ☐ (Skip to V1 on page 31)

U2. About what age were you when you first used Inhalants?

Age in years:

U3. Have you used Inhalants in the last 12 months?

Yes ☐ (Continue)

No ☐ (Skip to V1 on page 31)

U4. During the last 12 months, did you find that you couldn't stop or cut down on your use of Inhalants, even though you wanted to or tried to?

Yes ☐

No ☐

U5. Have you used Inhalants in the last month?

Yes ☐ (Continue)

No ☐ (Skip to U7)

U6. Have you used Inhalants in the last week?

Yes ☐

No ☐

U7. In the last 12 months, how often did you use Inhalants?

(Mark one response only)

Every day ☐

Once a week or more ☐

About once a month ☐

Every few months ☐

Once or twice a year ☐





U8a. Where did you first obtain Inhalants?

(Mark one response only in **First** column)

U8b. Where do/did you usually obtain Inhalants?

(Mark one response only in **Usually** column)

PLEASE ANSWER **U8a.** **AND** **U8b.**
 First **Usually**

- | | | |
|------------------------------------|--------------------------|--------------------------|
| Friend | <input type="checkbox"/> | <input type="checkbox"/> |
| Relative | <input type="checkbox"/> | <input type="checkbox"/> |
| Partner | <input type="checkbox"/> | <input type="checkbox"/> |
| Dealer | <input type="checkbox"/> | <input type="checkbox"/> |
| Internet | <input type="checkbox"/> | <input type="checkbox"/> |
| Bought/buy at a shop/retail outlet | <input type="checkbox"/> | <input type="checkbox"/> |
| Stole/steal it | <input type="checkbox"/> | <input type="checkbox"/> |
| Other | <input type="checkbox"/> | <input type="checkbox"/> |

U9. Where do/did you usually use Inhalants?

(Mark all that apply)

- In my own/spouse's/partner's home ☐
- At a friend's house ☐
- At a party at someone's house ☐
- At raves/dance parties ☐
- At restaurants/café's ☐
- At licensed premises (e.g. pubs, clubs) ☐
- At school, TAFE, university, etc. ☐
- At my workplace ☐
- In public places (e.g. parks, beaches) ☐
- In a car or other vehicle ☐
- Somewhere else ☐

U10. On a day you use Inhalants, on average how many times do you use them?

Number of times:

U11. What form of Inhalants do you use?

(Mark all that apply)

- Nitrous oxide
(e.g. laughing/happy gas, bulbs, whippits, nangs) ☐
- Amyl Nitrate and other Nitrates
(e.g. poppers, jungle juice, snappers, rush, pearlers, locker room, bolt, bullet) ☐
- Petrol ☐
- Other volatile solvents
(e.g. glue, paint thinners, nail polish remover, marker pens) ☐
- Aerosols
(e.g. spray paints, deodorants, hair spray) ☐
- Fuel gases (butane lighters) refrigerant gases
(Freon gases from air conditioning units) ☐
- Other (please write in):
☐

Section V – Injectable Drugs

This section deals with illicit injecting – that is, the injection of drugs that were not medically prescribed to inject. Some examples of injectable drugs are Steroids, Speed, Heroin, Pethidine, Cocaine and Ecstasy.

V1. Have you ever injected any drugs, apart from any that were prescribed for you to inject?

(This includes being injected by someone else)

Yes ☐ (Continue) No ☐ (Skip to W1 on page 32)

V2. About what age were you when you first injected yourself with a drug not prescribed to inject?

(This includes being injected by someone else)

Age in years:

V3. What drug, not prescribed to inject, did you first inject?

(This includes being injected by someone else)

(Mark one response only)

- Heroin ☐
- Other Opiates/Opioids ☐
(Morphine, Pethidine, Oxycodone (Endone))
- Meth/amphetamine ☐
- Cocaine or Crack Cocaine ☐
- LSD or other Hallucinogens ☐
- Ecstasy ☐
- Benzodiazepines ☐
- Steroids ☐
- Ketamine ☐
- Methadone/Buprenorphine ☐
- GHB ☐
- Other drugs ☐

V4. What drug(s), not prescribed to inject, have you injected in the last 12 months?

(This includes being injected by someone else)

(Mark all that apply)

- Heroin ☐
- Other Opiates/Opioids ☐
(Morphine, Pethidine, Oxycodone (Endone))
- Meth/amphetamine ☐
- Cocaine or Crack Cocaine ☐
- LSD or other Hallucinogens ☐
- Ecstasy ☐
- Benzodiazepines ☐
- Steroids ☐
- Ketamine ☐
- Methadone/Buprenorphine ☐
- GHB ☐
- Other drugs ☐

Have not injected any of these drugs in the last 12 months ☐ (Skip to W1 on page 32)





V5. On average, how often have you injected yourself with a drug not prescribed to inject in the last 12 months?

(This includes being injected by someone else)

(Mark one response only)

- More than 3 times a day ☐
- 2 – 3 times a day ☐
- Once a day ☐
- More than once a week (but less than once a day) ☐
- Once a week or less ☐

V6. Where do you usually get needles and syringes?

(Mark all that apply)

- Chemist ☐
- Centre based needle and syringe program ☐
- Mobile needle and syringe program ☐
- Friends ☐
- Hospital or doctor ☐
- Diabetes Australia ☐
- Health centre ☐
- Vending machine ☐
- Other ☐

V7. Have you used a needle and syringe program in the last 12 months?

Yes ☐

No ☐

V8. Where did you dispose of the LAST needle and/or syringe (or fit pack, sharps bin or other fit container) that you used?

(Mark one response only)

- Rubbish bin at home ☐
- Plastic rubbish bin ☐
- Public needle disposal bin ☐
- Needle and syringe program ☐
- Regulated injecting room/"shooting gallery" ☐
- Street or laneway ☐
- Other ☐

V9. Have you ever used a needle or other injecting equipment after someone else had already used it?

(Mark one response only)

Yes, and I bleached and/or rinsed it first ☐

Yes, but I did not bleach or rinse it first ☐

No ☐ (Skip to W1)

V10. How many times in the last 12 months have you used a needle or other injecting equipment after someone else had already used it?

(Mark one response only)

- Never ☐
- Not in the last 12 months ☐
- Once or twice ☐
- 3 – 5 times ☐
- 6 – 10 times ☐
- More than 10 times ☐

Section W – Experiences Using Illicit Drugs

If you have ever used at least one illicit drug (including, but not limited to, Marijuana/Cannabis and non-medical use of pharmaceuticals), please answer this section.

If you have never used an illicit drug, please go to Section X on page 33.

W1. What factors influenced your decision to first use an illicit drug (including Marijuana/Cannabis)?

(Mark all that apply)

- Friends or family member were using it/
offered by friend or family member ☐
- Thought it would improve mood/
to stop feeling unhappy ☐
- To do something exciting ☐
- To see what it was like/curiosity ☐
- To enhance an experience ☐
- Other (Please write in):

W2a. What is the main reason that you continue to use illicit drugs?

(Mark one response only)

- Influence of friends or family ☐
- Addiction/dependency ☐
- Wanting to improve mood/to stop
feeling unhappy ☐
- Wanting to do something exciting ☐
- Wanting to enhance experiences ☐
- Enjoyment/wanting to get high or have fun ☐
- Other (Please write in):

Not applicable (I no longer use illicit drugs) ☐

(Skip to
W3 on
page 33)

Reminder:

Are you using a **black ballpoint pen**?





W2b. Are there any other reasons that you continue to use illicit drugs?

(Mark all that apply)

- Influence of friends or family ☐
- Addiction/dependency ☐
- Wanting to improve mood/to stop feeling unhappy ☐
- Wanting to do something exciting ☐
- Wanting to enhance experiences ☐
- Enjoyment/wanting to get high or have fun ☐
- Other (Please write in):

No other reason ☐

W3. In the last 12 months, did you undertake any of the following activities while under the influence of or affected by illicit drugs?

(Mark all that apply)

- Went to work ☐
- Went swimming ☐
- Operated a boat ☐
- Drove a motor vehicle ☐
- Operated hazardous machinery ☐
- Created a public disturbance or nuisance ☐
- Caused damage to property ☐
- Stole money, goods or property ☐
- Verbally abused someone ☐
- Physically abused someone ☐
- None of the above ☐
- I did not use illicit drugs in the last 12 months ☐ (Skip to X1)

W4. In the last 12 months, have any of the following happened to you while under the influence of or affected by illicit drugs?

(Mark all that apply)

- Injury requiring medical attention ☐
- Injury requiring admission to hospital ☐
- Overdose requiring medical attention ☐
- Overdose requiring admission to hospital ☐
- None of the above ☐

Reminder: Your answers are completely confidential and are protected by law. Your responses are used for research purposes only. You and your household will never be identified. Your accurate and honest responses to this survey are important and appreciated.



Section X – Attitudes

X1. What is your main drug of choice (that is, your favourite or preferred drug)?

(Mark one response only)

- Alcohol ☐
- Tobacco ☐
- Tranquillisers, Sleeping pills ☐
- Pain-killers/Pain-relievers and Opioids (e.g. Oxycodone, Panadeine Forte, Morphine) ☐
- Steroids ☐
- Sniffing Petrol/Glue/Aerosols/Solvents ☐
- Marijuana/Cannabis ☐
- Hallucinogens/LSD/Magic Mushrooms ☐
- Methadone/Buprenorphine ☐
- Meth/amphetamine ☐
- Heroin ☐
- Cocaine/Crack ☐
- Ecstasy ☐
- GHB ☐
- Ketamine ☐
- Kava ☐
- Other ☐
- No main drug of choice ☐

If you have ever used an illicit drug, go to Section Y.
If you have never used an illicit drug, please answer X2, then go to Section Y on page 34.

X2. What factors influenced your decision never to try illicit drugs (including marijuana/cannabis)?

(Mark all that apply)

- Worry about health problems ☐
- Didn't want to become addicted ☐
- Fear of legal consequences ☐
- Didn't want anyone to find out ☐
- Didn't like to feel out of control ☐
- Family/Friends/Peer pressure ☐
- Didn't think it would be enjoyable ☐
- Just not interested ☐
- Financial reasons ☐
- No opportunity or illicit drugs available ☐
- Religious/moral reasons ☐
- Didn't want to break the law ☐
- Fear of death ☐
- Other ☐
- Don't know ☐





Section Y – Harms

Y1. In the last 12 months, did any person under the influence of or affected by alcohol. . .?
(Mark one response for each row)

	Yes	No
Verbally abuse you	<input type="checkbox"/>	<input type="checkbox"/>
Physically abuse you	<input type="checkbox"/>	<input type="checkbox"/>
Put you in fear	<input type="checkbox"/>	<input type="checkbox"/>

If Yes to any in Y1 continue.
If No to all in Y1, Skip to Y9 on page 35.

Y2. Which of the following persons under the influence of or affected by alcohol were responsible for the incident(s) referred to in Y1?
(Select each of the incidents that occurred to you from the top row, and moving down the list of persons, mark all that apply)

	Verbal abuse	Physical abuse	Put you in fear
Spouse or partner	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Parent	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Child	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Brother or sister	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other relative	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other house/flat resident	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Current boy/girl friend	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Former spouse/partner/ boy/girl friend	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Work/school/university mate	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Friend	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other person known to me	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Not known to me	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

PLEASE CHECK AGAIN THAT ALL THE INCIDENTS MENTIONED IN Y1 HAVE THE APPROPRIATE ANSWERS IN Y2

Y3. Where did the alcohol-related incident(s) referred to in Y1 occur?
(Select each of the incidents that occurred to you from the top row, and moving down the list of locations, mark all that apply)

	Verbal abuse	Physical abuse	Put you in fear
In my own home	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
In a pub or club	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
At a party	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
At my workplace	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
At school/university	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Public transport (e.g. train)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
In the street	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Somewhere else	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Y4. What was the most serious physical injury you sustained as a result of the alcohol-related incident(s) referred to in Y1?

(Mark one response only)

Not asked Telephone

- Bruising/abrasions ☐
- Burns, not requiring admission to hospital ☐
- Minor lacerations (e.g. cuts/scratches) ☐
- Lacerations requiring suturing (stitches), not requiring admission to hospital ☐
- Fractures (broken bones) not requiring admission to hospital ☐
- Sufficiently serious to require admission to hospital at least overnight ☐
- Not relevant – no physical injury sustained ☐

Not asked Online or Telephone

Y5. Was the most serious alcohol-related incident reported to the police?

Yes ☐ (Skip to Y7)

No ☐ (Continue)

Not asked Online or Telephone

Y6. Are there any reasons why you didn't report the most serious alcohol-related incident to the police?
(Mark all that apply)

- Too trivial/unimportant ☐
- Private matter ☐
- Police could not do anything ☐
- Police would not do anything ☐
- Did not want offender punished ☐
- Too confused/upset ☐
- Afraid of reprisal/revenge ☐
- Incident is not uncommon for me (e.g. it is to be expected at parties, working in pubs) ☐
- Other ☐

Not asked Telephone

Y7. In general, at the time(s) the alcohol-related incident(s) took place, had you also been drinking alcohol or consuming drugs other than alcohol?
(Mark one response only)

- Yes, alcohol only ☐
- Yes, other drugs only ☐
- Yes, both alcohol and other drugs ☐
- No, neither alcohol nor other drugs ☐

Not asked Telephone

Y8. Did any of the alcohol-related incidents of physical abuse involve sexual abuse?

- Yes ☐
- No ☐
- Not relevant (not physically abused) ☐





ALL PLEASE ANSWER

Y9. In the last 12 months, did any person under the influence of or affected by illicit drugs. . . ?
(Mark one response for each row)

	Yes	No
Verbally abuse you	<input type="checkbox"/>	<input type="checkbox"/>
Physically abuse you	<input type="checkbox"/>	<input type="checkbox"/>
Put you in fear	<input type="checkbox"/>	<input type="checkbox"/>

If Yes to any in Y9 continue.
If No to all in Y9, Skip to Z1 on page 36.

Y10. Which of the following persons under the influence of or affected by illicit drugs were responsible for the incident(s) referred to in Y9?
(Select each of the incidents that occurred to you from the top row, and moving down the list of persons, mark all that apply)

	Verbal abuse	Physical abuse	Put you in fear
Spouse or partner	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Parent	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Child	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Brother or sister	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other relative	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other house/flat resident	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Current boy/girl friend	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Former spouse/partner/boy/girl friend	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Work/school/university mate	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Friend	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other person known to me	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Not known to me	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

PLEASE CHECK AGAIN THAT ALL THE INCIDENTS MENTIONED IN Y9 HAVE THE APPROPRIATE ANSWERS IN Y10.

Y11. Where did the drug-related incident(s) referred to in Y9 occur?
(Select each of the incidents that occurred to you from the top row, and moving down the list of locations, mark all that apply)

	Verbal abuse	Physical abuse	Put you in fear
In my own home	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
In a pub or club	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
At a party	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
At my workplace	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
At school/university	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Public transport (e.g. train)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
In the street	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Somewhere else	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Not asked Telephone

Y12. What was the most serious physical injury you sustained as a result of the drug-related incident(s) referred to in Y9?
(Mark one response only)

- Bruising/abrasions ☐
- Burns, not requiring admission to hospital ☐
- Minor lacerations (e.g. cuts/scratches) ☐
- Lacerations requiring suturing (stitches), not requiring admission to hospital ☐
- Fractures (broken bones) not requiring admission to hospital ☐
- Sufficiently serious to require admission to hospital at least overnight ☐
- Not relevant – no physical injury sustained ☐

Not asked Telephone

Y13. Was the most serious drug-related incident reported to the police?

Yes ☐ (Skip to Y15) No ☐ (Continue)

Not asked Telephone

Y14. Are there any reasons why you didn't report the most serious drug-related incident to the police?
(Mark all that apply)

- Too trivial/unimportant ☐
- Private matter ☐
- Police could not do anything ☐
- Police would not do anything ☐
- Did not want offender punished ☐
- Too confused/upset ☐
- Afraid of reprisal/revenge ☐
- Incident is not uncommon for me (e.g. it is to be expected at parties, working in pubs) ☐
- Other ☐

Not asked Telephone

Y15. In general, at the time(s) the drug-related incident(s) took place, had you also been drinking alcohol or consuming drugs other than alcohol?
(Mark one response only)

- Yes, alcohol only ☐
- Yes, other drugs only ☐
- Yes, both alcohol and other drugs ☐
- No, neither alcohol nor other drugs ☐

Not asked Telephone

Y16. Did any of the drug-related incidents of physical abuse involve sexual abuse?

- Yes ☐
- No ☐
- Not relevant (not physically abused) ☐





Section Z – Lifestyle

- Z1. An injury is any physical harm to your body (e.g. cuts, bruises, breaks, burns, concussion, electric shocks, poisoning and suffocation, etc.). In the last 3 months, how many days of work, school, TAFE or university did you miss because of any illness or injury?**

(Please write your best estimate in whole days (e.g. 0, 1, 2, 10, etc.) in the boxes provided)

Number of days missed because of:

Injury:

Any illness:

Not applicable (don't work or study): ☐ (Skip to Z4)

- Z2. In the last 3 months, how many days of work, school, TAFE or university did you miss because of your own use of alcohol?**

(Please write your best estimate in whole days (e.g. 0, 1, 2, 10, etc.) in the boxes provided)

Number of days missed:

- Z3. In the last 3 months, how many days of work, school, TAFE or university did you miss because of your own use of drugs other than alcohol?**

(Please write your best estimate in whole days (e.g. 0, 1, 2, 10, etc.) in the boxes provided)

Number of days missed:

- Z4. Have you ever participated in a tobacco, alcohol or other drug treatment program to help you reduce or to quit your consumption?**

(Mark one response for each type of program)

	Yes, in the <u>last 12 months</u>	Yes, more than <u>12 months ago</u>	No
Telephone helplines (e.g. Quit, Lifeline)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Peer group community-based support (e.g. AA, NA, Smart Recovery)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Withdrawal management (detoxification-naltrexone)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Counselling	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Therapeutic community	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Online/Internet support	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Residential rehabilitation	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Information and education	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Opioid pharmacotherapy (e.g. Methadone maintenance)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Medications to help quit smoking (e.g. Zyban, Champix)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Medications to help with problem drinking	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

MALES SKIP TO SECTION YY ON PAGE 38

- Z5. At any stage in the last 12 months were you. . .?**
(Mark all that apply)

Pregnant ☐ } (Continue)
Breastfeeding ☐

Neither pregnant nor breastfeeding at any time in the past 12 months ☐ (Skip to Section YY on page 38)

- Z6a. For your most recent pregnancy, what date would you estimate that you fell pregnant?**

Please write in day, month, year format, e.g. 20 March 2019 would be written as:

Day

Month

Year

- Z6b. How many weeks pregnant were you when your most recent pregnancy was confirmed?**

Weeks

- Z7. Are you currently... ?**

Pregnant and breastfeeding ☐

Pregnant only ☐

Breastfeeding only ☐

Neither pregnant nor breastfeeding ☐

- Z8a. Was there any time in the last 12 months when you were pregnant but did not yet know you were pregnant?**

Yes ☐ (Continue)

No ☐ (Skip to Z8c on page 37)

Not applicable, was not pregnant in the last 12 months ☐ (Skip to Z8d on page 37)

- Z8b. At any time in the last 12 months when you were pregnant but did not yet know, did you use any of the following?**
(Mark all that apply)

Alcohol ☐

Tobacco ☐

Prescription Pain-killers/Pain-relievers and Opioids for non-medical use ☐

Marijuana/Cannabis ☐

Other Illicit drugs (e.g. Ecstasy, Cocaine, Hallucinogens) ☐

None of these ☐





Z8c. At any time in the last 12 months when you were pregnant, did you use any of the following after you knew you were pregnant?

(Mark all that apply)

Alcohol ☐

Tobacco ☐

Prescription Pain-killers/Pain-relievers and Opioids for non-medical use ☐

Marijuana/Cannabis ☐

Other Illicit drugs (e.g. Ecstasy, Cocaine, Hallucinogens) ☐

None of these ☐

Not applicable, was not pregnant in the last 12 months ☐

Z8d. At any time in the last 12 months when you were breastfeeding, did you use any of the following?

(Mark all that apply)

Alcohol ☐

Tobacco ☐

Prescription Pain-killers/Pain-relievers and Opioids for non-medical use ☐

Marijuana/Cannabis ☐

Other Illicit drugs (e.g. Ecstasy, Cocaine, Hallucinogens) ☐

None of these ☐

Not applicable, was not breastfeeding in the last 12 months ☐

Z9. In the last 12 months when you were pregnant, in general, did you drink more, less or the same amount of alcohol compared to when you were neither pregnant nor breastfeeding?

(Mark one response only)

More ☐

Less ☐

Same amount ☐

Don't drink alcohol ☐

(Continue)

Not applicable, was not pregnant in the last 12 months ☐ (Skip to Z10)

Z9a. In the last 12 months when you were pregnant, how often did you have a drink containing alcohol?

(Mark one response only)

Never ☐ (Skip to Z10)

Monthly or less ☐

Two to four times a month ☐

Two to three times per week ☐

Four or more times a week ☐

Z9b. In the last 12 months when you were pregnant, how many drinks containing alcohol did you have on a typical day when you were drinking?

(Mark one response only)

1 – 2 ☐

3 – 4 ☐

5 – 6 ☐

7 – 9 ☐

10 or more ☐

Z9c. In the last 12 months when you were pregnant, how often did you have six or more drinks on one occasion?

(Mark one response only)

Never ☐

Less than monthly ☐

Monthly ☐

Two or three times per week ☐

Four or more times a week ☐

Z10. In the last 12 months when you were breastfeeding, in general, did you drink more, less or the same amount of alcohol compared to when you were neither pregnant nor breastfeeding?

(Mark one response only)

More ☐

Less ☐

Same amount ☐

Don't drink alcohol ☐

Not applicable, was not breastfeeding in the last 12 months ☐

Z11. In the last 12 months when you were pregnant or breastfeeding did anyone advise you not to smoke?

Yes ☐ (Continue)

No ☐

Not applicable, don't smoke ☐ (Skip to Section YY on page 38)

Z12. Who advised you not to smoke?

(Mark all that apply)

Spouse or partner ☐

Parent/s ☐

Brother or sister ☐

Doctor or Specialist ☐

Nurse or Midwife ☐

Pharmacist ☐

Other ☐





Section YY – Policy Support

The next few questions are about how strongly you would support or oppose some policies.
Please use the scale below.

Strongly support	Support	Neither support nor oppose	Oppose	Strongly oppose	Don't know enough to say
------------------	---------	----------------------------	--------	-----------------	--------------------------

Not asked Telephone

YY1. Starting with the first set, to reduce the problems associated with excessive alcohol use, to what extent would you support or oppose. . . ?
(Mark one response in each row)

	Strongly support	Support	Neither support nor oppose	Oppose	Strongly oppose	Don't know enough to say
Increasing the price of alcohol	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
To have a minimum price for different alcoholic drinks. The price would be based on how much alcohol content is in each drink	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Reducing the number of outlets that sell alcohol	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Reducing trading hours for all pubs and clubs	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Serving only low alcohol drinks, such as low alcohol beer at sporting events or venues	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Increasing the number of alcohol-free zones or dry areas	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Raising the legal drinking age	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Stricter enforcement of the law against serving customers who are drunk	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
More severe legal penalties for drink driving	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Restricting late night trading of alcohol	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Strict monitoring of late night licensed premises	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Limiting advertising for alcohol on TV until after 9.30pm	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Banning alcohol sponsorship of sporting events	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Requiring information on national drinking guidelines on all alcohol containers	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Increasing the size of standard drink labels on alcohol containers	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Displaying health warnings on all alcoholic containers	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Increasing the tax on alcohol products to pay for health, education, and the cost of treating alcohol related problems	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Stricter enforcement of law against supplying minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Support for regulation of alcohol supply to minors on private premises	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>





Not asked Online or Telephone

YY2. Thinking now about the **problems** associated with **tobacco** use, to what extent would you support or oppose measures such as. . .?

(Mark one response in each row)

	Strongly support	Support	Neither support nor oppose	Oppose	Strongly oppose	Don't know enough to say
Stricter enforcement of the law against supplying cigarettes to customers who are under age	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Increasing the tax on tobacco products to pay for <u>health education</u> programs	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Increasing the tax on tobacco products to <u>contribute to the cost</u> of treating smoking related diseases	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Increasing the tax on tobacco products to <u>discourage</u> people from smoking	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Making it harder to buy tobacco in shops	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Implementing a national licensing scheme for tobacco retailers	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Stricter penalties for the sale or supply of tobacco products to those under 18 years of age	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Raising the legal age for sale or supply of tobacco products to those aged 21 years and over	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Banning all additives (e.g. flavouring) in cigarettes and other tobacco products, to make them less attractive to young people	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Restrictions on where and when electronic cigarettes can be advertised	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Restricting the use of electronic cigarettes in public places (similar to the current restrictions for cigarettes)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Prohibiting the sale of electronic cigarettes to people under 18 years of age	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Not asked Online or Telephone

YY3. Thinking now about **injecting drug use**, to what extent would you support or oppose measures such as. . .? Some examples of injectable drugs are Heroin, Speed and Ice.

(Mark one response in each row)

	Strongly support	Support	Neither support nor oppose	Oppose	Strongly oppose	Don't know enough to say
Needle and syringe programs	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<u>Regulated</u> injecting rooms	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Methadone/Buprenorphine maintenance programs	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Treatment with drugs other than methadone	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Trial of prescribed heroin	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Rapid detoxification therapy	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Voluntary use of Naltrexone, a drug that blocks the effects of heroin and other opiates/opioids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
The availability of take-home Naloxone, a drug that reverses the effects of a Heroin/ Methadone/Morphine overdose	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>





Not asked Telephone

YY4. Still using the same scale, and considering the following drugs, to what extent would you support or oppose the personal use of the following drugs being made legal. . . ?

(Mark one response in each row)

	Strongly support	Support	Neither support nor oppose	Oppose	Strongly oppose	Don't know enough to say
Marijuana/Cannabis	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heroin	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Meth/amphetamine (i.e. Speed, Ice, Crystal, Base)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cocaine	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ecstasy	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Not asked Telephone

YY5. To what extent would you support or oppose increased penalties for the sale or supply of the following drugs. . . ?

(Mark one response in each row)

	Strongly support	Support	Neither support nor oppose	Oppose	Strongly oppose	Don't know enough to say
Marijuana/Cannabis	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heroin	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Meth/amphetamine (i.e. Speed, Ice, Crystal, Base)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cocaine	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ecstasy	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

YY6. Thinking about the use of illicit drugs and harm minimisation, to what extent would you support or oppose measures such as... ?

(Mark one response in each row)

	Strongly support	Support	Neither support nor oppose	Oppose	Strongly oppose	Don't know enough to say
Allowing potential drug users to test their pills/drugs at designated sites. The test will inform them of the purity and the substances the drug contains	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Supervised drug consumption facilities/rooms	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

YY7. What drug and alcohol policies, if any, does your workplace, school or college have in place?

(Mark all that apply)

	Workplace	School/ College
Do not currently have a workplace	<input type="checkbox"/>	
Do not currently go to a school or college		<input type="checkbox"/>
A policy on alcohol use	<input type="checkbox"/>	<input type="checkbox"/>
A policy on drug use	<input type="checkbox"/>	<input type="checkbox"/>
No policy on alcohol or drug use	<input type="checkbox"/>	<input type="checkbox"/>
Unsure if an alcohol or drug policy exists	<input type="checkbox"/>	<input type="checkbox"/>
Drug testing	<input type="checkbox"/>	<input type="checkbox"/>
Alcohol testing	<input type="checkbox"/>	<input type="checkbox"/>
Provision of education or information concerning alcohol or drugs	<input type="checkbox"/>	<input type="checkbox"/>
Access to any type of assistance with alcohol or drug problems	<input type="checkbox"/>	<input type="checkbox"/>
Access to any type of assistance with quitting smoking	<input type="checkbox"/>	<input type="checkbox"/>
A ban on smoking in most or all outdoor areas within the grounds	<input type="checkbox"/>	<input type="checkbox"/>
None	<input type="checkbox"/>	<input type="checkbox"/>





YY8. For each of the following 3 drug categories, how would you allocate \$100 over the three areas of education, treatment and law enforcement.

Starting with alcohol, if you were given \$100 to spend on reducing misuse of alcohol, how much would you allocate to each of these areas?

(Enter whole dollars only)

Education (e.g. information services) \$

Treatment (e.g. counselling, therapy) \$

Law enforcement (e.g. stop illegal sale or use) \$

Check the total is: \$ **1** **0** **0**

YY9. And if you were given \$100 to spend on reducing the harm associated with tobacco use, how much would you allocate to each of these areas?

(Enter whole dollars only)

Education (e.g. information services) \$

Treatment (e.g. counselling, therapy) \$

Law enforcement (e.g. stop illegal sale or use) \$

Check the total is: \$ **1** **0** **0**

YY10. And if you were given \$100 to spend on reducing illicit drug use, how much would you allocate to each of these areas?

(Enter whole dollars only)

Education (e.g. information services) \$

Treatment (e.g. counselling, therapy) \$

Law enforcement (e.g. stop illegal sale or use) \$

Check the total is: \$ **1** **0** **0**

Section ZZ – Demographics

ZZ1. In which country were you born?

(Mark one response only)

Australia ☐ (Skip to ZZ3 on page 42)

China ☐

Germany ☐

Greece ☐

Hong Kong ☐

India ☐

Ireland (Republic of) ☐

Italy ☐

Lebanon ☐

Malaysia ☐

Malta ☐

Netherlands ☐

New Zealand ☐

Philippines ☐

Poland ☐

South Africa ☐

Turkey ☐

United Kingdom (England, Scotland, Wales, Northern Ireland) ☐

USA ☐

Vietnam ☐

Yugoslavia (The former) ☐

Other (Please write in):

☐

ZZ2. In what year did you first arrive in Australia to live here for one year or more?

Year:

Not applicable – will be in Australia for less than one year ☐

OFFICE USE ONLY





ALL PLEASE ANSWER

ZZ3. What is the main language spoken at home?
(Mark one response only)

- English ☐
Aboriginal and/or Torres Strait Islander languages ☐
Language other than English ☐

ZZ4. Do you think of yourself as. . . ?
(Mark one response only)

- Heterosexual or straight ☐
Homosexual (gay or lesbian) ☐
Bisexual ☐
Not sure; undecided ☐
Something else; other ☐

ZZ5a. Which of the following best describes your main current employment status?
(Mark one response only)

ZZ5b. What other categories, if any, also describe what you currently do?
(Mark all that apply)

- | | ZZ5a.
Main | ZZ5b.
Other |
|---|--------------------------|--------------------------|
| Self employed | <input type="checkbox"/> | <input type="checkbox"/> |
| Employed for wages, salary,
or payment in kind | <input type="checkbox"/> | <input type="checkbox"/> |
| Unemployed | <input type="checkbox"/> | <input type="checkbox"/> |
| Looking for work | <input type="checkbox"/> | <input type="checkbox"/> |
| Solely engaged in home duties | <input type="checkbox"/> | <input type="checkbox"/> |
| A student | <input type="checkbox"/> | <input type="checkbox"/> |
| Retired or on a pension | <input type="checkbox"/> | <input type="checkbox"/> |
| Volunteer/charity work | <input type="checkbox"/> | <input type="checkbox"/> |
| Unable to work | <input type="checkbox"/> | <input type="checkbox"/> |
| Other | <input type="checkbox"/> | <input type="checkbox"/> |
| No other | | <input type="checkbox"/> |

**If Self employed or employed in ZZ5a or ZZ5b,
skip to ZZ7.**

ZZ6. Have you ever been in paid work?

- Yes ☐ (Continue) No ☐ (Skip to ZZ9
on page 43)

ZZ7. What kind of work do you do (or did you do when you last worked)?

(Describe job in which you work(ed) most hours only)

Job title (Including award/Government classification if possible, e.g. secondary school teacher, metal engineering process worker, commercial property cleaner, registered nurse)

Main Duties/tasks

ZZ8. What kind of industry, business or service is carried out by your main employer (or employer when you last worked)?

Describe as fully as possible (e.g. plumbing services, footwear manufacturing, real estate agency, road freight transport, book retailing, dairy farming)

OFFICE USE ONLY

ANZSCO

ANZSIC





ALL PLEASE ANSWER

ZZ9. What is the highest year of primary or secondary school you have completed?
(Mark one response only)

- Did not go to school ☐ (Skip to ZZ11)
 Year 6 or below ☐
 Year 7 or equivalent ☐
 Year 8 or equivalent ☐
 Year 9 or equivalent ☐
 Year 10 or equivalent ☐
 Year 11 or equivalent ☐
 Year 12 or equivalent ☐

ZZ10. Are you still at school?

- Yes ☐
 No ☐

ALL PLEASE ANSWER

ZZ11. Have you completed a trade certificate or other educational qualification?

- Yes ☐
 No ☐ (Skip to ZZ13)

ZZ12. What is the highest qualification that you have obtained?
(Mark one response only)

- Certificate I or Certificate II ☐
 Certificate III or Certificate IV ☐
 Associate Diploma ☐
 Undergraduate Diploma ☐
 Bachelor Degree ☐
 Master's Degree, Postgraduate Degree or Postgraduate Diploma ☐
 Doctorate ☐



ALL PLEASE ANSWER

ZZ13. Which of the following groups would represent your personal annual income, before tax, from all sources?
(Mark one response only)

- \$156,000 or more (\$3,000 or more/week) ☐
 \$104,000 – \$155,999 (\$2,000 – \$2,999/week) ☐
 \$91,000 – \$103,999 (\$1,750 – \$1,999/week) ☐
 \$78,000 – \$90,999 (\$1,500 – \$1,749/week) ☐
 \$65,000 – \$77,999 (\$1,250 – \$1,499/week) ☐
 \$52,000 – \$64,999 (\$1,000 – \$1,249/week) ☐
 \$41,600 – \$51,999 (\$800 – \$999/week) ☐
 \$33,800 – \$41,599 (\$650 – \$799/week) ☐
 \$26,000 – \$33,799 (\$500 – \$649/week) ☐
 \$20,800 – \$25,999 (\$400 – \$499/week) ☐
 \$15,600 – \$20,799 (\$300 – \$399/week) ☐
 \$7,800 – \$15,599 (\$150 – \$299/week) ☐
 \$1 – \$7,799 (\$1 – \$149/week) ☐
 Nil Income ☐
 Negative Income ☐
 Prefer not to say ☐
 Don't know ☐

ZZ14. Which of the following groups would represent the combined household annual income, before tax, from all sources?
(Mark one response only)

- \$208,000 or more (\$4,000 or more/week) ☐
 \$156,000 – \$207,999 (\$3,000 – \$3,999/week) ☐
 \$104,000 – \$155,999 (\$2,000 – \$2,999/week) ☐
 \$91,000 – \$103,999 (\$1,750 – \$1,999/week) ☐
 \$78,000 – \$90,999 (\$1,500 – \$1,749/week) ☐
 \$65,000 – \$77,999 (\$1,250 – \$1,499/week) ☐
 \$52,000 – \$64,999 (\$1,000 – \$1,249/week) ☐
 \$41,600 – \$51,999 (\$800 – \$999/week) ☐
 \$33,800 – \$41,599 (\$650 – \$799/week) ☐
 \$26,000 – \$33,799 (\$500 – \$649/week) ☐
 \$20,800 – \$25,999 (\$400 – \$499/week) ☐
 \$15,600 – \$20,799 (\$300 – \$399/week) ☐
 \$7,800 – \$15,599 (\$150 – \$299/week) ☐
 \$1 – \$7,799 (\$1 – \$149/week) ☐
 Nil Income ☐
 Negative Income ☐
 Prefer not to say ☐
 Don't know ☐





ALL PLEASE ANSWER

ZZ15. Was anyone else present when you were completing this questionnaire?
(Mark all responses that apply)

- No ☐ (Skip to ZZ17)
- Spouse or partner ☐
- Parent(s) ☐
- Older relative (e.g. aunt, grandparent) ☐
- Child(ren) aged 0 – 5 ☐
- Child(ren) aged 6 – 17 ☐
- Child(ren) aged 18 or more ☐
- Friend/peer/close-age sibling
(brother or sister) ☐
- Neighbour ☐
- Other ☐

ZZ16. Did this affect the honesty with which you completed this questionnaire?
(Mark one response only)

- Yes – a great deal ☐
- Yes – somewhat ☐
- Yes – a little ☐
- Not at all ☐
- Don't know ☐

ZZ17. Did anyone else help you complete this questionnaire?
(Mark one response only)

- Yes – a great deal ☐
- Yes – somewhat ☐
- Yes – a little ☐
- No ☐

ZZ18. What is the postcode for this dwelling?

--	--	--	--	--

(If you are unsure of your postcode, please write in the name of the suburb or town where you live)

--



ALL PLEASE ANSWER

ZZ19. Which of the following does this household have?
(Mark all that apply. Please don't count business numbers or numbers ONLY used for the Internet or fax)

- A landline phone number listed in the White Pages ☐
- A landline phone number NOT listed in the White Pages ☐
- A landline phone number, I don't know if it is listed in the White Pages ☐
- A mobile phone number listed in the White Pages ☐
- A mobile phone number NOT listed in the White Pages ☐
- A mobile phone number, I don't know if it is listed in the White Pages ☐
- None of the above ☐

Not asked Online or Telephone

ZZ20. Please write the date that you completed this questionnaire below:

		/			/	2	0	1	9
Day			Month			Year			

Not asked Online or Telephone

ZZ21. How long did it take to complete this questionnaire?

Hours		Minutes	

NOW PLEASE TURN TO PAGE 45





Statistical Linkage Key

Please read this:

With your permission, we would like to collect some information from you so that your data from *this survey* and your data from *other government records* may be *linked* (i.e. combined) – but kept completely *confidential*. This data linking would only be for research purposes.

This linking would be done by using a 'Statistical Linkage Key', which is simply a group of *letters and numbers* that contains enough information to link records for statistical analysis, but cannot be used to identify anyone.

Answering this section is *optional and entirely voluntary*. It is also completely *confidential*. For more detail on confidentiality please see the information below.

To answer this section, please go to the next page.

Remember - Your confidentiality and privacy are protected

- Your actual name and other personal details will NOT be used at all in the linking of your survey data to other government records.
- No information from this survey will ever be added to any of your other government records.
- The linking of this data will only ever be used for statistical purposes. It will never be used for any legal, administrative or other purposes.
- Statistical reports will only contain combined information from many people and will not identify any individual.
- All your responses are treated confidentially. The research is carried out in compliance with the *Privacy Act 1988* and the information is used for research purposes only.
- The AIHW has specific legislation (Section 29 of the *AIHW Act 1987*) which prevents identifiable information about you from being released to anyone.

How to complete this:

To create the Statistical Linkage Key, we need a few specific letters from both your first name and your surname. Please print **ONLY** these letters in the boxes on the next page: the 2nd and 3rd letters of your first or given name, and the 2nd, 3rd and 5th letters of your surname (family name).

EXAMPLE ONLY:

e.g. if your name is DAVID JOHNSON you would write in:

Letters of given name:

	A	V				
--	---	---	--	--	--	--

Letters of family name:

	O	H		S		
--	---	---	--	---	--	--

If your name isn't long enough, use the number 2 for blank spaces.

e.g. if your name is JO LIU, you would write in:

Letters of given name:

	O	2				
--	---	---	--	--	--	--

Letters of family name:

	I	U		2		
--	---	---	--	---	--	--

Do not count hyphens, apostrophes or blank spaces.

e.g. if your name is JO-ANNE O'NEIL, you would write in:

Letters of given name:

	O	A				
--	---	---	--	--	--	--

Letters of family name:

	N	E		L		
--	---	---	--	---	--	--





Statistical Linkage Key continued

What is data linkage?

Data linkage refers to the bringing together of information from more than one source that relates to the same person. This allows researchers to tell a bigger story than analysing data from just one source. For example, comparing the data on women who received the HPV vaccination with data on women who developed cervical cancer provided strong evidence that overall, the vaccination was effective in reducing cervical cancer.

Consent

By completing this information:

- I consent to other government agencies and departments releasing to researchers information relating to me, for linking purposes only.
- I consent to researchers linking my responses with records of government agencies and departments relating to me, such as Medicare records and Emergency presentations.
- I understand that at no time will any information be released that publicly identifies me.

Please fill in the letters below using the example on the previous page.

Letters of given name:

	2nd	3rd				

Letters of family name:

	2nd	3rd		5th		

EXAMPLE ONLY:

Please also write in your date of birth, as shown below.
e.g. 20 June 1972 would be written as:

Date of birth:

D	D
2	0

 /

M	M
0	6

 /

Y	Y	Y	Y
1	9	7	2

Date of birth:

D	D

 /

M	M

 /

Y	Y	Y	Y

OFFICE USE ONLY

--	--	--	--	--	--





**Thank you for completing this questionnaire.
Your help is very much appreciated.**

