Table I1: Separations with specialised psychiatric care by marital status (a) and sex, States and Territories, (b) 2000-01

| Marital status | NSW ^(c) | Vic | Qld | WA | SA | Tas ^(c) | ACT | NT | Total |
|-----------------------------------|--------------------|--------|--------|--------|------------------------|--------------------|-------|-----|---------|
| | | | | | Males | | | | |
| Never married | 13,998 | 9,410 | 9,292 | 6,321 | 3,058 | 827 | 434 | 375 | 43,715 |
| Widowed | 1,188 | 388 | 206 | 100 | 127 | 13 | 15 | 3 | 2,040 |
| Divorced | 1,463 | 933 | 1,077 | 399 | 391 | 69 | 39 | 19 | 4,390 |
| Separated | 929 | 741 | 863 | 557 | 648 | 77 | 41 | 26 | 3,882 |
| Married (including de facto) | 8,006 | 4,805 | 6,319 | 2,750 | 891 | 306 | 190 | 75 | 23,342 |
| Not stated/inadequately described | 3,042 | 1,063 | 864 | 116 | 500 | 802 | 80 | 23 | 6,490 |
| Total males | 28,626 | 17,340 | 18,621 | 10,243 | 5,615 | 2,094 | 799 | 521 | 83,859 |
| | | | | | Females | | | | |
| Never married | 10,624 | 11,307 | 7,670 | 5,452 | 2,149 | 490 | 439 | 150 | 38,281 |
| Widowed | 1,597 | 1,709 | 1,214 | 482 | 502 | 76 | 46 | 5 | 5,631 |
| Divorced | 1,705 | 1,619 | 1,857 | 996 | 562 | 163 | 66 | 14 | 6,982 |
| Separated | 1,245 | 1,174 | 916 | 692 | 1,151 | 127 | 47 | 37 | 5,389 |
| Married (including de facto) | 7,229 | 10,447 | 7,735 | 4,633 | 1,391 | 383 | 287 | 82 | 32,187 |
| Not stated/inadequately described | 2,243 | 1,452 | 695 | 103 | 376 | 1,155 | 114 | 19 | 6,157 |
| Total females | 24,643 | 27,708 | 20,087 | 12,358 | 6,131 | 2,394 | 999 | 307 | 94,627 |
| | | | | F | Persons ^(d) | | | | |
| Never married | 24,622 | 20,717 | 16,962 | 11,773 | 5,207 | 1,317 | 873 | 526 | 81,997 |
| Widowed | 2,785 | 2,097 | 1,420 | 582 | 629 | 89 | 61 | 8 | 7,671 |
| Divorced | 3,168 | 2,552 | 2,934 | 1,395 | 953 | 232 | 105 | 33 | 11,372 |
| Separated | 2,174 | 1,915 | 1,779 | 1,249 | 1,799 | 204 | 88 | 63 | 9,271 |
| Married (including de facto) | 15,235 | 15,252 | 14,054 | 7,383 | 2,282 | 689 | 477 | 157 | 55,529 |
| Not stated/inadequately described | 5,285 | 2,515 | 1,559 | 219 | 876 | 1,957 | 194 | 42 | 12,647 |
| Total persons | 53,269 | 45,048 | 38,708 | 22,601 | 11,746 | 4,488 | 1,798 | 829 | 178,487 |

⁽a) Marital status was collected for separations with specialised psychiatric care only.

⁽b) Interpretation of differences between jurisdictions needs to be undertaken with care, as they may reflect different service delivery and admission practices, and/or differences in the types of establishment categorised as hospitals. Please refer to Box 3.2 for information.

⁽c) Data were not available for private hospitals for New South Wales and Tasmania.

⁽d) Includes separations for which sex was not reported.

Table I2: Mental health-related separations by country of birth, Australia, 2000-01

| _ | s | eparations | | | | Average length of | Psychiatric care days per |
|--|---------------|-------------------|----------------|--------------------|--------------------------|-------------------|---------------------------|
| Country of birth | Same day | y Overnight Total | | Patient days | Psychiatric care days | - | overnight separation |
| | | | With sp | ecialised ps | sychiatric car | е | |
| Australia Per 1,000 population ^(a) | 8,074 4.7 | 15,458 5.4 | 23,532 10.2 | 384,123 118.5 | 380,411 117.2 | 24.3 | 24.1 |
| Other English-speaking countries Per 1,000 population (a) | 5,844 2.8 | 7,291 3.7 | 13,135 6.5 | 137,762 64.7 | 135,847 63.8 | 18.1 | 17.8 |
| Non-English-speaking countries Per 1,000 population (a) | 65,553 2.5 | 76,267 4.9 | 141,820 7.4 | 1,629,556 117.2 | 1,611,784 116.1 | 20.5 | 20.3 |
| Total | 79,471 | 99,016 | 178,487 | 2,151,441 | 2,128,042 | 20.9 | 20.7 |
| | | | Without | specialised | psychiatric c | are | |
| Australia Per 1,000 population ^(a) | 4,016 1.6 | 6,605 3.9 | 10,621 5.5 | 68,429 36.9 | | 9.8 | |
| Other English-speaking countries Per 1,000 population (a) | 1,990 1.1 | 4,822 2.4 | 6,812 3.5 | 54,391 23.6 | | 10.9 | |
| Non-English-speaking countries Per 1,000 population (a) | 23,117 1.4 | 55,836 2.3 | 78,953 3.7 | 507,001 22.1 | | 8.7 | |
| Total | 29,123 | 67,263 | 96,386 | 629,821 | | 8.9 | |

⁽a) Rates are indirectly age-standardised based on the estimated resident population for 30 June 2000. . . Not applicable.

Table I3a: Patient days for overnight mental health-related separations with specialised psychiatric care for male patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2000–01

| | | Under 15 | | | | | | 65 and | |
|--------------------|--|-----------|--------------|-----------|----------|----------|---------|-----------|----------------------|
| Principal | diagnosis | years | 15–24 | 25-34 | 35–44 | 45–54 | 55–64 | over | Total ^(a) |
| F00-F03 | Dementia | 0 | 32 | 8 | 22 | 1,050 | 1,227 | 35,940 | 38,279 |
| F04-F09 | Other organic mental disorders | 0 | 926 | 2,411 | 6,885 | 2,825 | 1,532 | 4,222 | 18,801 |
| F10 | Mental and behavioural disorders due to use of alcohol | 1 | 1,199 | 2,789 | 6,426 | 17,064 | 12,179 | 12,649 | 52,307 |
| F11-F19 | Mental and behav disorders due to other psychoactive substances use | 83 | 13,613 | 10,758 | 4,281 | 1,192 | 242 | 237 | 30,406 |
| F20 | Schizophrenia | 137 | 85,519 | 174,999 | 85,005 | 68,694 | 13,091 | 18,131 | 445,576 |
| F21, F24, | Schizotypal and other delusional disorders | 132 | 5,794 | 4,439 | 1,944 | 3,949 | 178 | 799 | 17,235 |
| F28-F29 | | | | | | | | | |
| F22 | Persistent delusional disorders | 0 | 1,100 | 2,069 | 1,742 | 2,058 | 668 | 2,421 | 10,058 |
| F23 | Acute and transient psychotic disorders | 179 | 4,564 | 3,189 | 1,669 | 794 | 381 | 486 | 11,262 |
| F25 | Schizoaffective disorders | 8 | 8,688 | 15,482 | 10,815 | 7,539 | 2,403 | 3,763 | 48,698 |
| F30 | Manic episode | 0 | 1,542 | 1,572 | 910 | 836 | 316 | 1,705 | 6,881 |
| F31 | Bipolar affective disorders | 117 | 10,217 | 15,878 | 15,403 | 12,830 | 7,570 | 10,203 | 72,218 |
| F32 | Depressive episode | 716 | 7,223 | 11,746 | 14,444 | 17,282 | 11,293 | 21,646 | 84,350 |
| F33 | Recurrent depressive disorders | 8 | 1,619 | 2,877 | 4,432 | 7,063 | 4,734 | 9,373 | 30,106 |
| F34 | Persistent mood (affective) disorders | 65 | 832 | 1,133 | 1,381 | 986 | 313 | 514 | 5,224 |
| F38, F39 | Other and unspecified mood (affective) disorders | 1 | 128 | 121 | 59 | 240 | 18 | 0 | 567 |
| F40 | Phobic anxiety disorders | 0 | 154 | 76 | 99 | 76 | 42 | 190 | 637 |
| F41 | Other anxiety disorders | 373 | 792 | 1,506 | 1,233 | 1,337 | 1,069 | 1,246 | 7,556 |
| F42 | Obsessive-compulsive disorders | 264 | 533 | 632 | 455 | 275 | 306 | 0 | 2,465 |
| F43 | Reaction to severe stress and adjustment disorders | 711 | 4,637 | 7,905 | 7,923 | 14,482 | 6,886 | 3,158 | 45,702 |
| F44 | Dissociative (conversion) disorders | 57 | 125 | 60 | 124 | 80 | 35 | 155 | 636 |
| F45,F48 | Somatoform and other neurotic disorders | 32 | 76 | 63 | 116 | 274 | 22 | 226 | 809 |
| F50 | Eating disorders | 279 | 721 | 525 | 58 | 12 | 0 | 8 | 1,603 |
| F51-F59 | Other behav syndromes associated w phys dist & phys factors | 0 | 8 | 90 | 14 | 68 | 24 | 46 | 250 |
| F60 | Specific personality disorders | 35 | 1,952 | 4,716 | 2,847 | 908 | 410 | 529 | 11,397 |
| F60-F69 | Disorders of adult personality and behaviour | 27 | 262 | 626 | 324 | 241 | 149 | 183 | 1,812 |
| F70-F79 F80-F89 | Mental retardation | 28 510 | 2,819 | 587 | 2,048 | 1,183 | 214 | 883 13 | 7,762 |
| F90 | Disorders of pscychological development Hyperkinetic disorders | 1,203 | 1,184 334 | 131 72 | 218 7 | 234 0 | 10 0 | 0 | 2,300 1,616 |
| F90 F91 | Conduct disorders | 2,520 | 537 | 72 87 | 7 19 | 15 | 113 | 134 | 3,425 |
| F92-F98 | Other & unspec disorders w onset childhood adolescence | 1,045 | 144 | 30 | 51 | 77 | 0 | 0 | 1,347 |
| F92-F96 F99 | Mental disorder not otherwise specified | 1,045 | 21 | 19 | 28 | 20 | 1 | 227 | 316 |
| G30 | Alzheimers disease | 0 | 0 | 0 | 0 | 200 | 1,172 | 14,784 | 16,156 |
| G30 G47 | Sleep disorders | 0 | 103 | 1 | 0 | 200 | 2 | 14,704 | 10,130 |
| R44 | Other symptoms & signs involving general sensations and perceptions | 12 | 22 | 8 | 3 | 7 | 0 | 8 | 60 |
| R45 | Symptoms & signs involving emotional state | 0 | 26 | 19 | 36 | 0 | 8 | 38 | 127 |
| 1145 | Other factors related to mental and behavioural disorders ^(b) | 825 | 127 | 187 | 319 | 115 | 48 | 15 | 1,636 |
| | | | | | | | | | |
| | Other factors related to substance use ^(c) | 0 | 0 | 2 | 0 | 7 | 0 | 0 | 9 |
| | Other ^(d) | 250 | 6,180 | 16,276 | 14,831 | 9,725 | 10,603 | 27,456 | 85,321 |
| | Not reported | 1 | 2,688 | 3,426 | 18,361 | 3,367 | 14,977 | 3,715 | 46,535 |
| | Total ^(a) | 9,619 | 166,441 | 286,515 | 204,532 | 177,107 | 92,236 | 175,104 | 1,111,554 |

⁽a) Includes separations for which sex and/or age were not reported.

Note: Abbreviations; behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg—pregnancy, child—childbirth, puerp—puerperium.

⁽b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

⁽c) Includes Z50.2, Z50.3, Z71.4, Z71.5.

⁽d) All other codes not included in the mental health principal diagnosis as listed in Appendix 3.

Table I3b: Patient days for mental health-related overnight separations without specialised psychiatric care for male patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2000-01

| | | Under 15 | | | | | | 65 and | |
|-----------|--|----------|--------|--------|--------|--------|--------|---------|----------------------|
| Principal | diagnosis | years | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | over | Total ^(a) |
| F00-F03 | Dementia | 3 | 0 | 17 | 78 | 235 | 5,429 | 63,174 | 68.936 |
| F04-F09 | Other organic mental disorders | 60 | 117 | 144 | 316 | 418 | 827 | 14,388 | 16,270 |
| F10 | Mental and behavioural disorders due to use of alcohol | 101 | 1,274 | 5,028 | 10,396 | 10,981 | 6,456 | 7,827 | 42,063 |
| F11-F19 | Mental and behav disorders due to other psychoactive substances use | 65 | 5,759 | 8,006 | 4,604 | 1,226 | 302 | 391 | 20,353 |
| F20 | Schizophrenia | 2 | 1,359 | 1,986 | 1,194 | 510 | 448 | 785 | 6,284 |
| F21, F24, | Schizotypal and other delusional disorders | 23 | 169 | 123 | 82 | 49 | 71 | 325 | 842 |
| F28-F29 | | | | | | | | | |
| F22 | Persistent delusional disorders | 1 | 52 | 61 | 61 | 40 | 87 | 657 | 959 |
| F23 | Acute and transient psychotic disorders | 20 | 187 | 182 | 245 | 86 | 15 | 336 | 1,071 |
| F25 | Schizoaffective disorders | 0 | 106 | 424 | 338 | 98 | 31 | 386 | 1,383 |
| F30 | Manic episode | 16 | 49 | 25 | 35 | 46 | 61 | 213 | 445 |
| F31 | Bipolar affective disorders | 21 | 326 | 396 | 627 | 879 | 712 | 1,329 | 4,290 |
| F32 | Depressive episode | 202 | 1,032 | 1,900 | 3,035 | 2,688 | 1,949 | 9,971 | 20,777 |
| F33 | Recurrent depressive disorders | 19 | 276 | 292 | 1,067 | 1,320 | 1,883 | 2,137 | 6,994 |
| F34 | Persistent mood (affective) disorders | 23 | 74 | 124 | 110 | 89 | 35 | 175 | 630 |
| F38, F39 | Other and unspecified mood (affective) disorders | 3 | 15 | 15 | 4 | 17 | 17 | 52 | 123 |
| F40 | Phobic anxiety disorders | 12 | 2 | 3 | 8 | 15 | 15 | 7 | 62 |
| F41 | Other anxiety disorders | 56 | 246 | 657 | 819 | 905 | 959 | 2,858 | 6,500 |
| F42 | Obsessive-compulsive disorders | 4 | 2 | 51 | 5 | 48 | 4 | 232 | 346 |
| F43 | Reaction to severe stress and adjustment disorders | 79 | 521 | 1,420 | 1,680 | 6,898 | 3,266 | 1,220 | 15,084 |
| F44 | Dissociative (conversion) disorders | 159 | 235 | 101 | 160 | 163 | 131 | 853 | 1,802 |
| F45,F48 | Somatoform and other neurotic disorders | 114 | 155 | 62 | 89 | 41 | 70 | 186 | 717 |
| F50 | Eating disorders | 85 | 342 | 42 | 21 | 17 | 31 | 23 | 561 |
| F51-F59 | Other behav syndromes associated w phys dist & phys factors | 4,200 | 14 | 29 | 54 | 29 | 81 | 117 | 4,524 |
| F60 | Specific personality disorders | 5 | 150 | 207 | 257 | 117 | 45 | 79 | 860 |
| F60-F69 | Disorders of adult personality and behaviour | 25 | 22 | 201 | 228 | 81 | 101 | 352 | 1,010 |
| F70-F79 | Mental retardation | 21 | 27 | 22 | 58 | 51 | 47 | 5 | 231 |
| F80-F89 | Disorders of pscychological development | 623 | 48 | 0 | 1 | 27 | 5 | 8 | 712 |
| F90 | Hyperkinetic disorders | 131 | 19 | 0 | 0 | 11 | 0 | 0 | 161 |
| F91 | Conduct disorders | 485 | 44 | 22 | 59 | 46 | 38 | 136 | 830 |
| F92-F98 | Other & unspec disorders w onset childhood adolescence | 690 | 60 | 1 | 3 | 4 | 61 | 0 | 819 |
| F99 | Mental disorder not otherwise specified | 0 | 67 | 29 | 14 | 2 | 2 | 3 | 117 |
| G30 | Alzheimers disease | 0 | 0 | 0 | 0 | 100 | 701 | 15,433 | 16,234 |
| G47 | Sleep disorders | 7,877 | 22 | 60 | 104 | 115 | 120 | 192 | 8,490 |
| R44 | Other symptoms & signs involving general sensations and perceptions | 9 | 10 | 32 | 15 | 36 | 46 | 502 | 650 |
| R45 | Symptoms & signs involving emotional state | 67 | 31 | 22 | 54 | 16 | 1 | 218 | 409 |
| R48 | Dyslexia and other symbolic dysfunctions, not elsewhere classified | 0 | 0 | 0 | 0 | 42 | 0 | 105 | 147 |
| | Other factors related to mental and behavioural disorders ^(b) | 119 | 97 | 238 | 155 | 11 | 4 | 93 | 717 |
| | Other factors related to substance use ^(c) | 0 | 41 | 98 | 118 | 69 | 32 | 146 | 504 |
| | Total ^(a) | 15,320 | 12,950 | 22,020 | 26,094 | 27,526 | 24,083 | 124,914 | 252,907 |

Note: Abbreviations; behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg-pregnancy, child-childbirth, puerp-puerperium.

⁽a) Includes separations for which sex and/or age were not reported. (b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

⁽c) Includes Z50.2, Z50.3, Z71.4, Z71.5.

Table I4a: Patient days for overnight mental health-related separations with specialised psychiatric care for female patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2000-01

| | | Under 15 | | | | | | 65 and | |
|--------------|--|----------|---------|---------|---------|---------|---------|---------|----------------------|
| Principal of | diagnosis | years | 15–24 | 25-34 | 35-44 | 45–54 | 55–64 | over | Total ^(a) |
| F00-F03 | Dementia | 0 | 0 | 74 | 325 | 6,196 | 7,123 | 27,188 | 40,906 |
| F04-F09 | Other organic mental disorders | 23 | 430 | 853 | 4,695 | 3,493 | 1,127 | 5,524 | 16,145 |
| F10 | Mental and behavioural disorders due to use of alcohol | 1 | 881 | 2,658 | 4,111 | 4,438 | 9,396 | 1,807 | 23,292 |
| F11-F19 | Mental and behav disorders due to other psychoactive substances use | 42 | 6,713 | 5,710 | 3,547 | 990 | 395 | 338 | 17,735 |
| F20 | Schizophrenia | 128 | 22,136 | 43,179 | 42,537 | 26,950 | 23,212 | 26,468 | 184,610 |
| F21, F24, | Schizotypal and other delusional disorders | 146 | 3,559 | 2,792 | 1,501 | 1,109 | 202 | 1,092 | 10,401 |
| F28-F29 | | | - | • | | • | | | |
| F22 | Persistent delusional disorders | 0 | 416 | 1,304 | 1,674 | 1,628 | 1,229 | 3,856 | 10,107 |
| F23 | Acute and transient psychotic disorders | 184 | 2,507 | 3,204 | 1,984 | 1,091 | 498 | 1,032 | 10,500 |
| F25 | Schizoaffective disorders | 150 | 5,700 | 13,091 | 18,184 | 10,333 | 6,912 | 9,027 | 63,397 |
| F30 | Manic episode | 30 | 1,042 | 1,084 | 1,017 | 1,106 | 543 | 1,572 | 6,394 |
| F31 | Bipolar affective disorders | 58 | 8,994 | 18,899 | 21,351 | 19,721 | 20,494 | 27,636 | 117,153 |
| F32 | Depressive episode | 1,408 | 14,691 | 22,672 | 26,282 | 23,769 | 14,389 | 45,587 | 148,798 |
| F33 | Recurrent depressive disorders | 108 | 4,012 | 8,049 | 14,850 | 16,989 | 8,920 | 26,311 | 79,239 |
| F34 | Persistent mood (affective) disorders | 116 | 2,123 | 2,285 | 1,877 | 2,296 | 563 | 810 | 10,070 |
| F38, F39 | Other and unspecified mood (affective) disorders | 3 | 107 | 109 | 148 | 186 | 209 | 290 | 1,052 |
| F40 | Phobic anxiety disorders | 50 | 431 | 269 | 380 | 245 | 75 | 259 | 1,709 |
| F41 | Other anxiety disorders | 435 | 1,322 | 1,991 | 2,627 | 3,048 | 2,367 | 4,698 | 16,488 |
| F42 | Obsessive-compulsive disorders | 151 | 703 | 806 | 748 | 773 | 288 | 456 | 3,925 |
| F43 | Reaction to severe stress and adjustment disorders | 1,082 | 9,067 | 10,578 | 10,074 | 5,622 | 2,069 | 2,592 | 41,084 |
| F44 | Dissociative (conversion) disorders | 156 | 821 | 1,670 | 1,807 | 1,758 | 309 | 80 | 6,601 |
| F45,F48 | Somatoform and other neurotic disorders | 222 | 103 | 136 | 340 | 257 | 166 | 461 | 1,685 |
| F50 | Eating disorders | 1,835 | 16,516 | 6,408 | 2,174 | 752 | 118 | 187 | 27,990 |
| F51-F59 | Other behav syndromes associated w phys dist & phys factors | 20 | 547 | 4,105 | 1,575 | 57 | 23 | 0 | 6,327 |
| F60 | Specific personality disorders | 339 | 7,305 | 8,447 | 7,356 | 2,699 | 628 | 1,295 | 28,069 |
| F60-F69 | Disorders of adult personality and behaviour | 0 | 375 | 295 | 502 | 237 | 93 | 21 | 1,523 |
| F70-F79 | Mental retardation | 74 | 172 | 703 | 258 | 1,009 | 1,021 | 129 | 3,366 |
| F80-F89 | Disorders of pscychological development | 136 | 222 | 359 | 45 | 7 | 8 | 0 | 777 |
| F90 | Hyperkinetic disorders | 88 | 129 | 0 | 0 | 0 | 15 | 0 | 232 |
| F91 | Conduct disorders | 562 | 578 | 43 | 72 | 166 | 0 | 49 | 1,470 |
| F92-F98 | Other & unspec disorders w onset childhood adolescence | 473 | 327 | 21 | 5 | 0 | 0 | 0 | 826 |
| F99 | Mental disorder not otherwise specified | 2 | 211 | 69 | 9 | 92 | 15 | 153 | 551 |
| G30 | Alzheimers disease | 0 | 0 | 0 | 0 | 224 | 1,132 | 15,431 | 16,787 |
| G47 | Sleep disorders | 5 | 0 | 23 | 25 | 1 | 0 | 0 | 54 |
| O99.3 | Mental disorders & dis of the nerv sys complic preg, child & puerp | 0 | 208 | 742 | 353 | 17 | 0 | 0 | 1,320 |
| R44 | Other symptoms & signs involving general sensations and perceptions | 0 | 42 | 10 | 3 | 0 | 0 | 55 | 110 |
| R45 | Symptoms & signs involving emotional state | 0 | 20 | 15 | 1 | 7 | 0 | 0 | 43 |
| | Other factors related to mental and behavioural disorders ^(b) | 642 | 124 | 459 | 454 | 116 | 13 | 5 | 1,813 |
| | Other factors related to substance use ^(c) | 0 | 0 | 0 | 0 | 0 | 11 | 0 | 11 |
| | Other ^(d) | 328 | 3,920 | 6,099 | 10,970 | 10,122 | 5,047 | 14,892 | 51,378 |
| | Not reported | 4 | 488 | 1,017 | 635 | 460 | 456 | 3,410 | 6,470 |
| | Total ^(a) | 9,001 | 116,942 | 170,228 | 184,496 | 147,964 | 109,066 | 222,711 | 960,408 |

⁽a) Includes separations for which sex and/or age were not reported.
(b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

⁽c) Includes Z50.2, Z50.3, Z71.4, Z71.5.

⁽d) All other codes not included in the mental health principal diagnosis as listed in Appendix 3.

Table I4b: Patient days for mental health-related overnight separations without specialised psychiatric care for female patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2000–01

| Principal d | liagnosis | | | | | | | | |
|----------------|--|--------|----------|------------|------------|-----------|------------|------------|----------------------|
| E00 E02 | nagnoolo | years | 15–24 | 25-34 | 35–44 | 45-54 | 55-64 | over | Total ^(a) |
| FUU-FU3 | Dementia | 0 | 6 | 12 | 11 | 335 | 3,298 | 84,149 | 87,811 |
| F04-F09 | Other organic mental disorders | 40 | 43 | 126 | 211 | 627 | 988 | 25,585 | 27,620 |
| F10 | Mental and behavioural disorders due to use of alcohol | 113 | 856 | 2,360 | 4,826 | 4,425 | 2,519 | 2,516 | 17,615 |
| F11-F19 | Mental and behav disorders due to other psychoactive substances use | 63 | 3,161 | 4,202 | 3,114 | 1,013 | 526 | 883 | 12,962 |
| F20 | Schizophrenia | 14 | 480 | 1,058 | 1,010 | 1,002 | 548 | 3,975 | 8,087 |
| F21, F24, | Schizotypal and other delusional disorders | 83 | 151 | 151 | 112 | 78 | 148 | 520 | 1,243 |
| F28-F29 F22 | Persistent delusional disorders | 7 | 37 | 52 | 33 | 93 | 115 | 1,814 | 2,151 |
| F23 | | 20 | 170 | 405 | 200 | 93 190 | 182 | 672 | 1,839 |
| F25 F25 | Acute and transient psychotic disorders Schizoaffective disorders | 0 | 170 | 405 292 | 200 587 | 534 | 162 665 | 672 475 | 2,745 |
| F25 F30 | Manic episode | 0 | 192 | 292 61 | 120 | 80 | 111 | 475 326 | 2,745 706 |
| F31 | Bipolar affective disorders | 56 | o 275 | 796 | 1,071 | 1,064 | 871 | 3,148 | 7,281 |
| F32 | Depressive episode | 441 | 2,602 | 4,681 | 6,531 | 4,910 | 2,952 | 17,957 | 40,074 |
| F33 | Recurrent depressive disorders | 58 | 480 | 1,787 | 2,856 | 3,027 | 1,393 | 4,124 | 13,725 |
| F34 | Persistent mood (affective) disorders | 0 | 212 | 320 | 309 | 3,027 | 216 | 212 | 1,597 |
| F38, F39 | Other and unspecified mood (affective) disorders | 3 | 8 | 320 | 40 | 40 | 18 | 139 | 280 |
| F40 | Phobic anxiety disorders | 48 | 4 | 58 | 31 | 80 | 11 | 149 | 381 |
| F41 | Other anxiety disorders | 90 | 869 | 2,565 | 2,463 | 2,408 | 1,791 | 9,875 | 20,061 |
| F42 | Obsessive-compulsive disorders | 15 | 32 | 2,303 | 2,403 | 18 | 38 | 42 | 198 |
| F43 | Reaction to severe stress and adjustment disorders | 146 | 1,024 | 2,525 | 2,089 | 1,676 | 535 | 960 | 8,955 |
| F44 | Dissociative (conversion) disorders | 366 | 459 | 499 | 448 | 427 | 302 | 844 | 3,345 |
| F45,F48 | Somatoform and other neurotic disorders | 130 | 434 | 234 | 267 | 304 | 231 | 622 | 2,222 |
| F50 | Eating disorders | 4,306 | 8,170 | 1,020 | 586 | 319 | 42 | 363 | 14,806 |
| F51-F59 | Other behav syndromes associated w phys dist & phys factors | 2,996 | 659 | 2,520 | 733 | 23 | 1 | 102 | 7,034 |
| F60 | Specific personality disorders | 32 | 425 | 501 | 546 | 415 | 133 | 1,545 | 3,597 |
| F60-F69 | Disorders of adult personality and behaviour | 26 | 48 | 140 | 146 | 142 | 123 | 119 | 744 |
| F70-F79 | Mental retardation | 29 | 18 | 98 | 93 | 19 | 102 | 519 | 878 |
| F80-F89 | Disorders of pscychological development | 123 | 11 | 2 | 35 | 30 | 3 | 73 | 277 |
| F90 | Hyperkinetic disorders | 11 | 0 | 2 | 4 | 0 | 0 | 0 | 17 |
| F91 | Conduct disorders | 307 | 23 | 12 | 6 | 46 | 1 | 230 | 625 |
| F92-F98 | Other & unspec disorders w onset childhood adolescence | 504 | 8 | 4 | 1 | 0 | 0 | 0 | 517 |
| F99 | Mental disorder not otherwise specified | 1 | 5 | 2 | 8 | 8 | 22 | 31 | 77 |
| G30 | Alzheimers disease | 0 | 0 | 0 | 30 | 183 | 1,065 | 38,434 | 39,712 |
| G47 | Sleep disorders | 5,659 | 123 | 1,028 | 466 | 116 | 63 | 169 | 7,624 |
| O99.3 | Mental disorders & dis of the nerv sys complic preg, child & puerp | 6 | 2,479 | 3,825 | 1,151 | 2 | 0 | 0 | 7,463 |
| R44 | Other symptoms & signs involving general sensations and perceptions | 24 | 9 | 34 | 28 | 17 | 11 | 623 | 746 |
| R45 | Symptoms & signs involving emotional state | 40 | 14 | 25 | 8 | 16 | 45 | 158 | 306 |
| R48 | Dyslexia and other symbolic dysfunctions, not elsewhere classified | 0 | 0 | 0 | 0 | 0 | 0 | 38 | 38 |
| | Other factors related to mental and behavioural disorders ^(b) | 112 | 400 | 348 | 89 | 5 | 2 | 51 | 1,007 |
| | Other factors related to substance use ^(c) | 0 | 50 | 21 | 51 | 51 | 0 | 1,249 | 1,422 |
| | Total ^(a) | 15,869 | 23,945 | 31,815 | 30,346 | 24,051 | 19,071 | 202,691 | 347,788 |

⁽a) Includes separations for which sex and/or age were not reported.

⁽b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

⁽c) Includes Z50.2, Z50.3, Z71.4, Z71.5.

Table I5: Psychiatric care days for overnight mental health-related separations with specialised psychiatric care for male patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2000-01

| | | Under 15 | | | | | | 65 and | |
|-----------|--|----------|---------|---------|---------|---------|--------|---------|----------------------|
| Principal | diagnosis | years | 15–24 | 25-34 | 35–44 | 45-54 | 55-64 | over | Total ^(a) |
| F00-F03 | Dementia | 0 | 32 | 8 | 22 | 1,050 | 1,213 | 35,699 | 38,024 |
| F04-F09 | Other organic mental disorders | 0 | 915 | 2,382 | 6,871 | 2,798 | 1,369 | 4,145 | 18,480 |
| F10 | Mental and behavioural disorders due to use of alcohol | 1 | 1,196 | 2,765 | 6,340 | 16,972 | 12,112 | 12,585 | 51,971 |
| F11-F19 | Mental and behav disorders due to other psychoactive substances use | 82 | 13,505 | 10,661 | 4,238 | 1,184 | 240 | 237 | 30,147 |
| F20 | Schizophrenia | 137 | 85,261 | 173,519 | 84,334 | 68,532 | 12,951 | 17,961 | 442,695 |
| F21, F24, | Schizotypal and other delusional disorders | 132 | 5,758 | 4,397 | 1,914 | 3,931 | 178 | 791 | 17,101 |
| F28-F29 | · · | | | • | | | | | |
| F22 | Persistent delusional disorders | 0 | 1,098 | 2,064 | 1,727 | 2,042 | 663 | 2,377 | 9,971 |
| F23 | Acute and transient psychotic disorders | 179 | 4,520 | 3,173 | 1,662 | 791 | 376 | 486 | 11,187 |
| F25 | Schizoaffective disorders | 8 | 8,368 | 15,415 | 10,725 | 7,536 | 2,337 | 3,012 | 47,401 |
| F30 | Manic episode | 0 | 1,540 | 1,571 | 887 | 831 | 316 | 1,693 | 6,838 |
| F31 | Bipolar affective disorders | 117 | 10,174 | 15,815 | 15,238 | 12,632 | 7,528 | 10,129 | 71,633 |
| F32 | Depressive episode | 714 | 7,173 | 11,612 | 14,336 | 17,030 | 11,120 | 21,021 | 83,006 |
| F33 | Recurrent depressive disorders | 8 | 1,615 | 2,795 | 4,409 | 6,961 | 4,714 | 9,142 | 29,644 |
| F34 | Persistent mood (affective) disorders | 65 | 831 | 1,121 | 1,374 | 982 | 313 | 471 | 5,157 |
| F38, F39 | Other and unspecified mood (affective) disorders | 1 | 120 | 119 | 59 | 238 | 18 | 0 | 555 |
| F40 | Phobic anxiety disorders | 0 | 148 | 76 | 99 | 76 | 42 | 169 | 610 |
| F41 | Other anxiety disorders | 373 | 788 | 1,503 | 1,225 | 1,337 | 1,066 | 1,216 | 7,508 |
| F42 | Obsessive-compulsive disorders | 263 | 532 | 632 | 455 | 270 | 306 | 0 | 2,458 |
| F43 | Reaction to severe stress and adjustment disorders | 701 | 4,604 | 7,862 | 7,818 | 14,441 | 6,849 | 3,049 | 45,324 |
| F44 | Dissociative (conversion) disorders | 57 | 119 | 58 | 124 | 72 | 35 | 155 | 620 |
| F45,F48 | Somatoform and other neurotic disorders | 32 | 76 | 63 | 113 | 273 | 22 | 43 | 622 |
| F50 | Eating disorders | 252 | 721 | 506 | 58 | 12 | 0 | 8 | 1,557 |
| F51-F59 | Other behav syndromes associated w phys dist & phys factors | 0 | 8 | 90 | 14 | 68 | 23 | 46 | 249 |
| F60 | Specific personality disorders | 35 | 1,934 | 4,651 | 2,834 | 893 | 400 | 525 | 11,272 |
| F60-F69 | Disorders of adult personality and behaviour | 27 | 257 | 614 | 321 | 240 | 145 | 183 | 1,787 |
| F70-F79 | Mental retardation | 28 | 2,819 | 583 | 2,033 | 1,183 | 214 | 883 | 7,743 |
| F80-F89 | Disorders of pscychological development | 510 | 1,184 | 131 | 218 | 234 | 10 | 13 | 2,300 |
| F90 | Hyperkinetic disorders | 1,199 | 334 | 72 | 7 | 0 | 0 | 0 | 1,612 |
| F91 | Conduct disorders | 2,481 | 525 | 84 | 19 | 15 | 113 | 134 | 3,371 |
| F92-F98 | Other & unspec disorders w onset childhood adolescence | 1,045 | 144 | 30 | 51 | 77 | 0 | 0 | 1,347 |
| F99 | Mental disorder not otherwise specified | 0 | 21 | 19 | 28 | 20 | 1 | 227 | 316 |
| G30 | Alzheimers disease | 0 | 0 | 0 | 0 | 200 | 787 | 14,742 | 15,729 |
| G47 | Sleep disorders | 0 | 103 | 1 | 0 | 2 | 2 | 1 | 109 |
| R44 | Other symptoms & signs involving general sensations and perceptions | 12 | 22 | 8 | 3 | 7 | 0 | 8 | 60 |
| R45 | Symptoms & signs involving emotional state | 0 | 26 | 19 | 36 | 0 | 8 | 34 | 123 |
| | Other factors related to mental and behavioural disorders ^(b) | 825 | 126 | 187 | 319 | 115 | 48 | 15 | 1,635 |
| | Other factors related to substance use ^(c) | 0 | 0 | 2 | 0 | 7 | 0 | 0 | 9 |
| | Other ^(d) | 250 | 6,007 | 15,836 | 14,526 | 9,401 | 10,398 | 26,620 | 83,038 |
| | Not reported | 1 | 2,683 | 3,419 | 18,357 | 3,366 | 14,976 | 3,712 | 46,514 |
| | Total ^(a) | 9,535 | 165,287 | 283,863 | 202,794 | 175,819 | 90,893 | 171,532 | 1,099,723 |

Note: Abbreviations; behav—behavioural, unspec—unspecified, w—with, phys—physical, dist—disturbances, dis—diseases, nerv sys—nervous system, complic—complicating, preg-pregnancy, child-childbirth, puerp-puerperium.

⁽a) Includes separations for which sex and/or age were not reported. (b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0. (c) Includes Z50.2, Z50.3, Z71.4, Z71.5.

⁽d) All other codes not included in the mental health principal diagnosis as listed in Appendix 3.

Table I6: Psychiatric care days for overnight mental health-related separations with specialised psychiatric care for female patients, by principal diagnosis in ICD-10-AM groupings and age group, Australia, 2000-01

| | | Under 15 | | | | | | 65 and | |
|-----------------|--|----------|---------|---------|---------|---------|---------|---------|----------------------|
| Principal | diagnosis | years | 15–24 | 25-34 | 35-44 | 45–54 | 55–64 | over | Total ^(a) |
| F00-F03 | Dementia | 0 | 0 | 74 | 325 | 6,196 | 7,122 | 26,942 | 40,659 |
| F04-F09 | Other organic mental disorders | 23 | 429 | 842 | 4,686 | 3,487 | 1,065 | 5,319 | 15,851 |
| F10 | Mental and behavioural disorders due to use of alcohol | 1 | 877 | 2,650 | 4,064 | 4,417 | 9,374 | 1,805 | 23,188 |
| F11-F19 | Mental and behav disorders due to other psychoactive substances use | 42 | 6,663 | 5,668 | 3,530 | 978 | 391 | 335 | 17,607 |
| F20 | Schizophrenia | 128 | 22,101 | 43,074 | 42,385 | 26,708 | 23,182 | 26,192 | 183,770 |
| F21, F24, | Schizotypal and other delusional disorders | 146 | 3,549 | 2,782 | 1,494 | 1,107 | 201 | 1,076 | 10,355 |
| F28-F29 | ,, | | • | • | , | • | | • | • |
| F22 | Persistent delusional disorders | 0 | 413 | 1,303 | 1,666 | 1,621 | 1,226 | 3,832 | 10,061 |
| F23 | Acute and transient psychotic disorders | 180 | 2,501 | 3,155 | 1,966 | 1,086 | 496 | 1,024 | 10,408 |
| F25 | Schizoaffective disorders | 150 | 5,684 | 13,073 | 18,123 | 10,304 | 6,871 | 8,971 | 63,176 |
| F30 | Manic episode | 30 | 1,041 | 1,079 | 1,009 | 1,092 | 543 | 1,540 | 6,334 |
| F31 | Bipolar affective disorders | 58 | 8,919 | 18,737 | 21,201 | 19,592 | 20,418 | 27,370 | 116,295 |
| F32 | Depressive episode | 1,393 | 14,565 | 22,294 | 26,127 | 23,604 | 14,203 | 44,756 | 146,942 |
| F33 | Recurrent depressive disorders | 108 | 3,998 | 7,988 | 14,682 | 16,906 | 8,802 | 25,991 | 78,475 |
| F34 | Persistent mood (affective) disorders | 116 | 2,095 | 2,257 | 1,870 | 2,291 | 561 | 809 | 9,999 |
| F38, F39 | Other and unspecified mood (affective) disorders | 3 | 89 | 109 | 148 | 186 | 209 | 258 | 1,002 |
| F40 | Phobic anxiety disorders | 50 | 429 | 250 | 380 | 243 | 75 | 259 | 1,686 |
| F41 | Other anxiety disorders | 435 | 1,310 | 1,983 | 2,609 | 3,002 | 2,363 | 4,625 | 16,327 |
| F42 | Obsessive-compulsive disorders | 151 | 673 | 753 | 748 | 772 | 288 | 456 | 3,841 |
| F43 | Reaction to severe stress and adjustment disorders | 1,082 | 9,007 | 10,426 | 10,012 | 5,550 | 2,040 | 2,574 | 40,691 |
| F44 | Dissociative (conversion) disorders | 156 | 808 | 1,662 | 1,788 | 1,749 | 309 | 80 | 6,552 |
| F45,F48 | Somatoform and other neurotic disorders | 222 | 102 | 136 | 338 | 217 | 165 | 413 | 1,593 |
| F50 | Eating disorders | 1,826 | 16,349 | 6,253 | 2,158 | 752 | 113 | 187 | 27,638 |
| F51-F59 | Other behav syndromes associated w phys dist & phys factors | 9 | 539 | 4,092 | 1,562 | 57 | 23 | 0 | 6,282 |
| F60 | Specific personality disorders | 339 | 7,211 | 8,351 | 7,278 | 2,687 | 593 | 1,295 | 27,754 |
| F60-F69 | Disorders of adult personality and behaviour | 0 | 375 | 274 | 499 | 236 | 93 | 21 | 1,498 |
| F70-F79 | Mental retardation | 74 | 172 | 703 | 258 | 1,006 | 1,019 | 129 | 3,361 |
| F80-F89 | Disorders of pscychological development | 136 | 196 | 358 | 45 | 7 | 8 | 0 | 750 |
| F90 | Hyperkinetic disorders | 88 | 129 | 0 | 0 | 0 | 15 | 0 | 232 |
| F91 | Conduct disorders | 560 | 578 | 43 | 72 | 166 | 0 | 49 | 1,468 |
| F92-F98 | Other & unspec disorders w onset childhood adolescence | 473 | 321 | 21 | 5 | 0 | 0 | 0 | 820 |
| F99 | Mental disorder not otherwise specified | 2 | 211 | 69 | 9 | 92 | 15 | 153 | 551 |
| G30 | Alzheimers disease | 0 | 0 | 0 | 0 | 224 | 1,118 | 14,976 | 16,318 |
| G47 | Sleep disorders | 5 | 0 | 23 | 25 | 1 | 0 | 0 | 54 |
| O99.3 | Mental disorders & dis of the nerv sys complic preg, child & puerp | 0 | 196 | 725 | 343 | 17 | 0 | 0 | 1,281 |
| R44 | Other symptoms & signs involving general sensations and perceptions | 0 | 42 | 9 | 3 | 0 | 0 | 55 | 109 |
| R45 | Symptoms & signs involving emotional state | 0 | 20 | 15 | 1 | 7 | 0 | 0 | 43 |
| | Other factors related to mental and behavioural disorders ^(b) | 642 | 123 | 459 | 454 | 116 | 13 | 5 | 1,812 |
| | Other factors related to substance use ^(c) | 0 | 0 | 0 | 0 | 0 | 11 | 0 | 11 |
| | Other ^(d) | 320 | 3,689 | 5,810 | 10,331 | 9,720 | 4,854 | 12,860 | 47,584 |
| | Not reported | 4 | 488 | 1,010 | 635 | 460 | 455 | 3,410 | 6,462 |
| (a) In alread a | Total ^(a) | 8,952 | 115,892 | 168,510 | 182,829 | 146,656 | 108,234 | 217,767 | 948,840 |

⁽a) Includes separations for which sex and/or age were not reported.
(b) Includes Z00.4, Z03.2, Z04.6, Z09.3, Z13.3, Z54.3, Z61.9, Z63.1, Z63.8, Z63.9, Z65.8, Z65.9, Z76.0.

⁽c) Includes Z50.2, Z50.3, Z71.4, Z71.5.

⁽d) All other codes not included in the mental health principal diagnosis as listed in Appendix 3.

Table I7: Mental health-related separations with specialised psychiatric care by previous specialised treatment status and hospital type, Australia, 2000–01

| | Public | acute | Priv | /ate | Public psychiatric | | All hospitals | | |
|---|----------|-----------|----------|-----------|--------------------|-----------|---------------|-----------|---------|
| | Same day | Overnight | Same day | Overnight | Same day | Overnight | Same day | Overnight | Total |
| Patient has no previous admissions or service contacts for the specialised treatment now being provided | 1,630 | 10,880 | 913 | 3,957 | 210 | 2,042 | 2,753 | 16,879 | 19,632 |
| Patient has previous hospital admission but no service contacts for the specialised treatment now being provided | 1,812 | 9,346 | 20,292 | 5,005 | 1,228 | 2,937 | 23,332 | 17,288 | 40,620 |
| Patient has previous service contact but no hospital admission for the specialised treatment now being provided | 1,008 | 3,442 | 224 | 798 | 6 | 221 | 1,238 | 4,461 | 5,699 |
| Patient has both previous hospital admissions and service contacts for the specialised treatment now being provided | 6,210 | 12,399 | 12,145 | 4,102 | 46 | 2,288 | 18,401 | 18,789 | 37,190 |
| Not reported | 9,892 | 26,261 | 22,229 | 8,599 | 1,626 | 6,739 | 33,747 | 41,599 | 75,346 |
| Total | 20,552 | 62,328 | 55,803 | 22,461 | 3,116 | 14,227 | 79,471 | 99,016 | 178,487 |