

Table 9.14: Separations^(a) for the 30 ICD-10-AM procedure blocks with the highest number of separations, private hospitals, states and territories, 2002–03

Procedure block	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Total
1910 Cerebral anaesthesia	446,033	346,219	318,943	146,099	108,377	n.p.	n.p.	n.p.	1,425,622
1916 Generalised allied health interventions	91,091	79,367	63,873	21,963	31,946	n.p.	n.p.	n.p.	298,967
1909 Conduction anaesthesia	69,065	55,673	53,968	31,545	15,568	n.p.	n.p.	n.p.	240,356
905 Fiberoptic colonoscopy	54,729	44,617	40,073	10,986	10,839	n.p.	n.p.	n.p.	165,887
1008 Panendoscopy with excision	52,241	40,693	40,772	14,993	7,594	n.p.	n.p.	n.p.	159,862
1780 Chemotherapy administration	26,634	41,787	39,921	16,145	13,056	n.p.	n.p.	n.p.	142,914
911 Fiberoptic colonoscopy with excision	40,291	30,173	29,385	15,992	6,503	n.p.	n.p.	n.p.	125,439
1060 Haemodialysis	20,144	17,389	32,733	20,351	14,254	n.p.	n.p.	n.p.	104,899
197 Extracapsular crystalline lens extraction by phacoemulsification	36,192	18,942	21,435	8,602	6,725	n.p.	n.p.	n.p.	97,374
1620 Excision of lesion of skin and subcutaneous tissue	27,400	18,815	23,666	8,903	10,014	n.p.	n.p.	n.p.	93,554
458 Surgical removal of tooth	19,894	18,463	14,081	9,603	5,159	n.p.	n.p.	n.p.	69,678
1893 Transfusion of blood and gamma globulin	14,401	18,384	18,996	6,510	7,004	n.p.	n.p.	n.p.	68,185
1885 Injection or infusion of therapeutic or prophylactic substance	8,229	12,904	23,494	7,438	3,091	n.p.	n.p.	n.p.	56,740
1912 Postprocedural analgesia	18,284	7,358	11,411	10,958	5,366	n.p.	n.p.	n.p.	55,373
1005 Panendoscopy	10,042	18,523	11,099	2,872	4,671	n.p.	n.p.	n.p.	48,483
668 Coronary angiography	15,742	11,646	11,333	3,696	3,353	n.p.	n.p.	n.p.	47,743
1267 Evacuation of gravid uterus	11,697	15,538	14,220	3,844	809	n.p.	n.p.	n.p.	46,776
1265 Curettage of uterus	14,464	13,090	7,560	4,293	2,882	n.p.	n.p.	n.p.	44,257
607 Examination procedures on bladder	12,713	10,389	9,962	3,473	3,111	n.p.	n.p.	n.p.	41,253
1089 Examination procedures on ventricle	11,742	9,549	9,028	5,310	3,184	n.p.	n.p.	n.p.	41,031
1259 Examination procedures on uterus	10,307	9,999	6,437	3,263	2,832	n.p.	n.p.	n.p.	34,510
1890 Therapeutic interventions on cardiovascular system	2,091	6,811	17,072	1,282	1,038	n.p.	n.p.	n.p.	28,986
1517 Psychological/psychosocial therapies	7,869	7,288	4,625	3,288	4,253	n.p.	n.p.	n.p.	28,754
1873 Arthroscopic meniscectomy of knee with repair	15,212	1,359	11,331	537	309	n.p.	n.p.	n.p.	28,750
1340 Caesarean section	7,575	6,376	6,459	3,697	1,871	n.p.	n.p.	n.p.	27,348
1297 Procedures for reproductive medicine	9,111	6,806	6,268	1,331	1,137	n.p.	n.p.	n.p.	26,082
1333 Analgesia and anaesthesia during labour and caesarean section	7,304	5,899	4,320	3,762	2,305	n.p.	n.p.	n.p.	24,521
990 Sleep study	7,944	5,501	5,081	2,626	1,797	n.p.	n.p.	n.p.	24,264
1828 Repair of inguinal hernia	8,430	6,724	4,629	785	2,511	n.p.	n.p.	n.p.	24,205
1334 Medical or surgical induction of labour	6,472	5,931	4,475	2,963	1,667	n.p.	n.p.	n.p.	22,910
Other	497,782	382,859	362,599	196,458	157,387	n.p.	n.p.	n.p.	1,674,380
No procedure or not reported	40,415	73,975	56,964	30,105	25,506	n.p.	n.p.	n.p.	243,001
Total^(b)	708,976	651,106	602,165	280,598	211,711	n.p.	n.p.	n.p.	2,562,801

(a) Separations for which the care type was reported as *Newborn* with no qualified days, and records for *Hospital boarders* and *Posthumous organ procurement* have been excluded.

(b) As more than one procedure can be reported for each separation, the totals are not the sums of the rows of the table.

n.p. Not published.

Table 9.15: Average length of stay (days) for the 30 ICD-10-AM procedure blocks with the highest number of separations ^(a), public hospitals, states and territories, 2002–03

Procedure block	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Total
1910 Cerebral anaesthesia	4.1	3.3	3.6	3.6	3.5	4.6	4.2	4.3	3.6
1916 Generalised allied health interventions	11.5	11.4	10.8	11.9	11.7	12.0	11.1	11.4	11.3
1060 Haemodialysis	1.3	1.2	1.2	1.3	1.3	1.2	1.2	1.2	1.2
1909 Conduction anaesthesia	5.3	4.5	4.7	4.7	4.3	6.0	4.5	5.6	4.8
1893 Transfusion of blood and gamma globulin	11.1	9.3	9.6	10.1	8.8	11.3	12.7	11.5	10.0
1885 Injection or infusion of therapeutic or prophylactic substance	8.3	6.7	8.1	8.4	5.1	5.8	6.4	7.1	7.2
1780 Chemotherapy administration	7.2	1.7	1.9	1.9	2.0	2.1	1.9	1.5	2.2
1952 Computerised tomography of brain	11.0	9.2	9.8	13.5	14.3	10.9	13.4	9.3	10.6
1008 Panendoscopy with excision	3.5	2.9	2.9	3.0	3.5	5.7	2.9	4.0	3.2
905 Fiberoptic colonoscopy	2.7	2.6	2.4	2.1	2.5	3.4	2.6	2.5	2.5
1620 Excision of lesion of skin and subcutaneous tissue	2.9	2.0	1.9	2.4	1.8	2.1	1.9	2.6	2.2
1912 Postprocedural analgesia	8.5	9.4	8.5	8.3	9.3	10.5	9.3	10.4	8.8
911 Fiberoptic colonoscopy with excision	2.8	2.5	2.6	2.1	2.6	3.2	2.4	2.4	2.6
1344 Postpartum suture	3.4	3.3	2.9	3.7	3.5	4.1	3.2	4.0	3.3
1334 Medical or surgical induction of labour	4.1	3.7	3.5	4.2	4.3	4.5	4.4	5.0	3.9
197 Extracapsular crystalline lens extraction by phacoemulsification	1.1	1.1	1.1	1.1	1.1	1.1	1.0	1.3	1.1
738 Venous catheterisation	19.9	20.1	18.3	21.7	19.9	17.1	18.6	19.5	19.4
1340 Caesarean section	5.6	5.4	4.6	5.8	5.9	5.4	6.4	6.5	5.3
1265 Curettage of uterus	1.2	1.1	1.2	1.3	1.2	1.4	1.3	1.3	1.2
1335 Medical or surgical augmentation of labour	3.4	3.4	2.9	3.8	3.6	4.4	3.7	4.2	3.3
668 Coronary angiography	6.4	5.2	4.3	3.8	3.8	4.9	2.6	7.4	5.0
1963 Computerised tomography of abdomen and pelvis	11.3	10.5	10.4	12.6	12.7	13.2	10.7	10.5	11.0
1005 Panendoscopy	7.4	5.0	5.9	6.1	5.1	10.1	7.8	7.0	6.0
1333 Analgesia and anaesthesia during labour and caesarean section	4.5	4.4	3.8	4.5	4.5	4.8	4.8	5.2	4.3
1267 Evacuation of gravid uterus	1.2	1.1	1.2	1.1	1.1	1.1	1.1	1.1	1.1
1089 Examination procedures on bladder	2.8	2.3	2.4	3.0	2.0	2.6	3.0	3.7	2.5
607 Examination procedures on ventricle	5.9	4.9	3.8	3.6	3.4	5.1	2.5	7.5	4.6
1962 Computerised tomography of abdomen	10.1	8.1	9.6	11.3	11.8	9.9	12.0	8.6	9.7
569 Examination procedures on uterus	18.4	19.4	18.9	25.3	21.7	18.2	19.8	16.2	19.3
1259 Continuous ventilatory support	1.2	1.1	1.2	1.1	1.1	1.3	1.3	1.3	1.1
Total^(a)	4.4	3.7	3.9	3.9	4.1	4.4	3.4	3.0	4.0

(a) Separations for which the care type was reported as *Newborn* with no qualified days, and records for *Hospital boarders* and *Posthumous organ procurement* have been excluded.

Table 9.16: Average length of stay (days) for the 30 ICD-10-AM procedure blocks with the highest number of separations ^(a), private hospitals, states and territories, 2002–03

Procedure block	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Total
1910 Cerebral anaesthesia	1.9	2.2	2.2	2.3	2.3	n.p.	n.p.	n.p.	2.1
1916 Generalised allied health interventions	8.7	10.0	9.4	11.7	7.8	n.p.	n.p.	n.p.	9.4
1909 Conduction anaesthesia	3.1	4.2	3.7	3.6	3.1	n.p.	n.p.	n.p.	3.6
905 Fiberoptic colonoscopy	1.2	1.3	1.4	1.5	1.5	n.p.	n.p.	n.p.	1.3
1008 Panendoscopy with excision	1.2	1.4	1.7	1.6	1.6	n.p.	n.p.	n.p.	1.5
1780 Chemotherapy administration	1.2	1.5	1.6	1.4	1.5	n.p.	n.p.	n.p.	1.4
911 Fiberoptic colonoscopy with excision	1.2	1.3	1.5	1.4	1.6	n.p.	n.p.	n.p.	1.3
1060 Haemodialysis	1.2	1.3	1.2	1.0	1.2	n.p.	n.p.	n.p.	1.2
197 Extracapsular crystalline lens extraction by phacoemulsification	1.0	1.0	1.0	1.1	1.0	n.p.	n.p.	n.p.	1.0
1620 Excision of lesion of skin and subcutaneous tissue	1.5	1.5	1.5	1.7	1.3	n.p.	n.p.	n.p.	1.5
458 Surgical removal of tooth	1.0	1.0	1.1	1.0	1.1	n.p.	n.p.	n.p.	1.0
1893 Transfusion of blood and gamma globulin	9.6	8.8	8.0	9.5	9.0	n.p.	n.p.	n.p.	8.9
1885 Injection or infusion of therapeutic or prophylactic substance	4.7	4.2	3.2	3.9	4.4	n.p.	n.p.	n.p.	3.8
1912 Postprocedural analgesia	6.9	8.5	7.6	8.0	6.6	n.p.	n.p.	n.p.	7.5
1005 Panendoscopy	1.9	1.9	2.9	3.3	2.3	n.p.	n.p.	n.p.	2.3
668 Coronary angiography	2.5	3.4	4.0	3.1	3.6	n.p.	n.p.	n.p.	3.2
1267 Evacuation of gravid uterus	1.0	1.0	1.0	1.0	1.0	n.p.	n.p.	n.p.	1.0
1265 Curettage of uterus	1.1	1.1	1.2	1.2	1.2	n.p.	n.p.	n.p.	1.1
607 Examination procedures on bladder	2.5	3.3	3.8	2.9	3.4	n.p.	n.p.	n.p.	3.1
1089 Examination procedures on ventricle	1.7	2.0	2.0	2.4	1.9	n.p.	n.p.	n.p.	2.0
1259 Examination procedures on uterus	1.1	1.1	1.1	1.2	1.1	n.p.	n.p.	n.p.	1.1
1890 Therapeutic interventions on cardiovascular system	2.8	1.7	1.4	3.1	3.2	n.p.	n.p.	n.p.	1.7
1517 Psychological/psychosocial therapies	1.1	1.1	1.2	1.2	1.2	n.p.	n.p.	n.p.	1.1
1873 Arthroscopic meniscectomy of knee with repair	5.7	8.2	2.6	8.7	10.5	n.p.	n.p.	n.p.	4.7
1340 Caesarean section	6.1	6.0	5.7	7.0	6.9	n.p.	n.p.	n.p.	6.2
1297 Procedures for reproductive medicine	1.0	1.0	1.0	1.0	1.0	n.p.	n.p.	n.p.	1.0
1333 Analgesia and anaesthesia during labour and caesarean section	5.1	5.1	5.0	5.7	5.6	n.p.	n.p.	n.p.	5.3
990 Sleep study	1.7	1.7	1.5	1.8	1.9	n.p.	n.p.	n.p.	1.7
1828 Repair of inguinal hernia	1.1	1.1	1.1	1.2	1.0	n.p.	n.p.	n.p.	1.1
1334 Medical or surgical induction of labour	4.9	4.9	4.7	5.3	5.6	n.p.	n.p.	n.p.	5.0
Total^(a)	2.7	2.8	2.8	2.8	2.8	n.p.	n.p.	n.p.	2.8

(a) Separations for which the care type was reported as *Newborn* with no qualified days, and records for *Hospital boarders* and *Posthumous organ procurement* have been excluded.
n.p. Not published.

Table 9.17: Separations^(a) for males for the 30 ICD-10-AM procedure blocks with the highest number of separations, by age group, all hospitals, Australia, 2002-03

Procedure block	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Total ^(b)
1910 Cerebral anaesthesia	10,088	43,929	71,380	90,544	99,377	129,568	161,101	184,659	176,796	137,001	25,585	1,130,043
1916 Generalised allied health interventions	9,570	6,230	11,544	24,493	29,976	35,450	46,270	65,730	89,516	103,714	39,796	462,295
1060 Haemodialysis	3	367	382	8,113	23,684	42,097	62,371	83,146	109,314	78,606	5,908	413,991
1909 Conduction anaesthesia	2,940	2,550	3,449	7,354	9,815	15,106	23,936	38,502	50,903	50,573	11,457	216,585
1780 Chemotherapy administration	117	1,541	2,771	2,693	3,976	7,469	19,110	36,074	39,098	18,302	1,228	132,379
1008 Panendoscopy with excision	180	686	1,529	4,213	8,894	14,852	20,335	22,017	19,083	13,577	2,384	107,750
1893 Transfusion of blood and gamma globulin	1,583	1,301	3,060	3,317	3,816	5,745	9,749	16,937	24,881	27,475	9,097	106,963
905 Fiberoptic colonoscopy	7	29	123	1,536	5,729	14,144	22,408	24,370	20,443	13,455	2,097	104,344
1885 Injection or infusion of therapeutic or prophylactic substance	15,272	2,792	4,848	3,808	4,414	6,869	10,443	13,165	14,414	11,189	2,363	89,578
911 Fiberoptic colonoscopy with excision	28	94	456	1,937	4,516	9,193	16,913	22,518	19,978	12,246	1,512	89,392
1620 Excision of lesion of skin and subcutaneous tissue	215	701	1,736	2,136	3,458	6,474	10,609	14,323	15,888	18,012	5,177	78,729
1952 Computerised tomography of brain	800	1,342	2,286	5,522	5,687	5,884	6,480	8,451	12,230	15,979	6,527	71,188
668 Extracapsular crystalline lens extraction by phacoemulsification	42	44	65	125	544	3,039	9,928	16,008	16,534	10,140	853	57,322
197 Coronary angiography	0	10	17	69	139	575	2,530	7,068	17,293	24,294	5,099	57,095
607 Examination procedures on ventricle	66	67	62	94	446	2,450	8,257	13,223	13,344	7,875	638	46,522
1089 Examination procedures on bladder	103	176	327	577	1,229	2,278	4,455	8,052	11,370	11,162	2,696	42,425
1912 Postprocedural analgesia	185	254	1,143	2,853	2,992	3,572	5,432	8,875	10,055	6,148	836	42,345
1005 Panendoscopy	19	120	208	1,183	2,678	4,543	6,602	7,699	7,984	7,241	1,716	39,994
990 Repair of inguinal hernia	1,527	1,920	1,445	1,688	2,836	4,378	6,408	7,470	6,407	4,353	711	39,144
458 Surgical removal of tooth	4	564	3,055	15,902	7,270	3,364	2,018	1,432	787	544	110	35,050
738 Venous catheterisation	2,735	389	633	1,251	1,609	2,233	3,554	5,350	6,403	5,016	922	30,096
1890 Therapeutic interventions on cardiovascular system	88	202	721	709	953	1,691	4,337	7,482	7,164	3,610	355	27,313
1963 Computerised tomography of abdomen and pelvis	15	55	392	1,464	2,200	2,752	3,493	4,089	4,810	4,777	1,378	25,425
1566 Excision procedures on other musculoskeletal sites	36	500	1,139	3,096	3,420	3,646	3,777	3,445	2,587	1,923	510	24,080
1828 Sleep study	105	233	276	364	1,505	3,663	5,839	5,184	2,590	1,303	75	21,137
412 Tonsillectomy or adenoidectomy	40	7,300	9,129	2,399	1,057	554	203	91	64	17	2	20,856
1517 Arthroscopic meniscectomy of knee with repair	0	0	43	1,095	2,267	4,048	5,555	4,592	2,202	766	47	20,615
1554 Other application, insertion or removal procedures on other musculoskeletal sites	27	336	2,197	4,644	4,263	3,326	2,431	1,614	956	559	146	20,499
1165 Transurethral prostatectomy	0	0	0	0	3	37	618	3,801	7,307	6,858	1,531	20,155
309 Myringotomy	690	10,409	6,943	300	182	310	340	361	294	183	37	20,049
Other	49,338	47,899	87,163	113,283	135,815	172,840	212,714	256,664	265,742	218,423	49,657	1,609,559
<i>Procedure reported</i>	<i>42,845</i>	<i>56,827</i>	<i>93,410</i>	<i>136,509</i>	<i>177,132</i>	<i>249,166</i>	<i>341,839</i>	<i>434,566</i>	<i>481,957</i>	<i>398,801</i>	<i>87,488</i>	<i>2,500,561</i>
No procedure or not reported	38,010	45,886	37,593	47,313	57,463	61,410	65,396	68,993	73,058	75,058	26,475	596,673
Total^(c)	80,855	102,713	131,003	183,822	234,595	310,576	407,235	503,559	555,015	473,859	113,963	3,097,234

(a) Separations for which the care type was reported as *Newborn* with no qualified days, and records for *Hospital boarders* and *Posthumous organ procurement* have been excluded.

(b) Includes separations for which age was not reported.

(c) As more than one procedure can be reported for each separation, the totals are not the sums of the rows of the table.

Table 9.18: Separations^(a) for females for the 30 ICD-10-AM procedure blocks with the highest number of separations, by age group, all hospitals, Australia, 2002–03

Procedure block	<1	1–4	5–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85+	Total ^(b)
1910 Cerebral anaesthesia	4,780	27,525	51,776	121,265	176,470	204,374	213,484	193,676	172,286	148,037	39,754	1,353,431
1916 Generalised allied health interventions	7,955	5,050	9,083	32,492	65,460	47,833	47,101	58,565	83,705	129,453	79,882	566,583
1060 Haemodialysis	2	4	566	4,492	14,126	23,571	47,573	61,288	85,249	49,703	2,232	288,806
1909 Conduction anaesthesia	259	494	1,570	16,158	55,615	29,474	20,946	27,643	39,193	47,685	15,483	254,521
1780 Chemotherapy administration	99	1,257	1,942	1,842	4,842	17,124	33,635	39,247	29,940	14,390	1,122	145,440
905 Fiberoptic colonoscopy	2	12	84	2,585	7,332	17,690	30,069	30,508	24,653	16,550	3,351	132,836
1008 Panendoscopy with excision	129	475	1,512	6,239	10,484	17,954	26,407	25,864	21,026	16,089	3,901	130,080
1893 Transfusion of blood and gamma globulin	1,188	901	2,144	3,552	6,299	7,432	9,336	13,282	19,560	26,865	13,788	104,347
1885 Injection or infusion of therapeutic or prophylactic substance	12,002	2,211	3,710	4,855	7,248	10,437	14,031	16,124	15,281	12,791	3,795	102,485
911 Fiberoptic colonoscopy with excision	14	67	361	3,166	5,803	10,242	16,843	19,577	17,363	11,878	2,093	87,410
1265 Curettage of uterus	0	1	34	5,689	18,234	24,716	22,228	9,274	3,866	1,591	246	85,879
197 Extracapsular crystalline lens extraction by phacoemulsification	0	3	18	43	144	575	2,361	7,550	24,585	38,728	9,732	83,739
1267 Evacuation of gravid uterus	0	0	186	26,340	34,448	17,608	560	13	9	2	0	79,166
1344 Postpartum suture	0	0	41	14,356	46,613	12,259	61	3	0	1	0	73,334
1620 Excision of lesion of skin and subcutaneous tissue	177	636	1,955	2,797	4,714	8,104	11,303	11,244	10,485	12,484	5,732	69,631
1340 Caesarean section	0	0	16	9,037	43,432	16,643	132	1	0	0	0	69,261
1334 Medical or surgical induction of labour	0	0	35	13,164	42,676	11,768	82	0	0	0	0	67,725
1912 Postprocedural analgesia	150	240	865	4,248	14,908	11,145	8,685	8,799	9,544	7,453	1,415	67,452
1952 Computerised tomography of brain	551	1,011	1,317	3,013	3,708	4,508	5,440	6,182	9,389	18,111	12,156	65,386
1259 Examination procedures on uterus	0	0	35	3,421	13,274	17,905	17,412	6,867	2,829	1,176	205	63,124
1333 Analgesia and anaesthesia during labour and caesarean section	0	0	36	11,081	37,898	9,924	42	1	0	0	0	58,983
1335 Medical or surgical augmentation of labour	0	0	32	13,659	34,313	8,149	25	0	0	0	0	56,179
458 Surgical removal of tooth	0	431	3,796	24,783	9,775	3,848	2,444	1,312	719	561	174	47,843
1005 Panendoscopy	19	95	145	1,443	2,696	4,978	7,785	8,929	8,507	8,376	2,792	45,765
965 Cholecystectomy	1	2	91	2,178	5,403	6,107	6,510	5,626	3,824	2,250	438	32,430
1343 Other procedures associated with delivery	0	0	25	5,970	20,989	5,209	32	2	1	0	0	32,229
1089 Examination procedures on bladder	47	159	293	575	1,580	3,764	6,151	6,272	5,843	4,708	1,102	30,494
1297 Procedures for reproductive medicine	0	0	0	379	12,872	16,196	549	0	0	1	0	29,997
668 Coronary angiography	31	46	32	42	215	1,127	3,866	7,044	9,237	7,401	729	29,771
986 Division of abdominal adhesions	34	19	101	1,664	5,301	6,894	5,345	3,439	2,635	1,959	548	27,939
Other	34,642	45,643	76,954	137,690	256,675	260,199	270,911	256,926	240,980	227,232	77,440	1,885,299
<i>Procedure reported</i>	<i>28,415</i>	<i>37,123</i>	<i>68,610</i>	<i>210,024</i>	<i>400,483</i>	<i>365,063</i>	<i>384,196</i>	<i>394,322</i>	<i>412,510</i>	<i>383,129</i>	<i>135,781</i>	<i>2,819,667</i>
No procedure or not reported	31,569	35,365	28,665	93,954	139,679	88,059	66,506	59,010	62,591	82,530	48,682	736,627
Total^(c)	59,984	72,488	97,275	303,978	540,162	453,122	450,702	453,332	475,101	465,659	184,463	3,556,294

(a) Separations for which the care type was reported as *Newborn* with no qualified days, and records for *Hospital boarders* and *Posthumous organ procurement* have been excluded.

(b) Includes separations for which age was not reported.

(c) As more than one procedure can be reported for each separation, the totals are not the sums of the rows of the table.

Table 9.19: Procedure^(a) statistics in ICD-10-AM chapters, by Indigenous status^(b), all hospitals, Australia, 2002–03

Procedure block	Count of procedures			Procedures per 1,000 population ^(c)			
	Indigenous	Non-Indigenous	Procedures for patients identified as Indigenous (%)	Indigenous	Non-Indigenous	Rate ratio ^(d)	
1–86	Procedures on nervous system	2,040	174,852	0.8	6.4	8.9	0.7
110–129	Procedures on endocrine system	98	11,260	0.0	0.3	0.6	0.5
160–256	Procedures on eye and adnexa	1,907	230,006	0.8	8.2	11.6	0.7
300–333	Procedures on ear and mastoid process	1,624	57,287	0.7	4.3	3.0	1.4
370–422	Procedures on nose, mouth and pharynx	1,579	175,313	0.6	4.1	9.1	0.5
450–490	Dental services	6,857	311,769	2.8	21.9	16.4	1.3
520–569	Procedures on respiratory system	5,017	167,552	2.1	18.8	8.5	2.2
600–767	Procedures on cardiovascular system	7,022	463,960	2.9	24.2	23.4	1.0
800–817	Procedures on blood and blood-forming organs	439	46,893	0.2	1.4	2.4	0.6
850–1011	Procedures on digestive system	9,689	1,208,672	4.0	28.9	61.4	0.5
1040–1128	Procedures on urinary system	77,231	891,124	31.6	250.5	45.1	5.6
1060	Haemodialysis	74,619	628,975	30.5	241.4	31.9	7.6
	<i>Other</i>	2,612	262,149	1.1	9.1	13.2	0.7
1160–1203	Procedures on male genital organs	820	88,443	0.3	2.8	4.5	0.6
1240–1299	Gynaecological procedures	6,582	492,577	2.7	14.0	25.6	0.5
1330–1347	Obstetric procedures	12,225	434,840	5.0	19.9	22.9	0.9
1360–1579	Procedures on musculoskeletal system	9,230	592,174	3.8	21.6	30.3	0.7
1600–1718	Dermatological and plastic procedures	8,923	540,206	3.6	24.7	27.5	0.9
1740–1759	Procedures on breast	469	57,938	0.2	1.3	3.0	0.4
1780–1799	Chemotherapeutic and radiation oncology procedures	1,966	308,271	0.8	6.4	15.6	0.4
1820–1916	Non-invasive, cognitive and interventions, not elsewhere classified	81,532	5,723,689	33.3	251.4	291.1	0.9
1940–2016	Imaging services	9,427	559,251	3.9	29.6	28.3	1.0
	Total (excluding haemodialysis)	170,058	11,907,102	69.5	499.4	607.3	0.8
	Total (including haemodialysis)	244,677	12,536,077	100.0	740.8	639.1	1.2

(a) Separations for which the care type was reported as *Newborn* with no qualified days, and records for *Hospital boarders* and *Posthumous organ procurement* have been excluded.

(b) Identification of Indigenous patients is not considered to be complete and completeness varies among jurisdictions. See the text of Chapter 7 for further detail.

(c) The rates were directly age-standardised to the Australian population at 30 June 2001. The rate for non-Indigenous persons includes *Not Reported*. For details, see Appendix 3. Indigenous population data are available at <http://www.aihw.gov.au>.

(d) The rate ratio is equal to the rate for Indigenous people divided by the rate for non-Indigenous people (which includes *Not Reported*).

