

List of tables

Table 2.1:	Tobacco smoking status: proportion of the population aged 14 years and over, by sex, Australia, 1991 to 2004	4
Table 2.2:	Tobacco smoking status: proportion of the population aged 14 years and over, by age group and sex, Australia, 2004	6
Table 2.3:	Volume of tobacco cleared through excise and customs, Australia, 1995–96 to 2004–05	8
Table 2.4:	Government revenue related to the sale of tobacco, Australia, 1995–96 to 2004–05	9
Table 2.5:	Prevalence of daily smoking, population aged 15 years and over, selected countries, 1975 to 2005.	10
Table 2.6:	Tobacco consumption, grams per capita, population aged 15 years and over, selected countries, 1975 to 2005	11
Table 3.1:	Alcohol drinking status: proportion of the population aged 14 years and over, Australia, 1991 to 2004	12
Table 3.2:	Alcohol drinking status: proportion of the population aged 14 years and over, by age group and sex, Australia, 2004	13
Table 3.3:	Long-term and annual short-term risk of harm from alcohol, population aged 14 years and over, 2004	14
Table 3.4:	Alcohol available for consumption and apparent per person consumption by persons aged 15 years and over, Australia, 1996–97 to 2004–05	16
Table 3.5:	Government revenue related to the sale of alcohol, Australia, 1995–96 to 2004–05	17
Table 3.6:	Per capita consumption of alcoholic beverages, selected countries, 2003	19
Table 3.7:	Alcohol consumption, litres of pure alcohol per capita, population aged 15 years and over, selected countries, 1965 to 2005	20
Table 4.1:	Summary of illicit drug use: proportion of the population aged 14 years and over, Australia, 2004	22
Table 4.2:	Summary of recent illicit drug use: proportion of the population aged 14 years and over, by drug type, Australia, 1991 to 2004	24
Table 4.3:	Prevalence of substance use, population aged 15–64 years, selected countries, 2004	25
Table 4.4:	Methamphetamine use, persons aged 14 years and older, by age, by sex, Australia, 2004	26
Table 4.5:	Methamphetamine use by friends and acquaintances, persons aged 14 years and older, by use status, Australia, 2004	26

Table 4.6:	Form of methamphetamine used, recent users aged 14 years and older, by sex, Australia, 2004
Table 4.7:	Usual place of use of methamphetamine, recent users aged 14 years and older, by sex, Australia, 2004
Table 4.8:	Other drugs used with methamphetamine, recent users aged 14 years and older, by sex, Australia, 2004
Table 4.9:	Proportion of people in the IDRS and EDRS studies using methamphetamine in the last 6 months, by methamphetamine form and age group, Australia, 2005
Table 5.1:	Top 10 prescription medicines distributed through community pharmacies, Australia, 2005
Table 5.2:	Top 10 prescription drugs by cost to the Australian Government (PBS and RPBS), Australia, 200531
Table 5.3:	Top 10 prescription medicines issued through community pharmacies by defined daily dose, Australia, 2005
Table 5.4:	Number of community prescriptions issued for selected ATC groups, Australia, 2001 to 2005
Table 6.1:	Number of deaths and DALYs attributable to tobacco, by condition, 200335
Table 6.2:	Number of deaths and DALYs attributable to alcohol, by condition, 200336
Table 6.3:	Number of deaths and DALYs attributable to illicit drug use, by condition, 2003
Table 6.4:	Type of mental health problem, injecting drug users attending a health professional for a mental health problem other than drug dependence, 200538
Table 6.5:	Psychological distress, by selected drug use patterns, persons aged 18 years and over, 2004
Table 6.6:	Self-reported prevalence of hepatitis B and prevalence of hepatitis C among injecting drug users, by duration of injecting drug use, 2005
Table 6.7:	AIDS diagnoses, by HIV exposure category, Australia, 1997 to 200541
Table 6.8:	Deaths following AIDS, by HIV exposure category, Australia, 1997 to 200542
Table 6.9:	Injecting drug users who reported using a needle and syringe after someone else in the last month, by year, sex and history of injecting drug use, Australia, 1997 to 2005
Table 6.10:	Proportion of injecting drug users who had shared needles or other injecting equipment in last month, by state/territory, Australia, 2004 and 200544
Table 6.11:	Proportion of injecting drug users reporting non-fatal heroin overdose, selected risk behaviours and protective factors for overdose, Australia, 200545
Table 6.12:	Number of accidental deaths due to opioids among persons aged 15–54 years, by sex and state/territory, 2003 and 2004
Table 7.1:	Alcohol consumption among secondary students aged 12–17 years, by age group and sex, Australia, 1999, 2002 and 2005

Table 7.2:	12–17 years, Australia, 1999, 2002 and 2005	50
Table 7.3:	Polysubstance use in the past 12 months among 12–17 year olds, Australia, 2005	51
Table 7.4:	Use of tobacco, alcohol and other substances, Aboriginal and Torres Strait Islander peoples aged 15 years and over, 2004–05	52
Table 7.5:	Long-term and annual short-term risk of harm from alcohol, population aged 14 years and over, by Indigenous status, 2004	53
Table 7.6:	Maternal demographic characteristics of pregnancies to mothers with and without a drug-related diagnosis code, 1998–2002	55
Table 7.7:	Neonatal characteristics of births to mothers with and without a drug- related diagnosis code, 1998–2002	56
Table 7.8:	Demographic characteristics of injecting drug users, by jurisdiction, Australia, 2005	60
Table 7.9:	Serology results and injecting drug history in prisoners, by state, 2004	61
Table 7.10:	Proportion of employed recent drinkers, by risk category and industry classification, Australia, 2001	62
Table 7.11:	Proportion of employed recent drinkers who missed work because of alcohol use or illness/injury, who went to work under the influence of alcohol, and who usually drank at work, by risk category, Australia, 2001	63
Table 8.1:	Closed treatment episodes by principal drug of concern and sex, Australia, 2004–05	65
Table 8.2:	Closed treatment episodes by main treatment type, by state and territory, Australia, 2004–05	68
Table 8.3:	Estimated pharmacotherapy clients by prescriber type and jurisdiction, Australia, as at 30 June 2005	70
Table 9.1:	Illicit drug arrests, by type of drug and consumer status, Australia, 1996–97 to 2004–05	72
Table 9.2:	Sentenced prisoners where the most serious offence was drug related, by type of offence, by state and territory, Australia, 1995 to 2005	73
Table 9.3:	Proportion of adult detainees testing positive to illicit drugs, by age group, sex and type of illicit drug, Australia, 2005	75
Table 9.4:	Prevalence of substance use among juvenile detainees, Australia, 2005	77
Table 9.5:	Intoxication at the time of current offence, Australia, 2003–04	77
Table 9.6:	Type of drug used by drug-intoxicated juvenile offenders at time of current offence, Australia, 2003–04	78
Table 9.7:	Regular substance use in six months prior to arrest, by type of regular offender, Australia, 2003–04	78
Table 9.8:	Proportion of juveniles in detention by type of offence and type of drug used at the time of offence, Australia, 2004	79

Table 9.9:	Self-reported crime among injecting drug users and proportion arrested in	
	the last year, by type of crime, Australia, 2005	79
Table 9.10:	Median purity of heroin seizures analysed in Australia, by state and	
	territory, 1999-00 to 2004-05	81

List of figures

Figure 2.1:	Daily smokers: proportion of people aged 14 years and over, 1985 to 2004
Figure 3.1:	Indices of alcohol consumption: Australia, 1964–65 to 2002–031
Figure 4.1:	Prevalence and 95% confidence intervals of drug use in the last 12 months, selected illicit drugs, persons aged 12 years and over, by age group, Australia, 2004
Figure 6.1:	Hepatitis C prevalence among people attending needle and syringe programs, by sex, Australia, 1995 to 2005
Figure 6.2:	Opioid overdose deaths: rate per million persons aged 15–54 years, Australia, 1988 to 2004
Figure 7.1:	Trends in tobacco smoking among secondary students aged 12–17 years, Australia, 1984 to 2005
Figure 7.2:	Proportion of mothers smoking during pregnancy, by state and territory, 2001 to 2003
Figure 7.3:	Proportion of SAAP support periods where reason for seeking assistance and/or support to the client was for substance use, by age group and sex, Australia, 2004–05
Figure 7.4:	Proportion of SAAP support periods where reason for seeking assistance and/or support to the client was for substance use, by sex, Australia, 1998–99 to 2004–05
Figure 7.5:	SAAP support periods where an additional mental health problem was indicated: proportion of support periods where the reason for seeking or receiving assistance included drug, alcohol and substance abuse, by age group and sex, Australia, 2004–05
Figure 8.1:	Closed treatment episodes by selected principal drug of concern and age group, Australia, 2004–05
Figure 8.2:	Closed treatment episodes by injecting drug use and age group, Australia, 2004–05
Figure 9.1:	Prevalence of substances ever used by juvenile detainees and adolescents in the general population, Australia, 2003–04
Figure 9.2:	Customs border detections of heroin, by number and total weight, Australia, 1994–95 to 2004–05
Figure 9.3:	Customs border detections of ecstasy (MDMA), by number and total weight, Australia, 1994–95 to 2004–05
Figure 9.4:	Clandestine laboratory detections, Australia, 1996–97 to 2004–0584

References

Amin J, Gidding HF, Gilbert GL et al. 2004. Hepatitis C prevalence – a nationwide serosurvey. Communicable Diseases Intelligence 28(4):517–21.

Australian Bureau of Statistics (ABS) 2006a. Taxation revenue, Australia, 2004–05. ABS Cat. No. 5506.0. Canberra: ABS.

ABS 2006b. Apparent consumption of alcohol, Australia, 2004–05. ABS Cat. No. 4307.0.55.001. Canberra: ABS.

ABS 2006c. National Aboriginal and Torres Strait Islander Social Survey, 2004–05. ABS Cat. No. 4715.0. Canberra: ABS.

ABS 2005. Australian National Accounts: National Income, Expenditure and Product, Jun 2005. ABS Cat. No. 5206.0. Canberra: ABS.

ABS 2004. Australian National Accounts: National Income, Expenditure and Product, Jun 2004. ABS Cat. No. 5206.0. Canberra: ABS.

ABS 2002a. Australian National Accounts: National Income, Expenditure and Product, Jun 2002. ABS Cat. No. 5206.0. Canberra: ABS.

ABS 2002b. Taxation revenue, Australia, 2000-01. ABS Cat. No. 5506.0. Canberra: ABS.

Australian Crime Commission (ACC) 2006. Illicit drug data report 2004–05. Canberra: ACC.

Australian Drug Foundation (ADF) 2003a. Drug facts: alcohol. Drug info clearinghouse 2003, Melbourne. Viewed 21 January 2005, < www.druginfo.com.au/article.asp? ID=Alcohol>.

ADF 2003b. Heroin – effects: immediate, short-term and long-term, Melbourne. Viewed 9 March 2006, <www.druginfo.com.au/article.asp?ID=heroin>.

Australian Institute of Health and Welfare (AIHW) 2006a. Australia's health 2006. AIHW cat. no. AUS 73. Canberra: AIHW.

AIHW 2006b. Homeless people in SAAP: SAAP National Data Collection annual report 2004–05 Australia. SAAP NDCA Report Series no. 10. AIHW cat. no. HOU 132. Canberra: AIHW.

AIHW 2006c. Alcohol and other drug treatment services in Australia 2004–05: report on the national minimum data set. Drug Treatment Series no. 5. AIHW cat. no. HSE 43. Canberra: AIHW.

AIHW 2005a. 2004 National Drug Strategy Household Survey: detailed findings. Drug Statistics Series no. 16. AIHW cat. no. PHE 66. Canberra: AIHW.

AIHW 2005b. Statistics on drug use in Australia 2004. Drug Statistics Series no. 15. AIHW cat. no. PHE 62. Canberra: AIHW.

Australian Taxation Office (ATO) 2006. Taxation Statistics 2003–04: a summary of tax returns for the 2003–04 income year and collections for the 2004–05 financial year. Canberra: ATO.

ATO 2005. Taxation Statistics 2002–2003. Canberra: ATO.

ATO 2002. Taxation Statistics 1999–2000. Canberra: ATO.

Begg S, Vos T, Barker B, Stevenson C, Stanley L & Lopez A (forthcoming). The burden of disease and injury in Australia 2003. AIHW cat. no. PHE 82. Canberra: AIHW.

Britt H, Miller GC, Knox S et al. 2005. General practice activity in Australia 2004–05. General Practice Series no. 18. AIHW cat. no. GEP 18. Canberra: AIHW.

Burns L, Mattick R & Cooke 2006. The use of record linkage to examine illicit drug use in pregnancy. Addictions 101:873–882.

Collins D & Lapsley H 2002. Counting the cost: estimates of the social costs of drug abuse in Australia in 1998–9. Canberra: Commonwealth Department of Health and Ageing.

Commission for Distilled Spirits 2005. World drink trends 2005 edition. Henley-on-Thames: World Advertising Research Center Ltd.

Degenhardt L, Roxburgh A & Black E 2004. 2003 Australian Bureau of Statistics data on accidental opioid induced deaths. Sydney: National Drug and Alcohol Research Centre (NDARC).

Degenhardt L, Roxburgh A, Black E & Dunn M 2006. Accidental drug-induced deaths due to opioids in Australia, 2004. Sydney: NDARC.

Geis G, Cartwright S & Houston J 2003. Public wealth, public health, and private stealth: Australia's black market in cigarettes. Australian Journal of Social Issues 38(3):363–378.

Laws P, Grayson N & Sullivan E 2006. Smoking and pregnancy. Canberra: AIHW.

Ministerial Council on Drug Strategy (MCDS) 2004. The National Drug Strategy: Australia's integrated framework 2004–2009. Canberra: MCDS.

National Centre in HIV Epidemiology and Clinical Research (NCHECR) 2006. Australian NSP survey national data report 2001–2005. Sydney: NCHECR.

NCHECR 2005. HIV/AIDS, viral hepatitis and sexually transmissible infections in Australia: annual surveillance report 2005. Sydney: NCHECR.

National Health and Medical Research Council (NHMRC) 2001. Australian alcohol guidelines: health risks and benefits. Canberra: NHMRC.

National Institute on Drug Abuse 2006. NIDA InfoFacts: methamphetamine. Viewed November 2006, www.drugabuse.gov/infofacts/methamphetamine.html.

Organisation for Economic Cooperation and Development (OECD) 2006. OECD health data 2006: statistics and indicators for 30 countries (CD-ROM). Paris: OECD.

Pidd K, Berry J, Harrison J & Roche A 2006. Alcohol and work: patterns of use, workplace culture and safety. Canberra: AIHW.

Prichard J & Payne J 2005. Alcohol, drugs and crime: a study of juveniles in detention. Canberra: Australian Institute of Criminology.

Ridolfo B & Stevenson C 2001. The quantification of drug-caused mortality and morbidity in Australia, 1998. Drug Statistics Series no. 7. AIHW cat. no. PHE 29. Canberra: AIHW.

Stafford J, Degenhardt L, Black E & Bruno R 2006a. Australian trends in ecstasy and related drug markets 2005: findings from the Party Drug Initiative (PDI). National Drug and Alcohol Research Centre Monograph no. 58. Sydney: NDARC.

Stafford J Degenhardt L, Dunn M & Fischer J 2006b. Australian drug trends 2005: findings from the Illicit Drug Reporting System. National Drug and Alcohol Research Centre Monograph no. 59. Sydney: NDARC.

Stafford J, Degenhardt L, Black E & Bruno R 2005. Australian drug trends 2004: findings from the Illicit Drug Reporting System. National Drug and Alcohol Research Centre Monograph no. 55. Sydney: NDARC.

United Nations Office on Drugs and Crime (UNODC) 2006. World drug report 2006. Volume 2: statistics. Vienna: UNODC.

United States Department of Agriculture (USDA) 2002. Tobacco: world markets and trade. Foreign Agricultural Service Circular Series FT-02-02. USA: USDA.

van Liemt G 2002. The world tobacco industry: trends and prospects. Sectoral activities programme working paper. Geneva: International Labour Office.

White V & Hayman J 2006a. Smoking behaviours of Australian secondary students in 2005. National Drug Strategy Monograph Series no. 54. Canberra: Australian Government Department of Health and Ageing.

White V & Hayman J 2006b. Australian secondary students' use of alcohol in 2005. National Drug Strategy Monograph Series no. 55. Canberra: Australian Government Department of Health and Ageing.

White V & Hayman J 2006c. Australian secondary students' use of over-the-counter and illicit substances in 2005. National Drug Strategy Monograph Series no. 56. Canberra: Australian Government Department of Health and Ageing.

Whiteaker B 2004. The new youth drug culture: friends, parties and drug cocktails: a survey of university students about 'party drug' use. Melbourne: University of Melbourne and Victorian Alcohol and Drug Association.