

# Appendix C: Health system costs and use of services by ICD-9 chapter, 1993–94

Table C.1 shows estimated resident population by age and sex at 30 June 1994, used to calculate costs per capita in this report. Table C.2 shows total estimated health system costs by detailed health sector and ICD-9 chapter in 1993–94. Table C.3 shows estimated utilisation of health services for the prevention and treatment of diseases and injury in 1993–94 by ICD-9 chapter.

Table C.4 shows total estimated health system costs by health sector, sex and age group for 1993–94. Table C.5 shows estimated levels of utilisation of health services by sector, age group and sex in 1993–94.

Detailed information on total costs and health services utilisation by health sector, age, sex and ICD-9 chapter are provided in Appendix Tables C.6 to C.40. Each pair of tables shows costs and utilisation of health services by detailed health sector, age and sex for a given disease group, defined in terms of a chapter of ICD-9.

**Table C.1: Estimated resident population of Australia, by age group and sex, 30 June 1994**

Age group	Males	Females	Persons
0–4	661,464	627,683	1,289,147
5–14	1,310,151	1,243,172	2,553,323
15–24	1,396,412	1,336,297	2,732,709
25–44	2,762,031	2,761,005	5,523,036
45–64	1,842,066	1,790,447	3,632,513
65–74	596,874	672,144	1,269,018
75+	315,739	522,916	838,655
<b>Total</b>	<b>8,884,737</b>	<b>8,953,664</b>	<b>17,838,401</b>

Source: ABS 1996.

Table C.2: Total health system costs for diseases and injuries by health sector and ICD-9 chapter, 1993-94 (\$ million)

ICD-9 chapter	Hospital inpatients			Total hospital	Nursing homes	Medical services <sup>(b)</sup>			Pharmaceuticals			Research	Other <sup>(c)</sup>	Total costs <sup>(d)</sup>
	Public hospitals <sup>(a)</sup>	Private hospitals	Non-inpatients			GPs	Specialist	Total medical	Prescription	Over-the-counter	Dental and allied health			
Infectious	157	16	74	246	13	218	98	316	173	20	15	30	35	849
Neoplasms	854	342	131	1,327	32	87	174	261	46	7	12	74	145	1,904
Endocrine	126	28	81	235	47	90	132	222	279	30	54	59	39	966
Blood	70	13	19	101	5	17	25	42	18	6	1	10	8	192
Mental	815	115	78	1,007	718	161	271	432	168	31	83	37	110	2,586
Nervous system	321	290	155	766	503	102	330	431	211	37	227	61	98	2,334
Circulatory	1,176	338	143	1,657	587	239	264	503	599	115	40	60	158	3,719
Respiratory	527	128	177	833	107	446	179	624	535	248	37	28	108	2,521
Digestive	630	317	123	1,070	35	106	178	284	195	79	1,849	44	158	3,715
Genitourinary	556	318	124	997	32	125	258	383	115	28	17	19	71	1,662
Complications of pregnancy	636	261	45	941	—	12	20	32	8	4	6	15	45	1,051
Skin	147	60	129	336	6	149	98	247	150	109	56	12	41	956
Musculoskeletal	463	479	266	1,207	430	218	300	518	177	99	416	26	128	3,002
Congenital	95	22	—	116	13	4	14	18	2	—	0	1	7	159
Perinatal	203	18	—	221	3	0	1	1	—	—	—	4	10	239
Symptoms	284	74	120	478	5	147	279	426	98	204	57	8	57	1,334
Injury	854	192	618	1,663	112	213	180	393	90	38	160	36	111	2,601
Other	517	214	127	859	—	256	249	505	107	15	44	8	69	1,607
Fertility control	132	56	65	254	—	106	101	207	59	14	17	8	25	584
Plastic surgery	9	21	—	30	—	0	0	0	—	—	—	—	1	31
General prevention	69	10	54	133	—	95	91	186	22	1	19	—	16	377
Unspec. treatment	307	127	8	442	—	54	57	111	26	0	8	—	27	615
<b>Total</b>	<b>8,430</b>	<b>3,224</b>	<b>2,408</b>	<b>14,062</b>	<b>2,647</b>	<b>2,590</b>	<b>3,050</b>	<b>5,640</b>	<b>2,972</b>	<b>1,070</b>	<b>3,075</b>	<b>534</b>	<b>1,398</b>	<b>31,397</b>

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under 'Hospital inpatients'.

(c) Includes breast, cervix, lung and skin cancer public health programs, other institutional, non-institutional and administration expenditure.

(d) Excludes expenditure for other public health services, community health services, ambulances, medical aids and appliances.

**Table C.3: Estimated health service utilisation for diseases and injuries by health sector and ICD-9 chapter, 1993-94**

ICD-9 chapter	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services <sup>(b)</sup> ('000)			No. of prescriptions ('000)	Dental and allied health consultations ('000)	Nursing home residents
	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital		GPs	Specialist	Total medical			
Infectious	72	8	79	289	32	321	1,113	9,286	3,490	12,776	8,797	895	353
Neoplasms	306	135	442	1,433	512	1,945	1,981	2,654	5,964	8,618	1,283	716	864
Endocrine	42	8	51	277	52	328	1,226	3,713	4,945	8,658	7,799	3,124	1,296
Blood	40	7	47	120	23	143	283	713	941	1,653	—	62	126
Mental	134	38	172	2,636	486	3,122	1,181	6,148	4,358	10,506	14,950	4,811	19,630
Nervous system	137	103	240	613	240	853	2,347	7,953	4,723	12,676	13,619	13,110	13,757
Circulatory	291	83	374	2,242	519	2,762	2,168	9,476	7,286	16,762	27,434	2,295	16,051
Respiratory	242	56	299	1,189	235	1,424	2,682	18,237	4,077	22,314	31,922	2,148	2,936
Digestive	323	217	539	1,154	460	1,614	1,860	4,229	3,545	7,774	6,862	40,566	958
Genitourinary	434	153	588	942	393	1,335	1,874	5,081	7,672	12,754	8,899	996	869
Complications of pregnancy	330	94	424	1,238	407	1,645	683	478	468	946	380	361	—
Skin	61	25	87	362	95	457	1,951	6,071	2,561	8,631	9,631	3,212	154
Musculoskeletal	147	148	295	837	635	1,472	4,026	8,910	5,881	14,791	13,362	24,025	11,757
Congenital	27	9	37	121	24	145	—	177	245	423	136	28	366
Perinatal	55	9	63	427	60	487	—	14	14	28	—	—	77
Symptoms	193	55	248	622	140	762	1,814	5,609	6,795	12,404	4,632	3,289	130
Injury	310	58	368	1,593	337	1,930	9,351	8,247	3,110	11,358	5,473	9,225	3,074
Other	241	103	344	1,658	480	2,139	1,923	9,070	6,987	16,057	7,151	2,519	—
Fertility control	108	41	149	326	134	460	1,798	3,313	2,925	6,239	4,483	966	—
Plastic surgery	7	9	17	10	21	31	—	4	6	10	—	—	—
General prevention	24	9	33	287	21	308	120	3,643	2,369	6,013	1,176	1,076	—
Unspec. treatment	102	44	145	1,036	305	1,340	5	2,109	1,686	3,796	1,493	478	—
<b>Total<sup>(c)</sup></b>	<b>3,387</b>	<b>1,310</b>	<b>4,696</b>	<b>17,753</b>	<b>5,131</b>	<b>22,885</b>	<b>36,461</b>	<b>106,066</b>	<b>73,061</b>	<b>179,127</b>	<b>162,329</b>	<b>111,382</b>	<b>72,397</b>

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age is not stated. Utilisation for other health sectors may not add to totals due to rounding.

Table C.4: All diseases: total health system costs by health sector, sex and age, 1993-94 (\$ million)

Sex / age	Hospital inpatients					Medical services <sup>(b)</sup>			Pharmaceuticals		Dental and allied health	Other <sup>(c)</sup>	Total costs <sup>(d)</sup>	
	Public hospitals <sup>(a)</sup>	Private hospitals	Non-inpatients	Total hospital	Nursing homes	GPs	Specialist	Total medical	Prescriptio	Over-the-counter				Total
<b>Males</b>														
0-4	374.3	47.4	122.8	544.6	2.0	123.0	50.8	173.9	81.9	34.6	116.4	68.2	56.1	961.1
5-14	163.9	38.2	143.2	345.3	2.8	118.8	70.5	189.3	83.2	46.3	129.5	302.3	60.6	1,029.8
15-24	273.6	85.8	220.8	580.2	1.4	116.7	85.4	202.1	78.3	54.9	133.2	211.7	70.0	1,198.6
25-34	351.2	105.4	143.8	600.3	7.4	130.8	115.9	246.7	96.7	61.0	157.7	139.5	72.0	1,223.6
35-44	347.5	134.5	135.9	618.0	8.1	136.2	151.2	287.3	121.1	64.2	185.3	137.3	78.3	1,314.3
45-54	392.6	176.0	124.5	693.1	10.8	130.6	177.7	308.3	141.8	51.3	193.1	97.4	83.0	1,385.6
55-64	546.7	226.0	110.8	883.4	40.0	123.8	188.6	312.4	199.2	57.6	256.9	115.4	103.9	1,712.0
65-74	842.9	294.0	137.7	1,274.6	162.5	142.2	228.1	370.3	256.3	54.0	310.3	123.1	145.6	2,386.4
75+	784.8	221.1	71.1	1,077.0	515.8	105.1	123.0	228.1	147.6	28.2	175.8	55.6	131.5	2,183.8
<b>Total<sup>(e)</sup></b>	<b>4,077.7</b>	<b>1,328.4</b>	<b>1,210.6</b>	<b>6,616.7</b>	<b>750.7</b>	<b>1,127.2</b>	<b>1,191.2</b>	<b>2,318.4</b>	<b>1,206.1</b>	<b>452.1</b>	<b>1,658.2</b>	<b>1,250.4</b>	<b>801.0</b>	<b>13,395.4</b>
<b>Females</b>														
0-4	283.1	31.2	82.5	396.8	—	107.2	44.0	151.3	70.5	31.6	102.1	53.7	44.4	748.4
5-14	118.7	31.4	97.8	247.9	4.3	112.7	63.8	176.6	77.1	48.1	125.2	475.6	63.2	1,092.7
15-24	425.1	127.2	186.3	738.6	4.0	197.7	172.1	369.8	149.1	80.6	229.8	302.9	103.4	1,748.4
25-34	688.9	352.6	192.9	1,234.3	1.0	235.9	309.3	545.3	177.1	90.7	267.8	202.6	141.7	2,392.6
35-44	426.6	277.2	141.3	845.1	6.4	208.9	300.8	509.7	180.8	86.0	266.8	210.0	122.5	1,960.6
45-54	351.9	238.0	139.2	729.1	12.4	181.4	268.5	449.8	207.2	74.7	281.9	163.0	131.3	1,767.6
55-64	410.4	200.2	109.6	720.2	44.7	148.8	212.4	361.2	271.9	71.9	343.8	142.7	123.8	1,736.5
65-74	659.9	270.5	151.1	1,081.4	192.2	171.3	226.7	397.9	333.9	78.9	412.9	163.9	153.1	2,401.4
75+	986.9	367.0	97.1	1,451.0	1,631.2	192.8	167.0	359.8	298.0	55.4	353.4	110.1	247.3	4,152.8
<b>Total<sup>(e)</sup></b>	<b>4,352.0</b>	<b>1,895.4</b>	<b>1,197.7</b>	<b>7,445.1</b>	<b>1,896.3</b>	<b>1,556.7</b>	<b>1,764.6</b>	<b>3,321.4</b>	<b>1,765.7</b>	<b>617.9</b>	<b>2,383.6</b>	<b>1,824.6</b>	<b>1,130.7</b>	<b>18,001.6</b>

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under 'Hospital inpatients'.

(c) Includes breast, cervix, lung and skin cancer public health programs, other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for other public health services, community health services, ambulances, medical aids and appliances.

(e) Includes hospital expenditure for small numbers of inpatients where age is not stated. Costs for other health sectors may not add to totals due to rounding.

**Table C.5: All diseases: health service utilisation by health sector, sex and age, 1993-94**

Sex / age	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services <sup>(b)</sup> ('000)			No. of prescriptions ('000)	Dental and allied health consultations ('000)	Nursing home residents
	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital		GPs	Specialist	Total medical			
<b>Males</b>													
0-4	201.9	31.1	232.9	753.2	134.5	887.7	1,859.8	4,969.2	1,136.2	6,105.4	5,161.9	4,003.5	54
5-14	103.3	22.9	126.2	252.2	38.1	290.3	2,168.3	4,601.8	1,483.6	6,085.3	5,000.7	7,278.3	75
15-24	125.6	43.8	169.4	516.0	100.6	616.6	3,342.9	4,507.2	1,963.5	6,470.7	4,687.6	5,758.5	39
25-34	149.6	52.6	202.2	718.8	126.6	845.4	2,176.3	5,238.2	2,653.3	7,891.6	5,708.1	7,871.9	201
35-44	151.4	67.7	219.1	683.8	171.9	855.7	2,058.1	5,443.2	3,369.8	8,813.0	6,541.4	7,439.9	221
45-54	164.7	81.8	246.4	736.8	221.1	958.0	1,884.5	5,249.0	4,154.3	9,403.3	7,409.5	5,006.8	296
55-64	199.3	88.2	287.5	1,057.3	286.5	1,343.8	1,676.7	4,914.2	4,562.2	9,476.4	9,423.6	5,062.4	1,094
65-74	269.7	102.7	372.4	1,631.3	437.3	2,068.6	2,084.5	5,835.7	5,768.0	11,603.7	12,438.4	4,584.2	4,445
75+	201.8	65.9	267.7	1,914.1	444.4	2,358.5	1,076.6	3,913.4	3,219.6	7,133.1	7,800.1	2,571.6	14,109
<b>Total<sup>(c)</sup></b>	<b>1,567.2</b>	<b>556.6</b>	<b>2,123.9</b>	<b>8,263.8</b>	<b>1,961.2</b>	<b>10,225.0</b>	<b>18,327.8</b>	<b>44,671.9</b>	<b>28,310.6</b>	<b>72,982.5</b>	<b>64,171.4</b>	<b>49,577.2</b>	<b>20,534</b>
<b>Females</b>													
0-4	150.4	22.6	173.0	1,503.9	90.7	1,594.6	1,248.8	4,333.3	1,051.3	5,384.6	4,557.4	3,186.8	—
5-14	73.6	19.0	92.6	193.6	31.8	225.3	1,480.7	4,443.3	1,523.9	5,967.1	4,820.8	7,202.9	116
15-24	236.9	72.0	308.8	727.3	169.1	896.4	2,820.4	8,027.7	4,902.8	12,930.5	9,163.8	8,146.4	109
25-34	352.8	143.1	495.9	1,200.6	510.4	1,711.0	2,920.0	9,496.8	7,771.6	17,268.4	11,191.9	10,244.8	28
35-44	207.5	121.4	328.9	701.8	386.7	1,088.5	2,138.6	8,234.8	6,832.3	15,067.0	10,638.1	9,397.1	176
45-54	165.1	106.0	271.1	594.9	340.5	935.4	2,107.4	7,119.2	6,553.5	13,672.7	12,260.6	7,258.3	340
55-64	167.8	83.1	250.9	827.7	300.9	1,128.6	1,659.9	5,896.0	5,323.9	11,219.9	13,565.9	5,525.9	1,223
65-74	223.4	93.0	316.4	1,481.5	461.5	1,942.9	2,286.9	6,831.1	6,131.8	12,962.8	16,969.2	5,965.6	5,257
75+	242.1	92.8	334.8	2,870.5	878.7	3,749.2	1,470.3	7,011.8	4,922.0	11,933.8	16,346.2	4,877.5	44,615
<b>Total<sup>(c)</sup></b>	<b>1,819.6</b>	<b>753.0</b>	<b>2,572.6</b>	<b>9,489.6</b>	<b>3,170.2</b>	<b>12,659.9</b>	<b>18,133.0</b>	<b>61,393.9</b>	<b>45,013.0</b>	<b>106,406.9</b>	<b>99,514.0</b>	<b>61,805.3</b>	<b>51,864</b>

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age is not stated. Utilisation for other health sectors may not add to totals due to rounding.

**Table C.6: Infectious and parasitic diseases: total health system costs by health sector, sex and age, 1993-94 (\$ million)**

Sex / age	Hospital inpatients				Nursing homes	Medical services <sup>(b)</sup>			Pharmaceuticals			Allied health	Other <sup>(c)</sup>	Total costs <sup>(d)</sup>
	Public hospitals <sup>(a)</sup>	Private hospitals	Non-inpatients	Total hospital		GPs	Specialist	Total medical	Prescription	Over-the-counter	Total			
<b>Males</b>														
0-4	15.1	0.4	7.7	23.2	—	24.1	6.7	30.9	10.9	0.9	11.9	2.8	5.7	74.5
5-14	5.4	0.5	15.7	21.6	—	15.4	3.9	19.3	8.4	2.0	10.4	1.1	4.4	56.8
15-24	5.5	0.8	7.9	14.2	—	14.6	5.3	19.9	11.2	1.3	12.5	0.9	4.0	51.5
25-34	15.7	0.7	5.9	22.2	—	13.4	6.5	19.8	11.3	1.5	12.7	0.7	4.6	60.1
35-44	18.1	0.8	4.2	23.1	—	10.4	6.1	16.5	8.4	1.6	10.0	0.3	4.2	54.1
45-54	12.3	0.6	0.2	13.1	—	7.4	3.8	11.2	8.2	0.7	8.9	0.7	2.8	36.7
55-64	7.4	0.6	1.8	9.8	—	4.4	3.0	7.4	5.1	0.8	5.8	0.3	1.9	25.3
65-74	8.5	0.9	2.3	11.7	1.8	4.8	4.5	9.3	6.2	0.5	6.7	0.4	2.5	32.3
75+	8.3	1.2	0.1	9.6	2.0	3.0	2.7	5.7	5.7	0.3	6.0	—	1.9	25.3
<b>Total<sup>(e)</sup></b>	<b>96.3</b>	<b>6.5</b>	<b>45.7</b>	<b>148.5</b>	<b>3.8</b>	<b>97.5</b>	<b>42.5</b>	<b>140.0</b>	<b>75.3</b>	<b>9.7</b>	<b>85.0</b>	<b>7.2</b>	<b>32.1</b>	<b>416.6</b>
<b>Females</b>														
0-4	13.2	0.4	8.9	22.5	—	22.4	3.8	26.2	10.2	1.3	11.5	1.0	5.1	66.3
5-14	4.8	0.5	1.6	6.9	—	15.9	3.4	19.3	6.8	2.0	8.8	1.0	3.0	39.0
15-24	6.5	1.4	4.5	12.4	—	21.4	12.5	33.9	17.3	1.5	18.7	1.9	5.6	72.4
25-34	5.8	1.1	1.9	8.8	—	19.1	11.0	30.2	17.4	2.0	19.3	1.2	5.0	64.5
35-44	4.9	1.0	3.6	9.6	—	14.4	9.3	23.7	13.8	1.3	15.1	0.9	4.1	53.3
45-54	4.0	0.9	2.8	7.7	—	8.6	5.7	14.4	8.6	1.0	9.6	0.5	2.7	34.9
55-64	4.4	0.7	1.2	6.3	—	6.0	3.0	9.0	7.1	0.5	7.6	0.7	2.0	25.6
65-74	7.0	1.1	2.9	11.0	—	6.3	4.1	10.5	9.3	0.7	10.0	1.0	2.7	35.2
75+	10.4	2.1	0.3	12.7	9.1	5.9	2.7	8.6	7.2	0.4	7.5	0.1	3.2	41.2
<b>Total<sup>(e)</sup></b>	<b>61.1</b>	<b>9.1</b>	<b>27.8</b>	<b>97.9</b>	<b>9.1</b>	<b>120.1</b>	<b>55.5</b>	<b>175.6</b>	<b>97.5</b>	<b>10.7</b>	<b>108.2</b>	<b>8.3</b>	<b>33.3</b>	<b>432.5</b>

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under 'Hospital inpatients'.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

(e) Includes hospital expenditure for small numbers of inpatients where age is not stated. Costs for other health sectors may not add to totals due to rounding.

**Table C.7: Infectious and parasitic diseases: health service utilisation by health sector, sex and age, 1993-94**

Sex / age	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services <sup>(b)</sup> ('000)			No. of prescriptions ('000)	Allied health consultations ('000)	Nursing home residents
	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital		GPs	Specialist	Total medical			
<b>Males</b>													
0-4	10.8	0.3	11.1	32.9	0.8	33.7	117.2	1,030.3	193.1	1,223.4	484.0	162.4	—
5-14	4.2	0.4	4.5	9.8	0.6	10.4	237.0	630.4	135.1	765.5	550.7	64.0	—
15-24	3.3	0.5	3.8	10.8	1.3	12.1	119.6	603.3	204.8	808.1	483.6	54.2	—
25-34	6.2	0.4	6.7	20.2	1.1	21.3	88.7	560.1	259.2	819.3	502.6	39.8	—
35-44	6.4	0.4	6.8	21.7	1.3	22.9	63.5	429.8	222.5	652.3	383.1	18.7	—
45-54	4.0	0.3	4.3	16.4	1.2	17.6	2.4	310.0	144.4	454.5	549.6	39.0	—
55-64	2.1	0.2	2.3	13.7	1.2	14.9	27.7	187.0	98.3	285.3	250.8	16.8	—
65-74	2.1	0.4	2.5	17.2	2.2	19.4	35.0	216.8	110.6	327.4	303.1	20.8	49
75+	2.0	0.3	2.4	18.4	3.5	21.9	1.3	132.7	72.8	205.5	412.0	—	55
<b>Total<sup>(c)</sup></b>	<b>41.1</b>	<b>3.2</b>	<b>44.4</b>	<b>161.0</b>	<b>13.2</b>	<b>174.2</b>	<b>692.4</b>	<b>4,100.5</b>	<b>1,440.8</b>	<b>5,541.4</b>	<b>3,919.5</b>	<b>415.7</b>	<b>104</b>
<b>Females</b>													
0-4	9.3	0.3	9.6	28.8	0.8	29.5	135.0	951.4	138.6	1,090.0	469.6	57.5	—
5-14	3.7	0.4	4.0	8.7	0.7	9.4	24.2	672.0	134.7	806.7	309.6	57.2	—
15-24	4.5	0.8	5.3	11.6	1.8	13.4	67.8	949.9	469.3	1,419.3	886.6	107.5	—
25-34	3.3	0.6	3.9	10.8	1.6	12.4	29.1	880.9	461.8	1,342.7	956.0	69.3	—
35-44	2.3	0.5	2.8	9.1	1.5	10.6	55.1	618.8	309.5	928.3	704.7	51.5	—
45-54	1.8	0.4	2.2	7.8	1.6	9.4	42.8	356.3	196.1	552.4	431.4	28.3	—
55-64	1.6	0.3	1.8	9.2	1.6	10.8	18.1	254.9	110.4	365.4	328.8	43.3	—
65-74	1.9	0.4	2.3	15.5	2.9	18.4	44.2	268.9	134.6	403.5	483.6	58.7	—
75+	2.5	0.6	3.1	26.6	6.6	33.2	4.3	232.5	93.9	326.4	307.5	5.6	249
<b>Total<sup>(c)</sup></b>	<b>30.7</b>	<b>4.4</b>	<b>35.1</b>	<b>128.1</b>	<b>19.1</b>	<b>147.2</b>	<b>420.6</b>	<b>5,185.8</b>	<b>2,048.9</b>	<b>7,234.7</b>	<b>4,877.8</b>	<b>478.8</b>	<b>249</b>

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age is not stated. Utilisation for other health sectors may not add to totals due to rounding.

Table C.8: Neoplasms: total health system costs by health sector, sex and age, 1993-94 (\$ million)

Sex / age	Hospital inpatients				Medical services <sup>(b)</sup>				Pharmaceuticals			Allied health	Public health <sup>(c)</sup>	Other <sup>(d)</sup>	Total costs <sup>(e)</sup>	
	Public hospitals <sup>(a)</sup>	Private hospitals	Non-inpatients	Total hospital	Nursing homes	GPs	Specialist	Total medical	Prescription	Over-the-counter	Total					
<b>Males</b>																
0-4	7.9	0.4	1.5	9.7	—	0.3	0.1	0.5	0.0	—	0.0	—	0.0	0.8	11.0	
5-14	11.3	1.2	0.1	12.6	—	2.1	1.1	3.1	0.0	0.0	0.1	—	0.1	1.8	17.7	
15-24	11.9	2.0	0.5	14.4	—	3.5	3.5	7.0	0.2	0.1	0.4	0.1	0.7	2.4	25.0	
25-34	18.3	3.3	0.6	22.1	—	2.8	2.8	5.6	0.2	0.1	0.3	0.8	0.7	2.7	32.2	
35-44	25.0	8.4	1.6	35.0	0.4	4.3	4.9	9.2	0.5	0.2	0.7	0.2	0.6	3.7	49.7	
45-54	47.4	18.0	11.5	77.0	0.9	5.4	8.8	14.2	1.0	0.4	1.4	0.2	0.6	7.6	101.8	
55-64	86.3	35.6	9.8	131.6	0.8	6.2	11.3	17.4	4.0	0.8	4.9	0.4	0.3	12.5	167.9	
65-74	139.5	50.7	26.6	216.9	1.8	11.2	17.5	28.7	7.5	1.2	8.7	3.0	0.4	21.2	280.7	
75+	105.7	35.7	10.4	151.9	9.0	7.3	11.4	18.7	6.0	0.5	6.5	1.6	0.3	15.7	203.6	
<b>Total<sup>(f)</sup></b>	<b>453.5</b>	<b>155.2</b>	<b>62.6</b>	<b>671.2</b>	<b>12.9</b>	<b>43.0</b>	<b>61.5</b>	<b>104.4</b>	<b>19.4</b>	<b>3.5</b>	<b>22.9</b>	<b>6.2</b>	<b>3.7</b>	<b>68.4</b>	<b>889.6</b>	
<b>Females</b>																
0-4	6.4	0.3	0.3	7.0	—	0.3	0.3	0.5	—	—	—	—	0.0	0.7	8.2	
5-14	7.8	1.4	3.8	13.0	—	1.4	0.9	2.2	0.1	0.0	0.1	—	0.1	1.5	17.0	
15-24	11.5	3.7	3.6	18.8	—	3.9	11.1	15.0	0.1	0.1	0.2	—	2.9	3.6	40.6	
25-34	23.6	9.2	4.5	37.3	—	5.3	22.1	27.4	0.8	0.2	1.1	0.9	3.9	6.3	76.9	
35-44	45.4	26.7	6.5	78.5	—	7.4	24.4	31.7	2.5	0.6	3.1	1.0	7.1	10.6	132.1	
45-54	66.3	40.2	19.7	126.2	—	7.2	21.5	28.7	2.4	0.7	3.1	0.2	25.3	14.9	198.3	
55-64	68.7	32.5	8.9	110.2	—	4.9	11.8	16.7	3.8	0.8	4.6	0.7	17.7	12.6	162.5	
65-74	89.5	37.8	18.9	146.3	—	6.8	11.8	18.5	7.0	0.8	7.7	0.6	6.0	16.5	195.6	
75+	81.5	35.1	2.1	118.7	18.7	6.6	9.0	15.6	9.6	0.6	10.2	2.8	1.9	15.4	183.3	
<b>Total<sup>(f)</sup></b>	<b>400.8</b>	<b>186.9</b>	<b>68.3</b>	<b>656.0</b>	<b>18.7</b>	<b>43.8</b>	<b>112.8</b>	<b>156.6</b>	<b>26.3</b>	<b>3.8</b>	<b>30.2</b>	<b>6.2</b>	<b>65.0</b>	<b>82.0</b>	<b>1,014.6</b>	

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under 'Hospital inpatients'.

(c) Includes breast, cervix, lung and skin cancer public health programs, other institutional, non-institutional and administration expenditure, and research.

(d) Other institutional, non-institutional and administration expenditure, and research.

(e) Excludes expenditure for other public health services, community health services, ambulances, medical aids and appliances, and capital expenditure.

(f) Includes hospital expenditure for small numbers of inpatients where age is not stated. Costs for other health sectors may not add to totals due to rounding.



**Table C.9: Neoplasms: health service utilisation for neoplasms by health sector, sex and age, 1993-94**

Sex / age	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services <sup>(b)</sup> ('000)			No. of prescriptions ('000)	Allied health consultations ('000)	Nursing home residents
	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital		GPs	Specialist	Total medical			
<b>Males</b>													
0-4	3.0	0.2	3.2	8.2	0.2	8.5	22.2	11.0	2.5	13.5	0.7	—	—
5-14	4.3	0.6	4.8	11.5	0.8	12.3	1.1	65.6	35.1	100.8	2.0	—	—
15-24	4.6	0.9	5.4	13.2	1.7	14.9	8.0	109.8	106.2	216.1	12.5	6.6	—
25-34	6.9	1.7	8.5	21.4	3.3	24.7	8.4	87.8	83.4	171.2	17.8	46.1	—
35-44	10.6	4.5	15.1	33.1	9.5	42.6	24.8	129.1	129.2	258.2	25.7	8.9	11
45-54	19.6	9.1	28.7	70.3	21.9	92.2	174.1	153.4	246.2	399.6	58.5	11.3	26
55-64	33.0	15.2	48.2	144.2	47.6	191.8	147.9	181.3	371.2	552.5	109.0	21.0	21
65-74	44.2	20.1	64.3	234.3	79.0	313.3	402.8	310.1	503.2	813.3	271.1	172.8	49
75+	27.8	11.8	39.6	203.7	65.1	268.9	157.9	213.8	351.2	565.0	185.4	89.6	246
<b>Total<sup>(c)</sup></b>	<b>153.8</b>	<b>63.9</b>	<b>217.8</b>	<b>740.1</b>	<b>229.2</b>	<b>969.3</b>	<b>947.3</b>	<b>1,261.9</b>	<b>1,828.3</b>	<b>3,090.3</b>	<b>682.7</b>	<b>356.4</b>	<b>352</b>
<b>Females</b>													
0-4	2.4	0.2	2.6	7.3	0.2	7.6	4.4	11.8	5.4	17.2	—	—	—
5-14	3.3	0.7	3.9	8.2	0.9	9.1	58.1	51.8	25.8	77.6	4.6	—	—
15-24	4.9	1.8	6.7	12.4	2.8	15.3	54.4	128.9	493.9	622.8	8.0	—	—
25-34	10.7	4.1	14.8	28.4	8.8	37.2	67.7	191.3	969.1	1,160.4	23.7	51.1	—
35-44	20.6	11.2	31.8	66.0	32.4	98.5	97.8	239.6	911.0	1,150.6	80.6	57.9	—
45-54	29.1	16.3	45.4	104.1	55.1	159.1	297.9	217.5	730.4	947.8	66.5	10.9	—
55-64	28.8	13.6	42.4	116.6	48.2	164.8	134.9	153.1	389.7	542.8	74.7	38.5	—
65-74	31.6	13.7	45.3	166.4	63.8	230.2	286.8	203.0	366.8	569.8	151.5	36.9	—
75+	21.1	9.7	30.8	183.7	70.5	254.2	31.3	195.4	243.2	438.6	190.3	164.5	511
<b>Total<sup>(c)</sup></b>	<b>152.6</b>	<b>71.3</b>	<b>223.9</b>	<b>693.1</b>	<b>282.8</b>	<b>976.0</b>	<b>1,033.4</b>	<b>1,392.4</b>	<b>4,135.3</b>	<b>5,527.6</b>	<b>599.9</b>	<b>359.8</b>	<b>511</b>

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age is not stated. Utilisation for other health sectors may not add to totals due to rounding.

Table C.10: Endocrine, nutritional, metabolic and immunity disorders: total health system costs by health sector, sex and age, 1993-94 (\$ million)

Sex / age	Hospital inpatients					Medical services <sup>(b)</sup>			Pharmaceuticals			Allied health	Other <sup>(c)</sup>	Total costs <sup>(d)</sup>	
	Public hospitals <sup>(a)</sup>	Private hospitals	Non-inpatients	Total hospital	Nursing homes	GPs	Specialist	Total medical	Prescription	Over-the-counter	Total				
<b>Males</b>															
0-4	3.1	0.0	1.5	4.6	—	0.2	0.1	0.3	0.1	0.1	0.1	3.1	1.1	9.3	
5-14	4.2	0.2	3.8	8.1	—	0.5	0.6	1.1	0.4	0.2	0.6	0.2	1.3	11.3	
15-24	4.2	0.2	1.3	5.6	—	1.0	1.2	2.2	1.2	0.4	1.6	—	1.2	10.7	
25-34	3.6	0.4	1.7	5.7	—	2.6	3.6	6.2	2.6	0.9	3.5	0.2	1.8	17.4	
35-44	4.6	0.8	5.1	10.5	—	5.8	8.8	14.6	13.3	1.7	15.0	2.2	4.8	47.1	
45-54	6.1	1.2	3.1	10.4	—	7.6	10.4	18.0	19.6	2.4	21.9	1.5	5.3	57.2	
55-64	8.9	1.5	6.1	16.4	—	8.4	13.5	21.9	36.5	3.3	39.8	2.3	8.4	88.7	
65-74	12.7	2.6	3.9	19.2	2.3	8.8	14.7	23.4	35.4	3.0	38.4	4.2	9.5	97.0	
75+	11.9	2.6	7.5	22.0	9.1	4.4	4.9	9.4	11.2	1.0	12.2	1.6	6.5	60.8	
<b>Total<sup>(e)</sup></b>	<b>59.3</b>	<b>9.4</b>	<b>33.9</b>	<b>102.6</b>	<b>11.4</b>	<b>39.3</b>	<b>57.8</b>	<b>97.1</b>	<b>120.3</b>	<b>12.9</b>	<b>133.2</b>	<b>15.3</b>	<b>40.0</b>	<b>399.7</b>	
<b>Females</b>															
0-4	3.0	0.0	3.4	6.4	—	0.3	1.0	1.2	0.0	0.2	0.2	8.1	2.1	18.1	
5-14	4.3	0.1	3.5	7.8	—	0.6	0.6	1.2	0.2	0.3	0.5	1.3	1.4	12.3	
15-24	5.8	0.9	1.7	8.4	—	2.8	2.6	5.4	3.8	0.8	4.5	1.8	2.6	22.8	
25-34	5.4	2.2	7.2	14.7	—	4.8	6.4	11.1	4.8	1.4	6.2	3.0	4.6	39.7	
35-44	5.7	3.2	1.2	10.1	—	7.1	10.8	18.0	12.4	2.2	14.6	4.3	5.7	52.7	
45-54	6.5	3.1	1.5	11.0	—	8.4	13.1	21.5	19.2	2.9	22.1	3.5	6.5	64.7	
55-64	8.0	2.3	12.2	22.5	1.3	10.1	15.3	25.3	49.5	3.6	53.1	5.5	11.0	118.7	
65-74	11.9	2.6	9.2	23.7	5.3	10.1	16.2	26.3	46.7	3.6	50.3	4.0	11.7	121.3	
75+	16.5	4.3	7.1	27.9	29.3	6.9	7.8	14.7	22.4	1.8	24.2	7.2	12.1	115.5	
<b>Total<sup>(e)</sup></b>	<b>67.1</b>	<b>18.6</b>	<b>47.1</b>	<b>132.7</b>	<b>36.0</b>	<b>51.1</b>	<b>73.7</b>	<b>124.8</b>	<b>159.1</b>	<b>16.8</b>	<b>175.9</b>	<b>38.7</b>	<b>57.9</b>	<b>566.0</b>	

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under 'Hospital inpatients'.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

(e) Includes hospital expenditure for small numbers of inpatients where age is not stated. Costs for other health sectors may not add to totals due to rounding.

**Table C.11: Endocrine, nutritional, metabolic and immunity disorders: health service utilisation by health sector, sex and age, 1993-94**

Sex / age	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services <sup>(b)</sup> ('000)			No. of prescriptions ('000)	Allied health consultations ('000)	Nursing home residents
	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital		GPs	Specialist	Total medical			
<b>Males</b>													
0-4	1.2	0.0	1.3	6.1	0.1	6.2	22.2	9.1	2.9	11.9	1.9	181.9	—
5-14	1.9	0.1	2.0	7.3	0.2	7.5	57.0	20.9	17.8	38.7	10.4	8.9	—
15-24	1.5	0.1	1.6	7.8	0.2	8.0	19.4	38.6	46.6	85.1	41.8	—	—
25-34	1.7	0.2	1.9	6.7	0.4	7.2	25.7	105.7	130.0	235.7	77.8	13.8	—
35-44	2.1	0.3	2.4	9.0	1.0	10.0	76.9	236.7	307.4	544.1	352.6	129.4	—
45-54	2.3	0.4	2.7	12.5	1.8	14.3	47.6	323.0	418.7	741.7	563.6	89.1	—
55-64	2.8	0.5	3.3	19.2	2.3	21.5	91.8	346.6	531.9	878.4	911.3	133.0	—
65-74	3.4	0.7	4.1	29.1	5.2	34.3	59.1	383.8	606.6	990.5	1,035.4	240.0	62
75+	2.8	0.6	3.4	29.5	7.0	36.5	113.9	170.2	185.3	355.5	382.6	90.5	250
<b>Total<sup>(c)</sup></b>	<b>19.7</b>	<b>3.0</b>	<b>22.7</b>	<b>127.2</b>	<b>18.3</b>	<b>145.5</b>	<b>513.7</b>	<b>1,634.7</b>	<b>2,247.0</b>	<b>3,881.7</b>	<b>3,377.5</b>	<b>886.6</b>	<b>312</b>
<b>Females</b>													
0-4	1.2	0.0	1.2	6.4	0.1	6.5	51.9	10.2	14.2	24.4	0.9	470.5	—
5-14	1.8	0.0	1.8	8.0	0.1	8.1	52.7	25.2	17.3	42.5	13.5	77.6	—
15-24	2.1	0.4	2.5	10.4	1.1	11.4	26.0	119.3	99.1	218.4	77.8	106.0	—
25-34	2.4	0.7	3.1	9.4	2.4	11.8	108.9	204.8	202.0	406.8	205.0	171.6	—
35-44	2.5	1.0	3.5	10.5	3.8	14.3	18.7	279.3	316.5	595.8	369.8	248.4	—
45-54	2.5	1.0	3.5	12.7	4.1	16.9	22.4	337.7	434.3	772.1	557.9	200.8	—
55-64	2.7	0.7	3.4	17.9	3.8	21.7	184.0	411.7	566.1	977.7	1,122.2	315.1	36
65-74	3.4	0.7	4.1	27.4	5.1	32.5	139.7	420.3	681.5	1,101.7	1,198.5	229.3	146
75+	4.0	0.9	5.0	46.8	13.0	59.8	108.1	269.6	367.1	636.7	875.5	418.6	802
<b>Total<sup>(c)</sup></b>	<b>22.6</b>	<b>5.5</b>	<b>28.1</b>	<b>149.5</b>	<b>33.5</b>	<b>183.0</b>	<b>712.4</b>	<b>2,078.1</b>	<b>2,698.0</b>	<b>4,776.1</b>	<b>4,421.0</b>	<b>2,237.8</b>	<b>984</b>

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age is not stated. Utilisation for other health sectors may not add to totals due to rounding.

Table C.12: Diseases of blood and blood-forming organs: total health system costs by health sector, sex and age, 1993-94 (\$ million)

Sex / age	Hospital inpatients			Nursing homes	Medical services <sup>(b)</sup>			Pharmaceuticals			Allied health	Other <sup>(c)</sup>	Total cost <sup>(d)</sup>	
	Public hospitals <sup>(a)</sup>	Private hospitals	Non-inpatients		Total hospital	GPs	Specialist	Total medical	Prescription	Over-the-counter				Total
<b>Males</b>														
0-4	1.9	0.1	1.5	3.4	—	0.2	0.1	0.3	0.1	0.1	0.2	—	0.4	4.2
5-14	3.0	0.1	0.1	3.2	—	0.5	0.4	0.9	0.2	0.1	0.3	—	0.5	4.9
15-24	3.1	0.1	0.5	3.8	—	0.5	0.5	1.0	0.1	0.1	0.2	—	0.5	5.5
25-34	2.9	0.2	0.1	3.2	—	0.3	0.4	0.6	0.1	0.1	0.3	—	0.4	4.5
35-44	2.6	0.2	0.6	3.5	—	0.3	0.3	0.6	0.3	0.1	0.4	—	0.5	4.9
45-54	3.0	0.3	0.2	3.5	—	0.5	1.0	1.5	0.2	0.1	0.3	—	0.6	5.8
55-64	3.5	0.8	1.9	6.1	—	0.5	1.2	1.7	0.6	0.2	0.8	—	0.9	9.5
65-74	6.9	1.2	1.7	9.8	—	1.1	2.3	3.5	1.6	0.2	1.8	—	1.6	16.6
75+	8.8	1.9	0.1	10.8	3.1	1.4	2.7	4.1	1.4	0.2	1.5	0.4	2.1	22.0
<b>Total<sup>(e)</sup></b>	<b>35.6</b>	<b>5.0</b>	<b>6.6</b>	<b>47.2</b>	<b>3.1</b>	<b>5.4</b>	<b>8.7</b>	<b>14.0</b>	<b>4.6</b>	<b>1.3</b>	<b>5.9</b>	<b>0.4</b>	<b>7.4</b>	<b>78.1</b>
<b>Females</b>														
0-4	1.5	0.0	0.3	1.8	—	0.3	0.6	0.9	0.1	0.1	0.1	—	0.3	3.1
5-14	3.0	0.2	1.7	4.9	—	0.5	0.5	1.0	0.2	0.1	0.2	—	0.6	6.8
15-24	2.9	0.3	3.9	7.1	—	1.1	1.5	2.7	0.6	0.8	1.3	—	1.2	12.3
25-34	2.3	0.4	0.7	3.3	—	1.2	3.2	4.4	0.8	0.7	1.5	0.2	1.0	10.4
35-44	2.5	0.8	0.3	3.6	—	1.3	1.8	3.1	1.2	0.8	2.0	0.1	0.9	9.7
45-54	2.9	1.0	1.2	5.1	—	1.4	1.8	3.2	1.6	0.8	2.4	—	1.1	11.7
55-64	3.4	0.8	1.2	5.4	—	1.1	0.9	2.0	1.4	0.4	1.8	—	1.0	10.1
65-74	6.0	1.4	1.0	8.4	—	2.1	2.2	4.3	3.3	0.4	3.7	0.1	1.7	18.2
75+	9.8	3.0	1.7	14.5	1.4	3.0	3.9	6.9	4.7	0.5	5.2	0.3	3.0	31.2
<b>Total<sup>(e)</sup></b>	<b>34.2</b>	<b>7.9</b>	<b>12.1</b>	<b>54.1</b>	<b>1.4</b>	<b>11.9</b>	<b>16.5</b>	<b>28.3</b>	<b>13.8</b>	<b>4.4</b>	<b>18.2</b>	<b>0.7</b>	<b>10.8</b>	<b>113.6</b>

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under 'Hospital inpatients'.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

(e) Includes hospital expenditure for small numbers of inpatients where age is not stated. Costs for other health sectors may not add to totals due to rounding.

**Table C.13: Diseases of blood and blood-forming organs: health service utilisation by health sector, sex and age, 1993–94**

Sex / age	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services <sup>(b)</sup> ('000)			No. of prescriptions ('000)	Allied health consultations ('000)	Nursing home residents
	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital		GPs	Specialist	Total medical			
<b>Males</b>													
0–4	1.1	0.0	1.1	3.3	0.1	3.4	22.2	8.3	3.2	11.5	4.2	—	—
5–14	1.9	0.1	2.0	4.2	0.2	4.4	1.1	19.9	16.6	36.5	17.1	—	—
15–24	2.2	0.1	2.2	4.1	0.1	4.2	8.0	18.8	22.7	41.5	8.9	—	—
25–34	1.9	0.1	1.9	3.5	0.2	3.7	2.1	10.8	18.6	29.4	7.6	—	—
35–44	1.5	0.2	1.6	3.3	0.3	3.6	9.1	13.2	14.6	27.8	18.6	—	—
45–54	1.8	0.2	2.0	4.7	0.4	5.1	2.4	18.2	31.2	49.4	15.8	—	—
55–64	2.1	0.5	2.5	6.0	1.5	7.5	28.3	23.7	29.9	53.5	51.3	—	—
65–74	3.7	0.8	4.4	10.9	2.2	13.1	25.4	47.6	96.6	144.3	111.0	—	—
75+	4.2	1.1	5.3	17.4	4.1	21.5	1.3	57.0	82.5	139.5	117.1	22.9	107
<b>Total<sup>(c)</sup></b>	<b>20.1</b>	<b>2.9</b>	<b>23.0</b>	<b>57.4</b>	<b>9.1</b>	<b>66.5</b>	<b>100.0</b>	<b>217.5</b>	<b>315.9</b>	<b>533.4</b>	<b>351.7</b>	<b>22.9</b>	<b>107</b>
<b>Females</b>													
0–4	0.8	0.0	0.8	2.6	0.0	2.6	4.4	9.7	11.9	21.6	6.3	—	—
5–14	1.9	0.1	2.0	4.3	0.2	4.5	26.4	17.6	17.7	35.3	12.4	—	—
15–24	2.1	0.2	2.2	3.9	0.4	4.3	59.1	48.8	68.7	117.5	45.8	—	—
25–34	1.6	0.2	1.8	3.1	0.4	3.5	9.9	55.3	91.4	146.7	63.7	11.2	—
35–44	1.6	0.5	2.2	3.6	0.8	4.4	5.2	54.9	72.5	127.4	60.7	5.5	—
45–54	1.7	0.7	2.5	4.9	1.2	6.1	18.2	57.9	75.2	133.1	105.8	—	—
55–64	1.9	0.5	2.4	6.2	1.2	7.3	18.1	46.6	43.7	90.2	113.8	—	—
65–74	3.3	0.9	4.2	11.6	2.3	13.9	15.2	89.3	90.8	180.1	275.2	6.9	—
75+	4.5	1.4	5.9	22.6	7.5	30.1	26.2	115.3	152.8	268.1	332.6	15.8	50
<b>Total<sup>(c)</sup></b>	<b>19.4</b>	<b>4.6</b>	<b>24.0</b>	<b>62.6</b>	<b>14.0</b>	<b>76.6</b>	<b>182.7</b>	<b>495.3</b>	<b>624.7</b>	<b>1,120.0</b>	<b>1,016.3</b>	<b>39.4</b>	<b>50</b>

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age is not stated. Utilisation for other health sectors may not add to totals due to rounding.

Table C.14: Mental disorders: total health system costs by health sector, sex and age, 1993-94 (\$ million)

Sex / age	Hospital inpatients			Medical services <sup>(c)</sup>				Pharmaceuticals			Allied health	Other <sup>(d)</sup>	Total costs <sup>(e)</sup>			
	Public hospitals <sup>(a)</sup>	Psychiatric hospitals <sup>(b)</sup>	Private hospitals	Non-inpatients	Total hospital	Nursing homes	GPs	Specialist	Total medical	Prescription				Over-the-counter	Total	
<b>Males</b>																
0-4	1.6	9.3	0.8	1.5	13.2	—	1.4	1.4	2.7	0.3	0.1	0.4	3.8	1.2	21.3	
5-14	9.0	0.1	0.5	4.3	13.8	0.9	2.0	5.2	7.2	0.5	0.4	0.9	13.9	2.2	39.0	
15-24	21.7	36.4	3.0	26.1	87.3	—	5.3	8.4	13.7	2.4	0.4	2.8	3.8	6.5	114.1	
25-34	28.3	75.1	4.6	6.7	114.8	0.9	11.2	19.1	30.3	7.3	1.1	8.4	6.1	9.7	170.3	
35-44	21.9	55.8	6.9	7.8	92.4	4.5	12.1	26.0	38.1	8.7	2.1	10.8	7.3	9.2	162.2	
45-54	18.2	32.5	8.4	0.2	59.3	1.6	10.0	19.5	29.5	9.5	1.8	11.3	3.1	6.3	111.1	
55-64	11.9	40.6	4.5	0.2	57.2	15.8	7.2	10.8	18.1	9.2	2.0	11.2	1.8	6.3	110.3	
65-74	18.4	20.8	4.2	0.4	43.8	42.0	7.1	7.6	14.7	12.3	2.2	14.5	1.0	7.0	123.2	
75+	29.6	21.4	5.9	1.9	58.8	111.2	5.3	3.3	8.5	7.7	0.8	8.5	0.4	11.3	198.8	
<b>Total<sup>(e)</sup></b>	<b>160.8</b>	<b>292.1</b>	<b>38.6</b>	<b>49.2</b>	<b>540.7</b>	<b>176.9</b>	<b>61.6</b>	<b>101.3</b>	<b>162.9</b>	<b>58.0</b>	<b>10.8</b>	<b>68.8</b>	<b>41.2</b>	<b>59.8</b>	<b>1,050.2</b>	
<b>Females</b>																
0-4	0.9	0.0	0.0	0.3	1.3	—	0.7	1.4	2.1	0.2	0.1	0.3	1.4	0.3	5.4	
5-14	4.4	0.0	0.6	0.5	5.5	—	1.8	3.3	5.1	0.4	0.1	0.5	3.5	0.9	15.4	
15-24	19.9	29.6	8.2	7.9	65.7	—	8.3	16.0	24.3	3.9	1.0	4.9	8.6	6.2	109.7	
25-34	26.5	29.8	11.1	7.6	74.9	1.0	15.2	38.2	53.4	11.8	1.9	13.7	11.9	9.4	164.2	
35-44	22.8	26.8	14.9	2.3	66.9	4.1	19.0	43.0	62.1	14.1	3.0	17.1	6.4	9.5	166.0	
45-54	17.1	20.2	12.0	5.8	55.2	3.3	16.6	32.2	48.8	16.4	2.9	19.3	3.8	7.9	138.1	
55-64	12.0	27.2	6.8	4.0	50.0	14.4	11.6	14.7	26.3	19.1	4.1	23.2	3.8	7.1	124.8	
65-74	23.3	22.0	7.3	0.2	52.8	56.4	12.3	13.3	25.6	23.4	4.3	27.7	1.4	9.9	173.8	
75+	53.7	25.5	15.3	0.3	94.7	461.5	14.4	7.2	21.6	20.3	2.5	22.8	1.3	36.4	638.4	
<b>Total<sup>(f)</sup></b>	<b>180.5</b>	<b>181.1</b>	<b>76.3</b>	<b>28.8</b>	<b>466.8</b>	<b>540.8</b>	<b>99.9</b>	<b>169.4</b>	<b>269.2</b>	<b>109.6</b>	<b>19.8</b>	<b>129.5</b>	<b>42.1</b>	<b>87.5</b>	<b>1,535.9</b>	

(a) Public acute and repatriation hospitals.

(b) Public psychiatric hospitals only. Private psychiatric hospitals included under 'Private hospitals'.

(c) Medical services for private patients in hospitals are included under 'Hospital inpatients'.

(d) Other institutional, non-institutional and administration expenditure and research.

(e) Excludes expenditure for other public health services, community health services, cases, ambulances, medical aids and appliances.

(f) Includes hospital expenditure for small numbers of inpatients where age is not stated. Costs for other health sectors may not add to totals due to rounding.

Table C.15: Mental disorders: health service utilisation by health sector, sex and age, 1993-94

Sex / age	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services <sup>(b)</sup> ('000)			No. of prescriptions ('000)	Allied health consultations ('000)	Nursing home residents
	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital		GPs	Specialist	Total medical			
<b>Males</b>													
0-4	0.7	0.0	0.7	32.8	6.7	39.5	22.2	52.9	27.1	79.9	13.9	219.3	—
5-14	3.9	0.1	4.0	16.8	2.5	19.3	65.0	64.2	70.8	135.1	27.7	805.8	25
15-24	11.7	1.2	12.9	177.2	12.9	190.1	395.1	191.0	120.1	311.1	183.0	218.4	—
25-34	16.7	1.9	18.6	318.6	17.7	336.3	102.1	418.1	297.9	716.0	630.3	354.7	25
35-44	13.1	2.8	15.9	237.9	28.0	265.9	118.2	463.1	371.3	834.4	742.8	419.3	122
45-54	8.2	3.5	11.7	159.9	32.4	192.4	2.4	384.2	310.3	694.5	812.5	176.3	44
55-64	5.1	1.5	6.6	164.1	18.7	182.8	3.3	282.7	207.0	489.7	840.5	101.6	431
65-74	7.4	1.1	8.6	126.3	18.7	145.0	6.7	298.2	195.9	494.1	1,184.3	59.3	1,150
75+	6.4	1.1	7.4	182.6	25.2	207.7	29.4	199.3	83.1	282.4	742.8	25.4	3,041
<b>Total<sup>(c)</sup></b>	<b>73.3</b>	<b>13.2</b>	<b>86.5</b>	<b>1,416.2</b>	<b>162.8</b>	<b>1,579.0</b>	<b>744.3</b>	<b>2,353.8</b>	<b>1,683.5</b>	<b>4,037.3</b>	<b>5,177.8</b>	<b>2,380.1</b>	<b>4,837</b>
<b>Females</b>													
0-4	0.4	0.0	0.4	2.2	0.1	2.3	4.4	28.3	25.6	53.9	11.4	78.0	—
5-14	1.5	0.1	1.6	13.9	2.5	16.4	7.3	61.6	55.9	117.5	25.7	203.3	—
15-24	9.1	2.3	11.4	154.1	33.2	187.3	119.5	312.5	241.8	554.3	297.0	494.9	—
25-34	13.4	4.4	17.9	172.1	44.0	216.2	114.4	602.2	507.4	1,109.7	939.2	688.2	28
35-44	11.1	5.8	16.9	150.0	61.9	211.9	35.2	696.0	592.7	1,288.7	1,182.1	371.5	113
45-54	7.3	4.8	12.1	116.2	49.9	166.2	87.4	627.8	458.7	1,086.4	1,412.2	219.9	89
55-64	4.3	2.4	6.7	124.1	28.7	152.8	61.2	452.4	269.1	721.6	1,677.5	217.4	395
65-74	5.6	2.1	7.7	160.0	31.2	191.2	2.8	496.4	315.6	812.0	2,210.4	80.4	1,543
75+	8.3	2.7	11.0	326.8	71.7	398.5	4.3	516.9	207.8	724.7	2,016.4	77.2	12,624
<b>Total<sup>(c)</sup></b>	<b>61.1</b>	<b>24.7</b>	<b>85.8</b>	<b>1,219.5</b>	<b>323.3</b>	<b>1,542.7</b>	<b>436.5</b>	<b>3,794.1</b>	<b>2,674.7</b>	<b>6,468.8</b>	<b>9,771.8</b>	<b>2,430.7</b>	<b>14,792</b>

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age is not stated. Utilisation for other health sectors may not add to totals due to rounding.

Table C.16: Diseases of the nervous system and sense organs: total health system costs by health sector, sex and age, 1993-94 (\$ million)

Sex / age	Hospital inpatients					Medical services <sup>(b)</sup>			Pharmaceuticals			Allied health	Other <sup>(c)</sup>	Total costs <sup>(d)</sup>	
	Public hospitals <sup>(a)</sup>	Private hospitals	Non-inpatients	Total hospital	Nursing homes	GPs	Specialist	Total medical	Prescription	Over-the-counter	Total				
<b>Males</b>															
0-4	15.1	12.9	17.3	45.2	1.0	18.8	5.4	24.2	14.1	2.2	16.4	20.7	7.9	115.4	
5-14	11.9	8.5	10.6	31.0	1.8	16.6	16.8	33.4	12.3	2.3	14.5	12.5	6.8	100.2	
15-24	7.8	2.9	4.2	14.9	—	7.5	5.3	12.8	7.2	1.6	8.7	6.7	3.2	46.3	
25-34	10.8	5.3	14.5	30.6	1.0	8.9	7.6	16.5	8.9	1.9	10.9	12.3	5.2	76.5	
35-44	14.0	8.4	7.0	29.3	2.3	9.7	10.7	20.4	9.4	2.4	11.8	13.1	5.6	82.6	
45-54	13.6	10.7	13.8	38.0	3.1	7.7	13.0	20.7	7.0	2.0	9.0	10.7	6.0	87.6	
55-64	17.2	14.8	5.1	37.0	6.8	7.1	13.8	20.9	9.2	1.2	10.4	11.5	6.4	92.9	
65-74	32.4	29.3	11.4	73.1	32.0	7.7	21.2	28.9	11.0	1.2	12.2	12.6	11.6	170.3	
75+	35.4	32.7	3.0	71.1	81.5	7.1	15.8	23.0	8.9	0.8	9.6	6.6	14.1	205.9	
<b>Total<sup>(e)</sup></b>	<b>158.1</b>	<b>125.4</b>	<b>86.8</b>	<b>370.3</b>	<b>129.5</b>	<b>91.2</b>	<b>109.7</b>	<b>200.8</b>	<b>88.1</b>	<b>15.4</b>	<b>103.6</b>	<b>106.8</b>	<b>66.8</b>	<b>977.8</b>	
<b>Females</b>															
0-4	11.7	7.6	10.4	29.8	—	14.8	4.6	19.4	11.5	1.4	12.8	12.7	5.5	80.2	
5-14	9.5	6.9	8.3	24.7	4.3	16.4	9.0	25.5	12.4	2.4	14.8	11.2	5.9	86.4	
15-24	7.6	3.3	4.8	15.6	1.3	9.3	7.4	16.8	9.4	3.1	12.5	17.1	4.6	68.0	
25-34	11.2	6.2	9.0	26.4	—	10.9	12.2	23.1	15.1	3.3	18.4	14.0	6.0	88.0	
35-44	14.1	9.7	2.7	26.5	—	12.9	14.7	27.5	16.3	3.8	20.1	10.6	6.2	90.9	
45-54	13.3	14.0	8.0	35.3	3.2	10.9	15.4	26.3	13.8	2.6	16.4	16.3	7.1	104.6	
55-64	14.9	15.4	6.6	36.9	18.4	8.0	15.2	23.2	13.2	1.8	15.0	12.2	7.8	113.5	
65-74	29.7	38.5	11.9	80.1	51.7	9.8	24.1	33.9	15.8	1.9	17.6	12.8	14.4	210.5	
75+	50.4	63.5	6.4	120.3	294.7	11.4	23.4	34.9	15.4	1.0	16.4	13.2	35.2	514.6	
<b>Total<sup>(e)</sup></b>	<b>162.5</b>	<b>165.0</b>	<b>68.2</b>	<b>395.7</b>	<b>373.5</b>	<b>104.6</b>	<b>126.1</b>	<b>230.6</b>	<b>122.7</b>	<b>21.3</b>	<b>144.1</b>	<b>120.1</b>	<b>92.7</b>	<b>1,356.7</b>	

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under 'Hospital inpatients'.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

(e) Includes hospital expenditure for small numbers of inpatients where age is not stated. Costs for other health sectors may not add to totals due to rounding.



**Table C.17: Diseases of the nervous system and sense organs: health service utilisation by health sector, sex and age, 1993–94**

Sex / age	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services <sup>(b)</sup> ('000)			No. of prescriptions ('000)	Allied health consultations ('000)	Nursing home residents
	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital		GPs	Specialist	Total medical			
<b>Males</b>													
0–4	10.1	6.5	16.6	21.3	23.3	44.6	261.3	763.2	133.1	896.3	1,073.4	1,197.3	27
5–14	7.8	4.7	12.5	17.4	6.4	23.9	160.3	656.0	305.8	961.8	919.5	724.6	50
15–24	3.6	1.1	4.7	14.3	1.9	16.2	63.0	304.1	99.2	403.3	498.3	386.5	—
25–34	5.1	2.0	7.1	18.4	4.4	22.8	219.3	368.4	154.3	522.6	602.5	708.9	27
35–44	6.3	3.2	9.5	24.6	7.7	32.3	105.8	398.0	207.3	605.4	599.5	758.9	63
45–54	5.7	4.0	9.6	22.3	7.1	29.4	208.9	319.2	247.2	566.4	469.0	618.0	86
55–64	6.6	5.1	11.7	30.5	9.4	39.8	77.1	284.6	256.0	540.6	529.6	663.3	185
65–74	10.6	9.6	20.2	66.7	21.6	88.2	173.3	331.7	425.4	757.1	628.4	728.8	874
75+	10.8	10.1	20.9	81.4	27.2	108.6	45.8	268.4	324.7	593.2	452.7	382.8	2,228
<b>Total<sup>(c)</sup></b>	<b>66.6</b>	<b>46.3</b>	<b>112.8</b>	<b>296.8</b>	<b>109.0</b>	<b>405.8</b>	<b>1,314.7</b>	<b>3,693.6</b>	<b>2,153.0</b>	<b>5,846.6</b>	<b>5,772.9</b>	<b>6,169.1</b>	<b>3,541</b>
<b>Females</b>													
0–4	7.5	4.4	11.9	17.8	5.2	23.0	158.0	602.9	115.6	718.5	914.0	735.1	—
5–14	6.3	3.7	10.1	12.3	5.5	17.8	125.5	659.7	196.7	856.4	937.3	644.6	116
15–24	3.9	1.2	5.1	12.2	2.2	14.4	72.7	415.2	152.7	567.9	610.3	990.2	36
25–34	5.9	2.5	8.3	18.6	4.9	23.5	136.1	494.0	226.0	720.0	1,099.7	811.7	—
35–44	6.7	4.0	10.6	28.5	8.5	37.0	40.7	521.6	277.9	799.4	969.2	612.4	—
45–54	6.2	5.3	11.5	23.3	13.6	36.9	121.5	431.0	303.1	734.1	816.8	941.3	87
55–64	6.4	5.3	11.6	24.5	10.4	34.9	99.7	314.9	305.4	620.4	721.0	705.8	502
65–74	11.2	11.6	22.7	54.4	31.6	86.1	180.6	395.9	507.4	903.4	895.0	738.0	1,414
75+	16.4	18.5	34.9	124.5	49.3	173.9	97.5	424.4	484.8	909.2	882.4	761.2	8,061
<b>Total<sup>(c)</sup></b>	<b>70.3</b>	<b>56.4</b>	<b>126.8</b>	<b>316.3</b>	<b>131.3</b>	<b>447.6</b>	<b>1,032.1</b>	<b>4,259.6</b>	<b>2,569.7</b>	<b>6,829.3</b>	<b>7,845.6</b>	<b>6,940.4</b>	<b>10,217</b>

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age is not stated. Utilisation for other health sectors may not add to totals due to rounding.

Table C.18: Diseases of the circulatory system: total health system costs by health sector, sex and age, 1993-94 (\$ million)

Sex / age	Hospital inpatients					Medical services <sup>(b)</sup>			Pharmaceuticals			Allied health	Other <sup>(c)</sup>	Total costs <sup>(d)</sup>	
	Public hospitals <sup>(a)</sup>	Private hospitals	Non-inpatients	Total hospital	Nursing homes	GPs	Specialist	Total medical	Prescription	Over-the-counter	Total				
<b>Males</b>															
0-4	1.5	0.1	2.4	3.9	—	0.1	0.5	0.6	0.0	0.1	0.1	—	0.3	5.0	
5-14	1.7	0.2	2.1	4.0	—	0.2	0.0	0.2	0.1	0.1	0.2	—	0.3	4.7	
15-24	5.3	1.1	4.4	10.7	—	1.3	3.2	4.5	1.2	0.2	1.5	0.3	1.1	18.1	
25-34	11.1	2.8	4.7	18.5	—	3.9	5.6	9.6	4.3	0.9	5.2	0.8	2.2	36.2	
35-44	30.9	9.1	7.7	47.7	—	7.8	8.1	15.9	16.7	3.8	20.4	3.6	5.7	93.4	
45-54	76.4	27.9	10.0	114.3	2.5	14.7	18.5	33.2	36.3	7.4	43.7	1.2	12.3	207.2	
55-64	136.4	49.2	11.0	196.6	10.3	21.9	34.2	56.1	60.4	13.1	73.5	3.1	21.3	360.9	
65-74	226.4	67.1	26.2	319.6	44.6	30.8	45.8	76.7	85.5	14.9	100.4	4.0	33.9	579.1	
75+	190.1	39.4	4.7	234.2	159.9	24.7	22.4	47.1	50.0	8.0	58.0	8.0	30.6	537.8	
<b>Total<sup>(e)</sup></b>	<b>679.7</b>	<b>196.8</b>	<b>73.3</b>	<b>949.7</b>	<b>217.2</b>	<b>105.5</b>	<b>138.4</b>	<b>244.0</b>	<b>254.6</b>	<b>48.5</b>	<b>303.1</b>	<b>21.0</b>	<b>107.5</b>	<b>1,842.4</b>	
<b>Females</b>															
0-4	1.2	0.0	0.3	1.5	—	0.1	0.3	0.3	0.1	0.0	0.1	—	0.1	2.0	
5-14	1.1	0.1	0.5	1.7	—	0.2	0.5	0.7	0.3	0.0	0.4	—	0.2	2.9	
15-24	3.8	0.7	1.0	5.6	—	1.3	1.6	2.9	1.3	0.3	1.6	—	0.6	10.7	
25-34	10.0	4.0	7.6	21.6	—	3.9	5.1	9.1	4.9	1.3	6.2	0.8	2.4	40.0	
35-44	18.4	9.4	4.3	32.1	1.1	7.3	11.6	18.9	14.3	4.1	18.4	1.0	4.5	76.1	
45-54	33.9	14.1	19.6	67.6	1.3	14.1	17.0	31.1	36.7	9.4	46.1	2.6	9.8	158.4	
55-64	64.7	20.7	9.4	94.8	7.4	22.3	26.7	49.0	68.4	14.6	83.0	1.2	15.3	250.8	
65-74	138.9	37.0	9.8	185.7	30.5	35.6	34.6	70.2	110.5	20.6	131.1	5.8	27.1	450.4	
75+	223.9	54.7	17.5	296.0	329.4	48.7	28.6	77.3	108.4	16.4	124.8	7.3	50.4	885.3	
<b>Total<sup>(e)</sup></b>	<b>496.3</b>	<b>140.8</b>	<b>69.9</b>	<b>707.0</b>	<b>369.7</b>	<b>133.6</b>	<b>125.9</b>	<b>259.5</b>	<b>344.8</b>	<b>66.8</b>	<b>411.7</b>	<b>18.7</b>	<b>110.5</b>	<b>1,877.0</b>	

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under 'Hospital inpatients'.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

(e) Includes hospital expenditure for small numbers of inpatients where age is not stated. Costs for other health sectors may not add to totals due to rounding.

**Table C.19: Diseases of the circulatory system: health service utilisation by health sector, sex and age, 1993-94**

Sex / age	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services <sup>(b)</sup> ('000)			No. of prescriptions ('000)	Allied health consultations ('000)	Nursing home residents
	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital		GPs	Specialist	Total medical			
<b>Males</b>													
0-4	0.5	0.0	0.5	2.7	0.1	2.8	37.0	5.0	8.7	13.7	1.5	—	—
5-14	0.5	0.1	0.6	2.7	0.1	2.8	32.1	6.6	2.3	8.9	4.4	—	—
15-24	1.7	0.5	2.2	7.5	1.0	8.5	66.5	50.4	66.5	116.8	38.9	18.5	—
25-34	4.1	1.4	5.4	18.1	3.0	21.1	70.5	158.7	145.9	304.6	192.0	43.8	—
35-44	10.4	3.4	13.8	45.7	9.4	55.1	117.3	312.1	219.1	531.2	697.3	210.1	—
45-54	21.8	7.7	29.5	111.4	25.3	136.6	151.6	610.2	477.9	1,088.1	1,527.8	68.3	67
55-64	34.6	10.7	45.3	209.4	47.2	256.7	167.0	899.2	853.5	1,752.6	2,633.6	181.7	281
65-74	50.1	13.7	63.8	369.7	82.2	451.9	396.6	1,290.0	1,205.6	2,495.5	3,869.3	228.6	1,218
75+	40.5	8.2	48.7	404.7	82.5	487.2	70.5	922.3	640.1	1,562.5	2,433.6	461.4	4,373
<b>Total<sup>(c)</sup></b>	<b>164.2</b>	<b>45.7</b>	<b>209.9</b>	<b>1,172.0</b>	<b>250.8</b>	<b>1,422.8</b>	<b>1,109.1</b>	<b>4,254.3</b>	<b>3,619.6</b>	<b>7,874.0</b>	<b>11,398.3</b>	<b>1,212.5</b>	<b>5,940</b>
<b>Females</b>													
0-4	0.4	0.0	0.4	2.2	0.1	2.3	4.4	2.2	4.0	6.3	3.0	—	—
5-14	0.4	0.0	0.4	1.9	0.1	2.0	7.3	8.7	13.0	21.7	16.3	—	—
15-24	1.4	0.4	1.7	6.0	0.9	6.9	14.9	55.4	36.8	92.2	59.5	—	—
25-34	4.0	1.8	5.8	15.5	4.0	19.6	115.7	168.9	131.7	300.6	219.8	46.9	—
35-44	6.9	4.0	10.9	28.3	12.7	41.0	65.1	302.4	296.5	598.9	641.4	56.3	31
45-54	10.8	5.3	16.1	56.4	15.6	71.9	296.1	579.2	461.2	1,040.3	1,611.4	149.8	35
55-64	18.1	5.9	24.0	111.9	30.9	142.8	142.5	910.5	705.7	1,616.2	3,040.9	71.9	202
65-74	34.2	8.5	42.7	258.4	56.0	314.4	148.2	1,448.6	1,027.8	2,476.4	5,022.4	333.9	835
75+	50.7	11.6	62.4	586.8	148.3	735.0	264.4	1,745.5	989.8	2,735.2	5,420.5	423.3	9,009
<b>Total<sup>(c)</sup></b>	<b>126.9</b>	<b>37.4</b>	<b>164.3</b>	<b>1,070.5</b>	<b>268.6</b>	<b>1,339.1</b>	<b>1,058.7</b>	<b>5,221.3</b>	<b>3,666.7</b>	<b>8,888.0</b>	<b>16,035.3</b>	<b>1,082.1</b>	<b>10,111</b>

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age is not stated. Utilisation for other health sectors may not add to totals due to rounding.

Table C.20: Diseases of the respiratory system: total health system costs by health sector, sex and age, 1993-94 (\$ million)

Sex / age	Hospital inpatients				Nursing homes	Medical services <sup>(b)</sup>			Pharmaceuticals			Allied health	Other <sup>(c)</sup>	Total costs <sup>(d)</sup>
	Public hospitals <sup>(a)</sup>	Private hospitals	Non-inpatients	Total hospital		GPs	Specialist	Total medical	Prescription	Over-the-counter	Total			
<b>Males</b>														
0-4	49.6	4.9	26.8	81.3	1.0	44.4	11.2	55.6	36.2	15.9	52.2	5.8	11.1	206.9
5-14	25.6	7.9	23.9	57.4	—	42.0	8.2	50.1	46.5	23.9	70.3	2.5	10.2	190.6
15-24	13.9	6.0	11.7	31.6	—	24.9	6.9	31.8	27.6	19.7	47.3	1.4	6.4	118.5
25-34	12.9	5.4	8.0	26.4	—	22.2	8.4	30.7	25.2	18.5	43.7	0.3	5.7	106.8
35-44	11.8	6.3	11.8	29.9	—	18.9	8.3	27.2	21.6	15.2	36.8	0.9	5.4	100.3
45-54	15.2	6.1	2.3	23.6	0.7	13.8	11.7	25.5	17.9	9.9	27.8	0.5	4.4	82.6
55-64	29.6	5.7	6.1	41.3	1.8	13.8	13.1	26.9	22.3	8.8	31.1	0.1	5.7	107.0
65-74	63.6	9.4	5.1	78.1	3.8	17.0	13.4	30.5	33.4	6.4	39.8	1.4	8.7	162.2
75+	71.4	11.2	2.1	84.8	29.7	12.0	8.0	20.0	19.0	3.0	22.1	1.1	8.9	166.6
<b>Total<sup>(e)</sup></b>	<b>293.8</b>	<b>62.9</b>	<b>97.8</b>	<b>454.5</b>	<b>37.0</b>	<b>209.0</b>	<b>89.3</b>	<b>298.3</b>	<b>249.7</b>	<b>121.4</b>	<b>371.1</b>	<b>14.0</b>	<b>66.7</b>	<b>1,241.6</b>
<b>Females</b>														
0-4	31.4	3.2	18.4	53.1	—	39.3	8.4	47.7	33.1	13.7	46.8	6.6	8.8	162.9
5-14	21.7	7.7	7.9	37.3	—	40.2	8.2	48.4	40.7	21.6	62.3	2.6	8.6	159.2
15-24	17.2	8.0	9.9	35.1	—	33.9	9.5	43.3	36.7	21.9	58.6	2.8	7.9	147.7
25-34	12.6	5.5	10.0	28.1	—	28.2	9.7	37.9	32.6	20.4	53.0	1.5	6.8	127.4
35-44	12.4	5.3	10.7	28.5	—	27.2	12.2	39.4	33.2	16.9	50.1	2.4	6.8	127.3
45-54	14.9	5.3	3.7	23.9	—	20.0	12.2	32.3	25.9	11.8	37.7	1.0	5.4	100.2
55-64	23.4	5.5	8.8	37.7	1.2	16.0	10.7	26.7	28.9	9.3	38.2	2.0	6.0	111.8
65-74	42.5	9.2	9.6	61.2	10.4	16.9	11.0	27.9	30.7	7.5	38.2	2.8	8.0	148.5
75+	57.3	15.8	0.3	73.4	58.8	14.8	7.3	22.1	23.7	3.9	27.6	1.5	10.4	193.8
<b>Total<sup>(e)</sup></b>	<b>233.5</b>	<b>65.5</b>	<b>79.3</b>	<b>378.3</b>	<b>70.4</b>	<b>236.6</b>	<b>89.2</b>	<b>325.8</b>	<b>285.5</b>	<b>127.1</b>	<b>412.5</b>	<b>23.1</b>	<b>68.7</b>	<b>1,278.9</b>

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under 'Hospital inpatients'.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

(e) Includes hospital expenditure for small numbers of inpatients where age is not stated. Costs for other health sectors may not add to totals due to rounding.

**Table C.21: Diseases of the respiratory system: health service utilisation by health sector, sex and age, 1993-94**

Sex / age	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services <sup>(b)</sup> ('000)			No. of prescriptions ('000)	Allied health consultations ('000)	Nursing home residents
	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital		GPs	Specialist	Total medical			
<b>Males</b>													
0-4	40.2	3.3	43.5	98.5	6.8	105.4	405.3	1,770.6	202.8	1,973.4	2,068.8	332.8	27
5-14	20.4	4.9	25.3	44.1	7.0	51.1	361.5	1,660.0	195.5	1,855.5	2,619.1	145.0	—
15-24	8.2	2.9	11.1	25.1	5.7	30.8	177.4	993.0	199.5	1,192.5	1,691.0	79.1	—
25-34	6.8	2.6	9.4	23.3	4.9	28.2	121.5	935.5	196.3	1,131.7	1,550.5	17.6	—
35-44	5.7	2.9	8.7	21.1	6.4	27.5	178.8	798.6	199.0	997.6	1,334.8	53.6	—
45-54	6.3	2.8	9.2	30.4	6.6	37.0	34.8	595.3	246.5	841.8	1,090.4	30.1	18
55-64	10.2	2.4	12.6	66.7	8.5	75.2	92.1	563.3	256.3	819.6	1,312.1	8.7	49
65-74	17.8	3.3	21.1	146.6	23.2	169.7	77.3	713.5	287.0	1,000.5	1,842.1	81.9	103
75+	18.1	3.1	21.3	188.4	33.8	222.2	32.2	447.5	173.3	620.8	1,074.1	61.8	813
<b>Total<sup>(c)</sup></b>	<b>133.8</b>	<b>28.2</b>	<b>162.1</b>	<b>644.3</b>	<b>102.9</b>	<b>747.1</b>	<b>1,481.1</b>	<b>8,477.1</b>	<b>1,956.2</b>	<b>10,433.3</b>	<b>14,582.9</b>	<b>810.5</b>	<b>1,011</b>
<b>Females</b>													
0-4	24.3	2.2	26.5	61.8	3.6	65.5	278.9	1,570.9	174.9	1,745.7	2,130.8	380.6	—
5-14	16.0	4.7	20.7	37.3	6.8	44.2	119.5	1,591.0	204.4	1,795.4	2,532.2	151.6	—
15-24	11.4	4.3	15.7	31.9	8.6	40.5	149.4	1,501.9	263.3	1,765.1	2,267.6	160.7	—
25-34	7.6	2.7	10.3	23.8	6.4	30.2	151.5	1,278.5	241.2	1,519.7	2,022.2	88.8	—
35-44	6.3	2.5	8.9	26.7	7.7	34.3	162.6	1,149.2	272.7	1,421.9	2,012.1	136.0	—
45-54	6.7	2.4	9.1	32.3	8.5	40.7	55.7	818.5	265.5	1,084.0	1,563.8	55.8	—
55-64	8.3	2.2	10.5	56.1	11.0	67.0	133.7	648.2	262.8	911.0	1,698.9	116.2	33
65-74	12.4	2.8	15.3	111.1	28.1	139.2	144.9	671.7	248.4	920.1	1,800.0	160.7	284
75+	15.4	4.2	19.6	164.2	51.2	215.4	4.3	530.1	187.3	717.4	1,311.8	86.8	1,608
<b>Total<sup>(c)</sup></b>	<b>108.5</b>	<b>28.0</b>	<b>136.5</b>	<b>545.1</b>	<b>131.9</b>	<b>677.0</b>	<b>1,200.4</b>	<b>9,759.9</b>	<b>2,120.4</b>	<b>11,880.3</b>	<b>17,339.3</b>	<b>1,337.1</b>	<b>1,925</b>

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age is not stated. Utilisation for other health sectors may not add to totals due to rounding.

Table C.22: Diseases of the digestive system: total health system costs by health sector, sex and age, 1993-94 (\$ million)

Sex / age	Hospital inpatients					Medical services <sup>(b)</sup>			Pharmaceuticals			Other		Total costs <sup>(d)</sup>	
	Public hospitals <sup>(a)</sup>	Private hospitals	Non-inpatients	Total hospital	Nursing homes	GPs	Specialist	Total medical	Prescription	Over-the-counter	Total	Dental services	allied health		Other <sup>(c)</sup>
<b>Males</b>															
0-4	20.3	2.4	7.8	30.5	—	5.5	2.8	8.3	8.8	4.3	13.1	4.2	2.9	3.4	62.4
5-14	14.1	4.5	6.4	25.0	—	2.4	1.3	3.7	1.6	1.5	3.1	256.2	0.7	16.6	305.4
15-24	19.1	13.1	5.5	37.7	—	3.4	4.3	7.7	4.0	2.5	6.5	153.8	0.5	11.9	218.2
25-34	27.1	13.8	4.0	44.9	—	5.3	6.2	11.5	8.8	3.8	12.6	45.9	0.1	6.6	121.6
35-44	35.4	20.4	7.6	63.5	—	6.9	11.6	18.5	10.7	4.9	15.6	56.6	1.3	8.9	164.3
45-54	40.6	26.6	4.4	71.5	—	6.3	14.1	20.4	10.2	4.1	14.3	41.5	0.7	8.5	156.8
55-64	47.0	26.8	13.6	87.4	—	6.2	16.0	22.2	13.2	4.7	17.9	58.1	0.7	10.7	196.9
65-74	64.3	26.0	3.7	94.1	—	7.1	19.9	27.0	20.8	5.2	26.0	64.9	0.1	12.2	224.4
75+	51.8	15.8	3.3	70.9	14.1	4.7	6.6	11.3	11.8	3.1	15.0	14.9	0.4	7.3	133.9
<b>Total<sup>(e)</sup></b>	<b>319.8</b>	<b>149.5</b>	<b>56.2</b>	<b>525.5</b>	<b>14.1</b>	<b>47.9</b>	<b>82.8</b>	<b>130.6</b>	<b>90.0</b>	<b>34.1</b>	<b>124.0</b>	<b>695.9</b>	<b>7.6</b>	<b>86.2</b>	<b>1,583.9</b>
<b>Females</b>															
0-4	13.2	1.5	7.9	22.5	—	4.7	3.8	8.5	3.0	4.1	7.1	4.3	2.3	2.6	47.3
5-14	11.3	4.4	2.7	18.5	—	2.9	2.8	5.7	1.8	1.8	3.7	440.7	0.2	27.0	495.7
15-24	24.9	20.1	14.9	59.9	—	6.1	8.7	14.8	8.1	3.8	11.9	219.8	1.2	17.7	325.2
25-34	30.6	18.8	7.8	57.2	—	7.0	13.4	20.4	11.8	5.5	17.3	91.2	0.9	10.8	197.9
35-44	33.2	23.1	6.7	63.0	—	7.5	13.5	21.0	10.6	5.8	16.4	110.1	1.0	12.2	223.7
45-54	36.1	27.2	8.5	71.7	—	7.6	15.7	23.2	13.0	5.6	18.5	74.7	0.9	10.9	200.0
55-64	42.0	24.9	9.3	76.2	—	6.5	13.2	19.7	15.8	6.0	21.8	76.8	2.0	11.3	207.8
65-74	53.8	25.0	0.7	79.5	—	7.3	14.0	21.3	20.7	7.3	28.0	84.5	1.4	12.4	227.1
75+	65.2	22.4	8.2	95.9	20.9	8.5	10.4	18.9	20.4	5.4	25.8	33.0	0.8	11.2	206.6
<b>Total<sup>(e)</sup></b>	<b>310.5</b>	<b>167.3</b>	<b>66.7</b>	<b>544.4</b>	<b>20.9</b>	<b>58.2</b>	<b>95.4</b>	<b>153.5</b>	<b>105.2</b>	<b>45.3</b>	<b>150.6</b>	<b>1,135.1</b>	<b>10.7</b>	<b>116.0</b>	<b>2,131.3</b>

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under 'Hospital inpatients'.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

(e) Includes hospital expenditure for small numbers of inpatients where age is not stated. Costs for other health sectors may not add to totals due to rounding.

**Table C.23: Diseases of the digestive system: health service utilisation by health sector, sex and age, 1993-94**

Sex / age	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services <sup>(b)</sup> ('000)			No. of prescriptions ('000)	Dental and allied health consultations ('000)	Nursing home residents
	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital		GPs	Specialist	Total medical			
<b>Males</b>													
0-4	14.3	2.0	16.3	33.1	2.7	35.8	118.1	215.3	77.9	293.2	856.6	475.4	—
5-14	9.9	3.4	13.2	22.3	5.3	27.6	96.7	93.0	33.6	126.5	68.8	4,656.2	—
15-24	12.7	12.4	25.1	31.9	17.4	49.2	82.6	123.9	102.7	226.6	135.3	2,445.5	—
25-34	17.2	10.9	28.2	46.0	17.1	63.2	60.1	217.9	110.9	328.9	303.1	2,467.6	—
35-44	19.9	14.0	33.9	58.4	24.9	83.3	115.8	269.8	215.9	485.6	360.6	2,847.6	—
45-54	21.2	17.6	38.8	69.8	33.6	103.4	65.9	263.0	273.4	536.5	338.7	1,815.6	—
55-64	22.6	16.4	39.0	84.9	35.9	120.8	205.7	249.8	312.9	562.7	403.0	1,789.7	—
65-74	26.5	15.8	42.3	114.1	40.2	154.3	55.9	301.6	385.7	687.3	614.9	1,230.6	—
75+	18.9	8.2	27.1	109.7	30.8	140.5	49.5	183.9	137.1	320.9	351.8	246.1	386
<b>Total<sup>(c)</sup></b>	<b>163.3</b>	<b>100.6</b>	<b>263.9</b>	<b>570.3</b>	<b>207.8</b>	<b>778.1</b>	<b>850.3</b>	<b>1,918.2</b>	<b>1,650.1</b>	<b>3,568.3</b>	<b>3,432.8</b>	<b>17,974.2</b>	<b>386</b>
<b>Females</b>													
0-4	10.0	1.3	11.3	23.5	1.8	25.3	119.1	186.9	69.2	256.1	117.0	462.2	—
5-14	7.9	3.7	11.6	19.1	5.5	24.6	41.4	111.3	66.3	177.6	67.2	5,195.3	—
15-24	17.6	20.8	38.4	40.5	27.6	68.1	225.9	256.8	175.5	432.3	272.4	3,425.4	—
25-34	18.8	13.7	32.5	50.3	23.0	73.3	118.4	302.0	236.3	538.3	387.1	3,860.7	—
35-44	18.4	15.1	33.5	54.7	30.2	84.9	101.2	296.2	249.4	545.7	370.3	3,680.4	—
45-54	19.3	17.9	37.2	62.6	35.8	98.4	128.0	301.1	292.5	593.6	436.4	2,209.0	—
55-64	20.0	16.3	36.3	74.9	35.0	109.9	140.9	259.6	257.7	517.3	510.7	1,840.2	—
65-74	23.5	16.2	39.7	104.0	40.8	144.8	10.2	289.3	293.7	583.1	650.9	1,468.6	—
75+	23.8	11.2	34.9	153.7	52.4	206.1	124.3	307.1	254.7	561.9	617.0	450.3	958
<b>Total<sup>(c)</sup></b>	<b>159.3</b>	<b>116.2</b>	<b>275.5</b>	<b>583.3</b>	<b>252.2</b>	<b>835.5</b>	<b>1,009.5</b>	<b>2,310.3</b>	<b>1,895.4</b>	<b>4,205.7</b>	<b>3,429.0</b>	<b>22,592.2</b>	<b>958</b>

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age is not stated. Utilisation for other health sectors may not add to totals due to rounding.

**Table C.24: Diseases of the genitourinary system: total health system costs by health sector, sex and age, 1993-94 (\$ million)**

Sex / age	Hospital inpatients					Medical services <sup>(b)</sup>			Pharmaceuticals			Allied health	Other <sup>(c)</sup>	Total costs <sup>(d)</sup>	
	Public hospitals <sup>(a)</sup>	Private hospitals	Non-inpatients	Total hospital	Nursing homes	GPs	Specialist	Total medical	Prescription	Over-the-counter	Total				
<b>Males</b>															
0-4	8.3	2.8	5.9	17.0	—	1.5	2.4	3.9	0.6	0.1	0.6	1.5	1.3	24.4	
5-14	7.3	2.2	0.1	9.6	—	1.4	2.1	3.5	0.5	0.4	0.8	0.5	0.8	15.2	
15-24	10.0	2.3	0.5	12.9	—	1.5	2.3	3.8	0.8	0.1	0.9	—	1.0	18.5	
25-34	14.6	3.3	2.7	20.6	—	2.4	3.6	6.0	1.5	0.2	1.8	0.2	1.6	30.2	
35-44	17.6	5.3	3.7	26.7	—	2.7	5.8	8.6	1.8	0.3	2.0	0.2	2.1	39.6	
45-54	23.9	10.3	11.4	45.6	—	3.0	7.9	10.9	2.1	0.4	2.5	—	3.4	62.4	
55-64	37.2	20.9	6.6	64.7	—	3.1	11.5	14.7	2.4	0.4	2.7	0.2	4.7	87.1	
65-74	62.2	29.4	3.1	94.7	1.8	3.4	10.7	14.1	2.4	0.5	2.9	0.7	6.5	120.7	
75+	44.5	17.7	1.5	63.7	6.4	3.0	8.3	11.3	2.0	0.4	2.4	0.7	4.8	89.3	
<b>Total<sup>(e)</sup></b>	<b>225.6</b>	<b>94.3</b>	<b>35.6</b>	<b>355.5</b>	<b>8.1</b>	<b>22.1</b>	<b>54.6</b>	<b>76.7</b>	<b>13.9</b>	<b>2.6</b>	<b>16.5</b>	<b>4.1</b>	<b>26.4</b>	<b>487.4</b>	
<b>Females</b>															
0-4	4.1	0.4	0.4	4.9	—	1.9	4.5	6.5	0.9	0.2	1.0	1.6	0.8	14.7	
5-14	4.3	0.7	2.6	7.7	—	3.0	7.0	10.0	2.0	1.2	3.2	0.3	1.2	22.4	
15-24	31.3	14.1	12.0	57.3	—	16.0	21.4	37.4	11.8	5.4	17.1	1.7	6.5	120.1	
25-34	56.3	45.6	23.5	125.5	—	18.7	39.3	58.0	14.3	4.2	18.5	3.5	11.8	217.2	
35-44	64.5	60.7	16.0	141.3	—	17.9	42.5	60.4	12.7	6.2	18.9	3.2	12.8	236.6	
45-54	53.7	47.8	12.0	113.5	—	22.3	43.5	65.8	28.4	5.6	34.0	1.5	12.3	227.1	
55-64	40.4	23.0	1.2	64.6	1.2	9.8	21.4	31.2	15.6	1.7	17.3	0.9	6.6	121.8	
65-74	45.5	19.1	14.8	79.5	—	6.7	15.5	22.2	8.7	0.7	9.4	0.1	6.4	117.6	
75+	29.7	11.9	5.8	47.4	22.4	6.2	8.3	14.5	6.6	0.5	7.1	0.5	5.3	97.2	
<b>Total<sup>(e)</sup></b>	<b>330.0</b>	<b>223.4</b>	<b>88.2</b>	<b>641.6</b>	<b>23.6</b>	<b>102.5</b>	<b>203.4</b>	<b>305.9</b>	<b>100.9</b>	<b>25.8</b>	<b>126.7</b>	<b>13.2</b>	<b>63.7</b>	<b>1,174.7</b>	

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under 'Hospital inpatients'.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

(e) Includes hospital expenditure for small numbers of inpatients where age is not stated. Costs for other health sectors may not add to totals due to rounding.



Table C.25: Diseases of the genitourinary system: health service utilisation by health sector, sex and age, 1993-94

Sex / age	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services <sup>(b)</sup> ('000)			No. of prescriptions ('000)	Allied health consultations ('000)	Nursing home residents
	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital		GPs	Specialist	Total medical			
<b>Males</b>													
0-4	5.3	1.2	6.6	11.8	8.8	20.6	88.9	59.8	80.5	140.3	39.1	88.3	—
5-14	4.9	1.3	6.2	8.9	1.6	10.5	1.1	53.0	60.1	113.1	32.0	28.8	—
15-24	9.9	1.4	11.2	17.3	2.1	19.4	8.0	60.8	86.2	147.0	67.8	—	—
25-34	17.2	2.5	19.7	25.4	3.5	28.9	40.6	98.3	130.9	229.1	112.1	13.1	—
35-44	19.7	3.8	23.5	32.1	6.2	38.2	56.2	107.9	185.8	293.8	119.9	10.0	—
45-54	26.6	6.9	33.6	41.8	12.6	54.4	173.1	123.3	245.8	369.1	131.2	—	—
55-64	34.9	11.0	45.9	66.2	26.6	92.7	100.2	121.5	348.4	469.8	157.7	14.3	—
65-74	49.8	14.0	63.8	107.9	42.0	149.8	47.2	143.9	362.6	506.5	146.8	38.5	49
75+	20.7	6.8	27.5	89.2	31.4	120.5	23.4	112.8	257.8	370.7	133.5	41.0	174
<b>Total<sup>(c)</sup></b>	<b>189.0</b>	<b>48.9</b>	<b>237.9</b>	<b>400.5</b>	<b>134.6</b>	<b>535.1</b>	<b>538.6</b>	<b>881.4</b>	<b>1,758.0</b>	<b>2,639.4</b>	<b>940.0</b>	<b>234.1</b>	<b>223</b>
<b>Females</b>													
0-4	2.2	0.2	2.4	7.2	0.5	7.7	5.7	75.0	167.7	242.7	58.0	90.9	—
5-14	2.6	0.4	3.0	7.4	0.7	8.1	39.4	117.9	224.2	342.1	130.9	16.5	—
15-24	24.6	7.4	32.0	41.8	10.8	52.6	181.0	686.8	767.4	1,454.2	834.9	96.0	—
25-34	40.1	21.6	61.6	73.5	40.0	113.5	356.4	831.3	1,112.9	1,944.2	995.8	199.5	—
35-44	41.8	26.8	68.5	92.3	60.4	152.7	242.4	723.0	1,043.3	1,766.3	1,003.0	182.5	—
45-54	40.3	21.2	61.5	82.6	55.0	137.6	180.9	881.9	1,395.3	2,277.2	2,542.0	88.3	—
55-64	37.2	11.6	48.8	71.0	31.2	102.2	18.1	390.5	603.5	994.0	1,328.0	51.6	34
65-74	42.6	11.1	53.6	89.8	32.2	122.0	224.1	269.5	512.9	782.3	632.1	7.3	—
75+	14.0	4.2	18.1	75.6	28.0	103.7	87.1	224.2	352.5	576.7	422.9	29.7	612
<b>Total<sup>(c)</sup></b>	<b>245.4</b>	<b>104.3</b>	<b>349.7</b>	<b>541.3</b>	<b>258.7</b>	<b>800.1</b>	<b>1,335.3</b>	<b>4,200.1</b>	<b>6,179.7</b>	<b>10,379.7</b>	<b>7,947.7</b>	<b>762.1</b>	<b>646</b>

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age is not stated. Utilisation for other health sectors may not add to totals due to rounding.

Table C.26: Complications of pregnancy, childbirth and the puerperium: total health system costs by health sector, sex and age, 1993-94 (\$ million)

Sex / age	Hospital inpatients			Total hospital	Nursing homes	Medical services <sup>(b)</sup>			Pharmaceuticals			Allied health	Other <sup>(c)</sup>	Total costs <sup>(d)</sup>
	Public hospitals <sup>(a)</sup>	Private hospitals	Non-inpatients			GPs	Specialist	Total medical	Prescription	Over-the-counter	Total			
<b>Males</b>														
0-4	0.0	—	—	0.0	—	0.0	0.1	0.2	—	—	—	—	0.0	0.2
5-14	—	—	—	—	—	0.0	0.0	0.1	—	—	—	—	0.0	0.1
15-24	0.0	—	—	0.0	—	0.1	—	0.1	—	—	—	—	0.0	0.1
25-34	—	—	—	—	—	0.0	0.0	0.1	—	—	—	—	0.0	0.1
35-44	0.0	—	—	0.0	—	0.0	—	0.0	—	—	—	—	0.0	0.0
45-54	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55-64	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65-74	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75+	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>Total<sup>(e)</sup></b>	<b>0.0</b>	<b>—</b>	<b>—</b>	<b>0.0</b>	<b>—</b>	<b>0.2</b>	<b>0.2</b>	<b>0.4</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>0.0</b>	<b>0.4</b>
<b>Females</b>														
0-4	0.1	0.0	—	0.1	—	0.1	0.1	0.2	0.0	—	0.0	0.1	0.0	0.4
5-14	0.6	0.1	—	0.7	—	0.0	—	0.0	—	—	—	—	0.0	0.7
15-24	181.5	31.7	21.7	234.9	—	3.1	5.0	8.1	2.1	1.0	3.1	2.5	15.1	263.7
25-34	369.8	182.0	20.6	572.4	—	6.7	11.3	18.0	4.7	2.5	7.2	3.4	36.4	637.4
35-44	83.0	46.5	2.7	132.2	—	1.7	3.1	4.8	0.9	0.3	1.2	0.2	8.4	146.7
45-54	0.7	0.4	—	1.0	—	0.1	0.1	0.3	0.0	—	0.0	—	0.1	1.4
55-64	0.0	0.0	—	0.0	—	0.0	0.0	0.0	—	—	—	—	0.0	0.1
65-74	0.0	0.0	—	0.0	—	0.0	—	0.0	—	—	—	—	0.0	0.0
75+	0.1	0.0	—	0.1	—	0.0	—	0.0	—	—	—	—	0.0	0.2
<b>Total<sup>(e)</sup></b>	<b>635.6</b>	<b>260.6</b>	<b>45.1</b>	<b>941.4</b>	<b>—</b>	<b>11.8</b>	<b>19.7</b>	<b>31.5</b>	<b>7.7</b>	<b>3.7</b>	<b>11.5</b>	<b>6.2</b>	<b>60.0</b>	<b>1,050.6</b>

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under 'Hospital inpatients'.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

(e) Includes hospital expenditure for small numbers of inpatients where age is not stated. Costs for other health sectors may not add to totals due to rounding.

**Table C.27: Complications of pregnancy, childbirth and the puerperium: health service utilisation by health sector, sex and age, 1993-94**

Sex / age	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services <sup>(b)</sup> ('000)			No. of prescriptions ('000)	Allied health consultations ('000)	Nursing home residents
	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital		GPs	Specialist	Total medical			
<b>Males</b>													
0-4	0.0	—	0.0	0.0	—	0.0	—	1.8	6.4	8.2	—	—	—
5-14	—	—	—	—	—	—	—	0.6	0.8	1.4	—	—	—
15-24	0.0	—	0.0	0.0	—	0.0	—	3.1	—	3.1	—	—	—
25-34	—	—	—	—	—	—	—	1.1	1.4	2.4	—	—	—
35-44	0.0	—	0.0	0.0	—	0.0	—	0.4	—	0.4	—	—	—
45-54	—	—	—	—	—	—	—	—	—	—	—	—	—
55-64	—	—	—	—	—	—	—	—	—	—	—	—	—
65-74	—	—	—	—	—	—	—	—	—	—	—	—	—
75+	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>Total<sup>(c)</sup></b>	<b>0.0</b>	<b>—</b>	<b>0.0</b>	<b>0.0</b>	<b>—</b>	<b>0.0</b>	<b>—</b>	<b>6.8</b>	<b>8.6</b>	<b>15.4</b>	<b>—</b>	<b>—</b>	<b>—</b>
<b>Females</b>													
0-4	0.0	0.0	0.0	0.2	0.0	0.2	—	2.5	4.3	6.8	0.2	5.4	—
5-14	0.3	0.1	0.4	1.2	0.1	1.3	—	0.3	—	0.3	—	—	—
15-24	106.5	16.8	123.3	358.5	44.0	402.5	329.3	135.3	137.3	272.6	102.4	145.2	—
25-34	183.9	60.3	244.2	716.6	292.0	1,008.6	312.1	266.5	246.4	512.9	235.3	198.0	—
35-44	39.4	16.2	55.6	159.2	70.6	229.8	41.5	60.2	67.8	128.0	38.2	12.1	—
45-54	0.4	0.2	0.6	1.2	0.4	1.6	—	4.7	2.7	7.4	4.3	—	—
55-64	0.0	0.0	0.0	0.1	0.0	0.1	—	0.2	0.6	0.8	—	—	—
65-74	0.0	0.0	0.0	0.1	0.0	0.1	—	0.3	—	0.3	—	—	—
75+	0.0	0.0	0.0	0.8	0.0	0.8	—	1.2	—	1.2	—	—	—
<b>Total<sup>(c)</sup></b>	<b>330.5</b>	<b>93.6</b>	<b>424.1</b>	<b>1,237.7</b>	<b>407.2</b>	<b>1,644.9</b>	<b>682.9</b>	<b>471.1</b>	<b>459.1</b>	<b>930.3</b>	<b>380.3</b>	<b>360.6</b>	<b>—</b>

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age is not stated. Utilisation for other health sectors may not add to totals due to rounding.

**Table C.28: Diseases of the skin and subcutaneous tissue: total health system costs by health sector, sex and age, 1993-94 (\$ million)**

Sex / age	Hospital inpatients			Total hospital	Nursing homes	Medical services <sup>(b)</sup>			Pharmaceuticals			Allied health	Other <sup>(c)</sup>	Total costs <sup>(d)</sup>
	Public hospitals <sup>(a)</sup>	Private hospitals	Non-inpatients			GPs	Specialist	Total medical	Prescription	Over-the-counter	Total			
<b>Males</b>														
0-4	3.7	0.3	4.9	9.0	—	7.1	1.5	8.6	6.6	6.3	12.9	1.0	1.8	33.3
5-14	4.0	1.1	3.2	8.3	—	6.9	2.6	9.5	6.6	5.1	11.7	0.1	1.7	31.4
15-24	7.8	3.1	6.7	17.5	—	12.1	6.7	18.8	9.5	9.1	18.6	0.7	3.3	59.0
25-34	8.3	2.8	0.1	11.3	—	8.6	5.2	13.8	7.6	7.1	14.6	2.0	2.5	44.2
35-44	7.6	2.6	4.9	15.1	—	6.6	5.2	11.8	7.4	7.5	14.9	0.2	2.5	44.4
45-54	7.9	3.3	8.3	19.5	—	7.2	6.9	14.1	7.4	4.7	12.2	2.0	2.8	50.5
55-64	9.9	3.4	6.2	19.5	—	6.3	5.2	11.5	7.5	4.4	12.0	1.5	2.6	47.0
65-74	13.5	4.5	12.0	30.0	—	7.6	8.1	15.8	9.4	4.1	13.5	5.0	3.8	68.1
75+	13.7	4.3	6.3	24.3	—	5.6	4.7	10.3	5.5	2.2	7.7	4.8	2.8	49.9
<b>Total<sup>(e)</sup></b>	<b>76.4</b>	<b>25.4</b>	<b>52.7</b>	<b>154.6</b>	<b>—</b>	<b>68.0</b>	<b>46.1</b>	<b>114.1</b>	<b>67.6</b>	<b>50.6</b>	<b>118.2</b>	<b>17.3</b>	<b>23.7</b>	<b>427.9</b>
<b>Females</b>														
0-4	3.1	0.2	2.8	6.2	—	7.3	1.8	9.2	6.0	6.4	12.4	3.8	1.9	33.4
5-14	3.2	1.0	0.5	4.7	—	7.0	3.0	9.9	6.3	6.1	12.4	0.3	1.6	29.0
15-24	4.9	2.4	19.1	26.4	—	11.5	6.9	18.4	11.0	10.8	21.8	3.1	4.1	73.7
25-34	5.0	2.6	7.9	15.5	—	9.8	7.6	17.5	11.4	9.3	20.7	3.1	3.3	60.1
35-44	5.0	3.3	24.8	33.1	—	10.2	10.1	20.3	10.5	7.6	18.0	1.7	4.3	77.4
45-54	5.8	4.4	6.0	16.2	—	7.4	6.9	14.3	8.4	5.1	13.6	3.1	2.8	49.9
55-64	7.0	3.8	3.6	14.4	—	6.9	4.5	11.3	8.2	4.2	12.4	3.5	2.4	44.0
65-74	12.0	4.9	8.2	25.1	1.3	8.8	6.0	14.8	10.6	5.0	15.6	10.7	4.0	71.4
75+	24.6	11.5	3.3	39.5	4.4	12.0	5.5	17.4	10.2	3.5	13.7	9.2	4.9	89.1
<b>Total<sup>(e)</sup></b>	<b>70.7</b>	<b>34.2</b>	<b>76.1</b>	<b>181.0</b>	<b>5.6</b>	<b>80.9</b>	<b>52.2</b>	<b>133.1</b>	<b>82.7</b>	<b>58.0</b>	<b>140.6</b>	<b>38.3</b>	<b>29.3</b>	<b>528.0</b>

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under 'Hospital inpatients'.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

(e) Includes hospital expenditure for small numbers of inpatients where age is not stated. Costs for other health sectors may not add to totals due to rounding.

Table C.29: Diseases of the skin and subcutaneous tissue: health service utilisation by health sector, sex and age, 1993-94

Sex / age	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services <sup>(b)</sup> ('000)			No. of prescriptions ('000)	Allied health consultations ('000)	Nursing home residents
	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital		GPs	Specialist	Total medical			
<b>Males</b>													
0-4	2.3	0.2	2.5	7.7	0.5	8.2	74.6	287.1	41.5	328.5	416.6	56.8	—
5-14	2.8	0.9	3.7	7.2	1.1	8.3	49.1	278.3	68.8	347.1	435.9	7.6	—
15-24	4.9	2.1	7.0	15.4	3.6	19.0	101.4	464.7	162.5	627.2	693.0	42.5	—
25-34	4.6	1.6	6.2	18.3	3.2	21.5	2.1	351.5	134.8	486.3	498.6	117.4	—
35-44	3.7	1.5	5.2	17.7	2.8	20.5	73.5	275.1	127.0	402.1	453.5	9.2	—
45-54	3.6	1.7	5.2	19.2	3.9	23.0	126.4	300.2	207.0	507.2	432.9	114.5	—
55-64	3.6	1.5	5.1	25.6	4.4	30.0	94.4	246.1	120.8	366.9	466.8	86.8	—
65-74	4.2	1.7	6.0	32.9	7.6	40.5	181.6	326.5	216.7	543.2	587.9	286.9	—
75+	3.7	1.2	4.9	37.3	10.0	47.3	95.3	222.7	145.1	367.8	350.9	277.5	—
<b>Total<sup>(c)</sup></b>	<b>33.5</b>	<b>12.5</b>	<b>45.9</b>	<b>181.2</b>	<b>37.0</b>	<b>218.2</b>	<b>798.3</b>	<b>2,752.2</b>	<b>1,224.1</b>	<b>3,976.3</b>	<b>4,336.1</b>	<b>999.3</b>	<b>—</b>
<b>Females</b>													
0-4	1.9	0.2	2.1	6.7	0.4	7.0	43.0	290.8	38.6	329.5	383.8	220.5	—
5-14	2.1	0.7	2.8	5.8	1.0	6.8	7.3	281.3	76.4	357.7	398.7	17.3	—
15-24	3.3	1.4	4.7	9.4	2.3	11.7	288.6	499.4	161.8	661.2	726.7	179.4	—
25-34	3.0	1.4	4.4	10.0	2.5	12.5	119.5	435.4	198.1	633.5	728.0	177.0	—
35-44	2.7	1.8	4.4	10.3	3.3	13.6	374.8	418.9	224.5	643.4	693.8	96.2	—
45-54	2.8	2.1	4.9	13.1	5.0	18.2	90.9	291.0	165.3	456.3	511.1	176.8	—
55-64	2.8	1.6	4.4	17.1	4.9	22.0	54.2	277.9	120.7	398.6	521.8	199.4	—
65-74	3.7	1.6	5.3	32.9	8.2	41.1	124.1	353.9	182.6	536.5	655.0	617.2	35
75+	5.7	2.2	7.9	75.8	30.3	106.1	50.3	469.7	168.6	638.4	676.2	528.7	119
<b>Total<sup>(c)</sup></b>	<b>27.9</b>	<b>13.0</b>	<b>40.9</b>	<b>181.2</b>	<b>57.8</b>	<b>239.0</b>	<b>1,152.8</b>	<b>3,318.4</b>	<b>1,336.6</b>	<b>4,655.0</b>	<b>5,295.1</b>	<b>2,212.5</b>	<b>154</b>

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age is not stated. Utilisation for other health sectors may not add to totals due to rounding.

Table C.30: Diseases of the musculoskeletal system and connective tissue: total health system costs by health sector, sex and age, 1993-94 (\$ million)

Sex / age	Hospital inpatients				Nursing homes	Medical services <sup>(b)</sup>			Pharmaceuticals			Allied health	Other <sup>(c)</sup>	Total costs <sup>(d)</sup>	
	Public hospitals <sup>(a)</sup>	Private hospitals	Non-inpatients	Total hospital		GPs	Specialist	Total medical	Prescription	Over-the-counter	Total				
<b>Males</b>															
0-4	2.6	0.4	1.5	4.4	—	0.5	0.8	1.3	0.1	0.2	0.3	2.4	0.5	8.9	
5-14	8.3	2.7	10.5	21.5	—	3.7	7.5	11.2	0.3	0.8	1.1	5.3	2.1	41.3	
15-24	18.7	25.6	14.1	58.4	—	6.6	10.6	17.2	2.1	2.5	4.6	16.0	5.2	101.4	
25-34	24.1	36.6	23.2	83.8	—	11.6	11.7	23.4	5.5	4.5	10.0	45.1	8.8	171.0	
35-44	23.8	38.2	26.3	88.3	—	15.5	15.8	31.2	8.6	5.7	14.3	35.9	9.2	179.0	
45-54	23.2	37.3	27.3	87.7	—	18.4	21.3	39.7	11.3	5.8	17.0	26.9	9.3	180.6	
55-64	29.2	37.6	15.2	81.9	2.6	16.8	22.4	39.3	15.4	8.6	24.1	26.1	9.4	183.4	
65-74	49.0	39.7	10.4	99.1	11.9	13.9	25.1	39.0	15.0	7.7	22.7	22.3	10.6	205.6	
75+	39.7	21.6	10.2	71.5	68.7	9.5	11.4	20.9	9.5	3.8	13.3	6.5	9.8	190.7	
<b>Total<sup>(e)</sup></b>	<b>218.4</b>	<b>239.5</b>	<b>138.8</b>	<b>596.7</b>	<b>83.1</b>	<b>96.5</b>	<b>126.7</b>	<b>223.2</b>	<b>67.8</b>	<b>39.6</b>	<b>107.4</b>	<b>186.5</b>	<b>64.8</b>	<b>1,261.8</b>	
<b>Females</b>															
0-4	2.0	0.3	1.5	3.9	—	0.7	1.7	2.4	0.1	0.1	0.2	4.9	0.6	12.0	
5-14	6.8	2.6	2.9	12.3	—	3.2	6.2	9.4	0.9	0.9	1.8	4.5	1.5	29.6	
15-24	11.6	14.8	8.2	34.7	—	5.9	7.6	13.5	2.0	3.1	5.0	19.6	3.9	76.7	
25-34	14.9	19.7	11.9	46.5	—	10.1	18.6	28.7	5.6	4.7	10.3	42.3	6.9	134.8	
35-44	20.0	28.5	23.6	72.0	—	19.4	29.1	48.5	14.0	7.0	21.0	41.5	9.9	193.0	
45-54	23.7	36.2	15.3	75.3	—	21.1	32.4	53.5	15.0	9.5	24.5	41.0	10.5	204.8	
55-64	33.0	38.2	21.2	92.4	0.8	18.1	27.7	45.8	21.2	11.6	32.8	25.4	10.7	207.8	
65-74	60.9	50.4	20.5	131.8	30.4	20.3	28.4	48.7	23.4	12.9	36.3	25.4	14.8	287.3	
75+	71.2	48.4	21.9	141.5	315.6	22.9	21.6	44.6	27.5	9.7	37.2	24.8	30.5	594.1	
<b>Total<sup>(e)</sup></b>	<b>244.2</b>	<b>239.1</b>	<b>127.1</b>	<b>610.4</b>	<b>346.7</b>	<b>121.8</b>	<b>173.3</b>	<b>295.1</b>	<b>109.6</b>	<b>59.5</b>	<b>169.1</b>	<b>229.3</b>	<b>89.4</b>	<b>1,740.0</b>	

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under 'Hospital inpatients'.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

(e) Includes hospital expenditure for small numbers of inpatients where age is not stated. Costs for other health sectors may not add to totals due to rounding.

**Table C.31: Diseases of the musculoskeletal system and connective tissue: health service utilisation by health sector, sex and age, 1993–94**

Sex / age	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services <sup>(b)</sup> ('000)					
	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital		GPs	Specialist	Total prescriptions medical	No. of prescriptions ('000)	Allied health consultations ('000)	Nursing home residents
<b>Males</b>													
0–4	1.5	0.2	1.7	4.4	0.3	4.7	22.2	19.6	16.4	35.9	3.1	139.9	—
5–14	3.9	1.2	5.1	13.2	2.0	15.2	159.5	143.7	130.9	274.6	28.4	305.8	—
15–24	9.3	10.7	19.9	22.4	19.2	41.6	214.0	263.4	193.3	456.8	161.9	926.3	—
25–34	11.5	15.1	26.6	34.1	32.8	66.9	350.9	479.5	221.2	700.7	421.4	2,604.7	—
35–44	10.8	15.2	26.0	37.2	39.7	76.9	398.2	638.3	289.1	927.4	687.5	2,073.8	—
45–54	9.1	13.8	22.9	39.7	41.3	81.0	412.7	761.7	422.3	1,184.1	843.0	1,552.2	—
55–64	9.2	10.8	20.0	50.3	44.5	94.9	230.4	688.7	408.8	1,097.5	1,080.7	1,509.7	70
65–74	10.8	8.9	19.6	77.9	57.3	135.2	157.9	597.1	471.6	1,068.7	1,085.7	1,288.0	325
75+	7.1	4.1	11.3	80.9	39.5	120.3	155.0	378.6	259.2	637.8	714.9	375.6	1,879
<b>Total<sup>(c)</sup></b>	<b>73.3</b>	<b>80.0</b>	<b>153.2</b>	<b>360.0</b>	<b>276.6</b>	<b>636.6</b>	<b>2,100.9</b>	<b>3,970.7</b>	<b>2,412.8</b>	<b>6,383.5</b>	<b>5,026.7</b>	<b>10,775.9</b>	<b>2,274</b>
<b>Females</b>													
0–4	1.2	0.2	1.3	3.6	0.2	3.8	23.3	29.9	25.3	55.1	5.2	281.2	—
5–14	2.9	1.1	4.0	10.3	2.2	12.5	44.2	124.6	107.1	231.7	93.6	258.8	—
15–24	5.7	6.0	11.7	15.6	12.4	28.0	124.6	252.9	142.2	395.1	139.9	1,129.9	—
25–34	7.2	7.6	14.8	22.9	25.6	48.5	180.5	441.3	291.8	733.1	380.1	2,445.0	—
35–44	8.7	10.5	19.2	33.6	36.4	70.0	357.4	806.2	545.5	1,351.7	1,081.4	2,398.8	—
45–54	9.5	12.5	21.9	41.5	48.3	89.8	232.2	859.7	612.7	1,472.4	1,164.1	2,367.4	—
55–64	10.3	10.4	20.7	57.1	50.7	107.8	321.5	737.8	593.7	1,331.5	1,419.3	1,468.1	21
65–74	14.1	10.6	24.8	112.8	78.3	191.1	310.1	825.6	625.3	1,450.9	1,852.2	1,467.7	831
75+	14.4	8.8	23.1	179.5	104.6	284.1	331.0	861.5	524.6	1,386.2	2,199.5	1,432.6	8,632
<b>Total<sup>(c)</sup></b>	<b>73.9</b>	<b>67.6</b>	<b>141.5</b>	<b>476.9</b>	<b>358.8</b>	<b>835.7</b>	<b>1,924.8</b>	<b>4,939.5</b>	<b>3,468.3</b>	<b>8,407.7</b>	<b>8,335.2</b>	<b>13,249.6</b>	<b>9,484</b>

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age is not stated. Utilisation for other health sectors may not add to totals due to rounding.

Table C.32: Congenital anomalies: total health system costs by health sector, sex and age, 1993-94 (\$ million)

Sex / age	Hospital inpatients				Nursing homes	Medical services <sup>(b)</sup>			Pharmaceuticals			Allied health	Other <sup>(c)</sup>	Total costs <sup>(d)</sup>
	Public hospitals <sup>(a)</sup>	Private hospitals	Non-inpatients	Total hospital		GPs	Specialist	Total medical	Prescription	Over-the-counter	Total			
<b>Males</b>														
0-4	37.1	3.7	—	40.8	—	1.0	4.5	5.5	0.2	—	0.2	—	2.4	48.9
5-14	8.0	2.6	—	10.6	—	0.4	2.5	2.9	0.0	—	0.0	—	0.7	14.3
15-24	2.7	1.6	—	4.3	—	0.4	0.5	0.9	0.2	—	0.2	—	0.3	5.7
25-34	1.7	0.8	—	2.5	1.0	0.2	0.2	0.3	0.1	—	0.1	—	0.2	4.1
35-44	1.3	0.8	—	2.1	—	0.3	0.4	0.7	0.2	—	0.2	—	0.2	3.1
45-54	0.9	0.5	—	1.3	0.4	0.0	0.1	0.1	0.0	—	0.0	—	0.1	2.0
55-64	0.8	0.4	—	1.2	1.0	0.1	0.0	0.1	0.0	—	0.0	—	0.1	2.6
65-74	0.9	0.3	—	1.2	3.8	0.1	0.5	0.6	0.1	—	0.1	—	0.3	6.1
75+	0.9	0.4	—	1.2	3.1	0.1	0.3	0.4	0.1	—	0.1	—	0.3	5.1
<b>Total<sup>(e)</sup></b>	<b>54.2</b>	<b>11.1</b>	<b>—</b>	<b>65.3</b>	<b>9.4</b>	<b>2.6</b>	<b>9.0</b>	<b>11.6</b>	<b>0.9</b>	<b>—</b>	<b>0.9</b>	<b>—</b>	<b>4.7</b>	<b>92.0</b>
<b>Females</b>														
0-4	23.8	1.4	—	25.2	—	0.7	1.1	1.8	0.3	—	0.3	0.5	1.4	29.1
5-14	5.8	1.5	—	7.3	—	0.2	0.4	0.6	—	—	—	—	0.4	8.3
15-24	3.3	2.2	—	5.5	—	0.2	0.5	0.7	0.2	—	0.2	—	0.3	6.7
25-34	2.4	1.7	—	4.1	—	0.1	0.6	0.8	—	—	—	—	0.3	5.1
35-44	1.4	1.5	—	2.9	1.2	0.1	0.2	0.3	0.2	—	0.2	—	0.2	4.8
45-54	1.2	1.1	—	2.3	0.8	0.1	0.4	0.5	0.1	—	0.1	—	0.2	3.9
55-64	0.9	0.5	—	1.4	—	0.1	0.4	0.5	0.0	—	0.0	—	0.1	2.0
65-74	0.8	0.6	—	1.4	—	0.1	0.6	0.7	0.1	—	0.1	—	0.1	2.4
75+	0.8	0.3	—	1.1	2.0	0.1	0.7	0.9	0.1	—	0.1	—	0.2	4.2
<b>Total<sup>(e)</sup></b>	<b>40.3</b>	<b>10.7</b>	<b>—</b>	<b>51.0</b>	<b>4.0</b>	<b>1.8</b>	<b>5.1</b>	<b>6.8</b>	<b>0.9</b>	<b>—</b>	<b>0.9</b>	<b>0.5</b>	<b>3.4</b>	<b>66.6</b>

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under 'Hospital inpatients'.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

(e) Includes hospital expenditure for small numbers of inpatients where age is not stated. Costs for other health sectors may not add to totals due to rounding.



**Table C.33: Congenital anomalies: health service utilisation by health sector, sex and age, 1993-94**

Sex / age	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services <sup>(b)</sup> ('000)			No. of prescriptions ('000)	Allied health consultations ('000)	Nursing home residents
	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital		GPs	Specialist	Total medical			
<b>Males</b>													
0-4	10.4	2.0	12.4	46.5	4.3	50.9	—	40.9	68.2	109.1	13.1	—	—
5-14	3.2	1.2	4.4	8.1	2.6	10.7	—	16.9	40.0	56.9	4.0	—	—
15-24	0.9	0.6	1.4	3.2	1.3	4.6	—	15.9	10.2	26.2	22.8	—	—
25-34	0.5	0.3	0.8	2.2	0.7	2.8	—	7.1	3.7	10.9	7.0	—	27
35-44	0.4	0.3	0.6	1.7	0.8	2.5	—	10.3	7.5	17.8	11.4	—	—
45-54	0.3	0.2	0.4	1.2	0.5	1.7	—	1.1	1.4	2.6	2.1	—	12
55-64	0.2	0.2	0.4	1.1	0.5	1.7	—	4.5	1.8	6.3	3.8	—	28
65-74	0.2	0.1	0.4	1.4	0.4	1.8	—	3.2	10.8	14.1	3.1	—	105
75+	0.3	0.1	0.4	1.8	0.6	2.3	—	4.2	5.1	9.3	9.8	—	85
<b>Total<sup>(c)</sup></b>	<b>16.4</b>	<b>4.9</b>	<b>21.3</b>	<b>67.3</b>	<b>11.6</b>	<b>78.9</b>	<b>—</b>	<b>104.2</b>	<b>148.8</b>	<b>253.1</b>	<b>77.2</b>	<b>—</b>	<b>258</b>
<b>Females</b>													
0-4	6.0	0.8	6.8	33.1	3.0	36.1	—	28.5	19.7	48.3	20.8	27.9	—
5-14	1.7	0.7	2.4	6.2	1.2	7.4	—	8.3	6.5	14.8	—	—	—
15-24	1.1	0.8	1.8	3.8	2.0	5.8	—	7.3	9.5	16.8	12.7	—	—
25-34	0.7	0.6	1.3	2.9	1.3	4.2	—	7.0	12.4	19.5	—	—	—
35-44	0.5	0.5	1.0	1.9	1.5	3.4	—	6.0	5.3	11.2	6.9	—	32
45-54	0.3	0.4	0.8	1.6	1.2	2.8	—	4.0	7.7	11.7	5.2	—	21
55-64	0.2	0.2	0.5	1.3	0.6	1.9	—	3.0	6.3	9.4	3.2	—	—
65-74	0.3	0.2	0.5	1.4	0.9	2.3	—	4.0	16.0	19.9	3.3	—	—
75+	0.3	0.1	0.4	1.6	0.6	2.2	—	5.0	13.1	18.1	6.8	—	55
<b>Total<sup>(c)</sup></b>	<b>11.1</b>	<b>4.3</b>	<b>15.4</b>	<b>53.9</b>	<b>12.2</b>	<b>66.0</b>	<b>—</b>	<b>73.2</b>	<b>96.5</b>	<b>169.6</b>	<b>58.8</b>	<b>27.9</b>	<b>108</b>

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age is not stated. Utilisation for other health sectors may not add to totals due to rounding.

Table C.34: Certain conditions originating in perinatal period: total health system costs by health sector, sex and age, 1993-94 (\$ million)

Sex / age	Hospital inpatients			Total hospital	Nursing homes	Medical services <sup>(b)</sup>			Pharmaceuticals		Allied health	Other <sup>(c)</sup>	Total costs <sup>(d)</sup>	
	Public hospitals <sup>(a)</sup>	Private hospitals	Non-inpatients			GPs	Specialist	Total medical	Prescription	Over-the-counter				Total
<b>Males</b>														
0-4	106.3	9.6	—	115.9	—	0.2	0.1	0.3	—	—	—	—	7.2	123.4
5-14	0.1	0.0	—	0.1	—	—	—	—	—	—	—	—	0.0	0.1
15-24	0.0	0.0	—	0.0	0.9	—	—	—	—	—	—	—	0.1	1.0
25-34	0.0	0.0	—	0.0	—	—	—	—	—	—	—	—	0.0	0.0
35-44	0.0	0.0	—	0.0	—	—	—	—	—	—	—	—	0.0	0.0
45-54	0.0	0.0	—	0.0	—	—	—	—	—	—	—	—	0.0	0.0
55-64	0.0	0.0	—	0.0	—	0.0	—	0.0	—	—	—	—	0.0	0.0
65-74	—	0.0	—	0.0	—	—	—	—	—	—	—	—	0.0	0.0
75+	2.1	—	—	2.1	—	—	—	—	—	—	—	—	0.1	2.2
<b>Total<sup>(e)</sup></b>	<b>108.5</b>	<b>9.7</b>	<b>—</b>	<b>118.2</b>	<b>0.9</b>	<b>0.2</b>	<b>0.1</b>	<b>0.3</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>7.5</b>	<b>126.9</b>
<b>Females</b>														
0-4	92.0	8.5	—	100.5	—	0.2	0.8	1.0	—	—	—	—	6.3	107.8
5-14	0.0	0.0	—	0.0	—	—	—	—	—	—	—	—	0.0	0.0
15-24	0.0	0.0	—	0.0	—	0.0	—	0.0	—	—	—	—	0.0	0.0
25-34	0.0	0.0	—	0.0	—	—	—	—	—	—	—	—	0.0	0.0
35-44	—	0.0	—	0.0	—	0.0	0.0	0.0	—	—	—	—	0.0	0.0
45-54	0.0	—	—	0.0	1.9	—	—	—	—	—	—	—	0.1	2.0
55-64	0.0	—	—	0.0	—	—	—	—	—	—	—	—	0.0	0.0
65-74	0.0	0.0	—	0.0	—	—	—	—	—	—	—	—	0.0	0.0
75+	2.1	—	—	2.1	—	—	—	—	—	—	—	—	0.1	2.3
<b>Total<sup>(e)</sup></b>	<b>94.1</b>	<b>8.6</b>	<b>—</b>	<b>102.7</b>	<b>0.9</b>	<b>0.2</b>	<b>0.8</b>	<b>1.0</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>6.6</b>	<b>110.3</b>

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under 'Hospital inpatients'.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

(e) Includes hospital expenditure for small numbers of inpatients where age is not stated. Costs for other health sectors may not add to totals due to rounding.

Table C.35: Certain conditions originating in perinatal period: health service utilisation by health sector, sex and age, 1993-94

Sex / age	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services <sup>(b)</sup> ('000)			No. of prescriptions ('000)	Allied health consultations ('000)	Nursing home residents
	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital		GPs	Specialist	Total medical			
<b>Males</b>													
0-4	29.8	4.7	34.5	224.1	31.9	256.0	—	8.5	3.2	11.7	—	—	—
5-14	0.1	0.0	0.1	0.1	0.1	0.2	—	—	—	—	—	—	—
15-24	0.0	0.0	0.0	0.0	0.0	0.0	—	—	—	—	—	—	26
25-34	0.0	0.0	0.0	0.0	0.0	0.0	—	—	—	—	—	—	—
35-44	0.0	0.0	0.0	0.0	0.0	0.0	—	—	—	—	—	—	—
45-54	0.0	0.0	0.0	0.0	0.0	0.0	—	—	—	—	—	—	—
55-64	0.0	0.0	0.0	0.0	0.0	0.0	—	0.1	—	0.1	—	—	—
65-74	—	0.0	0.0	—	0.0	0.0	—	—	—	—	—	—	—
75+	0.7	—	0.7	4.8	—	4.8	—	—	—	—	—	—	—
<b>Total<sup>(c)</sup></b>	<b>30.5</b>	<b>4.7</b>	<b>35.2</b>	<b>229.0</b>	<b>32.0</b>	<b>261.1</b>	<b>—</b>	<b>8.6</b>	<b>3.2</b>	<b>11.8</b>	<b>—</b>	<b>—</b>	<b>26</b>
<b>Females</b>													
0-4	23.8	3.9	27.7	193.2	27.9	221.1	—	4.1	10.5	14.6	—	—	—
5-14	0.0	0.0	0.0	0.0	0.0	0.0	—	—	—	—	—	—	—
15-24	0.0	0.0	0.0	0.0	0.0	0.0	—	0.6	—	0.6	—	—	—
25-34	0.0	0.0	0.0	0.1	0.0	0.1	—	—	—	—	—	—	—
35-44	—	0.0	0.0	—	0.0	0.0	—	0.2	0.5	0.8	—	—	—
45-54	0.0	—	0.0	0.0	—	0.0	—	—	—	—	—	—	51
55-64	0.0	—	0.0	0.0	—	0.0	—	—	—	—	—	—	—
65-74	0.0	0.0	0.0	0.0	0.0	0.0	—	—	—	—	—	—	—
75+	0.6	—	0.6	4.7	—	4.7	—	—	—	—	—	—	—
<b>Total<sup>(c)</sup></b>	<b>24.4</b>	<b>3.9</b>	<b>28.3</b>	<b>198.0</b>	<b>28.0</b>	<b>226.0</b>	<b>—</b>	<b>5.0</b>	<b>11.0</b>	<b>16.0</b>	<b>—</b>	<b>—</b>	<b>51</b>

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age is not stated. Utilisation for other health sectors may not add to totals due to rounding.

Table C.36: Symptoms, signs and ill-defined conditions: total health system costs by health sector, sex and age, 1993-94 (\$ million)

Sex / age	Hospital inpatients				Nursing homes	Medical services <sup>(b)</sup>			Pharmaceuticals			Allied health	Other <sup>(c)</sup>	Total costs <sup>(d)</sup>
	Public hospitals <sup>(a)</sup>	Private hospitals	Non-inpatients	Total hospital		GPs	Specialist	Total medical	Prescription	Over-the-counter	Total			
<b>Males</b>														
0-4	19.5	0.9	8.7	29.1	—	6.0	7.4	13.4	2.5	2.6	5.1	16.5	3.3	67.4
5-14	6.4	0.9	12.4	19.8	—	4.8	5.0	9.8	1.6	6.3	7.9	3.4	2.1	42.9
15-24	6.7	1.4	9.3	17.3	—	4.4	6.1	10.5	2.0	13.1	15.2	1.5	2.3	46.8
25-34	9.9	2.4	7.9	20.1	—	6.5	8.2	14.7	3.5	17.0	20.5	1.0	2.9	59.1
35-44	13.4	4.3	9.0	26.7	—	8.3	17.1	25.4	4.5	15.8	20.3	4.2	4.0	80.6
45-54	16.0	6.2	2.3	24.5	—	8.2	20.0	28.1	4.0	9.7	13.7	1.0	3.5	70.8
55-64	18.0	5.6	6.1	29.8	—	7.4	16.4	23.8	5.5	8.1	13.6	1.2	3.5	71.9
65-74	24.2	5.5	5.5	35.2	1.4	9.3	23.4	32.8	7.5	5.7	13.1	1.0	4.3	87.8
75+	26.4	5.1	1.2	32.7	0.7	7.0	11.9	18.9	5.0	3.5	8.4	1.3	3.2	65.2
<b>Total<sup>(e)</sup></b>	<b>140.5</b>	<b>32.3</b>	<b>62.3</b>	<b>235.2</b>	<b>2.1</b>	<b>61.9</b>	<b>115.4</b>	<b>177.4</b>	<b>36.0</b>	<b>81.8</b>	<b>117.8</b>	<b>31.0</b>	<b>29.1</b>	<b>592.6</b>
<b>Females</b>														
0-4	16.0	0.8	6.5	23.3	—	4.7	5.1	9.8	3.4	2.7	6.2	4.5	2.3	46.1
5-14	6.7	1.0	13.8	21.5	—	4.4	5.5	9.9	1.8	7.9	9.7	1.0	2.2	44.2
15-24	13.2	3.2	11.4	27.8	—	9.0	16.2	25.2	4.6	20.0	24.6	2.8	4.2	84.6
25-34	14.5	4.4	5.3	24.2	—	10.5	25.7	36.2	5.6	23.7	29.3	3.6	4.8	98.1
35-44	13.4	5.9	3.7	23.0	—	12.9	24.3	37.2	7.3	21.9	29.2	2.8	4.8	97.0
45-54	13.9	6.9	2.5	23.4	—	11.5	22.9	34.4	6.1	14.7	20.8	4.4	4.3	87.3
55-64	14.5	5.5	1.7	21.7	—	9.8	24.6	34.4	8.8	11.5	20.3	1.0	4.0	81.4
65-74	19.6	5.9	12.6	38.1	0.9	10.7	23.5	34.2	12.6	11.6	24.2	2.7	5.2	105.3
75+	32.0	8.3	—	40.3	1.8	11.3	15.6	26.9	11.9	8.2	20.1	3.1	4.8	97.0
<b>Total<sup>(e)</sup></b>	<b>143.9</b>	<b>41.9</b>	<b>57.5</b>	<b>243.3</b>	<b>2.7</b>	<b>84.8</b>	<b>163.4</b>	<b>248.2</b>	<b>62.1</b>	<b>122.3</b>	<b>184.4</b>	<b>25.9</b>	<b>36.4</b>	<b>741.0</b>

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under 'Hospital inpatients'.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

(e) Includes hospital expenditure for small numbers of inpatients where age is not stated. Costs for other health sectors may not add to totals due to rounding.

**Table C.37: Symptoms, signs and ill-defined conditions: health service utilisation by health sector, sex and age, 1993-94**

Sex / age	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services <sup>(b)</sup> ('000)			No. of prescriptions ('000)	Allied health consultations ('000)	Nursing home residents
	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital		GPs	Specialist	Total medical			
<b>Males</b>													
0-4	13.4	0.6	14.0	37.3	1.5	38.8	131.2	237.3	161.9	399.2	113.9	951.6	—
5-14	6.1	0.8	6.9	11.0	1.3	12.3	188.4	181.7	119.7	301.4	71.8	195.2	—
15-24	5.9	1.1	7.1	11.6	1.9	13.5	140.2	169.3	165.8	335.0	117.4	86.3	—
25-34	8.6	2.0	10.5	18.0	3.3	21.3	119.1	248.4	241.6	490.0	150.6	55.2	—
35-44	11.4	3.6	15.0	24.6	5.2	29.8	136.3	325.3	392.4	717.7	213.5	243.1	—
45-54	13.1	5.2	18.2	30.5	7.7	38.2	34.7	308.9	427.5	736.4	169.9	58.0	—
55-64	12.6	4.4	16.9	36.5	8.1	44.7	92.7	267.0	368.6	635.6	237.9	71.8	—
65-74	13.6	4.1	17.8	50.9	10.4	61.3	82.7	362.6	534.5	897.1	310.2	55.0	39
75+	11.2	2.7	13.8	74.7	14.4	89.0	18.2	237.4	306.5	543.9	208.8	75.2	18
<b>Total<sup>(c)</sup></b>	<b>95.8</b>	<b>24.5</b>	<b>120.3</b>	<b>295.1</b>	<b>53.7</b>	<b>348.8</b>	<b>943.6</b>	<b>2,337.8</b>	<b>2,718.5</b>	<b>5,056.3</b>	<b>1,594.1</b>	<b>1,791.2</b>	<b>57</b>
<b>Females</b>													
0-4	10.8	0.5	11.3	32.2	1.4	33.6	98.4	185.0	125.4	310.4	313.3	260.6	—
5-14	5.9	0.8	6.8	12.1	1.4	13.6	208.4	166.4	144.5	310.9	94.7	57.3	—
15-24	11.5	2.4	13.9	22.7	4.5	27.2	172.4	377.8	453.6	831.4	212.9	162.3	—
25-34	11.8	3.7	15.5	26.8	6.6	33.4	79.9	452.0	557.2	1,009.2	309.1	208.8	—
35-44	10.8	5.0	15.8	25.6	10.2	35.8	55.9	487.4	557.4	1,044.8	343.5	164.5	—
45-54	11.0	5.9	16.9	26.4	11.5	37.8	38.1	429.1	568.1	997.3	317.5	256.5	—
55-64	10.2	4.6	14.8	28.3	9.4	37.6	26.0	365.8	566.9	932.6	399.7	57.0	—
65-74	11.5	4.2	15.8	45.5	12.5	58.0	191.3	405.6	610.6	1,016.2	543.2	154.1	25
75+	13.4	3.7	17.1	107.3	28.5	135.8	—	402.3	492.4	894.6	504.3	177.0	48
<b>Total<sup>(c)</sup></b>	<b>97.1</b>	<b>30.8</b>	<b>127.9</b>	<b>326.8</b>	<b>85.9</b>	<b>412.8</b>	<b>870.4</b>	<b>3,271.3</b>	<b>4,076.2</b>	<b>7,347.4</b>	<b>3,038.2</b>	<b>1,498.1</b>	<b>73</b>

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age is not stated. Utilisation for other health sectors may not add to totals due to rounding.

**Table C.38: Injury and poisoning: total health system costs by health sector, sex and age, 1993-94 (\$ million)**

Sex / age	Hospital inpatients				Nursing homes	Medical services <sup>(b)</sup>			Pharmaceuticals			Allied health	Other <sup>(c)</sup>	Total costs <sup>(d)</sup>
	Public hospitals <sup>(a)</sup>	Private hospitals	Non-inpatients	Total hospital		GPs	Specialist	Total medical	Prescription	Over-the-counter	Total			
<b>Males</b>														
0-4	19.8	0.9	28.8	49.4	—	6.4	4.3	10.7	1.1	1.7	2.8	0.6	3.8	67.3
5-14	39.3	3.8	49.9	93.0	—	16.8	10.5	27.3	3.8	3.2	7.0	4.3	7.8	139.4
15-24	89.4	15.8	120.2	225.4	0.5	22.8	16.8	39.6	7.7	3.7	11.3	23.2	17.9	318.0
25-34	73.4	14.3	58.5	146.2	4.4	21.3	18.1	39.4	8.5	3.2	11.7	22.0	13.3	237.0
35-44	51.6	10.8	36.9	99.3	0.9	16.6	13.1	29.7	7.2	2.8	10.0	10.5	9.0	159.5
45-54	42.0	9.9	25.3	77.1	1.6	12.2	11.7	23.9	5.4	1.8	7.2	6.0	6.9	122.7
55-64	42.3	10.6	18.9	71.9	1.0	8.0	7.7	15.8	4.6	1.2	5.8	7.3	6.1	107.8
65-74	57.2	13.1	22.8	93.0	15.5	5.5	5.3	10.9	3.9	1.1	5.0	2.6	7.6	134.6
75+	61.1	13.0	18.4	92.5	17.5	4.6	3.0	7.5	1.5	0.4	1.9	7.1	7.5	134.1
<b>Total<sup>(e)</sup></b>	<b>476.0</b>	<b>92.1</b>	<b>379.6</b>	<b>947.8</b>	<b>41.5</b>	<b>114.1</b>	<b>90.6</b>	<b>204.8</b>	<b>43.6</b>	<b>19.1</b>	<b>62.7</b>	<b>83.7</b>	<b>79.9</b>	<b>1,420.3</b>
<b>Females</b>														
0-4	13.6	0.7	15.5	29.8	—	4.4	3.2	7.6	1.4	1.2	2.7	1.8	2.5	44.4
5-14	21.0	2.1	46.0	69.1	—	12.2	11.3	23.5	2.8	3.4	6.2	6.5	6.3	111.6
15-24	33.5	5.5	37.5	76.4	2.7	14.2	11.5	25.7	5.5	2.7	8.2	12.1	7.5	132.6
25-34	29.9	6.3	36.0	72.2	—	13.4	15.7	29.1	6.8	2.8	9.6	7.4	7.1	125.5
35-44	27.9	9.1	19.6	56.6	—	14.3	14.2	28.6	7.9	2.6	10.5	19.3	6.9	121.9
45-54	25.2	9.5	24.6	59.3	2.1	10.3	8.3	18.6	5.6	1.8	7.5	9.2	5.8	102.4
55-64	30.6	9.4	14.0	54.0	—	8.9	9.0	17.9	5.7	1.6	7.3	5.8	5.1	90.1
65-74	58.4	15.9	24.7	99.0	5.3	9.2	9.3	18.5	5.7	1.5	7.2	9.3	8.3	147.6
75+	137.3	41.2	20.1	198.6	60.9	11.6	6.9	18.5	4.4	1.0	5.3	4.5	17.2	305.0
<b>Total<sup>(e)</sup></b>	<b>377.5</b>	<b>99.7</b>	<b>238.0</b>	<b>715.2</b>	<b>70.9</b>	<b>98.5</b>	<b>89.4</b>	<b>187.9</b>	<b>45.9</b>	<b>18.7</b>	<b>64.6</b>	<b>76.0</b>	<b>66.4</b>	<b>1,181.0</b>

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under 'Hospital inpatients'.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

(e) Includes hospital expenditure for small numbers of inpatients where age is not stated. Costs for other health sectors may not add to totals due to rounding.

Table C.39: Injury and poisoning: health service utilisation by health sector, sex and age, 1993-94

Sex / age	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services <sup>(b)</sup> ('000)			No. of prescriptions ('000)	Allied health consultations ('000)	Nursing home residents
	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital		GPs	Specialist	Total medical			
<b>Males</b>													
0-4	12.6	0.7	13.3	29.9	0.9	30.8	435.5	235.9	79.6	315.5	61.4	36.4	—
5-14	24.4	2.5	26.9	59.4	4.1	63.5	755.2	584.7	198.3	783.0	195.8	250.3	—
15-24	41.9	6.9	48.8	135.7	13.3	149.0	1,819.5	842.9	280.2	1,123.1	493.0	1,342.9	13
25-34	32.3	5.8	38.1	115.9	13.6	129.4	886.0	825.1	265.7	1,090.8	556.8	1,269.4	121
35-44	21.3	4.2	25.6	87.3	11.6	98.9	558.6	668.3	209.4	877.7	458.6	608.2	26
45-54	15.0	3.5	18.5	72.7	12.3	85.0	382.5	484.3	194.5	678.7	335.6	344.5	43
55-64	11.9	3.0	14.9	77.4	14.7	92.1	286.4	323.0	124.5	447.5	281.2	420.4	28
65-74	12.5	3.0	15.5	107.9	23.0	130.9	344.7	234.3	105.8	340.2	227.3	153.1	424
75+	11.9	2.5	14.4	135.9	30.0	165.9	279.1	161.4	54.7	216.1	96.5	408.1	479
<b>Total<sup>(c)</sup></b>	<b>183.7</b>	<b>32.2</b>	<b>216.0</b>	<b>822.1</b>	<b>123.6</b>	<b>945.6</b>	<b>5,747.5</b>	<b>4,360.0</b>	<b>1,512.7</b>	<b>5,872.7</b>	<b>2,706.2</b>	<b>4,833.2</b>	<b>1,134</b>
<b>Females</b>													
0-4	9.0	0.6	9.6	20.7	0.8	21.5	234.4	170.0	62.5	232.5	109.7	104.6	—
5-14	13.7	1.5	15.2	30.6	2.2	32.7	697.2	440.9	197.1	638.1	165.8	375.9	—
15-24	17.4	2.2	19.6	52.8	5.3	58.1	567.1	602.9	196.5	799.4	347.8	700.9	73
25-34	14.9	2.5	17.4	49.3	7.0	56.2	545.5	592.2	236.5	828.7	426.4	429.9	—
35-44	12.6	3.3	15.8	48.5	13.1	61.6	296.7	577.9	228.8	806.6	447.0	1,117.3	—
45-54	9.8	3.0	12.8	46.2	14.0	60.1	371.9	411.8	157.7	569.6	347.3	531.2	57
55-64	9.0	2.6	11.6	60.2	15.2	75.4	212.2	333.9	173.9	507.8	339.2	332.7	—
65-74	13.4	3.4	16.9	125.4	31.9	157.3	374.2	351.9	188.3	540.2	307.8	540.0	144
75+	26.3	6.7	33.1	337.0	124.1	461.2	304.4	405.9	156.2	562.2	275.5	259.5	1,666
<b>Total<sup>(c)</sup></b>	<b>126.2</b>	<b>25.8</b>	<b>152.0</b>	<b>770.8</b>	<b>213.6</b>	<b>984.4</b>	<b>3,603.5</b>	<b>3,887.5</b>	<b>1,597.5</b>	<b>5,485.0</b>	<b>2,766.4</b>	<b>4,392.0</b>	<b>1,940</b>

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age is not stated. Utilisation for other health sectors may not add to totals due to rounding.

Table C.40: Other contact with health services: total health system costs by health sector, sex and age, 1993-94 (\$ million)

Sex / age	Hospital inpatients					Medical services <sup>(b)</sup>			Pharmaceuticals			Allied health	Other <sup>(c)</sup>	Total costs <sup>(d)</sup>	
	Public hospitals <sup>(a)</sup>	Private hospitals	Non-inpatients	Total hospital	Nursing homes	GPs	Specialist	Total medical	Prescription	Over-the-counter	Total				
<b>Males</b>															
0-4	51.7	6.8	5.2	63.8	—	5.2	1.5	6.7	0.2	0.1	0.3	2.8	3.7	77.3	
5-14	4.3	1.2	0.2	5.7	—	3.1	2.8	5.9	0.3	0.1	0.4	1.5	0.7	14.2	
15-24	9.3	6.8	7.9	24.0	—	6.9	3.7	10.6	0.8	0.1	0.8	2.6	1.9	40.0	
25-34	13.4	8.8	5.2	27.4	—	9.6	8.8	18.4	1.4	0.1	1.5	2.1	2.5	51.8	
35-44	12.0	11.2	1.7	24.8	—	10.1	8.9	19.0	1.8	0.1	2.0	0.8	2.4	49.0	
45-54	13.5	8.8	4.3	26.6	—	8.2	9.0	17.2	1.7	0.1	1.8	1.6	2.4	49.6	
55-64	20.6	8.3	2.1	30.9	—	6.2	8.4	14.6	3.3	0.1	3.3	0.8	2.5	52.1	
65-74	42.5	10.0	2.5	55.0	—	6.6	7.9	14.5	4.2	0.1	4.4	—	3.7	77.6	
75+	61.9	12.7	0.3	74.8	—	5.4	5.5	10.9	2.4	0.1	2.5	0.2	4.5	92.9	
<b>Total<sup>(e)</sup></b>	<b>229.0</b>	<b>74.6</b>	<b>29.5</b>	<b>333.0</b>	<b>—</b>	<b>61.3</b>	<b>56.4</b>	<b>117.7</b>	<b>16.1</b>	<b>0.9</b>	<b>17.0</b>	<b>12.4</b>	<b>24.3</b>	<b>504.4</b>	
<b>Females</b>															
0-4	45.9	5.8	5.5	57.2	—	4.3	1.7	6.0	0.3	0.1	0.4	0.2	3.2	67.0	
5-14	2.4	0.6	1.4	4.4	—	2.8	1.3	4.1	0.3	0.1	0.4	2.6	0.6	12.0	
15-24	16.0	6.6	24.3	46.9	—	49.5	32.2	81.7	30.9	4.5	35.4	7.8	8.7	180.5	
25-34	38.4	31.9	31.3	101.6	—	70.8	69.2	140.0	28.6	6.8	35.5	13.6	14.7	305.4	
35-44	25.1	27.8	12.4	65.3	—	28.2	35.9	64.2	8.9	1.8	10.7	3.6	7.3	151.1	
45-54	12.4	13.9	8.1	34.5	—	13.8	19.2	33.0	6.0	0.3	6.3	0.4	3.8	77.8	
55-64	15.2	10.3	6.3	31.7	—	8.8	13.4	22.2	5.3	0.1	5.4	1.2	3.1	63.5	
65-74	37.9	13.9	6.0	57.8	—	8.3	12.1	20.4	5.4	0.2	5.6	1.1	4.3	89.2	
75+	94.9	29.1	2.2	126.1	—	8.3	8.1	16.3	5.3	0.1	5.5	0.8	7.5	156.3	
<b>Total<sup>(e)</sup></b>	<b>288.1</b>	<b>139.8</b>	<b>97.6</b>	<b>525.5</b>	<b>—</b>	<b>194.8</b>	<b>193.0</b>	<b>387.8</b>	<b>91.1</b>	<b>13.9</b>	<b>105.1</b>	<b>31.2</b>	<b>53.2</b>	<b>1,102.8</b>	

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under 'Hospital inpatients'.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

(e) Includes hospital expenditure for small numbers of inpatients where age is not stated. Costs for other health sectors may not add to totals due to rounding.



**Table C.41: Other contact with health services: health service utilisation by health sector, sex and age, 1993-94**

Sex / age	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services <sup>(b)</sup> ('000)			No. of prescriptions ('000)	Allied health consultations ('000)	Nursing home residents
	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital	Public hospitals <sup>(a)</sup>	Private hospitals	Total hospital		GPs	Specialist	Total medical			
<b>Males</b>													
0-4	44.7	9.0	53.7	152.6	45.2	197.8	79.5	212.6	27.4	240.0	9.9	161.5	—
5-14	3.1	0.7	3.8	8.2	2.1	10.3	3.3	126.1	55.5	181.7	13.1	86.2	—
15-24	3.4	1.5	4.9	18.4	17.1	35.5	120.2	254.3	97.0	351.3	38.3	151.6	—
25-34	8.3	4.2	12.5	28.5	17.6	46.0	79.2	364.2	257.8	621.9	77.4	119.8	—
35-44	8.1	7.3	15.4	28.5	17.3	45.8	25.1	367.2	272.3	639.5	82.0	49.0	—
45-54	6.2	4.9	11.1	34.0	12.6	46.6	65.1	293.0	260.0	553.0	69.0	90.0	—
55-64	7.8	4.9	12.7	61.2	15.3	76.6	31.6	245.2	272.4	517.6	154.1	43.6	—
65-74	12.7	5.4	18.1	137.8	22.1	159.9	38.3	274.6	249.3	523.9	217.8	—	—
75+	14.8	4.0	18.8	253.6	39.7	293.3	3.8	201.2	140.9	342.2	133.6	13.6	—
<b>Total<sup>(c)</sup></b>	<b>109.1</b>	<b>42.0</b>	<b>151.0</b>	<b>722.7</b>	<b>189.1</b>	<b>911.8</b>	<b>446.0</b>	<b>2,338.4</b>	<b>1,632.6</b>	<b>3,971.0</b>	<b>795.1</b>	<b>715.4</b>	<b>—</b>
<b>Females</b>													
0-4	39.4	7.8	47.2	142.9	44.5	187.4	83.3	173.2	38.0	211.2	13.3	11.8	—
5-14	1.6	0.4	2.0	6.3	0.7	7.0	21.9	104.7	36.2	140.9	18.3	147.4	—
15-24	9.9	2.8	12.6	32.1	9.4	41.4	367.7	1,676.1	1,033.3	2,709.4	2,261.7	448.1	—
25-34	23.5	14.6	38.2	59.8	39.7	99.5	474.4	2,293.0	2,049.4	4,342.4	2,200.7	787.3	—
35-44	14.5	12.8	27.4	36.6	31.7	68.3	188.3	997.0	860.5	1,857.4	633.6	205.8	—
45-54	5.8	6.4	12.2	25.1	19.7	44.8	123.4	510.1	427.1	937.2	367.0	22.4	—
55-64	6.0	5.0	11.0	43.9	18.1	62.0	94.7	334.9	347.7	682.6	266.3	68.8	—
65-74	10.5	5.1	15.6	140.5	35.7	176.1	90.5	336.9	329.5	666.4	288.2	65.9	—
75+	20.7	6.2	26.9	448.4	91.9	540.3	32.8	305.2	233.1	538.3	307.2	46.6	—
<b>Total<sup>(c)</sup></b>	<b>131.9</b>	<b>61.1</b>	<b>193.0</b>	<b>935.5</b>	<b>291.3</b>	<b>1,226.9</b>	<b>1,476.9</b>	<b>6,731.2</b>	<b>5,354.6</b>	<b>12,085.8</b>	<b>6,356.2</b>	<b>1,804.1</b>	<b>—</b>

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age is not stated. Utilisation for other health sectors may not add to totals due to rounding.