

# Appendix D

Table A.1: Intercorrelations for the HACC National Service Standards as measured by the Instrument

Standard	1.1	1.2	1.3	1.4	1.5	2.1	2.2	2.3	3.1	3.2	3.3	4.1
1.2	0.58											
1.3	0.32	0.52										
1.4	0.30	0.54	0.48									
1.5	0.33	0.41	0.44	0.52								
2.1	0.34	0.35	0.47	0.44	0.50							
2.2	0.35	0.46	0.62	0.42	0.35	0.36						
2.3	0.50	0.51	0.48	0.48	0.39	0.39	0.46					
3.1	0.34	0.42	0.48	0.51	0.27	0.24	0.42	0.41				
3.2	0.36	0.40	0.43	0.50	0.39	0.31	0.47	0.39	0.51			
3.3	0.65	0.43	0.46	0.38	0.46	0.36	0.36	0.40	0.44	0.47		
4.1	0.43	0.34	0.42	0.38	0.36	0.43	0.34	0.30	0.42	0.28	0.41	
4.2	0.42	0.35	0.41	0.40	0.24	0.28	0.37	0.56	0.37	0.37	0.52	0.34
4.3	0.34	0.47	0.73	0.44	0.36	0.38	0.82	0.45	0.49	0.60	0.39	0.39
4.4	0.36	0.36	0.46	0.38	0.27	0.32	0.62	0.50	0.41	0.44	0.38	0.28
4.5	0.48	0.43	0.31	0.35	0.50	0.34	0.43	0.42	0.54	0.44	0.48	0.40
5.1	0.31	0.43	0.43	0.41	0.47	0.65	0.42	0.38	0.21	0.25	0.38	0.28
5.2	0.47	0.27	0.08	0.09	0.24	0.40	0.25	0.14	0.16	0.05	0.28	0.35
5.3	0.26	0.29	0.21	0.28	0.19	0.41	0.34	0.21	0.24	0.19	0.13	0.14
6.1	0.19	0.43	0.51	0.48	0.45	0.57	0.47	0.47	0.42	0.40	0.26	0.39
6.2	0.26	0.50	0.51	0.51	0.44	0.46	0.34	0.37	0.37	0.25	0.25	0.33
6.3	0.25	0.49	0.41	0.49	0.46	0.34	0.32	0.32	0.27	0.24	0.30	0.33
6.4	0.45	0.45	0.42	0.41	0.37	0.37	0.51	0.38	0.43	0.59	0.43	0.30
7.1, 7.2, 7.3	0.22	0.22	0.43	0.30	0.36	0.57	0.23	0.40	0.37	0.37	0.29	0.24
7.4	0.28	0.33	0.53	0.40	0.40	0.47	0.31	0.33	0.40	0.36	0.37	0.32

  

Standard	4.2	4.3	4.4	4.5	5.1	5.2	5.3	6.1	6.2	6.3	6.4	7.123
4.3	0.39											
4.4	0.46	0.65										
4.5	0.37	0.37	0.22									
5.1	0.33	0.27	0.38	0.36								
5.2	0.16	0.13	0.14	0.31	0.34							
5.3	0.24	0.17	0.24	0.24	0.55	0.46						
6.1	0.26	0.47	0.36	0.46	0.59	0.26	0.34					
6.2	0.33	0.39	0.39	0.31	0.40	0.22	0.34	0.58				
6.3	0.36	0.39	0.36	0.35	0.36	0.30	0.24	0.55	0.76			
6.4	0.42	0.43	0.46	0.36	0.48	0.27	0.48	0.33	0.41	0.33		
7.1, 7.2, 7.3	0.32	0.25	0.25	0.26	0.55	0.23	0.31	0.53	0.25	0.20	0.40	
7.4	0.38	0.43	0.33	0.24	0.38	0.08	0.12	0.37	0.38	0.28	0.53	0.67