

Indicator 7a: Incidence of breast cancer

Table 43: Number of new cases of breast cancer in women by age, Australia, 1988–2002

Age group	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
0–4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5–9	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
10–14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
15–19	0	0	0	0	0	0	0	1	0	2	3	0	2	0	1
20–24	7	8	4	10	6	13	7	8	6	13	14	11	5	9	7
25–29	47	44	53	51	46	58	57	56	42	50	50	50	54	44	54
30–34	161	157	204	182	180	169	197	199	194	173	198	185	186	172	199
35–39	344	369	340	398	378	412	394	398	424	444	418	435	437	448	433
40–44	653	652	669	719	715	778	770	750	759	755	847	821	840	910	892
45–49	672	751	829	851	1,013	1,030	1,136	1,235	1,182	1,160	1,160	1,149	1,269	1,224	1,313
50–54	633	723	788	853	858	978	1,106	1,241	1,182	1,324	1,466	1,500	1,562	1,650	1,645
55–59	632	681	688	806	819	927	1,035	1,144	1,123	1,179	1,264	1,294	1,424	1,534	1,646
60–64	849	885	823	886	787	972	1,101	1,066	1,017	1,079	1,140	1,244	1,334	1,438	1,402
65–69	767	828	858	951	931	1,000	1,216	1,095	1,063	1,077	1,136	1,093	1,119	1,171	1,286
70–74	697	711	753	790	778	899	1,017	1,009	984	1,033	1,056	988	1,098	1,109	1,036
75–79	575	625	635	672	654	693	782	849	741	866	884	832	899	895	923
80–84	383	397	425	487	491	466	527	579	571	574	590	555	583	611	620
85+	299	326	336	371	366	394	377	417	434	446	493	491	521	561	570
All ages	6,719	7,157	7,405	8,027	8,022	8,789	9,722	10,048	9,722	10,175	10,719	10,648	11,333	11,776	12,027
Ages 50–69	2,881	3,117	3,157	3,496	3,395	3,877	4,458	4,546	4,385	4,659	5,006	5,131	5,439	5,793	5,979

Source: AIHW National Cancer Statistics Clearing House.

Table 44: Age-specific and age-standardised incidence rates for breast cancer in women, Australia, 1988–2002

Age group	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
0–4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5–9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10–14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15–19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.5	0.0	0.3	0.0	0.2
20–24	1.1	1.2	0.6	1.5	0.9	1.8	1.0	1.1	0.9	1.9	2.1	1.7	0.8	1.4	1.1
25–29	6.8	6.2	7.5	7.3	6.7	8.5	8.4	8.1	5.9	6.9	6.8	6.8	7.4	6.2	7.9
30–34	24.4	23.2	29.4	25.6	24.8	23.1	26.8	27.2	26.8	24.2	27.9	26.0	25.9	23.3	26.3
35–39	54.2	57.1	51.8	59.9	55.8	59.9	56.5	55.9	58.1	59.8	55.6	57.4	57.8	59.7	58.4
40–44	114.6	109.4	108.1	112.5	111.4	120.2	117.2	112.3	111.8	109.2	120.6	114.9	115.2	122.2	117.3
45–49	154.4	164.7	173.2	169.3	188.1	179.8	190.6	200.3	184.8	180.5	177.5	172.7	188.2	179.1	189.4
50–54	167.7	185.8	196.6	206.5	202.2	225.4	244.1	260.7	237.6	246.5	256.0	250.9	250.7	254.5	253.0
55–59	173.9	188.6	191.6	224.7	223.5	246.7	268.4	289.2	275.6	279.9	291.6	285.9	300.7	309.3	307.4
60–64	229.4	238.8	222.0	239.4	215.5	270.3	308.5	298.8	285.1	296.7	306.1	323.8	336.1	352.4	333.9
65–69	232.9	241.5	246.2	270.7	263.8	281.4	343.0	309.2	299.7	305.7	325.5	315.8	324.3	337.5	361.9
70–74	260.5	267.5	278.2	279.9	265.9	296.2	320.5	312.4	300.9	314.3	319.0	296.4	329.1	331.2	311.2
75–79	279.3	291.0	287.7	298.0	285.5	301.3	343.3	363.8	303.9	337.7	328.9	296.2	312.4	306.5	313.2
80–84	296.8	296.7	305.0	334.9	324.2	294.4	315.2	335.8	323.3	319.1	324.1	303.2	306.8	302.8	293.2
85+	299.6	315.9	318.2	337.2	316.5	323.4	295.7	310.4	306.5	298.6	314.5	295.6	297.5	306.0	299.1
All ages															
Crude rate	81.1	84.9	86.6	92.6	91.4	99.1	108.4	110.7	105.6	109.2	113.8	111.7	117.5	120.4	121.6
ASR(A)	89.5	93.3	94.7	100.2	98.1	105.3	113.9	115.6	109.0	111.3	114.5	111.2	115.5	117.1	116.8
Ages 50–69															
Crude rate	200.0	213.0	213.4	234.1	225.0	254.3	287.6	287.3	271.3	278.3	289.8	288.1	295.8	305.0	304.9
ASR(A)	194.3	207.9	209.6	229.9	221.7	250.7	282.1	285.1	269.0	276.7	288.6	287.5	295.5	305.0	304.3

Note: Rates are the number of cases of invasive cancers per 100,000 women and age-standardised to the Australian population at 30 June 2001.

Source: AIHW National Cancer Statistics Clearing House.

Table 45: Number of new cases of breast cancer in women by age, states and territories, 1998–2002

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
0–4	0	0	0	0	0	0	0	0	0
5–9	0	0	0	0	0	0	0	0	0
10–14	0	0	0	0	0	0	0	0	0
15–19	1	1	2	2	0	0	0	0	6
20–24	20	10	6	5	5	0	0	0	46
25–29	73	89	44	20	15	4	3	4	252
30–34	311	244	151	106	76	29	17	6	940
35–39	743	542	399	219	172	44	36	16	2,171
40–44	1,493	1,084	785	386	343	102	80	37	4,310
45–49	1,978	1,521	1,188	608	505	152	118	45	6,115
50–54	2,544	1,922	1,410	779	731	202	181	54	7,823
55–59	2,443	1,699	1,369	672	627	180	134	38	7,162
60–64	2,160	1,616	1,280	617	588	175	95	27	6,558
65–69	1,931	1,489	1,061	553	544	133	81	13	5,805
70–74	1,916	1,435	955	369	394	147	56	15	5,287
75–79	1,566	1,178	735	371	413	109	51	10	4,433
80–84	1,016	770	537	253	276	68	34	5	2,959
85+	893	711	452	226	263	64	21	6	2,636
All ages	19,088	14,311	10,374	5,186	4,952	1,409	907	276	56,503
Ages 50–69	9,078	6,726	5,120	2,621	2,490	690	491	132	27,348

Source: AIHW National Cancer Statistics Clearing House.

Table 46: Age-specific and age-standardised incidence rates for breast cancer in women, states and territories, 1998–2002

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
0–4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5–9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10–14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15–19	0.1	0.1	0.3	0.6	0.0	0.0	0.0	0.0	0.2
20–24	1.9	1.2	1.0	1.6	2.1	0.0	0.0	0.0	1.4
25–29	6.0	9.8	6.6	5.8	5.9	5.2	4.5	8.7	7.0
30–34	25.5	26.1	22.6	29.8	28.3	35.5	26.8	13.6	25.9
35–39	58.5	57.8	57.2	58.9	59.7	48.6	56.1	39.3	57.7
40–44	121.7	120.0	116.1	105.3	119.6	112.0	126.0	101.8	118.1
45–49	176.2	182.6	190.1	178.6	186.6	179.8	191.7	142.2	181.5
50–54	246.4	250.5	243.7	260.2	286.9	258.5	324.0	211.9	253.0
55–59	300.2	286.2	306.9	301.2	316.6	288.3	356.5	236.7	299.5
60–64	315.4	321.4	361.5	337.4	351.8	329.7	356.0	274.2	331.0
65–69	315.3	331.5	352.6	357.2	359.1	284.8	390.4	209.5	333.1
70–74	323.7	332.0	338.4	263.8	258.2	334.5	301.6	342.8	317.4
75–79	308.9	318.3	308.5	319.9	304.4	283.9	320.3	347.9	311.3
80–84	292.9	310.6	327.7	322.3	299.1	251.4	337.8	270.6	305.6
85+	291.5	308.9	315.3	301.6	311.3	275.7	262.3	422.8	302.3
All ages									
Crude rate	116.8	118.9	116.0	110.9	130.2	117.8	113.7	59.6	117.1
ASR(A)	113.0	115.0	118.1	114.6	118.6	110.8	126.5	98.8	115.0
95% CI	111.4–114.6	113.1–116.9	115.8–120.4	111.5–117.8	115.3–122.0	105.1–116.8	118.3–135.2	85.6–113.3	114.1–116.0
Ages 50–69									
Crude rate	288.8	290.8	304.8	304.7	322.8	287.1	348.5	229.2	297.0
ASR(A)	287.8	289.7	305.3	305.0	321.7	286.4	351.4	231.5	296.5
95% CI	281.9–293.8	282.9–296.8	297.0–313.8	293.5–316.9	309.1–334.6	265.4–308.7	320.7–384.2	192.2–276.1	292.9–300.0

Note: Rates are the number of cases of invasive cancers per 100,000 women and age-standardised to the Australian population at 30 June 2001.

Source: AIHW National Cancer Statistics Clearing House.

Table 47: Number of new cases of breast cancer in women, by age and region, 1998–2002

Age group	Major cities	Inner regional	Outer regional	Remote	Very remote	Australia
0–4	0	0	0	0	0	0
5–9	0	0	0	0	0	0
10–14	0	0	0	0	0	0
15–19	4	1	1	0	0	6
20–24	37	8	1	0	0	46
25–29	176	43	24	4	5	252
30–34	673	163	84	13	7	940
35–39	1,543	405	182	32	8	2,171
40–44	2,954	849	400	79	28	4,310
45–49	4,191	1,220	582	84	38	6,115
50–54	5,362	1,601	722	94	44	7,823
55–59	4,734	1,559	759	82	29	7,162
60–64	4,265	1,525	649	95	24	6,558
65–69	3,828	1,363	543	53	18	5,805
70–74	3,491	1,269	465	39	23	5,287
75–79	2,977	1,019	388	38	11	4,433
80–84	2,020	660	250	22	7	2,959
85+	1,787	573	248	20	8	2,636
All ages	38,043	12,258	5,298	655	249	56,503
Ages 50–69	18,189	6,048	2,673	323	115	27,348

Source: AIHW National Cancer Statistics Clearing House.

Table 48: Age-specific and age-standardised incidence rates for breast cancer in women by region, 1998–2002

Age group	Major cities	Inner regional	Outer regional	Remote	Very remote	Australia
0–4	0.0	0.0	0.0	0.0	0.0	0.0
5–9	0.0	0.0	0.0	0.0	0.0	0.0
10–14	0.0	0.0	0.0	0.0	0.0	0.0
15–19	0.2	0.2	0.3	0.0	0.0	0.2
20–24	1.6	1.4	0.5	0.0	0.0	1.4
25–29	6.9	7.2	7.4	6.7	13.0	7.0
30–34	26.7	24.5	23.9	20.0	19.1	25.9
35–39	61.4	53.3	47.2	48.7	24.8	57.7
40–44	122.3	110.4	105.9	133.0	98.0	118.1
45–49	186.3	173.3	170.9	164.3	159.4	181.5
50–54	259.2	248.9	229.7	207.3	215.2	253.0
55–59	303.9	296.3	294.4	233.5	201.4	299.5
60–64	335.7	335.2	297.1	354.9	224.8	331.0
65–69	340.8	335.6	295.0	249.3	230.6	333.1
70–74	318.7	332.7	279.5	235.3	377.5	317.4
75–79	311.3	321.9	288.7	295.0	267.7	311.3
80–84	310.7	307.2	271.7	251.6	273.7	305.6
85+	302.3	303.3	303.9	261.8	304.2	302.3
All ages						
Crude rate	118.2	122.6	107.9	85.9	60.7	117.1
ASR(A)	117.3	114.1	105.4	100.7	93.8	115.0
95% CI	116.1–118.5	112.1–116.1	102.6–108.3	93.0–108.8	81.8–106.6	114.1–116.0
Ages 50–69						
Crude rate	302.1	297.8	274.3	252.1	215.6	297.0
ASR(A)	302.1	295.5	273.0	253.5	216.4	296.5
95% CI	297.7–306.5	288.1–303.1	262.8–283.6	226.6–282.8	177.6–259.1	292.9–300.0

Note: Rates are the number of cases of invasive cancers per 100,000 women and age-standardised to the Australian population at 30 June 2001.

Source: AIHW National Cancer Statistics Clearing House.

Indicator 7b: Incidence of ductal carcinoma in situ

Table 49: Number of new cases of ductal carcinoma in situ by age, states and territories, 1997–2002

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
0–19	0	0	0	0	0	0	0	0	0
20–29	9	12	3	4	3	0	1	0	32
30–39	103	81	51	24	14	6	4	1	284
40–49	533	354	239	170	93	23	37	3	1452
50–59	797	649	409	307	218	59	49	11	2499
60–69	602	510	327	239	137	42	27	3	1887
70+ years	501	306	223	132	80	24	14	0	1280
All ages	2,545	1,912	1,252	876	545	154	132	18	7,434
Ages 50–69	1,399	1,159	736	546	355	101	76	14	4,386

Source: AIHW National Cancer Statistics Clearing House.

Table 50: Age-specific and age-standardised rates of ductal carcinoma in situ, states and territories, 1997–2002

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
0–19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20–29	0.3	0.6	0.2	0.5	0.5	0.0	0.6	0.0	0.4
30–39	3.5	3.6	3.1	2.8	2.1	2.9	2.6	1.0	3.2
40–49	19.1	17.1	15.5	20.2	14.0	11.0	24.7	3.7	17.4
50–59	36.7	40.5	34.1	50.2	40.9	35.6	44.9	22.8	38.8
60–69	38.8	44.9	42.1	59.7	35.9	35.3	48.2	16.0	42.5
70+ years	24.1	20.1	22.8	27.3	14.5	15.2	22.7	0.0	21.9
All ages									
Crude rate	13.0	13.3	11.8	15.7	12.0	10.7	13.8	3.3	12.9
ASR(A)	12.9	13.3	12.1	16.5	11.4	10.4	15.2	4.6	13.0
95% CI	12.4–13.4	12.7–13.9	11.5–12.8	15.4–17.6	10.4–12.4	8.8–12.2	12.7–18.1	2.7–7.5	12.7–13.3
Ages 50–69									
Crude rate	37.6	42.3	37.3	54.0	38.8	35.5	46.1	20.9	40.3
ASR(A)	37.5	42.2	37.3	53.9	38.9	35.5	46.2	20.1	40.3
95% CI	35.6–39.5	39.8–44.7	34.6–40.1	49.5–58.7	35.0–43.2	28.9–43.1	36.4–58.0	10.7–34.1	39.1–41.5

Note: Rates are the number of cases of DCIS per 100,000 women and age-standardised to the Australian population at 30 June 2001.

Source: AIHW National Cancer Statistics Clearing House.

Indicator 8: Mortality

Table 51: Number of deaths from breast cancer in women, Australia, 1989–2003

Age group	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
0–4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5–9	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
10–14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
15–19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
20–24	1	0	2	1	0	1	1	0	1	2	2	1	1	0	0
25–29	7	6	12	4	2	2	5	9	6	7	6	5	2	4	5
30–34	34	26	25	33	39	19	25	28	37	28	20	23	21	24	26
35–39	67	63	79	79	73	87	57	90	84	68	59	66	63	71	65
40–44	137	149	150	136	116	139	120	136	135	128	141	122	126	112	118
45–49	170	168	177	196	202	211	207	189	211	207	203	187	185	173	185
50–54	212	228	232	212	225	239	221	230	271	265	247	255	262	295	242
55–59	217	215	227	219	252	249	248	240	236	227	260	257	253	289	307
60–64	287	282	258	236	276	262	268	258	239	255	263	239	228	273	289
65–69	297	328	306	272	316	290	317	289	284	252	212	216	242	256	263
70–74	251	258	305	287	264	308	288	296	297	268	288	287	315	245	252
75–79	261	254	249	254	298	274	281	279	291	300	274	281	289	312	301
80–84	205	205	211	213	257	250	259	252	244	236	232	237	273	277	277
85+	238	219	229	247	268	271	280	273	273	314	298	335	325	367	383
All ages	2,384	2,401	2,462	2,389	2,589	2,602	2,577	2,569	2,609	2,557	2,505	2,511	2,585	2,698	2,713
Ages 50–69	1,013	1,053	1,023	939	1,069	1,040	1,054	1,017	1,030	999	982	967	985	1,113	1,101

Source: AIHW National Mortality Database.

Table 52: Age-specific and age-standardised mortality rates for breast cancer in women, Australia, 1989–2003

Age group	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
0–4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5–9	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10–14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15–19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20–24	0.2	0.0	0.3	0.1	0.0	0.1	0.1	0.0	0.1	0.3	0.3	0.2	0.2	0.0	0.0
25–29	1.0	0.8	1.7	0.6	0.3	0.3	0.7	1.3	0.8	1.0	0.8	0.7	0.3	0.6	0.7
30–34	5.0	3.7	3.5	4.6	5.3	2.6	3.4	3.9	5.2	3.9	2.8	3.2	2.8	3.2	3.4
35–39	10.4	9.6	11.9	11.7	10.6	12.5	8.0	12.3	11.3	9.0	7.8	8.7	8.4	9.6	8.8
40–44	23.0	24.1	23.5	21.2	17.9	21.2	18.0	20.0	19.5	18.2	19.7	16.7	16.9	14.7	15.3
45–49	37.3	35.1	35.2	36.4	35.3	35.4	33.6	29.5	32.8	31.7	30.5	27.7	27.1	25.0	26.2
50–54	54.5	56.9	56.2	50.0	51.8	52.8	46.4	46.2	50.4	46.3	41.3	40.9	40.4	45.4	36.8
55–59	60.1	59.9	63.3	59.8	67.1	64.6	62.7	58.9	56.0	52.4	57.4	54.3	51.0	54.0	53.8
60–64	77.4	76.1	69.7	64.6	76.8	73.4	75.1	72.3	65.7	68.5	68.4	60.2	55.9	65.0	67.1
65–69	86.6	94.1	87.1	77.1	88.9	81.8	89.5	81.5	80.6	72.2	61.3	62.6	69.8	72.0	71.9
70–74	94.4	95.3	108.1	98.1	87.0	97.1	89.2	90.5	90.4	80.9	86.4	86.0	94.1	73.6	76.4
75–79	121.5	115.1	110.4	110.9	129.5	120.3	120.4	114.4	113.5	111.6	97.6	97.7	99.0	105.9	100.9
80–84	153.2	147.1	145.1	140.6	162.4	149.5	150.2	142.7	135.7	129.6	126.7	124.7	135.3	131.0	125.2
85+	230.6	207.4	208.1	213.6	219.9	212.5	208.4	192.8	182.8	200.3	179.4	191.3	177.3	192.6	194.9
All ages															
Crude rate	28.3	28.1	28.4	27.2	29.2	29.0	28.4	27.9	28.0	27.2	26.3	26.0	26.4	27.3	27.1
ASR(A)	30.8	30.4	30.5	28.9	30.5	30.0	28.9	28.1	27.8	26.5	25.4	24.7	24.7	25.1	24.6
95% CI	29.6– 32.1	29.2– 31.6	29.3– 31.7	27.7– 30.0	29.3– 31.7	28.9– 31.2	27.8– 30.1	27.0– 29.2	26.8– 28.9	25.5– 27.6	24.4– 26.4	23.7– 25.7	23.8– 25.7	24.2– 26.1	23.7– 25.6
Ages 50–69															
Crude rate	69.2	71.2	68.5	62.2	70.1	67.1	66.6	62.9	61.5	57.8	55.1	52.6	51.9	56.8	54.4
ASR(A)	66.7	68.5	66.5	60.6	67.9	65.5	64.6	61.5	60.6	57.3	55.0	52.5	51.8	56.7	54.1
95% CI	62.5– 71.0	64.3– 72.8	62.4– 70.8	56.7– 64.6	63.8– 72.1	61.6– 69.7	60.7– 68.7	57.8– 65.4	57.0– 64.4	53.8– 61.0	51.6– 58.5	49.2– 55.9	48.6– 55.1	53.4– 60.1	51.0– 57.4

Note: Rates are the number of deaths from breast cancer per 100,000 women and age-standardised to the Australian population at 30 June 2001.

Source: AIHW National Mortality Database.

Table 53: Number of deaths from breast cancer in women by age, states and territories, 1999–2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
0–4	0	0	0	0	0	0	0	0	0
5–9	0	0	0	0	0	0	0	0	0
10–14	0	0	0	0	0	0	0	0	0
15–19	0	0	0	0	0	0	0	0	0
20–24	1	1	1	1	0	0	0	0	4
25–29	4	9	2	4	2	0	0	1	22
30–34	41	27	22	13	5	2	1	3	114
35–39	93	100	55	24	36	9	5	2	324
40–44	182	163	118	62	67	15	6	6	619
45–49	284	249	173	90	86	26	14	11	933
50–54	390	354	255	118	116	36	20	12	1,301
55–59	480	344	238	119	119	34	18	14	1,366
60–64	454	339	215	114	109	34	18	9	1,292
65–69	431	284	182	109	120	37	20	6	1,189
70–74	453	386	248	124	117	33	22	4	1,387
75–79	503	420	233	118	125	42	14	2	1,457
80–84	446	359	209	104	119	40	15	4	1,296
85+	553	485	266	160	172	54	17	1	1,708
All ages	4,315	3,520	2,217	1,160	1,193	362	170	75	13,012
Ages 50–69	1,755	1,321	890	460	464	141	76	41	5,148

Note: State refers to the state of usual residence.

Source: AIHW National Mortality Database.

Table 54: Age-specific and age-standardised mortality rates for breast cancer in women, states and territories, 1999–2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
0–4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5–9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10–14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15–19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20–24	0.1	0.1	0.2	0.3	0.0	0.0	0.0	0.0	0.1
25–29	0.3	1.0	0.3	1.2	0.8	0.0	0.0	2.2	0.6
30–34	3.3	2.8	3.2	3.6	1.9	2.5	1.6	6.7	3.1
35–39	7.4	10.7	7.9	6.5	12.7	10.2	7.9	4.9	8.7
40–44	14.6	17.7	17.0	16.6	23.1	16.3	9.4	16.3	16.6
45–49	24.9	29.5	27.1	25.9	31.6	30.4	22.8	34.0	27.3
50–54	36.9	45.0	42.6	37.9	44.6	44.9	34.9	44.9	41.0
55–59	56.1	55.0	49.8	50.3	56.9	51.7	44.6	81.2	54.0
60–64	64.8	66.0	57.8	60.1	63.9	62.2	64.4	84.9	63.3
65–69	70.1	62.8	59.3	68.8	79.2	78.8	93.2	92.4	67.6
70–74	76.8	89.6	87.2	87.6	77.6	75.2	118.0	88.0	83.3
75–79	97.4	111.0	95.5	99.1	90.7	108.4	85.0	66.2	100.2
80–84	123.9	139.1	122.1	126.9	124.1	143.8	140.2	202.1	128.6
85+	172.5	202.5	176.6	204.4	195.3	222.1	195.9	65.7	187.4
All ages									
Crude rate	26.1	28.9	24.3	24.5	31.2	30.2	21.1	16.1	26.6
ASR(A)	23.9	26.5	24.0	24.6	26.3	26.3	24.9	27.7	24.9
95% CI	23.2–24.6	25.6–27.3	23.0–25.0	23.2–26.0	24.8–27.9	23.6–29.2	21.3–29.0	20.9–35.8	24.5–25.3
Ages 50–69									
Crude rate	54.4	55.6	50.7	51.3	58.6	57.0	51.6	67.1	54.2
ASR(A)	53.9	55.4	50.8	51.5	58.2	56.5	54.2	71.6	54.0
95% CI	51.4–56.5	52.4–58.4	47.5–54.2	46.9–56.4	53.0–63.7	47.5–66.6	42.6–68.0	50.6–98.2	52.5–55.5

Notes

1. Rates are the number of deaths from breast cancer per 100,000 women and age-standardised to the Australian population at 30 June 2001.
2. State refers to the state of usual residence.

Source: AIHW National Mortality Database.

Table 55: Number of deaths from breast cancer in women by age and region, 1999–2003

Age group	Major cities	Inner regional	Outer regional	Remote	Very remote	Australia
0–4	0	0	0	0	0	0
5–9	0	0	0	0	0	0
10–14	0	0	0	0	0	0
15–19	0	0	0	0	0	0
20–24	2	2	0	0	0	4
25–29	16	3	1	1	1	22
30–34	67	28	14	2	4	114
35–39	211	69	37	5	3	324
40–44	384	144	75	10	6	619
45–49	609	214	91	11	8	933
50–54	845	285	149	17	4	1,301
55–59	927	263	150	20	6	1,366
60–64	844	284	143	15	6	1,292
65–69	803	249	115	13	9	1,189
70–74	905	318	140	16	8	1,387
75–79	965	345	134	12	0	1,457
80–84	882	293	108	9	4	1,296
85+	1,122	394	174	12	5	1,708
All ages	8,584	2,890	1,333	142	63	13,012
Ages 50–69	3,420	1,081	558	65	25	5,148

Notes

1. Regions have been defined according to the ASGC Remoteness Areas classification.
2. Totals may not add up due to rounding.

Source: AIHW National Mortality Database.

Table 56: Age-specific and age-standardised mortality rates for breast cancer in women by region, 1999–2003

Age group	Major cities	Inner regional	Outer regional	Remote	Very remote	Australia
0–4	0.0	0.0	0.0	0.0	0.0	0.0
5–9	0.0	0.0	0.0	0.0	0.0	0.0
10–14	0.0	0.0	0.0	0.0	0.0	0.0
15–19	0.0	0.0	0.0	0.0	0.0	0.0
20–24	0.1	0.3	0.2	0.0	0.0	0.1
25–29	0.6	0.6	0.3	1.7	2.6	0.6
30–34	2.6	4.1	4.1	2.8	10.2	3.1
35–39	8.4	9.1	9.7	8.2	8.0	8.7
40–44	15.6	18.3	19.5	17.3	20.4	16.6
45–49	26.7	29.7	26.3	20.4	33.9	27.3
50–54	39.8	42.8	46.5	37.3	20.4	41.0
55–59	56.3	47.0	55.7	53.9	39.0	54.0
60–64	64.7	60.3	63.5	54.2	50.8	63.3
65–69	71.1	60.3	61.7	59.7	107.0	67.6
70–74	83.1	82.8	83.5	92.5	126.1	83.3
75–79	99.2	106.0	97.2	91.9	10.0	100.2
80–84	130.4	130.5	113.9	97.4	133.9	128.6
85+	181.9	198.5	204.5	145.1	193.6	187.4
All ages						
Crude rate	26.3	28.5	27.0	18.7	15.2	26.6
ASR(A)	24.9	25.0	25.4	22.5	24.1	24.9
95% CI	24.3–25.4	24.1–25.9	24.0–26.8	18.9–26.5	18.1–31.0	24.5–25.3
Ages 50–69						
Crude rate	55.1	51.3	55.6	49.1	44.1	54.2
ASR(A)	55.1	50.8	55.3	49.3	47.4	54.0
95% CI	53.3–57.0	47.8–53.9	50.8–60.1	37.9–62.7	30.3–70.2	52.5–55.5

Notes

1. Rates are the number of deaths from breast cancer per 100,000 women and age-standardised to the Australian population at 30 June 2001.
2. The Australian Standard Geographical Classification (ASGC) was used to create the above categories (ABS 2001).

Source: AIHW National Mortality Database.

Table 57: Number of deaths from breast cancer in women by age and Indigenous status, Queensland, Western Australia, South Australia, Northern Territory, 1999–2003

Age group	Indigenous	Non-Indigenous	Australia
0–4	0	0	0
5–9	0	0	0
10–14	0	0	0
15–19	0	0	0
20–24	0	2	4
25–29	2	7	22
30–34	3	40	114
35–39	5	114	324
40–44	7	241	619
45–49	10	338	933
50–54	5	494	1,301
55–59	4	484	1,366
60–64	5	442	1,292
65–69	8	400	1,189
70–74	7	472	1,387
75+	12	1,484	4,461
All ages	68	4,518	13,012
Ages 50–69	22	1,820	5,148

Notes

1. Only Queensland, Western Australia, South Australia and the Northern Territory have Indigenous death registration data considered to be of a publishable standard; therefore, data from these jurisdictions only are included in the analysis by Indigenous status. Queensland data are included from 1998 onwards.
2. 'Australia' includes all states and territories of Australia. 'Indigenous' and 'Non-Indigenous' includes Queensland, Western Australia, South Australia and the Northern Territory.
3. Deaths in the 'not-stated' category are included in the column for all women, but they are not included in the other columns.

Source: AIHW National Mortality Database.

Table 58: Age-standardised and age-specific mortality rates for breast cancer in women by Indigenous status, Queensland, Western Australia, South Australia, Northern Territory, 1999–2003

Age group	Indigenous	Non-Indigenous	Australia
0–4	0.0	0.0	0.0
5–9	0.0	0.0	0.0
10–14	0.0	0.0	0.0
15–19	0.0	0.0	0.0
20–24	0.0	0.2	0.1
25–29	3.3	0.6	0.6
30–34	5.4	3.1	3.1
35–39	10.4	8.5	8.7
40–44	17.9	17.8	16.6
45–49	32.6	26.8	27.3
50–54	21.4	42.1	41.0
55–59	24.7	52.3	54.0
60–64	40.5	60.5	63.3
65–69	94.0	65.1	67.6
70–74	123.5	82.0	83.3
75+	154.4	127.3	132.3
All ages			
Crude rate	9.8	25.9	26.6
ASR(A)	25.8	24.6	25.1
95% CI	19.2–33.6	23.9–25.3	24.6–25.5
Ages 50–69			
Crude rate	36.4	52.9	54.2
ASR(A)	39.4	52.9	54.0
95% CI	24.5–59.8	50.5–55.4	52.5–55.5

Notes

1. Only Queensland, Western Australia, South Australia and the Northern Territory have Indigenous death registration data considered to be of a publishable standard; therefore, data from these jurisdictions only are included in the analysis by Indigenous status. Queensland data are included from 1998 onwards.
2. 'Australia' includes all states and territories of Australia. 'Indigenous' and 'Non-Indigenous' includes Queensland, Western Australia, South Australia, and the Northern Territory.
3. Rates are the number of deaths from breast cancer per 100,000 women and age-standardised to the Australian population at 30 June 2001.
4. Deaths in the 'not-stated' category are included in the column for all women, but they are not included in the other columns.

Source: AIHW National Mortality Database.