

Appendix C: Detailed tables— cardiovascular diseases and diabetes, 1993–94

Table C.1 shows estimated resident population by age and sex at 30 June 1994, used to calculate costs per capita in this report. Tables C.2 and C.3 show total estimated health system costs and estimated health service utilisation respectively for specific cardiovascular diseases at sub-chapter level of ICD-9 by detailed health sector in 1993–94. Tables C.4 and C.5 similarly show estimated costs and utilisation of health services for diabetes mellitus and high blood cholesterol in 1993–94.

Table C.6 shows total estimated health system costs of cardiovascular diseases by health sector, sex and age group for 1993–94. Table C.7 shows estimated levels of utilisation of health services for cardiovascular diseases by sector, age group and sex in 1993–94.

Detailed information on total costs and health services utilisation by health sector, age, sex and major disease group at sub-chapter level of ICD-9 are provided in Appendix Tables C.8 to C.31 for cardiovascular diseases, high blood cholesterol and diabetes mellitus. Each pair of tables shows costs and utilisation of health services by detailed health sector, age and sex for a given disease group.

Table C.1: Estimated resident population of Australia, by age group and sex, 30 June 1994

Age group	Males	Females	Persons
0–4	661,464	627,683	1,289,147
5–14	1,310,151	1,243,172	2,553,323
15–24	1,396,412	1,336,297	2,732,709
25–44	2,762,031	2,761,005	5,523,036
45–64	1,842,066	1,790,447	3,632,513
65–74	596,874	672,144	1,269,018
75+	315,739	522,916	838,655
Total	8,884,737	8,953,664	17,838,401

Source: ABS 1996.

Table C.2: Total health system costs of diseases of the circulatory system by health sector and disease type, 1993–94 (\$ million)

ICD-9 chapter	Hospital inpatients			Medical services ^(b)			Pharmaceuticals				Total costs ^(d)	
	Public hospitals ^(a)	Private hospitals	Non-inpatients	Nursing homes	GPs	Specialists	Prescrip-tor	Over-the-counter	Allied health	Research		Other ^(c)
Hypertension	18.7	4.3	31.8	6.7	126.7	89.9	409.6	66.5	20.1	21.8	34.9	831.0
Rheumatic heart disease	13.9	3.8	1.1	0.5	0.7	1.1	0.8	0.7	0.2	0.2	1.0	24.0
Ischaemic heart disease	412.5	144.0	17.7	72.5	32.0	55.9	97.6	7.7	5.5	10.7	38.1	894.4
Acute myocardial infarction	114.1	10.8	0.5	25.3	0.8	2.4	0.8	0.2	0.1	2.0	7.2	164.1
Other	298.5	133.2	17.3	47.3	31.3	53.5	96.8	7.5	5.4	8.7	31.0	730.3
Diseases of pulmonary circulation	18.6	2.9	0.7	5.3	1.0	1.6	1.7	0.3	0.2	1.0	1.4	34.6
Other forms of heart disease	255.5	55.7	41.5	167.1	39.2	53.7	55.4	25.7	4.7	11.0	31.5	740.9
Cardiac dysrhythmias	82.5	13.5	18.3	28.7	12.7	23.1	20.0	10.9	0.7	3.7	9.5	223.6
Heart failure	118.4	21.3	17.8	134.8	23.8	23.0	32.7	12.2	3.9	5.4	17.5	410.9
Non-rheumatic valvular disease	31.3	16.9	3.6	1.6	1.7	4.9	1.6	1.7	—	0.5	2.9	66.8
Cardiomyopathy and other heart diseases	23.3	4.1	1.7	2.0	1.0	2.6	1.0	0.9	0.1	1.4	1.6	39.6
Cerebrovascular disease	235.2	34.2	13.7	265.4	13.2	18.3	10.3	2.7	4.8	5.9	27.0	630.5
Diseases of arteries, arterioles, capillaries	130.8	33.9	15.5	36.5	6.9	14.9	5.8	4.8	2.1	6.6	11.3	269.0
Atherosclerosis	30.4	5.8	6.8	8.1	0.6	1.1	0.3	1.4	0.1	2.7	2.5	59.6
Aortic aneurysm	36.0	6.3	3.8	2.9	1.3	3.7	1.1	0.9	0.2	1.4	2.5	60.2
Other peripheral vascular disease	64.4	21.8	4.9	25.5	5.0	10.1	4.4	2.6	1.8	2.5	6.3	149.3
Diseases of veins, lymphatics, other	87.4	57.7	11.7	32.1	18.4	27.5	17.4	5.9	2.2	2.6	11.7	274.7
Phlebitis and thrombophlebitis	3.4	0.9	2.9	1.7	3.8	5.8	3.7	2.0	0.7	0.3	1.1	26.2
Varicose veins of leg	30.2	27.4	1.2	3.9	2.2	4.6	1.5	0.4	0.6	0.7	3.2	76.0
Hemorrhoids	19.6	20.9	1.8	4.2	7.1	10.2	9.6	1.3	0.7	0.8	3.4	79.3
Other	34.2	8.5	5.9	22.3	5.3	6.9	2.7	2.3	0.3	0.9	4.0	93.2
Unspecified treatment and aftercare	3.4	1.0	1.1	0.6	0.4	0.7	0.7	0.1	—	0.1	0.4	8.6
Prevention and screening	0.0	0.0	8.5	—	0.7	0.7	0.1	0.8	—	0.2	0.5	11.6
Total	1,176.0	337.5	143.2	586.9	239.1	264.3	599.4	115.3	39.7	60.1	157.9	3,719.4

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under Hospital inpatients.

(c) Includes other institutional, non-institutional and administration expenditure.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

Table C.3: Estimated health service utilisation for diseases of the circulatory system by health sector and disease type, 1993–94

ICD-9 chapter	Admissions ('000)		Bed days ('000)		Medical services ^(b) ('000)			No. of prescriptions ('000)	Allied health consultations ('000)	Nursing home residents
	Public hospitals ^(a)	Private hospitals	Public hospitals ^(a)	Private hospitals	Non-inpatient occasions of service ('000)	GPs	Specialist			
Hypertension	7.3	1.7	44.1	12.4	481.0	5,265.2	2,933.3	17,493.0	1,163.5	183
Rheumatic heart disease	1.8	0.4	14.5	2.9	16.7	27.4	43.0	59.7	11.7	14
Ischaemic heart disease	110.3	27.9	656.4	146.5	268.3	1,195.1	1,262.2	4,228.0	317.2	1,984
Acute myocardial infarction	28.6	2.6	233.8	24.4	6.8	26.3	45.2	39.0	4.2	691
Other	81.7	25.3	422.6	122.1	261.5	1,168.8	1,217.0	4,189.0	313.0	1,293
Diseases of pulmonary circulation	4.4	0.7	44.0	6.6	10.2	35.7	61.1	108.1	9.6	146
Other forms of heart disease	70.5	13.0	531.2	109.6	627.5	1,448.2	1,401.2	3,615.3	270.3	4,571
Cardiac dysrhythmias	28.3	4.7	120.3	19.4	277.3	487.1	560.2	1,117.1	40.1	785
Heart failure	33.4	5.4	335.8	70.2	270.0	856.7	681.7	2,340.1	226.6	3,686
Non-rheumatic valvular disease	4.0	1.8	29.2	12.5	55.1	68.3	104.2	104.9	—	45
Cardiomyopathy and other heart diseases	4.9	1.1	46.0	7.5	77.4	36.1	55.1	149.7	3.0	55
Cerebrovascular disease	39.7	7.2	582.7	111.3	206.7	469.1	460.6	568.5	274.5	7,259
Diseases of arteries, arterioles, capillaries	19.6	5.7	190.3	43.2	234.9	259.9	359.4	410.6	119.4	999
Atherosclerosis	4.7	1.0	41.3	7.1	102.9	21.1	26.7	12.1	8.0	221
Aortic aneurysm	3.8	0.8	42.0	8.3	58.2	50.0	84.5	63.4	8.9	80
Other peripheral vascular disease	11.1	4.0	107.0	27.8	73.9	188.7	248.2	335.1	102.5	697
Diseases of veins, lymphatics, other	36.0	26.2	176.0	85.5	176.7	730.5	718.0	909.5	128.3	878
Phlebitis and thrombophlebitis	1.2	0.3	8.3	2.4	43.6	152.3	211.5	257.2	40.6	47
Varicose veins of leg	10.9	10.1	53.7	33.0	17.5	92.5	96.6	62.9	32.0	107
Hemorrhoids	12.6	12.6	31.4	29.2	26.8	279.4	193.3	454.4	40.1	115
Other	11.4	3.1	82.6	20.9	88.8	206.3	216.6	135.0	15.6	609
Unspecified treatment and aftercare	1.2	0.4	3.3	1.4	17.0	13.8	12.0	33.4	—	18
Prevention and screening	0.1	0.0	0.1	0.0	128.6	30.7	35.5	7.6	—	0
Total	291.0	83.1	2,242.5	519.4	2,167.8	9,475.6	7,286.3	27,433.6	2,294.7	16,051

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

Table C.4: Total health system costs of diabetes and high blood cholesterol by health sector, 1993–94 (\$ million)

ICD-9 chapter	Hospital inpatients			Medical services ^(b)			Pharmaceuticals			Allied health	Research	Other ^(c)	Total costs ^(d)
	Public hospitals ^(a)	Private hospitals	Non-inpatients	Nursing homes	GPs	Specialist	Prescripitor	Over-the-counter					
High blood cholesterol	0.1	0.0	6.0	—	15.3	27.1	130.5	4.1	4.1	3.7	8.4	199.4	
Diabetes mellitus	58.1	10.4	27.6	19.6	25.7	39.8	93.3	6.1	18.5	19.8	53.0	371.9	
Insulin-dependent (Type 1)	28.1	3.3	10.8	7.3	10.8	16.9	38.7	2.7	7.6	8.3	20.6	155.2	
Non-insulin dependent (Type 2)	29.9	7.0	16.7	12.3	14.9	22.9	54.6	3.4	10.9	11.5	32.4	216.7	
Hypoglycemia and hyperinsulinism	3.9	0.2	2.8	4.4	0.8	1.0	0.4	0.3	0.4	1.0	0.6	15.9	

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under Hospital inpatients.

(c) Includes home blood glucose testing equipment and supplies, other institutional, non-institutional and administration expenditure.

(d) Excludes expenditure for other public health services, community health services, ambulances.

Table C.5: Estimated health service utilisation for diabetes and high blood cholesterol by health sector and disease type, 1993–94 (\$ million)

ICD-9 chapter	Admissions ('000)		Bed days ('000)		Medical services ^(b) ('000)					
	Public hospitals ^(a)	Private hospitals	Public hospitals ^(a)	Private hospitals	Non-inpatient occasions of service ('000)	GPs	Specialist	No. of prescriptions ('000)	Allied health consultations ('000)	Nursing home residents
High blood cholesterol	0.0	0.0	0.1	0.0	90.7	638.7	1,365.7	2,354.1	237.2	—
Diabetes mellitus	16.1	2.5	141.1	24.5	417.1	1,031.4	1,494.9	1,630.4	1,071.4	656
Insulin-dependent (Type 1)	8.7	0.8	66.6	7.2	163.8	431.6	619.9	663.7	439.3	200
Non-insulin dependent (Type 2)	7.4	1.7	74.5	17.3	253.3	599.8	875.1	966.7	632.1	337
Hypoglycemia and hyperinsulinism	2.3	0.1	9.5	0.5	42.7	33.2	35.6	5.2	23.9	200

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

Table C.6: Diseases of the circulatory system: total health system costs by health sector, sex and age, 1993–94 (\$ million)

Sex / age	Hospital inpatients				Nursing homes	Medical services ^(b)			Pharmaceuticals			Allied health	Other ^(c)	Total costs ^(d)
	Public hospitals ^(a)	Private hospitals	Non-inpatients	Total hospital		GPs	Specialist	Total medical	Prescription	Over-the-counter	Total			
Males														
0–4	1.5	0.1	2.4	3.9	—	0.1	0.5	0.6	0.0	0.1	0.1	—	0.3	5.0
5–14	1.7	0.2	2.1	4.0	—	0.2	0.0	0.2	0.1	0.1	0.2	—	0.3	4.6
15–24	5.3	1.1	4.4	10.7	—	1.3	3.2	4.5	1.2	0.2	1.5	0.3	1.1	18.1
25–34	11.1	2.8	4.7	18.5	—	3.9	5.6	9.6	4.3	0.9	5.2	0.8	2.2	36.2
35–44	30.9	9.1	7.7	47.7	—	7.8	8.1	15.9	16.7	3.8	20.4	3.6	5.7	93.4
45–54	76.4	27.9	10.0	114.3	2.5	14.7	18.5	33.2	36.3	7.4	43.7	1.2	12.3	207.2
55–64	136.4	49.2	11.0	196.6	10.3	21.9	34.2	56.1	60.4	13.1	73.5	3.1	21.3	360.9
65–74	226.4	67.1	26.2	319.6	44.6	30.8	45.8	76.7	85.5	14.9	100.4	4.0	33.9	579.1
75+	190.1	39.4	4.7	234.2	159.9	24.7	22.4	47.1	50.0	8.0	58.0	8.0	30.6	537.8
Total^(e)	679.7	196.8	73.3	949.7	217.2	105.5	138.4	244.0	254.6	48.5	303.1	21.0	107.5	1,842.4
Females														
0–4	1.2	0.0	0.3	1.5	—	0.1	0.3	0.3	0.1	0.0	0.1	—	0.1	2.0
5–14	1.1	0.1	0.5	1.7	—	0.2	0.5	0.7	0.3	0.0	0.4	—	0.2	2.9
15–24	3.8	0.7	1.0	5.6	—	1.3	1.6	2.9	1.3	0.3	1.6	—	0.6	10.7
25–34	10.0	4.0	7.6	21.6	—	3.9	5.1	9.1	4.9	1.3	6.2	0.8	2.4	40.0
35–44	18.4	9.4	4.3	32.1	1.1	7.3	11.6	18.9	14.3	4.1	18.4	1.0	4.5	76.1
45–54	33.9	14.1	19.6	67.6	1.3	14.1	17.0	31.1	36.7	9.4	46.1	2.6	9.8	158.4
55–64	64.7	20.7	9.4	94.8	7.4	22.3	26.7	49.0	68.4	14.6	83.0	1.2	15.3	250.8
65–74	138.9	37.0	9.8	185.7	30.5	35.6	34.6	70.2	110.5	20.6	131.1	5.8	27.1	450.4
75+	223.9	54.7	17.5	296.0	329.4	48.7	28.6	77.3	108.4	16.4	124.8	7.3	50.4	885.3
Total^(e)	496.3	140.8	69.9	707.0	369.7	133.6	125.9	259.5	344.8	66.8	411.7	18.7	110.5	1,877.0

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under Hospital inpatients.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

(e) Includes hospital expenditure for small numbers of inpatients where age not stated. Costs for other health sectors may not add to totals due to rounding.

Table C.7: Diseases of the circulatory system: health service utilisation by health sector, sex and age, 1993–94

Sex / age	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services ^(b) ('000)			No. of prescriptions ('000)	Allied health consultations ('000)	Nursing home residents
	Public hospitals ^(a)	Private hospitals	Total hospital	Public hospitals ^(a)	Private hospitals	Total hospital		GPs	Specialist	Total medical			
Males													
0–4	0.5	0.0	0.5	2.7	0.1	2.8	37.0	5.0	8.7	13.7	1.5	—	—
5–14	0.5	0.1	0.6	2.7	0.1	2.8	32.1	6.6	2.3	8.9	4.4	—	—
15–24	1.7	0.5	2.2	7.5	1.0	8.5	66.5	50.4	66.5	116.8	38.9	18.5	—
25–34	4.1	1.4	5.4	18.1	3.0	21.1	70.5	158.7	145.9	304.6	192.0	43.8	—
35–44	10.4	3.4	13.8	45.7	9.4	55.1	117.3	312.1	219.1	531.2	697.3	210.1	—
45–54	21.8	7.7	29.5	111.4	25.3	136.6	151.6	610.2	477.9	1,088.1	1,527.8	68.3	67
55–64	34.6	10.7	45.3	209.4	47.2	256.7	167.0	899.2	853.5	1,752.6	2,633.6	181.7	281
65–74	50.1	13.7	63.8	369.7	82.2	451.9	396.6	1,290.0	1,205.6	2,495.5	3,869.3	228.6	1,218
75+	40.5	8.2	48.7	404.7	82.5	487.2	70.5	922.3	640.1	1,562.5	2,433.6	461.4	4,373
Total^(c)	164.2	45.7	209.9	1,172.0	250.8	1,422.8	1,109.1	4,254.3	3,619.6	7,874.0	11,398.3	1,212.5	5,940
Females													
0–4	0.4	0.0	0.4	2.2	0.1	2.3	4.4	2.2	4.0	6.3	3.0	—	—
5–14	0.4	0.0	0.4	1.9	0.1	2.0	7.3	8.7	13.0	21.7	16.3	—	—
15–24	1.4	0.4	1.7	6.0	0.9	6.9	14.9	55.4	36.8	92.2	59.5	—	—
25–34	4.0	1.8	5.8	15.5	4.0	19.6	115.7	168.9	131.7	300.6	219.8	46.9	—
35–44	6.9	4.0	10.9	28.3	12.7	41.0	65.1	302.4	296.5	598.9	641.4	56.3	31
45–54	10.8	5.3	16.1	56.4	15.6	71.9	296.1	579.2	461.2	1,040.3	1,611.4	149.8	35
55–64	18.1	5.9	24.0	111.9	30.9	142.8	142.5	910.5	705.7	1,616.2	3,040.9	71.9	202
65–74	34.2	8.5	42.7	258.4	56.0	314.4	148.2	1,448.6	1,027.8	2,476.4	5,022.4	333.9	835
75+	50.7	11.6	62.4	586.8	148.3	735.0	264.4	1,745.5	989.8	2,735.2	5,420.5	423.3	9,009
Total^(c)	126.9	37.4	164.3	1,070.5	268.6	1,339.1	1,058.7	5,221.3	3,666.7	8,888.0	16,035.3	1,082.1	10,111

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age not stated. Utilisation for other health sectors may not add to totals due to rounding.

Table C.8: Hypertension: total health system costs by health sector, sex and age, 1993–94 (\$ million)

Sex / age	Hospital inpatients				Nursing homes	Medical services ^(b)			Pharmaceuticals			Allied health	Other ^(c)	Total costs ^(d)
	Public hospitals ^(a)	Private hospitals	Non-inpatients	Total hospital		GPs	Specialist	Total medical	Prescription	Over-the-counter	Total			
Males														
0–4	0.0	—	—	0.0	—	—	—	—	—	—	—	—	0.0	0.0
5–14	0.0	—	—	0.0	—	—	—	—	—	—	—	—	0.0	0.0
15–24	0.2	0.0	—	0.2	—	0.4	1.3	1.7	0.3	0.1	0.4	—	0.2	2.5
25–34	0.6	0.0	2.5	3.1	—	2.0	2.6	4.6	3.5	0.6	4.1	—	0.9	12.6
35–44	0.9	0.1	—	0.9	—	5.1	4.3	9.4	13.6	2.5	16.1	2.9	2.1	31.5
45–54	1.2	0.1	3.3	4.6	0.1	10.0	6.3	16.3	28.8	5.2	34.0	0.6	4.1	59.6
55–64	1.6	0.2	—	1.8	0.1	12.3	10.2	22.5	42.6	7.5	50.1	1.8	5.6	81.9
65–74	2.0	0.3	3.4	5.7	0.4	14.7	11.5	26.2	52.4	8.0	60.4	1.5	6.9	101.1
75+	1.3	0.4	—	1.7	0.6	7.8	4.7	12.5	22.7	2.9	25.6	2.1	3.1	45.6
Total^(e)	7.8	1.1	9.2	18.1	1.0	52.4	40.9	93.2	163.8	26.8	190.6	9.0	22.8	334.8
Females														
0–4	0.0	—	—	0.0	—	0.0	0.0	0.1	0.1	—	0.1	—	0.0	0.2
5–14	0.1	—	—	0.1	—	0.1	0.1	0.2	0.2	—	0.2	—	0.0	0.5
15–24	0.1	0.0	—	0.1	—	0.6	0.3	0.9	0.7	0.1	0.8	—	0.1	2.0
25–34	0.4	0.0	3.3	3.7	—	1.5	1.7	3.2	2.8	0.6	3.4	—	0.8	11.1
35–44	0.8	0.1	1.6	2.5	—	4.4	3.6	8.0	11.4	2.4	13.7	0.7	1.8	26.8
45–54	1.2	0.2	11.6	13.1	0.1	10.3	7.7	18.0	31.3	5.9	37.2	2.5	5.2	75.9
55–64	1.8	0.4	4.8	7.0	0.1	15.8	12.7	28.5	57.6	10.0	67.6	1.0	7.6	111.8
65–74	3.0	0.9	1.2	5.1	0.4	21.6	14.6	36.2	80.8	12.6	93.4	3.4	10.1	148.6
75+	3.4	1.6	—	5.0	5.1	20.1	8.4	28.5	60.9	8.2	69.0	3.6	8.1	119.4
Total^(e)	10.9	3.2	22.6	36.7	5.6	74.4	49.0	123.4	245.7	39.7	285.5	11.2	33.9	496.2

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under Hospital inpatients.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

(e) Includes hospital expenditure for small numbers of inpatients where age not stated. Costs for other health sectors may not add to totals due to rounding.

Table C.9: Hypertension: health service utilisation by health sector, sex and age, 1993–94

Sex / age	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services ^(b) ('000)			No. of prescriptions ('000)	Allied health consultations ('000)	Nursing home residents
	Public hospitals ^(a)	Private hospitals	Total hospital	Public hospitals ^(a)	Private hospitals	Total hospital		GPs	Specialist	Total medical			
Males													
0–4	0.0	—	0.0	0.0	—	0.0	—	—	—	—	—	—	—
5–14	0.0	—	0.0	0.1	—	0.1	—	—	—	—	—	—	—
15–24	0.1	0.0	0.1	0.4	0.0	0.4	—	16.0	31.5	47.5	12.4	—	—
25–34	0.2	0.0	0.2	0.9	0.0	1.0	37.8	78.9	85.7	164.5	144.5	—	—
35–44	0.3	0.0	0.4	1.5	0.1	1.6	—	210.5	135.3	345.8	544.5	170.3	—
45–54	0.5	0.1	0.5	2.0	0.3	2.3	49.7	417.9	223.6	641.5	1,175.9	36.0	1
55–64	0.6	0.1	0.7	3.2	0.5	3.6	—	523.3	320.9	844.2	1,770.6	102.8	2
65–74	0.7	0.1	0.8	4.0	0.7	4.7	51.9	645.6	379.5	1,025.1	2,214.0	86.7	10
75+	0.4	0.1	0.6	3.6	1.2	4.8	—	314.4	150.4	464.8	992.1	123.3	15
Total^(c)	2.8	0.5	3.3	15.7	2.8	18.5	139.3	2,206.5	1,326.9	3,533.4	6,853.9	519.0	29
Females													
0–4	0.0	—	0.0	0.1	—	0.1	—	1.6	2.3	3.9	3.0	—	—
5–14	0.0	—	0.0	0.1	—	0.1	—	2.7	4.4	7.1	10.8	—	—
15–24	0.1	0.0	0.1	0.3	0.0	0.3	—	25.1	10.6	35.7	27.3	—	—
25–34	0.2	0.0	0.2	0.6	0.1	0.7	50.1	68.6	46.5	115.0	115.8	—	—
35–44	0.4	0.0	0.4	1.6	0.2	1.8	24.7	183.4	109.8	293.1	488.8	39.6	—
45–54	0.6	0.1	0.7	2.6	0.6	3.2	175.4	428.3	251.2	679.6	1,328.0	143.2	2
55–64	0.8	0.2	0.9	3.8	0.8	4.6	72.7	659.6	394.5	1,054.1	2,489.8	58.0	2
65–74	1.2	0.3	1.5	7.6	2.7	10.3	18.8	912.6	484.1	1,396.7	3,502.7	196.3	10
75+	1.3	0.5	1.8	11.7	5.2	16.9	—	776.8	303.1	1,079.9	2,672.9	207.4	140
Total^(c)	4.5	1.2	5.7	28.3	9.6	37.9	341.7	3,058.7	1,606.4	4,665.2	10,639.1	644.5	154

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age not stated. Utilisation for other health sectors may not add to totals due to rounding.

Table C.10: Rheumatic heart disease: total health system costs by health sector, sex and age, 1993–94 (\$ million)

Sex / age	Hospital inpatients				Nursing homes	Medical services ^(b)			Pharmaceuticals			Allied health	Other ^(c)	Total costs ^(d)
	Public hospitals ^(a)	Private hospitals	Non-inpatients	Total hospital		GPs	Specialist	Total medical	Prescription	Over-the-counter	Total			
Males														
0–4	0.0	—	—	0.0	—	0.0	—	0.0	0.0	0.0	0.0	—	0.0	0.1
5–14	0.2	0.0	—	0.2	—	—	—	—	—	—	—	—	0.0	0.3
15–24	0.3	0.0	0.2	0.5	—	0.0	—	0.0	0.1	0.0	0.1	—	0.0	0.6
25–34	0.3	0.1	0.0	0.3	—	0.0	—	0.0	—	0.0	0.0	—	0.0	0.4
35–44	0.4	0.1	0.0	0.5	—	0.0	—	0.0	—	0.0	0.0	—	0.0	0.6
45–54	0.7	0.2	0.2	1.1	—	0.1	0.1	0.1	0.0	0.1	0.1	—	0.1	1.3
55–64	1.2	0.4	0.2	1.8	0.1	0.1	0.4	0.5	0.2	0.2	0.4	—	0.1	2.9
65–74	1.4	0.4	0.1	1.8	0.2	0.0	0.0	0.1	0.1	0.0	0.1	—	0.1	2.2
75+	0.5	0.3	0.0	0.8	—	0.0	0.0	0.0	-	0.0	0.0	—	0.0	0.9
Total^(e)	5.1	1.4	0.7	7.2	0.2	0.3	0.5	0.8	0.3	0.3	0.7	—	0.5	9.4
Females														
0–4	0.0	—	—	0.0	—	—	—	—	—	—	—	—	0.0	0.0
5–14	0.2	0.0	—	0.3	—	—	—	—	—	—	—	—	0.0	0.3
15–24	0.3	0.0	—	0.3	—	0.0	—	0.0	0.0	0.0	0.0	—	0.0	0.4
25–34	0.5	0.0	0.1	0.7	—	0.1	0.0	0.1	0.0	0.0	0.0	—	0.0	0.9
35–44	1.0	0.1	0.0	1.1	—	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.1	1.5
45–54	1.2	0.5	0.1	1.8	—	0.0	0.0	0.1	0.0	0.0	0.1	—	0.1	2.0
55–64	2.0	0.7	0.0	2.7	—	0.0	0.2	0.3	0.1	0.1	0.2	—	0.2	3.3
65–74	2.4	0.7	0.2	3.2	0.1	0.1	0.2	0.3	0.1	0.1	0.3	0.1	0.2	4.2
75+	1.0	0.4	0.0	1.4	0.3	0.1	0.1	0.2	0.1	0.0	0.2	—	0.1	2.1
Total^(e)	8.8	2.4	0.4	11.6	0.3	0.4	0.6	1.0	0.5	0.3	0.8	0.2	0.7	14.6

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under Hospital inpatients.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

(e) Includes hospital expenditure for small numbers of inpatients where age not stated. Costs for other health sectors may not add to totals due to rounding.

Table C.11: Rheumatic heart disease: health service utilisation by health sector, sex and age, 1993–94

Sex / age	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services ^(b) ('000)			No. of prescriptions ('000)	Allied health consultations ('000)	Nursing home residents
	Public hospitals ^(a)	Private hospitals	Total hospital	Public hospitals ^(a)	Private hospitals	Total hospital		GPs	Specialist	Total medical			
Males													
0–4	0.0	—	0.0	0.1	—	0.1	—	1.2	—	1.2	1.5	—	—
5–14	0.1	0.0	0.1	0.4	0.0	0.4	—	—	—	—	—	—	—
15–24	0.0	0.0	0.1	0.4	0.0	0.4	3.2	1.0	—	1.0	3.5	—	—
25–34	0.0	0.0	0.1	0.4	0.0	0.4	0.2	0.5	—	0.5	—	—	—
35–44	0.1	0.0	0.1	0.5	0.0	0.5	0.6	0.6	—	0.6	—	—	—
45–54	0.1	0.0	0.1	0.6	0.1	0.8	2.7	2.8	3.2	6.0	2.9	—	—
55–64	0.1	0.0	0.2	1.0	0.2	1.2	3.1	3.7	14.0	17.7	10.4	—	2
65–74	0.2	0.0	0.2	1.3	0.3	1.6	0.8	1.9	1.3	3.2	5.2	—	4
75+	0.1	0.0	0.1	0.7	0.3	1.0	0.0	0.3	1.2	1.5	—	—	—
Total^(c)	0.7	0.1	0.8	5.4	1.0	6.3	10.6	12.0	19.7	31.7	23.4	—	6
Females													
0–4	0.0	—	0.0	0.0	—	0.0	—	—	—	—	—	—	—
5–14	0.1	0.0	0.1	0.6	0.0	0.7	—	—	—	—	—	—	—
15–24	0.1	0.0	0.1	0.5	0.0	0.5	—	1.8	—	1.8	1.5	—	—
25–34	0.1	0.0	0.1	0.7	0.0	0.7	1.5	1.9	1.9	3.8	3.1	—	—
35–44	0.1	0.0	0.1	0.7	0.1	0.8	0.5	1.7	1.6	3.3	3.0	7.4	—
45–54	0.2	0.1	0.2	1.0	0.3	1.4	1.0	1.3	1.2	2.5	3.6	—	—
55–64	0.2	0.1	0.3	1.8	0.5	2.3	0.6	1.6	6.8	8.4	4.6	—	—
65–74	0.3	0.1	0.3	2.4	0.5	2.8	2.3	4.1	8.1	12.3	13.0	4.3	1
75+	0.2	0.0	0.2	1.4	0.5	1.9	0.2	3.0	3.7	6.7	7.5	—	7
Total^(c)	1.2	0.2	1.4	9.2	1.9	11.0	6.2	15.4	23.2	38.7	36.2	11.7	9

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age not stated. Utilisation for other health sectors may not add to totals due to rounding.

Table C.12: Ischaemic heart disease: total health system costs by health sector, sex and age, 1993–94 (\$ million)

Sex / age	Hospital inpatients				Nursing homes	Medical services ^(b)			Pharmaceuticals			Allied health	Other ^(c)	Total costs ^(d)
	Public hospitals ^(a)	Private hospitals	Non-inpatients	Total hospital		GPs	Specialist	Total medical	Prescription	Over-the-counter	Total			
Males														
0–4	0.0	—	—	0.0	—	—	—	—	—	—	—	—	0.0	0.0
5–14	0.0	0.0	—	0.0	—	—	—	—	—	—	—	—	0.0	0.0
15–24	0.1	0.0	—	0.1	—	0.0	0.0	0.0	—	0.0	0.0	—	0.0	0.1
25–34	1.6	0.2	0.2	2.0	—	0.1	0.2	0.3	0.1	0.0	0.1	—	0.1	2.5
35–44	13.5	3.4	2.6	19.5	—	0.5	0.7	1.3	1.2	0.2	1.4	0.7	1.3	24.2
45–54	44.4	17.8	1.7	63.9	0.4	2.2	5.7	7.9	4.8	0.6	5.4	0.3	4.5	82.4
55–64	72.8	33.2	4.3	110.3	1.7	4.0	11.5	15.4	10.0	1.6	11.6	0.7	8.1	147.8
65–74	93.5	38.2	3.0	134.7	7.1	5.7	12.6	18.3	19.3	1.5	20.7	0.6	10.5	192.0
75+	47.6	12.3	0.1	60.0	18.9	4.3	4.0	8.3	14.3	0.7	15.0	1.6	6.0	109.9
Total^(e)	273.4	105.2	11.9	390.5	28.2	16.8	34.7	51.5	49.7	4.6	54.3	3.9	30.5	558.9
Females														
0–4	0.0	—	—	0.0	—	—	—	—	—	—	—	—	0.0	0.0
5–14	—	0.0	—	0.0	—	0.0	—	0.0	0.0	—	0.0	—	0.0	0.0
15–24	0.0	0.0	—	0.1	—	—	—	—	—	—	—	—	0.0	0.1
25–34	0.4	0.0	—	0.4	—	0.1	0.5	0.6	0.2	0.0	0.2	—	0.1	1.3
35–44	2.6	0.5	0.4	3.5	0.2	0.2	1.5	1.7	0.5	0.0	0.5	—	0.3	6.3
45–54	10.1	3.0	1.8	15.0	0.1	0.7	2.0	2.6	2.1	0.2	2.3	0.1	1.2	21.2
55–64	25.1	7.9	0.9	33.9	1.6	1.8	4.8	6.7	5.3	0.5	5.9	0.1	2.8	50.9
65–74	50.7	15.5	2.0	68.2	4.0	4.5	7.6	12.1	17.3	1.4	18.7	0.7	6.0	109.7
75+	50.1	11.8	0.7	62.7	38.5	7.9	4.8	12.8	22.5	1.0	23.5	0.7	8.0	146.1
Total^(e)	139.1	38.8	5.8	183.7	44.3	15.3	21.3	36.5	48.0	3.1	51.1	1.6	18.3	335.5

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under Hospital inpatients.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

(e) Includes hospital expenditure for small numbers of inpatients where age not stated. Costs for other health sectors may not add to totals due to rounding.

Table C.13: Ischaemic heart disease: health service utilisation by health sector, sex and age, 1993–94

Sex / age	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services ^(b) ('000)			No. of prescriptions ('000)	Allied health consultations ('000)	Nursing home residents
	Public hospitals ^(a)	Private hospitals	Total hospital	Public hospitals ^(a)	Private hospitals	Total hospital		GPs	Specialist	Total medical			
Males													
0–4	0.0	—	0.0	0.0	—	0.0	—	—	—	—	—	—	—
5–14	0.0	0.0	0.0	0.0	0.0	0.0	—	—	—	—	—	—	—
15–24	0.0	0.0	0.0	0.2	0.0	0.2	—	0.0	0.2	0.2	—	—	—
25–34	0.5	0.1	0.5	2.3	0.2	2.4	3.6	3.3	5.7	9.0	3.6	—	—
35–44	4.0	0.8	4.7	17.5	2.4	19.9	39.7	17.8	18.1	35.9	50.3	39.8	—
45–54	12.1	3.6	15.7	58.0	13.3	71.3	25.8	85.8	117.5	203.3	198.8	14.7	11
55–64	18.4	6.0	24.4	96.8	26.2	123.0	64.6	153.4	220.8	374.2	432.8	42.4	47
65–74	22.5	6.8	29.3	133.4	34.9	168.3	45.5	234.5	273.2	507.7	822.0	37.1	195
75+	13.1	2.4	15.5	90.9	20.3	111.3	1.6	165.3	100.5	265.7	618.5	92.8	518
Total^(c)	70.6	19.6	90.2	399.2	97.3	496.5	180.8	660.1	735.9	1,396.0	2,126.0	226.9	771
Females													
0–4	0.0	—	0.0	0.0	—	0.0	—	—	—	—	—	—	—
5–14	—	0.0	0.0	—	0.0	0.0	—	0.6	—	0.6	1.5	—	—
15–24	0.0	0.0	0.0	0.1	0.0	0.1	—	—	—	—	—	—	—
25–34	0.1	0.0	0.1	0.5	0.0	0.5	—	3.1	10.7	13.8	10.1	—	—
35–44	0.9	0.1	1.0	4.1	0.4	4.4	5.7	8.0	27.5	35.5	22.0	—	6
45–54	3.2	0.8	3.9	14.8	2.4	17.2	27.8	25.1	46.3	71.4	92.5	6.5	2
55–64	7.2	1.8	9.0	37.3	6.8	44.2	13.1	72.3	103.6	175.9	227.3	5.3	43
65–74	13.4	3.1	16.5	80.4	16.1	96.5	30.5	172.1	179.6	351.7	743.5	39.2	110
75+	14.8	2.6	17.4	120.0	23.4	143.4	10.4	253.9	158.6	412.5	1,005.1	39.3	1,053
Total^(c)	39.7	8.3	48.0	257.2	49.2	306.3	87.5	535.0	526.3	1,061.3	2,102.0	90.3	1,213

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age not stated. Utilisation for other health sectors may not add to totals due to rounding.

Table C.14: Diseases of pulmonary circulation: total health system costs by health sector, sex and age, 1993–94 (\$ million)

Sex / age	Hospital inpatients				Nursing homes	Medical services ^(b)			Pharmaceuticals			Allied health	Other ^(c)	Total costs ^(d)
	Public hospitals ^(a)	Private hospitals	Non-inpatients	Total hospital		GPs	Specialist	Total medical	Prescription	Over-the-counter	Total			
Males														
0–4	0.2	0.0	—	0.2	—	—	—	—	—	—	—	—	0.0	0.2
5–14	0.1	—	—	0.1	—	—	—	—	—	—	—	—	0.0	0.1
15–24	0.2	0.0	—	0.2	—	0.0	0.0	0.0	—	0.0	0.0	—	0.0	0.2
25–34	0.4	0.0	0.0	0.5	—	0.0	—	0.0	0.0	0.0	0.0	—	0.0	0.5
35–44	0.7	0.1	0.0	0.8	—	0.0	0.0	0.0	0.0	0.0	0.0	—	0.1	0.9
45–54	1.0	0.1	0.0	1.1	—	0.0	0.0	0.0	0.0	0.0	0.1	—	0.1	1.3
55–64	1.6	0.2	0.1	2.0	0.1	0.1	0.1	0.2	0.1	0.0	0.2	—	0.2	2.6
65–74	2.4	0.4	0.1	3.0	0.6	0.1	0.4	0.5	0.3	0.1	0.4	0.2	0.4	5.0
75+	2.2	0.3	0.0	2.5	1.2	0.2	0.2	0.4	0.2	0.0	0.2	0.0	0.3	4.6
Total^(e)	8.8	1.2	0.3	10.2	1.9	0.5	0.7	1.2	0.6	0.2	0.8	0.2	1.1	15.4
Females														
0–4	0.2	0.0	—	0.2	—	—	—	—	—	—	—	—	0.0	0.2
5–14	0.0	0.0	—	0.0	—	—	—	—	—	—	—	—	0.0	0.0
15–24	0.2	0.0	—	0.2	—	0.0	0.0	0.0	—	0.0	0.0	—	0.0	0.2
25–34	0.6	0.1	—	0.6	—	0.0	0.5	0.5	0.1	0.0	0.1	—	0.1	1.3
35–44	0.9	0.1	0.1	1.1	—	0.1	0.1	0.2	0.0	0.0	0.0	—	0.1	1.4
45–54	1.0	0.3	0.2	1.5	—	0.1	0.1	0.2	0.2	0.0	0.2	—	0.1	2.0
55–64	1.4	0.3	0.0	1.7	0.3	0.1	0.1	0.1	0.2	0.0	0.2	—	0.2	2.5
65–74	2.6	0.4	0.1	3.1	0.3	0.1	0.1	0.3	0.4	0.0	0.4	—	0.3	4.4
75+	2.9	0.6	0.0	3.5	2.9	0.1	0.1	0.2	0.2	0.0	0.2	—	0.5	7.3
Total^(e)	9.8	1.7	0.4	11.9	3.4	0.5	0.9	1.4	1.0	0.1	1.2	—	1.4	19.2

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under Hospital inpatients.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

(e) Includes hospital expenditure for small numbers of inpatients where age not stated. Costs for other health sectors may not add to totals due to rounding.

Table C.15: Diseases of pulmonary circulation: health service utilisation by health sector, sex and age, 1993–94

Sex / age	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services ^(b) ('000)			No. of prescriptions ('000)	Allied health consultations ('000)	Nursing home residents
	Public hospitals ^(a)	Private hospitals	Total hospital	Public hospitals ^(a)	Private hospitals	Total hospital		GPs	Specialist	Total medical			
Males													
0–4	0.0	0.0	0.0	0.3	0.0	0.3	—	—	—	—	—	—	—
5–14	0.0	—	0.0	0.1	—	0.1	—	—	—	—	—	—	—
15–24	0.0	0.0	0.0	0.3	0.0	0.3	—	0.0	0.0	0.0	—	—	—
25–34	0.1	0.0	0.1	0.9	0.1	1.0	0.0	0.0	—	0.0	0.0	—	—
35–44	0.2	0.0	0.2	1.6	0.1	1.7	0.6	0.5	0.0	0.5	0.0	—	—
45–54	0.3	0.0	0.3	2.2	0.1	2.4	0.3	0.6	1.8	2.4	3.5	—	—
55–64	0.4	0.1	0.5	3.8	0.5	4.2	1.9	4.8	5.9	10.7	7.3	—	3
65–74	0.6	0.1	0.7	5.5	1.1	6.6	1.7	6.4	13.0	19.4	16.9	9.6	16
75+	0.4	0.1	0.5	5.6	0.8	6.3	0.1	5.7	9.6	15.2	11.4	0.0	33
Total^(c)	2.1	0.3	2.3	20.2	2.7	22.9	4.6	18.0	30.2	48.2	39.1	9.6	53
Females													
0–4	0.0	0.0	0.0	0.2	0.0	0.2	—	—	—	—	—	—	—
5–14	0.0	0.0	0.0	0.0	0.0	0.0	—	—	—	—	—	—	—
15–24	0.1	0.0	0.1	0.4	0.0	0.4	—	0.6	0.0	0.6	—	—	—
25–34	0.2	0.0	0.2	1.2	0.1	1.2	—	1.7	7.0	8.7	3.8	—	—
35–44	0.2	0.0	0.2	2.0	0.2	2.2	1.3	3.0	4.9	8.0	1.8	—	—
45–54	0.3	0.1	0.3	2.3	0.6	2.9	2.6	2.2	4.5	6.7	14.5	—	—
55–64	0.4	0.1	0.4	3.5	0.6	4.1	0.4	2.3	3.2	5.4	11.1	—	7
65–74	0.6	0.1	0.7	6.4	1.0	7.4	1.1	4.1	8.3	12.4	22.0	—	7
75+	0.6	0.1	0.7	7.8	1.5	9.4	0.2	3.8	3.0	6.9	15.8	—	78
Total^(c)	2.3	0.4	2.8	23.8	3.9	27.7	5.6	17.7	30.9	48.6	68.9	—	93

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age not stated. Utilisation for other health sectors may not add to totals due to rounding.

Table C.16: Other forms of heart disease: total health system costs by health sector, sex and age, 1993–94 (\$ million)

Sex / age	Hospital inpatients				Nursing homes	Medical services ^(b)			Pharmaceuticals			Allied health	Other ^(c)	Total costs ^(d)
	Public hospitals ^(a)	Private hospitals	Non-inpatients	Total hospital		GPs	Specialist	Total medical	Prescription	Over-the-counter	Total			
Males														
0–4	0.7	0.0	—	0.7	—	—	—	—	—	—	—	—	0.1	0.8
5–14	0.7	0.0	1.5	2.2	—	0.1	—	0.1	0.1	0.0	0.1	—	0.1	2.5
15–24	2.1	0.2	—	2.3	—	0.2	1.3	1.4	0.0	0.0	0.0	—	0.3	4.0
25–34	2.9	0.3	0.5	3.7	—	0.2	0.6	0.9	0.0	0.1	0.1	0.1	0.3	5.1
35–44	5.1	0.9	2.6	8.6	—	0.5	0.6	1.1	0.4	0.5	1.0	—	0.7	11.4
45–54	10.7	2.2	3.5	16.4	0.3	0.9	3.8	4.7	1.4	0.8	2.2	0.1	1.5	25.3
55–64	21.1	4.7	4.8	30.6	1.9	2.5	4.8	7.3	4.4	2.0	6.3	—	2.9	49.0
65–74	41.1	9.5	3.9	54.6	7.5	4.9	10.6	15.5	8.2	3.1	11.4	0.7	5.4	95.1
75+	50.8	10.5	4.4	65.7	46.6	7.5	7.0	14.5	9.6	2.9	12.5	1.4	8.5	149.2
Total^(e)	135.3	28.2	21.2	184.8	56.4	16.8	28.6	45.4	24.2	9.5	33.7	2.4	19.8	342.4
Females														
0–4	0.6	0.0	—	0.6	—	0.0	0.2	0.2	—	—	—	—	0.1	0.9
5–14	0.6	0.0	—	0.6	—	0.0	—	0.0	0.0	0.0	0.1	—	0.0	0.7
15–24	1.2	0.1	—	1.3	—	0.1	0.5	0.6	0.1	0.1	0.2	—	0.1	2.3
25–34	1.8	0.2	—	2.0	—	0.3	0.7	0.9	0.2	0.4	0.6	—	0.2	3.8
35–44	2.7	0.5	1.8	4.9	—	0.6	1.6	2.3	0.9	1.2	2.1	—	0.6	9.9
45–54	5.6	1.0	5.5	12.1	0.1	1.0	2.5	3.4	1.2	2.4	3.6	—	1.2	20.5
55–64	11.4	2.3	2.5	16.1	0.8	1.8	4.6	6.4	2.9	2.3	5.3	0.0	1.8	30.4
65–74	29.8	6.3	2.0	38.1	5.3	5.0	5.8	10.8	7.9	4.4	12.3	0.4	4.1	70.9
75+	66.2	17.1	8.4	91.7	104.6	13.5	9.2	22.7	17.9	5.4	23.3	1.8	14.6	258.8
Total^(e)	120.2	27.5	20.3	167.9	110.7	22.4	25.1	47.4	31.2	16.2	47.4	2.3	22.7	398.5

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under Hospital inpatients.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

(e) Includes hospital expenditure for small numbers of inpatients where age not stated. Costs for other health sectors may not add to totals due to rounding.

Table C.17: Other forms of heart disease: health service utilisation by health sector, sex and age, 1993–94

Sex / age	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services ^(b) ('000)			No. of prescriptions ('000)	Allied health consultations ('000)	Nursing home residents
	Public hospitals ^(a)	Private hospitals	Total hospital	Public hospitals ^(a)	Private hospitals	Total hospital		GPs	Specialist	Total medical			
Males													
0–4	0.3	0.0	0.3	1.3	0.0	1.3	—	—	—	—	—	—	—
5–14	0.2	0.0	0.2	1.0	0.0	1.0	22.1	2.2	—	2.2	4.4	—	—
15–24	0.6	0.0	0.7	2.6	0.1	2.7	—	6.8	22.5	29.3	2.1	—	—
25–34	1.0	0.1	1.1	4.4	0.2	4.6	7.5	9.8	9.1	18.9	1.6	6.4	—
35–44	1.8	0.3	2.1	7.6	0.8	8.3	39.0	20.3	14.9	35.2	23.9	—	—
45–54	3.4	0.6	4.0	16.7	2.1	18.9	53.1	39.3	72.7	112.0	76.4	7.9	8
55–64	6.2	1.1	7.4	35.6	5.3	41.0	72.7	97.3	118.9	216.3	245.5	—	53
65–74	11.2	2.1	13.3	72.9	13.8	86.8	59.6	201.1	258.0	459.1	529.1	40.5	205
75+	12.7	2.4	15.1	113.0	23.0	136.0	66.9	265.2	199.4	464.6	648.2	82.8	1,275
Total^(c)	37.4	6.7	44.1	255.2	45.4	300.6	320.9	642.1	695.6	1,337.6	1,531.2	137.6	1,542
Females													
0–4	0.2	0.0	0.2	1.2	0.0	1.3	—	0.6	1.8	2.3	—	—	—
5–14	0.2	0.0	0.2	0.7	0.0	0.7	—	0.6	—	0.6	2.3	—	—
15–24	0.4	0.0	0.4	1.5	0.2	1.6	—	5.6	8.7	14.2	6.2	—	—
25–34	0.6	0.1	0.7	2.6	0.3	2.9	—	10.5	16.1	26.6	12.0	—	—
35–44	1.0	0.2	1.2	3.6	0.5	4.0	27.0	23.7	38.6	62.3	42.9	—	—
45–54	1.8	0.3	2.1	8.5	1.1	9.6	83.7	37.7	54.5	92.2	72.1	—	3
55–64	3.6	0.6	4.2	20.4	3.0	23.3	37.2	73.2	94.4	167.6	167.2	2.5	22
65–74	8.4	1.4	9.7	56.9	9.8	66.7	30.9	188.2	168.1	356.3	535.6	24.9	144
75+	17.0	3.7	20.7	178.1	49.3	227.4	127.8	466.0	323.5	789.5	1,245.9	105.3	2,860
Total^(c)	33.1	6.3	39.4	276.0	64.2	340.2	306.7	806.1	705.6	1,511.7	2,084.1	132.7	3,029

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age not stated. Utilisation for other health sectors may not add to totals due to rounding.

Table C.18: Heart failure: total health system costs by health sector, sex and age, 1993–94 (\$ million)

Sex / age	Hospital inpatients				Nursing homes	Medical services ^(b)			Pharmaceuticals			Allied health	Other ^(c)	Total costs ^(d)	
	Public hospitals ^(a)	Private hospitals	Non-inpatients	Total hospital		GPs	Specialist	Total medical	Prescription	Over-the-counter	Total				
Males															
0–4	0.2	—	—	0.2	—	—	—	—	—	—	—	—	0.0	0.2	
5–14	0.0	—	0.7	0.8	—	0.0	—	0.0	0.1	0.0	0.1	—	0.1	0.9	
15–24	0.1	0.0	—	0.1	—	—	—	—	—	—	—	—	0.0	0.2	
25–34	0.2	—	0.0	0.2	—	0.0	—	0.0	—	0.0	0.0	—	0.0	0.4	
35–44	0.5	0.0	0.1	0.6	—	0.0	—	0.0	0.1	0.0	0.1	—	0.1	1.0	
45–54	1.9	0.1	0.5	2.5	0.2	0.1	0.4	0.5	0.4	0.1	0.5	—	0.2	4.3	
55–64	6.2	0.6	1.7	8.5	1.3	0.8	1.9	2.7	1.6	0.7	2.3	—	0.9	16.2	
65–74	17.5	2.6	2.3	22.4	5.4	2.9	5.5	8.4	4.5	1.9	6.3	0.5	2.6	46.1	
75+	30.3	5.1	3.1	38.5	36.9	5.4	4.6	10.0	6.8	2.0	8.8	1.2	5.7	101.5	
Total^(e)	56.9	8.4	8.5	73.8	43.9	9.4	12.4	21.7	13.4	4.8	18.1	1.6	9.5	170.9	
Females															
0–4	0.2	0.0	—	0.2	—	—	—	—	—	—	—	—	0.0	0.2	
5–14	0.0	0.0	—	0.0	—	0.0	—	0.0	0.0	0.0	0.1	—	0.0	0.2	
15–24	0.1	0.0	—	0.1	—	—	—	—	—	—	—	—	0.0	0.1	
25–34	0.1	0.0	—	0.1	—	0.0	0.0	0.0	0.1	0.0	0.1	—	0.0	0.4	
35–44	0.3	0.0	0.0	0.3	—	0.0	—	0.0	0.0	0.0	0.1	—	0.0	0.6	
45–54	1.1	0.1	1.2	2.3	0.1	0.2	0.5	0.7	0.4	0.5	0.9	—	0.2	4.3	
55–64	3.7	0.4	0.7	4.7	0.4	0.7	0.9	1.6	1.0	0.7	1.6	0.0	0.5	9.3	
65–74	12.7	1.5	1.0	15.2	4.4	2.8	2.5	5.3	4.5	2.1	6.7	0.4	1.9	34.6	
75+	43.0	10.8	6.5	60.3	86.4	10.7	6.8	17.5	13.3	4.1	17.5	1.8	10.9	195.2	
Total^(e)	61.5	12.8	9.3	83.7	91.4	14.5	10.6	25.1	19.3	7.5	26.8	2.3	13.7	245.2	

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under Hospital inpatients.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

(e) Includes hospital expenditure for small numbers of inpatients where age not stated. Costs for other health sectors may not add to totals due to rounding.

Table C.19: Heart failure: health service utilisation by health sector, sex and age, 1993–94

Sex / age	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services ^(b) ('000)			No. of prescriptions ('000)	Allied health consultations ('000)	Nursing home residents
	Public hospitals ^(a)	Private hospitals	Total hospital	Public hospitals ^(a)	Private hospitals	Total hospital		GPs	Specialist	Total medical			
Males													
0–4	0.1	—	0.1	0.3	—	0.3	—	—	—	—	—	—	—
5–14	0.0	—	0.0	0.1	—	0.1	11.1	1.1	—	1.1	2.9	—	—
15–24	0.0	0.0	0.0	0.1	0.0	0.1	—	—	—	—	—	—	—
25–34	0.1	—	0.1	0.5	—	0.5	0.2	0.6	—	0.6	—	—	—
35–44	0.2	0.0	0.2	1.2	0.1	1.2	2.1	1.9	—	1.9	2.9	—	—
45–54	0.7	0.1	0.8	4.9	0.3	5.2	7.3	7.0	8.4	15.4	24.0	—	5
55–64	2.1	0.2	2.3	15.7	1.5	17.2	26.4	33.1	45.5	78.6	94.3	—	37
65–74	5.3	0.8	6.1	42.5	7.2	49.7	35.2	121.2	150.1	271.3	317.3	26.4	148
75+	8.1	1.3	9.4	84.6	16.5	101.1	46.5	186.4	136.8	323.2	484.2	67.4	1,011
Total^(c)	16.5	2.4	18.9	149.8	25.6	175.4	128.9	351.3	340.8	692.1	925.6	93.9	1,201
Females													
0–4	0.0	0.0	0.0	0.5	0.0	0.5	—	—	—	—	—	—	—
5–14	0.0	0.0	0.0	0.0	0.0	0.0	—	0.6	—	0.6	2.3	—	—
15–24	0.0	0.0	0.0	0.2	0.0	0.2	—	—	—	—	—	—	—
25–34	0.0	0.0	0.0	0.4	0.1	0.5	—	0.9	0.7	1.6	3.9	—	—
35–44	0.1	0.0	0.1	0.7	0.0	0.7	0.5	1.1	—	1.1	4.3	—	—
45–54	0.4	0.0	0.4	2.6	0.2	2.7	17.5	9.3	10.0	19.3	26.9	—	2
55–64	1.2	0.1	1.3	9.2	1.0	10.2	10.3	27.1	19.4	46.5	69.5	2.5	12
65–74	3.7	0.4	4.2	32.8	4.4	37.2	15.1	102.9	70.7	173.6	329.7	24.9	122
75+	11.4	2.4	13.8	137.0	38.9	175.9	97.7	363.6	239.9	603.5	977.9	105.3	2,363
Total^(c)	16.9	3.0	19.9	186.0	44.6	230.6	141.1	505.4	340.9	846.2	1,414.5	132.7	2,499

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age not stated. Utilisation for other health sectors may not add to totals due to rounding.

Table C.20: Cerebrovascular disease: total health system costs by health sector, sex and age, 1993–94 (\$ million)

Sex / age	Hospital inpatients				Nursing homes	Medical services ^(b)			Pharmaceuticals			Allied health	Other ^(c)	Total costs ^(d)
	Public hospitals ^(a)	Private hospitals	Non-inpatients	Total hospital		GPs	Specialist	Total medical	Prescription	Over-the-counter	Total			
Males														
0–4	0.2	—	—	0.2	—	0.0	0.0	0.1	—	—	—	—	0.0	0.2
5–14	0.3	—	—	0.3	—	—	—	—	—	—	—	—	0.0	0.3
15–24	0.8	0.0	0.1	0.9	—	0.0	0.2	0.2	0.0	0.0	0.0	0.1	0.1	1.4
25–34	1.5	0.1	—	1.6	—	0.1	0.2	0.3	0.0	0.0	0.0	0.1	0.1	2.0
35–44	3.5	0.1	—	3.7	—	0.1	0.1	0.2	0.1	0.1	0.1	—	0.2	4.2
45–54	7.9	0.6	0.1	8.6	1.5	0.2	0.2	0.3	0.2	0.1	0.3	0.1	0.6	11.4
55–64	16.5	1.9	—	18.4	5.3	0.9	3.1	4.1	0.6	0.4	1.0	0.2	1.6	30.5
65–74	39.1	5.6	5.1	49.8	22.4	2.3	4.0	6.3	2.2	0.5	2.7	0.8	4.5	86.4
75+	49.0	7.0	—	56.0	72.3	2.7	3.0	5.8	1.3	0.4	1.7	1.9	7.6	145.2
Total^(e)	118.6	15.4	5.3	139.3	101.5	6.4	10.9	17.2	4.4	1.4	5.8	3.1	14.7	281.7
Females														
0–4	0.2	—	—	0.2	—	—	—	—	—	—	—	—	0.0	0.2
5–14	0.1	0.0	—	0.1	—	0.0	0.2	0.2	—	—	—	—	0.0	0.3
15–24	0.7	0.0	—	0.7	—	0.1	0.1	0.2	0.0	0.1	0.1	—	0.1	1.1
25–34	1.3	0.0	0.1	1.4	—	0.0	0.0	0.1	0.0	0.0	0.0	—	0.1	1.6
35–44	2.8	0.4	—	3.2	0.7	0.2	0.9	1.1	0.1	0.1	0.2	0.1	0.3	5.7
45–54	5.4	0.4	—	5.8	0.8	0.3	0.5	0.8	0.4	0.1	0.5	—	0.4	8.3
55–64	11.2	1.8	—	13.0	3.8	0.8	0.9	1.6	0.6	0.3	0.9	0.1	1.1	20.4
65–74	27.1	3.9	0.2	31.2	16.7	1.6	2.8	4.5	1.4	0.4	1.8	0.6	3.0	57.8
75+	67.7	12.3	8.0	88.1	141.9	3.7	1.9	5.6	3.3	0.4	3.8	0.8	13.2	253.4
Total^(e)	116.6	18.8	8.3	143.8	163.9	6.8	7.4	14.2	5.9	1.3	7.2	1.6	18.2	348.8

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under Hospital inpatients.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

(e) Includes hospital expenditure for small numbers of inpatients where age not stated. Costs for other health sectors may not add to totals due to rounding.

Table C.21: Cerebrovascular disease: health service utilisation by health sector, sex and age, 1993–94

Sex / age	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services ^(b) ('000)			No. of prescriptions ('000)	Allied health consultations ('000)	Nursing home residents
	Public hospitals ^(a)	Private hospitals	Total hospital	Public hospitals ^(a)	Private hospitals	Total hospital		GPs	Specialist	Total medical			
Males													
0–4	0.0	—	0.0	0.3	—	0.3	—	1.0	1.3	2.3	—	—	—
5–14	0.0	—	0.0	0.6	—	0.6	—	—	—	—	—	—	—
15–24	0.1	0.0	0.1	1.3	0.0	1.4	1.6	1.6	2.6	4.2	2.3	8.4	—
25–34	0.3	0.0	0.3	3.4	0.1	3.5	—	3.7	2.4	6.1	0.7	4.2	—
35–44	0.6	0.0	0.7	6.2	0.3	6.5	—	2.6	2.6	5.3	4.4	—	—
45–54	1.5	0.2	1.7	15.2	0.9	16.2	1.9	7.5	3.2	10.7	10.1	3.6	41
55–64	3.3	0.5	3.8	35.8	4.0	39.8	—	36.0	65.0	101.0	34.5	10.0	145
65–74	6.9	1.4	8.2	85.4	12.6	97.9	77.2	83.6	100.9	184.4	100.2	46.3	612
75+	7.9	1.5	9.4	125.9	21.5	147.5	—	90.6	90.7	181.4	66.0	108.9	1,978
Total^(c)	20.7	3.6	24.3	274.2	39.5	313.6	80.7	226.7	268.7	495.4	218.1	181.3	2,776
Females													
0–4	0.0	—	0.0	0.3	—	0.3	—	—	—	—	—	—	—
5–14	0.0	0.0	0.0	0.2	0.0	0.2	—	0.4	3.4	3.7	—	—	—
15–24	0.1	0.0	0.1	1.3	0.0	1.3	—	4.9	4.5	9.4	3.6	—	—
25–34	0.2	0.0	0.3	2.3	0.1	2.4	1.1	1.5	1.1	2.6	0.3	—	—
35–44	0.5	0.0	0.5	5.0	2.9	7.9	—	9.8	18.5	28.3	3.5	7.5	20
45–54	0.9	0.1	1.0	9.5	0.8	10.2	—	12.3	12.5	24.8	19.5	—	21
55–64	2.0	0.2	2.2	25.3	9.5	34.8	—	26.7	21.9	48.6	43.6	4.7	103
65–74	4.7	0.8	5.5	65.7	12.0	77.6	3.4	63.6	74.3	137.9	74.0	33.3	457
75+	10.6	2.4	13.0	198.5	46.6	245.2	121.5	123.2	55.7	178.9	206.0	47.7	3,882
Total^(c)	19.1	3.6	22.7	308.6	71.8	380.4	126.0	242.4	192.0	434.3	350.4	93.2	4,483

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age not stated. Utilisation for other health sectors may not add to totals due to rounding.

Table C.22: Diseases of arteries, arterioles, capillaries: total health system costs by health sector, sex and age, 1993–94 (\$ million)

Sex / age	Hospital inpatients				Nursing homes	Medical services ^(b)			Pharmaceuticals			Allied health	Other ^(c)	Total costs ^(d)
	Public hospitals ^(a)	Private hospitals	Non-inpatients	Total hospital		GPs	Specialist	Total medical	Prescription	Over-the-counter	Total			
Males														
0–4	0.2	0.0	—	0.3	—	0.0	0.0	0.1	—	—	—	—	0.0	0.4
5–14	0.1	0.0	0.2	0.3	—	0.0	—	0.0	—	0.0	0.0	—	0.0	0.3
15–24	0.3	0.1	1.3	1.7	—	0.1	0.2	0.3	0.4	0.0	0.4	0.2	0.2	2.7
25–34	0.4	0.1	—	0.5	—	0.2	0.4	0.6	0.0	0.0	0.1	0.1	0.1	1.3
35–44	1.2	0.2	1.9	3.3	—	0.2	0.4	0.6	0.1	0.1	0.2	—	0.3	4.4
45–54	4.2	1.2	0.4	5.8	0.1	0.2	0.8	1.1	0.1	0.2	0.3	0.1	0.5	7.8
55–64	14.3	3.8	1.4	19.5	0.7	0.6	1.4	1.9	0.7	0.7	1.4	0.2	1.7	25.4
65–74	36.8	8.6	6.4	51.8	5.0	1.2	3.6	4.8	0.8	0.8	1.7	0.1	4.5	67.9
75+	29.8	6.2	—	36.0	10.9	0.9	2.2	3.2	0.7	0.6	1.4	0.9	3.7	56.0
Total^(e)	87.4	20.2	11.5	119.1	16.6	3.5	9.0	12.5	2.8	2.6	5.3	1.6	11.1	166.2
Females														
0–4	0.1	0.0	—	0.1	—	—	—	—	—	—	—	—	0.0	0.1
5–14	0.1	0.0	—	0.1	—	0.0	0.0	0.1	—	—	—	—	0.0	0.2
15–24	0.2	0.1	—	0.3	—	0.0	0.1	0.1	—	0.0	0.0	—	0.0	0.4
25–34	0.5	0.1	1.2	1.8	—	0.2	0.4	0.6	0.0	0.1	0.1	0.0	0.2	2.7
35–44	1.1	0.3	—	1.3	0.1	0.2	1.0	1.2	0.1	0.1	0.2	—	0.2	3.0
45–54	1.8	0.6	—	2.4	0.1	0.3	0.6	0.8	0.2	0.2	0.4	—	0.3	4.0
55–64	5.0	1.4	—	6.3	0.1	0.4	0.7	1.1	0.3	0.4	0.7	0.0	0.6	8.8
65–74	14.4	4.6	2.8	21.7	1.9	0.9	1.5	2.4	0.7	0.9	1.6	0.3	2.1	30.0
75+	20.3	6.6	—	26.9	17.8	1.3	1.6	2.9	1.7	0.6	2.4	0.0	3.5	53.6
Total^(e)	43.4	13.7	4.0	61.0	20.0	3.4	5.9	9.3	3.1	2.3	5.3	0.4	6.8	102.8

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under Hospital inpatients.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

(e) Includes hospital expenditure for small numbers of inpatients where age not stated. Costs for other health sectors may not add to totals due to rounding.

Table C.23: Diseases of arteries, arterioles, capillaries: health service utilisation by health sector, sex and age, 1993–94

Sex / age	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services ^(b) ('000)			No. of prescriptions ('000)	Allied health consultations ('000)	Nursing home residents
	Public hospitals ^(a)	Private hospitals	Total hospital	Public hospitals ^(a)	Private hospitals	Total hospital		GPs	Specialist	Total medical			
Males													
0–4	0.1	0.0	0.1	0.4	0.0	0.5	—	1.2	1.6	2.8	—	—	—
5–14	0.0	0.0	0.0	0.2	0.0	0.2	2.4	1.5	—	1.5	—	—	—
15–24	0.1	0.0	0.1	0.5	0.0	0.5	20.2	3.5	2.7	6.1	4.1	10.2	—
25–34	0.1	0.0	0.1	0.5	0.0	0.6	—	9.5	9.7	19.1	2.6	5.1	—
35–44	0.3	0.1	0.3	1.9	0.1	2.0	28.2	5.9	6.9	12.8	6.6	—	—
45–54	0.8	0.2	1.0	5.6	1.0	6.6	6.7	9.3	15.4	24.7	5.6	4.3	1
55–64	2.3	0.6	3.0	19.5	3.9	23.3	21.0	21.8	32.1	53.9	34.5	13.3	18
65–74	4.9	1.5	6.4	47.3	10.5	57.8	96.3	45.4	80.0	125.4	51.1	8.4	136
75+	3.6	0.9	4.5	43.9	9.0	53.0	—	35.6	50.2	85.8	39.5	53.6	298
Total^(c)	11.8	3.4	15.1	115.6	24.6	140.2	174.8	133.8	198.4	332.1	143.9	95.0	453
Females													
0–4	0.0	0.0	0.1	0.2	0.0	0.2	—	—	—	—	—	—	—
5–14	0.0	0.0	0.0	0.1	0.0	0.1	—	1.9	0.7	2.6	—	—	—
15–24	0.1	0.0	0.1	0.3	0.1	0.5	—	1.2	2.0	3.2	—	—	—
25–34	0.1	0.0	0.2	0.7	0.1	0.8	17.7	8.8	10.3	19.1	1.9	1.7	—
35–44	0.2	0.1	0.3	2.1	0.3	2.4	—	9.8	22.2	32.0	5.1	—	3
45–54	0.4	0.1	0.6	2.7	0.6	3.3	—	10.5	10.6	21.1	13.2	—	2
55–64	0.9	0.3	1.2	7.2	1.5	8.8	—	14.4	14.2	28.5	20.6	1.4	2
65–74	2.4	0.8	3.2	20.2	5.6	25.8	42.4	33.6	47.5	81.1	47.2	19.9	52
75+	3.1	1.0	4.1	36.9	10.4	47.3	—	45.9	53.5	99.4	178.6	1.4	487
Total^(c)	7.4	2.4	9.8	70.5	18.6	89.2	60.2	126.1	161.0	287.1	266.7	24.4	546

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age not stated. Utilisation for other health sectors may not add to totals due to rounding.

Table C.24: Diseases of veins, lymphatics, other: total health system costs by health sector, sex and age, 1993–94 (\$ million)

Sex / age	Hospital inpatients				Nursing homes	Medical services ^(b)			Pharmaceuticals			Allied health	Other ^(c)	Total costs ^(d)
	Public hospitals ^(a)	Private hospitals	Non-inpatients	Total hospital		GPs	Specialist	Total medical	Prescription	Over-the-counter	Total			
Males														
0–4	0.1	0.0	—	0.1	—	0.0	—	0.0	—	—	—	—	0.0	0.1
5–14	0.3	0.1	0.4	0.8	—	0.0	0.0	0.1	—	0.0	0.0	—	0.1	1.0
15–24	1.2	0.8	2.2	4.2	—	0.5	0.3	0.8	0.5	0.0	0.5	—	0.3	5.8
25–34	3.3	2.1	1.3	6.7	—	1.2	1.6	2.8	0.7	0.2	0.8	0.5	0.6	11.4
35–44	5.4	4.2	—	9.6	—	1.3	1.8	3.1	1.2	0.3	1.6	—	0.8	15.0
45–54	6.1	5.6	0.6	12.3	0.2	1.1	1.5	2.6	1.0	0.3	1.3	0.0	0.9	17.3
55–64	6.9	4.7	—	11.6	0.4	1.3	2.7	4.0	1.6	0.6	2.3	0.2	1.0	19.5
65–74	9.6	3.8	3.8	17.2	1.4	1.7	3.2	4.9	2.2	0.8	3.1	—	1.5	28.0
75+	8.4	2.3	—	10.7	9.4	1.1	1.2	2.3	1.0	0.3	1.3	—	1.3	25.0
Total^(e)	41.3	23.6	8.3	73.2	11.3	8.2	12.4	20.6	8.2	2.7	10.9	0.7	6.4	123.2
Females														
0–4	0.0	0.0	—	0.0	—	—	—	—	—	—	—	—	0.0	0.1
5–14	0.1	0.0	—	0.1	—	0.1	0.1	0.2	0.0	—	0.0	—	0.0	0.3
15–24	1.0	0.5	—	1.5	—	0.4	0.4	0.8	0.4	0.0	0.4	—	0.2	2.9
25–34	4.5	3.4	2.3	10.2	—	1.7	1.3	2.9	1.5	0.2	1.7	0.8	0.9	16.4
35–44	6.3	7.5	—	13.8	0.1	1.5	2.7	4.2	1.2	0.2	1.4	0.0	1.1	20.6
45–54	7.4	8.0	—	15.4	0.2	1.5	3.6	5.2	1.3	0.5	1.8	—	1.2	23.9
55–64	6.6	6.0	—	12.5	0.8	1.5	2.6	4.1	1.3	0.8	2.0	—	1.1	20.6
65–74	8.6	4.7	1.1	14.3	1.9	1.7	1.8	3.5	1.7	0.8	2.5	0.3	1.2	23.8
75+	11.7	4.1	—	15.7	17.8	1.9	2.6	4.4	1.7	0.7	2.4	0.4	2.3	43.1
Total^(e)	46.1	34.1	3.4	83.6	20.8	10.2	15.1	25.3	9.2	3.2	12.4	1.5	7.9	151.5

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under Hospital inpatients.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

(e) Includes hospital expenditure for small numbers of inpatients where age not stated. Costs for other health sectors may not add to totals due to rounding.

Table C.25: Diseases of veins, lymphatics, other: health service utilisation by health sector, sex and age, 1993–94

Sex / age	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services ^(b) ('000)			No. of prescriptions ('000)	Allied health consultations ('000)	Nursing home residents
	Public hospitals ^(a)	Private hospitals	Total hospital	Public hospitals ^(a)	Private hospitals	Total hospital		GPs	Specialist	Total medical			
Males													
0–4	0.0	0.0	0.0	0.1	0.0	0.1	—	0.3	—	0.3	—	—	—
5–14	0.2	0.1	0.2	0.3	0.1	0.4	6.5	1.8	2.3	4.1	—	—	—
15–24	0.7	0.4	1.0	1.8	0.7	2.5	33.5	19.5	6.3	25.8	14.6	—	—
25–34	1.9	1.1	3.0	5.3	2.4	7.7	19.4	50.9	31.3	82.2	39.0	28.0	—
35–44	3.0	2.2	5.3	9.0	5.5	14.5	—	47.2	34.7	81.9	63.1	—	—
45–54	3.1	2.9	6.0	10.7	7.3	18.0	9.0	43.7	34.0	77.7	54.5	1.8	4
55–64	3.0	2.3	5.3	13.4	6.6	20.0	—	53.5	74.7	128.2	89.6	13.3	12
65–74	3.0	1.6	4.7	19.5	8.1	27.6	56.9	69.8	99.7	169.5	128.3	—	37
75+	2.1	0.7	2.9	20.4	6.2	26.6	—	40.1	36.9	76.9	48.7	—	256
Total^(c)	17.0	11.4	28.4	80.5	36.8	117.3	125.3	326.8	319.9	646.7	437.7	43.1	309
Females													
0–4	0.0	0.0	0.0	0.1	0.0	0.1	—	—	—	—	—	—	—
5–14	0.1	0.0	0.1	0.1	0.0	0.2	—	2.6	4.6	7.2	1.8	—	—
15–24	0.6	0.3	0.9	1.7	0.6	2.3	—	14.5	7.0	21.4	21.0	—	—
25–34	2.4	1.6	4.0	6.8	3.4	10.2	35.4	69.4	34.3	103.8	72.7	45.2	—
35–44	3.5	3.5	7.0	9.1	8.2	17.4	—	60.1	67.6	127.7	68.1	1.8	3
45–54	3.4	3.7	7.1	14.8	9.1	24.0	—	59.8	78.6	138.4	68.0	—	5
55–64	3.0	2.6	5.6	12.4	8.1	20.5	—	58.5	65.0	123.5	68.8	—	22
65–74	3.1	1.9	5.0	18.5	8.3	26.8	16.0	66.6	52.3	119.0	82.6	16.0	52
75+	3.0	1.2	4.3	31.8	11.0	42.8	—	72.1	88.6	160.7	88.8	22.2	487
Total^(c)	19.1	14.8	33.8	95.5	48.7	144.2	51.4	403.7	398.1	801.8	471.8	85.2	569

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age not stated. Utilisation for other health sectors may not add to totals due to rounding.

Table C.26: High blood cholesterol: total health system costs by health sector, sex and age, 1993–94 (\$ million)

Sex / age	Hospital inpatients				Nursing homes	Medical services ^(b)			Pharmaceuticals			Allied health	Other ^(c)	Total costs ^(d)
	Public hospitals ^(a)	Private hospitals	Non-inpatients	Total hospital		GPs	Specialist	Total medical	Prescription	Over-the-counter	Total			
Males														
0–4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–14	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–24	—	—	—	—	—	0.0	—	0.0	—	0.0	0.0	—	0.0	0.0
25–34	0.0	—	—	0.0	—	0.1	1.2	1.3	1.1	0.1	1.3	—	0.2	2.8
35–44	0.0	—	—	0.0	—	0.8	2.3	3.1	6.9	0.2	7.2	0.2	0.7	11.2
45–54	0.0	—	1.5	1.5	—	2.5	3.7	6.2	11.8	0.4	12.2	0.3	1.3	21.6
55–64	0.0	0.0	—	0.0	—	2.2	3.5	5.7	17.4	0.5	17.9	0.3	1.6	25.5
65–74	0.0	—	—	0.0	—	1.0	2.0	2.9	14.9	0.4	15.3	0.4	1.2	19.8
75+	0.0	0.0	—	0.0	—	0.1	0.6	0.7	1.7	0.0	1.7	—	0.2	2.6
Total^(e)	0.0	0.0	1.5	1.6	—	6.7	13.2	19.9	53.9	1.7	55.6	1.2	5.1	83.4
Females														
0–4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5–14	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15–24	0.0	—	—	0.0	—	0.0	0.0	0.0	0.7	0.0	0.7	—	0.1	0.8
25–34	0.0	—	—	0.0	—	0.2	1.7	1.9	0.4	0.0	0.4	0.3	0.2	2.7
35–44	0.0	—	—	0.0	—	0.6	2.0	2.6	4.9	0.1	5.1	0.2	0.5	8.4
45–54	0.0	—	—	0.0	—	2.1	3.2	5.3	10.0	0.3	10.3	0.4	1.0	17.1
55–64	0.0	—	0.8	0.8	—	4.0	3.6	7.5	31.9	1.1	33.0	1.3	2.8	45.3
65–74	0.0	—	1.1	1.1	—	1.4	2.4	3.8	23.9	0.8	24.6	0.5	1.9	31.9
75+	—	—	2.6	2.6	—	0.3	1.0	1.4	4.8	0.1	4.8	0.2	0.6	9.6
Total^(e)	0.1	—	4.5	4.5	—	8.6	13.9	22.5	76.6	2.4	79.0	2.9	7.1	115.9

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under Hospital inpatients.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

(e) Includes hospital expenditure for small numbers of inpatients where age not stated. Costs for other health sectors may not add to totals due to rounding.

Table C.27: High blood cholesterol: health service utilisation by health sector, sex and age, 1993–94

Sex / age	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services ^(b) ('000)			No. of prescriptions ('000)	Allied health consultations ('000)	Nursing home residents
	Public hospitals ^(a)	Private hospitals	Total hospital	Public hospitals ^(a)	Private hospitals	Total hospital		GPs	Specialist	Total medical			
Males													
0–4	—	—	—	—	—	—	—	—	—	—	—	—	—
5–14	—	—	—	—	—	—	—	—	—	—	—	—	—
15–24	—	—	—	—	—	—	—	0.4	—	0.4	—	—	—
25–34	0.0	—	0.0	0.0	—	0.0	—	5.7	86.2	91.8	20.9	—	—
35–44	0.0	—	0.0	0.0	—	0.0	—	34.5	117.6	152.2	122.8	13.4	—
45–54	0.0	—	0.0	0.0	—	0.0	23.0	106.4	157.9	264.3	210.7	20.2	—
55–64	0.0	0.0	0.0	0.0	0.0	0.0	—	92.4	156.8	249.3	314.1	16.8	—
65–74	0.0	—	0.0	0.0	—	0.0	—	42.4	112.2	154.6	274.3	20.3	—
75+	0.0	0.0	0.0	0.0	0.0	0.0	—	3.8	33.1	36.9	29.5	—	—
Total^(c)	0.0	0.0	0.0	0.0	0.0	0.0	23.0	285.5	663.8	949.4	972.2	70.6	—
Females													
0–4	—	—	—	—	—	—	—	—	—	—	—	—	—
5–14	—	—	—	—	—	—	—	—	—	—	—	—	—
15–24	0.0	—	0.0	0.0	—	0.0	—	0.9	0.1	0.9	12.9	—	—
25–34	0.0	—	0.0	0.0	—	0.0	—	8.6	93.2	101.8	7.4	14.7	—
35–44	0.0	—	0.0	0.0	—	0.0	—	23.8	114.7	138.5	87.3	13.5	—
45–54	0.0	—	0.0	0.0	—	0.0	—	85.0	147.1	232.1	179.1	24.8	—
55–64	0.0	—	0.0	0.0	—	0.0	11.5	161.1	164.4	325.5	576.8	74.0	—
65–74	0.0	—	0.0	0.0	—	0.0	16.3	59.7	121.0	180.8	431.9	26.2	—
75+	—	—	—	—	—	—	39.9	14.1	61.4	75.5	86.5	13.4	—
Total^(c)	0.0	—	0.0	0.1	—	0.1	67.6	353.2	701.9	1,055.1	1,381.9	166.6	—

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age not stated. Utilisation for other health sectors may not add to totals due to rounding.

Table C.28: Diabetes mellitus: total health system costs by health sector, sex and age, 1993–94 (\$ million)

Sex / age	Hospital inpatients				Nursing homes	Medical services ^(b)			Pharmaceuticals			Allied health	Other ^(c)	Total costs ^(d)	
	Public hospitals ^(a)	Private hospitals	Non-inpatients	Total hospital		GPs	Specialist	Total medical	Prescription	Over-the-counter	Total				
Males															
0–4	0.3	0.0	—	0.4	—	0.1	0.1	0.1	0.1	—	0.1	—	0.1	0.7	
5–14	1.3	0.0	1.0	2.3	—	0.1	0.1	0.2	0.4	0.1	0.4	—	0.5	3.4	
15–24	1.4	0.0	—	1.4	—	0.1	0.5	0.6	0.8	0.1	0.9	—	0.6	3.5	
25–34	1.3	0.1	—	1.4	—	0.3	1.3	1.6	0.6	0.2	0.8	0.1	1.0	4.9	
35–44	2.1	0.2	—	2.3	—	1.0	0.9	1.9	3.7	0.3	4.0	0.9	2.4	11.4	
45–54	3.3	0.5	—	3.7	—	1.8	3.0	4.8	3.9	0.5	4.4	0.7	3.7	17.2	
55–64	5.5	0.8	5.8	12.2	—	3.0	6.1	9.1	13.8	0.9	14.7	1.5	10.0	47.5	
65–74	7.9	1.9	2.1	11.9	1.2	3.7	5.9	9.6	14.2	1.0	15.2	2.9	10.5	51.4	
75+	6.7	1.7	1.4	9.7	3.6	2.9	3.3	6.2	7.2	0.3	7.6	1.2	6.4	34.6	
Total^(e)	29.8	5.2	10.3	45.3	4.8	13.0	21.2	34.2	44.6	3.3	47.9	7.2	35.2	174.6	
Females															
0–4	0.3	0.0	—	0.3	—	0.0	0.5	0.5	—	—	—	—	0.2	1.1	
5–14	1.7	0.0	—	1.8	—	0.1	—	0.1	0.1	0.0	0.1	—	0.3	2.2	
15–24	1.7	0.1	—	1.8	—	0.3	0.4	0.7	1.9	0.1	2.0	0.2	1.1	5.9	
25–34	1.5	0.1	—	1.6	—	0.3	0.6	0.9	1.1	0.1	1.2	—	0.9	4.5	
35–44	1.6	0.2	—	1.8	—	1.1	1.9	3.1	3.5	0.2	3.7	1.1	2.7	12.3	
45–54	2.7	0.4	1.1	4.2	—	1.5	2.2	3.7	4.4	0.5	4.9	1.0	3.6	17.3	
55–64	4.2	0.7	4.9	9.9	0.8	2.3	3.3	5.6	11.3	0.5	11.8	2.8	7.7	38.5	
65–74	6.5	1.3	7.0	14.8	2.7	3.6	5.4	9.0	15.6	0.8	16.3	2.1	11.1	56.0	
75+	8.1	2.2	4.2	14.6	11.3	3.5	4.3	7.9	11.0	0.6	11.5	4.0	10.1	59.4	
Total^(e)	28.3	5.2	17.2	50.7	14.8	12.7	18.6	31.3	48.7	2.8	51.5	11.3	37.6	197.3	

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under Hospital inpatients.

(c) Includes home blood glucose testing equipment and supplies, other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances.

(e) Includes hospital expenditure for small numbers of inpatients where age not stated. Costs for other health sectors may not add to totals due to rounding.

Table C.29: Diabetes mellitus: health service utilisation by health sector, sex and age, 1993–94

Sex / age	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services ^(b) ('000)			No. of prescriptions ('000)	Allied health consultations ('000)	Nursing home residents
	Public hospitals ^(a)	Private hospitals	Total hospital	Public hospitals ^(a)	Private hospitals	Total hospital		GPs	Specialist	Total medical			
Males													
0–4	0.1	0.0	0.1	0.8	0.0	0.8	—	2.2	2.9	5.1	1.9	—	—
5–14	0.5	0.0	0.6	2.6	0.1	2.7	15.1	3.8	4.6	8.4	3.1	—	—
15–24	0.6	0.0	0.7	2.7	0.1	2.8	—	4.3	10.1	14.4	6.7	—	—
25–34	0.6	0.0	0.7	2.8	0.1	2.9	—	13.2	31.2	44.5	9.7	3.8	—
35–44	0.8	0.1	0.9	4.6	0.3	5.0	—	39.9	39.1	78.9	55.1	51.8	—
45–54	1.1	0.1	1.2	7.7	0.9	8.6	—	75.5	110.6	186.1	81.6	38.1	—
55–64	1.3	0.2	1.6	12.9	1.5	14.4	88.5	125.6	213.3	338.9	216.6	85.5	—
65–74	1.6	0.4	2.1	19.5	3.9	23.4	31.9	157.6	229.6	387.2	279.9	170.2	34
75+	1.2	0.3	1.6	16.2	4.0	20.2	20.8	108.7	130.7	239.4	154.2	67.3	97
Total^(c)	8.0	1.3	9.3	69.8	11.0	80.7	156.3	530.6	772.1	1,302.8	808.7	416.6	131
Females													
0–4	0.1	0.0	0.1	0.7	0.0	0.7	—	1.2	6.2	7.4	—	—	—
5–14	0.8	0.0	0.8	3.6	0.1	3.7	—	1.9	—	1.9	1.8	—	—
15–24	0.8	0.1	0.9	3.3	0.3	3.6	—	13.8	8.5	22.3	14.9	14.1	—
25–34	0.6	0.1	0.6	2.9	0.3	3.2	—	12.0	16.3	28.3	17.1	—	—
35–44	0.6	0.1	0.7	3.7	0.4	4.2	—	34.9	51.9	86.8	46.1	62.8	—
45–54	0.8	0.1	0.9	6.4	0.9	7.3	16.8	60.8	83.3	144.1	91.2	56.3	—
55–64	1.2	0.2	1.4	10.9	1.4	12.3	74.7	95.0	115.3	210.3	172.9	164.5	22
65–74	1.6	0.3	1.9	15.9	2.9	18.7	105.3	143.8	236.9	380.7	272.1	123.6	74
75+	1.6	0.4	2.0	23.9	7.3	31.2	64.0	137.3	204.5	341.8	205.7	233.4	309
Total^(c)	8.1	1.3	9.3	71.3	13.5	84.8	260.8	500.7	722.8	1,223.6	821.7	654.8	405

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age not stated. Utilisation for other health sectors may not add to totals due to rounding.

Table C.30: Hypoglycemia and hyperinsulinism: total health system costs by health sector, sex and age, 1993–94 (\$ million)

Sex / age	Hospital inpatients				Nursing homes	Medical services ^(b)			Pharmaceuticals			Allied health	Other ^(c)	Total costs ^(d)
	Public hospitals ^(a)	Private hospitals	Non-inpatients	Total hospital		GPs	Specialist	Total medical	Prescription	Over-the-counter	Total			
Males														
0–4	0.1	0.0	—	0.1	—	—	—	—	—	—	—	—	0.0	0.1
5–14	0.0	0.0	—	0.0	—	0.0	—	0.0	—	—	—	—	0.0	0.1
15–24	0.1	—	—	0.1	—	0.0	0.1	0.1	—	0.0	0.0	—	0.0	0.2
25–34	0.1	0.0	—	0.1	—	0.0	—	0.0	—	—	—	—	0.0	0.2
35–44	0.1	0.0	—	0.1	—	0.1	0.1	0.2	0.1	—	0.1	—	0.0	0.4
45–54	0.2	0.0	1.5	1.7	—	0.0	0.0	0.0	—	0.1	0.1	—	0.2	2.0
55–64	0.2	0.0	—	0.2	—	0.1	0.1	0.1	—	0.0	0.0	—	0.0	0.4
65–74	0.4	0.0	1.4	1.8	0.2	0.0	0.1	0.1	—	0.0	0.0	—	0.2	2.4
75+	0.6	0.0	—	0.6	1.0	0.0	—	0.0	—	0.0	0.0	—	0.2	1.8
Total^(e)	1.9	0.1	2.8	4.8	1.2	0.3	0.3	0.6	0.1	0.2	0.2	—	0.8	7.6
Females														
0–4	0.1	—	—	0.1	—	0.0	—	0.0	—	—	—	—	0.0	0.2
5–14	0.0	—	—	0.0	—	—	—	—	—	—	—	—	0.0	0.1
15–24	0.1	0.0	—	0.1	—	0.1	0.1	0.3	—	—	—	0.4	0.1	0.8
25–34	0.1	0.0	—	0.1	—	0.1	0.4	0.5	—	0.0	0.0	—	0.1	0.7
35–44	0.1	0.0	—	0.1	—	0.1	0.1	0.2	—	—	—	—	0.0	0.3
45–54	0.2	0.0	—	0.2	—	0.1	0.1	0.2	—	0.0	0.0	—	0.0	0.4
55–64	0.3	0.0	—	0.3	0.2	0.0	—	0.0	—	0.0	0.0	—	0.1	0.5
65–74	0.4	0.0	—	0.5	0.3	0.0	—	0.0	0.3	0.0	0.4	—	0.1	1.3
75+	0.8	0.1	—	0.9	2.7	0.1	—	0.1	—	0.0	0.0	—	0.4	4.0
Total^(e)	2.0	0.2	—	2.2	3.1	0.5	0.7	1.2	0.3	0.1	0.5	0.4	0.8	8.3

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under Hospital inpatients.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

(e) Includes hospital expenditure for small numbers of inpatients where age not stated. Costs for other health sectors may not add to totals due to rounding.

Table C.31: Hypoglycemia and hyperinsulinism: health service utilisation by health sector, sex and age, 1993–94

Sex / age	Hospital admissions ('000)			Hospital bed days ('000)			Non-inpatient occasions of service ('000)	Medical services ^(b) ('000)			No. of prescriptions ('000)	Allied health consultations ('000)	Nursing home residents
	Public hospitals ^(a)	Private hospitals	Total hospital	Public hospitals ^(a)	Private hospitals	Total hospital		GPs	Specialist	Total medical			
Males													
0–4	0.1	0.0	0.1	0.2	0.0	0.2	—	—	—	—	—	—	—
5–14	0.1	0.0	0.1	0.1	0.0	0.1	—	0.5	—	0.5	—	—	—
15–24	0.1	—	0.1	0.2	—	0.2	—	2.1	2.8	4.8	—	—	—
25–34	0.1	0.0	0.1	0.2	0.0	0.3	—	1.1	—	1.1	—	—	—
35–44	0.1	0.0	0.1	0.3	0.0	0.3	—	3.3	4.2	7.5	2.7	—	—
45–54	0.1	0.0	0.1	0.5	0.0	0.5	22.2	1.8	0.2	2.0	—	—	—
55–64	0.1	0.0	0.1	0.6	0.0	0.6	—	2.5	3.6	6.1	—	—	—
65–74	0.2	0.0	0.2	1.0	0.0	1.1	20.5	0.1	1.8	1.9	—	—	7
75+	0.2	0.0	0.2	1.5	0.0	1.5	—	0.9	—	0.9	—	—	27
Total^(c)	1.2	0.1	1.2	4.5	0.1	4.7	42.7	12.3	12.5	24.8	2.7	—	34
Females													
0–4	0.1	—	0.1	0.2	—	0.2	—	1.2	—	1.2	—	—	—
5–14	0.1	—	0.1	0.1	—	0.1	—	—	—	—	—	—	—
15–24	0.1	0.0	0.1	0.2	0.0	0.2	—	6.0	6.9	12.9	—	24.0	—
25–34	0.1	0.0	0.1	0.2	0.0	0.2	—	3.7	11.2	14.9	—	—	—
35–44	0.1	0.0	0.1	0.2	0.0	0.2	—	3.3	2.7	6.0	—	—	—
45–54	0.1	0.0	0.1	0.4	0.0	0.4	—	3.1	2.3	5.3	—	—	—
55–64	0.1	0.0	0.1	0.5	0.0	0.5	—	0.5	—	0.5	—	—	5
65–74	0.2	0.0	0.2	1.2	0.1	1.2	—	1.9	—	1.9	2.5	—	8
75+	0.3	0.0	0.4	2.1	0.2	2.3	—	1.4	—	1.4	—	—	73
Total^(c)	1.1	0.1	1.2	5.0	0.4	5.4	—	20.9	23.1	44.0	2.5	24.0	86

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Includes hospital admissions and bed days for small numbers of inpatients where age not stated. Utilisation for other health sectors may not add to totals due to rounding.