

Appendix K: Subject index

- abdomen to hip ratio, 15–16
- abdominal circumference, 10–14
- abnormalities (congenital), 135–6
- Aboriginal person, 5–6, 93–7
- accident, *see* injury
- accommodation, 89, 98–101
 - domestic services, 210
 - hospital boarder, 249
 - patient eligibility status, 368–9
- activity, 439
 - when injured, 265–6
 - see also* dependency
- acute care, 47–8, 311, 314
 - neonate, 338–9, 411
 - see also* psychiatric patient
- additional diagnosis, 113–14
- address, 181, 183–8
- administrative expenses, 208
- admission, 279–84, 373
 - Emergency Department, 407
 - nursing home residents, 284: nursing requirements at, 144, 146, 148, 150, 152
 - previous specialised treatment, 306–7
 - waiting time, 384–5, 407
 - see also* separation
- admitted patient, 241–2
 - acute care episode, 311
 - bed availability, 415
 - diagnosis (principal), 115–16
 - employment status, 47–50
 - injury, external cause of, 197, 267–8
 - leave periods/days, 355–7
 - length of stay, 371, 386–90, 410
 - long stay, 391, 405
 - overnight stay, 244–5, 392–3
 - same-day, 246–8, 394–5
 - separation, 406
 - type of care, 391–6
 - see also* non-admitted patient
- adult characteristics, 10–41
- age
 - date of birth, 4
 - gestational, 133–4
 - smoking, 82–5
- aged care assessment status, 370
- aggregate resource item, 415
- alcohol patient, 402–5
 - see also under* psychiatric patient
- anaesthesia during labour, 340
- analgesia during labour, 341
- Apgar score, 126–7
- area, *see* location
- assessment event, 345, 358–70
- asset depreciation, 209
- augmentation of labour, 258
- Australian residence, 7
- baby, *see* neonate
- bed availability, 415
- behaviour-related nursing requirements, 144–5
- benefit status, 104–6
- birth, *see* perinatal statistics
- birthplace, 3, 188, 195, 372
- birthweight, 125
- boarder (hospital), 249
- bodily location of injury, 154–5, 197–9
- body mass, *see* weight
- business factors, 375–411
- capital expenditure, 203–7
- carer availability, 162–3
- category, *see* type
- cause of injury, 197–9, 267–72
- census, 377–8, 382–3, 405
- cigarette smoking, 70–87
- classification, *see* type
- clinical expertise, 68–9
- clinical intervention, 316–17
- clinical practice, 55–6
- clinical review, 358
- clinical urgency, 359–61
- community mental health care, 331–5, 447
- community nursing service, date of contact with, 285–6, 352
- compensable status, 106
- complication of pregnancy, 128, 140–1, 257, 264
- congenital malformations, 135–6
- contact, 331–5
 - date, 285–6, 352
- continence status, 146–9
- costs, *see* expenditure
- country of birth, 3
- data registry, xix
- date
 - admission, 280–1, 373
 - contact with community service, 285–6, 352
 - elective care listing, 295
 - Emergency Department presentation, 301
 - hospital census, 378, 382–3
 - neonate qualification status change, 339
 - pregnancy, completion of last previous, 129
 - qualification status change, 361
 - separation, 348
 - service contact, 333, 335
 - service event, 324–6
 - triage, 362
- day programs, 328, 334
- days, *see* time

- death, 130, 138, 274–5
- delivery of baby, 257–60
- delivery of service, *see* service delivery
- demographic characteristic, 1, 3–9
- dentistry, 52
- Department of Veterans' Affairs file number, 251
- departure status, 353–4
- dependency, 159–63, 370
nursing home resident, 144–53
- depreciation, 209
- description of injury event, 273
- diagnosis, 111–22
- diagnosis related group, 117–18
- discharge, *see* separation
- doctor, *see* medical practitioner
- domestic services, 210
- drug patient, 402–5
see also under psychiatric patient
- drug supplies, 211
- duration, *see* time
- elective care, 287–99
- elective surgery, 289–99, 320–3, 377–85, 448
surgical specialty, 68–9
urgency, 359–61
- electricity, fuel and power, 210
- Emergency Department, 300–4
departure status, 353–4
service event date, 326–7
triage, 362–5
waiting times, 407–8, 449
- employment, 45–69
labour costs, 52, 223, 225–8
- employment establishments, 190–1
- employment status, 47–50
health professionals, 57–9
- enabling factors, 413–20
- entity definitions, 426–37
- episode of care, 311–15
see also acute care; admission; separation
- establishment, 165–79, 439
expenditure (resource use), 201–28, 416–20, 440–3
geographical location, 185–7
identifiers, 171–4
sector, 189–91
teaching status, 175–6
type, 167–70, 190–1
see also hospital; institutional health care
- ethnic subpopulations, 3, 7, 5–6, 93–7
- event, 253–373
- exit/leave from service event, 345, 347–57
- expected outcome, 233–5
- expenditure, 201–28, 416–20, 440–3
- extended wait patient, 379
- external cause of injury, 197–9, 267–72
- faeces continence status, 146–7
- female, 8–9
- finance, 201–28, 416–20, 440–3
compensable status, 106
hospital insurance status, 102–3
- first contact, date of, 285–6
- foetal death (stillbirth), 130, 138, 275
- food supplies, 212
- format for data element definitions, 423–5
- fuel and power, 210
- full-time equivalent staff, 213–14
- functional profile, nursing home resident, 150–1
- functional wellbeing, 109, 159–63
- gender, *see* sex
- geographical location, *see* location
- gestational age, 133–4
- goal of care, 233–5
- government pension status, 104–5
- gross capital expenditure, 205–6
- group sessions, 329–30
- health and welfare policy/plan, 375–411
- health and welfare service event, 277–373
- health and wellbeing, 109–63
- health care, 10–41, 70–87, 231–2
see also health service; institutional health care
- health expenditure, 201–28, 416–20, 440–3
- health insurance, 102–3
- health labour force, 51–69, 449
employment establishment, 190–1
staff, 213–14, 438: salaries and wages, 225–6
see also medical practitioner; nursing
- health outcome, 231–2
- health service
assessment event, 368–9
event, 316–17
goal of care, 233–5
location (address), 185–7
organisation, 167–70, 174–9
- health status, 109–63
- height, 23–30
- hip circumference, 31–4
- hip to abdomen ratio, 15–16
- hospital, 192–4
boarder, 249
census, 377–8, 382–3, 405
length of stay in, 371, 386–90, 410
visiting medical officers, payments to, 223
waiting lists, 290–9, 320–3, 377–85
see also Emergency Department; patient; *see also under* establishment; institutional health care
- hospital insurance status, 102–3
- hostel non-admitted patient care, 401
- hours, *see* time
- housing, 98–101
- human intent, in injury or poisoning, 269–70
- human resources, *see* health labour force

- identifiers
 - establishment, 171–4
 - person, 239, 250–1
- immigrant, 3, 7, 93–7
- income of establishment, 416–20
- incontinence, 146–9
- indigenous population, 5–6, 93–7
- indirect health care expenditure, 215–16
- individual session, 330
- induction of labour, 259
- industry sector of establishment, 189–91
- infant weight, 137
 - see also* neonate
- informal home care, 162–3
- injury, 45, 154–8, 197–9, 265–73, 450
- institutional health care, 444–6
 - accommodation, 98–101
 - assessment event, 358, 362–5
 - labour, 51
 - location setting, 189–94
 - organisation, 171–3, 189–91
 - outcome, 231–2
 - performance indicator, 377, 388–96, 405, 409–10
 - physical wellbeing, 113–14, 117–20, 135
 - planning event, 371
 - recipient role, 240–51
 - resource factors, 415
 - service event, 311–15, 318–19, 324–30, 336–8:
 - entry into, 279–83, 287–90, 300–5; exit from, 347–50, 353–7
 - see also* hospital; nursing home resident; psychiatric patient; surgery
- insurance/benefit characteristic, 89, 102–6
- intensive care unit, 193–4, 336
- intent, 269–70, 371–2
- inter-hospital same-day contracted patient, 248
- interest payments, 217
- interpreter service, 97
- intervention, 316–17, 342–4
- ISO/IEC 11179-based standards, 423–5

- job classification, 52–4

- kitchen expenses, 210
- Knowledgebase, xix, 456–61

- labour (in birth), 256–9, 340–1
- labour characteristic, 43, 45–69
- labour costs, 52, 223, 225–8
- labour force, 45–50
 - see also* health labour force
- language, 93–7
- last contact, date of, 352
- leave periods/days, 355–7
- legal characteristic, 89, 107–8
- length of time, *see* time
- level of care, 366–7
- lifestyle characteristic, 43, 70–87
- live birth, 138, 255

- location, 181–99
 - birthplace, 3, 188, 195, 372
 - injury, on body, 154–5
- long stay patient, 391, 405

- main injury, 154–8
- maintenance and repairs, 224
- major diagnostic category, 119–20
- male, 8–9
- malformations (congenital), 135–6
- marital status, 91–2
- measurement (physical), 10–41
- medical and surgical supplies, 211, 218
- medical practitioner, 52
 - clinical practice, 55
 - clinical review, 358
 - hours worked/on-call, 60–5
 - specialty, 68–9
 - staff, 213–14
 - visiting medical officers, 223
- Medicare number, 250
- men, 8–9
- menstrual period (last), first day of, 131
- mental health, 107–8, 446–7
 - legal status, 107–8
 - non-admitted patient, 402–4
 - service contact, 331–5
 - see also* psychiatric patient
- mental state of nursing home resident, 144–5
- method, *see* type
- migrant, 3, 7, 93–7
- mode, *see* type
- morbidity
 - maternal, 132, 140
 - neonatal, 124, 126–7, 336, 338–9, 411
- mortality, 130, 138, 274–5
- mother, *see* perinatal statistics
- multiple births, 262–3

- narrative description of injury event, 273
- National Health Data Committee, xviii, 421–2
- National Health Information Knowledgebase, xix
- National Health Information Model, *foldout preceding p. 1*, 426–37
- National Minimum Data Sets, xix–xx, 444–51
- neonate, 123, 138, 255, 314
 - birthplace, 188, 195, 372
 - death, 274
 - morbidity, 124, 126–7, 336, 338–9, 411
 - weight, 125, 137
- net capital expenditure, 207
- non-admitted patient, 243
 - Emergency Department, 300–4
 - injury, 156–8, 198–9, 271–2
 - mental health care, 328–35
 - type of care, 397–404
- non-elective care, 288
- non-residential establishment, *see* establishment

- non-salary operating costs, 219–20
- number
- birth plurality, 262–3
 - cigarettes consumed, 72–3
 - data elements, 452–61
 - establishments, 173
 - leave periods/ days, 355–7
 - Medicare, 250
 - service contacts, 334–5
 - Veterans' Affairs file, 251
- nursing, 52–3
- clinical practice, 55–6
 - community service, contact with, 285–6, 352
 - diagnosis, 121–2
 - intervention, 342–4
 - nursing home resident requirements, 144–53
 - staff, 213–14
- nursing home non-admitted patient, 401
- nursing home resident, 144–53, 405
- admission type, 284
 - level of care, 366–7
 - location immediately prior to admission, 196
 - pension status, 104
- obesity, *see* weight
- obstetrics, *see* perinatal statistics
- occasions of service, 409
- occupation, 45–6
- see also* health labour force
- occupational health, 45–6, 66–7, 106, 265–6
- on-call hours by medical practitioner, 62
- onset of labour, 256
- operating theatre time, 337
- operation, *see* surgery
- organisation, 165–79, 181, 189–91
- see also* establishment
- outcome, 229–35
- outpatient, *see* non-admitted patient
- overdue patient, 380–1
- overnight stay patient, 244–5, 392–3
- overweight, *see* weight
- palliative care, 314, 450
- party characteristic, 1–179
- party role, 237–51
- patient, 240–8, 405
- accommodation eligibility status, 368–9
 - extended wait, 379
 - listing status, 296–7
 - revenue, 416–17
 - transport, 215, 222
 - overdue, 380–1
 - see also* admitted patient; non-admitted patient;
- nursing home resident
- patient care, 391–404
- hours worked by medical practitioner, 63
- patient days, 386–90
- payments to visiting medical officers, 223
- pension status, 104–5
- performance indicator, 375–411
- perinatal period, 139
- perinatal statistics, 123–43, 255–64, 274–5, 314, 338–41, 451
- see also* neonate
- perineal status, 140
- period of time, *see* time
- person characteristic, 1–108
- person event, 253–75
- person identifier, 239, 250–1
- person's usual residence, 183–4
- pharmacy, 53
- physical characteristic, 1, 10–41
- physical wellbeing, 109, 111–58
- physiotherapy, 53
- place, *see* location
- planning event, 345, 371–3
- plural births, 262–3
- podiatry, 53
- poisoning, *see* injury
- postpartum complication, 141
- power and fuel, 210
- preferred language, 93–7
- pregnancy, *see* perinatal statistics
- presentation at birth, 261
- presentation at Emergency Department, 300–4
- previous pregnancies, 129–30, 142–3
- principal diagnosis, 115–16
- principal role of health professional, 66–7
- private health insurance, 102–3
- procedure, 318–23
- professional, *see* health labour force; occupation
- psychiatric patient, 107–8, 405, 446
- care days, 388–90
 - day program attendance, 328, 334
 - employment status, 47–50
 - non-admitted care, 402–4
 - pension status, 105
 - referral to further care, 351
 - source of referral, 305
- public health, 10–41, 66–7, 70–87
- qualification status, 338–9
- quantity, *see* number
- quitting smoking, 84–7
- recipient role, 237–51
- recoveries of expenditure, 418–19
- recurrent expenditure, 201, 208–28
- referral to further care, 305, 351
- region code, 174
- rehabilitation care, 314
- removal from waiting list, 298–9
- repairs and maintenance, 224
- request for/entry into service event, 277–307
- residence, 183–4
- in Australia, 7
- residential establishment, *see* establishment
- resource use, 201–28, 416–20, 440–3

- see also* health labour force
- resuscitation of baby, 264
- revenue, 416–20
- salaries and wages, 225–6
- same-day patient, 246–8, 394–5
- scheduled admission date, 373
- sector of establishment, 189–91
- separation, 347–50, 406
 - length of stay, 371, 386–90, 410
 - see also* admission
- service contact, 331–5
 - date, 285–6, 352
- service delivery, 181, 192–4, 311–44
 - Emergency Department, 408
- service event, 277–357
- service occasions, 409
- service provision event, 309–44
- setting, 181, 189–99
- sex, 8–9, 52
- short stay patients, 396
- shortness, 23–30
- smoking, 70–87
- social characteristic, 89, 91–7
- social security pension status, 104–5
- source of referral, 305
- special intensive care (neonatal), 336
- specialised nursing requirements, 152–3
- specialised service indicator, 177–9
- specialised treatment (previous), 306–7
- specialist medical practitioner, 52, 68
- staff, 213–14, 438
 - salaries and wages, 225–6
- State/Territory, 187–8
- stated outcome, 229, 231–2
- Statistical Local Area, 183–6
- stature, 23–30
- status of baby, 138
- stillbirth, 130, 138, 275
- superannuation employer contributions, 227–8
- surgery, 316–23
 - operating theatre time, 337
 - specialty, 68–9
 - see also* elective surgery
- surgical supplies, 218
- system-level resource definitions, 441–3
- teaching, 66–7, 175–6
- Territory/State, 187–8
- thinness, *see* weight
- time
 - admission, 282
 - Emergency Department, 302, 407–8
 - health professional's working hours, 60–5
 - hospital stay, 371, 386–90, 410
 - menstrual period, first day of last, 131
 - neonate in intensive care, 336
 - in operating theatre, 337
 - perinatal period, 139
 - residence in Australia, 7
 - service event, 327
 - tobacco smoking, 74–9, 82–7
 - triage, 363
 - on waiting list, 379–85
 - see also* age; date
 - tobacco product, 80–1
 - tobacco smoking, 70–87
 - Torres Strait Islander person, 5–6, 93–7
 - transport for patient, 215, 222
 - triage, 362–5
 - type (category, classification, method, mode)
 - accommodation of person, 98–101
 - admission, 283–4
 - birth, 260
 - body mass index, 20–2
 - clinical urgency reassignment, 361
 - Emergency Department visit, 303–4
 - episode of care, 312–15
 - establishment, 167–70, 190–1
 - health labour force job, 52–4
 - labour (birth), 258–9
 - patient care, 391–404
 - separation, 349–50
 - triage, 364–5
 - waiting list category, 291–4
- underweight, *see* weight
- unemployment, 47–50
 - health professionals, 57–9
- urgency, 359–65
- urine continence status, 148–9
- usual accommodation, 98–101
- usual residence, 183–4
- Version 6 data elements, 452–5
- Veterans' Affairs file number, 251
- visiting medical officers, payments to, 223
- wages and salaries, 225–6
- waist circumference, 11
- waiting list, 290–9, 320–3, 377–85
- waiting time, 379–85, 448
 - Emergency Department, 407–8, 449
- weight, 35–41
 - babies (liveborn/stillborn), 125, 137
 - body mass index, 17–22
 - health risk indicators, 11, 15, 19
- wellbeing, 109–63
- women, 8–9
- work-related health, 45–6, 66, 106, 265–6
- working hours of health professional, 60–5