

Appendix C: Detailed tables: injury and poisoning, 1993–94

Table C.1 shows estimated resident population by age and sex at 30 June 1994, used to calculate costs per capita in this report. Tables C.2 and C.3 show total estimated health system costs and estimated health service utilisation respectively for specific types of injuries at sub-chapter level of ICD-9 by detailed health sector in 1993–94. Tables C.4 and C.5 provide similar tabulations for specific external causes. Tables C.6 and C.7 show total health system costs and estimated levels of utilisation of health services for injuries by sector, age group and sex in 1993–94.

Detailed information on total costs and health services utilisation by health sector, age, sex and major disease group for the larger cost external causes are provided in Tables C.8 to C.19 for musculoskeletal disorders. Each pair of tables shows costs and utilisation of health services by detailed health sector, age and sex for a given external cause. Tables are not included for those external causes with relatively small total health system costs. These tables are available on request from the Institute.

Table C.1: Estimated resident population of Australia, by age group and sex, 30 June 1994

| Age group | Males | Females | Persons |
|--------------|------------------|------------------|-------------------|
| 0–4 | 661,464 | 627,683 | 1,289,147 |
| 5–14 | 1,310,151 | 1,243,172 | 2,553,323 |
| 15–24 | 1,396,412 | 1,336,297 | 2,732,709 |
| 25–44 | 2,762,031 | 2,761,005 | 5,523,036 |
| 45–64 | 1,842,066 | 1,790,447 | 3,632,513 |
| 65–74 | 596,874 | 672,144 | 1,269,018 |
| 75+ | 315,739 | 522,916 | 838,655 |
| Total | 8,884,737 | 8,953,664 | 17,838,401 |

Source: ABS 1996.

Table C.2: Type of injury: total health system costs by health sector, 1993–94 (\$ million)

| Type of injury | Hospital inpatients | | | | Medical services ^(b) | | Pharmaceuticals | | Allied health | Research | Other ^(c) | Total costs ^(d) |
|---|---------------------------------|-------------------|----------------|---------------|---------------------------------|--------------|-----------------|------------------|---------------|-------------|----------------------|----------------------------|
| | Public hospitals ^(a) | Private hospitals | Non-inpatients | Nursing homes | GPs | Specialist | Prescrip-tor | Over-the-counter | | | | |
| Fractures | 359.5 | 60.9 | 90.2 | 69.2 | 27.8 | 40.8 | 4.7 | 4.9 | 9.7 | 15.1 | 30.1 | 713.0 |
| Dislocation, sprains and strains | 25.6 | 33.3 | 176.8 | 1.7 | 56.0 | 56.6 | 19.6 | 10.4 | 91.8 | 2.4 | 21.3 | 495.4 |
| Intracranial injury, excluding skull fracture | 50.7 | 1.8 | 10.6 | 2.6 | 3.2 | 3.1 | 0.4 | 0.6 | 0.6 | 3.9 | 3.3 | 80.9 |
| Internal injuries ^(d) | 32.9 | 3.1 | 3.1 | 1.1 | 1.1 | 1.1 | 0.3 | 0.2 | 0.3 | 2.1 | 1.9 | 47.3 |
| Open wound | 70.1 | 12.5 | 37.1 | 5.4 | 16.5 | 3.6 | 7.4 | 2.0 | 2.7 | 6.9 | 7.1 | 171.2 |
| Superficial injuries and contusion with intact skin surface | 16.9 | 4.3 | 133.6 | 4.3 | 42.0 | 32.0 | 13.7 | 7.4 | 21.3 | 1.3 | 12.4 | 289.2 |
| Foreign body entering through orifice | 5.5 | 0.7 | 19.1 | 0.5 | 7.4 | 3.5 | 2.5 | 1.0 | — | 0.2 | 1.8 | 42.3 |
| Burns | 32.7 | 1.1 | 16.9 | 0.7 | 6.6 | 1.2 | 2.1 | 1.0 | — | 0.4 | 2.8 | 65.6 |
| Poisoning and toxic effects of substances | 44.3 | 1.6 | 6.1 | 4.2 | 1.7 | 1.2 | 1.1 | 0.3 | 0.1 | 0.6 | 2.7 | 64.0 |
| Complications of surgical and medical care | 183.8 | 63.4 | 3.4 | 14.6 | 10.0 | 9.1 | 6.4 | 2.8 | 4.6 | 1.0 | 13.4 | 312.5 |
| Traumatic complications, late effects | 31.4 | 9.0 | 120.8 | 8.1 | 40.2 | 28.0 | 31.5 | 7.1 | 28.5 | 1.5 | 13.7 | 320.0 |
| Total | 853.5 | 191.9 | 617.7 | 112.4 | 212.6 | 180.1 | 89.5 | 37.7 | 159.7 | 35.6 | 110.7 | 2,601.3 |

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under Hospital inpatients.

(c) Includes other institutional, non-institutional and administration expenditure.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

Table C.3: Type of injury: estimated health service utilisation by health sector, 1993–94

| ICD-9 chapter | Admissions ('000) | | Bed days ('000) | | Non-inpatient occasions of service ('000) | Medical services ^(b) ('000) | | | No. of prescriptions ('000) | Allied health consultations ('000) | Nursing home residents |
|---|---------------------------------|-------------------|---------------------------------|-------------------|---|--|----------------|-----------------|-----------------------------|------------------------------------|------------------------|
| | Public hospitals ^(a) | Private hospitals | Public hospitals ^(a) | Private hospitals | | GPs | Specialist | Total medical | | | |
| Fractures | 103.8 | 16.5 | 723.2 | 141.2 | 1,365.7 | 915.2 | 606.6 | 1,521.7 | 352.9 | 562.6 | 1,892 |
| Dislocation, sprains and strains | 14.0 | 13.0 | 45.4 | 30.1 | 2,676.9 | 2,309.4 | 889.7 | 3,199.1 | 1,372.4 | 5,303.7 | 47 |
| Intracranial injury, excl skull fracture | 24.1 | 0.8 | 68.6 | 4.2 | 160.2 | 125.7 | 36.8 | 162.5 | 20.8 | 33.1 | 72 |
| Internal injuries ^(c) | 8.0 | 1.0 | 45.6 | 3.4 | 47.0 | 40.2 | 22.8 | 63.0 | 19.5 | 18.0 | 30.0 |
| Open wound | 42.8 | 5.4 | 120.0 | 17.2 | 561.2 | 548.0 | 67.7 | 615.7 | 384.1 | 153.8 | 148 |
| Superficial injuries and contusion with intact skin surface | 5.0 | 0.6 | 8.1 | 0.9 | 288.9 | 251.5 | 57.8 | 309.3 | 221.9 | 0.0 | 14 |
| Foreign body entering through orifice | 13.6 | 1.8 | 40.6 | 11.3 | 2,022.5 | 1,689.8 | 544.1 | 2,233.9 | 884.9 | 1,231.2 | 116 |
| Burns | 6.4 | 0.4 | 49.3 | 2.5 | 256.5 | 267.6 | 32.0 | 299.7 | 160.2 | 0.0 | 20 |
| Poisoning and toxic effects of substances | 31.6 | 0.7 | 80.5 | 2.9 | 92.4 | 63.4 | 51.3 | 114.7 | 45.9 | 8.1 | 114 |
| Complications of surgical and medical care | 43.1 | 14.6 | 334.4 | 98.7 | 51.2 | 400.8 | 203.4 | 604.2 | 382.1 | 265.5 | 399 |
| Traumatic complications, late effects | 17.5 | 3.3 | 77.1 | 24.6 | 1,828.3 | 1,635.9 | 598.0 | 2,233.8 | 1,628.0 | 1,649.1 | 221 |
| Total | 309.9 | 58.0 | 1,592.9 | 337.1 | 9,351.0 | 8,247.5 | 3,110.2 | 11,357.7 | 5,472.6 | 9,225.1 | 3,074 |

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

(c) Internal injury of chest, abdomen, pelvis and blood vessels, crushing injuries, and nerve injuries (including spinal cord).

Table C.4: External causes of injury: total health system costs by health sector, 1993–94 (\$ million)

| External cause of injury | Hospital inpatients | | | | Medical services ^(b) | | Pharmaceuticals | | | Allied health | Research | Other ^(c) | Total costs ^(d) |
|---|---------------------------------|-------------------|----------------|---------------|---------------------------------|--------------|-----------------|------------------|--------------|---------------|--------------|----------------------|----------------------------|
| | Public hospitals ^(a) | Private hospitals | Non-inpatients | Nursing homes | GPs | Specialist | Prescription | Over-the-counter | | | | | |
| Unintentional injuries | 785.4 | 188.2 | 561.2 | 106.0 | 194.3 | 163.1 | 82.0 | 34.5 | 142.6 | 33.1 | 101.8 | 2,392.3 | |
| Road traffic accidents | 132.7 | 7.3 | 90.8 | 3.9 | 29.1 | 26.7 | 11.1 | 5.3 | 26.5 | 22.0 | 15.0 | 370.4 | |
| Other transport accidents | 18.3 | 2.0 | 17.1 | 0.4 | 5.2 | 4.6 | 1.8 | 0.9 | 4.2 | 0.8 | 2.5 | 57.8 | |
| Poisoning | 17.3 | 0.5 | 2.5 | 2.1 | 0.7 | 0.5 | 0.4 | 0.1 | 0.1 | 0.3 | 1.1 | 25.5 | |
| Accidental falls | 262.3 | 59.6 | 175.7 | 76.3 | 59.9 | 52.5 | 22.2 | 10.0 | 48.3 | 4.2 | 34.6 | 805.6 | |
| Accidents caused by fire, burns or scalds | 23.3 | 0.7 | 16.9 | 0.8 | 6.6 | 1.2 | 2.1 | 1.0 | — | 0.4 | 2.4 | 55.3 | |
| Accidental drowning and submersion | 1.5 | 0.0 | 1.7 | — | 0.5 | 0.4 | 0.2 | 0.1 | 0.3 | 0.5 | 0.2 | 5.5 | |
| Machine injuries | 13.5 | 1.8 | 12.0 | 0.4 | 4.0 | 3.7 | 1.6 | 0.6 | 3.6 | 0.8 | 1.9 | 43.9 | |
| Adverse effects of medical treatment ^(e) | 193.3 | 64.9 | 39.8 | 17.0 | 21.9 | 16.2 | 17.7 | 4.9 | 7.0 | 1.0 | 17.3 | 401.1 | |
| Other unintentional injuries | 123.0 | 51.3 | 204.7 | 5.2 | 66.5 | 57.3 | 25.0 | 11.5 | 52.5 | 3.1 | 26.9 | 627.0 | |
| Suicide and self-inflicted injury | 30.1 | 0.7 | 16.7 | 2.0 | 5.6 | 5.2 | 2.5 | 1.0 | 4.7 | 0.9 | 3.1 | 72.5 | |
| Homicide and violence | 31.5 | 0.7 | 39.8 | 0.9 | 12.7 | 11.8 | 5.0 | 2.2 | 12.4 | 1.6 | 5.3 | 123.8 | |
| Unspecified injury | 6.5 | 2.2 | — | 3.5 | — | — | — | — | — | — | 0.5 | 12.7 | |
| Total | 853.5 | 191.9 | 617.7 | 112.4 | 212.6 | 180.1 | 89.5 | 37.7 | 159.7 | 35.6 | 110.7 | 2,601.3 | |

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under Hospital inpatients.

(c) Includes other institutional, non-institutional and administration expenditure.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

(e) Includes surgical and medical misadventure, and adverse effects of drugs in therapeutic use.

Table C.5: External causes of injury: estimated health service utilisation by health sector, 1993–94

| ICD-9 chapter | Admissions ('000) | | Bed days ('000) | | Non-inpatient occasions of service ('000) | Medical services ^(b) ('000) | | | No. of prescriptions ('000) | Allied health consultations ('000) | Nursing home residents |
|---|---------------------------------|-------------------|---------------------------------|-------------------|---|--|----------------|-----------------|-----------------------------|------------------------------------|------------------------|
| | Public hospitals ^(a) | Private hospitals | Public hospitals ^(a) | Private hospitals | | GPs | Specialist | Total medical | | | |
| Unintentional injuries | 273.2 | 56.7 | 1,462.0 | 322.8 | 8,496.3 | 7,518.1 | 2,834.5 | 10,352.6 | 5,017.3 | 8,237.8 | 2,899 |
| Road traffic accidents | 39.0 | 2.5 | 223.3 | 14.0 | 1,374.4 | 1,143.3 | 418.7 | 1,562.1 | 679.1 | 1,531.3 | 106 |
| Other transport accidents | 7.2 | 0.7 | 33.0 | 3.3 | 258.4 | 198.4 | 73.1 | 271.5 | 109.9 | 245.5 | 11 |
| Poisoning | 13.8 | 0.3 | 30.5 | 0.9 | 37.9 | 25.9 | 20.1 | 46.0 | 17.4 | 3.3 | 57 |
| Accidental falls | 83.5 | 15.9 | 565.5 | 145.6 | 2,659.7 | 2,267.9 | 885.5 | 3,153.4 | 1,376.2 | 2,792.9 | 2,086 |
| Accidents caused by fire, burns or scalds | 4.6 | 0.2 | 35.8 | 1.7 | 256.5 | 267.6 | 32.0 | 299.7 | 160.2 | — | 21 |
| Accidental drowning and submersion | 0.7 | 0.0 | 1.7 | 0.0 | 25.4 | 18.9 | 7.0 | 25.9 | 9.5 | 19.3 | — |
| Machine injuries | 5.5 | 0.7 | 18.2 | 1.8 | 182.2 | 157.4 | 57.1 | 214.5 | 102.1 | 210.5 | 10 |
| Adverse effects of medical treatment | 46.9 | 15.1 | 360.5 | 101.2 | 602.7 | 876.5 | 436.6 | 1,313.1 | 959.5 | 402.2 | 465 |
| Other unintentional injuries | 72.0 | 21.4 | 193.5 | 54.3 | 3,098.9 | 2,562.1 | 904.3 | 3,466.5 | 1,603.5 | 3,032.9 | 142 |
| Suicide and self-inflicted injury | 16.5 | 0.3 | 53.8 | 1.3 | 252.2 | 223.4 | 97.2 | 320.6 | 144.9 | 269.3 | 55 |
| Homicide and violence | 18.2 | 0.3 | 50.6 | 0.9 | 602.5 | 505.9 | 178.6 | 684.5 | 310.4 | 718.0 | 23 |
| Unspecified injury | 2.0 | 0.7 | 26.4 | 12.1 | — | — | — | — | — | — | — |
| Total | 309.9 | 58.0 | 1,592.8 | 337.1 | 9,351.0 | 8,247.5 | 3,110.2 | 11,357.7 | 5,472.6 | 9,225.1 | 3,074 |

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

Table C.6: Injury and poisoning: total health system costs by health sector, sex and age, 1993–94 (\$ million)

| Sex / age | Hospital inpatients | | | | | Medical services ^(b) | | | Pharmaceuticals | | | Allied health | Other ^(c) | Total costs ^(d) |
|----------------|---------------------------------|-------------------|----------------|----------------|---------------|---------------------------------|-------------|---------------|-----------------|------------------|-------------|---------------|----------------------|----------------------------|
| | Public hospitals ^(a) | Private hospitals | Non-inpatients | Total hospital | Nursing homes | GPs | Specialist | Total medical | Prescription | Over-the-counter | Total | | | |
| Males | | | | | | | | | | | | | | |
| 0–4 | 19.8 | 0.9 | 28.8 | 49.4 | — | 6.4 | 4.3 | 10.7 | 1.1 | 1.7 | 2.8 | 0.6 | 3.8 | 67.3 |
| 5–14 | 39.3 | 3.8 | 49.9 | 93.0 | — | 16.8 | 10.5 | 27.3 | 3.8 | 3.2 | 7.0 | 4.3 | 7.8 | 139.4 |
| 15–24 | 89.4 | 15.8 | 120.2 | 225.4 | 0.5 | 22.8 | 16.8 | 39.6 | 7.7 | 3.7 | 11.3 | 23.2 | 17.9 | 318.0 |
| 25–34 | 73.4 | 14.3 | 58.5 | 146.2 | 4.4 | 21.3 | 18.1 | 39.4 | 8.5 | 3.2 | 11.7 | 22.0 | 13.3 | 237.0 |
| 35–44 | 51.6 | 10.8 | 36.9 | 99.3 | 0.9 | 16.6 | 13.1 | 29.7 | 7.2 | 2.8 | 10.0 | 10.5 | 9.0 | 159.5 |
| 45–54 | 42.0 | 9.9 | 25.3 | 77.1 | 1.6 | 12.2 | 11.7 | 23.9 | 5.4 | 1.8 | 7.2 | 6.0 | 6.9 | 122.7 |
| 55–64 | 42.3 | 10.6 | 18.9 | 71.9 | 1.0 | 8.0 | 7.7 | 15.8 | 4.6 | 1.2 | 5.8 | 7.3 | 6.1 | 107.8 |
| 65–74 | 57.2 | 13.1 | 22.8 | 93.0 | 15.5 | 5.5 | 5.3 | 10.9 | 3.9 | 1.1 | 5.0 | 2.6 | 7.6 | 134.6 |
| 75+ | 61.1 | 13.0 | 18.4 | 92.5 | 17.5 | 4.6 | 3.0 | 7.5 | 1.5 | 0.4 | 1.9 | 7.1 | 7.5 | 134.1 |
| Total | 476.0 | 92.1 | 379.6 | 947.8 | 41.5 | 114.1 | 90.6 | 204.8 | 43.6 | 19.1 | 62.7 | 83.7 | 79.9 | 1,420.3 |
| Females | | | | | | | | | | | | | | |
| 0–4 | 13.6 | 0.7 | 15.5 | 29.8 | — | 4.4 | 3.2 | 7.6 | 1.4 | 1.2 | 2.7 | 1.8 | 2.5 | 44.4 |
| 5–14 | 21.0 | 2.1 | 46.0 | 69.1 | — | 12.2 | 11.3 | 23.5 | 2.8 | 3.4 | 6.2 | 6.5 | 6.3 | 111.6 |
| 15–24 | 33.5 | 5.5 | 37.5 | 76.4 | 2.7 | 14.2 | 11.5 | 25.7 | 5.5 | 2.7 | 8.2 | 12.1 | 7.5 | 132.6 |
| 25–34 | 29.9 | 6.3 | 36.0 | 72.2 | — | 13.4 | 15.7 | 29.1 | 6.8 | 2.8 | 9.6 | 7.4 | 7.1 | 125.5 |
| 35–44 | 27.9 | 9.1 | 19.6 | 56.6 | — | 14.3 | 14.2 | 28.6 | 7.9 | 2.6 | 10.5 | 19.3 | 6.9 | 121.9 |
| 45–54 | 25.2 | 9.5 | 24.6 | 59.3 | 2.1 | 10.3 | 8.3 | 18.6 | 5.6 | 1.8 | 7.5 | 9.2 | 5.8 | 102.4 |
| 55–64 | 30.6 | 9.4 | 14.0 | 54.0 | — | 8.9 | 9.0 | 17.9 | 5.7 | 1.6 | 7.3 | 5.8 | 5.1 | 90.1 |
| 65–74 | 58.4 | 15.9 | 24.7 | 99.0 | 5.3 | 9.2 | 9.3 | 18.5 | 5.7 | 1.5 | 7.2 | 9.3 | 8.3 | 147.6 |
| 75+ | 137.3 | 41.2 | 20.1 | 198.6 | 60.9 | 11.6 | 6.9 | 18.5 | 4.4 | 1.0 | 5.3 | 4.5 | 17.2 | 305.0 |
| Total | 377.5 | 99.7 | 238.0 | 715.2 | 70.9 | 98.5 | 89.4 | 187.9 | 45.9 | 18.7 | 64.6 | 76.0 | 66.4 | 1,181.0 |

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under Hospital inpatients.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

Table C.7: Injury and poisoning: health service utilisation by health sector, sex and age, 1993–94

| Sex / age | Hospital admissions ('000) | | | Hospital bed days ('000) | | | Non-inpatient occasions of service ('000) | Medical services ^(b) ('000) | | | No. of prescriptions ('000) | Allied health consultations ('000) | Nursing home residents |
|----------------|---------------------------------|-------------------|----------------|---------------------------------|-------------------|----------------|---|--|----------------|----------------|-----------------------------|------------------------------------|------------------------|
| | Public hospitals ^(a) | Private hospitals | Total hospital | Public hospitals ^(a) | Private hospitals | Total hospital | | GPs | Specialist | Total medical | | | |
| Males | | | | | | | | | | | | | |
| 0–4 | 12.6 | 0.7 | 13.3 | 29.9 | 0.9 | 30.8 | 435.5 | 235.9 | 79.6 | 315.5 | 61.4 | 36.4 | — |
| 5–14 | 24.4 | 2.5 | 26.9 | 59.4 | 4.1 | 63.5 | 755.2 | 584.7 | 198.3 | 783.0 | 195.8 | 250.3 | — |
| 15–24 | 41.9 | 6.9 | 48.8 | 135.7 | 13.3 | 149.0 | 1,819.5 | 842.9 | 280.2 | 1,123.1 | 493.0 | 1,342.9 | 13 |
| 25–34 | 32.3 | 5.8 | 38.1 | 115.9 | 13.6 | 129.4 | 886.0 | 825.1 | 265.7 | 1,090.8 | 556.8 | 1,269.4 | 121 |
| 35–44 | 21.3 | 4.2 | 25.6 | 87.3 | 11.6 | 98.9 | 558.6 | 668.3 | 209.4 | 877.7 | 458.6 | 608.2 | 26 |
| 45–54 | 15.0 | 3.5 | 18.5 | 72.7 | 12.3 | 85.0 | 382.5 | 484.3 | 194.5 | 678.7 | 335.6 | 344.5 | 43 |
| 55–64 | 11.9 | 3.0 | 14.9 | 77.4 | 14.7 | 92.1 | 286.4 | 323.0 | 124.5 | 447.5 | 281.2 | 420.4 | 28 |
| 65–74 | 12.5 | 3.0 | 15.5 | 107.9 | 23.0 | 130.9 | 344.7 | 234.3 | 105.8 | 340.2 | 227.3 | 153.1 | 424 |
| 75+ | 11.9 | 2.5 | 14.4 | 135.9 | 30.0 | 165.9 | 279.1 | 161.4 | 54.7 | 216.1 | 96.5 | 408.1 | 479 |
| Total | 183.7 | 32.2 | 216.0 | 822.1 | 123.6 | 945.6 | 5,747.5 | 4,360.0 | 1,512.7 | 5,872.7 | 2,706.2 | 4,833.2 | 1,134 |
| Females | | | | | | | | | | | | | |
| 0–4 | 9.0 | 0.6 | 9.6 | 20.7 | 0.8 | 21.5 | 234.4 | 170.0 | 62.5 | 232.5 | 109.7 | 104.6 | — |
| 5–14 | 13.7 | 1.5 | 15.2 | 30.6 | 2.2 | 32.7 | 697.2 | 440.9 | 197.1 | 638.1 | 165.8 | 375.9 | — |
| 15–24 | 17.4 | 2.2 | 19.6 | 52.8 | 5.3 | 58.1 | 567.1 | 602.9 | 196.5 | 799.4 | 347.8 | 700.9 | 73 |
| 25–34 | 14.9 | 2.5 | 17.4 | 49.3 | 7.0 | 56.2 | 545.5 | 592.2 | 236.5 | 828.7 | 426.4 | 429.9 | — |
| 35–44 | 12.6 | 3.3 | 15.8 | 48.5 | 13.1 | 61.6 | 296.7 | 577.9 | 228.8 | 806.6 | 447.0 | 1,117.3 | — |
| 45–54 | 9.8 | 3.0 | 12.8 | 46.2 | 14.0 | 60.1 | 371.9 | 411.8 | 157.7 | 569.6 | 347.3 | 531.2 | 57 |
| 55–64 | 9.0 | 2.6 | 11.6 | 60.2 | 15.2 | 75.4 | 212.2 | 333.9 | 173.9 | 507.8 | 339.2 | 332.7 | — |
| 65–74 | 13.4 | 3.4 | 16.9 | 125.4 | 31.9 | 157.3 | 374.2 | 351.9 | 188.3 | 540.2 | 307.8 | 540.0 | 144 |
| 75+ | 26.3 | 6.7 | 33.1 | 337.0 | 124.1 | 461.2 | 304.4 | 405.9 | 156.2 | 562.2 | 275.5 | 259.5 | 1,666 |
| Total | 126.2 | 25.8 | 152.0 | 770.8 | 213.6 | 984.4 | 3,603.5 | 3,887.5 | 1,597.5 | 5,485.0 | 2,766.4 | 4,392.0 | 1,940 |

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

Table C.8: Unintentional injuries: total health system costs by health sector, sex and age, 1993–94 (\$ million)

| Sex / age | Hospital inpatients | | | Total hospital | Nursing homes | Medical services ^(b) | | | Pharmaceuticals | | | Allied health | Other ^(c) | Total costs ^(d) |
|----------------|---------------------------------|-------------------|----------------|----------------|---------------|---------------------------------|-------------|---------------|-----------------|------------------|-------------|---------------|----------------------|----------------------------|
| | Public hospitals ^(a) | Private hospitals | Non-inpatients | | | GPs | Specialist | Total medical | Prescription | Over-the-counter | Total | | | |
| Males | | | | | | | | | | | | | | |
| 0–4 | 19.0 | 0.9 | 28.0 | 47.9 | — | 6.2 | 4.2 | 10.4 | 1.1 | 1.6 | 2.7 | 0.6 | 3.5 | 65.2 |
| 5–14 | 38.4 | 3.8 | 49.0 | 91.2 | — | 16.5 | 10.3 | 26.8 | 3.7 | 3.1 | 6.8 | 4.3 | 7.9 | 137.0 |
| 15–24 | 77.7 | 15.5 | 103.5 | 196.8 | 0.3 | 19.7 | 14.4 | 34.2 | 6.7 | 3.2 | 9.9 | 20.0 | 17.5 | 278.5 |
| 25–34 | 61.2 | 14.1 | 49.4 | 124.6 | 3.7 | 18.1 | 15.2 | 33.3 | 7.2 | 2.7 | 10.0 | 18.2 | 12.1 | 201.8 |
| 35–44 | 44.3 | 10.7 | 32.0 | 87.0 | 0.7 | 14.6 | 11.3 | 25.9 | 6.4 | 2.4 | 8.8 | 9.1 | 8.2 | 139.8 |
| 45–54 | 38.1 | 9.7 | 23.0 | 70.9 | 1.4 | 11.1 | 10.7 | 21.8 | 4.9 | 1.7 | 6.6 | 5.4 | 6.4 | 112.5 |
| 55–64 | 40.8 | 10.6 | 17.9 | 69.3 | 1.0 | 7.7 | 7.4 | 15.1 | 4.4 | 1.2 | 5.5 | 6.9 | 5.6 | 103.5 |
| 65–74 | 55.4 | 12.9 | 21.9 | 90.2 | 14.9 | 5.4 | 5.2 | 10.5 | 3.8 | 1.1 | 4.9 | 2.6 | 6.7 | 129.8 |
| 75+ | 59.3 | 12.8 | 18.1 | 90.1 | 16.8 | 4.5 | 2.9 | 7.4 | 1.5 | 0.4 | 1.8 | 7.0 | 6.6 | 129.6 |
| Total | 434.4 | 90.9 | 342.8 | 868.0 | 38.8 | 103.8 | 81.6 | 185.3 | 39.7 | 17.4 | 57.1 | 74.0 | 74.4 | 1,297.7 |
| Females | | | | | | | | | | | | | | |
| 0–4 | 13.1 | 0.7 | 14.9 | 28.7 | — | 4.3 | 3.1 | 7.3 | 1.4 | 1.2 | 2.6 | 1.8 | 2.3 | 42.7 |
| 5–14 | 20.3 | 2.1 | 45.3 | 67.7 | — | 12.0 | 11.1 | 23.1 | 2.8 | 3.4 | 6.1 | 6.4 | 6.5 | 109.8 |
| 15–24 | 27.0 | 5.4 | 31.8 | 64.2 | 1.9 | 12.0 | 9.7 | 21.7 | 4.7 | 2.3 | 7.0 | 10.0 | 7.5 | 112.4 |
| 25–34 | 23.5 | 6.2 | 29.2 | 58.9 | — | 11.0 | 12.9 | 24.0 | 5.8 | 2.3 | 8.1 | 5.9 | 6.3 | 103.1 |
| 35–44 | 23.5 | 8.9 | 16.9 | 49.3 | — | 12.5 | 12.3 | 24.8 | 6.9 | 2.3 | 9.2 | 16.6 | 6.2 | 106.1 |
| 45–54 | 23.1 | 9.4 | 22.7 | 55.2 | 1.9 | 9.6 | 7.8 | 17.4 | 5.3 | 1.7 | 7.0 | 8.5 | 5.3 | 95.5 |
| 55–64 | 29.4 | 9.3 | 13.5 | 52.2 | — | 8.6 | 8.7 | 17.3 | 5.5 | 1.6 | 7.0 | 5.6 | 4.6 | 86.8 |
| 65–74 | 57.0 | 15.6 | 24.3 | 96.9 | 5.1 | 9.0 | 9.1 | 18.2 | 5.6 | 1.5 | 7.1 | 9.3 | 7.3 | 143.8 |
| 75+ | 134.1 | 39.8 | 19.8 | 193.7 | 58.3 | 11.5 | 6.8 | 18.3 | 4.3 | 0.9 | 5.3 | 4.5 | 14.4 | 294.4 |
| Total | 351.0 | 97.4 | 218.4 | 666.8 | 67.2 | 90.6 | 81.5 | 172.1 | 42.3 | 17.1 | 59.4 | 68.6 | 60.5 | 1,094.6 |

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under Hospital inpatients.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

Table C.9: Unintentional injuries: health service utilisation by health sector, sex and age, 1993–94

| Sex / age | Hospital admissions ('000) | | | Hospital bed days ('000) | | | Non-inpatient occasions of service ('000) | Medical services ^(b) ('000) | | | No. of prescriptions ('000) | Allied health consultations ('000) | Nursing home residents |
|----------------|---------------------------------|-------------------|----------------|---------------------------------|-------------------|----------------|---|--|----------------|----------------|-----------------------------|------------------------------------|------------------------|
| | Public hospitals ^(a) | Private hospitals | Total hospital | Public hospitals ^(a) | Private hospitals | Total hospital | | GPs | Specialist | Total medical | | | |
| Males | | | | | | | | | | | | | |
| 0–4 | 12.3 | 0.7 | 13.0 | 28.4 | 0.9 | 29.4 | 424.1 | 229.4 | 78.1 | 307.5 | 60.2 | 35.6 | — |
| 5–14 | 23.8 | 2.5 | 26.3 | 57.9 | 4.0 | 61.9 | 741.7 | 574.7 | 194.7 | 769.3 | 192.6 | 246.0 | — |
| 15–24 | 34.6 | 6.8 | 41.4 | 118.5 | 12.9 | 131.4 | 1,567.5 | 730.0 | 239.3 | 969.3 | 432.6 | 1,153.1 | 9 |
| 25–34 | 25.6 | 5.8 | 31.3 | 96.4 | 13.2 | 109.6 | 747.5 | 699.9 | 224.5 | 924.3 | 476.7 | 1,050.6 | 100 |
| 35–44 | 17.6 | 4.2 | 21.8 | 74.4 | 11.4 | 85.7 | 485.0 | 586.8 | 179.3 | 766.1 | 406.0 | 526.9 | 20 |
| 45–54 | 13.3 | 3.4 | 16.7 | 66.3 | 11.9 | 78.3 | 348.4 | 442.7 | 177.7 | 620.3 | 308.8 | 311.4 | 39 |
| 55–64 | 11.3 | 3.0 | 14.2 | 74.1 | 14.5 | 88.6 | 271.5 | 309.0 | 116.4 | 425.4 | 269.0 | 400.2 | 27 |
| 65–74 | 12.1 | 3.0 | 15.0 | 103.8 | 22.6 | 126.4 | 331.2 | 227.8 | 101.2 | 329.0 | 221.3 | 147.8 | 408 |
| 75+ | 11.5 | 2.4 | 13.9 | 129.2 | 28.5 | 157.7 | 273.3 | 158.2 | 54.2 | 212.4 | 95.5 | 402.0 | 459 |
| Total | 162.0 | 31.7 | 193.8 | 749.0 | 120.0 | 869.0 | 5,190.2 | 3,958.4 | 1,365.2 | 5,323.7 | 2,462.7 | 4,273.7 | 1,062 |
| Females | | | | | | | | | | | | | |
| 0–4 | 8.8 | 0.6 | 9.4 | 19.6 | 0.8 | 20.4 | 225.0 | 164.3 | 59.0 | 223.3 | 108.7 | 101.9 | — |
| 5–14 | 13.3 | 1.4 | 14.7 | 29.5 | 2.1 | 31.7 | 685.7 | 433.9 | 193.8 | 627.8 | 163.2 | 369.3 | — |
| 15–24 | 12.8 | 2.2 | 15.0 | 42.3 | 5.0 | 47.3 | 481.3 | 512.4 | 169.8 | 682.2 | 301.0 | 578.5 | 52 |
| 25–34 | 10.7 | 2.4 | 13.2 | 38.2 | 6.8 | 45.0 | 442.4 | 487.9 | 197.4 | 685.3 | 361.1 | 342.3 | — |
| 35–44 | 9.8 | 3.2 | 12.9 | 40.7 | 12.7 | 53.4 | 255.3 | 502.8 | 200.1 | 703.0 | 390.2 | 960.1 | — |
| 45–54 | 8.5 | 3.0 | 11.5 | 41.7 | 13.6 | 55.4 | 344.3 | 385.6 | 146.2 | 531.7 | 326.9 | 493.5 | 53 |
| 55–64 | 8.5 | 2.5 | 11.0 | 57.3 | 14.9 | 72.2 | 204.8 | 323.3 | 167.3 | 490.6 | 327.5 | 324.9 | — |
| 65–74 | 13.1 | 3.3 | 16.4 | 121.0 | 30.7 | 151.7 | 367.3 | 347.0 | 184.0 | 531.1 | 302.8 | 535.1 | 139 |
| 75+ | 25.6 | 6.4 | 32.0 | 322.7 | 116.1 | 438.8 | 300.1 | 402.6 | 151.5 | 554.1 | 273.1 | 258.5 | 1,593 |
| Total | 111.1 | 25.0 | 136.2 | 713.0 | 202.8 | 915.8 | 3,306.1 | 3,559.7 | 1,469.2 | 5,029.0 | 2,554.6 | 3,964.1 | 1,837 |

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

Table C.10: Road traffic accidents: total health system costs by health sector, sex and age, 1993–94 (\$ million)

| Sex / age | Hospital inpatients | | | Total hospital | Nursing homes | Medical services ^(b) | | | Pharmaceuticals | | | Allied health | Other ^(c) | Total costs ^(d) |
|----------------|---------------------------------|-------------------|----------------|----------------|---------------|---------------------------------|-------------|---------------|-----------------|------------------|------------|---------------|----------------------|----------------------------|
| | Public hospitals ^(a) | Private hospitals | Non-inpatients | | | GPs | Specialist | Total medical | Prescription | Over-the-counter | Total | | | |
| Males | | | | | | | | | | | | | | |
| 0–4 | 1.8 | 0.0 | 1.7 | 3.5 | — | 0.4 | 0.3 | 0.7 | 0.1 | 0.1 | 0.2 | 0.0 | 0.5 | 4.9 |
| 5–14 | 8.4 | 0.3 | 7.3 | 16.0 | — | 2.4 | 1.6 | 4.0 | 0.5 | 0.5 | 1.0 | 0.6 | 2.4 | 24.0 |
| 15–24 | 28.3 | 1.1 | 22.8 | 52.1 | 0.2 | 4.2 | 3.3 | 7.5 | 1.4 | 0.7 | 2.1 | 4.6 | 7.4 | 73.9 |
| 25–34 | 17.7 | 0.7 | 8.6 | 27.0 | 0.6 | 3.0 | 2.7 | 5.7 | 1.1 | 0.5 | 1.6 | 3.5 | 4.3 | 42.7 |
| 35–44 | 10.8 | 0.6 | 4.8 | 16.2 | 0.1 | 2.1 | 1.8 | 3.9 | 0.9 | 0.4 | 1.2 | 1.5 | 2.5 | 25.4 |
| 45–54 | 6.7 | 0.5 | 3.1 | 10.3 | 0.1 | 1.4 | 1.5 | 2.9 | 0.6 | 0.2 | 0.8 | 0.8 | 1.7 | 16.5 |
| 55–64 | 5.4 | 0.3 | 2.2 | 7.9 | 0.1 | 0.9 | 0.9 | 1.8 | 0.4 | 0.1 | 0.5 | 1.0 | 1.3 | 12.5 |
| 65–74 | 4.7 | 0.3 | 2.1 | 7.1 | 0.6 | 0.4 | 0.5 | 0.9 | 0.3 | 0.1 | 0.4 | 0.3 | 1.0 | 10.4 |
| 75+ | 4.0 | 0.2 | 1.3 | 5.5 | 0.3 | 0.3 | 0.2 | 0.4 | 0.1 | 0.0 | 0.1 | 0.6 | 0.8 | 7.7 |
| Total | 87.7 | 4.1 | 53.9 | 145.7 | 1.9 | 15.0 | 12.8 | 27.8 | 5.3 | 2.5 | 7.8 | 13.0 | 21.8 | 218.0 |
| Females | | | | | | | | | | | | | | |
| 0–4 | 1.2 | 0.0 | 0.9 | 2.1 | — | 0.3 | 0.2 | 0.5 | 0.1 | 0.1 | 0.1 | 0.1 | 0.3 | 3.2 |
| 5–14 | 5.1 | 0.2 | 8.2 | 13.5 | — | 2.1 | 2.1 | 4.2 | 0.5 | 0.6 | 1.1 | 1.2 | 2.2 | 22.3 |
| 15–24 | 11.6 | 0.6 | 10.1 | 22.3 | 1.1 | 3.7 | 3.3 | 7.1 | 1.3 | 0.7 | 2.0 | 3.9 | 4.0 | 40.3 |
| 25–34 | 6.6 | 0.4 | 6.8 | 13.8 | — | 2.4 | 2.8 | 5.2 | 1.0 | 0.5 | 1.5 | 1.5 | 2.4 | 24.4 |
| 35–44 | 5.0 | 0.6 | 3.4 | 9.1 | — | 2.4 | 2.4 | 4.8 | 1.3 | 0.4 | 1.7 | 3.6 | 2.1 | 21.3 |
| 45–54 | 3.7 | 0.4 | 3.7 | 7.8 | 0.2 | 1.4 | 1.1 | 2.5 | 0.8 | 0.2 | 1.0 | 1.6 | 1.5 | 14.5 |
| 55–64 | 3.2 | 0.2 | 1.5 | 4.9 | — | 0.9 | 1.0 | 2.0 | 0.5 | 0.1 | 0.6 | 0.6 | 0.9 | 9.1 |
| 65–74 | 4.4 | 0.3 | 1.7 | 6.5 | 0.1 | 0.6 | 0.6 | 1.2 | 0.3 | 0.1 | 0.4 | 0.8 | 1.0 | 9.9 |
| 75+ | 4.2 | 0.5 | 0.5 | 5.3 | 0.6 | 0.3 | 0.2 | 0.5 | 0.1 | 0.0 | 0.1 | 0.1 | 0.7 | 7.4 |
| Total | 45.1 | 3.2 | 36.9 | 85.2 | 2.0 | 14.1 | 13.9 | 28.0 | 5.7 | 2.8 | 8.5 | 13.5 | 15.3 | 152.5 |

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under Hospital inpatients.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

Table C.11: Road traffic accidents: health service utilisation by health sector, sex and age, 1993–94

| Sex / age | Hospital admissions ('000) | | | Hospital bed days ('000) | | | Non-inpatient occasions of service ('000) | Medical services ^(b) ('000) | | | No. of prescriptions ('000) | Allied health consultations ('000) | Nursing home residents |
|----------------|---------------------------------|-------------------|----------------|---------------------------------|-------------------|----------------|---|--|--------------|---------------|-----------------------------|------------------------------------|------------------------|
| | Public hospitals ^(a) | Private hospitals | Total hospital | Public hospitals ^(a) | Private hospitals | Total hospital | | GPs | Specialist | Total medical | | | |
| Males | | | | | | | | | | | | | |
| 0–4 | 0.7 | 0.0 | 0.7 | 2.5 | 0.0 | 2.5 | 26.3 | 13.3 | 5.2 | 18.6 | 3.9 | 2.6 | — |
| 5–14 | 3.6 | 0.2 | 3.8 | 13.5 | 0.5 | 14.0 | 110.7 | 82.7 | 29.8 | 112.5 | 26.0 | 34.9 | — |
| 15–24 | 8.4 | 0.4 | 8.7 | 43.7 | 1.3 | 45.0 | 345.2 | 155.7 | 55.0 | 210.6 | 83.1 | 266.5 | 5 |
| 25–34 | 4.9 | 0.3 | 5.2 | 29.6 | 1.0 | 30.6 | 129.8 | 117.1 | 39.0 | 156.1 | 74.0 | 204.1 | 17 |
| 35–44 | 2.8 | 0.2 | 3.0 | 18.7 | 0.9 | 19.6 | 73.3 | 84.5 | 26.9 | 111.3 | 54.9 | 86.5 | 2 |
| 45–54 | 1.7 | 0.2 | 1.9 | 11.3 | 0.8 | 12.1 | 46.5 | 55.8 | 23.9 | 79.7 | 36.2 | 47.1 | 2 |
| 55–64 | 1.1 | 0.1 | 1.2 | 8.9 | 0.5 | 9.4 | 32.8 | 34.7 | 13.7 | 48.4 | 26.3 | 56.1 | 3 |
| 65–74 | 0.9 | 0.1 | 0.9 | 8.1 | 0.6 | 8.7 | 32.2 | 18.9 | 7.6 | 26.5 | 19.8 | 18.4 | 16 |
| 75+ | 0.7 | 0.1 | 0.8 | 7.1 | 0.6 | 7.6 | 19.1 | 9.6 | 2.7 | 12.3 | 5.5 | 33.1 | 8 |
| Total | 24.7 | 1.4 | 26.2 | 143.5 | 6.1 | 149.6 | 815.9 | 572.2 | 203.8 | 776.0 | 329.8 | 749.4 | 53 |
| Females | | | | | | | | | | | | | |
| 0–4 | 0.4 | 0.0 | 0.5 | 1.8 | 0.0 | 1.9 | 14.2 | 10.1 | 3.7 | 13.8 | 3.1 | 8.1 | — |
| 5–14 | 2.4 | 0.1 | 2.5 | 7.5 | 0.2 | 7.7 | 124.2 | 76.2 | 35.8 | 112.0 | 27.3 | 72.0 | — |
| 15–24 | 4.0 | 0.2 | 4.2 | 19.0 | 0.8 | 19.8 | 152.7 | 159.9 | 48.6 | 208.5 | 81.0 | 223.1 | 29 |
| 25–34 | 2.2 | 0.1 | 2.3 | 11.0 | 0.7 | 11.6 | 102.6 | 103.0 | 39.8 | 142.8 | 62.9 | 89.3 | — |
| 35–44 | 1.6 | 0.1 | 1.7 | 9.1 | 2.7 | 11.7 | 52.0 | 95.3 | 34.9 | 130.3 | 71.6 | 207.4 | — |
| 45–54 | 1.2 | 0.1 | 1.3 | 7.6 | 0.6 | 8.2 | 55.7 | 57.9 | 18.4 | 76.3 | 46.8 | 92.1 | 6 |
| 55–64 | 0.9 | 0.1 | 1.0 | 6.1 | 0.5 | 6.6 | 22.6 | 34.6 | 17.7 | 52.3 | 32.6 | 37.0 | — |
| 65–74 | 0.8 | 0.1 | 1.0 | 8.5 | 0.9 | 9.4 | 26.2 | 22.7 | 12.2 | 34.9 | 17.3 | 44.9 | 3 |
| 75+ | 0.8 | 0.1 | 0.9 | 9.3 | 1.5 | 10.8 | 8.3 | 11.4 | 3.9 | 15.4 | 6.8 | 8.0 | 16 |
| Total | 14.3 | 1.0 | 15.3 | 79.8 | 7.9 | 87.8 | 558.5 | 571.1 | 215.0 | 786.1 | 349.3 | 781.9 | 54 |

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

Table C.12: Accidental falls: total health system costs by health sector, sex and age, 1993–94 (\$ million)

| Sex / age | Hospital inpatients | | | Nursing homes | Medical services ^(b) | | | Pharmaceuticals | | | Allied health | Other ^(c) | Total costs ^(d) | |
|----------------|---------------------------------|-------------------|----------------|---------------|---------------------------------|-------------|-------------|-----------------|--------------|------------------|---------------|----------------------|----------------------------|--------------|
| | Public hospitals ^(a) | Private hospitals | Non-inpatients | | Total hospital | GPs | Specialist | Total medical | Prescription | Over-the-counter | | | | Total |
| Males | | | | | | | | | | | | | | |
| 0–4 | 4.8 | 0.3 | 10.3 | 15.4 | — | 2.1 | 1.8 | 3.9 | 0.5 | 0.5 | 1.0 | 0.3 | 1.0 | 21.5 |
| 5–14 | 11.0 | 1.5 | 20.1 | 32.6 | — | 6.6 | 4.4 | 11.0 | 1.4 | 1.3 | 2.7 | 1.7 | 2.4 | 50.3 |
| 15–24 | 9.4 | 2.7 | 17.1 | 29.2 | 0.0 | 3.2 | 2.5 | 5.7 | 1.0 | 0.5 | 1.5 | 3.5 | 2.0 | 42.0 |
| 25–34 | 8.1 | 2.0 | 7.8 | 17.9 | 0.8 | 2.7 | 2.5 | 5.2 | 1.0 | 0.4 | 1.5 | 3.2 | 1.4 | 30.0 |
| 35–44 | 7.6 | 1.7 | 6.4 | 15.7 | 0.1 | 2.7 | 2.4 | 5.1 | 1.1 | 0.5 | 1.6 | 2.0 | 1.2 | 25.7 |
| 45–54 | 8.0 | 1.6 | 5.8 | 15.4 | 0.6 | 2.6 | 2.8 | 5.4 | 1.1 | 0.4 | 1.5 | 1.5 | 1.2 | 25.8 |
| 55–64 | 8.3 | 1.4 | 5.3 | 15.0 | 0.5 | 2.1 | 2.3 | 4.4 | 0.9 | 0.3 | 1.2 | 2.4 | 1.2 | 24.7 |
| 65–74 | 14.9 | 1.8 | 8.6 | 25.4 | 8.9 | 1.8 | 2.0 | 3.8 | 1.3 | 0.3 | 1.6 | 1.3 | 2.1 | 43.1 |
| 75+ | 30.6 | 5.0 | 10.5 | 46.1 | 12.3 | 2.3 | 1.4 | 3.7 | 0.7 | 0.2 | 0.9 | 4.8 | 3.4 | 71.1 |
| Total | 102.7 | 18.1 | 92.0 | 212.8 | 23.2 | 26.1 | 22.0 | 48.1 | 9.1 | 4.4 | 13.5 | 20.6 | 16.1 | 334.2 |
| Females | | | | | | | | | | | | | | |
| 0–4 | 3.3 | 0.2 | 5.9 | 9.5 | — | 1.7 | 1.3 | 2.9 | 0.4 | 0.4 | 0.8 | 0.9 | 0.7 | 14.9 |
| 5–14 | 6.1 | 0.9 | 21.0 | 28.0 | — | 5.4 | 5.4 | 10.8 | 1.2 | 1.5 | 2.8 | 3.2 | 2.3 | 47.1 |
| 15–24 | 2.4 | 0.8 | 4.6 | 7.7 | 0.1 | 1.7 | 1.5 | 3.2 | 0.6 | 0.3 | 0.9 | 1.7 | 0.7 | 14.4 |
| 25–34 | 2.8 | 0.8 | 5.6 | 9.2 | — | 2.0 | 2.3 | 4.3 | 0.8 | 0.4 | 1.2 | 1.3 | 0.8 | 16.8 |
| 35–44 | 3.7 | 1.1 | 4.4 | 9.2 | — | 3.0 | 3.1 | 6.1 | 1.6 | 0.6 | 2.2 | 4.6 | 1.1 | 23.1 |
| 45–54 | 5.5 | 1.7 | 8.0 | 15.1 | 0.9 | 3.1 | 2.4 | 5.5 | 1.6 | 0.5 | 2.1 | 3.5 | 1.4 | 28.4 |
| 55–64 | 10.0 | 2.6 | 6.4 | 18.9 | — | 4.0 | 4.4 | 8.4 | 2.0 | 0.6 | 2.6 | 2.7 | 1.7 | 34.3 |
| 65–74 | 27.0 | 6.0 | 14.5 | 47.5 | 3.7 | 5.0 | 5.3 | 10.3 | 2.3 | 0.7 | 3.0 | 6.5 | 3.6 | 74.5 |
| 75+ | 98.8 | 27.5 | 13.4 | 139.7 | 48.4 | 8.0 | 4.8 | 12.8 | 2.4 | 0.6 | 3.0 | 3.4 | 10.5 | 217.7 |
| Total | 159.6 | 41.5 | 83.7 | 284.8 | 53.1 | 33.9 | 30.5 | 64.3 | 13.1 | 5.6 | 18.7 | 27.8 | 22.7 | 471.3 |

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under Hospital inpatients.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

Table C.13: Accidental falls: health service utilisation by health sector, sex and age, 1993–94

| Sex / age | Hospital admissions ('000) | | | Hospital bed days ('000) | | | Non-inpatient occasions of service ('000) | Medical services ^(b) ('000) | | | No. of prescriptions ('000) | Allied health consultations ('000) | Nursing home residents |
|----------------|---------------------------------|-------------------|----------------|---------------------------------|-------------------|----------------|---|--|--------------|----------------|-----------------------------|------------------------------------|------------------------|
| | Public hospitals ^(a) | Private hospitals | Total hospital | Public hospitals ^(a) | Private hospitals | Total hospital | | GPs | Specialist | Total medical | | | |
| Males | | | | | | | | | | | | | |
| 0–4 | 3.7 | 0.2 | 4.0 | 7.3 | 0.4 | 7.6 | 155.2 | 78.6 | 30.8 | 109.4 | 23.2 | 15.1 | — |
| 5–14 | 9.3 | 1.1 | 10.5 | 16.5 | 1.6 | 18.1 | 304.3 | 227.1 | 82.0 | 309.1 | 71.5 | 96.0 | — |
| 15–24 | 5.1 | 1.4 | 6.6 | 15.6 | 2.4 | 18.0 | 259.4 | 117.0 | 41.3 | 158.3 | 62.4 | 200.3 | 1 |
| 25–34 | 3.8 | 0.9 | 4.7 | 14.1 | 1.8 | 15.9 | 118.2 | 106.6 | 35.5 | 142.1 | 67.4 | 185.9 | 21 |
| 35–44 | 3.3 | 0.7 | 4.0 | 14.8 | 1.9 | 16.7 | 96.8 | 111.5 | 35.5 | 147.0 | 72.4 | 114.2 | 2 |
| 45–54 | 2.9 | 0.6 | 3.5 | 17.0 | 2.1 | 19.0 | 87.9 | 105.5 | 45.1 | 150.6 | 68.4 | 89.0 | 17 |
| 55–64 | 2.6 | 0.4 | 3.0 | 17.5 | 2.4 | 19.9 | 80.6 | 85.3 | 33.7 | 119.1 | 64.7 | 138.1 | 13 |
| 65–74 | 3.3 | 0.5 | 3.8 | 32.2 | 4.3 | 36.4 | 130.4 | 76.8 | 30.8 | 107.5 | 80.4 | 74.6 | 244 |
| 75+ | 5.5 | 0.9 | 6.4 | 72.1 | 14.1 | 86.2 | 159.6 | 80.0 | 22.8 | 102.9 | 46.3 | 276.6 | 336 |
| Total | 39.5 | 6.8 | 46.4 | 207.0 | 30.9 | 238.0 | 1,392.3 | 988.4 | 357.5 | 1,345.8 | 556.8 | 1,189.6 | 635 |
| Females | | | | | | | | | | | | | |
| 0–4 | 2.7 | 0.2 | 2.9 | 4.9 | 0.3 | 5.1 | 90.0 | 64.1 | 23.5 | 87.6 | 19.6 | 51.6 | — |
| 5–14 | 5.7 | 0.7 | 6.4 | 9.0 | 1.0 | 10.0 | 318.1 | 195.1 | 91.6 | 286.7 | 69.8 | 184.4 | — |
| 15–24 | 1.5 | 0.4 | 1.9 | 3.9 | 0.7 | 4.6 | 69.0 | 72.3 | 22.0 | 94.2 | 36.6 | 100.8 | 4 |
| 25–34 | 1.6 | 0.4 | 1.9 | 4.8 | 0.9 | 5.7 | 85.0 | 85.3 | 33.0 | 118.3 | 52.1 | 74.0 | — |
| 35–44 | 1.7 | 0.4 | 2.2 | 6.8 | 1.4 | 8.2 | 66.1 | 121.1 | 44.4 | 165.5 | 91.0 | 263.4 | — |
| 45–54 | 2.2 | 0.6 | 2.8 | 10.3 | 3.0 | 13.3 | 120.5 | 125.4 | 39.7 | 165.2 | 101.4 | 199.4 | 24 |
| 55–64 | 3.3 | 0.8 | 4.1 | 20.5 | 4.9 | 25.4 | 96.3 | 147.4 | 75.2 | 222.6 | 138.8 | 157.7 | — |
| 65–74 | 6.6 | 1.4 | 8.0 | 60.8 | 14.5 | 75.3 | 219.4 | 189.5 | 102.1 | 291.6 | 144.7 | 375.2 | 101 |
| 75+ | 18.6 | 4.3 | 22.9 | 237.4 | 88.0 | 325.4 | 203.1 | 279.2 | 96.5 | 375.8 | 165.5 | 196.8 | 1,323 |
| Total | 44.0 | 9.1 | 53.0 | 358.5 | 114.6 | 473.1 | 1,267.4 | 1,279.5 | 528.0 | 1,807.5 | 819.3 | 1,603.3 | 1,451 |

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

Table C.14: Adverse effects of medical treatment: total health system costs by health sector, sex and age, 1993–94 (\$ million)

| Sex / age | Hospital inpatients | | | Medical services ^(b) | | | | | Pharmaceuticals | | | Allied health | Other ^(c) | Total costs ^(d) | |
|----------------|---------------------------------|-------------------|----------------|---------------------------------|---------------|-------------|-------------|---------------|-----------------|------------------|-------------|---------------|----------------------|----------------------------|--|
| | Public hospitals ^(a) | Private hospitals | Non-inpatients | Total hospital | Nursing homes | GPs | Specialist | Total medical | Prescription | Over-the-counter | Total | | | | |
| Males | | | | | | | | | | | | | | | |
| 0–4 | 2.9 | 0.1 | 2.8 | 5.8 | — | 0.7 | 0.3 | 1.1 | 0.0 | 0.4 | 0.4 | 0.1 | 0.4 | 7.7 | |
| 5–14 | 3.3 | 0.3 | 0.6 | 4.2 | — | 0.5 | 0.2 | 0.7 | 0.3 | 0.1 | 0.4 | 0.5 | 0.3 | 6.0 | |
| 15–24 | 6.9 | 1.2 | 0.7 | 8.8 | 0.0 | 0.4 | 0.2 | 0.6 | 0.3 | 0.0 | 0.4 | 0.6 | 0.5 | 10.9 | |
| 25–34 | 7.3 | 1.8 | 0.8 | 9.9 | 0.6 | 0.7 | 0.5 | 1.2 | 0.6 | 0.1 | 0.8 | — | 0.6 | 13.1 | |
| 35–44 | 7.2 | 2.3 | 1.2 | 10.7 | 0.3 | 0.9 | 0.5 | 1.4 | 0.9 | 0.2 | 1.0 | 0.5 | 0.7 | 14.6 | |
| 45–54 | 10.4 | 3.3 | 1.1 | 14.9 | 0.6 | 1.1 | 0.4 | 1.5 | 0.6 | 0.2 | 0.9 | 0.1 | 0.9 | 18.8 | |
| 55–64 | 18.1 | 6.0 | 1.1 | 25.2 | 0.3 | 0.9 | 0.4 | 1.3 | 1.4 | 0.3 | 1.7 | 0.3 | 1.4 | 30.1 | |
| 65–74 | 29.4 | 9.0 | 4.6 | 43.0 | 4.4 | 1.7 | 1.3 | 3.1 | 1.2 | 0.4 | 1.6 | 0.1 | 2.5 | 54.7 | |
| 75+ | 19.6 | 6.6 | 3.2 | 29.4 | 3.1 | 1.3 | 1.0 | 2.3 | 0.5 | 0.1 | 0.6 | 0.6 | 1.7 | 37.8 | |
| Total | 105.1 | 30.5 | 16.2 | 151.8 | 9.4 | 8.3 | 5.0 | 13.2 | 6.0 | 1.8 | 7.7 | 2.7 | 8.8 | 193.7 | |
| Females | | | | | | | | | | | | | | | |
| 0–4 | 1.4 | 0.1 | 1.4 | 2.9 | — | 0.5 | 0.3 | 0.8 | 0.6 | 0.2 | 0.8 | — | 0.2 | 4.7 | |
| 5–14 | 2.8 | 0.2 | 1.0 | 4.1 | — | 0.5 | 0.1 | 0.6 | 0.1 | 0.1 | 0.2 | — | 0.2 | 5.1 | |
| 15–24 | 4.5 | 0.9 | 4.2 | 9.6 | 0.3 | 1.7 | 1.0 | 2.7 | 1.1 | 0.3 | 1.4 | — | 0.7 | 14.6 | |
| 25–34 | 6.7 | 2.2 | 2.7 | 11.7 | — | 1.8 | 2.2 | 4.0 | 1.8 | 0.5 | 2.2 | 0.3 | 0.9 | 19.1 | |
| 35–44 | 8.6 | 4.7 | 1.4 | 14.7 | — | 1.8 | 1.7 | 3.5 | 1.4 | 0.3 | 1.6 | 1.3 | 1.0 | 22.2 | |
| 45–54 | 9.4 | 5.4 | 2.8 | 17.5 | 0.5 | 1.8 | 1.7 | 3.6 | 1.3 | 0.4 | 1.7 | 0.4 | 1.1 | 24.8 | |
| 55–64 | 11.9 | 4.9 | 2.3 | 19.1 | — | 1.7 | 1.2 | 2.8 | 1.8 | 0.5 | 2.4 | 1.1 | 1.2 | 26.6 | |
| 65–74 | 20.4 | 7.6 | 3.8 | 31.7 | 1.0 | 1.9 | 1.9 | 3.8 | 2.3 | 0.5 | 2.8 | 0.5 | 1.9 | 41.7 | |
| 75+ | 22.5 | 8.4 | 3.9 | 34.8 | 5.9 | 1.9 | 1.2 | 3.2 | 1.4 | 0.2 | 1.7 | 0.6 | 2.2 | 48.4 | |
| Total | 88.2 | 34.4 | 23.6 | 146.2 | 7.6 | 13.6 | 11.3 | 24.9 | 11.8 | 3.1 | 14.9 | 4.2 | 9.4 | 207.3 | |

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under Hospital inpatients.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

Table C.15: Adverse effects of medical treatment: health service utilisation by health sector, sex and age, 1993–94

| Sex / age | Hospital admissions ('000) | | | Hospital bed days ('000) | | | Non-inpatient occasions of service ('000) | Medical services ^(b) ('000) | | | No. of prescriptions ('000) | Allied health consultations ('000) | Nursing home residents |
|----------------|---------------------------------|-------------------|----------------|---------------------------------|-------------------|----------------|---|--|--------------|---------------|-----------------------------|------------------------------------|------------------------|
| | Public hospitals ^(a) | Private hospitals | Total hospital | Public hospitals ^(a) | Private hospitals | Total hospital | | GPs | Specialist | Total medical | | | |
| Males | | | | | | | | | | | | | |
| 0–4 | 1.1 | 0.1 | 1.2 | 4.6 | 0.1 | 4.8 | 42.8 | 29.1 | 9.7 | 38.8 | 2.5 | 4.1 | — |
| 5–14 | 1.2 | 0.1 | 1.3 | 4.9 | 0.3 | 5.3 | 9.1 | 19.8 | 5.3 | 25.1 | 15.0 | 28.4 | — |
| 15–24 | 2.0 | 0.4 | 2.5 | 11.8 | 1.3 | 13.1 | 11.1 | 15.9 | 3.7 | 19.7 | 23.9 | 35.6 | 1 |
| 25–34 | 2.2 | 0.6 | 2.8 | 12.8 | 2.5 | 15.4 | 12.8 | 27.6 | 13.3 | 40.9 | 31.7 | — | 17 |
| 35–44 | 2.3 | 0.7 | 3.0 | 13.1 | 3.3 | 16.4 | 18.5 | 39.7 | 18.0 | 57.7 | 43.4 | 27.7 | 8 |
| 45–54 | 2.8 | 0.8 | 3.7 | 18.2 | 5.0 | 23.2 | 17.0 | 40.6 | 12.1 | 52.7 | 36.3 | 6.0 | 17 |
| 55–64 | 4.0 | 1.3 | 5.3 | 31.8 | 8.3 | 40.1 | 16.5 | 38.1 | 10.7 | 48.8 | 62.9 | 14.5 | 8 |
| 65–74 | 5.6 | 1.8 | 7.4 | 51.8 | 15.0 | 66.8 | 69.3 | 71.5 | 41.5 | 113.0 | 61.9 | 7.3 | 121 |
| 75+ | 3.8 | 1.2 | 5.0 | 39.4 | 11.6 | 51.0 | 48.7 | 45.8 | 21.8 | 67.6 | 30.5 | 33.2 | 86 |
| Total | 25.1 | 7.0 | 32.1 | 188.4 | 47.6 | 236.1 | 245.9 | 328.1 | 136.2 | 464.3 | 308.1 | 156.7 | 257 |
| Females | | | | | | | | | | | | | |
| 0–4 | 0.6 | 0.1 | 0.6 | 2.6 | 0.2 | 2.8 | 21.1 | 20.5 | 4.2 | 24.7 | 66.6 | — | — |
| 5–14 | 0.9 | 0.1 | 1.1 | 4.2 | 0.3 | 4.5 | 15.0 | 15.9 | 7.2 | 23.1 | 10.5 | — | — |
| 15–24 | 1.6 | 0.4 | 2.0 | 7.1 | 1.1 | 8.2 | 63.9 | 72.0 | 40.3 | 112.3 | 73.7 | — | 7 |
| 25–34 | 2.4 | 0.8 | 3.2 | 11.1 | 2.9 | 14.1 | 41.4 | 83.0 | 44.2 | 127.2 | 106.6 | 19.6 | — |
| 35–44 | 2.9 | 1.5 | 4.4 | 14.7 | 6.2 | 20.9 | 21.6 | 73.0 | 44.6 | 117.7 | 69.6 | 75.6 | — |
| 45–54 | 2.7 | 1.5 | 4.2 | 16.3 | 7.7 | 24.0 | 42.0 | 74.0 | 43.5 | 117.5 | 76.1 | 21.5 | 13 |
| 55–64 | 2.7 | 1.1 | 3.8 | 23.0 | 7.4 | 30.4 | 35.2 | 62.8 | 35.8 | 98.6 | 79.2 | 62.9 | — |
| 65–74 | 3.9 | 1.3 | 5.2 | 40.5 | 11.9 | 52.4 | 57.0 | 75.9 | 42.7 | 118.6 | 96.6 | 31.5 | 27 |
| 75+ | 4.0 | 1.3 | 5.3 | 52.4 | 15.9 | 68.4 | 59.5 | 71.2 | 37.8 | 109.0 | 72.6 | 34.4 | 161 |
| Total | 21.8 | 8.1 | 29.8 | 172.1 | 53.5 | 225.6 | 356.9 | 548.4 | 300.4 | 848.8 | 651.4 | 245.5 | 208 |

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

Table C.16: Suicide and self-inflicted injury: total health system costs by health sector, sex and age, 1993–94 (\$ million)

| Sex / age | Hospital inpatients | | | Nursing homes | Medical services ^(b) | | | Pharmaceuticals | | | Allied health | Other ^(c) | Total costs ^(d) | |
|----------------|---------------------------------|-------------------|----------------|---------------|---------------------------------|------------|------------|-----------------|--------------|------------------|---------------|----------------------|----------------------------|-------------|
| | Public hospitals ^(a) | Private hospitals | Non-inpatients | | Total hospital | GPs | Specialist | Total medical | Prescription | Over-the-counter | | | | Total |
| Males | | | | | | | | | | | | | | |
| 0–4 | 0.1 | — | 0.3 | 0.4 | — | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 |
| 5–14 | 0.2 | 0.0 | 0.1 | 0.3 | — | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 |
| 15–24 | 3.5 | 0.1 | 3.1 | 6.7 | 0.0 | 0.5 | 0.4 | 1.0 | 0.2 | 0.1 | 0.3 | 0.5 | 0.5 | 8.9 |
| 25–34 | 4.6 | 0.0 | 1.9 | 6.5 | 0.8 | 0.7 | 0.6 | 1.3 | 0.3 | 0.1 | 0.4 | 0.8 | 0.6 | 10.3 |
| 35–44 | 3.0 | 0.0 | 1.3 | 4.3 | 0.2 | 0.5 | 0.5 | 1.0 | 0.2 | 0.1 | 0.3 | 0.3 | 0.3 | 6.3 |
| 45–54 | 1.5 | 0.1 | 0.6 | 2.1 | 0.1 | 0.3 | 0.2 | 0.5 | 0.1 | 0.0 | 0.2 | 0.1 | 0.2 | 3.1 |
| 55–64 | 0.6 | 0.0 | 0.4 | 1.0 | — | 0.1 | 0.2 | 0.3 | 0.1 | 0.0 | 0.1 | 0.1 | 0.1 | 1.6 |
| 65–74 | 0.8 | 0.0 | 0.5 | 1.3 | 0.2 | 0.1 | 0.1 | 0.2 | 0.0 | 0.0 | 0.1 | 0.0 | 0.1 | 1.9 |
| 75+ | 0.6 | 0.0 | 0.3 | 0.9 | 0.1 | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.1 | 0.1 | 1.3 |
| Total | 14.9 | 0.3 | 8.4 | 23.6 | 1.4 | 2.4 | 2.0 | 4.4 | 1.0 | 0.4 | 1.4 | 2.0 | 1.9 | 34.6 |
| Females | | | | | | | | | | | | | | |
| 0–4 | 0.1 | 0.0 | 0.4 | 0.4 | — | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 |
| 5–14 | 0.4 | 0.0 | 0.4 | 0.8 | — | 0.1 | 0.1 | 0.2 | 0.0 | 0.0 | 0.0 | 0.1 | 0.1 | 1.1 |
| 15–24 | 4.3 | 0.1 | 2.4 | 6.7 | 0.4 | 0.9 | 0.7 | 1.6 | 0.4 | 0.2 | 0.5 | 0.9 | 0.6 | 10.7 |
| 25–34 | 3.8 | 0.1 | 2.3 | 6.2 | — | 0.8 | 0.9 | 1.7 | 0.4 | 0.2 | 0.5 | 0.5 | 0.5 | 9.4 |
| 35–44 | 3.0 | 0.1 | 1.0 | 4.2 | — | 0.7 | 0.7 | 1.4 | 0.4 | 0.1 | 0.5 | 0.9 | 0.4 | 7.4 |
| 45–54 | 1.5 | 0.1 | 0.9 | 2.5 | 0.1 | 0.3 | 0.3 | 0.6 | 0.1 | 0.1 | 0.2 | 0.3 | 0.2 | 3.8 |
| 55–64 | 0.8 | 0.0 | 0.3 | 1.2 | — | 0.2 | 0.2 | 0.3 | 0.2 | 0.0 | 0.2 | 0.1 | 0.1 | 1.9 |
| 65–74 | 0.7 | 0.0 | 0.4 | 1.1 | 0.1 | 0.1 | 0.2 | 0.3 | 0.1 | 0.0 | 0.1 | 0.0 | 0.1 | 1.6 |
| 75+ | 0.6 | 0.1 | 0.2 | 0.9 | 0.1 | 0.1 | 0.1 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 1.3 |
| Total | 15.3 | 0.4 | 8.2 | 23.9 | 0.6 | 3.2 | 3.1 | 6.3 | 1.6 | 0.6 | 2.2 | 2.7 | 2.1 | 37.8 |

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under Hospital inpatients.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

Table C.17: Suicide and self-inflicted injury: health service utilisation by health sector, sex and age, 1993–94

| Sex / age | Hospital admissions ('000) | | | Hospital bed days ('000) | | | Non-inpatient occasions of service ('000) | Medical services ^(b) ('000) | | | No. of prescriptions ('000) | Allied health consultations ('000) | Nursing home residents |
|----------------|---------------------------------|-------------------|----------------|---------------------------------|-------------------|----------------|---|--|-------------|---------------|-----------------------------|------------------------------------|------------------------|
| | Public hospitals ^(a) | Private hospitals | Total hospital | Public hospitals ^(a) | Private hospitals | Total hospital | | GPs | Specialist | Total medical | | | |
| Males | | | | | | | | | | | | | |
| 0–4 | 0.0 | — | 0.0 | 0.1 | — | 0.1 | 4.8 | 3.2 | 0.2 | 3.4 | 0.1 | 0.1 | — |
| 5–14 | 0.1 | 0.0 | 0.1 | 0.3 | 0.0 | 0.3 | 2.0 | 1.5 | 0.5 | 2.0 | 0.5 | 0.6 | — |
| 15–24 | 2.0 | 0.0 | 2.1 | 5.7 | 0.1 | 5.8 | 46.2 | 20.1 | 8.1 | 28.2 | 10.9 | 30.9 | 1 |
| 25–34 | 2.3 | 0.0 | 2.3 | 7.6 | 0.1 | 7.7 | 28.8 | 26.3 | 8.3 | 34.6 | 17.6 | 46.2 | 21 |
| 35–44 | 1.5 | 0.0 | 1.5 | 5.4 | 0.1 | 5.5 | 18.9 | 18.6 | 10.2 | 28.8 | 11.8 | 16.9 | 4 |
| 45–54 | 0.7 | 0.0 | 0.7 | 2.4 | 0.2 | 2.6 | 8.5 | 10.9 | 3.7 | 14.6 | 6.8 | 7.2 | 2 |
| 55–64 | 0.2 | 0.0 | 0.2 | 1.1 | 0.0 | 1.1 | 6.6 | 5.2 | 4.6 | 9.8 | 5.5 | 5.9 | — |
| 65–74 | 0.2 | 0.0 | 0.2 | 1.5 | 0.1 | 1.6 | 7.9 | 3.2 | 3.3 | 6.5 | 2.4 | 2.0 | 6 |
| 75+ | 0.1 | 0.0 | 0.1 | 1.8 | 0.0 | 1.8 | 4.1 | 2.4 | 0.3 | 2.7 | 0.5 | 3.2 | 4 |
| Total | 7.1 | 0.1 | 7.2 | 26.1 | 0.6 | 26.6 | 127.8 | 91.3 | 39.1 | 130.4 | 56.3 | 113.1 | 38 |
| Females | | | | | | | | | | | | | |
| 0–4 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.1 | 5.3 | 2.8 | 2.3 | 5.2 | 0.1 | 0.3 | — |
| 5–14 | 0.3 | 0.0 | 0.3 | 0.7 | 0.0 | 0.7 | 5.5 | 3.4 | 1.6 | 5.0 | 1.2 | 3.2 | — |
| 15–24 | 3.0 | 0.0 | 3.1 | 7.0 | 0.2 | 7.2 | 35.9 | 38.2 | 10.8 | 49.0 | 20.2 | 49.3 | 11 |
| 25–34 | 2.5 | 0.0 | 2.5 | 6.5 | 0.1 | 6.6 | 34.1 | 35.2 | 12.3 | 47.5 | 23.0 | 27.6 | — |
| 35–44 | 1.9 | 0.1 | 2.0 | 5.4 | 0.2 | 5.6 | 15.6 | 27.8 | 11.4 | 39.1 | 21.3 | 54.5 | — |
| 45–54 | 0.9 | 0.0 | 0.9 | 3.1 | 0.1 | 3.2 | 13.9 | 12.0 | 7.0 | 19.0 | 8.9 | 14.9 | 2 |
| 55–64 | 0.3 | 0.0 | 0.4 | 1.9 | 0.0 | 2.0 | 4.8 | 6.7 | 4.5 | 11.2 | 7.9 | 3.6 | — |
| 65–74 | 0.2 | 0.0 | 0.2 | 1.5 | 0.1 | 1.6 | 5.4 | 3.6 | 3.6 | 7.2 | 4.1 | 2.4 | 2 |
| 75+ | 0.1 | 0.0 | 0.2 | 1.4 | 0.1 | 1.5 | 3.8 | 2.5 | 4.5 | 7.0 | 1.9 | 0.4 | 3 |
| Total | 9.3 | 0.2 | 9.5 | 27.7 | 0.7 | 28.5 | 124.4 | 132.1 | 58.0 | 190.1 | 88.6 | 156.2 | 17 |

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

Table C.18: Homicide and violence: total health system costs by health sector, sex and age, 1993–94 (\$ million)

| Sex / age | Hospital inpatients | | | Nursing homes | Medical services ^(b) | | | Pharmaceuticals | | | Allied health | Other ^(c) | Total costs ^(d) | |
|----------------|---------------------------------|-------------------|----------------|---------------|---------------------------------|------------|------------|-----------------|--------------|------------------|---------------|----------------------|----------------------------|-------------|
| | Public hospitals ^(a) | Private hospitals | Non-inpatients | | Total hospital | GPs | Specialist | Total medical | Prescription | Over-the-counter | | | | Total |
| Males | | | | | | | | | | | | | | |
| 0–4 | 0.6 | — | 0.4 | 1.0 | — | 0.1 | 0.1 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 1.3 |
| 5–14 | 0.5 | 0.0 | 0.8 | 1.3 | — | 0.2 | 0.2 | 0.4 | 0.1 | 0.0 | 0.1 | 0.1 | 0.1 | 2.0 |
| 15–24 | 7.9 | 0.2 | 13.6 | 21.8 | 0.1 | 2.5 | 2.0 | 4.5 | 0.8 | 0.4 | 1.2 | 2.7 | 1.8 | 32.1 |
| 25–34 | 7.4 | 0.1 | 7.2 | 14.7 | — | 2.5 | 2.3 | 4.8 | 1.0 | 0.4 | 1.4 | 3.0 | 1.4 | 25.3 |
| 35–44 | 4.1 | 0.1 | 3.6 | 7.8 | 0.1 | 1.5 | 1.3 | 2.9 | 0.6 | 0.3 | 0.9 | 1.1 | 0.7 | 13.5 |
| 45–54 | 2.3 | 0.1 | 1.7 | 4.0 | 0.0 | 0.8 | 0.8 | 1.6 | 0.3 | 0.1 | 0.4 | 0.4 | 0.4 | 6.9 |
| 55–64 | 0.7 | 0.0 | 0.6 | 1.3 | 0.0 | 0.2 | 0.2 | 0.5 | 0.1 | 0.0 | 0.1 | 0.2 | 0.1 | 2.3 |
| 65–74 | 0.5 | 0.0 | 0.4 | 0.9 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.0 | 0.1 | 0.1 | 0.1 | 1.3 |
| 75+ | 0.2 | 0.0 | 0.1 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.4 |
| Total | 24.3 | 0.5 | 28.4 | 53.1 | 0.4 | 8.0 | 7.0 | 15.0 | 3.0 | 1.3 | 4.3 | 7.7 | 4.7 | 85.2 |
| Females | | | | | | | | | | | | | | |
| 0–4 | 0.4 | 0.0 | 0.3 | 0.6 | — | 0.1 | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.9 |
| 5–14 | 0.2 | 0.0 | 0.4 | 0.6 | — | 0.1 | 0.1 | 0.2 | 0.0 | 0.0 | 0.1 | 0.1 | 0.1 | 0.9 |
| 15–24 | 1.9 | 0.0 | 3.3 | 5.2 | 0.4 | 1.2 | 1.1 | 2.3 | 0.4 | 0.2 | 0.7 | 1.3 | 0.6 | 10.5 |
| 25–34 | 2.4 | 0.0 | 4.6 | 7.0 | — | 1.6 | 1.9 | 3.5 | 0.7 | 0.3 | 1.0 | 1.0 | 0.7 | 13.2 |
| 35–44 | 1.4 | 0.0 | 1.7 | 3.1 | — | 1.2 | 1.2 | 2.4 | 0.6 | 0.2 | 0.8 | 1.8 | 0.5 | 8.6 |
| 45–54 | 0.5 | 0.0 | 0.9 | 1.4 | — | 0.4 | 0.3 | 0.6 | 0.2 | 0.1 | 0.2 | 0.4 | 0.2 | 2.9 |
| 55–64 | 0.2 | 0.0 | 0.2 | 0.4 | — | 0.1 | 0.1 | 0.2 | 0.1 | 0.0 | 0.1 | 0.1 | 0.0 | 0.8 |
| 65–74 | 0.1 | 0.0 | 0.1 | 0.2 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 |
| 75+ | 0.2 | 0.1 | 0.0 | 0.3 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 |
| Total | 7.3 | 0.2 | 11.4 | 18.9 | 0.5 | 4.7 | 4.8 | 9.5 | 2.0 | 0.9 | 2.9 | 4.7 | 2.1 | 38.6 |

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Medical services for private patients in hospitals are included under Hospital inpatients.

(c) Includes other institutional, non-institutional and administration expenditure, and research.

(d) Excludes expenditure for public health services, community health services, ambulances, medical aids and appliances.

Table C.19: Homicide and violence: health service utilisation by health sector, sex and age, 1993–94

| Sex / age | Hospital admissions ('000) | | | Hospital bed days ('000) | | | Non-inpatient occasions of service ('000) | Medical services ^(b) ('000) | | | No. of prescriptions ('000) | Allied health consultations ('000) | Nursing home residents |
|----------------|---------------------------------|-------------------|----------------|---------------------------------|-------------------|----------------|---|--|--------------|---------------|-----------------------------|------------------------------------|------------------------|
| | Public hospitals ^(a) | Private hospitals | Total hospital | Public hospitals ^(a) | Private hospitals | Total hospital | | GPs | Specialist | Total medical | | | |
| Males | | | | | | | | | | | | | |
| 0–4 | 0.2 | — | 0.2 | 1.2 | — | 1.2 | 6.6 | 3.4 | 1.3 | 4.7 | 1.0 | 0.6 | — |
| 5–14 | 0.4 | 0.0 | 0.4 | 0.8 | 0.1 | 0.9 | 11.5 | 8.6 | 3.1 | 11.7 | 2.7 | 3.6 | — |
| 15–24 | 5.1 | 0.1 | 5.2 | 11.0 | 0.2 | 11.1 | 205.7 | 92.8 | 32.8 | 125.5 | 49.5 | 158.8 | 3 |
| 25–34 | 4.3 | 0.0 | 4.4 | 11.1 | 0.1 | 11.2 | 109.7 | 98.9 | 33.0 | 131.9 | 62.5 | 172.5 | — |
| 35–44 | 2.2 | 0.0 | 2.2 | 6.9 | 0.1 | 7.0 | 54.6 | 62.9 | 20.0 | 82.9 | 40.9 | 64.4 | 2 |
| 45–54 | 1.0 | 0.0 | 1.0 | 3.7 | 0.1 | 3.7 | 25.6 | 30.7 | 13.1 | 43.8 | 19.9 | 25.9 | 1 |
| 55–64 | 0.3 | 0.0 | 0.3 | 1.7 | 0.0 | 1.7 | 8.4 | 8.8 | 3.5 | 12.3 | 6.7 | 14.3 | 1 |
| 65–74 | 0.2 | 0.0 | 0.2 | 1.0 | 0.1 | 1.1 | 5.7 | 3.3 | 1.3 | 4.7 | 3.5 | 3.3 | 2 |
| 75+ | 0.1 | 0.0 | 0.1 | 0.3 | 0.0 | 0.4 | 1.7 | 0.8 | 0.2 | 1.1 | 0.5 | 2.9 | 1 |
| Total | 13.7 | 0.2 | 13.9 | 37.7 | 0.6 | 38.3 | 429.5 | 310.3 | 108.3 | 418.6 | 187.2 | 446.4 | 10 |
| Females | | | | | | | | | | | | | |
| 0–4 | 0.1 | 0.0 | 0.1 | 0.8 | 0.0 | 0.8 | 4.1 | 2.9 | 1.1 | 4.0 | 0.9 | 2.3 | — |
| 5–14 | 0.1 | 0.0 | 0.1 | 0.3 | 0.0 | 0.3 | 5.9 | 3.6 | 1.7 | 5.3 | 1.3 | 3.4 | — |
| 15–24 | 1.4 | 0.0 | 1.4 | 3.2 | 0.0 | 3.2 | 50.0 | 52.4 | 15.9 | 68.3 | 26.5 | 73.0 | 11 |
| 25–34 | 1.5 | 0.0 | 1.6 | 4.3 | 0.0 | 4.3 | 68.9 | 69.2 | 26.8 | 96.0 | 42.2 | 60.0 | — |
| 35–44 | 0.8 | 0.0 | 0.8 | 2.2 | 0.0 | 2.3 | 25.8 | 47.2 | 17.3 | 64.5 | 35.5 | 102.8 | — |
| 45–54 | 0.3 | 0.0 | 0.3 | 1.0 | 0.0 | 1.0 | 13.8 | 14.3 | 4.5 | 18.9 | 11.6 | 22.8 | — |
| 55–64 | 0.1 | 0.0 | 0.1 | 0.4 | 0.0 | 0.4 | 2.6 | 3.9 | 2.0 | 6.0 | 3.7 | 4.2 | — |
| 65–74 | 0.0 | 0.0 | 0.1 | 0.3 | 0.0 | 0.3 | 1.4 | 1.2 | 0.7 | 1.9 | 1.0 | 2.5 | 0 |
| 75+ | 0.1 | 0.0 | 0.1 | 0.4 | 0.1 | 0.6 | 0.6 | 0.8 | 0.3 | 1.1 | 0.5 | 0.6 | 2 |
| Total | 4.5 | 0.1 | 4.6 | 12.9 | 0.3 | 13.2 | 173.1 | 195.7 | 70.2 | 265.9 | 123.2 | 271.6 | 13 |

(a) Public acute, public psychiatric and repatriation hospitals.

(b) Out-of-hospital medical services only.

This page intentionally left blank.