Indicator 4: Ductal carcinoma in situ

Table 25: Number of women screened and cases of DCIS detected in these women by age, first screening round, states and territories, 2003

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	21,266	8,837	16,422	5,475	3,940	1,686	43	392	58,061
	Cases	14	12	12	7	3	1	0	0	49
50-59	Screened	16,931	14,183	9,269	5,815	4,608	1,039	660	406	52,911
	Cases	19	28	15	11	2	1	0	0	76
60–69	Screened	6,220	1,840	3,424	1,076	486	325	143	78	13,592
	Cases	11	6	3	5	0	1	0	0	26
70+	Screened	2,575	831	1,281	336	193	85	44	15	5,360
	Cases	8	1	2	1	0	0	0	0	12
Ages 40+	Screened	46,992	25,691	30,396	12,702	9,227	3,135	890	891	129,924
	Cases	52	47	32	24	5	3	0	0	163
Ages 50-69	Screened	23,151	16,023	12,693	6,891	5,094	1,364	803	484	66,503
	Cases	30	34	18	16	2	2	0	0	102

Source: AIHW analysis of BreastScreen Australia data.

Table 26: Age-specific rate of DCIS detected in women screened, first screening round, states and territories, 2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	6.6	13.6	7.3	12.8	7.6	5.9	0.0	0.0	8.4
50–59	11.2	19.7	16.2	18.9	4.3	9.6	0.0	0.0	14.4
60–69	17.7	32.6	8.8	46.5	0.0	30.8	0.0	0.0	19.1
70+	31.1	12.0	15.6	29.8	0.0	0.0	0.0	0.0	22.4
Ages 40+									
Crude rate	11.1	18.3	10.5	18.9	5.4	9.6	0.0	0.0	12.5
ASR(A)	14.5	21.1	12.2	26.6	3.3	13.5	0.0	0.0	15.5
95% CI	10.4–19.6	13.2–30.9	7.6–18.2	13.8–44.1	1.0-7.8	0.6-44.9	0.0	0.0	12.7–18.6
Ages 50-69									
Crude rate	13.0	21.2	14.2	23.2	3.9	14.7	0.0	0.0	15.3
ASR(A)	13.9	25.1	13.1	30.4	2.5	18.4	0.0	0.0	16.3
95% CI	9.1–20.2	14.4–38.9	7.5–21.0	14.5–53.5	0.3-9.2	1.0-70.0	0.0	0.0	12.9–20.3

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Table 27: Number of women screened and cases of DCIS detected in these women by age, subsequent screening rounds, states and territories, 2003

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	Screened	34,322	5,251	28,151	7,557	5,457	2,509	1,368	666	85,281
	Cases	21	2	10	5	2	3	1	1	45
50-59	Screened	87,479	73,547	59,339	29,439	27,577	8,073	4,832	1,791	292,077
	Cases	65	70	56	42	22	13	6	1	275
60–69	Screened	71,136	57,744	42,370	22,488	21,694	6,472	3,164	931	225,999
	Cases	68	53	43	42	23	8	6	0	243
70+	Screened	49,984	26,549	20,282	3,872	5,226	2,234	397	268	108,812
	Cases	69	38	25	12	8	4	1	0	157
Ages 40+	Screened	242,921	163,091	150,142	63,356	59,954	19,288	9,761	3,656	712,169
	Cases	223	163	134	101	55	28	14	2	720
Ages 50-69	Screened	158,615	131,291	101,709	51,927	49,271	14,545	7,996	2,722	518,076
	Cases	133	123	99	84	45	21	12	1	518

Source: AIHW analysis of BreastScreen Australia data.

Table 28: Age-specific rate of DCIS detected in women screened, subsequent screening rounds, states and territories, 2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–49	6.1	3.8	3.6	6.6	3.7	12.0	7.3	15.0	5.3
50-59	7.4	9.5	9.4	14.3	8.0	16.1	12.4	5.6	9.4
60–69	9.6	9.2	10.1	18.7	10.6	12.4	19.0	0.0	10.8
70+	13.8	14.3	12.3	31.0	15.3	17.9	25.2	0.0	14.4
Ages 40+									
Crude rate	9.2	10.0	8.9	15.9	9.2	14.5	14.3	5.5	10.1
ASR(A)	8.5	8.8	8.8	16.0	8.7	14.4	14.8	5.3	9.6
95% CI	7.4–9.8	7.2–10.6	7.4–10.4	12.8–19.7	6.4–11.5	9.5–21.0	7.1–26.3	0.6-19.3	8.9–10.3
Ages 50-69									
Crude rate	8.4	9.4	9.7	16.2	9.1	14.4	15.0	3.7	10.0
ASR(A)	8.3	9.4	9.7	16.1	9.1	14.5	15.1	3.3	10.0
95% CI	7.0–9.9	7.8–11.2	7.9–11.8	12.8–19.9	6.6-12.1	9.0-22.2	7.8–26.5	0.1-18.2	9.1–10.9

Note: Rates are the number of cases of DCIS per 10,000 women screened and age-standardised to the population of women attending a BreastScreen Australia service in 1998.

Indicator 5: Recall to assessment rate

Table 29: Numbers of women screened and women recalled for assessment by age, mammographic reasons, first screening round, states and territories, 2003

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	12,126	4,123	10,426	2,613	2,010	898	9	194	32,399
	Recalled	1,006	369	940	266	100	74	1	9	2,765
45–49	Screened	9,141	4,714	5,996	2,862	1,930	788	34	198	25,663
	Recalled	853	489	636	357	103	103	5	9	2,555
50–54	Screened	11,028	12,195	6,220	4,704	3,979	671	507	284	39,588
	Recalled	1,017	1,232	675	515	229	90	50	17	3,825
55–59	Screened	5,904	1,988	3,049	1,111	629	368	153	122	13,324
	Recalled	570	219	289	121	29	40	13	13	1,294
60–64	Screened	3,640	1,087	2,040	680	294	208	96	44	8,089
	Recalled	340	100	189	50	21	27	7	2	736
65–69	Screened	2,580	753	1,384	396	192	117	47	34	5,503
	Recalled	219	57	133	34	10	14	4	0	471
70–74	Screened	1,304	406	655	154	69	41	22	6	2,657
	Recalled	116	48	60	13	5	5	1	0	248
75–79	Screened	817	261	437	112	69	28	14	9	1,747
	Recalled	60	40	39	13	6	3	2	0	163
80–84	Screened	355	123	149	57	46	12	6	0	748
	Recalled	35	16	8	8	0	2	0	0	69
85+	Screened	99	41	40	13	9	4	2	0	208
	Recalled	6	4	5	0	1	1	0	0	17
Ages 40+	Screened	46,994	25,691	30,396	12,702	9,227	3,135	890	891	129,926
	Recalled	4,222	2,574	2,974	1,377	504	359	83	50	12,143
Ages 50-69	Screened	23,152	16,023	12,693	6,891	5,094	1,364	803	484	66,504
	Recalled	2,146	1,608	1,286	720	289	171	74	32	6,326

Table 30: Age-specific and age-standardised recall to assessment rates, mammographic reasons, first screening round, states and territories, 2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
				(Per ce	ent)				
40–44	8.3	8.9	9.0	10.2	5.0	8.2	11.1	4.6	8.5
45–49	9.3	10.4	10.6	12.5	5.3	13.1	14.7	4.5	10.0
50-54	9.2	10.1	10.9	10.9	5.8	13.4	9.9	6.0	9.7
55–59	9.7	11.0	9.5	10.9	4.6	10.9	8.5	10.7	9.7
60–64	9.3	9.2	9.3	7.4	7.1	13.0	7.3	4.5	9.1
65–69	8.5	7.6	9.6	8.6	5.2	12.0	8.5	0.0	8.6
70–74	8.9	11.8	9.2	8.4	7.2	12.2	4.5	0.0	9.3
75–79	7.3	15.3	8.9	11.6	8.7	10.7	14.3	0.0	9.3
80–84	9.9	13.0	5.4	14.0	0.0	16.7	0.0		9.2
85+	6.1	9.8	12.5	0.0	11.1	25.0	0.0		8.2
Ages 40+									
Crude rate	9.0	10.0	9.8	10.8	5.5	11.5	9.3	5.6	9.3
ASR(A)	9.1	10.1	9.8	10.0	5.8	12.1	9.4	4.8	9.3
95% CI	8.7–9.4	9.5–10.7	9.3–10.3	9.3–10.9	4.9–6.7	10.4–14.0	6.5–12.8	3.3-6.6	9.1–9.6
Ages 50-69									
Crude rate	9.3	10.0	10.1	10.4	5.7	12.5	9.2	6.6	9.5
ASR(A)	9.2	9.6	9.9	9.7	5.7	12.4	8.7	5.7	9.3
95% CI	8.8–9.6	9.0–10.4	9.3–10.5	8.8–10.6	4.6–6.8	10.4–14.6	6.3–11.5	3.7-8.4	9.1–9.6

^{. .} Not applicable—no women in this age group were screened in 2003.

Table 31: Numbers of women screened and women recalled for assessment by age, mammographic reasons, subsequent screening rounds, states and territories, 2003

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	8,387	855	7,730	1,514	1,267	600	273	146	20,772
	Recalled	368	49	386	80	31	38	14	4	970
45–49	Screened	25,934	4,396	20,421	6,043	4,190	1,909	1,095	520	64,508
	Recalled	1,318	254	1,044	277	128	131	51	25	3,228
50-54	Screened	40,877	32,664	28,992	13,766	12,734	3,896	2,311	899	136,139
	Recalled	1,743	1,483	1,326	477	287	245	113	35	5,709
55–59	Screened	46,601	40,883	30,347	15,673	14,843	4,177	2,521	892	155,937
	Recalled	1,951	1,634	1,331	504	341	235	124	34	6,154
60–64	Screened	38,545	31,374	23,235	12,397	11,903	3,439	1,848	608	123,349
	Recalled	1,683	1,286	1,035	357	294	158	88	14	4,915
65–69	Screened	32,591	26,370	19,135	10,091	9,791	3,033	1,316	323	102,650
	Recalled	1,328	1,008	854	322	281	148	71	7	4,019
70–74	Screened	25,346	20,678	14,837	2,623	3,301	1,795	267	169	69,016
	Recalled	991	771	635	92	88	81	10	7	2,675
75–79	Screened	16,992	5,118	4,303	975	1,532	341	91	64	29,416
	Recalled	645	214	226	38	33	7	3	3	1,169
80–84	Screened	6,242	660	920	241	345	85	36	32	8,561
	Recalled	223	30	58	4	16	6	2	1	340
85+	Screened	1,404	93	222	33	48	13	3	3	1,819
	Recalled	45	6	8	0	3	1	1	0	64
Ages 40+	Screened	242,919	163,091	150,142	63,356	59,954	19,288	9,761	3,656	712,167
	Recalled	10,295	6,735	6,903	2,151	1,502	1,050	477	130	29,243
Ages 50-69	Screened	158,614	131,291	101,709	51,927	49,271	14,545	7,996	2,722	518,075
	Recalled	6,705	5,411	4,546	1,660	1,203	786	396	90	20,797

Table 32: Age-specific and age-standardised recall to assessment rates, mammographic reasons, subsequent screening rounds, states and territories, 2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
				(Per ce	ent)				
40–44	4.4	5.7	5.0	5.3	2.4	6.3	5.1	2.7	4.7
45–49	5.1	5.8	5.1	4.6	3.1	6.9	4.7	4.8	5.0
50–54	4.3	4.5	4.6	3.5	2.3	6.3	4.9	3.9	4.2
55–59	4.2	4.0	4.4	3.2	2.3	5.6	4.9	3.8	3.9
60–64	4.4	4.1	4.5	2.9	2.5	4.6	4.8	2.3	4.0
65–69	4.1	3.8	4.5	3.2	2.9	4.9	5.4	2.2	3.9
70–74	3.9	3.7	4.3	3.5	2.7	4.5	3.7	4.1	3.9
75–79	3.8	4.2	5.3	3.9	2.2	2.1	3.3	4.7	4.0
80–84	3.6	4.5	6.3	1.7	4.6	7.1	5.6	3.1	4.0
85+	3.2	6.5	3.6	0.0	6.3	7.7	33.3	0.0	3.5
Ages 40+									
Crude rate	4.2	4.1	4.6	3.4	2.5	5.4	4.9	3.6	4.1
ASR(A)	4.3	4.5	4.6	3.6	2.6	5.5	4.8	3.5	4.2
95% CI	4.2-4.4	4.3-4.6	4.5–4.7	3.4–3.8	2.4–2.7	5.2-5.9	4.4-5.4	2.9-4.2	4.1–4.2
Ages 50-69									
Crude rate	4.2	4.1	4.5	3.2	2.4	5.4	5.0	3.3	4.0
ASR(A)	4.2	4.2	4.5	3.2	2.4	5.5	5.0	3.2	4.0
95% CI	4.1–4.3	4.1–4.3	4.3-4.6	3.1–3.4	2.3-2.6	5.1–5.9	4.5–5.5	2.5–3.9	4.0-4.1

Table 33: Numbers of women screened and women recalled for assessment by age, other reasons only, first screening round, states and territories, 2003

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	12,126	4,123	10,426	2,613	2,010	898	9	194	32,399
	Recalled	18	102	264	21	0	0	0	0	405
45–49	Screened	9,141	4,714	5,996	2,862	1,930	788	34	198	25,663
	Recalled	13	73	134	16	0	0	0	0	236
50–54	Screened	11,028	12,195	6,220	4,704	3,979	671	507	284	39,588
	Recalled	8	172	86	17	0	0	0	0	283
55–59	Screened	5,904	1,988	3,049	1,111	629	368	153	122	13,324
	Recalled	5	32	38	5	0	0	0	0	80
60–64	Screened	3,640	1,087	2,040	680	294	208	96	44	8,089
	Recalled	4	19	23	0	0	0	0	0	46
65–69	Screened	2,580	753	1,384	396	192	117	47	34	5,503
	Recalled	2	11	12	1	0	0	0	0	26
70–74	Screened	1,304	406	655	154	69	41	22	6	2,657
	Recalled	1	9	6	0	0	0	0	0	16
75–79	Screened	817	261	437	112	69	28	14	9	1,747
	Recalled	0	5	6	0	0	0	0	0	11
80–84	Screened	355	123	149	57	46	12	6	0	748
	Recalled	0	1	1	0	0	0	0	0	2
85+	Screened	99	41	40	13	9	4	2	0	208
	Recalled	0	0	1	1	0	0	0	0	2
Ages 40+	Screened	46,994	25,691	30,396	12,702	9,227	3,135	890	891	129,926
	Recalled	51	424	571	61	0	0	0	0	1,107
Ages 50-69	Screened	23,152	16,023	12,693	6,891	5,094	1,364	803	484	66,504
	Recalled	19	234	159	23	0	0	0	0	435

Table 34: Age-specific and age-standardised recall to assessment rates, first screening round, other reasons only, states and territories, 2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
				(Per cen	t)				
40–44	0.1	2.5	2.5	0.8	0.0	0.0	0.0	0.0	1.3
45–49	0.1	1.5	2.2	0.6	0.0	0.0	0.0	0.0	0.9
50–54	0.1	1.4	1.4	0.4	0.0	0.0	0.0	0.0	0.7
55–59	0.1	1.6	1.2	0.5	0.0	0.0	0.0	0.0	0.6
60–64	0.1	1.7	1.1	0.0	0.0	0.0	0.0	0.0	0.6
65–69	0.1	1.5	0.9	0.3	0.0	0.0	0.0	0.0	0.5
70–74	0.1	2.2	0.9	0.0	0.0	0.0	0.0	0.0	0.6
75–79	0.0	1.9	1.4	0.0	0.0	0.0	0.0	0.0	0.6
80–84	0.0	8.0	0.7	0.0	0.0	0.0	0.0	••	0.3
85+	0.0	0.0	2.5	7.7	0.0	0.0	0.0	••	1.0
Ages 40+									
Crude rate	0.1	1.7	1.9	0.5	0.0	0.0	0.0	0.0	0.9
ASR(A)	0.1	1.7	1.4	0.3	0.0	0.0	0.0	0.0	0.7
95% CI	0.1–0.1	1.4–1.9	1.3–1.6	0.2-0.5	0.0	0.0	0.0	0.0	0.6-0.8
Ages 50-69									
Crude rate	0.1	1.5	1.3	0.3	0.0	0.0	0.0	0.0	0.7
ASR(A)	0.1	1.5	1.2	0.3	0.0	0.0	0.0	0.0	0.6
95% CI	0.0-0.1	1.3–1.9	1.0–1.4	0.1-0.5	0.0	0.0	0.0	0.0	0.5-0.7

^{. .} Not applicable—no women in this age group were screened in 2003.

Table 35: Numbers of women screened and women recalled for assessment by age, other reasons only, subsequent screening rounds, states and territories, 2003

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	8,387	855	7,730	1,514	1,267	600	273	146	20,772
	Recalled	9	18	140	8	0	0	0	0	175
45–49	Screened	25,934	4,396	20,421	6,043	4,190	1,909	1,095	520	64,508
	Recalled	21	74	353	23	0	0	0	0	471
50–54	Screened	40,877	32,664	28,992	13,766	12,734	3,896	2,311	899	136,139
	Recalled	27	277	349	49	0	0	0	0	702
55–59	Screened	46,601	40,883	30,347	15,673	14,843	4,177	2,521	892	155,937
	Recalled	20	258	271	36	0	0	0	0	585
60–64	Screened	38,545	31,374	23,235	12,397	11,903	3,439	1,848	608	123,349
	Recalled	14	177	201	27	0	0	0	0	419
65–69	Screened	32,591	26,370	19,135	10,091	9,791	3,033	1,316	323	102,650
	Recalled	10	109	138	10	0	0	0	0	267
70–74	Screened	25,346	20,678	14,837	2,623	3,301	1,795	267	169	69,016
	Recalled	8	59	106	2	0	0	0	0	175
75–79	Screened	16,992	5,118	4,303	975	1,532	341	91	64	29,416
	Recalled	8	24	47	1	0	0	0	0	80
80–84	Screened	6,242	660	920	241	345	85	36	32	8,561
	Recalled	2	4	22	0	0	0	0	0	28
85+	Screened	1,404	93	222	33	48	13	3	3	1,819
	Recalled	0	1	4	0	0	0	0	0	5
Ages 40+	Screened	242,919	163,091	150,142	63,356	59,954	19,288	9,761	3,656	712,167
	Recalled	119	1,001	1,631	156	0	0	0	0	2,907
Ages 50-69	Screened	158,614	131,291	101,709	51,927	49,271	14,545	7,996	2,722	518,075
	Recalled	71	821	959	122	0	0	0	0	1,973

Table 36: Age-specific and age-standardised recall to assessment rates, other reasons only, subsequent screening rounds, states and territories, 2003

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
				(Per ce	ent)				
40–44	0.1	2.1	1.8	0.5	0.0	0.0	0.0	0.0	8.0
45–49	0.1	1.7	1.7	0.4	0.0	0.0	0.0	0.0	0.7
50-54	0.1	0.8	1.2	0.4	0.0	0.0	0.0	0.0	0.5
55–59	0.0	0.6	0.9	0.2	0.0	0.0	0.0	0.0	0.4
60–64	0.0	0.6	0.9	0.2	0.0	0.0	0.0	0.0	0.3
65–69	0.0	0.4	0.7	0.1	0.0	0.0	0.0	0.0	0.3
70–74	0.0	0.3	0.7	0.1	0.0	0.0	0.0	0.0	0.3
75–79	0.0	0.5	1.1	0.1	0.0	0.0	0.0	0.0	0.3
80–84	0.0	0.6	2.4	0.0	0.0	0.0	0.0	0.0	0.3
85+	0.0	1.1	1.8	0.0	0.0	0.0	0.0	0.0	0.3
Ages 40+									
Crude rate	0.0	0.6	1.1	0.2	0.0	0.0	0.0	0.0	0.4
ASR(A)	0.1	0.9	1.1	0.3	0.0	0.0	0.0	0.0	0.5
95% CI	0.0-0.1	0.8–1.0	1.1–1.2	0.2-0.3	0.0	0.0	0.0	0.0	0.4-0.5
Ages 50-69									
Crude rate	0.0	0.6	0.9	0.2	0.0	0.0	0.0	0.0	0.4
ASR(A)	0.0	0.6	1.0	0.2	0.0	0.0	0.0	0.0	0.4
95% CI	0.0-0.1	0.6-0.7	0.9–1.0	0.2-0.3	0.0	0.0	0.0	0.0	0.4-0.4

Indicator 6: Rescreen rate

Table 37: Number of women screened during 2001 and number of those women who returned for screening within 27 months by age, first screening round, states and territories

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	13,614	4,369	9,697	2,505	2,141	810	567	308	34,011
	Returned	7,092	650	6,928	1,439	1,220	605	267	157	18,358
45–49	Screened	10,752	5,192	6,225	2,943	2,251	656	604	281	28,904
	Returned	5,549	2,025	4,368	1,783	1,373	473	299	135	16,005
50-54	Screened	13,275	12,946	6,971	4,529	4,261	720	672	353	43,727
	Returned	7,240	8,962	4,947	2,864	2,935	533	322	168	27,971
55–59	Screened	5,814	4,477	3,291	1,211	835	276	196	132	16,232
	Returned	3,185	2,759	2,356	714	512	189	94	42	9,851
60–64	Screened	4,364	3,602	2,279	873	411	205	107	63	11,904
	Returned	2,463	2,334	1,700	542	261	154	53	25	7,532
65–69	Screened	3,117	2,931	1,606	569	317	135	72	40	8,787
	Returned	1,696	1,863	1,199	274	141	99	24	15	5,311
70–74	Screened	1,895	1,187	921	232	171	60	33	19	4,518
	Returned	1,037	658	570	34	22	27	3	5	2,356
75–79	Screened	1,308	540	577	178	164	70	24	12	2,873
	Returned	647	46	89	29	30	10	4	1	856
80–84	Screened	556	220	200	65	59	15	7	7	1,129
	Returned	257	14	23	5	8	1	1	4	313
85+	Screened	143	75	60	26	23	7	3	0	337
	Returned	41	2	6	2	3	0	0	0	54
Ages 40+	Screened	54,838	35,539	31,827	13,131	10,633	2,954	2,285	1,215	152,422
	Returned	29,207	19,313	22,186	7,686	6,505	2,091	1,067	552	88,607
Ages 50-67	Screened	25,476	22,917	13,567	6,972	5,706	1,336	1,026	577	77,577
	Returned	14,033	15,277	9,784	4,358	3,833	975	491	247	48,998

Table 38: Age-specific and age-standardised rescreen rates for women screened during 2001, first screening round, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia		
(Per cent)											
40–44	52.1	14.9	71.4	57.4	57.0	74.7	47.1	51.0	54.0		
45–49	51.6	39.0	70.2	60.6	61.0	72.1	49.5	48.0	55.4		
50-54	54.5	69.2	71.0	63.2	68.9	74.0	47.9	47.6	64.0		
55–59	54.8	61.6	71.6	59.0	61.3	68.5	48.0	31.8	60.7		
60–64	56.4	64.8	74.6	62.1	63.5	75.1	49.5	39.7	63.3		
65–69	54.4	63.6	74.7	48.2	44.5	73.3	33.3	37.5	60.4		
70–74	54.7	55.4	61.9	14.7	12.9	45.0	9.1	26.3	52.1		
75–79	49.5	8.5	15.4	16.3	18.3	14.3	16.7	8.3	29.8		
80–84	46.2	6.4	11.5	7.7	13.6	6.7	14.3	57.1	27.7		
85+	28.7	2.7	10.0	7.7	13.0	0.0	0.0		16.0		
Ages 40+											
Crude rate	53.3	54.3	69.7	58.5	61.2	70.8	46.7	45.4	58.1		
ASR(A)	54.0	54.7	68.9	53.5	54.8	68.0	41.8	39.7	58.5		
95% CI	53.3-54.8	53.8–55.5	67.8–70.1	52.0-55.0	52.9–56.8	64.2–71.8	38.3–45.5	35.1–44.6	58.1–59.0		
Ages 50-67											
Crude rate	55.1	66.7	72.1	62.5	67.2	73.0	47.9	42.8	63.2		
ASR(A)	55.3	65.4	72.7	62.2	64.7	72.6	47.7	40.5	62.9		
95% CI	54.4-56.3	64.3–66.6	71.2–74.2	60.0-64.4	61.8–67.6	67.8–77.7	42.7–53.1	34.6–46.9	62.2–63.5		

^{. .} Not applicable—no women in this age group were screened in 2001.

Table 39: Number of women screened during 2001 and number of those women who returned for screening within 27 months by age, second screening round, states and territories

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	7,215	915	5,409	1,174	1,013	426	241	101	16,494
	Returned	4,520	330	4,356	808	735	345	149	65	11,308
45–49	Screened	10,152	2,803	6,700	2,394	1,906	647	471	183	25,256
	Returned	6,230	1,499	5,267	1,646	1,405	513	283	100	16,943
50–54	Screened	12,848	15,915	8,660	3,581	4,706	849	713	372	47,644
	Returned	8,178	12,320	6,843	2,438	3,674	668	412	242	34,775
55–59	Screened	6,772	3,662	5,694	1,755	1,919	455	271	137	20,665
	Returned	4,130	2,566	4,602	1,141	1,437	360	159	77	14,472
60–64	Screened	4,927	2,539	4,065	1,159	963	296	161	82	14,192
	Returned	3,189	1,879	3,370	779	712	230	95	54	10,308
65–69	Screened	3,754	1,729	3,238	851	688	214	85	48	10,607
	Returned	2,309	1,278	2,641	410	359	171	33	25	7,226
70–74	Screened	2,404	1,093	2,070	259	196	102	33	25	6,182
	Returned	1,415	638	1,444	63	46	51	5	14	3,676
75–79	Screened	1,604	410	921	189	224	71	25	7	3,451
	Returned	871	44	138	38	53	20	0	2	1,166
80–84	Screened	627	218	279	52	72	22	8	6	1,284
	Returned	280	19	35	12	15	7	0	2	370
85+	Screened	156	59	89	13	15	4	2	1	339
	Returned	45	6	11	0	0	1	0	0	63
Ages 40+	Screened	50,459	29,343	37,125	11,427	11,702	3,086	2,010	962	146,114
	Returned	31,167	20,579	28,707	7,335	8,436	2,366	1,136	581	100,307
Ages 50-67	Screened	26,915	23,225	20,394	7,030	8,028	1,814	1,194	628	89,228
	Returned	16,995	17,595	16,452	4,697	6,137	1,429	694	396	64,395

Table 40: Age-specific and age-standardised rescreen rates in women screened during 2001, second screening round, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia		
(Per cent)											
40–44	62.6	36.1	80.5	68.8	72.6	81.0	61.8	64.4	68.6		
45–49	61.4	53.5	78.6	68.8	73.7	79.3	60.1	54.6	67.1		
50–54	63.7	77.4	79.0	68.1	78.1	78.7	57.8	65.1	73.0		
55–59	61.0	70.1	80.8	65.0	74.9	79.1	58.7	56.2	70.0		
60–64	64.7	74.0	82.9	67.2	73.9	77.7	59.0	65.9	72.6		
65–69	61.5	73.9	81.6	48.2	52.2	79.9	38.8	52.1	68.1		
70–74	58.9	58.4	69.8	24.3	23.5	50.0	15.2	56.0	59.5		
75–79	54.3	10.7	15.0	20.1	23.7	28.2	0.0	28.6	33.8		
80–84	44.7	8.7	12.5	23.1	20.8	31.8	0.0	33.3	28.8		
85+	28.8	10.2	12.4	0.0	0.0	25.0	0.0	0.0	18.6		
Ages 40+											
Crude rate	61.8	70.1	77.3	64.2	72.1	76.7	56.5	60.4	68.6		
ASR(A)	61.8	64.5	76.9	59.3	65.7	74.6	50.3	58.3	67.9		
95% CI	61.0–62.5	63.4–65.6	75.9–77.8	57.9–60.9	64.1–67.3	71.3–78.0	46.8–54.0	52.7-64.3	67.4–68.3		
Ages 50-67											
Crude rate	63.1	75.8	80.7	66.8	76.4	78.8	58.1	63.1	72.2		
ASR(A)	63.1	74.2	80.9	66.4	75.3	78.7	58.2	62.4	71.9		
95% CI	62.1–64.1	72.8–75.6	79.7–82.2	64.4–68.5	73.2–77.5	74.6–83.1	53.3–63.5	55.6–69.7	71.3–72.5		

Table 41: Number of women screened during 2001 and number of those women who returned for screening within 27 months by age, third and subsequent screening rounds, states and territories

Age group	Number	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia
40–44	Screened	2,340	125	1,958	401	290	152	75	34	5,375
	Returned	1,760	77	1,716	346	242	126	62	25	4,354
45–49	Screened	17,339	2,052	12,142	3,352	2,582	1,545	782	260	40,054
	Returned	12,274	1,390	10,407	2,712	2,165	1,313	563	198	31,022
50–54	Screened	29,479	17,165	18,636	9,653	8,039	2,890	1,848	453	88,163
	Returned	21,607	14,454	16,277	7,789	6,937	2,522	1,328	355	71,269
55–59	Screened	36,798	32,005	19,591	11,473	11,711	3,239	1,989	621	117,427
	Returned	27,191	27,109	17,381	9,388	10,238	2,849	1,460	473	96,089
60–64	Screened	32,933	25,973	16,440	10,190	10,954	2,955	1,544	380	101,369
	Returned	24,712	22,309	14,674	8,540	9,650	2,653	1,166	303	84,007
65–69	Screened	28,526	21,577	13,560	8,319	8,882	2,526	1,140	185	84,715
	Returned	20,960	18,311	12,052	5,283	5,979	2,229	639	135	65,588
70–74	Screened	24,322	18,575	11,323	2,197	3,210	978	229	111	60,945
	Returned	16,874	12,776	8,569	1,004	1,620	742	61	91	41,737
75–79	Screened	14,446	4,650	4,908	706	1,062	209	81	38	26,100
	Returned	9,444	748	1,136	323	491	92	31	23	12,288
80–84	Screened	4,586	421	1,615	142	227	38	26	18	7,073
	Returned	2,648	115	334	60	86	18	4	5	3,270
85+	Screened	982	82	331	29	21	3	1	1	1,450
	Returned	430	19	68	8	7	2	1	0	535
Ages 40+	Screened	191,751	122,625	100,504	46,462	46,978	14,535	7,715	2,101	532,671
	Returned	137,900	97,308	82,614	35,453	37,415	12,546	5,315	1,608	410,159
Ages 50-67	Screened	116,782	88,466	63,202	36,453	36,201	11,610	6,103	1,579	360,396
	Returned	86,739	75,281	55,947	29,976	31,625	10,253	4,487	1,221	295,529

Table 42: Age-specific and age-standardised rescreen rates in women screened during 2001, third and subsequent screening rounds, states and territories

Age group	NSW	Vic	Qld	WA	SA	Tas	ACT	NT	Australia		
(Per cent)											
40–44	75.2	61.6	87.6	86.3	83.4	82.9	82.7	73.5	81.0		
45–49	70.8	67.7	85.7	80.9	83.8	85.0	72.0	76.2	77.5		
50–54	73.3	84.2	87.3	80.7	86.3	87.3	71.9	78.4	80.8		
55–59	73.9	84.7	88.7	81.8	87.4	88.0	73.4	76.2	81.8		
60–64	75.0	85.9	89.3	83.8	88.1	89.8	75.5	79.7	82.9		
65–69	73.5	84.9	88.9	63.5	67.3	88.2	56.1	73.0	77.4		
70–74	69.4	68.8	75.7	45.7	50.5	75.9	26.6	82.0	68.5		
75–79	65.4	16.1	23.1	45.8	46.2	44.0	38.3	60.5	47.1		
80–84	57.7	27.3	20.7	42.3	37.9	47.4	15.4	27.8	46.2		
85+	43.8	23.2	20.5	27.6	33.3	66.7	100.0	0.0	36.9		
Ages 40+											
Crude rate	71.9	79.4	82.2	76.3	79.6	86.3	68.9	76.5	77.0		
ASR(A)	72.8	76.8	84.2	75.2	79.0	84.6	66.3	76.0	78.0		
95% CI	72.3–73.2	75.5–78.0	83.6–84.9	74.1–76.2	77.9–80.2	82.8–86.4	63.9–68.7	71.7–80.4	77.7–78.3		
Ages 50-67											
Crude rate	74.3	85.1	88.5	82.2	87.4	88.3	73.5	77.3	82.0		
ASR(A)	74.1	84.9	88.4	82.0	87.2	88.2	73.4	77.3	81.8		
95% CI	73.6–74.6	84.3–85.6	87.7–89.2	81.1–83.0	86.2–88.2	86.4–90.0	71.3–75.6	72.8–81.9	81.5–82.1		