

Reference list

1. Commonwealth Department of Health and Aged Care (DHAC). Medicare Benefits Schedule book. Canberra: DHAC, 2001.
2. Commonwealth Department of Health and Aged Care (DHAC). General practice in Australia: 2000. Canberra: DHAC, 2000.
3. Australian Institute of Health and Welfare (AIHW). Australia's health 2000: the seventh biennial health report of the Australian Institute of Health and Welfare. Canberra: AIHW, 2000.
4. Martin C. Enhanced primary care reforms. General practice research and leadership is urgently needed. *Aust Fam Physician* 2002; 31(4):379.
5. Britt H, Sayer GP, Miller GC, Charles J, Scahill S, Horn F et al. BEACH Bettering the Evaluation and Care of Health: a study of general practice activity, six-month interim report. Canberra: Australian Institute of Health and Welfare, 1999.
6. Britt H, Miller GC, Charles J, Knox S, Sayer GP, Valenti L et al. General practice activity in Australia 1999–2000. Canberra: Australian Institute of Health and Welfare, 2000.
7. Britt H, Miller GC, Knox S, Charles J, Valenti L, Henderson J et al. General practice activity in Australia 2000–2001. Canberra: Australian Institute of Health and Welfare, 2001.
8. SAS Proprietary Software Release 6.12. Cary: SAS Institute Inc. 1996.
9. Sayer GP. Estimating and generalising with clustered sampling in general practice. *Aust Fam Physician* 1999; 28(Suppl1):S32–S34.
10. Kish L. Survey sampling. New York: John Wiley & Sons, 1965.
11. SAS Proprietary Software Release 8.00. Cary: SAS Institute Inc. 1999.
12. Britt H. A new coding tool for computerised clinical systems in primary care – ICPC plus [see comments]. *Aust Fam Physician* 1997; 26(Suppl 2):S79–S82.
13. Classification Committee of the World Organization of Family Doctors (WICC). ICPC–2: International Classification of Primary Care. 2nd edn. Oxford: Oxford University Press, 1998.
14. World Health Organisation Collaborating Centre for Drug Statistics Methodology (WHO). Anatomical Therapeutic Chemical (ATC) classification index with Defined Daily Doses (DDDs). January 1998 edn. Oslo: WHO, 1997.
15. Driver B, Britt H, O'Toole B, Harris M, Bridges-Webb C, Neary S. How representative are patients in general practice morbidity surveys? *Fam Pract* 1991; 8:261–268.

16. Britt H, Harris M, Driver B, Bridges-Webb C, O'Toole B, Neary S. Reasons for encounter and diagnosed health problems: convergence between doctors and patients. *Fam Pract* 1992; 9:191-194.
17. Britt H. Reliability of central coding of patient reasons for encounter in general practice, using the International Classification of Primary Care. *Informatics* 1998; (May):3-7.
18. Bridges-Webb C, Britt H, Miles DA, Neary S, Charles J, Traynor V. Morbidity and treatment in general practice in Australia 1990-1991. *Med J Aust* 1992; 157(19 Oct Spec Sup):S1-S56.
19. Britt H. A measure of the validity of the ICPC in the classification of reasons for encounter. *Informatics* 1997; November:8-12.
20. Britt H, Meza RA, Del Mar C. Methodology of morbidity and treatment data collection in general practice in Australia: a comparison of two methods. *Fam Pract* 1996; 13(5):462-467.
21. Gehlbach SH. Comparing methods of data collection in an academic ambulatory practice. *J Med Educ* 1979; 54:730-732.
22. Britt H, Angelis M, Harris E. The reliability and validity of doctor-recorded morbidity data in active data collection systems. *Scand J Prim Health Care* 1998; 16:50-55.
23. Department of Health, Housing and Community Services. Rural and Remote Area Classification. [1991 Revision]. Canberra: DHHCS, 1991.
24. Britt H, Sayer GP, Miller GC, Charles J, Scahill S, Horn F et al. General practice activity in Australia 1998-99. Canberra: Australian Institute of Health and Welfare, 1999.
25. Meza RA, Angelis M, Britt H, Miles DA, Seneta E, Bridges-Webb C. Development of sample size models for national general practice surveys. *Aust J Pub Health* 1995; 19(1):34-40.
26. McWhinney IR. Are we on the brink of a major transformation of clinical method? *Can Med Assoc J* 1986; 135:873-878.
27. Beardon PH, McGilchrist MM, McKendrick AD, McDevitt DG, MacDonald TM. Primary non-compliance with prescribed medication in primary care [see comments]. *BMJ* 1993; 307(6908):846-848.
28. Gardner TL, Dovey SM, Tilyard MW, Gurr E. Differences between prescribed and dispensed medications [see comments]. *NZ Med J* 1996; 109(1017):69-72.
29. Britt H, Miller GC, McGeechan K, and Sayer GP. 1999 [cited 30-10-2000]. Pathology ordering by general practitioners in Australia 1998. AIHW Cat. No. GEP 4. Canberra: Department of Health and Aged Care, Available from internet: <http://www.health.gov.au:80/haf/docs/pathorder.htm>

30. Health Insurance Commission (HIC). 1999/2000 Annual report financial year statistics. Canberra: HIC, 2000.
31. Britt H, Miller GC, Knox S. Imaging orders by general practitioners in Australia 1999–00. Canberra: Australian Institute of Health and Welfare, 2001.
32. Commonwealth Department of Health and Aged Care (DHAC). General practice in Australia: 1996. Canberra: DHAC, 1996.
33. Mathers C, Vos T, Stevenson C. The burden of disease and injury in Australia. Canberra: AIHW, 1999.
34. Australian Institute of Health and Welfare (AIHW). 2001 National Drug Strategy Household Survey: first results. Canberra: AIHW, 2002.
35. Cole TJ, Bellizzi MC, Flegal KM, Dietz WH. Establishing a standard definition for child overweight and obesity worldwide: international survey. *BMJ* 2000; 320(7244): 1240–1243.
36. Australian Institute of Health and Welfare. Australia's health 2002: the eighth biennial health report of the Australian Institute of Health and Welfare. Canberra: AIHW, 2002.
37. Ridolfo B, Stevenson C. The quantification of drug-caused mortality and morbidity in Australia, 1998. Canberra: AIHW, 2001.
38. Higgins K, Cooper-Stanbury M, Williams P. Statistics on drug use in Australia 1998. Canberra: AIHW, 2000.
39. National Health and Medical Research Council (NHMRC). Australian alcohol guidelines: health risks and benefits. Canberra: NHMRC, 2001.
40. Saunders JB, Aasland OG, Babor TF, de la Fuente JR, Grant M. Development of the Alcohol Use Disorders Identification Test (AUDIT): WHO Collaborative Project on Early Detection of Persons with Harmful Alcohol Consumption – II. *Addiction* 1993; 88(6):791–804.
41. Centre for Drug and Alcohol Studies. The alcohol use disorders identification test. Sydney, Royal Prince Alfred Hospital and the University of Sydney, 1993.
42. Commonwealth Department of Health and Ageing (DoHA). Schedule of Pharmaceutical Benefits. Canberra: DoHA, 2002.
43. MIMS Australia. MIMS Bi-Monthly. Caswell A, editor. [37(7)]. Sydney, MediMedia Australia, 2001.
44. Australian Bureau of Statistics and Australian Institute of Health and Welfare. The health and welfare of Australia's Aboriginal and Torres Strait Islander peoples. Canberra: Australian Bureau of Statistics, 2001.

45. Hickie IB, Scott EM, Davenport TA. Are antidepressants all the same? Surveying the opinions of Australian psychiatrists. *Aust NZ J Psychiatry* 1999; 33(5):642-649.
46. Britt H, Sayer GP, Miller GC, Charles J, Scahill S, Horn F et al. General practice activity in Australia 1998-99. Canberra: Australian Institute of Health and Welfare, 1999.
47. Crombie DL. The problem of variability in general practitioner activities. *Yearbook of research and development*. London: Her Majesty's Stationery Office, 1990: 21-24.

Glossary

A1 Medicare items: Medicare item numbers 1, 2, 3, 4, 13, 19, 20, 23, 24, 25, 33, 35, 36, 37, 38, 40, 43, 44, 47, 48, 50, 51, 601, 602, 720, 722, 724, 726, 728, 730, 734, 738, 740, 742, 744, 746, 749, 757, 759, 762, 765, 768, 771, 773, 775, 778, 779, 801, 803, 805, 807, 809, 811, 813, 815.

Aboriginal: The patient identifies himself or herself as an Aboriginal person.

Activity level: The number of general practice A1 Medicare items claimed during the previous 3 months by a participating general practitioner.

Allied and other health professionals: Those who provide clinical and other specialised services in the management of patients, including physiotherapists, occupational therapists, dietitians, dentists and pharmacists.

Chapters (ICPC-2): The main divisions within ICPC-2. There are 17 chapters primarily representing the body systems.

Complaint: A symptom or disorder expressed by the patient when seeking care.

Component (ICPC-2): In ICPC-2 there are seven components which act as a second axis across all chapters.

Consultation: See *Encounter*

Diagnosis/problem: A statement of the provider's understanding of a health problem presented by a patient, family or community. GPs are instructed to record at the most specific level possible from the information available at the time. It may be limited to the level of symptoms.

- *new problem:* The first presentation of a problem, including the first presentation of a recurrence of a previously resolved problem but excluding the presentation of a problem first assessed by another provider.
- *old problem:* A previously assessed problem that requires ongoing care. Includes follow-up for a problem or an initial presentation of a problem previously assessed by another provider.

Encounter (enc): Any professional interchange between a patient and a GP.

- *indirect:* Encounter where there is no face-to-face meeting between the patient and the GP but a service is provided (e.g. prescription, referral).
- *direct:* Encounter where there is a face-to-face meeting of the patient and the GP.

Direct encounters can be further divided into:

Medicare-claimable

- A1 items of service: See *A1 Medicare items*
 - *surgery consultations*: Encounters identified by any one of MBS item numbers 3; 23; 36; 44
 - *home visits*: Encounters identified by any one of MBS item numbers 4; 24; 37; 47
 - *hospital encounters*: Encounters identified by any one of MBS item numbers 19; 33; 40; 50
 - *nursing home visits*: Encounters identified by any one of MBS item numbers 20; 35; 43; 51
 - *other institutional visits*: Encounters identified by any one of MBS item numbers 13; 25; 38; 40
 - *other MBS encounters*: Encounters identified by an MBS item number that does not identify place of encounter (see *A1 Medicare items*)
- *Workers compensation*: Encounters paid by workers compensation insurance
- *Other paid*: Encounters paid from another source (e.g. State).

General practitioner (GP): A medical practitioner who provides primary comprehensive and continuing care to patients and their families within the community (Royal Australian College of General Practitioners).

Grouped: Multiple ICPC-2 or ICPC-2 PLUS codes which are grouped together for purposes of analysis.

Medication: Medication that is prescribed, advised for over-the-counter purchase or provided by the GP at the encounter.

Medication status:

- *new*: The medication prescribed/advised/provided at the encounter is being used for the management of the problem for the first time.
- *continuation*: The medication prescribed/advised/provided at the encounter is a continuation or repeat of previous therapy for this problem.
- *old*: see *continuation*

Morbidity: Any departure, subjective or objective, from a state of physiological wellbeing. In this sense, sickness, illness and morbid conditions are synonymous.

Patient status: The status of the patient to the practice

- *new patient*: The patient has not been seen before in the practice.
- *old patient*: The patient has attended the practice before.

Problem managed: See *Diagnosis/problem*

Provider: A person to whom a patient has access when contacting the healthcare system.

Reasons for encounter (RFEs): The subjective reasons given by the patient for seeing or contacting the general practitioner. These can be expressed in terms of symptoms, diagnoses or the need for a service.

Recognised GP: A medical practitioner who is:

- vocationally recognised under Section 3F of the Health Insurance Act, *or*
- a holder of the Fellowship of the Royal Australian College of General Practitioners who participates in, and meets the requirements for, quality assurance and continuing medical education as defined in the RACGP Quality Assurance and Continuing Medical Education Program, *or*
- undertaking an approved placement in general practice as part of a training program for general practice leading to the award of the Fellowship of the Royal Australian College of General Practitioners or undertaking an approved placement in general practice as part of some other training program recognised by the RACGP as being of equivalent standard. (Medicare Benefits Schedule book, 1 November 1998).

Referral: The process by which the responsibility for part or all of the care of a patient is temporarily transferred to another health care provider. Only new referrals to specialist, allied health professionals, and for hospital and nursing home admissions arising at a recorded encounter are included. Continuation referrals are not included. Multiple referrals can be recorded at any one encounter.

Rubric: The title of an individual code in ICPC-2 PLUS.

Torres Strait Islander: The patient identifies himself or herself as a Torres Strait Islander person.

Tricyclics: non-selective monoamine reuptake inhibitor medications.

Statins: HMG CoA reductase inhibitors.

Abbreviations

ABS	Australian Bureau of Statistics
ACCHS	Aboriginal Community Controlled Health Services
AHP	Allied health professional
AHS	Allied health service
AIHW	Australian Institute of Health and Welfare
AMA	Australian Medical Association
AMTS	Australian Morbidity and Treatment Survey 1990–91
ATC	Anatomical Therapeutic Chemical (classification)
AUDIT	Alcohol Use Disorders Identification Test
BEACH	Bettering the Evaluation And Care of Health
BMI	Body mass index
BMMS	Better Medication Management System
C&S	Culture and sensitivity
CAPS	Coding Atlas for Pharmaceutical Substances
CI	Confidence interval (in this report 95% CI is used)
CNS	Central nervous system
COAD	Chronic obstructive airways disease
CT	Computed tomography
CVS	Cardiovascular system
DoHA	Commonwealth Department of Health and Ageing
DHAC	Commonwealth Department of Health and Aged Care
DHHCS	Commonwealth Department of Health, Housing and Community Services
DHSH	Commonwealth Department of Human Services and Health
DPIE	Department of Primary Industries and Energy
EHRs	Electronic health records
Enc	Encounter
EPC	Enhanced primary care
ESR	Erythrocyte sedimentation rate
EUC	Electrolytes, urea and creatinine
FBC	Full blood count
FMRC	Family Medicine Research Centre, University of Sydney
FRACGP	Fellow of the Royal Australian College of General Practitioners
GISCA	National Centre for Social Applications of Geographic Information Systems
GORD	Gastro-oesophageal reflux disorder

GP	General practitioner
GPSCU	General Practice Statistics and Classification Unit, University of Sydney, a collaborating unit of the Australian Institute of Health and Welfare
HbA1c	Haemoglobin, type A1c
HIC	Health Insurance Commission
HIV	Human immunodeficiency virus
HMG-CoA	3-hydroxy-3-methylglutaryl coenzyme A
HRT	Hormone replacement therapy
ICPC	International Classification of Primary Care
ICPC-2	International Classification of Primary Care (Version 2)
ICPC-2 PLUS	An extended vocabulary of terms classified according to ICPC-2
IHD	Ischaemic heart disease
LCL	Lower confidence limit
MAOIs	Monoamine oxidase inhibitors (medications)
MBS	Medicare Benefits Schedule
MC&S	Microscopy, culture and sensitivity
MRI	Magnetic resonance imaging
NDSHS	National Drug Strategic Household Survey 2001
NEC	Not elsewhere classified
NESB	The patient reports coming from a non-English-speaking background, i.e. a language other than English is spoken at home.
NHMRC	National Health and Medical Research Council
NOS	Not otherwise specified
NSAID	Non-steroidal anti-inflammatory drugs
OA	Osteoarthritis
OTCs	Medications advised for over-the-counter purchase
PBS	Pharmaceutical Benefits Scheme
PDD	Prescribed daily dose
PIP	Practice Incentive Program of the Commonwealth Department of Health and Aged Care
QA	Quality assurance (in this case the Quality Assurance Program of the Royal Australian College of General Practitioners)
RACGP	Royal Australian College of General Practitioners
RFE(s)	Reason for encounter(s) (see Glossary)
RICE	Rest, ice, compression and elevation
RRMA	Rural, Remote and Metropolitan Area classification
SAND	Supplementary Analysis of Nominated Data

SAS	Statistical Analysis System
SSRIs	Serotonin reuptake inhibitors (medications)
UCL	Upper confidence limit
URTI	Upper respiratory tract infection
UTI	Urinary tract infection
VA	Veterans' Affairs
WHO	World Health Organization
WONCA	World Organization of Family Doctors