



Aboriginal and Torres Strait Islander Health Performance Framework 2017 report: South Australia

Publication | Release Date: 20 Oct 2017 | Topic: [First Nations people](#)

Table of contents

This report gives the latest information on how Aboriginal and Torres Strait Islander people in South Australia are faring according to various measures of health status and outcomes, determinants of health, and health system performance. Indicators are based on the Aboriginal and Torres Strait Islander Health Performance Framework. The report highlights the main areas of improvement, and continuing concern.

Cat. no: IHW 181

- Acknowledgments
- Abbreviations
- Symbols
- Summary
- Introduction
- Demographic information
- Structure of this report
- Interpreting the data in this report
- Data improvement activities
- Tier 1—Health status and outcomes
 - 1.01 Low birthweight
 - 1.02 Top reasons for hospitalisation
 - 1.03 Injury and poisoning
 - 1.04 Respiratory diseases
 - 1.05 Circulatory diseases
 - 1.06 Acute rheumatic fever and rheumatic heart disease
 - 1.07 High blood pressure
 - 1.08 Cancer
 - 1.09 Diabetes
 - 1.10 Kidney disease
 - 1.11 Oral health
 - 1.12 HIV/AIDS, hepatitis and sexually transmissible infections
 - 1.13 Community functioning
 - 1.14 Disability
 - 1.15 Ear health
 - 1.16 Eye health
 - 1.17 Perceived health status
 - 1.18 Social and emotional wellbeing
 - 1.19 Life expectancy at birth
 - 1.20 Infant and child mortality
 - 1.21 Perinatal mortality
 - 1.22 All causes age-standardised death rates
 - 1.23 Leading causes of mortality
 - 1.24 Avoidable and preventable deaths

- Tier 2–Determinants of health
 - 2.01 Housing
 - 2.02 Access to functional housing with utilities
 - 2.03 Environmental tobacco smoke
 - 2.04 Literacy and numeracy
 - 2.05 Education outcomes for young people
 - 2.06 Educational participation and attainment of adults
 - 2.07 Employment
 - 2.08 Income
 - 2.09 Index of disadvantage
 - 2.10 Community safety
 - 2.11 Contact with the criminal justice system
 - 2.12 Child protection
 - 2.13 Transport
 - 2.14 Indigenous people with access to their traditional lands
 - 2.15 Tobacco use
 - 2.16 Risky alcohol consumption
 - 2.17 Drug and other substance use, including inhalants
 - 2.18 Physical activity
 - 2.19 Dietary behaviour
 - 2.20 Breastfeeding practices
 - 2.21 Health behaviours during pregnancy
 - 2.22 Overweight and obesity
- Tier 3–Health system performance
 - 3.01 Antenatal care
 - 3.02 Immunisation
 - 3.03 Health promotion
 - 3.04 Early detection and early treatment
 - 3.05 Chronic diseases management
 - 3.06 Access to hospital procedures
 - 3.07 Selected potentially preventable hospital admissions
 - 3.08 Cultural competency
 - 3.09 Discharge against medical advice
 - 3.10 Access to mental health services
 - 3.11 Access to alcohol and drug services
 - 3.12 Aboriginal and Torres Strait Islander people in the health workforce
 - 3.13 Competent governance
 - 3.14 Access to services compared with need
 - 3.15 Access to prescription medicines
 - 3.16 Access to after-hours primary health care
 - 3.17 Regular GP or health service
 - 3.18 Care planning for chronic diseases
 - 3.19 Accreditation
 - 3.20 Aboriginal and Torres Strait Islander people training for health-related disciplines
 - 3.21 Expenditure on Aboriginal and Torres Strait Islander health compared with need
 - 3.22 Recruitment and retention of staff
- Appendix A: Data sources
- Glossary
- References
- List of tables
- List of figures
- Related publications