


Classification in Health Series
Number 1

**Guide to use of
international
classifications
of diseases
in Australia**

Fred Taylor



AUSTRALIAN INSTITUTE OF
HEALTH & WELFARE

Australian Institute of Health and Welfare

The Australian Institute of Health and Welfare is an independent federal statistics and research agency, responsible for developing information on Australia's health, and its health and welfare services. It comprises four major research divisions, four external units, and a supporting corporate services division.

Welfare Division

Health Services Division

Health Technology Division

Health Monitoring Division

National Perinatal Statistics Unit

National Injury Surveillance Unit

Dental Statistics and Research Unit

National Reference Centre for Classification in Health

Corporate Services Division

Board Chairperson

Professor Fiona J Stanley

Acting Director

Mr Tim Skinner

AUSTRALIAN INSTITUTE OF HEALTH AND WELFARE
CLASSIFICATION IN HEALTH SERIES
Number 1

Guide to use of international classifications of diseases in Australia

Fred Taylor

Australian Government Publishing Service
Canberra

© Commonwealth of Australia 1992

This work is copyright. Apart from any use as permitted under the Copyright Act 1968, no part may be reproduced by any process without written permission from the Australian Government Publishing Service. Requests and inquiries concerning reproduction and rights should be directed to the Manager, Commonwealth Information Services, Australian Government Publishing Service, GPO Box 84, Canberra ACT 2601.

This is the first of the Australian Institute of Health and Welfare's Classification in Health Series. A Publications Catalogue listing prices and availability of all Institute publications is available from the Publications Unit, Australian Institute of Health and Welfare, GPO Box 570, Canberra ACT 2601.

National Library of Australia Cataloguing-in-Publication data

Taylor, Fred, 1924-

Guide to the use of international classifications of diseases in Australia

ISBN 0 644 14246 4.

1. Nosology. 2. Australia - Statistics, Medical. I. Australian Institute of Health and Welfare. II. Title. (Series: Classification in health series; no. 1).

616.0012

Suggested citation

Taylor F 1992, *Guide to Use of International Classifications of Diseases in Australia*, Australian Institute of Health and Welfare: Classification in Health Series No. 1, AGPS, Canberra.

Contents

Preface v

Australian use of the International Classification of Diseases and its precursors 1

How to use this publication 4

ICD table 5

Preface

For many years Australian coders of disease and cause of death have followed minor modifications to the various revisions of the International Classification of Diseases and its predecessors. As a result, the effects of changes between successive revisions of codes have not always been the same in Australia as in other countries.

From my personal collection of annotated coding manuals going back to my first employment in Disease Coding in 1942 I have constructed a table giving, as closely as can be achieved, comparisons of codes from the Ninth Revision of the International Classification of Diseases with those as far back as the Fourth Revision of the International List of Causes of Death.

I hope the table will be useful to all who conduct historical studies of morbidity and mortality in Australia.

I am grateful to the Australian Institute of Health and Welfare for publishing this work after my retirement, and very pleased that a National Reference Centre for Classification in Health, funded by the Institute, has been established. This Centre has been recognised by the World Health Organization as a Centre for the International Classification of Diseases. I am sure that the Centre would appreciate any comments or amendments which users may be able to contribute. These should be sent to:

AIHW National Reference Centre for Classification in Health
School of Public Health
Queensland University of Technology
GPO Box 2434
BRISBANE QLD 4001

Fred Taylor
Canberra
April 1992

Australian use of the International Classification of Diseases and its precursors

The International Classification of Diseases is the short title of a classification that has been used internationally for more than 100 years. Until its Fifth Revision, the classification was known as the International List of Causes of Death. More recent revisions (Sixth to Ninth) have been known as the International Statistical Classification of Diseases, Injuries, and Causes of Death.

The revisions compared in this publication were used in mortality statistics produced by the Australian Bureau of Statistics (ABS) and its predecessors in these years:

International List of Causes of Death

Fourth revision	(ICD-4)	1931–1939
Fifth revision	(ICD-5)	1940–1949

International Statistical Classification of Diseases, Injuries, and Causes of Death

Sixth revision	(ICD-6)	1950–1957
Seventh revision	(ICD-7)	1958–1967
Eighth revision	(ICD-8)	1968–1978
Ninth revision	(ICD-9)	1979–present

While these revisions were used in these same years in most Australian institutions, some variation did occur, and users should wherever possible check this before assuming that these dates of changeover apply.

Features of the earlier classifications

The Fourth and Fifth revisions differ very substantially from later revisions. Because of the long period since they were used, some of their key features may not be sufficiently well known to modern users, so they are mentioned here.

As their title implies, the Fourth and Fifth revisions were meant to be used only for coding causes of death. Some conditions cause illness but are extremely unlikely to cause death. Many of them were omitted from these revisions, but they are included in the Sixth and later revisions.

Up until the Fifth Revision, categories (known as rubrics) of the classification consisted of a number from 1 to 200, with alphabetic subdivisions. The alphabetic subdivisions of ICD-4 and ICD-5 used in Australia varied from those in the printed manuals; conferences of Statisticians and Directors of Health resolved what subdivisions should be identified in Australian statistics. The International Lists as printed included some subdivisions to distinguish causes which, though important in some areas of the world, were non-existent or very rare in Australia; these subdivisions were not used. Conversely, some conditions of major interest to medical researchers in Australia were not separately identified in the International Lists, but were used in Australia for coding causes of death.

The alphabetic subdivisions in this publication are those used in Australia. The content of the subdivisions is shown in the annual ABS publication *Demography*. Users should check the headings of alphabetic subdivisions in *Demography* to ensure their comparisons are correct.

Another difference between the Fourth and Fifth Revisions, and those from later periods, is that during the earlier period, when more than one condition was mentioned on the death certificate, the cause of death to be coded was selected using an arbitrary set of preferences prepared in the USA. The preference rules were applied irrespective of how the various conditions present were set out on the certificate.

In most cases this had the same effect as the present ICD coding rules. For example, the code for cerebral haemorrhage took precedence over those for arteriosclerosis and hypertension, and under present practice a death where only those three conditions were mentioned would also be coded to cerebral haemorrhage. However, infective diseases (the term then used) carried a higher priority than most other conditions. As a result, an incidental infective disease mentioned in Part II of the certificate would be preferred over the chain of events directly leading to death indicated in Part I. The change from the earlier practice to the present procedure, which takes the sequence shown on the death certificate into account, caused a major decrease between 1949 and 1950 in the number of deaths classified to some infective diseases.

Some institutions may have adopted local coding practices that differed from the Australian arrangements, and these practices should be checked wherever possible.

Contemporary comparisons of changes of revision

At the time of each change from one revision of the classification to the next, the ABS has published comparisons of death statistics coded by both the old and the newly adopted revisions. These comparisons have been used in preparation of this publication. They are to be found in:

Demography 1940 A table commencing on page 81 shows causes of death by sex in each State and Territory coded according to the Fifth revision. A similar table commencing on page 91 shows causes of death coded by the Fourth revision.

Demography 1950 A table commencing on page 75 shows causes of death by sex in each State and Territory coded according to the Fifth revision. A similar table commencing on page 85 shows causes of death coded by the Sixth revision.

Demography 1958 A table commencing on page 123 shows numbers of deaths by sex coded according to the Seventh revision. Footnotes to this table give comparisons with

the Sixth revision, from which the Seventh revision differed in only a small number of categories.

Demography 1967 and 1968 Tables commencing on page 207 show numbers of deaths by sex and 10- year age groups in 1967 classified according to the abbreviated (B) lists of both the Seventh and Eighth revisions. While this publication promised that a detailed tabulation of 1967 deaths coded according to the Eighth revision would be published in *Demography 1969*, this comparison was never published. The table was prepared, but since it did not become available until December 1971 and was known to contain some errors and inconsistencies, it was decided not to publish it.

Causes of Death Australia 1979 An explanatory note on page 120 followed by a table commencing on page 121 shows the proportion of 1978 deaths classified under each ICD-8 code which were included in each ICD-9 code.

How to use this publication

The table should be used in conjunction with the Ninth Revision of the International Classification of Diseases (ICD-9). Three-digit codes from this revision are shown in the left hand column of the table. Corresponding codes from earlier revisions are shown in other columns.

Abbreviations used

pt indicates that only some of the inclusion terms in the category are included in the ICD-9 category concerned.

most indicates either that nearly all the inclusion terms in the category are included in the ICD-9 category concerned, or that coding on a dual basis by ABS in a changeover revealed that a great majority of deaths in that former category were coded to the ICD-9 category concerned.

(M) only male deaths from the category shown would now be included in the ICD-9 rubric.

(F) only female deaths from the category shown would now be included in the ICD-9 rubric.

E in categories E800 to E999 indicates that this is the External Cause (the type of accident or other violence which caused death) rather than the nature of the injury which led to death.

ICD table

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
001	000	043	043	4	12
002	001, 002	040, 041	040, 041	1, 2	1, 2
003	003most	042	042	119pt, 120pt, 177pt	119pt, 120pt, 177pt
004	004	045	045	27(a)	13(b), 13(c)pt
005	005	049	049	177pt	177pt
006	006	046	046	27(b)	125(b)pt, 13(a)
007	007	047	047	27(c)pt	39pt
008	008	048pt	048pt	27(c)pt, 119pt, 120pt	119pt, 120pt
009	009	048pt, 571most 764	048pt, 571most 764	27(c)pt, 119pt, 120pt	119pt, 120pt, 13(c)most
010	011pt	004	004	13pt	23pt
011	010, 011pt	001, 002	001, 002	13pt	23pt, 114(e)pt
012	012pt	003, 005-008	003, 005-008	13pt	23pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
013	013	010	010	14	24
014	014	011	011	15	25
015	015	012	012	16, 17	26, 27, 104pt
016	016	016	016	20	30
017	017	014, 015, 017, 018	014, 015, 017, 018	18, 19, 21	28, 29, 31
018	018	019	019	22(a)(b)(c)	32(a)(b)(c)
020	020	058	058	3	14
021	021	059	059	26pt	44(b)pt
022	022	062	062	7	20
023	023	044	044	5	5
024	024	064pt	064pt	26pt	19
025	025	064pt	064pt	26pt	44(b)pt
026	026	074pt	074pt	32pt	39pt
027	027pt	064pt	064pt	26pt, 153pt	44(b)pt
030	030	060	060	23	33
031	031	064pt	064pt	26pt	44(b)pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
032	032	055	055	10	10
033	033	056	056	9	9
034	034	050, 051	050, 051	8, 115(a)pt	8, 115(b)pt
035	035	052	052	11	15
036	036	057	057	6, 81(b)	18, 79(b)
037	037	061	061	12	22
038	038pt	053, 054	053, 054	24pt	36pt
039	113	132	132	43pt	43pt
040	039pt	063, 064pt	063, 064pt	24pt, 26pt	36pt
041	039pt	064pt	064pt	26pt	44(b)pt
045	040-043	080	080	36most	16, 81pt
046	065pt, 333pt 347pt	343pt, 355pt	343pt, 355pt	80(b)pt, 87(e)pt	87(f)pt
047	045	082pt, 340pt	082pt, 340pt	81pt	79pt
048	046	082pt, 096pt	082pt, 096pt	87(e)pt	87(f)pt
049	065pt, 079pt	096pt	096pt	37(a)pt, 37(c)pt	17pt
050	050	084	084	34	6
051	051	096pt	096pt	38(f)pt	44(b)pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
052	052	087	087	38(e)	44(b)pt
053	053	088	088	38(c)	153pt
054	054pt	096pt	096pt, 381pt	153pt	153pt
055	055	085	085	35	7
056	056	086	086	38(d)	44(b)pt
057	057	138pt	138pt	38(f)pt	44(b)pt
060	060	091	091	38(a)	37
061	061	090	090	38(f)pt	44(b)pt
062	062	082pt	082pt	37pt	17pt
063	063	082pt	082pt	37pt	17pt
064	064	082pt	082pt	37pt	17pt
065	067	096pt	096pt	38(f)pt	44(b)pt
066	068	096pt	096pt	38(f)pt	44(b)pt
070	070	092	092	32pt	125(b)pt
071	071	094	094	38(b)	21
072	072	089	089	44(c)	44(a)
073	073	096pt	096pt	38(f)pt	44(b)pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
074	074	096pt	096pt	115pt, 156pt	156(c)pt, 108pt
075	075	093	093	101pt	44(b)pt
076	076	095	095	88pt	88pt
077	078	096pt	096pt	88pt	88pt
078	079pt, 136pt	096pt	096pt	38(f)pt, 44(d)pt	44(b)pt
079	079pt	096pt	096pt	38(f)pt	44(b)pt
080	080	100	100	39pt	3pt
081	081	101, 102, 103, 105	101, 102, 103 105	39pt	3pt
082	082	104	104	39pt	3pt
083	083	106, 107, 108	106, 107, 108	39pt	44(b)pt
084	084	110-117	110-117	28	38, 44(b)pt
085	085	120	120	29pt	39pt
086	086, 087	121	121	29pt	39pt
087	088	071	071	31	4
088	089	138pt	138pt	38(f)pt	44(b)pt, 153pt
090	090	020	020	30(d)	158pt, 34pt, 83pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
091	091	021pt	021pt	30(e)pt	34pt
092	092	021pt	021pt	30(e)pt	34pt
093	093	022, 023	022pt, 023	30(c)pt, 30(e)pt	34pt
094	094	024, 025, 026	024, 025, 026	30(a), 30(b), 30(e)pt	34pt, 80, 83pt
095	095	027pt	027pt	30(e)pt	34pt
096	096	028	028	30(e)pt	34pt
097	097	027pt, 029	027pt, 029	30(e)pt	34pt
098	098	030-035	030-035	25	35pt
099	099, 136pt	036-039	036-039	44(a)	35pt
100	100	072	072, 074pt	32pt	39pt
101	101	070	070	32pt	115(a)pt, 115(b)pt
102	102	073	073	32pt	39pt
103	103	074pt	074pt	32pt	34pt
104	104	074pt	074pt	32pt	34pt
110	110	131pt	131pt	43pt	43pt
111	111	131pt	131pt	43pt	43pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
112	112	134pt	134pt	43pt	43pt
114	114	133	133	43pt	43pt
115	115	134pt	134pt	43pt	43pt
116	116pt	134pt	134pt	43pt	43pt
117	116pt, 117	134pt	134pt	43pt	43pt
118	110-117 (minor parts)	134pt	134pt	43pt	43pt
120	120	123	123	42pt	42pt
121	121	124	124	42pt	42pt
122	122	125	125	41(a)(b)	41(a)(b)
123	123	126	126	42pt	42pt
124	124	128	128	42pt	42pt
125	125	127	127	42pt	42pt
126	126	129	129	40	40
127	127	130pt	130pt	42pt	42pt
128	128	130pt	130pt	42pt	42pt
129	129	130pt	130pt	42pt	42pt
130	130	122pt	122pt	44(d)pt	44(b)pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
131	131, 136pt	122pt, 630pt	122pt, 637pt	44(d)pt	44(b)pt
132	132, 134pt	136	136	44(d)pt	153pt
133	133	135, 137pt	135, 137pt	153pt	153pt
134	134pt	137pt, 138pt	137pt, 138pt	44(d)pt	44(b)pt
135	135	138pt	138pt	44(d)pt	44(b)pt
136	136pt, 484pt	122pt, 138pt	122pt, 138pt	44(d)pt	44(b)pt
137	019	001-012pts, 013, 014-019pts	001-012pts, 013, 014-019pts	13-22pts	23-32pts
138	044	081	081	36pt	16pt
139	066, 077, 083, 000-136pts	083, 001-138pts	083, 001-138pts	1-44pts (small)	1-44pts
140	140	140	140	45pt	45pt
141	141	141	141	45pt	45pt
142	142	142	142	45pt, 55pt	45pt
143	143	144pt	144pt	45pt	45pt
144	144	143	143	45pt	45pt
145	145	144pt	144pt	45pt	45pt
146	146	145	145	45pt	45pt


ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
147	147	146	146	45pt	45pt
148	148	147	147	45pt	45pt
149	149	144pt, 148	144pt, 148	45pt	45pt
150	150	150	150	46(a)	46(a)
151	151	151	151	46(b)pt	46(b)pt
152	152most	152	152	46(b)pt, 46(c)pt	46(b)pt, 46(g)pt
153	153most	153pt	153pt	46(c)pt	46(g)pt
154	154, 173pt	154, 191pt	154, 191pt	46(d)	46(c)
155	155, 197pt	155pt, 156	155pt, 156	46(e)most	46(d)most
156	156	155pt	155pt	46(e)pt	46(d)pt
157	157	157	157	46(f)	46(e)
158	158	158	158	46(g)	46(f)
159	159, 153pt	153pt, 159, 200pt	153pt, 159, 200pt	46(c)pt, 46(h)	46(g)pt, 53pt
160	160most	160pt	160pt	55pt	53pt
161	161	161	161	47pt	47pt
162	162	162pt, 163, 165pt	162pt, 163, 165pt	47pt	47pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
163	163pt	162pt, 165pt	162pt, 165pt	47pt	47pt
164	163pt, 171pt, 194pt	164most	164most	47pt, 55pt	47pt, 53pt
165	163pt	164pt, 165pt	164pt, 165pt	47pt	47pt
170	170	196	196	55pt	53pt
171	171pt, 192pt	197	197	55pt	53pt
172	172	190	190	53pt	52pt
173	173pt	191most	191most	53pt	52pt
174	174(F)	170(F)	170(F)	50(F)	50(F)
175	174(M)	170(M)	170(M)	50(M)	50(M)
179	182pt	174	174	48pt	48pt
180	180	171	171	48pt	48pt
181	181	173	173	48pt	48pt
182	182pt	172	172	48pt	48pt
183	183	175	175	49pt	49pt
184	184	176	176	49pt	49pt
185	185	177	177	51pt	51pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
186	186	178	178	51pt	51pt
187	187	179	179	51pt	51pt
188	188	181pt	181pt	52pt	51pt(M), 53pt(F)
189	189	180, 181pt	180, 181pt	52pt	51pt(M), 53pt(F)
190	190	192	192	54(a)pt, 55pt	53pt
191	191, 192pt	193pt	193pt	54(a)pt, 54(b)pt	53pt, 54(b)pt
192	192pt	193pt	193pt	54(a)pt, 54(b)pt	53pt
193	193	194	194	55pt	53pt
194	194pt	195	195	55pt	53pt
195	195, 160pt, 163pt	199pt, 160pt,	160pt, 199pt	55pt	53pt
199	196, 197pt, 198 199	198, 199pt	198, 199pt	55pt	53pt
200	200most	200most	200most	55pt	53pt
201	201	201	201	44(b)	72(b)pt
202	200pt, 202, 279pt	202, 205, 289pt	202, 205, 289pt	43pt, 55pt	72(b)pt, 43pt
203	203	203, 204pt	203, 204pt	55pt, 74pt	53pt, 72(a)pt
204	204	204pt	204pt	74pt	72(a)pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
205	205	204pt	204pt	74pt	72(a)pt
206	206	204pt	204pt	74pt	72(a)pt
207	207pt	204pt	204pt	74pt	72(a)pt, 74pt
208	207pt	204pt	204pt	74pt	72(a)pt
210	210	210	210	56(d)pt	54(c)pt
211	211	211	211	56(d)pt	54(c)pt
212	212most, 226pt	212, 229pt	212, 229pt	56(d)pt	54(c)pt
213	213	225	225	56(d)pt	54(c)pt
214	214	226	226	56(d)pt	54(c)pt
215	215	227	227	56(d)pt	54(c)pt
216	216	220, 222	220, 222	56(d)pt	54(c)pt
217	217	213	213	56(d)pt	54(c)pt
218	218	214	214	56(a)pt	54(a)pt
219	219	215	215	56(a)pt	54(a)pt
220	220	216	216	56(b)pt	54(a)pt
221	221	217	217	56(b)pt	54(a)pt
222	222	218	218	56(d)pt	54(c)pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
223	223	219	219	56(d)pt	54(c)pt
224	224	223pt	223pt	56(d)pt	54(c)pt
225	225	223pt	223pt	56(c)	54(b), 54(c)pt
226	226pt, 241pt	224pt	224pt	56(d)pt	54(c)pt
227	226pt, 253pt, 255pt	224pt	224pt	56(d)pt	54(c)pt
228	227	228	228	56(d)pt	54(c)pt
229	228	229pt	229pt	56(d)pt	54(c)pt
230	230pt				
231	231pt				
232	232pt				
233	233pt, 237pt				
234	239pt				
235	152pt, 212pt, 230pt, 231pt				
236	234–237pts				

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
237	226pt, 238pt, 239pt, 743pt	 No provision—some terms presumably taken as malignant, others as benign			
238	208, 209pt, 232pt, 233pt, 239pt				
239	230–239pts	230–239	230–239	57(a)(b)(c)(d)	55(a)(b)(c)
240	240	250	250	63(a)	66(b)pt
241	241most	251	251	63(d)pt	66(b)pt
242	242	252	252	63(b)	66(a), 66(b)pt
243	243	253pt	253pt	63(c)pt	66(b)pt
244	244	253pt	253pt	63(c)pt	66(b)pt
245	245	254pt	254pt	63(d)pt	66(b)pt
246	246	254pt	254pt	63(d)pt	66(b)pt
250	250	260	260	61	59
251	251	270	270	128pt	128pt
252	252	271	271	63(e)	66(c)
253	253most	272	272	62, 66(c)pt	65pt, 69pt
254	254	273	273	64	67

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
255	255most, 258pt, 273pt	274	274	65	68
256	256	275	275	139(a)pt	139(a)pt, 139(b)t
257	257	276	276	138pt	138pt
258	258pt	277pt	277pt	101pt	69pt
259	258pt	277pt	277pt	66(c)pt	65pt, 69pt
260	267pt	286pt	286pt	71pt, 200(a)pt	200(a)pt
261	268pt	286pt, 772pt, 773pt, 795pt	286pt, 772pt, 773pt, 795pt	158pt, 200(a)pt	158pt, 200(a)pt
262	267pt	286pt, 772pt	286pt, 772pt	158pt, 200(a)pt	200(a)pt
263	267pt, 269pt	286pt, 772pt	286pt, 772pt	158pt, 200(a)pt	158pt, 200(a)pt
264	260	286pt	286pt	71pt	200(a)pt
265	261, 262, 263pt	280, 281	280, 281	68, 69, 71pt	61, 62
266	263pt	286pt	286pt	71pt	81pt
267	264	282	282	67(a), 67(b), 71pt	60
268	265	283, 284, 285	283, 284, 285	66(a), 70, 71pt	63pt, 64
269	266, 269pt	286pt	286pt	71pt	200(a)pt
270	270	289pt, 759pt	289pt, 759pt	66(c)pt, 133pt	69pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
271	271	289pt	289pt	66(c)pt	59pt, 133pt
272	272, 279pt	289pt, 788pt	289pt, 788pt	66(c)pt, 127pt	69pt, 73pt
273	275pt	788pt	788pt	76pt	74pt
274	274	288	288	60	58
275	273pt, 279pt	289pt	289pt	66(c)pt	59pt, 69pt, 87(f)pt
276	788pt	286pt, 773pt, 788pt	286pt, 773pt, 788pt	66(c)pt, 161(g)pt, 200(a)pt	69pt, 200(a)pt
277	273pt, 276, 279pt	289pt, 587pt	289pt, 587pt	66(c)pt, 128pt	69pt
278	277, 278	287	287	66(c)pt	69pt
279	273pt, 275pt, 283pt	No provision	No provision	No provision	No provision
280	280	291	291	73(b)pt	71(a)pt, 71(b)pt
281	281	290	290	73(a), 73(b)pt	71(b)pt
282	282pt	292pt	292pt	73(c)pt	69pt
283	282pt, 283most	292pt	292pt	73(c)pt	69pt, 74pt
284	284	292pt	292pt	73(c)pt	71(a)pt
285	285	292pt, 293	292pt, 293	73(a)pt, 73(b)pt	71(b)pt, 74pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
				76(c)pt, 75pt	
286	286, 287pt	295	295	72pt	70pt
287	287most	296	296	72pt	70pt
288	288, 289pt	297	297	76pt	72(b)pt
289	209most, 289pt	294pt, 298, 299	294pt, 298, 299	75pt, 76pt	73pt, 74pt, 101pt
290	290most, 437pt	304, 305, 306	304, 305, 306	162pt	162pt
291	291most	307	307	77pt	75pt, 84pt
292	294pt	308pt	308pt	84(c)pt	76pt
293	292pt, 293pt, 294pt	780pt	780pt	84(c)pt	84pt
294	291pt, 292pt, 293pt, 294pt	308pt, 309pt	308pt, 309pt	77pt, 84(c)pt	84pt
295	295pt	300	300	84(b)pt	84pt
296	296	301, 302	301, 302	84(c)pt	79pt, 84pt
297	297	303	303	84(c)pt	84pt
298	298, 299	309pt	309pt	84(c)pt	84pt
299	295pt	309pt	309pt	84(b)pt, 84(c)pt	84pt
300	300	310-318pts	310-318pts	84(c)pt	84pt, 87(f)pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
301	301	320pt, 321pt	320pt, 321pt	84(c)pt	87(f)pt
302	302	320pt	320pt	84(c)pt	87(f)pt
303	303most	322most	322most	77pt	75pt
304	304pt	323pt	323pt	79(b)pt, 84(c)pt	76pt
305	304pt	323pt	323pt	79(b)pt, 84(c)pt	75pt, 76pt
306	305	317pt	317pt	84(c)pt	87(f)pt
307	306most	311pt, 326pt	311pt, 326pt	84(c)pt	87(f)pt
308	307pt	326pt	326pt	84(c)pt	87(f)pt
309	307pt	326pt	326pt	84(c)pt	87(f)pt
310	309pt	308pt, 781pt	308pt, 781pt	84(c)pt	87(f)pt
311	790pt	301pt, 790pt	301pt, 790pt	84(c)pt	87(f)pt
312	306pt	313pt, 324pt	313pt, 324pt	84(c)pt	87(f)pt
313	308pt	324pt	324pt	84(c)pt	87(f)pt
314	308pt	324pt	324pt	84(c)pt	87(f)pt
315	308pt	326pt	326pt	84(c)pt	87(f)pt
316	309pt	317pt	317pt	84(c)pt	87(f)pt
317	310, 311	325pt	325pt	84(a)pt	87(e)pt, 87(f)pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
318	312, 313, 314	325pt	325pt	84(a)pt	87(e)pt, 87(f)pt
319	315	325pt	325pt	84(a)pt	87(e)pt, 87(f)pt
320	320pt	340pt	340pt	81(a)pt	79(a)pt
322	320pt	340pt	340pt	81(a)pt	79(a)pt, 87(f)pt
323	320pt, 323	343	343most	80(b), 82pt	78(b), 79(b)pt, 81pt
324	322	342	342	80(a), 82pt	78(a)
325	321	341	341	104pt	100pt
326	324	344pt	344pt	80(a)pt	78(a)pt
330	333pt	325pt, 355pt	325pt, 355pt	87(e)pt	87(f)pt
331	272pt, 290pt, 347pt	305pt, 344pt	305pt, 344pt	87(e)pt, 162pt	87(f)pt
332	342	350	350	87(c)	87(c)
333	331pt, 347pt, 458pt, 780pt	355pt, 780pt	355pt, 780pt	87(e)pt	87(a)pt, 87(f)pt
334	332, 333pt, 347pt	355pt, 357pt	355pt, 357pt	87(e)pt, 82pt	81pt
335	330pt, 348	356pt	356pt	82pt	81pt
336	349	357pt	357pt	82pt	81pt, 87(d)pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
337	358	369	369, 781pt	87(e)pt	87(f)pt
340	340	345	345	87(d)	87(d)pt
341	341	355pt	355pt	87(e)pt	87(d)pt, 87(f)pt
342	344pt	352pt	352pt	83(e)pt	82(a)pt
343	343most	351pt	351pt	87(e)pt, 82pt	87(f)pt
344	343pt, 344pt	352pt	352pt	83(e)pt	81pt, 87(f)pt
345	345	353	353	85	85, 87(f)pt
346	346	354	354	87(e)pt	87(b)pt, 87(f)pt
347	347pt	355pt	355pt	87(e)pt	87(f)pt
348	347pt, 438pt	223pt, 355pt	223pt, 355pt	56(c)pt, 87(e)pt	82(b)pt, 82(f) 87(f)pt
349	347pt	355pt	355pt	87(e)pt	87(f)pt
350	351, 356pt	361	361	87(e)pt	87(b)pt, 87(f)pt
351	350	360	360	87(e)pt	87(b)pt, 87(f)pt
352	355pt, 356pt	366pt, 367pt	366pt, 367pt	87(e)pt	87(b)pt, 87(f)pt
353	733pt	356pt	356pt	87(e)pt	87(b)pt, 87(f)pt
354	355pt, 357pt	366pt	366pt	87(e)pt	87(b)pt, 87(f)pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
355	355pt, 357pt	366pt	366pt	87(e)pt	87(b)pt, 87(f)pt
356	330pt, 354pt 357pt	356pt, 368pt	356pt, 368pt	87(e)pt	87(b)pt, 87(f)pt
357	354pt, 357pt	364pt, 322pt	364pt, 322pt	87(e)pt	81pt, 87(b)pt
358	733pt, 330pt	744pt	744pt	87(e)pt, 156(b)pt	156(c)pt, 87(f)pt
359	330pt	744pt	744pt, 759pt	157(i)pt, 156(b)pt	81pt, 87(f)pt
360	366pt, 378pt	373pt, 376pt 388pt	373pt, 376pt 388pt	88pt	88pt
361	376	386	386	88pt	88pt
362	377pt	388pt, 753pt	388pt, 753pt	88pt	88pt
363	365, 366pt, 367pt	375, 376pt, 377pt 388pt	375, 376pt, 377pt 388pt	88pt	88pt
364	364, 378pt	373pt, 376pt, 388pt	373pt, 376pt 388pt	88pt	88pt
365	375	387	387	88pt	88pt
366	374	385	385	88pt	88pt
367	370	380, 384pt	380, 384pt	88pt	88pt
368	377pt, 378pt 781pt	388pt, 781pt	388pt, 781pt	88pt	88pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
369	379	389	389	88pt	88pt
370	363	374, 381	374, 381pt	88pt	88pt
371	371, 378pt	382, 388pt	382, 388pt	88pt	88pt
372	360, 372, 378pt	370, 383, 388pt	370, 383, 388pt	88pt	88pt
373	361, 362, 378pt	371, 372, 388pt 716pt	371, 372, 388pt 716pt	88pt	88pt
374	378pt	388pt, 716pt	388pt, 716pt	88pt	88pt
375	368	378, 388pt	378, 388pt	88pt	88pt
376	369pt, 378pt, 781pt	379pt, 388pt, 753pt, 781pt	379pt, 388pt, 753pt, 781pt	88pt	88pt
377	367pt, 377pt	377pt, 388pt	377pt, 388pt	88pt	88pt
378	373	384pt	384pt	88pt	88pt
379	369pt, 378pt 781pt	379pt, 388pt 781pt	379pt, 388pt 781pt	88pt	88pt
380	380, 387pt	390, 396pt	390, 396pt	89pt	89pt
381	381pt, 382pt	391pt, 392pt, 394pt, 396pt	391pt, 392pt, 394pt, 396pt	89pt	89pt
382	381pt, 382pt	391pt, 392pt	391pt, 392pt, 343pt	89pt	89pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
383	383	392pt, 393, 396pt	392pt, 393, 396pt	89pt	89pt
384	381pt, 387pt	391pt, 392pt 396pt	391pt, 392pt 396pt	89pt	89pt
385	387pt	396pt	396pt	89pt	89pt
386	384pt, 385, 781pt	394pt, 395	394pt, 395	89pt	89pt
387	386	396pt	396pt	89pt	89pt
388	381pt, 384pt, 781pt	391pt, 394pt, 396pt, 781pt	391pt, 394pt, 396pt, 781pt	89pt	89pt
389	388, 389	397, 398	397, 398	89pt	89pt
390	390	400	400	58(a)pt	56pt
391	391	401	401	58(a)pt	91(b)pt, 56pt
392	392	402	402	58(a)pt, 87(a)pt	87(a), 56pt
393	393pt	416pt	416pt	90(a)	56pt
394	394most	410pt, 421pt	410pt, 421pt	92(b)pt	92(b)most
395	395pt	411	411	92(a)pt	92(a)pt
396	396	410pt	410pt	92(b)pt	92(c)
397	397	412, 413, 414, 421pt	412, 413, 414	92(c), 92(d)pt	92(e)pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
398	398	415, 416pt	415, 416pt	93(b), 95(b), 58(a)pt	92(e)pt
401	400pt, 401, 402pt, 403pt	444, 445, 447	444, 445, 447	102	102pt
402	400pt, 402most	440, 441, 443	440, 441, 443	93(c)pt	102pt
403	400pt, 403most, 582pt	446	446	133pt, 131pt	131pt
404	400pt, 404most, 582pt	442	442	131pt	131pt
410	410, 411pt	420pt	420pt	94(a)pt, 94(b)pt	94(a)pt, 99pt
411	411most	420pt	420pt	94(a)pt, 94(b)pt	94(a)pt
412	412pt, 414pt	420pt	420pt	94(a)pt, 94(b)pt	94(a)pt
413	413	420pt	420pt	94(c)	94(b), 94(c)
414	411pt, 412pt, 414pt	420pt, 422pt	420pt, 422pt	94(a)pt, 94(b)pt	93(c)pt, 93(d)pt, 94(a)pt
415	426pt, 450	434pt, 465	434pt, 465	95(c)pt, 111pt	111pt
416	426pt	434pt	434pt	95(c)pt	95(c)pt
417	442pt, 447pt, 747pt	452pt, 456pt, 467pt, 754pt	452pt, 456pt, 467pt, 754pt	96pt, 114(e)pt	96pt, 103pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
420	420	401pt, 432pt	401pt, 432pt	90(b)pt	90pt
421	421	430	430	91	91(a), 91(b)pt
422	422	431	431	93(a)	93(a)
423	393pt, 423	416pt, 432pt, 434pt	416pt, 432pt, 434pt	90(b)most	90pt, 110pt
424	394pt, 395pt, 424	410pt, 412pt, 421pt	410pt, 412pt, 421pt	92(a)pt, 92(d)pt, 92(e)	92(a)pt, 92(b)pt, 92(e)pt, 92(d)
425	303pt, 425	322pt, 754pt, 422pt	322pt, 754pt, 422pt	93(d)pt	93(c)pt
426	427pt	433pt	433pt	95(a)pt	95(a)pt
427	427pt	433pt	433pt	95(a)pt	95(a)pt
428	427pt, 782most	434pt, 782pt	434pt, 782pt	93(d)pt, 200(a)pt	95(c)pt
429	412pt, 428, 429	422pt, 434pt	422pt, 434pt	93(c)pt, 93(d)pt, 95(c)pt	93(b)(c)(d), 95(b), 95(c)pt, 91(b)pt
430	430most	330most	330most, 352pt	83(a)pt	82(a)pt, 96pt, 97(a)pt
431	400pt, 431pt	331pt	331pt, 352pt	83(a)pt, 160pt	82(a)pt, 97(a)pt
432	431pt, 400pt	331pt	331pt, 352pt	83(a)pt, 160pt	82(a)pt, 97(a)pt
433	400pt, 432most	332pt	332pt, 352pt	83(b)pt, 83(c)pt	97(a)pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
434	400pt, 433most, 434most, 438pt	332pt	332pt, 352pt	83(b)pt, 83(c)pt, 83(d)	82(c)(d)(e), 97(a)pt
435	435most, 400pt	333, 456pt	333, 456pt	No provision (? 83pt)	97(a)pt
436	400pt, 436most	334pt	334pt, 352pt	83(f)pt	82(b)most 97(a)pt
437	400pt, 437most, 438most, 442pt	334pt	334pt, 352pt	96pt, 97pt, 99pt	82(b)pt, 87(f)pt, 97(b)pt, 97(a)pt, 99pt
438	430-438pts	330-334pts	330-334pts, 352pt	83(a)-(f)pts	97(a)pt
440	440	450	450	97most	97(b)pt, 98pt, 99pt
441	441	451	022pt, 451	30(c)pt, 96pt	96pt
442	442most	452	452	96pt	96pt
443	443	453	453	87(e)pt, 99pt, 100(b)pt	87(f)pt, 98pt, 99pt
444	444	454	454	99pt	99pt
446	446most	456pt	456pt	99pt	99pt
447	447most, 446pt	456pt	456pt	99pt	96pt, 99pt
448	448	228pt, 467pt	228pt, 467pt	103pt	103pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
451	451, 453pt	463, 464	463, 464	100(b)pt	100pt, 161(c)pt
452	452	583pt	583pt	100(b)pt	100pt
453	453pt	466	466	100(b)pt	99pt, 100pt
454	454	460	460	100(a)pt	100pt
455	455	461	461	100(a)pt	100pt
456	456	462	462	100(a)pt	100pt
457	457	468pt, 693pt	468pt, 693pt	101, 153pt	101pt
458	458pt	467pt	467pt	103pt	102pt
459	458pt	467pt	467pt	103pt	103pt
460	460	470	470	104pt	104pt, 115pt
461	461	471	471	104pt	104pt
462	462	472	472	115(a)pt	115(b)pt
463	463	473	473	115(a)pt	115(b)pt
464	464, 508pt	474	474	105pt, 106(c)pt, 106(d)pt	105pt, 106(a)pt
465	465	475	475	104pt	115(b)pt
466	466most	491pt, 500	241pt, 491pt, 500	106(a), 107pt	106(a)most, 107pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
470	504	514	514	104pt	104pt
471	505	515	515	56(d)pt	54(c)pt
472	502	512	512	104pt, 115(a)pt	104pt, 115(b)pt
473	503	513	513	104pt	104pt
474	500	510	510	115(a)pt	115(b)pt
475	501	511	511	115(a)pt	115(b)pt
476	506	516	516	105pt, 106(c)pt, 106(d)pt	105pt
477	507	240	240	112pt	112pt
478	508most	517	517	104pt, 105pt, 115(a)pt	104pt, 105pt, 114(c)pt
480	480, 484pt	492most	492most	109pt	109pt
481	481	490pt	490pt	108	107pt, 108most, 109pt
482	482most	490pt, 491pt	490pt, 491pt	109pt	107pt
483	483	492pt, 493pt	492pt, 493pt	109pt	108pt
485	485	491pt	491pt	107pt	107pt
486	486	493pt	493pt	109pt	108pt, 109pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
487	470-474	480-483	480-483	33(a), 33(b)	11a, 11b
490	490most	501	241pt, 501	106(c)pt, 106(d)pt	106(c), 106(d)
491	491pt	502most	241pt, 502most	106(b)pt	106(b)pt, 112pt
492	492pt	527pt	527pt	113	113
493	490pt, 491pt, 493	241	241pt	112pt	112most
494	518	526	526	106(b)pt	106(b)pt
495	516pt	245pt, 524pt	245pt, 524pt	109pt	114(a)pt
496	491pt	502pt	502pt	114(e)pt	114(c)pt
500	515pt	523pt	523pt	114(a)pt	114(a)pt
501	515pt	523pt	523pt	114(a)pt	114(a)pt
502	515pt	523pt	523pt	114(a)pt	114(a)pt
503	516pt	523pt, 524pt	523pt, 524pt	114(a)pt	114(a)pt
504	516pt	524pt	524pt	114(e)pt	114(a)pt
505	515pt	523pt	523pt	114(a)pt	114(a)pt
506	466pt, 491pt, 492pt, 516pt, 517pt	501pt, 527pt	501pt, 527pt	114(e)pt	106pt, 111pt, 113pt, 114(a)pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
507	486pt, 519pt	241pt, 491pt	241pt, 491pt	107pt	107pt
508	486pt	492pt, 525pt	492pt, 525pt	114(e)pt	108pt, 114(a)pt
510	510	518	518	110pt	110pt
511	012pt, 511	519	519	110pt	110pt
512	512	520	520	114(e)pt	110pt
513	513	521	521	114(c), 114(b)	109pt, 114(b), 114(c)pt
514	514	522	522	111pt	109pt, 111pt
515	517pt	525pt	525pt	114(e)pt	114(a)pt
516	484pt, 517pt, 519pt	527pt	527pt	114(e)pt, 114(d)	114(a)pt
518	492pt, 517pt, 519pt, 748pt	299pt, 527pt	299pt, 527pt	114(e)pt, 111pt	114(a)pt, 114(c)pt
519	519pt	527pt	527pt	114(e)pt, 87(e)pt	114(c)pt
520	520	523pt	523pt	115(b)pt	115(a)pt
521	521	530, 535pt	530, 535pt	115(b)pt	115(a)pt
522	522	531	531	115(b)pt	115(a)pt
523	523	532	532	115(b)pt	115(a)pt
524	524	533pt, 535pt	533pt, 535pt	115(b)pt	115(a)pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
525	525	534, 535pt	534, 535pt	115(b)pt	115(a)pt
526	526	730pt, 733pt	730pt, 733pt	56(d)pt, 154pt, 155pt	54(c)pt, 154pt, 155pt
527	527	537	537	115(b)pt	115(a)pt
528	528	536, 538pt	536, 538pt	98pt, 115(b)pt	98pt, 115(a)pt
529	529	538pt	538pt	115(b)pt	115(a)pt
530	530	539	539	116	116most
531	531	540pt	540pt	117(a)pt	117(a)pt
532	532	541	541	117(b)	117(b)
533	533	540pt	540pt	117(a)pt	117(a)pt
534	534	542	542	117(a)pt	117(a)pt, 119pt, 120pt
535	303pt, 535	543	543	77pt, 118pt, 119pt, 120pt	118pt
536	536	544	544	118pt	69pt, 118pt
537	537	545	545	118pt	118pt
540	540	550	550	121pt	121pt
541	541	551	551	121pt	121pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
542	542	552	552	121pt	121pt
ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
543	543	553	553	121pt, 123pt	121pt, 123pt
550	550, 552	560pt, 561pt	560pt, 561pt	122(a)pt	122(a)pt
551	553pt	561pt	561pt	122(a)pt	122(a)pt
552	553pt	561pt	561pt	122(a)pt	122(a)pt
553	551	560pt	560pt	122(a)pt	122(a)pt
555	563pt	572pt	572pt	119pt, 120pt	119pt, 120pt
556	563pt	572pt	572pt	119pt, 120pt	119pt, 120pt
557	444pt, 458pt, 561pt, 563pt, 569pt	570pt, 572pt	570pt, 572pt	119pt, 120pt, 122(b)pt, 123pt	119pt, 120pt, 99pt, 122(b)pt
558	561pt, 563pt	571pt	571pt	119pt, 120pt	119pt, 120pt
560	560	570	570	122(b)pt	122(b)most
562	562	572pt	572pt	123pt	123pt
564	564	573	573	119pt, 120pt, 123pt	119pt, 120pt, 123pt
565	565	574	574	123pt	123pt
566	566	575	575	123pt	123pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
567	567	576	576	129pt	129
568	568, 569pt	577, 578pt	577, 578pt	129pt	122(b)pt
569	569pt	578pt	578pt	123pt	123pt
570	570, 573pt	580	580	125(a)	125(a)
571	571, 573pt	581	581	124(a), 124(b)	69pt, 73pt, 124(a), 124(b)
572	572, 573pt	582	582	125(b)pt	125(b)pt
573	573pt	583	583	125(b)pt	125(b)pt
574	574	584	584	126	126most
575	575pt, 576pt	585, 586pt	585, 586pt	127pt	126pt, 127pt
576	575pt, 576pt	586pt	586pt	127pt	127pt
577	577pt	587	587	128	128
578	569pt, 784pt 785pt	578pt, 784pt, 785pt	578pt, 784pt, 785pt	118pt, 123pt	118pt, 123pt
579	269pt, 577pt	286pt	286pt	66(c)pt	158pt, 128pt
580	580pt, 400pt	590	590	130pt	130pt
581	581, 400pt	591	591	133pt, 131pt	130pt
582	400pt, 582pt	592most	592most	131most	131most

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
583	400pt, 583, 593pt	593pt	593pt	132pt	130pt, 131pt, 132pt
584	580pt, 593pt	593pt	593pt	130pt, 132pt	130pt
585	582pt	593pt	593pt	130pt, 132pt	132pt
586	593pt, 792	593pt, 792	593pt, 792	130pt, 132pt	132pt
587	584	594pt	594pt	131pt	131pt
588	273pt, 593pt	272pt, 594pt	272pt, 594pt	133pt	131pt
589	582pt	592pt	592pt	133pt	133pt
590	590	600	600	133pt	133pt
591	591	601	601	133pt	133pt
592	592	602	602	134pt	134pt
593	444pt, 593pt	603	603	133pt	130pt, 131pt
594	594	604	604	134pt	134pt
595	595	605	605	135(a)	135pt
596	596	606	606	135(b)	135pt
597	597	607	607	136pt	136pt
598	598	608	608	136pt	136pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
599	599	609, 789pt	609, 789pt	136pt	136pt
600	600	610	610	137(a)	137pt
601	601	611	611	137(b)pt	137pt
602	602	612	612	137(b)pt	137pt
603	603	613	613	138pt	138pt
604	604	614	614	138pt	138pt
605	605	615	615	138pt, 157(i)pt	138pt
606	606	616	616	138pt	138pt
607	607pt	617pt	617pt	138pt	98pt, 138pt
608	607pt	617pt	617pt	138pt	98pt, 138pt
610	610pt, 611pt	620pt, 621pt	620pt, 621pt	139(c)pt	139(c)pt
611	610pt, 611pt	620pt, 621pt	620pt, 621pt	139(c)pt	139(c)pt
614	612, 613, 614, 615pt, 616pt	622, 623, 624, 626pt	622, 623, 624, 626pt	139(a)pt	139(a)pt
615	622pt	630pt	630pt	139(b)pt	139(b)pt
616	620, 622pt	630pt	630pt	139(b)pt, 139(d)pt	98pt, 139(b)pt, 139(d)pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
617	625pt	215pt, 216pt	215pt, 216pt	139(a)pt, 139(b)pt, 139(d)pt	139(a)pt, 139(b)pt, 139(d)pt
618	623	631	631	139(b)pt, 139(d)pt	139(a)pt, 139(b)pt
619	596pt, 616pt, 629pt	606pt, 626pt, 633pt, 637pt	606pt, 626pt, 633pt, 637pt	123pt, 135(b)pt, 139(b)pt, 139(d)pt	123pt, 135pt, 139(b)pt
620	615pt, 616pt	625pt	625pt	139(a)pt	139(a)pt
621	219pt, 624, 625pt	632, 633pt	632, 633pt	139(b)pt	139(b)pt
622	621	630pt, 633pt	630pt, 633pt	139(b)pt	139(b)pt
623	629pt	217pt, 637pt	217pt, 637pt	139(d)pt	139(d)pt
624	629pt	217pt, 637pt	217pt, 637pt	139(d)pt	139(d)pt
625	626pt, 786pt	634pt, 786pt	634pt, 637pt	139(b)pt, 139(d)pt	87(b)pt, 139(b)pt, 139(d)pt
626	626pt	634pt	634pt	139(b)pt	139(b)pt
627	627	635	635	139(b)pt, 139(d)pt	139(b)pt, 139(d)pt
628	628	636	636	139(a)pt, 139(b)pt	139(a)pt, 139(d)pt
629	629pt	637pt	637pt	139(d)pt	139(a)pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
630	634pt	648pt	648pt	145pt	140pt, 141pt
631	634pt, 645pt	648pt, 650pt, 651pt, 652pt	648pt, 650pt, 651pt, 652pt	145pt	140pt, 141pt
632	634pt	648pt	648pt	141(a)pt	140pt, 141pt
633	631pt	645	645	142	142
634	643pt	650pt, 651pt, 652pt	650pt, 651pt, 652pt	140(a)pt, 141(a)pt	140(a)pt, 141pt
635	640pt, 641pt	650pt, 651pt, 652pt	650pt, 651pt, 652pt	140(a)pt, 141(a)pt	140(a)pt, 141pt
636	642pt	650pt, 651pt, 652pt	650pt, 651pt, 652pt	140(b), 141(b)	140(b), 141pt
637	644pt	650pt, 651pt, 652pt	650pt, 651pt, 652pt	140(a)pt, 141(a)pt	140(a)pt, 141pt
638	640pt, 641pt, 645pt	648pt	648pt	140(a)pt, 141(a)pt	140(a)pt, 141pt
640	632pt	644pt	644pt	143pt	141pt, 143pt
641	632pt, 651pt	643, 644pt	643, 644pt	143pt, 146pt	141pt
642	637	642pt	642pt	144(a), 144(b)pt, 144(d)pt, 148(a), 148(b)pt, 148(d)pt	147pt
643	638	642pt	642pt	144(d)pt, 148(d)pt	147pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
644	650pt, 634pt	648pt	648pt	149(b)pt	141pt
645	634pt	648pt	648pt	149(b)pt	143pt
646	630, 635, 639, 634pt, 636	642pt, 648pt	642pt, 648pt	144(c), 144(b)pt 148(c), 148(b)pt 145pt	149pt
647	001-138pts	649pt	649pt	no provision	no provision
648	140-799pts, 633, 676	649pt	649pt	144(b)pt, 148(b)pt	no provision
650	650pt	660	660	150(b)pt	150(b)pt
651	634pt	675pt	675pt	149(b)pt	149(c)pt
652	656	674pt	674pt	149(a)pt, 149(b)pt	149(c)pt
653	654, 655pt	673pt, 674pt	673pt, 674pt	149(a)pt, 149(b)pt	149(c)pt
654	657pt	675pt	675pt	149(a)pt, 149(b)pt	149(c)pt
655	655pt	no provision	no provision	no provision	no provision
656	634pt, 661pt	no provision	no provision	no provision	no provision
657	634pt	648pt	648pt	145pt	143pt
658	634pt, 661pt	648pt, 678pt	648pt, 678pt	145pt, 150(b)pt	143pt, 149(c)pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
659	634pt, 661pt	678pt	678pt	149(b)pt, 150(b)pt	149(c)pt
660	654pt, 656pt, 657pt	673pt, 674pt, 675pt	673pt, 674pt, 675pt	149(a)pt, 149(b)pt	149(a)(b)(c)pts
661	657pt, 661pt	675pt, 678pt	675pt, 678pt	149(b)pt	149(a)(b)(c)pts
662	657pt	675pt	675pt	149(b)pt	149(a)(b)(c)pts
663	661pt	670pt, 675pt, 678pt	670pt, 675pt, 678pt	149(b)pt	149(c)pt
664	658	676, 677pt	676, 677pt	149(a)pt	149(c)pt
665	659, 660	677pt	677pt	149(a)pt	149(b)(c)pts
666	652pt, 653, 675	671pt, 672	671pt, 672	146pt	144pt
667	652pt	671pt	671pt	146pt	149(c)pt
668	661pt, 662	678pt	678pt	149(b)pt	149(a)(b)(c)pts
669	660pt, 661pt	674pt, 678pt	674pt, 678pt	149(b)pt	149(a)(b)(c)pts
670	670	681pt	681pt	147(a)pt	145pt
671	671	682pt	682pt	147(b)pt	143pt, 148(a) 150(b)pt
672	672	683	683	147(a)pt	145pt
673	673	684	684	147(c)pt	148(b)pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
674	674, 677	687, 688	687, 688	147(b)pt, 147(c)pt	150(b)pt
675	678pt	689pt	689pt	150(a)pt	150(a)pt
676	678pt	689pt	689pt	150(a)pt	150(a)pt
680	680	690	690	151	151
681	681	691	691	152pt	152pt
682	682	692, 693	692, 693	152pt	101pt, 114(a)pt 152pt
683	683	694	694	101pt	101pt
684	684	695, 766	695, 766	153pt, 161(d)pt	153pt, 161(d)pt
685	685	221	221	153pt	54(c)pt
686	686	698	698	153pt	153pt
690	690	700	700	153pt	153pt
691	691	244pt, 703pt	244pt, 703pt	153pt	153pt
692	692pt	244pt, 701, 702, 703pt	244pt, 701, 702, 703pt	153pt	153pt
693	692pt	703pt	703pt	153pt	153pt
694	693, 694	704	704	153pt	153pt
695	695	705	705	153pt	153pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
696	696	706	706	153pt	153pt
697	697	707	707	153pt	153pt
698	698	708	708	153pt	153pt
700	700	709	709	153pt	153pt
701	701	710	710	153pt	153pt
702	702	711	711	153pt, 115(b)pt	153pt
703	703	712	712	153pt	153pt
704	704	713	713	153pt	153pt
705	705	714pt	714pt	153pt, 200(a)pt	153pt
706	706	714pt	714pt	153pt	153pt
707	445pt, 707	715	715	153pt	153pt
708	708	243	243	153pt	153pt
709	709	716	716	153pt	153pt
710	716, 734	456pt, 537pt 710pt, 726pt	456pt, 537pt 710pt, 726pt	153pt, 156(b)pt	153pt, 156(c)pt
711	710, 714pt	720, 724pt	720	156(a)pt	156(a)pt
712	715pt, 731pt	725pt, 738pt	725pt, 738pt	156(a)pt	156(a)pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
714	712pt	722pt	722pt	59(a)pt	57(b)pt
715	713most	723most	723most	59(b)pt, 155pt	57(b)pt
716	714pt, 715pt	245pt, 722pt, 724pt, 725pt	245pt, 722pt, 724pt, 725pt	156(a)pt	57(b)pt
717	724pt	734	734	156(a)pt	156(a)pt
718	724pt, 727	736pt, 737pt, 738pt	737pt, 738pt	156(a)pt	156(a)pt
719	712pt, 729most	722pt, 738pt	722pt, 738pt	156(a)pt	156(a)pt
720	712pt	722pt	722pt	59(a)pt, 16pt	57(b)pt
721	713pt, 729pt, 756pt	723pt	723pt	59(b)pt	57(b)pt
722	725	735	735	156(b)pt 156(c)pt, 87(b)pt	
723	352, 686pt, 717pt, 728pt	362pt, 698pt, 726pt	362pt, 698pt, 726pt	156(b)pt	156(c)pt
724	353, 717pt, 726, 727pt, 728pt	363, 726pt, 736, 737pt, 787pt	363, 726pt, 736 737pt, 787pt	87(b)pt, 156(b)pt	87(b)pt
725	717pt	726pt	726pt	156(b)pt	57(a)pt
726	717pt, 731pt	726pt, 741pt, 742pt, 738pt	726pt, 741pt, 742pt, 738pt	156(b)pt	156(a)pt
727	730, 731pt, 733pt	740, 741pt, 742pt	740pt, 741pt, 742pt	156(a)pt, 156(b)pt	156(a)pt, 156(c)pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
728	732, 733pt	726pt, 738pt 743pt, 744pt	726pt, 738pt, 743pt, 744pt	156(b)pt	156(c)pt
729	686pt, 717pt, 718, 787pt	698pt, 726pt, 727, 743pt, 787pt	698pt, 726pt, 727, 743pt, 787pt	58(b), 156(b)pt	81pt, 57(a)pt
730	720	730	730	154pt	154
731	721	731, 733pt	731, 733pt	155pt	155pt
732	722	732	732	156(b)pt	155pt
733	723	733pt, 738pt	733pt, 738pt	155pt	155pt, 156(c)pt
734	736	746	746	156(b)pt	156(c)pt
735	737, 738pt	747-749pts	747-749pts	156(b)pt	156(c)pt
736	738pt	748pt, 749pt	748pt, 749pt	156(b)pt	156(c)pt
737	735	745	745	156(b)pt	63pt
738	738pt	749pt	749pt	156(b)pt	156(c)pt
739	738pt	749pt	749pt	156(b)pt	156(c)pt
740	740	750, 751pt	750, 751pt	157(d)most	157pt
741	741	751pt, 753pt	751pt, 753pt	157(b)	157pt
742	742, 743pt	751pt, 752, 753pt	751pt, 752, 753pt	157(a), 157(i)pt	87(f)pt, 157pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
743	744	753pt	753pt, 388pt	157(i)pt	157pt
744	745	753pt, 756pt, 759pt	753pt, 756pt, 759pt	157(i)pt	157pt
745	746pt	754pt	754pt	157(c)pt	157pt
746	746pt	754pt	754pt	157(c)pt	157pt
747	747	754pt	754pt	157(c)pt, 157(i)pt	96pt, 157pt
748	748	759pt	759pt	157(i)pt	157pt
749	749	755	755	157(f)	157pt
750	750	756pt	756pt	157(e), 157(i)pt	157pt
751	751	756pt	756pt	157(g), 157(i)pt	123pt, 157pt
752	752	757pt	757pt	157(i)pt	157pt
753	753	757pt	757pt	157(h), 157(i)pt	157pt
754	754, 755pt, 756pt	747pt, 748pt, 749pt, 758pt	747pt, 748pt, 749pt, 758pt	157(i)pt	156(c)pt, 157pt
755	755pt	747pt, 749pt, 758pt	747pt, 749pt, 758pt	157(i)pt	157pt
756	551pt, 756pt	560pt, 758pt	560pt, 758pt	157(i)pt	157pt
757	757	759pt	753pt, 759pt	153pt, 157(i)pt	87(f)pt, 157pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
758	759pt	325pt, 759pt	325pt, 759pt	84(a)pt, 157(i)pt	87(e), 157pt
759	758, 759pt	750pt, 759pt	750pt, 759pt	157(d)pt, 157(i)pt	73pt, 161(c)pt, 157pt
760	<hr/>	Equal codes 769, 761pt	Equal codes 769, 761pt	158pt, 159pt, 161(b)	No provision
761	↑	Equal codes 769, 761pt	Equal codes 769, 761pt	158pt, 159pt, 160pt	158pt, 160pt
762	Not used in general deaths. As maternal conditions in perinatal deaths equal codes 760-771	Equal codes 769, 761pt	Equal codes 769, 761pt	158pt, 159pt, 160pt	159pt, 160pt
763	↓ <hr/>	Equal codes 769, 761pt	Equal codes 769, 761pt	158pt, 159pt, 160pt	160pt
764	778pt, 760- 771pts	772pt, 769pt	772pt, 769pt	158pt	158pt
765	777, 760- 771pts	769pt, 774pt, 776, 775pt	769pt, 774pt, 775pt, 776	159pt	159pt
766	778pt, 760- 771pts	773pt, 761pt	761pt, 773pt	161(g)pt	161(d)pt
767	772pt, 760- 771pts	760, 761pt	760, 761pt	160most	160pt
768	776pt, 760- 771pts	762pt, 769pt	762pt, 769pt	161(a)pt	161(a)pt, 160pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
769	776pt, 760-771pts	773pt, 761pt, 769pt	761pt, 769pt, 773pt	158pt, 161(g)pt	161(d)pt
770	482pt, 486pt, 776pt, 778pt, 760-771pts	762pt, 763, 769pt, 771pt	762pt, 763, 769pt, 771pt	109pt, 161(a), 161(g)pt	161(d)pt, 161(a)pt
771	000-089pts, 091-138pts	765, 767, 768, 769pt	765,767, 768, 769pt	161(c), 1-44pts	161(c)pt
772	772pt, 778pt, 760-771pts	760pt, 761pt, 769pt	760pt, 761pt, 769pt	161(e)pt	160pt, 161(c)pt, 161(d)pt
773	774pt, 775pt, 760-771pts	770pt	770pt	161(f)pt	161(b)pt
774	774pt, 778pt, 760-771pts	770pt, 769pt,	770pt, 769pt	161(f)pt	161(b)pt
775	240-279pts, 761pt	769pt, 270pt, 271pt, 286pt,	270pt, 271pt, 286pt, 769pt	161(g)pt	161(d)pt
776	778pt, 760-771pts	296pt, 771, 773pt	296pt, 771, 773pt	161(e)pt	161(d)pt
777	778pt, 760-771pts	762pt	762pt	161(g)pt	161(b)pt
778	569pt, 775pt, 778pt, 760-771pts	773pt, 769pt	770pt, 773pt, 769pt	161(g)pt	161(d)pt
779	778pt, 779, 760-771pts	773pt, 769pt	769pt, 773pt	161(g)pt, 86pt	161(d)pt, 158pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
780	780pt, 781pt, 782pt, 788pt, 790pt, 796pt	780pt, 781pt	780pt, 781pt	84(c)pt, 86pt, 87(e)pt, 199pt, 200(a)pt	86, 87(f)pt 158pt, 200(a)pt
781	780pt, 781pt, 787pt, 788pt	780pt, 781pt 787pt, 788pt	780pt, 781pt, 787pt, 788pt	86pt, 87(e)pt	87(f)pt, 200(a)pt
782	287pt, 781pt 782pt, 785pt, 788pt	296pt, 781pt 782pt, 785pt, 788pt	296pt, 781pt, 782pt, 785pt 788pt	125(b)pt, 200(a)pt	200(a)pt
783	269pt, 278pt, 784pt, 796pt	286pt, 784pt, 788pt, 795pt	286pt, 784pt, 788pt, 795pt	200(a)pt	158pt, 200(a)pt
784	781pt, 783pt 788pt, 791	326pt, 467pt, 781pt, 783pt, 788pt, 791	326pt, 467pt 781pt, 783pt, 788pt, 791	87(e)pt, 103pt	87(f)pt, 103pt 200(a)pt
785	424pt, 445pt, 782pt	433pt, 455, 782pt	433pt, 455, 782pt	92(d)pt, 95(a)pt, 96pt, 200(a)pt	95(a)pt, 98pt, 101pt, 161(c)pt
786	783pt, 784pt	783pt, 784pt	783pt, 784pt	13(b)pt, 87(e)pt, 200(a)pt	87(f)pt, 114(c)pt, 200(a)pt
787	784pt, 785pt	784pt, 785pt	784pt, 785pt	118pt, 200(a)pt	116pt, 118pt, 123pt, 200(a)pt
788	786pt	606pt, 786pt	606pt, 786pt	133pt, 134pt, 135(b)pt	69pt, 133pt 134pt, 135pt
789	782pt, 785pt	782pt, 785pt	782pt, 785pt	75pt, 123pt, 200(a)pt	73pt, 118pt, 125pt, 200(a)pt
790	038pt, 079pt, 789pt	053pt, 096pt	053pt, 096pt	No provision	(69pt) No provision

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
791	273pt, 789pt	203pt, 789pt	203pt, 789pt	No provision	(59pt, 69pt, 130pt, 131pt) No provision
792	789pt	No provision	No provision	No provision	No provision
793	No provision (Unlikely as causes of death)	No provision	No provision	No provision	No provision
794		No provision	No provision	No provision	No provision
795		No provision	No provision	No provision	No provision
796		No provision	No provision	No provision	No provision
797	794	794	794	162pt	162pt
798	795	795pt	795pt	200(b)pt, 199most	200(b)pt, 199
799	268pt, 796most	790pt, 795pt	790pt, 795pt	200(a)pt, 200(b)pt	69pt, 87(f)pt, 158pt, 200(a)pt, 200(b)pt
E800	E800	E800-802pts	E800-802pts	169pt	186(c)pt
E801	E801	E800-802pts	E800-802pts	169pt	186(c)pt
E802	E802	E800-802pts	E800-802pts	169pt	186(c)pt
E803	E803	E800-802pts	E800-802pts	169pt	186(c)pt
E804	E804	E800-802pts	E800-802pts	169pt	186(c)pt
E805	E805	E800-802pts	E800-802pts	169pt	186(c)pt
E806	E806	E800-802pts	E800-802pts	169pt	186(c)pt
E807	E807	E800-802pts	E800-802pts	169pt	186(c)pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
E810	E810	E810	E810	170(a)	186(e)pt
E811	E812pt	E815pt, E816pt	E815pt, E816pt	170(c)pt, 170(d)pt	186(e)pt
E812	E812most	E815pt, E816pt	E815pt, E816pt	170(c)pt, 170(d)pt	186(e)pt
E813	E811, E813	E811, E813, E814pt, E818pt	E811, E813, E814pt, E818pt	170(b), 170(c)pt 170(d)pt	186(e)pt
E814	E814	E812	E812	170(c)pt, 170(d)pt	186(e)pt
E815	E815	E818pt, E819pt	E818pt, E819pt	170(c)pt, 170(d)pt	186(e)pt
E816	E816	E821pt, E822, E823	E821pt, E822, E823	170(c)pt, 170(d)pt	186(e)pt
E817	E817	E820	E820	170(c)pt, 170(d)pt	186(e)pt
E818	E818	E824	E824	170(c)pt, 170(d)pt	186(e)pt
E819	E819	E821pt, E825	E821pt, E825	170(c)pt, 170(d)pt	186(e)pt
E820	E820-E823pts	E830-E835pts	E830-E835pts	170(c)pt, 170(d)pt	186(e)pt
E821	E820-E823pts	E830-E835pts	E830-E835pts	175(a)pt, 170(c)pt, 170(d)pt	186(e)pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
E822	E820pt	E830-E835pts	E830-E835pts	170(c)pt, 170(d)pt, 175(a)pt	186(e)pt
E823	E821pt	E830-E835pts	E830-E835pts	170(c)pt, 170(d)pt, 175(a)pt	186(e)pt
E824	E822pt	E830-E835pts	E830-E835pts	170(c)pt, 170(d)pt, 175(a)pt	186(e)pt
E825	E823pt	E830-E835pts	E830-E835pts	170(c)pt, 170(d)pt, 175(a)pt	186(e)pt
E826	E826	E842, E843	E842, E843	171(b)pt	186(d)pt, 186(f)pt
E827	E827pt	E844pt, E845pt	E844pt, E845pt	171(b)pt	186(d)pt, 186(f)pt
E828	E827pt	E844pt, E845pt	E844pt, E845pt	171(b)pt	186(d)pt, 186(f)pt
E829	E825, E827pt	E840, E841, E845pt	E840, E841, E845pt	171(a), 171(b)pt, 175(a)pt	186(d)pt, 186(f)pt
E830	E830	E850pt, E851pt	E850pt, E851pt	172pt	186(g)pt, 183pt
E831	E831	E857pt	E857pt	172pt	186(g)pt
E832	E832	E850pt, E851pt	E850pt, E851pt	172pt	186(g)pt, 183pt
E833	833	E852	E852	172pt	186(g)pt
E834	E834	E853	E853	172pt	186(g)pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
E835	E835	E854, E855	E854, E855	172pt	186(g)pt
E836	E836	E856	E856	172pt	186(g)pt
E837	E837	E857pt	E857pt	172pt	186(g)pt
E838	E838	E857pt, E858	E857pt, E858	172pt	186(g)pt
E840	E840	E860-E866pts	E860-E866pts	173(a)pt, 173(b)pt	186(h)pt
E841	E841	E860-E866pts	E860-E866pts	173(a)pt, 173(b)pt	186(h)pt
E842	E842	E860-E866pts	E860-E866pts	173(a)pt, 173(b)pt	186(h)pt
E843	E843	E860-E866pts	E860-E866pts	173(a)pt, 173(b)pt	186(h)pt
E844	E844	E860-866pts	E860-866pts	173(a)pt, 173(b)pt	186(h)pt
E845	E845	No provision	No provision	No provision	No provision
E846	E927pt	E911pt, E912pt	E911pt, E912pt	174pt, 176pt	194(b)pt
E847	E927pt	E912pt	E912pt	No provision	194(b)pt
E848	E927pt	E911pt, E912pt	E911pt, E912pt	No provision	186(f)pt, 194(b)pt
E850	E853, E859pt	E870, E872, E874pt	E870, E872, E874pt	179pt	179pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
E851	E854pt	E871	E871	179pt	179pt
E852	E854pt	E873, E874pt	E873, E874pt	179pt	179pt
E853	E855pt	E878pt	E878pt	179pt	179pt
E854	E855pt	E874pt	E874pt	179pt	179pt
E855	E856pt	E874pt, E877, E945pt	E874pt, E877, E945pt	179pt	179pt
E856	E850pt	E878pt	E878pt	179pt	179pt
E857	E850pt	E875, E878pt	E875, E878pt	179pt	179pt
E858	E851, E852, E857, E858, E859pt	E876pt, E878pt	E876pt, E878pt	179pt	179pt
E860	E860	E880pt	E880pt	77pt, 179pt	75pt, 179pt
E861	E861, E862, E863	E883pt, E888pt	E883pt, E888pt	179pt	179pt
E862	E864	E881pt	E881pt	179pt	179pt
E863	E865pt	E888pt, E876pt	E876pt, E888pt	179pt	179pt
E864	E867	E883pt	E883pt	179pt	179pt
E865	E868	E879most	E879most	179pt	179pt
E866	E865pt, E866, E869	E884– E886most, E888pt, 365	E884– E886most, E888pt, 365	66(b), 66(c)pt, 179pt	77(a), 179pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
E867	E870	E890pt	E890pt	178pt	178pt
E868	E871-875	E890pt, E891most, E892most	E890pt, E891most, E892most	178pt	178pt
E869	E876, E877	E893most, E894most, E895most	E893most, E894most, E895most	178pt	178pt
E870	E930-E936pts	E940-E959pts	E940-E959pts	185pt, 195(b)pt	185pt, 194(b)pt
E871	E930-E936pts	E940-E959pts	E940-E959pts	195(b)pt	194(b)pt
E872	E930-E936pts	E940-E959pts	E940-E959pts	195(b)pt	194(b)pt
E873	E930-E936pts	E940-E959pts	E940-E959pts	195(b)pt	194(b)pt
E874	E930-E936pts	E940-E959pts	E940-E959pts	195(b)pt	194(b)pt
E875	E930-E936pts	E940-E959pts	E940-E959pts	195(a)pt, 195(b)pt	194(b)pt
E876	E930-E936pts	E940-E959pts	E940-E959pts	195(a)pt, 195(b)pt	194(b)pt
E878	E930-E936pts	E940-E959pts	E940-E959pts	195(b)pt	194(b)pt
E879	E930-E936pts	E940-E959pts	E940-E959pts	195(b)pt	194(b)pt
E880	E880	E900	E900	186(a)pt	186(i)pt
E881	E881	E901, E902pt	E901, E902pt	186(a)pt	186(i)pt
E882	E882	E902pt	E902pt	186(a)pt	186(i)pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
E883	E883	E902pt	E902pt	186(a)pt	186(i)pt
E884	E884	E902pt	E902pt	186(a)pt	186(i)pt
E885	E885	E903pt	E903pt	186(a)pt	186(i)pt
E886	E886	E903pt	E903pt	186(a)pt	186(i)pt
E887	E887pt	E904pt	E904pt	195(d)pt	186(i)pt
E888	E887pt	E903pt, E904pt	E903pt, E904pt	186(a)pt	186(i)pt
E890	E890	E916pt	E916pt	180pt	180pt
E891	E891	E916pt	E916pt	180pt	180pt
E892	E892	E916pt	E916pt	180pt	180pt
E893	E893	E916pt	E916pt	181pt	181pt
E894	E894	E916pt	E916pt	181pt	181pt
E895	E895	E916pt	E916pt	181pt	181pt
E896	E896	E916pt	E916pt	181pt	181pt
E897	E897	E916pt	E916pt	181pt	181pt
E898	E898	E916pt	E916pt	181pt	181pt
E899	E899	E916pt	E916pt	181pt	180pt, 181pt
E900	E900	E931	E931	191	191

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
E901	E901	E932	E932	190	190
E902	E902	E930	E930	195(d)pt	194(b)pt
E903	E903	E936pt	E936pt	195(d)pt	194(b)pt
E904	E904	E933, E926	E933, E926	189, 195(c), 195(d)pt	189, 194(a) 194(b)pt
E905	E905	E927	E927	194(a), 194(b)	176(a),(b)
E906	E906	E928	E928	188	188
E907	E907	E935	E935	192	192
E908	E908pt	E934pt	E934pt	187pt	187pt
E909	E908pt	E934pt	E934pt	187pt	187pt
E910	E910	E929	E929	183	183
E911	E911	E921	E921	195(d)pt	182pt
E912	E912	E922	E922	195(d)pt	182pt, 194(b)pt
E913	E913	E924, E925	E924, E925	182	182pt
E914	E914	E920	E920	195(d)pt	194(b)pt
E915	E915	E923	E923	195(d)pt	194(b)pt
E916	E916	E936pt	E936pt	195(d)pt	186pt, 194(b)pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
E917	E917	E936pt	E936pt	195(d)pt	194(b)pt
E918	E918	E936pt	E936pt	195(d)pt	194(b)pt
E919	E927, E928	E912	E912	175(a)pt, 176	186(b), 186(a)pt 194(b)pt
E920	E920	E913	E913	185	185
E921	E921	E915	E915	195(d)pt	194(b)pt
E922	E922	E919	E919	184	184
E923	E923	E916pt	E916pt	195(d)pt, 181pt	194(b)pt, 181pt
E924	E924	E917	E917	181pt	181pt
E925	E925	E914	E914	193	193
E926	E926	E918	E918	195(d)pt	194(b)pt
E927	E919	E936pt	E936pt	195(d)pt	194(b)pt
E928	E909, E929	E936pt	E936pt	195(d)pt	194(b)pt
E929	E940-949	E960-E962	E960-E962	No provision	No provision
E930	E930-936pts	E870-E888pts	E870-E888pts	195(b)pt	194(b)pt
E931	E930-936pts	E870-E888pts	E870-E888pts	195(b)pt	194(b)pt
E932	E930-936pts	E870-E888pts	E870-E888pts	195(b)pt	194(b)pt
E933	E930-936pts	E870-E888pts	E870-E888pts	195(b)pt	194(b)pt

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
E934	E930-936pts	E870-E888pts	E870-E888pts	195(b)pt	194(b)pt
E935	E930-936pts	E870-E888pts	E870-E888pts	195(b)pt	194(b)pt
E936	E930-936pts	E870-E888pts	E870-E888pts	195(b)pt	194(b)pt
E937	E930-936pts	E870-E888pts	E870-E888pts	195(b)pt	194(b)pt
E938	E930-936pts	E870-E888pts	E870-E888pts	195(b)pt	194(b)pt
E939	E930-936pts	E870-E888pts	E870-E888pts	195(b)pt	194(b)pt
E940	E930-936pts	E870-E888pts	E870-E888pts	195(b)pt	194(b)pt
E941	E930-936pts	E870-E888pts	E870-E888pts	195(b)pt	194(b)pt
E942	E930-936pts	E870-E888pts	E870-E888pts	195(b)pt	194(b)pt
E943	E930-936pts	E870-E888pts	E870-E888pts	195(b)pt	194(b)pt
E944	E930-936pts	E870-E888pts	E870-E888pts	195(b)pt	194(b)pt
E945	E930-936pts	E870-E888pts	E870-E888pts	195(b)pt	194(b)pt
E946	E930-936pts	E870-E888pts	E870-E888pts	195(b)pt	194(b)pt
E947	E930-936pts	E870-E888pts	E870-E888pts	195(b)pt	194(b)pt
E948	E930-936pts	E870-E888pts	E870-E888pts	195(a)pt	194(b)pt
E949	E930-936pts	E870-E888pts	E870-E888pts	195(a)pt	194(b)pt
E950	E950	E970, E971	E970, E971	163(a)	163(a), 163(b)

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
E951	E951	E972	E972	163(b)pt	164pt
E952	E952	E973	E973	163(b)pt	164pt
E953	E953	E974	E974	164(a)	165
E954	E954	E975	E975	164(b)	166
E955	E955	E976	E976	164(c)	167
E956	E956	E977	E977	164(d)	168
E957	E957	E978	E978	164(e)	169
E958	E958	E979	E979	164(f), 164(g) 164(h)	170, 171
E959	E959	E963	E963	No provision	No provision
E960	E960	E983pt	E983pt	165pt, 168pt	172pt, 175pt
E961	E961	E983pt	E983pt	165pt, 168pt	172pt, 175pt
E962	E962	E980	E980	165pt, 168pt	172pt, 175pt
E963	E963	E983pt	E983pt	165pt, 168pt	172pt, 175pt
E964	E964	E983pt	E983pt	165pt, 168pt	172pt, 175pt
E965	E965	E981	E981	166most, 165pt	172pt, 173
E966	E966	E982	E982	167most, 165pt	172pt, 174

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
E967	E968pt	E983pt	E983pt	165pt, 168pt	172pt
E968	E967, E968pt	E983pt	E983pt	165pt, 168pt	172pt, 175pt
E969	E969	E964	E964	No provision	No provision
E970	E970	E984pt	E984pt	166pt	173pt
E971	E971	E984pt	E984pt	168pt	175pt
E972	E972	E984pt	E984pt	168pt	175pt
E973	E973	E984pt	E984pt	168pt	175pt
E974	E974	E984pt	E984pt	167pt	174pt
E975	E975	E984pt	E984pt	168pt	175pt
E976	E976	E984pt	E984pt	168pt	175pt
E977	E977	No provision	No provision	No provision	173-175pts
E978	E978	E985	E985	198	198
E980	E980	E870-E888pts	E870-E888pts	179pt	195(f)pt
E981	E981	E980pt	E890pt	178pt	195(f)pt
E982	E982	E891-E895pts	E891-E895pts	178pt	195(f)pt
E983	E983	E925pt, E936pt	E925pt, E936pt	182pt, 195(d)pt	195(f)pt
E984	E984	E929pt	E929pt	183pt	195(a)

ICD-9	ICD-8	ICD-7	ICD-6	ICD-5	ICD-4
E985	E985	E919pt	E919pt	184pt, 195(d)pt	195(b)
E986	E986	E913pt	E913pt	185pt	195(c)
E987	E987	E900-E902	E900-E902pts	186(a)pt	195(d)
E988	E988	E800-E936pts	E800-E936pts	169-195pts	195(e), 195(f)pt
E989	E989	E960-E962pts	E960-E962pts	No provision	195(a-f)pts
E990	E990	E993pt	E993pt	196pt, 197pt	196pt, 197pt
E991	E991	E991	E991	196pt, 197pt	196pt, 197pt
E992	E992	E994	E994	196pt, 197pt	196pt, 197pt
E993	E993	E993pt, E995pt E996	E993pt, E995pt E996	196pt, 197pt	196pt, 197pt
E994	E994	E997	E997	196pt, 197pt	196pt, 197pt
E995	E995	E998pt	E998pt	196pt, 197pt	196pt, 197pt
E996	E996	E998pt	E998pt	196pt, 197pt	196pt, 197pt
E997	E997	E998pt	E998pt	196pt, 197pt	196pt, 197pt
E998	E998	E999	E999	196pt, 197pt	196pt, 197pt
E999	E999	E965	E965	196pt, 197pt	196pt, 197pt



9 780644 142465